
No. 729,431.

PATENTED MAY 26, 1903.

J. SHERRY.

TILE FORMING APPARATUS. APPLICATION FILED JULY 24, 1901.

NO MODEL.



Chas, J. Toner. Ohm J. Buwer.

John Sherry,

BY

Locy+ Parsons

ATTORNEYS

No. 729,431.

Patented May 26, 1903

United States Patent Office.

JOHN SHERRY, OF ROCHESTER, NEW YORK.

TILE-FORMING APPARATUS.

SPECIFICATION forming part of Letters Patent No. 729,431, dated May 26, 1903.

Application filed July 24, 1901. Serial No. 69,530. (No model.)

To all whom it may concern:

Be it known that I, John Sherry, of Rochester, in the county of Monroe and State of New York, have invented a certain new and useful Tile-Forming Apparatus, of which the following is a specification.

My invention has for its object the production of a particularly simple and practical tile-forming apparatus; and it consists in the combination, construction, and arrangement of the component parts of a tile-forming apparatus, as hereinafter fully described, and pointed out in the claims.

d and a reduced end d'. Said recesses generally extend lengthwise of the core D and gradually taper or decrease in depth and width toward their extremities adjacent to 55 the reduced end d' and are utilized to form inwardly-extending projections f on the inner faces of the enlargements of the tile F, produced by my apparatus, which projections decrease in thickness and width toward the 60 end edges of the enlargements of the tile. The head E is here illustrated as provided with means e, movable into and out of engagement with the means of the enlargement.

Having thus fully described my invention, what I claim as new, and desire to secure by

Letters Patent, is-

1. A tile-forming apparatus comprising a 5 cylinder having one end formed with an annular enlargement, a core within the main portion of the cylinder, a second core within the enlargement, and means movable relatively to the second core for cutting off proro jections extending from the contiguous end of the tile, substantially as and for the purpose described.

2. A tile-forming apparatus comprising a cylinder having one end formed with an an-15 nular enlargement, a core within the main portion of the cylinder, a second core within the enlargement, means for preventing revolution of the second core within the enlargement, and means movable on an axis rela-20 tively to the second core for cutting off pro-

jections extending from the contiguous end of the tile, substantially as and for the pur-

pose described.

3. A tile-forming apparatus comprising a 25 cylinder having one end formed with an annular enlargement, a non-revoluble plunger movable endwise toward and away from the cylinder, a core within the main portion of the cylinder, a second core within the enlarge-30 ment, said second core being movable endwise with the plunger from within the enlargement and being non-revoluble when within the enlargement, and a head movable on an axis relatively to the second core for 35 cutting off projections extending from the contiguous end of the tile, substantially as and for the purpose specified.

4. A tile-forming apparatus comprising a cylinder having one end formed with an an-40 nular enlargement, a non-revoluble plunger i movable endwise toward and away from the cylinder, a cor within the main portion of the cylinder, a second core within the enlargement, said second core being fixed to 45 the plunger, and a head journaled on the plunger and movable relatively to the second core for cutting off projections extending from the contiguous end of the tile, substan-

tially as and for the purpose specified. 5. A tile-forming apparatus comprising a cylinder having one end formed with an annular enlargement, a non-revoluble plunger movable endwise toward and away from the cylinder, a core within the main portion of

55 the cylinder, a second core within the enlargement, said second core being fixed to the plunger, and a head having its lower portion journaled on the plunger and its upper portion journaled on the second core, said 60 head being movable relatively to the second

core for cutting off projections extending from the contiguous end of the tile, substantially as and for the purpose set forth.

6. A tile-forming apparatus comprising a 65 cylinder having one end formed with an annular enlargement, a core within the main portion of the cylinder, a second core within l

the enlargement having its periphery provided with recesses for forming projections on the inner face of the enlargement of the 70 tile, and means movable relatively to the second core for cutting off projections extending: from the contiguous end of the tile, substan-" tially as and for the purpose described.

7. A tile-forming apparatus comprising a 75 cylinder having one end formed with an annular enlargement, a core within the main portion of the cylinder, a second core within the enlargement having its periphery provided with recesses for forming projections 80 on the inner face of the enlargement of the tile, means for preventing revolution of the second core within the enlargement, and means movable on an axis relatively to the second core for cutting off projections ex- 85 tending from the contiguous end of the tile, substantially as and for the purpose described.

8. A tile-forming apparatus comprising a cylinder having one end formed with an an- 90 nular enlargement, a non-revoluble plunger movable endwise toward and away from the cylinder, a core within the main portion of the cylinder, a second core within the enlargement having its periphery provided with re- 95 cesses for forming projections on the inner face of the enlargement of the tile, said second core being movable endwise with the plunger from within the enlargement and being non-revoluble when within the enlarge- 100 mert, and a head movable on an axis relatively to the second core for cutting off projections extending from the contiguous end of the tile, substantially as and for the purpose specified.

9. A tile-forming apparatus comprising a cylinder having one end formed with an annular enlargement and with engaging means, a core within the main portion of the cylinder, a second core within the enlargement, and a 110 head provided with means movable into and out of engagement with said engaging means, said head being movable relatively to the second core for cutting off projections extending from the contiguous end of the tile, sub- 115 stantially as and for the purpose set forth.

105

10. A tile-forming apparatus comprising a cylinder having one end formed with an annular enlargement and with engaging means. a non-revoluble plunger movable endwise to- 120 ward and away from the cylinder, a core within the main portion of the cylinder, a second core within the enlargement, said second core being fixed to the plunger, and a head provided with means movable into and 125 out of engagement with said engaging means and formed with openings alined with the space between the contiguous surfaces of the annular enlargement and the second core, said head being movable relatively to the sec- 130 ond core for cutting off projections extending from the contiguous end of the tile, substantially as and for the purpose specified.

11. A tile-forming apparatus comprising a

cylinder having one end formed with an annular enlargement and with engaging means, a non-revoluble plunger movable endwise toward and away from the cylinder, a core 5 within the main portion of the cylinder, a second core within the enlargement having its periphery provided with recesses for forming projections on the inner face of the enlargement of the tile, said second core being 10 fixed to the plunger, and a head provided with means movable into and out of engagement with said engaging means and formed with openings alined with the space between the contiguous surfaces of the annular en-

largement and the second core, said head be- 15 ing movable relatively to the second core for cutting off projections extending from the contiguous end of the tile, substantially as and for the purpose set forth.

In testimony whereof I have hereunto so signed my name, in the presence of two attesting witnesses, at Syracuse, in the county of Onondaga, in the State of New York, this 18th day of July, 1901.

JOHN SHERRY.

Witnesses: