
F. McCONNELL. GLOVE. APPLICATION FILED AUG. 80, 1902.

NO MODEL.



United States Patent Office.

FRANCIS MCCONNELL, OF CHICAGO, ILLINOIS.

GLOVE.

SPECIFICATION forming part of Letters Patent No. 730,471, dated June 9, 1903.

Application filed August 30, 1902. Serial No. 121,628. (No model.)

To all whom it may concern:

Be it known that I, Francis McConnell, a citizen of the United States, residing at Chicago, in the county of Cook and State of Illi-5 nois, have invented a new and useful Improvement in Gloves, of which the following is a

specification.

This invention relates generally to gloves, and more particularly to a glove intended for o workingmen's use. It frequently happens that men are compelled to wear a glove upon one hand or the other for the purpose of handling certain kinds of material, and an ordinary glove will become worn out in the palm 15 or upon the inside, while the back portion remains perfectly good. Furthermore, it frequently happens that one glove wears out much sooner than the other, owing to the frequency with which one glove is used.

The object of my invention is to provide a glove which shall be exactly alike on the front and back, and consequently reversible, thereby increasing the use of the glove exactly

twofold.

With these various objects in view the invention consists, essentially, in constructing a glove with front and back portions exactly alike, each portion having a thumb attached thereto, thus rendering the glove a double 30 reversible one.

The invention consists also in certain details hereinafter described, and pointed out

in the claims.

In the drawings forming a part of this speci-35 fication, Figure 1 is a perspective view of a glove constructed in accordance with my invention. Fig. 2 is a transverse sectional view. Fig. 3 is a detail view showing the arrangement of two thumbs. Fig. 4 is a plan 40 view of the blank from which the glove is made, and Fig. 5 is a view of the blank from which the thumb is made.

In carrying out my invention I employ two faces A and B, which are preferably united 45 along one edge, and the two together constitute a single blank, the portion A having the finger portions A', A^2 , A^3 , and A^4 , while the portion B has finger portions B', B2, B3, and B⁴, and when the blank is folded upon the 50 dotted lines these finger portions are stitched together, providing the four fingers of the glove, and it will be noted that the front and lof the circular openings.

back portions of the blank and of the glove are exactly alike. The portion A has a thumbopening A⁵, and directly opposite the portion 55 B has the thumb-opening B⁵. A thumb A⁶ is sewed into the thumb-opening A⁵, and a thumb B⁶ is sewed into the thumb-opening B⁵. This completes the glove, and it will be noted that the front and back are exactly 60 alike and that one thumb is connected to the front, while the other thumb is connected to the back of the glove. When one thumb is in use, the other thumb is reversed and turned into the glove, and owing to its location it will 65 not be at all inconvenient to the wearer.

In the drawings I have shown the glove arranged for use upon the left hand, and when the front face becomes worn or when it is desired to use the glove upon the right hand the 70 thumb at the rear is pulled out and the one

at the front reversed and pushed in.

When gloves are constructed as herein shown and described, they can be bought singly or in quantities, and it will not be nec- 75 essary to make and sell them in pairs, as is

done at the present time.

It will of course be understood that a glove embodying my invention may be constructed of any desirable material, and while prima- 80 rily intended to protect the hand while handling heavy or rough articles it can be made and finished in a neat and attractive style, so as to be employed as a walking or dress glove.

Having thus fully described my invention, 85 what I claim as new, and desire to secure by Letters Patent of the United States, is—

1. A glove formed of similar-shaped blanks united along one edge the front and rear faces of which are alike, each face having a thumb 90 connected thereto, said thumbs being oppo-

sitely disposed, as specified.

2. A glove formed of a blank having three straight sides, the other side having an irregular outline and having seven slots extending 95 from the margin of the irregular outline toward the opposite straight side, and two circular openings produced in the body of the blank, said blank being folded, the line of fold being between the circular openings, and 100 stitched along the irregular outline and along the free straight edges adjacent thereto, and thumb portions secured to the edges of each

3. A glove, the body portion of which is constructed from a single piece, said body portion having thumb-openings in the front and rear faces, said thumb-openings being oppo-5 sitely disposed and the thumbs secured in said openings, said thumbs being reversible, as set forth.

4. A glove comprising front, back and fin-

ger portions, and having apertures in the front and back portions adjacent the index- to finger portion, and thumb portions, secured to the edges of the apertures.

FRANCIS MCCONNELL. Witnesses:

THOS. W. GILMORE, WM. J. DEERING.