
T. B. McCREADY. HINGE.

APPLICATION FILED JAN. 3, 1903.

NO MODEL.



WITNESSES:

INVENTOR

Thomas B.McCready

BY

Muuns

United States Patent Office.

THOMAS B. McCREADY, OF BUTLER, OHIO.

HINGE.

SPECIFICATION forming part of Letters Patent No. 745,887, dated December 1, 1903.

Application filed January 3, 1903. Serial No. 137,663. (No model.)

To all whom it may concern:

Be it known that I, THOMAS B. MCCREADY, a citizen of the United States, and a resident of Butler, in the county of Richland and State of Ohio, have invented a new and Improved Hinge, of which the following is a full, clear, and exact description.

This invention relates particularly to spring-hinges for hanging screen-doors or the like, the object being to provide a hinge so constructed that the two leaves may be easily separated when it is desired to remove the door, leaving one leaf on the door and the other on the casing, which will have a better appearance than has a casing when the hinge members are removed from the casing, leaving the screw-holes exposed.

I will describe a hinge embodying my invention, and then point out the novel features

20 in the appended claim.

Reference is to be had to the accompanying drawings, forming a part of this specification, in which similar characters of reference indicate corresponding parts in both the figures.

Figure 1 is a front elevation, partly in section, of a hinge embodying my invention; and Fig. 2 is a section on the line 2 2 of Fig. 1.

The hinge comprises two leaf members 56, one being secured to the door-casing and the 30 other to the door, as clearly indicated. The leaf 5 has at its ends perforated lugs 7, and the leaf 6 has perforated lugs 8, which engage between the lugs 7. Secured to the lugs 8 is a tubular pintle 9, and through this tuse bular pintle a pintle-pin 10 passes, this pintle-pin 10 also passing through the openings in the lugs 7. A spring 11 surrounds the tu-

bular pintle and has its opposite ends connected to the lugs 8, while its central portion is provided with a loop 12, which is remov- 40 ably engaged with a lug 13 on the leaf 5.

When it is desired to remove the door, it is only necessary to remove the pintle-pin 10 and release the loop 12 from the hook 13. For hanging the door the loop 12 is to be engaged with the lug 13, and then the pin 10 is to be inserted.

Having thus described my invention, I claim as new and desire to secure by Letters Patent—

A hinge, comprising leaf members having perforated lugs, the lugs of one leaf member being received between the lugs of the other, a tube attached to and connecting the intermediate lugs carried by one of the leaf mem- 55 bers, a round pin passing through the perforations in the lugs of the other member and also through the tube connecting the intermediate lugs, a spring coiled around the tube and having its ends secured to the interme- 60 diate lugs, said spring having a loop portion at its center, and an outwardly-projecting hook on the outer face of the leaf member carrying the outer lugs, said hook being located about the longitudinal center of said 65 leaf member, and engaged by said loop, as set forth.

In testimony whereof I have signed my name to this specification in the presence of two subscribing witnesses.

THOMAS B. McCREADY.

Witnesses:

ISAAC WHARTON, M. S. SPOHN.