
## H. C. DILLON. IRONING BOARD., APPLICATION FILED MAR. 2, 1903.

NO MODEL

Fig. 1.



## United States Patent Office.

HARRY CAULEY DILLON, OF ALLEGHENY, PENNSYLVANIA.

## IRONING-BOARD.

SPECIFICATION forming part of Letters Patent No. 747,952, dated December 29, 1903.

Application filed March 2, 1903. Serial No. 145,817. (No model.)

To all whom it may concern:

Be it known that I, HARRY CAULEY DILLON, a citizen of the United States, residing at Allegheny, county of Allegheny, and State of Pennsylvania, have invented a new and useful Ironing-Board, of which the following is a specification.

My invention relates to improvements in ironing-boards; and the object of my invention is the provision of an ironing-board which can be quickly adjusted or set up for use and which can be collapsed or folded to occupy a small amount of space when not in use and which will be durable and inexpensive of production, thus combining the requisites in an article of this character to insure efficiency, usefulness, and desirability.

With this object in view my invention consists of an ironing-board embodying novel features of construction and combination of parts substantially as disclosed herein.

Figure 1 represents a side elevation of my ironing-board in position for use. Fig. 2 represents a bottom plan view with the parts folded and out of use. Fig. 3 represents a side elevation with the parts closed or folded; and Fig. 4 represents a detailed sectional view, on an enlarged scale, of the means for securing the parts in adjusted position.

In the drawings, the letter A designates the board proper, from the under side of which depends the transverse strips B, which are formed on their inner faces with sockets or recesses C to receive and hold the longitudinal guide-rod D, upon which moves the crosspiece E, carrying the nut F<sup>2</sup>, having the adjusting-screw F, which screw fits in the threaded vertical opening F' of the nut F<sup>2</sup>, carried by the cross-piece E, the object of the screw F being to engage the guide-rod to secure the cross-piece E in any position to which it may be adjusted, and to the outer

ends of said cross-piece are pivotally secured the upper ends of the pair of legs G, and to said pair of legs is pivoted at H a second pair 45 of legs J, the upper ends of which are pivotally mounted at K in brackets L, depending from the under side of the board proper. From this construction it will be seen that the board is mounted on the two pair of legs, 50 which properly support the board when in use, and that when the board is not in use it is simply necessary to release the adjusting-screw which permits the closing in of the legs against the under face of the board, as clearly 55 shown in Figs. 2 and 3.

It is evident from the foregoing that I provide an ironing-board which is the embodiment of simplicity and durability of construction, which can be manufactured at a 60 very small price, which can be quickly adjusted for use, and which when not in use occupies a very small amount of space, and which is efficient and practical in every respect.

I therefore do not claim such as my invention broadly; but

What I do claim as my invention, and desire to secure by Letters Patent, is—

The ironing-board herein shown and described, consisting of the board proper, the lugs on the inside face of the board, the guidered mounted in said lugs, the adjusting-nut movable on said rod, the adjusting-screw carried by said nut, the cross-piece secured to the 75 nut, the hinged pair of legs connected at their upper ends to said cross-piece, the other pair of hinged legs pivoted to the former set and having their upper ends pivoted to the board.

## HARRY CAULEY DILLON.

Witnesses:
HENRY W. FEIGH,
F. J. WEBB.