
# M. RUTLEDGE. SEAT FOR WATER CLOSETS. APPLICATION FILED JAN. 30, 1904.

NO MODEL,



## United States Patent Office.

### MIRIAM RUTLEDGE, OF GRAND FORKS, NORTH DAKOTA.

#### SEAT FOR WATER-CLOSETS.

SPECIFICATION forming part of Letters Patent No. 756,897, dated April 12, 1904.

Application filed January 30, 1904. Serial No. 191,322. (No model.)

To all whom it may concern:

Be it known that I, MIRIAM RUTLEDGE, a citizen of the United States, residing at Grand Forks, in the county of Grand Forks and State of North Dakota, have invented certain new and useful Improvements in Seats for Water-Closets; and I do declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it appertains to make and use the same, reference being had to the accompanying drawings, and to the letters of reference marked thereon, which form a part of this specification.

This invention relates to new and useful improvements in seats for water-closets; and the object of the invention is to generally improve upon this class of invention by providing an auxiliary seat which may be easily applied to the ordinary seat and removed therefrom.

The invention consists, further, in a device of this character comprising various details of construction and combinations of parts, as will be hereinafter fully described and then specifically defined in the appended claims.

I illustrate my invention in the accompanying drawings, which, with the letters of reference marked thereon, form a part of this application, and in which drawings, Figure 1 is a vertical sectional view through my invention. Fig. 2 is an enlarged sectional detail view through the hinged members, and Fig. 3 is a detail in perspective of one of the hinged members.

Reference now being had to the details of the drawings by letter, A designates the bowl of a closet of ordinary construction, and B the permanent seat, which is hinged to the fixed board Cthrough the medium of the straphinges D and E, the adjacent edges or ends of which are turned into cylindrical rolls to receive a pivot-pin F.

G designates the cover to the seat, which is hinged at H to the board I.

My detachable seat, which is designated in the drawings by letter K, has a grooved portion N on its under surface provided for

the purpose to adapt the cover to be placed over a vessel, slop-jar, or other receptacle when used disconnected from the hinge of the 50 permanent seat, and M designates a hingearm which is fastened in any suitable manner, as by bolting, to the seat H, and its end is fastened to a pin O, which is hinged to the eyes Q', which are integral with the recessed 55 member Q. The latter, which is preferably of cylindrical shape, has a concaved opening or recess q, which is adapted to slip over the cylindrical portions of the hinges D and E, as shown in the drawings, whereby the auxiliary 60 or detachable seat may be temporarily applied to the ordinary hinged seat.

When it is desired to remove the seat, the member Q is slipped off the cylindrical portions of the hinges, as will be readily under- 65

stood.

By the provision of a closet-seat made in accordance with my invention a convenient and sanitary attachment is afforded which may be conveniently carried from place to place 7° and used in connection with the ordinary seats.

While I have shown a particular construction of apparatus embodying my invention, it will be understood that I may make the seat of any suitable material and so construct the 75 same as to be made up of sections which are hinged together, and the parts may be fastened together in any suitable manner, and the seat may be constructed in various shapes and sizes to meet various conditions without in 80 any way departing from the spirit of the invention.

Having thus described my invention, what I claim to be new, and desire to secure by Letters Patent, is—

1. In combination with a permanent hinged closet-seat, a detachable seat, a hinged member carried by said detachable seat and adapted to be slipped over the hinge of the permanent seat, and to rest upon the latter, as set 9° forth.

2. In combination with a permanent closetseat, a hinged member secured thereto terminating in a cylindrical roll, a board, a hinge-

strap fastened thereto, a pin connecting said member and strap, a detachable seat, a strap secured thereto, a recessed member hinged to said strap on the detachable seat, and provided with a concaved recess designed to slip over the cylindrical roll of said hinged member fastened to the permanent seat, as set forth.

In testimony whereof I hereunto affix my signature in presence of two witnesses.

#### MIRIAM RUTLEDGE

Witnesses:

H. M. ERICKSON, S. W. RUTLEDGE.