

No. 790,217.

PATENTED MAY 16, 1905.

H. A. MASON.
TABLE ATTACHMENT FOR BEDSTEADS.
APPLICATION FILED APR. 13, 1904.

Fig. 1.




Fig. 3.





Fig. 2.



Witnesses

Frederic Riley
Chas. S. Hoyer

Horlie A. Mason. Inventor

Victor J. Evans By

Attorney

UNITED STATES PATENT OFFICE.

HARLIE A. MASON, OF CHICAGO, ILLINOIS.

TABLE ATTACHMENT FOR BEDSTEADS.

SPECIFICATION forming part of Letters Patent No. 790,217, dated May 16, 1905.

Application filed April 13, 1904. Serial No. 202,952.

To all whom it may concern:

Be it known that I, HARLIE A. MASON, a citizen of the United States, residing at Chicago, in the county of Cook and State of Illinois, have invented new and useful Improvements in Table Attachments for Bedsteads, of which the following is a specification.

This invention relates to a support or table attachment for bedsteads having means for readily adjusting it over a bed against a wall when not in use or in a permanent position adjacent to a bed for holding medicines, water, &c., within easy reach of a patient.

The improved support or table is provided with extensions in the form of hinged leaves which are foldable thereover or projectable therefrom to facilitate serving meals or for other purposes, or the table may be adjusted at an angle for advantageous use in supporting a book before a patient in a reclining position.

The invention consists in the construction and arrangement of parts, which will be more fully hereinafter set forth.

In the drawings, Figure 1 is a perspective view of a part of a bed, showing the improved support or table attachment applied thereto. Fig. 2 is a side elevation of a portion of the attachment, showing the table member thereof of reduced by infolding the leaf extensions thereof. Fig. 3 is an end elevation of the table arranged at an angle for reading purposes.

Similar numerals of reference are employed to indicate corresponding parts in the several views.

A clamp is employed constructed to fit any size of bed-post and comprising two parts 2 and 3 with central enlargements of circular contour and end extensions having bolt-holes therethrough to receive oppositely-disposed pairs of clamping-bolts 4, provided with thumb-nuts 5 to facilitate ready application and removal of the clamp as an entirety. A shank 6 extends centrally from one of the clamp members and has an arm 7 adjustably supported thereby through the medium of a pivot-pin 8, provided with a clamping-nut 9. The arm 7 may be adjusted at different angles with respect to the shank 6, and terminally pivoted thereto is an arm extension 10, hav-

ing a similar extension 11 terminally pivoted thereto. The extensions 10 and 11 are adjustable with the arm 7, and the arm 7 is held on the upper side of the shank 6, the extension 10 on the upper side of the arm 7, and the extension 11 on the upper side of the extension 10. This arrangement is materially advantageous in that the parts may be more readily associated. Furthermore, the extensions 10 and 11 may be adjusted with respect to each other and the arm 7.

Extending through the free end of the extension 11 is a bore or socket-opening 12 to adjustably support a table 13 having a plate 14 secured to the under side of the center thereof, with a depending leg 15. Projecting from the leg 15 and plate 14 at an angle of about seventy-five degrees is a second leg 16, the two said legs being integral with the plate, as well as directly integral with each other, for the purposes of strength and convenience of manufacture, as well as to furnish a central support for the table in either position to which the same may be adjusted with reference to the socket 12. When the leg 15 is in the bore or socket 12, the table 13 will be held in horizontal position; but when the leg 16 is inserted in the bore the table will be disposed at an angle for convenience in supporting a book or other reading matter before a patient in reclining position. Each of the legs 15 and 16 is readily insertible in and removable from the bore or socket 12, and when placed therein the table may be rotated or turned, if desired.

The table has opposite end leaves 17 hinged thereto and of such length as to cover the table when infolded against the top of the latter, the leaves being provided with moldings or rest devices 18 for holding a book, paper, or other article when the table is disposed at an angle for reading purposes. When the leaves 18 are extended, a table-surface of considerable length is provided for convenience in serving food or meals to a patient or for other purposes.

By moving the extensions 10 and 11 together and over the arm 7 the projection of the attachment is materially reduced and may be maintained in close relation to the head or other part of a bedstead or other device.

which it is applied. At times the table may remain in immovable position as a supporting means for medicines and the like.

5 The attachment can also be employed in connection with reading-chairs, and the proportions and dimensions thereof may be varied at will to accommodate different applications.

10 It is proposed to make all the parts of the attachment of such materials as may be best adapted for the purpose and also to ornament the arms, extensions, and clamp by plating or other embellishment. Furthermore, the table, with its leaves, may be also ornamented as desired.

15 Having thus fully described the invention, what is claimed as new is—

An attachment of the character specified

comprising an arm provided with clamping means at one end, an extension movably secured to the opposite end of the arm and 20 formed with a socket, a table, a plate secured centrally of the table, a leg arranged centrally of and projecting at right angles from said plate, and a second leg projecting at an angle from and secured to the first-mentioned leg 15 contiguous its juncture with the plate, each of said legs being arranged for engagement with the extension-socket.

In testimony whereof I affix my signature in presence of two witnesses.

HARLIE A. MASON.

Witnesses:

JNO. D. LARKIN,
KAY WOOD.