
Witnesses

B. L. GWYNNE. NURSING BOTTLE WARMER. APPLICATION FILED JULY 26, 1904.



UNITED STATES PATENT OFFICE.

BERTHA LOWRY GWYNNE, OF SUMPTER, OREGON.

NURSING-BOTTLE WARMER.

No. 803,756.

Specification of Letters Patent.

Patented Nov. 7, 1905.

Application filed July 26, 1904. Serial No. 218,275.

To all whom it may concern:

Be it known that I, Bertha Lowry Gwynne, a citizen of the United States, residing at Sumpter, in the county of Baker and State of Oregon, have invented certain new and useful Improvements in Nursing-Bottle Warmers; and I do declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it appertains to make and use the same, reference being had to the accompanying drawings, and to the letters of reference marked thereon, which form a part of this specification.

This invention relates to new and useful improvements in a rubber hot-water bag adapted for use as a receptacle to receive and keep the contents of nursing-bottles warm; and it consists in the provision of a hot-water bag having a chambered portion adapted to receive a bottle and a door at one end whereby the chambered portion may be closed.

details of construction and combinations and arrangements of parts, which will be hereinafter fully described and then specifically defined in the appended claim.

I illustrate my invention in the accompanying drawings, which, with the letters of referso ence marked thereon, form a part of this application, and in which drawings similar letters
of reference indicate like parts in the views,
in which—

Figure 1 is a central longitudinal section through my improved hot-water bag for holding bottles, and Fig. 2 is a cross-sectional view through the device.

Reference now being had to the details of the drawings by letter. A designates a hotwater bag having an outer wall B and an inner wall B', spaced apart and forming a space to contain hot water.

C designates a neck to the hot-water bag, having a metallic shoulder D and a threaded portion D', adapted to receive a threaded plug E of the usual construction employed in hot-water bags. Said neck is provided with a strap F and a flange G about the outer portion of said neck, all common in the usual construction of water-bags. Said hot-water bag

is so constructed as to leave a central cham-

bered portion H, which conforms, preferably, to the shape of an ordinary nursing-bottle, having one end H' somewhat contracted, and K designates rubber strips, one positioned on 55 each side of the wall of said chambered portion and provided for the purpose of holding the bottle in place. The bottom of said hotwater bag has a door N, hinged at N' to the bag and provided with a socket-plate O, de-60 signed to engage a snap-fastener O', which is fastened to the bottom of the bag, whereby said door may be held closed.

In order to retain the heat within the bottle adapted to be held in the chambered por- 65 tion of the hot-water bag, a thick felt lining R is placed upon the inner surface of the door and against which the bottle is adapted to rest, and the inner surface of the chambered portion may also be lined with any suitable 70 non-heat-conducting material, whereby the heat may be retained within the bag.

The invention consists, further, in various tails of construction and combinations and transfer of marks of mar

By the provision of the device shown and described it will be observed that a simple and convenient means is provided for keeping the contents of a nursing-bottle warm by the surrounding hot water, which is placed 80 in the bag in the manner described.

While I have shown a particular detailed construction of device illustrating the features of my hot-water bag for holding nursing-bot-tles, it will be understood that I may vary 85 the detailed construction of the apparatus, if desired, without in any way departing from the spirit of the invention.

Having thus fully described my invention, what I claim as new, and desire to secure by 90 Letters Patent, is—

A hot-water bag for holding nursing-bottles comprising a receptacle having an inner and outer wall, with a space intervening between the same for the reception of hot water, a door hinged to the lower portion of the bag and adapted to close the space surrounded by the inner wall of the receptacle, the upper portion of the inner wall of the bag being contracted and outwardly flaring above the contracted part, a transverse partition at the base of said flaring portion of the inner wall, and against which the cork of a bottle held within the inclosure formed by the inner wall is adapted to contact, said contracted part of the inner wall designed to hold the neck of the bottle from movement against the inner surrounding wall of the bag, as set forth.

In testimony whereof I hereunto affix my signature in presence of two witnesses.

BERTHA LOWRY GWYNNE.

Witnesses:

T. G. GWYNNE, FRED FONTAINE.