
F. X. FERG.
CAPITAL FOR COLUMNS.
APPLICATION FILED APR. 3, 1906.

2 SHEETS-SHEET 1.




PATENTED OCT. 2, 1906.

No. 832,467.

F. X. FERG.
CAPITAL FOR COLUMNS.
APPLICATION FILED APR. 3, 1906.

2 SHEETS-SHEET 2

Itg. 3



Witnesses: Augustio Bloppes Hamieton 5. June

Inventoro.
Francis X. Ferg.
by his Ottorneys.
Koowson Mowson

UNITED STATES PATENT OFFICE.

FRANCIS X. FERG, OF MEDIA, PENNSYLVANIA.

CAPITAL FOR COLUMNS.

No. 832,467.

Specification of Letters Patent.

Patented Oct. 2, 1906.

Application filed April 3, 1906. Serial No. 309,690.

To all whom it may concern:

Be it known that I, Francis X. Ferg, a citizen of the United States, residing at Media, in the county of Delaware and State of 5 Pennsylvania, have invented a new and useful Improvement in Capitals for Columns, of which the following is a specification.

My invention relates to the capitals of columns used in architectural construction and 10 decorative work; and its object is to provide a capital, particularly one of the order known as "Roman-Ionic," which shall combine the advantages of cheapness and durability. This object I attain by building up the capital 15 from separate pieces of wood or other suitable material in a manner not heretofore known, such method of manufacture being cheaper than the capital carved from an integral block and at the same time possessing wear-20 ing qualities far superior to those of the ordinary capitals formed of a composition in imitation of wood.

In the accompanying drawings, illustrating a Roman-Ionic capital constructed in ac-25 cordance with my invention, Figure 1 is an elevation. Fig. 2 is a diagrammatic plan, the top piece being removed; and Fig. 3 is a central transverse section through Fig. 1.

Referring to the drawings, Figs. 1 and 3 30 show the conventional elements making up the Roman-Ionic design—to wit, the supporting member (echinus) a, the volutes b, and the eight-sided abacus or top piece c. A portion of the column-shaft d is also shown. The 35 central portion of the capital between the abacus and echinus consists of a frame made up of the side members e and the diagonallyprojecting members f, all securely fastened together by gluing, nailing, or other suitable 40 means. Those portions of the pieces f extending beyond the circumference of the echinus are of sufficient depth to permit of the scrollwork g, constituting the volutes, and the exterior faces of the pieces e can be given 45 any desired ornamentation, preferably by gluing or otherwise securing ornamental molding to said faces. All of the various parts described having been permanently secured to-

gether by nailing or otherwise and the capital having been suitably painted, the finished 50

product is ready for the market.

I do not wish to be limited to the precise construction of the central frame shown and described, as it will be readily seen that said frame can be varied in construction without 55 departing from the spirit of my invention.

My invention can also be applied to the Grecian-Ionic and other forms of capitals.

I claim—

1. As a new article of manufacture, a col- 60 umn-capital comprising a supporting member, a top piece, and a substantially square built-up frame interposed between said supporting member and top piece, substantially as described.

2. As a new article of manufacture, a column-capital comprising a supporting member, a top piece, and a substantially square built-up frame interposed between said supporting member and top piece, said frame 7° being provided with pieces extending diagonally from the corners, substantially as described.

3. As a new article of manufacture, a column-capital comprising a supporting mem- 75 ber, a top piece, and a substantially square built-up frame interposed between said supporting member and top piece, said frame having diagonal corner extension-pieces extending beyond the circumference of the sup- 80 porting member, substantially as described.

4. As a new article of manufacture, a column-capital comprising a supporting member, a top piece, and an interposed frame having corner-pieces extending beyond the cir- 85 cumference of the supporting member, said extending pieces being of increased depth at the outer ends to provide for the volutes of the capital, substantially as described.

In testimony whereof I have signed my 90 name to this specification in the presence of

two subscribing witnesses.

FRANCIS X. FERG.

Witnesses:

CHARLES H. HOWSON, Jos. H. KLEIN.