
# L. BARRITT. STAR AND PLANET FINDER. APPLICATION FILED OCT. 5, 1905.

SHEETS-SHEET 1.



日 ら ら

# L. BARRITT. STAR AND PLANET FINDER. APPLICATION FILED OCT. 5, 1905.

2 SHEETS-SHEET 2.

WITNESSES

Down Twitchell Geow. Allen Leon Barrett,

BY
Alvin K. Goodin,

ATTORNEY

## UNITED STATES PATENT OFFICE.

### LEON BARRITT, OF NEW YORK, N. Y.

#### STAR AND PLANET FINDER.

No. 832,527.

Specification of Letters Patent.

Patented Oct. 2, 1906.

Application filed October 5, 1905. Serial No. 281,472.

To all whom it may concern:

Be it known that I, LEON BARRITT, a citizen of the United States of America, residing at the borough of Brooklyn, in the city of 5 New York, State of New York, have invented certain new and useful Improvements in a Star and Planet Finder, of which the follow-

ing is a specification.

This invention has for its object to provide 10 a simple, efficient, and inexpensive planisphere device adapted for use by expert or amateur astronomers or by teachers and students generally for enabling them to quickly and accurately locate and identify and dis-15 tinguish the moving planets of the solar system relatively to the fixed stars or constellations of the heavens at any time and by the aid of annually-arranged reference-tables which specify the relative positions of the 20 planets at proper times.

The invention will first be described and then will be particularly defined in the claims

hereinafter set forth.

Reference is made to the accompanying 25 drawings, forming part of this specification, and in which-

Figure 1 is a plan or face view of the improved star and planet finder with the plane of the ecliptic indicated by a heavy dotted 30 line. Fig. 2 is an enlarged detail cross-sectional view taken on the line x x in Fig. 1. Fig. 3 is an enlarged detail plan view of an inner portion of the planisphere. Fig. 4 is an enlarged detail plan view of a marginal 35 portion of the planisphere, and Fig. 5 is a face view of a planet reference tablet or table

for the year 1905.

The numeral 1 indicates a suitable and preferably square base-plate or backing to 40 which is pivoted at 2 in the "North Star" position a revoluble planisphere 3, on which the fixed stars or constellations 4, including the "Milky Way" 5, are produced in any ordinary or approved manner and preferably 45 by printing or lithography, making them appear in white upon a black or dark ground, so as to be easily visible. On the planisphere 3 is produced distinctively and preferably in red ink a heavy elliptical line 6, which indi-50 cates the plane of the ecliptic or the apparent path of the sun. This ecliptic line 6 is preferably graduated into three hundred and sixty degrees, which are preferably indicated in successive "fives" and by the numerals "1, 55 5, 10, 15," &c., from one to three hundred and sixty, as shown in Figs. 1 and 3 of the l justable indicators 12 in the form of disks

drawings, to facilitate placement upon the planisphere of the planet-indicators hereinafter described. The planisphere-disk 3 preferably bears at its outer rim portion 60 the names of the usual zodiacal sign-names 7, and within the circle of said signs are produced consecutively the names of the months from January to December. The spaces occupied by these month-names are 65 also subdivided at the outer part into dayspaces, in which only the alternate days for each corresponding month may be numeric-

ally indicated. Over the planisphere-disk 3 is applied a 7º face-plate 8, which, like the backing 1, preferably has a generally square form. Interposed spacing-pieces 9, held at the four corners to and between the plates 18, permit rotation of the disk 3 on its axis 2 between 75 these plates. The face-plate 8 has a large and preferably elliptical interior opening 10, through which most of the star-field of the planisphere 3 is visible. Said plate 8 also, preferably, has a series of segmental mar- 80 ginal openings 11, through which the month and day indices on the disk 3 may be seen. Within the margin of said openings 11 are produced on the plate 8 series of numerals "1" to "12," indicating the hourly time from 85 midnight to midday and from midday to midnight. Above and below the elliptical horizon-opening 10 of the plate 8 are produced on said plate the direction-symbols "North" and "South," and to the left and 90 right of the symbol "North" are produced the phrases "Eastern horizon" and "Western horizon." At the north corner of the face-plate 8 is preferably produced the title phrase "The heavens without a telescope," 95 under which appears the phrase "See the accompanying tables for moving planet-disks." Toward the south appears the phrase "Only those stars visible to the naked eye are shown," while to the east appears the phrase 100 "The path of planets is shown by red ellipse," and to the west appears the phrase "Hold the map over your head—the top north—and you will see the stars just as they appear in the heavens." The precise char- 105 acter and location of these information or direction imprints upon the face-plate 8 are immaterial, as they may widely vary as occasion may suggest or require.

The planet locating and distinguishing 110 means comprises by preference a series of adhaving some suitable means of attachment to the face of the planisphere 3, such means, for instance, as short tacks 13, permitting the planet-indicators to be readily affixed like thumb-tacks to the planisphere at or near its ecliptic line 6. On these disks are produced by printing or otherwise the names of all the planets of the solar system (excepting the earth) from Mercury to Neptune, one planet-name being on each planet disk or indicator.

The tables enabling any one of ordinary intelligence to quickly, easily, and properly locate the indicators 12 or any equivalent 15 planet-indicators upon the planisphere 3 are preferably made in separate tablet or card form, one for each year, the tablet for 1905 being shown in Fig. 5 of the drawings. The numerals ranging after the planet-names in 20 squares or subdivisions of this table and preferably printed in red ink indicate the degrees of the ecliptic plane at or near which the indicators 12 are to be located upon the planisphere 3 at the dates appearing, preferably, 25 above the respective degree-marks on the table. One or more of these annually-arranged tablets or tables may be supplied with each planisphere device. It now is proposed to supply a series of twenty tables for locat-30 ing the planets relatively to the fixed stars for a period of twenty years ahead of the date of publication of the planisphere.

A prior planisphere not accompanied by adjustable planet-indicators and reference 35 tablets or tables for locating them at the ecliptic and requiring consulting an almanac to determine the time at which any given planet rises, souths, or sets before being able to locate the planets relatively to the fixed 40 stars had its graduated ecliptic degrees arranged in twelve groups of thirty degrees, and one group for each adjacent imprinted name of the month from January to December, and each monthly group having its de-45 grees indicated by numerals 10 20 30, and which is an arrangement of the degree subdivisions quite unlike the herein-described plan of numerically indicating only the degrees from one to three hundred and sixty, 50 inclusive, at the ecliptic plane and without adjacent confusing month-names.

The herein-described annually-arranged tablets or tables would be serviceable if the degree-graduations at the ecliptic plane were degree-graduations at the ecliptic plane were indicated in manner other than hereinbefore mentioned—as, for instance, by lines radiating from the planisphere-axis to its periphery—whereat said lines may be numerically marked at the graduated degree-points; but the numerical marking of the degrees in "fives" from one to three hundred and sixty directly on or near the imprint of the ecliptic plane, as herein shown and described, is preferred, because it avoids all preliminary calcuit lations, such as by eye measurements along

radial lines, and also avoids search for month names next degree indications of the ecliptic, in order to ascertain the precise degree positions at the imprinted ecliptic plane to which the planet-indicators are to be ad-70 justed, and thus assures very quick, easy, and accurate adjustment of the indicators upon any part of the planisphere in accordance with the accompanying table by any intelligent adult or child pursuing the study 75 of the heavens.

of the heavens. Illustrative of the use of this invention the planisphere 3 in Fig. 1 of the drawings is shown turned upon its axis 2 until the date of October 5 registers with the hour of "4 a. m." 80 By referring to the illustrated table arranged for the year 1905 it will be seen that the planet Wenus stands at about the one hundred and sixtieth degree, and the indicator 12, marked "Venus," is therefore applied or affixed to the 85 planisphere 3 at or near the numericallymarked one hundred and sixtieth degree of its ecliptic plane 6. Said table shows that Jupiter and Neptune occupy respective positions at the sixty-fifth and one hundreth degrees, and 90 their indicating-disks will also be applied to the planisphere 3 at these respective degree positions at or near the ecliptic plane 6, all as shown in Figs. 1 and 2 of the drawings. If now the directions at the right-hand corner 95 of the face-plate 8—"Hold the map over your head—the top to the north"—be followed, the imprints of the fixed stars and their constellations on the planisphere 3 and the disks 12 applied thereto will together clearly indi- 100 cate on the planisphere the precise relative positions the visible stars and planets occupy in the Leavens at four a. m. on October 5, 1905. By simply turning the planisphere 3 on its pivot 2 to any position indicating the 105 month, day, and hour, with reference to the prepared table for any given year, the relative positions of the fixed stars and moving planets may be quickly, easily, and certainly indicated at any time of day or night during 110 that year by adjusting the planet-indicating disks 12 on the planisphere 3 at or near the ecliptic plane 6 at proper positions in accord-

ance with the tables. It is obvious that with this planisphere de- 115 vice and accompanying tables any person of ordinary intelligence will be able to find the fixed stars and their constellations and also locate and identify and most clearly distinguish the planets appearing as morning or 120 evening stars or otherwise at any time and for any number of years for which the tables may be prepared. The very large number of persons, both professionals and amateurs, interested in the study of the heavens may in 125 this simple device have always conveniently at hand a readily-adjustable celestial chart enabling them by the aid of the easily-read reference-tables to unfailingly locate all the fixed stars and their constellations and 130

2,527

clearly distinguish them from the planetary system at any year, day, month, and hour.

Adjustable planet - indicators applicable directly to a planisphere-disk having imprint of the fixed stars have before been used; but with this prior planisphere device no accompanying tables were provided by which to locate the positions of the planets at an imprinted plane of the ecliptic, and it was specially directed that with this prior device an ephemeris or nautical almanac be used to determine where to locate the planet-indicators upon the planisphere at various times of any given year for which the ephemeris was issued.

The tablets or tables accompanying the planisphere in accordance with this invention cost but a trifle by comparison with the cost of an ephemeris for a period of twenty years. 20 It also requires special training or skill to accurately use ephemeris or almanac tables to distinguish the planets from the fixed stars by a process of selection of proper tables from the great mass of tabulated information for 25 astronomers and navigators usually compiled in these volumes. This trouble of selecting and using the proper ephemeris or almanac tables to determine the planet positions would alone discourage popular or wide use 30 of a star and planet finder by novices in astronomy and navigation, aside altogether from the almost prohibitive cost, bulk, and weight of many volumes of the ephemeris or almanac, if used only for distinguishing the 35 planets from the fixed stars, as is proposed to be done by the aid of this improved planisphere device of which the accompanying tablets or tables thus obviously form an im-

portant part. The special object of this invention is to provide a planisphere having imprints of the fixed stars and of a graduated ecliptic plane with adjustable planet-indicators and accompanying tablets or tables, by the aid of which any young or older student may quickly and easily and accurately apply the planet-inditors at or near the imprinted ecliptic plane of the planisphere-disk and without requiring the inconvenient use of expensive and bulky 50 ephemeris or almanac volumes. This invention by including in itself all necessary means or appliances for quickly and accurately locating and visibly positioning the planets relatively to the fixed stars is for this 55 purpose the full equivalent of and an obvious improvement upon any prior planisphere device necessarily accompanied by an ephemeris or almanac, the proper use of which is not understood by the very large majority of 60 intelligent persons who are unable to make calculations from such volumes, but desire a fairly accurate knowledge of the celestial sphere. In other words, the object of this invention is to provide at low cost the most

ple appliances for easily and accurately locating the planets relatively to the fixed stars without laborious or inconvenient or expensive calculations that has as yet been devised and with a view to stimulating and widely 70 popularizing the asthetic and helpful study of the heavens.

Various modifications may be made in the form of the planet-indicators and in the method of applying or affixing them to the 75 planisphere 3—as, for instance, the planet-indicator attachment may be effected magnetically or in manner other than by the teeth or pins 13, herein specially shown and described. The terms "imprints" and "imprinted" also are to be construed as including any method of producing on the planisphere the desired representations of the fixed stars and their constellations and the gradu-

ated ecliptic plane. This improved planisphere device may also be used to indicate the phases of the moon for any month of any year by employing a series of disks 12, indicating in proper manner the moon phases—"new moon," "first quarter," 90 "full moon," "last quarter." By reference to specially-prepared tables relatively indicating the days of the month and the degrees of the ecliptic said moon-disks may be applied to the planisphere at the ecliptic plane 95 line 6. For instance, for the month of December, 1905, the table shows that the moon enters as "new moon" on December 1, at two degrees; enters the "first quarter" on December 7, at ninety-six degrees; becomes 100 "full moon" on December 14, at one hundred and ninety-two degrees, and enters the "last quarter" on December 21, at eighteen degrees. By placing the corresponding moonphase disks at the degree marks 2 96 192 18 105 on the ecliptic plane line 6 these disks will indicate "new moon," "first quarter," "full moon," and "last quarter" phases, respectively, for said month of December, 1905. If desired, but one "full-moon" disk may be used and placed at the corresponding degree indicating such phase in the table.

This improved planisphere device may also be used to determined the apparent or relative position of the sun upon the ecliptic at any day or date by simply laying a ruler or straight-edge directly from the "North Star" 2 to the desired date at the margin of the disk 3, and the point of intersection or the degree imprinted where the ruler crosses the plane of the ecliptic 6 will indicate at said ecliptic the apparent position of the sun at that date.

eris or almanac, the proper use of which is not understood by the very large majority of intelligent persons who are unable to make calculations from such volumes, but desire a fairly accurate knowledge of the celestial sphere. In other words, the object of this invention is to provide at low cost the most complete and effective combination of sim-

planets and their respective positions at certain times relatively to the degrees of the planisphere ecliptic plane, substantially as described.

2. A star and planet finder comprising a planisphere having imprints of the fixed stars and a graduated imprint of the ecliptic plane, adjustable planet-indicators adapted to said planisphere at or near its graduated ecliptic 10 plane, and one or more accompanying annually-arranged tablets or tables having imprints identifying the planets and their respective positions at certain times relatively to the degrees of the planisphere ecliptic

15 plane; substantially as described.

3. A star and planet finder comprising a planisphere having imprints of the fixed stars, and a graduated imprint of the ecliptic plane with applied or adjacent numerical degree 20 indications, adjustable planet - indicators adapted to said planisphere at or near its graduated ecliptic plane, and one or more accompanying tablets or tables having imprints identifying the planets and their re-25 spective positions at certain times relatively to the degrees of the planisphere ecliptic plane, substantially as described.

4. A star and planet finder comprising a planisphere having imprints of the fixed stars, 30 and a graduated imprint of the ecliptic plane with applied or adjacent numerical degree indications arranged from one to three hun-35 near its graduated ecliptic plane, and one or more accompanying tablets or tables having imprints identifying the planets and their respective positions at certain times relatively to the degrees of the planisphere ecliptic

40 plane, substantially as described. 5. A star and planet finder comprising a planisphere having imprints of the fixed stars and a graduated imprint of the ecliptic plane, adjustable planet-indicators having attach-

45 ing points or teeth adapted to detachably fasten them to the planisphere at or near its imprinted ecliptic plane, and one or more accompanying tablets or tables having imprints identifying the planets and their respective 50 positions at certain times relatively to the

degrees of the planisphere ecliptic plane, sub-

stantially as described.

6. A star and planet finder comprising a | tially as described. face-plate having an interior horizon-opening 55 and outer hour-marks; a planisphere revoluble relatively to the face-plate and having imprints of the fixed stars and a graduated imprint of the ecliptic plane visible at said horizon-opening and also having month and 60 day indices visible relatively to the hourmarks of the face-plate, combined with adjustable planet-indicators adapted to said planisphere at or near its graduated imprinted ecliptic plane, and one or more accompany-65 ing tablets or tables having imprints identi-

fying the planets and their respective positions at certain times relatively to the degrees of the planisphere ecliptic plane; sub-

stantially as described.

7. A star and planet finder comprising a 70 face-plate having an interior horizon-opening and outer hour marks; a planisphere revoluble relatively to the face-plate and having imprints of the fixed stars, and a graduated imprint of the ecliptic plane with applied or 75 adjacent numerical degree indications and visible at said horizon-opening and also having month and day indices visible relatively to the hour-marks of the face-plate, combined with adjustable planet - indicators 80 adapted to said planisphere at or near its graduated imprinted ecliptic plane, and one or more accompanying tablets or tables having imprints identifying the planets and their respective positions at certain times rela- 85 tively to the degrees of the planisphere ecliptic plane, substantially as described.

8. A star and planet finder comprising a face-plate having an interior horizon-opening and outer hour-marks; a planisphere revo- 90 luble relatively to the face-plate and having imprints of the fixed stars and a graduated imprint of the ecliptic plane visible at said horizon-opening and also having month and day indices visible relatively to the hour- 95 marks of the face-plate, combined with adjustable planet-indicators having attaching dred and sixty, inclusive, adjustable planet- | points or teeth adapted to detachably fasten indicators adapted to said planisphere at or | them to said planisphere at or near its graduated imprinted ecliptic plane, and one or more 100 accompanying tablets or tables having imprints identifying the planets and their respective positions at certain times relatively to the degrees of the planisphere ecliptic plane; substantially as described.

9. A star and planet finder comprising a face-plate having an interior horizon-opening and marginal openings and adjacent hourmarks; a planisphere revoluble beneath the face-plate and having imprints of the fixed 110 stars and of the ecliptic plane visible through said horizon-opening of the face-plate and also having month and day indices visible through the marginal openings of the faceplate; combined with adjustable planet-in- 115 dicators adapted to said planisphere at or near its imprinted ecliptic plane, substan-

105

10. A star and planet finder comprising a face-plate having an interior horizon-opening 12c and marginal openings and adjacent hourmarks; a planisphere revoluble beneath the face-plate and having imprints of the fixed stars and a graduated imprint of the ecliptic plane visible through said horizon-opening 125 of the face-plate; said planisphere also having month and day indices visible through the marginal openings of the face-plate, combined with adjustable planet-indicators adapted to said planisphere at or near its 13c

graduated ecliptic plane, substantially as described.

11. A star and planet finder comprising a face-plate having an interior horizon-opening and marginal openings and adjacent hourmarks; a planisphere revoluble beneath the face-plate and having imprints of the fixed stars and of the ecliptic plane visible through said horizon-opening of the face-plate and also having month and day indices visible

through the marginal openings of the faceplate, combined with adjustable planet-indicators having attaching points or teeth adapted to detachably fasten them to the planisphere at or near its imprinted ecliptic 15 plane, substantially as described. LEON BARRITT.

Witnesses:
FLORENCE C. SMITH,
ALVIN K. GOODWIN.