





No. 848,423.

PATENTED MAR. 26, 1907.

M. I. YOUNG.

SURGICAL TABLE TOP.

APPLICATION FILED JAN. 15, 1906.



Witnesses, E. J. Robinson
W. S. Suman

Inventor Marshall Isaac Young

UNITED STATES PATENT OFFICE.

MARSHAL ISSAC YOUNG, OF FORT DODGE, IOWA.

SURGICAL-TABLE TOP.

No. 848,423.

Specification of Letters Patent.

Patented March 26, 1907.

Application filed January 15, 1906. Serial No. 296,175.

To all whom it may concern:

Be it known that I, MARSHAL ISSAC YOUNG, a citizen of the United States, residing at Fort Dodge, in the county of Webster and State of Iowa, have invented certain new and useful Improvements in Surgical-Table Tops; and I do declare the following to be a full and exact description of the invention, such as would enable others skilled in the art to which it ap-
10 pertains to make and use the same.

My invention relates to the improvement in surgical-table tops; and it consists in certain novel features of construction, combination, and arrangement of parts hereinafter
15 fully described and claimed.

The object of my invention is to provide a simple and durable surgical-table top which may be manufactured at a comparatively small cost and which may be attached to an
20 ordinary table-base.

The above and other objects, which will appear as the nature of my invention is better understood, are accomplished by the construction illustrated in the accompanying
25 drawings, in which—

Figure 1 is a top view of my improved surgical-table top. Fig. 2 is a top view, with the receiving-top proper removed and showing the catch-basin and drain. Fig. 3 is a trans-
30 verse sectional view of the frame, taken at the line marked A B in Fig. 1. Fig. 4 is a transverse sectional view of the entire top, taken at the line marked A B, Fig. 1.

In describing the surgical-table top, Fig. 1
35 is a plan of the top, showing the receiving-top proper, *a*, in the form of a perforated metal sheet, the perforations being for the purpose of allowing water or other fluids to pass through the top, which is to be slightly con-
40 vex and depressed somewhat at the edges. It shows the top *a* constructed with a wooden frame *d*, having a groove formed in the upper inner edge thereof, into which groove the edges of the top *a* are inserted and held by
45 the means of a calking-strip driven into the groove, as shown in Fig. 3.

Fig. 2 shows a plan of the drip-pan or catch-basin *b*, which is formed of a metal sheet of like extent to the top *a*, the edges of
50 said sheet being fastened by a cleat in a rabbet formed in the lower inner edge of the frame, the frame *d* forming the sides of the drip-pan *b*, as shown by Fig. 4. This drip-pan being for the purpose of catching and re-
55 taining the water or fluids as they flow

through the top *a*, the drip-pan *b* is concave in form and has an outlet, as shown by *c* in Fig. 2.

Fig. 3 shows the method, above described, of connecting the perforated top proper, *a*,
60 and the drip-pan *b* with the wood frame *d*.

Fig. 4 shows a section of the surgical-table top at the same scale as the plans in Figs. 1 and 2, with the wood rim or frame *d* forming the sides of the drip-pan *b* and the perforated
65 top proper, *a*, fitted into same.

Having thus fully described my invention, what I claim as new, and desire to secure by Letters Patent, is—

1. In a top for surgical tables, a frame
70 forming the edges thereof, a metal sheet supported by and extending completely across said frame, said sheet having numerous and widely-distributed perforations, a second
75 metal sheet supported by and extending completely across said frame below and spaced from said perforated sheet, said under sheet being somewhat concave in form to form a trough, and having an outlet-opening.

2. In a top for surgical and embalmers'
80 tables, a thick frame forming the edges thereof and having a groove formed in its inner edge, a metal sheet supported by and extending completely across said frame, the edge of
85 said sheet inserted into said groove in the frame and held therein by a calking-strip driven into and completely filling the remaining space of the groove, whereby a
water-tight joint is formed between the sheet and frame.

3. In a top for surgical or embalming
90 tables, a thick frame forming the edges thereof, and having a groove formed in its inner edge a distance from the top surface thereof, and having a rabbet formed at its lower inner
95 corner, two metal sheets supported by and extending completely across said frame, one of said sheets being perforated and having its edges inserted and fastened into said groove, the other sheet having its edges inset and
100 fastened in the rabbet, said latter sheet having a drain-opening.

In testimony thereof I hereunto set my hand in the presence of two subscribing witnesses.

MARSHAL ISSAC YOUNG.

Witnesses:

E. J. ROBINSON,
S. E. SHERMAN.