





No. 875,329.

PATENTED DEC. 31, 1907.

J. DAVID.

SHAM ROLL BOLSTER.

APPLICATION FILED SEPT. 13, 1907.



Attest.

L. J. Fitcher.
Lily Root

Inventor.

Joseph David.

By *Geo. W. Wright atty.*

UNITED STATES PATENT OFFICE.

JOSEPH DAVID, OF ST. LOUIS, MISSOURI.

SHAM ROLL-BOLSTER.

No. 875,329.

Specification of Letters Patent.

Patented Dec. 31, 1907.

Application filed September 13, 1907. Serial No. 392,646.

To all whom it may concern:

Be it known that I, JOSEPH DAVID, a citizen of the United States of America, residing in the city of St. Louis and State of Missouri, have invented certain new and useful Improvements in Sham Roll-Bolsters, of which the following is a full, clear, and exact description, reference being had to the accompanying drawing, forming part of this specification.

My invention relates to a sham roll bolster for use upon beds during the periods that the beds are unoccupied and into which pillows may be placed and the invention has for its object the production of a bolster of this character which is simple and efficiently made to retain its shape when in use and which is of such construction that a number of the bolsters may be nested together in a knock-down condition for transportation or storage.

Figure I is a perspective view of my improved bolster. Fig. II is a longitudinal section through the bolster. Fig. III is a cross section taken on line III—III, Fig. I. Fig. IV is an enlarged longitudinal section through one end of the bolster.

1 designates the body sheet of my bolster which may be of straw board or any other suitable pliable material that will permit of said body being formed into semi-circular shape and will yield to permit of the body being spread and contracted.

2 is a covering of cloth or other suitable material which incases the body sheet. This covering is of sufficient length to permit of its extending at one end of the bolster across said end as seen at 3, Figs. I and II. The covering at this end contains a draw string 4 by which the end portion of the covering may be drawn into a gathered condition at the center of the end of the bolster to close said end.

The end of the covering contains a rosette that comprises the following members. 5 and 6 are disks preferably of straw board and 7 is a covering by which said disks are inclosed as seen in Fig. II. One of the disks with its covering, for instance that 6, is passed through the covering at the end of the bolster before the draw string 4 is tightened and to complete the rosette and permit the tightening of the draw string 4 a binding string 8 is tied around the covering of the rosette disk

before the draw string 4 is brought into a tightened condition. The covering 2 is folded into the interior of the body sheet of the bolster at its end opposite that over which the end of the covering at 3 is drawn, as seen at 9. Within the last named end of the bolster is an end section that consists of a hoop 10, see Fig. IV, and a covering 11 for said hoop which contains an inner draw string 12 and an outer central draw string 13. In the outer portion of the covering 11 is a rosette that consists of a pair of disks 14 and 15 inclosed within a covering 16 and which, like the rosette at the opposite end of the bolster, are adapted to be mounted in the end covering 11 before the draw string 13 is tightened. To produce the rosette last mentioned a binding string 17 is tied around the disk covering 16 before the draw string 13 is tightened. The end section composed of the parts just described, is adapted to seat within the body sheet of the bolster and press against the inturned portion 9 of the covering 2, whereby it prevents collapse of the body sheet at the end of the bolster in which it is placed.

18 is a hoop seated in the end of the bolster closed by the covering 2 at 3 and 19 is an intermediate or central hoop both of which serve to prevent collapse of the bolster body sheet.

20 are strips of wood or other suitable material extending longitudinally of the body sheet 1 at its edges and which are inclosed within the covering 2.

21 are buckle carrying straps secured to one of the strips 20 and equipped with buckles 22 and 23 are straps secured to the other strip 20 and adapted to be engaged by the buckles 22. When the hoops and end section of the bolster have been put in place the straps 21 and 23 are connected through the medium of the buckles 22 and, being drawn tightly, they serve to draw the body sheet of the bolster to the hoops and end section with the result of holding all parts of the bolster in a firm condition in order that the bolster may be put to use.

A large number of the hereindescribed sham bolsters may be readily nested for transportation and storage by placing the hoops and end sections of the entire number of bolsters within one of the bolsters and then extending the bodies of the remaining bolsters so that they may be assembled

exterior of the first named to fit snugly therearound.

I claim:

1. A sham roll bolster comprising a body
5 sheet, a covering incasing said body sheet
and extending across one end of the bolster
to provide a closure at said end, a draw
string in said closure, a hoop within the
bolster adjacent to said closure, an end sec-
10 tion at the opposite end of the bolster com-
prising a hoop, and a covering inclosing said
hoop, and means for adjustably connecting
the edges of said body sheet and its covering,
substantially as set forth.

15 2. A sham roll bolster comprising a body
sheet, a covering incasing said body sheet,
hoops located interiorly of said body sheet,
strips inclosed within said covering, and
means whereby said strips and covering are
20 drawn tightly to said hoops, substantially
as set forth.

3. A sham roll bolster comprising a body
sheet, a covering incasing said body sheet,
hoops located interiorly of said body sheet,
25 strips inclosed within said covering, and

straps secured to said strips adapted to be
connected to draw said body sheet to said
hoops, substantially as set forth.

4. A sham roll bolster comprising a body
sheet, a covering incasing said body sheet 30
and extending across one end of the bolster
to provide a closure at said end, a draw
string in said closure, and a rosette com-
prising a pair of disks, a covering for said
disks, and a binding string wrapped around 35
said covering between said disks, substan-
tially as set forth.

5. An end section for a sham roll bolster
comprising a hoop, a covering inclosing said
hoop and containing draw strings by which 40
the covering is held around the hoop, and a
rosette and a portion of said end section
covering comprising a pair of disks, a cover-
ing incasing said disks, and a binding string
wrapped around said disk covering between 45
said disks, substantially as set forth.

JOSEPH DAVID.

In the presence of—

LILY ROST,
H. G. COOK.