
C. WEST.

SMOKER'S APPLIANCE.

APPLICATION FILED SEPT. 13, 1907.



UNITED STATES PATENT OFFICE.

CLIFTON WEST, OF POOLE, ENGLAND.

SMOKER'S APPLIANCE.

No. 890,741.

Specification of Letters Patent.

Patented June 16, 1908.

Application filed September 13, 1907. Serial No. 392,766.

To all whom it may concern:
Be it known that I, CLIFTON WEST, a subject of the King of Great Britain, residing at Poole, in the county of Dorset, England, 5 have invented new and useful Improvements in a Smoker's Appliance, of which the

following is a specification.

The object of this invention is to enable a pipe, cigar, or cigarette to be smoked with 10 greater comfort, ease, and safety, and under a greater variety of circumstances than has been possible heretofore. For this purpose I provide a metal or other box or casing, of suitable shape and design, for the reception 15 of the bowl portion of the pipe, or the holder of the cigar or cigarette; or one such box or casing may be arranged for the reception of either or all of these articles. The stem of the pipe-bowl, or of the cigar or cigarette holder is arranged to project through suitable openings in the box or casing, and is adapted to receive one end of a flexible tube of convenient length, at the other end of which flexible tube is attached a mouth-25 piece.

In the accompanying drawings Figures 1, 3 and 5 are views showing the interior arrangements of three different boxes or casings and their fittings constructed according to 30 my invention; and Figs. 2 and 4 are transverse sectional views of Figs. 1 and 3 respectively, but showing the pipe bowl in the one case, and the cigar in the other, in two different positions with reference to the box 35 or casing. Fig. 2[×] is a fragmentary sectional view of the pipe bowl shown in Figs. 1 and 2, and Fig. 6 is a transverse sectional view of

Fig. 5.

Similar letters of reference relate to like

40 parts in all the figures of the drawings.

Referring to Figs. 1 and 2, a is the box or casing which may be of metal or other suitable material, preferably furnished with a hinged lid b which may if desired be arranged 45 to open or close with a spring and be fastened by any convenient form of clip or fastening.

c is a pipe-bowl removably fitted into the compartment d formed by the partition e. 50 The stem f of the bowl c passes through a hole in the end of the box or casing a when in use, as shown in full lines in Fig. 1, but when not in use may be turned into the position shown in dotted lines in the same figure.

g is an india-rubber or other flexible tube attached at h to the stem f of the bowl c and |

at the other end to a mouth-piece i. The connection between the stem f of the bowl cis preferably made by means of the small ivory, bone, metal, or other tube x which 60 passes through a cork y which is removably fitted into the stem f for example, as indicated in Fig. 2^{\times} . The tube g may be of small diameter and of such a length as to enable the box or casing a with the bowl c 65 therein to be carried in the pocket while the mouth-piece i is in the mouth of the smoker.

The box or casing a is preferably of such a shape as that it will maintain the position shown in Fig. 1 when placed within the 70 pocket, that is to say, with the pipe-bowl cupright. When not in use the bowl c is placed in the position shown in dotted lines in Fig. 1 and the tube g and mouth-piece icoiled up and stowed away in the compart- 75 ment j as indicated in Fig. 5, k is a cap which covers perforations in the box or casing for the admission of air when the smoker draws through the tube g, the cap k serving to prevent the said perforations being closed by 80 the lining of the smoker's pocket. When the pipe is used indoors the box or casing a may be laid in the open position upon a table or other support, and the bowl c may be attached to the partition e by means of a spring 85 or other clip l as shown in Fig. 2, the box or casing a and its lid b then serving as an ashtray. This arrangement enables the pipe to be smoked with perfect safety while the smoker is in bed.

Figs. 3 and 4 show how my invention may be applied for smoking a cigar or cigarette. In Fig. 3 the cigar m is shown resting in suitable notches formed for the purpose in the partition n, the cigar or cigarette holder o 95 being passed through a hole in one end of the box or casing a, the perforations covered by the cap k being in the opposite end thereof. Fig. 4 also shows how a cigar or cigarette may be smoked indoors, the holder o being 100 supported on one of the partitions n by \bar{a} spring or other clip p and the box or casing awith its lid b serving to catch the ash as it falls from the cigar m or cigarette.

Figs. 5 and 6 illustrate my invention ap- 105 plied for the purpose of smoking either a pipe \bar{c} , or cigar m, or a cigarette, the compartment q being intended to contain a supply of tobacco and the compartment r to contain matches.

s is a spring clip for securing the cigar or cigarette holder o in place.

In using my invention the bowl c of the pipe, with the flexible tube g attached thereto, is charged with tobacco and lighted in the usual manner. The bowl c is then placed in 5 position within the box or casing a as shown clearly in Fig. 1. The lid b is then closed and the box or casing placed in the smoker's pocket or in any other desired position, the tube g extending from the stem of the bowl c10 outside the box or casing a to the smoker's mouth. Smoking is thereby rendered possible under all circumstances, and is not affected by rough weather or other like conditions. The weight of the pipe is not carried 15 by the teeth or lips of the smoker, and there is no danger of sparks or ash falling from the bowl, or blowing into the faces of others, and causing damage, inconvenience, or risk of fire, as has been the case heretofore. Cigars 20 and cigarettes may also be similarly smoked in the closed box or casing as hereinbefore described.

Claims

1. A smoker's appliance comprising a box, a lid therefor, means in the box for holding a 25 pipe or cigar holder, compartments in the box for containing smoking requisites, said box having air openings therein and an opening for the passage of the mouthpiece of the cigar holder or pipe, and a cap covering the 30 air openings.

2. A smoker's appliance comprising a box adapted to hold a cigar holder or pipe, a lid for the box and a clip detachably connected to the box for holding the pipe or cigar holder 35

on the box when the latter is open.

In testimony whereof I have signed my name to this specification in the presence of two subscribing witnesses.

CLIFTON WEST.

Witnesses:
STEPHEN EDWARD GUNYON,
FRANK WARKLING.