
A. BROUILLET. STOVE HOOD. APPLICATION FILED APR. 29,,1908.

913,465.

Patented Feb. 23, 1909.



THE NORRIS PETERS CO., WASHINGTON, D. C.

UNITED STATES PATENT OFFICE.

ARTHUR BROUILLET, OF SAN LUIS OBISPO, CALIFORNIA.

STOVE-HOOD.

No. 913,465.

Specification of Letters Patent.

Patented Feb. 23, 1909.

Application filed April 29, 1908. Serial No. 429,856.

To all whom it may concern:

Be it known that I, ARTHUR BROUILLET, a citizen of the United States, residing at San Luis Obispo, in the county of San Luis 5 Obispo and State of California, have invented new and useful Improvements in Stove-Hoods, of which the following is a specification.

This invention relates to an improvement 10 in stove hoods, and has for its object to provide a simple, cheap and durable construction which may be readily attached to an ordinary stove or range and which will direct the odor arising from articles being 15 cooked upon the stove to the flue of the stove.

Another object of the invention is to provide a device of this character constructed of a series of segments, having V-shaped 20 sides hingedly secured together, each of the segments having their ends provided with lips, and the lips of one segment adapted to engage the lips of the segment to which it is pivoted, whereby each segment supports the 25 segment to which it is pivoted.

A still further object of the invention is to provide a hood of this character with a flexible member connecting the lower segment and secured to the first segment, whereby 30 the segments of the hood may be folded to any required degree.

With these and other objects in view the invention resides in the novel construction of stove hoods, hereinafter fully described 35 and claimed.

In the accompanying drawings, Figure 1 is a perspective view of a stove hood constructed in accordance with the present invention, and showing the same in applied 40 position. Fig. 2 is a central transverse sectional view of the same.

In the accompanying drawings, the numeral 1 designates the top plate of an ordi- | what is claimed as new is: nary gas stove. Secured to this top 1 is 45 the back 2 of the improved hood. This back 2 is provided with V-shaped sides 3 connected by an arcuate top 4. The back 2 is provided with a rearwardly projecting collar 5 adapted for engagement with a 50 suitable pipe 6 which is adapted to communicate with the flue or other suitable outlet.

The back 2 is provided with an extending portion 7 having its lower edge inturned and provided with suitable perforations adapted for the reception of bolts or other suitable 55 retaining elements by which this portion of the device is secured upon the top plate 1 of the stove. Suitable brace rods 8 are also provided. These brace rods 8 have their upper extremity connected with the sides 60 3 of the back section 2 and their lower extremity connected with the top plate of the stove 1.

The edges of the sides 3 and the top 4 of the back member 2 are inturned to provide 65 the lips 9, and a segment 10 having its edges provided with outturned lips 11 adapted to engage the lips 9, is pivotally connected with the sides 3 of the back section. This section 10 has its sides V-shaped and connected by 70 an arcuate top similar to the top 4 of the back section 2. The outer edges of the section 10 are inturned to provide a suitable lip 12, and this lip 12 is adapted to be engaged by an outturned lip provided upon the inner 75 edges of the section 13 of the hood. This section 13 has its outer edges provided with inturned lips 14 adapted to be engaged by outturned lips provided upon a section 15 of the hood. These sections 3, 10, 13 and 15 80 are all pivoted together as at 16, whereby the sections may be readily folded one within the other and against the back section 2.

The section 15 is provided with a suitable 85 staple 17 adapted for engagement with a chain or other suitable flexible element 18, and the section 2 has its top wall 4 provided with a suitable hook 19 adapted to engage the links of the chain 18, and thus retain the 90 sections of the hood in any desired spread position.

Having thus fully described the invention

In a hood for stoves, a back member hav- 95 ing V-shaped sides and an arcuate top connecting the sides, the back member being provided with an outlet collar, the back member having its lower edge inturned and provided with a series of perforations by 100 which it is secured to the stove, a plurality of segments pivoted to the back member,

said segments having V-shaped sides and being provided with in and outturned edges comprising lips, the lips of one segment being adapted to engage the lips of the opposite segment to which it is pivoted to support the segment, the lowermost segment being provided with a flexible element and the first segment being provided with a hook

adapted for engagement with the flexible element.

In testimony whereof I affix my signature in presence of two witnesses.

ARTHUR BROUILLET.

Witnesses: CHAS. STEBBINS, C. P. KAETZEL.