


H. H. REVMAN & W. H. GREENLEAF.
GARMENT HANGER.

APPLICATION FILED OCT. 3, 1908.

Patented June 15, 1909.

924,935.



Witnesses

J. M. M. Handy
Cora H. Handy

By

H. H. Revman
W. H. Greenleaf
W. H. Greenleaf Attorneys

UNITED STATES PATENT OFFICE.

HARRY HYMAN REYMAN AND WILLIAM HENRY GREENLEAF, OF GLOUCESTER,
MASSACHUSETTS.

GARMENT-HANGER.

No. 924,935.

Specification of Letters Patent.

Patented June 15, 1909.

Application filed October 3, 1908. Serial No. 456,100.

To all whom it may concern:

Be it known that we, HARRY H. REYMAN, subject of the Czar of Russia, and WILLIAM H. GREENLEAF, a citizen of the United States, both residing at Gloucester, in the county of Essex and State of Massachusetts, have invented certain new and useful Improvements in Garment-Hangers, of which the following is a specification.

10 This invention comprehends certain new and useful improvements in devices for hanging up garments when not in use, and the object of the invention is an improved device of this character that is designed particularly
15 for use in supporting coats or the like, and that embodies peculiar means whereby it may be charged with suitable insect-repelling substance or material, the odor of which is designed to be disseminated through the garment upon the hanger to protect the former
20 from the ravages of moths or other destructive insects, and thus permit the garment to be stored away for a season with comparative safety, said hanger possessing certain
25 other advantages that will become at once apparent as the invention is disclosed, over the ordinary devices usually employed for this purpose.

30 With this and other objects in view that will more fully appear as the description proceeds, the invention consists in certain constructions and arrangements of the parts that we shall hereinafter fully describe, and then point out the novel features thereof in
35 the appended claims.

For a full understanding of the invention and the merits thereof, and to acquire a knowledge of the details of construction, reference is to be had to the following description
40 tion and accompanying drawing, in which—

Figure 1 is a perspective view of a coat hanger embodying the improvements of our invention; Fig. 2 is an enlarged detail view of one of the pockets; Fig. 3 is an enlarged
45 detail view of a bag and its spreader; and, Fig. 4 is an enlarged section on the line 4—4 of Fig. 1.

Corresponding and like parts are referred to in the following description and indicated
50 in all the views of the drawing by the same reference characters.

In carrying out our invention, we provide a coat hanger which may be of the usual or
55 any desired or approved construction or design, although it is preferably formed of wire

which is bent to constitute a suitable suspension hook 1 and oppositely disposed downwardly extending garment-supporting arms 2. In the present instance, these arms 2 are composed of pairs of wires that diverge outwardly as shown, and that carry at their
60 outer ends pockets 3, each of which is preferably constructed in two sheet metal members. One of the members 4 of the pocket is formed at its side edges, near one end, with
65 beads 5 in which are mounted the extremities of the wires forming the arm, so as to connect said member thereto with its outer end projecting beyond the ends of the wires as shown. The other member 6 of the pocket
70 is arranged beneath the member 4, and is secured thereto at its side edges and outer end in any suitable manner with its inner end terminating short of the corresponding end
75 of the member 4 and in spaced relation thereto to constitute the mouth 7 of the pocket at the inner end thereof, it being noted that the mouth of the pocket is arranged below the plane of the arm. These pockets 3 are designed to contain a charge of any suitable
80 insect-repelling material or substance, the odor of which is arranged to escape through a plurality of perforations 8 formed in the members 4 and 6, and as before stated, is designed to be disseminated through the garment supported upon the hanger to protect
85 the same from the ravages of moths or other destructive insects, without the garment coming into direct contact with the said substance, as is usually the case when mothballs
90 or the like are employed. In some instances, it has been found desirable to employ an insect-repelling substance which is in liquid form, and in order to permit the pockets 3 to retain such a charge, I insert in each of the
95 pockets a bag 9 preferably of cloth which is filled or partially filled with cotton or other absorbent material 10 that has been previously saturated with a suitable liquid such as oil of cedar which has been found in practice
100 very efficient.

11 designates a spreader which, in the present instance, is constructed of a suitable length of wire, the ends of which are inserted in the bag and are arranged to hold the same
105 distended in the pocket to increase the surface exposed to the air, said spreader being formed intermediate of its ends with a loop 12 which projects beyond the bag and through the mouth 7 of the pocket and is
110

adapted to be grasped to permit the bag and its contents to be readily and conveniently removed from the pocket or inserted therein when desired.

5 It is to be of course understood that we do not limit ourselves to employing substances of an insect-repelling nature in the pockets, but if desired may place sachets therein, or use any material or substance which will
10 emit a perfume or the like with which the garment supported upon the hanger will become laden.

From the foregoing description, in connection with the accompanying drawing, it will
15 be apparent that we have provided an improved coat hanger by means of which a garment supported thereon may be protected from the ravages of moths or other destructive insects, or a desired perfume disseminated through the garment, said hanger being simple and durable in construction and consisting of comparatively few parts that may be readily assembled and easily and cheaply manufactured so as to be placed
20 upon the market at a price not too great to prevent the general adoption of the device.

Having thus described the invention, what we claim is:

30 1. A coat hanger embodying garment-supporting arms framelike in structure, and complementary sheet metal members secured to and arranged within such arms and co-acting to constitute charge-receiving pockets, as and for the purpose specified.

35 2. A coat hanger embodying garment-supporting arms framelike in structure, and complementary sheet metal members arranged

within the arms and secured at their edges thereto, the members co-acting to constitute charge-receiving pockets and being spaced
40 at their opposing ends to form mouths to permit the insertion of a charge.

3. A coat hanger embodying garment-supporting arms provided with pockets formed with mouths, bags designed to be inserted in
45 the pockets and containing absorbent material impregnated with a charge, and wire loops engaged with the bags and projecting outwardly through the mouths of the pockets to permit the convenient withdrawal of the
50 bags therefrom.

4. A coat hanger embodying garment-supporting arms provided with pockets, bags designed to be inserted in the pockets and containing absorbent material saturated with a
55 charge, and means for distending said bags, as and for the purpose specified.

5. A coat hanger embodying arms provided at their ends with pockets, the pockets being formed at their inner or opposing ends
60 with mouths, bags designed to be inserted in the pockets and containing absorbent material saturated with a charge, and spreaders mounted within the bags to distend the same and formed with loops projecting beyond the
65 bags and through the mouths of the pockets, as and for the purpose specified.

In testimony whereof we affix our signatures in presence of two witnesses.

HARRY HYMAN REYMAN. [L. S.]

WILLIAM HENRY GREENLEAF. [L. S.]

Witnesses:

J. MANUEL MARSHALL,

VICTORIA JACOBSON.