
## A. E. LINDNER. GLOVE, APPLICATION FILED JULY 6, 1908.

925,207.

Patented June 15, 1909.



## UNITED STATES PATENT OFFICE.

ARTHUR E. LINDNER, OF NEW YORK, N. Y.

GLOVE.

No. 925,207.

Specification of Letters Patent.

Patented June 15, 1909.

Application filed July 6, 1908. Serial No. 441,935.

To all whom it may concern:

Be it known that I, ARTHUR E. LINDNER, a citizen of the Empire of Germany, residing at New York, in the borough of the 5 Bronx, county and State of New York, have invented certain new and useful Improvements in Gloves, of which the following is a

specification.

This invention relates to an improved 10 glove which is provided with finger-nail tips which impart a characteristic and ornamental appearance to the glove, and serve at the same time as finger-tip protectors; and the invention consists of a glove pro-15 vided with finger-tips with imitation fingernails, which are constructed of metallic plates provided with a rim at the sides and lower end and perforations having burs placed at the inside of the glove, and a 20 plate of celluloid in imitation of the fingernail placed on the outside of the glove and united by pressure with the rimmed and perforated plate, as will be fully described hereinafter and finally pointed out in the 25 claims.

In the accompanying drawing, Figure 1 represents an elevation of the outside of a glove with my improved finger-nail tips, Fig. 2 is a vertical transverse section through 30 one of the tips on line 2, 2, Fig. 1, drawn on a larger scale, Fig. 3 is a vertical transverse section on line 3, 3, Fig. 2, and Figs. 4 and 5 are detail perspective views of the inside and outside plates of which the imitation finger-

35 nail is constructed.

Similar letters of reference indicate cor-

responding parts.

Referring to the drawing, g represents a glove made of kid or any other leather or 40 fabric. To the outer faces of the tips are applied imitation nails b, which are made of celluloid, rubber, fiber or other suitable material, either in a color distinctive from the color of the glove or in the color of the glove, 45 according to the taste of the wearer. They can also be covered with fabric of the same color as the glove. The finger-nail is made convexo-concave in transverse direction and rounded off at the ends.

The imitation nails are firmly secured to the finger-tips by means of a sheet-metal plate p of corresponding shape, which is also convexo-concave in transverse direction and rounded off at one end and provided the exterior plates.

with a raised rim c along the sides and at the opposite end, and with holes that are punched through from the under-side in such a manner as to form burs o. The sheetmetal plate is placed at the under-side of the tip-end of the finger-tip, the imitation nail-plate placed over the fabric of the finger at the outside of the same, and then united by clenching the rim of the inner plate over the edge of the outer plate, as shown in Figs. 1 and 3. Simultaneously the burs o enter into the under-side of the nail-plate b and hold the same rigidly against shifting in longitudinal direction, as shown in Fig. 2.

The imitation finger-nails form a very characteristic ornamentation for the glove and a protection for the tip-ends of the same as the rounded-off edges of the nailplates extend over the tip-ends and prevent

the wearing out of the same.

The nail-plates can be made in contrasting colors or in the same color as the glove if a more subdued appearance is desired. The outer surface of the imitation nails may be provided with fleur-de-lis or other suitable ornamentation, which is pressed or embossed into the nail-plates.

The gloves with the improved finger-nail tips form an ornamental novelty in gloves of all kinds, but are mainly intended for use by ladies, the imitation finger-nails serving as protectors for the finger-tips and as pre-

servers of the shape of the same.

Having thus described my invention, I claim as new and desire to secure by Letters Patent:

1. A glove provided at the outer ends of the finger-tips with separate rigid plates in imitation of finger-nails, and means for securing them in position on said finger-tips.

2. A glove provided at the outer ends of the finger-tips with separate rigid plates in imitation of finger-nails and with means placed at the inside of the tips below the imitation nails for uniting the tips with the imitation nails.

3. A glove provided with separate imitation finger-nails applied to the outer ends of the finger-tips and formed of exterior convexo-concave plates of suitable material and interior sheet-metal plates provided with means for uniting the fabric of the tips and 4. A glove provided on the outer side of the finger-tips with separate imitation nail-plates rounded off at the ends and convexo-concave in transverse section, and interior metal plates provided with projecting burs and bent-up rims clenched over the fabric and the edges of the nail-plates.

In testimony, that I claim the foregoing as my invention, I have signed my name in presence of two subscribing witnesses.

ARTHUR E. LINDNER.

Witnesses:

PAUL GOEPEL, HENRY J. SUHRBIER.