M. A. MCCLELLAND.

ATTACHMENT FOR CHAIRS.

APPLICATION FILED APR. 1, 1909

APPLICATION FILED APR. 1, 1909. Patented Oct. 5, 1909. 936,017. 2 SHEETS-SHEET 1. Inventor. Witnesses

## M. A. McCLELLAND. ATTACHMENT FOR CHAIRS. APPLICATION FILED APR. 1, 1909.

936,017.

Patented Oct. 5, 1909.

2 SHEETS-SHEET 2.




Fig.5.





Fig.4.



Inventor

MARY A.M. CLELLAND

HOBaughman.

331

Blackwood Bros.

## UNITED STATES PATENT OFFICE.

MARY A. McCLELLAND, OF ALBANY, NEW YORK.

## ATTACHMENT FOR CHAIRS.

936,017.

Specification of Letters Patent.

Patented Oct. 5, 1909.

Application filed April 1, 1909. Serial No. 487,201.

To all whom it may concern:

Be it known that I, Mary A. McClel-LAND, a citizen of the United States, residing at Albany, in the county of Albany and State 5 of New York, have invented certain new and useful Improvements in Attachments for Chairs, of which the following is a specification.

My invention relates to improvements in 10 attachments for chairs and more especially to tablets for supporting writing pads, writing paper, drawing paper, books and other articles thereon.

The object of the invention is to provide 15 a chair with a tablet which is capable of being adjusted in such a manner that it will assume a convenient position when in use and furnish a support for a writing pad or other article, and which can be dropped 20 down into a vertical position out of the way when not in use and occupy a minimum amount of space.

It also has for its object to provide a device of the character described which is 25 simple, inexpensive and durable in construction and which can be easily and quickly adjusted to the desired position.

Chairs having this attachment are particularly designed for use in colleges, schools, 30 libraries, lunch rooms, and private residences, but are capable of being used in numerous other places.

Referring to the drawings, Figure 1, is a side view of a chair showing the tablet in 35 the position it assumes when in use in full lines and in the position it assumes when not in use in dotted lines. Fig. 2, a front view. Fig. 3, a top plan view. Fig. 4, a cross-section on the line X-X of Fig. 3, 40 on an enlarged scale. Fig. 5, a detail view of the tablet.

In the drawings in which like numerals the several views, 1 represents an arm chair 45 which may be of any desired style and constructed of any suitable material, 2 corner posts the upper portions of which serve as supports for the arms 3 and 4 and the lower portions forming legs 5, said chair being 50 provided with a back 6 and a seat 7 having a laterally extending stop 8. The tablet 9 comprises two members 10 and 11 hinged together at 12 in any suitable manner and pivoted to the side 13 of the arm 3 of the 55 chair by means of a headed bolt 14 passing

being provided with a nut 16. The tablet may be pivoted to the arm of the chair by means of a screw or other suitable means instead of by a bolt or nut, if desired.

When the tablet is in use the member 10 will be at a right angle to the member 11 and will abut against the side 13 of the arm 3 and prevent any lateral inward movement of said member 10 while the member 11 will 65 rest on the upper surface 17 of the said arm.

When the tablet is not in use the members 10 and 11 will be in the same vertical plane and the edge of the member 10 will rest 70 against the stop 8 on the seat 7.

Although I have shown the stop attached to the seat it may be attached to the arm or round of the chair.

Although the tablet is particularly adapt- 75 ed for use on the arm or arms of a chair it is obvious that it could be attached to any other suitable support and if it is desired to incline the tablet the arm or arms of the chair may be inclined.

I do not desire to be understood as limiting myself to the specific details of construction and arrangement as herein described and illustrated, as it is manifest that variations and modifications may be made 85 in the features of construction and arrangement in the adaptation of the device to the various conditions of use without departing from the spirit and scope of my invention and improvements. I therefore reserve the 90 right to all such variations and modifications as properly fall within the scope of my invention and the terms of the following claims.

What I claim is:—

1. In an attachment for chairs, an arm, a tablet divided into two members which are hinged together, one of said members pivof reference denote like parts throughout | oted to the arm and abutting against it, thus preventing lateral movement of the tablet, 100 and the other member being supported on and in contact with said arm, when in use, the last named member designed to be turned on its hinge until it is in line with the pivoted member and both of said mem- 105 bers swung down into the same vertical plane, when not in use, substantially as described.

2. In an attachment for chairs, an arm, a tablet comprising two members hinged to- 110 gether longitudinally, one member being in through a hole 15 in the member 10 and a vertical plane and pivoted to and abutting against the side of the arm and the other member being in a horizontal plane, when in use, and when not in use both of said members abutting against the side of the arm by means of which they are held in the same vertical plane and a stop for arresting the rearward movement of said members, substantially as described.

In testimony whereof I have signed my name in the presence of two subscribing 10 witnesses.

## MARY A. McCLELLAND.

Witnesses:

William J. Milne. [l. s. Anna W. Burbank. [l. s.