
V. J. A. C. MENGERS & L. LARSEN. COMBINED HALL STAND, STEP LADDER, IRONING BOARD, &c. APPLICATION FILED JULY 14, 1909.

944,100.

Patented Dec. 21, 1909.


2 SHEETS-SHEET 1.



V. J. A. C. MENGERS & L. LARSEN.

COMBINED HALL STAND, STEP LADDER, IRONING BOARD, &c.

APPLICATION FILED JULY 14, 1909.



STATES PATENT OFFICE.

VIGGO J. A. C. MENGERS AND LORRENCE LARSEN, OF CHICAGO, ILLINOIS.

COMBINED HALL-STAND. STEP-LADDER, IRONING-BOARD, &c.

944,100.

Specification of Letters Patent.

Patented Dec. 21, 1909.

Application filed July 14, 1909. Serial No. 507,493.

To all whom it may concern:

Be it known that we, Viggo J. A. C. Men-GERS and LORRENCE LARSEN, citizens of the United States, and residents of Chicago, in 5 the county of Cook and State of Illinois, have invented certain new and useful Improvements in Combined Hall-Stands, Step-Ladders, Ironing-Boards, &c.; and we do hereby declare that the following is a full, 10 clear, and exact description thereof, reference being had to the accompanying drawings, and to the numerals of reference marked thereon, which form a part of this specification.

15 This invention relates to household furniture and more particularly to an article of furniture which may be transformed into a chair, hall stand, step-ladder, ironing-board

or shelf.

The invention consists in the matters hereinafter set forth and more particularly

pointed out in the appended claims.

In the drawings illustrating our invention Figure 1 is a view in front elevation of 25 our device when used as a hall stand. Fig. 2 is a rear view of the same. Fig. 3 is a view in side elevation of the device illustrating certain details of construction. Fig. 4 is a view in side elevation of the device 30 when used as a combined ladder and shelf. Fig. 5 is a view in side elevation of the device when used as an ironing-board. Fig. 6 is a view in side elevation of the device when used as a step-ladder.

Referring to the various parts of the device as they appear when the article is used as a hall stand or chair and as illustrated in Figs. 1, 2 and 3,—5 designates the base portion of the device and is mounted upon cas-40 ters 6, 6. Rigidly secured to said base 5 are three integral steps 7, 8 and 9 which, when the device is used as a hall stand or chair, form compartments for the storage of small

articles.

10 designates a horizontally arranged board or seat member which is hinged to the top of the upper step 9 by pivot pins 11, 11. Secured to one face of said seat member 10 are two steps 12 and 13 which, in the posi-50 tion of the device illustrated in Figs. 1, 2 and 3, rest with their tops upon the tops of the steps 7 and 8, respectively. A thumb screw is inserted through the engaging tops of the steps 13 and 7 to retain said steps in 55 the position illustrated.

15 indicates a door which is hinged at its

lower end upon the front portion of the base 5.

Secured to the side margins of the seat member 10 are two horizontally arranged 60 frame members 16, 16 to the rear ends of which are attached vertical frame members 17 and 18 arranged with their faces at right angles to each other. At their upper ends each of the members 18 is provided with a 65 socket 19, the socket in one of said members being adapted to receive a removable hat hook 20, and the other of said sockets being adapted to support a removable hat hook 21 and an umbrella holder 22. Horizontal 70 brace members 23 are secured at their ends to the rear margins of the frame members 17. Slidably supported between the side frame members 17 and 18 and the brace members 23 is a vertical back 25. A cross 75 bar 26 is secured to said back 25. Said cross bar, when the device is used as a hall stand, rests upon the horizontal brace member 23. A mirror 27 is removably supported at the upper end of said back 25.

When used as a chair the mirror, hat hooks and umbrella holder may be removed. A swinging standard 28 is hingedly secured to the horizontal cross bar 26 on the back 25 and serves as a support therefor when the 85 device is used for a shelf or ironing-board, as

will hereinafter more fully appear.

When our improved device is used as a combined ladder and shelf, as illustrated in Fig. 4, the steps 12 and 13 are swung 90 upon the pivots 11, 11 to bring the frame members 17 and 18 into such a position that their upper ends rest upon the floor; the back 25 is drawn out and placed in a horizontal position with its lower end upon the 95 top step 13; and the standard 28 is swung on the hinge 26 until its lower end rests upon the floor and affords a support for the outer end of the board.

When used as an ironing board the back 100 25 is swung horizontally through an angle of 180° from the position shown in Fig. 4 to that shown in Fig. 5, the end of the back 25, which rests upon the step 13, being preferably provided with an internally screw- 105 threaded socket which will receive a set screw 14. When used as ladder only, as illustrated in Fig. 6, the back 25 may be left in its vertical position in which case it will afford a means of support for the user 110 when standing upon the step of the ladder.

As an additional means for bracing the

device when in the position illustrated in Figs. 4, 5 and 6, there are hinged to the rear of the base 5 two molding strips 30, 30. Each of said strips is provided on its free end with a hook 31 which, when the strip is swung into the position illustrated in said Figs. 4, 5 and 6, enters a slot 32 provided in the frame member 17 and engages a pin 33 extending transversely therethrough.

The invention above described is a compact, attractive piece of furniture, which is not only useful in that it may be used to serve the various ends described, but is

ornamental as well.

We claim as our invention:—

1. A combination hall stand, step-ladder and ironing-board comprising in combination, a base, a set of steps rigidly secured thereto, a second set of steps pivotally secured to said first set and adapted to fold down thereon, horizontal and vertical frame members attached to said second set of steps, hat hooks removably supported in said vertical frame members, a back member slidably supported between said frame members, and a mirror removably supported upon said back member.

2. A combination hall stand, step-ladder and ironing-board comprising in combination, a base, a set of steps rigidly secured thereto, a second set of steps pivotally secured to said first set, horizontal and vertical frame members attached to said second set of steps and adapted to swing therewith, a back member slidably supported between said frame members, and a standard hinged to said back member, said standard being

adapted to support one end of said back

member when said back member is in a

horizontal position.

3. A combination hall stand, step-ladder and ironing-board comprising in combination, a base, a set of steps secured thereto, a second set of steps pivotally supported on the first set and adapted to swing outwardly 45 therefrom to form a ladder, vertical frame members secured to said second set of steps, said vertical members forming supports for said ladder, and braces connecting said vertical supporting members with said base. 50

4. A combination hall stand, step-ladder and ironing-board comprising in combination, a base, a set of steps rigidly secured thereto, a second set of steps pivotally supported upon said first set and adapted to 55 swing outwardly and upwardly therefrom to form a ladder, vertical members attached to and swinging with said second set of steps, said vertical member being adapted to rest with one end upon the floor and being 60 provided near their lower ends with slots, pins extending transversely of said slots, brace bars hinged to said base, and catch members upon the free ends of said bars adapted to engage said transversely extend-65 ing pins.

In testimony, that we, claim the foregoing as our invention we affix our signatures in the presence of two witnesses, this 10th

day of July A. D. 1909.

VIGGO J. A. C. MENGERS. LORRENCE LARSEN.

Witnesses:

WILLIAM BENGRON, CARL A. JACOBSON.