

J. H. STIGGLEMAN. METALLIC RECEPTACLE. APPLICATION FILED JUNE 4, 1909.

958,558.

Patented May 17, 1910.





UNITED STATES PATENT OFFICE.

JAMES H. STIGGLEMAN, OF WABASH, INDIANA, ASSIGNOR OF ONE-FOURTH TO FRANK T. EDENHARTER, OF INDIANAPOLIS, INDIANA.

METALLIC RECEPTACLE.

958,553.

Specification of Letters Patent.

Patented May 17, 1910.

Application filed June 4, 1909. Serial No. 500,202.

To all whom it may concern:

Be it known that I, James H. Stiggle-MAN, a citizen of the United States, residing at Wabash, in the county of Wabash and 5 State of Indiana, have invented certain new and useful Improvements in Metallic Receptacles; and I do declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in 10 the art to which it appertains to make and use the same, reference being had to the accompanying drawings, and to the numerals of reference marked thereon, which form a part of this specification.

15 My invention relates to a garbage bucket or feed trough for swine and other live-stock and has for its object to provide a sanitary bucket or trough in which the danger of up-

setting is entirely eliminated.

A further object of my invention is to provide a garbage bucket or feed trough which can be conveniently handled, easily cleaned and can be placed either side down and still not spill the contents.

With these objects in view my invention consists in the novel construction of the bucket or trough as will be hereinafter fully described and afterward specifically pointed

out in the appended claims.

Referring to the accompanying drawing: Figure 1 is a perspective view of a garbage bucket or trough constructed in accordance with my invention, and Fig. 2 is an end view of the same.

Like numerals of reference indicate the same parts throughout the several figures in

which:

1 indicates the bucket or trough which is preferably formed of a single sheet of metal 40 bent substantially at right angles as shown in Fig. 2 and having the edges curved inwardly toward each other. The body 1 is provided with ends 3 upon which is formed a flange 2 surrounding each end, the body 1 45 being bent to conform to the said flanges; while a stiffening supporting strap 4 is se-

curely fastened as by rivets or bolts 5 pass-

ing through the ends of the body and the flanges 2 on each end of the bucket or trough. This stiffening supporting strap 4 provides 50 a wide base of support in order to prevent an accidental up-setting of the trough. This construction makes the bucket or trough extremely strong and rigid and as above stated provides an extraordinary long base of sup- 55

port for the trough.

7 indicates the bail or handle for carrying and transporting the bucket or trough, said bail or handle 7 being connected to the ends 3 of the bucket or trough in any con- 60 venient manner, as for instance as shown in the drawings, it being essential, however, that the point of connection of the bail or handle 7 being above the center of gravity of the bucket or trough in such manner that 65 the bucket or trough will assume an upright position as shown in Fig. 2, both when it is emptied and when it has received its contents.

When utilizing the device as a trough it is 70 apparent that by reason of its novel form it can rest on either side 8 or 9 and yet be right side up, as the trough can be filled to such an extent that when it is in operative position as shown in Fig. 1 the contents 75 thereof will not overflow the edge 10. This of course applies to either side of the device.

Having thus fully described my invention what I claim as new and desire to secure by 80 Letters Patent of the United States is:—

1. A receptacle comprising a body and ends, said body being bent at substantially right angles and having its two edges bent inwardly, a stiffening and supporting strap 85 at each end of the receptacle to form a base of support for the same, and a bail or handle on said receptacle, said bail or handle being connected thereto at a point above the center of gravity thereof.

2. A receptacle comprising a body and ends, said body being bent, one side of said body being at substantially right angles to the other, the edges of said body approaching

each other, and a bail or handle for said body, said bail or handle being connected thereto at a point above the center of gravity thereof.

3. A receptacle comprising a body and ends, a supporting and stiffening strap at each end of said receptacle to form the base of support therefor, each stiffening strap being bent angularly to form two sides either of which acts as a base of support for the re-

ceptacle, and a bail or handle connected to 10 said receptacle at a point above the center of gravity thereof.

In testimony whereof, I affix my signa-

ture, in presence of two witnesses.

JAMES H. STIGGLEMAN.

Witnesses:

GLENN ALLEN, GEO. F. MULL.