
A. LE MASSENA.

THREAD CUTTER.


APPLICATION FILED JAN. 10, 1910.

966,931.

Patented Aug. 9, 1910.



E19.1.



Andrew Le Massera

Inventor

By Attorney Claum Russe

Hampen Flebrer

UNITED STATES PATENT OFFICE.

ANDREW LE MASSENA, OF GLEN RIDGE, NEW JERSEY.

THREAD-CUTTER.

966,931.

Specification of Letters Patent.

Patented Aug. 9, 1910.

Application filed January 10, 1910. Serial No. 537,365.

To all whom it may concern:

Be it known that I, Andrew Le Massena, a citizen of the United States, resident of and whose address is 34 Snowden Place, 5 Glen Ridge, Essex county, State of New Jersey, have invented a new and useful Improvement in Thread-Cutters; and I do hereby declare that the following is a full, clear, and exact description of the same.

My invention relates to thread cutters adapted to be attached to the front of the user's clothing so that the user after sewing can conveniently draw the thread across the cutter and easily sever the thread close to the article sewed.

The primary object of my invention is to provide a thread cutter of this class which can be quickly and securely attached to and detached from the user's clothing by an ordinary pin.

Another object of my invention is to provide a thread cutter of this class which will remain in effective position when used and can be very cheaply and expeditiously manu25 factured and packed for distribution.

In order that my invention may be fully understood, I shall first describe in detail the manner in which I make and use the same and then distinctly claim the invention.

Reference is to be had to the accompanying drawing forming part of this specification in which like parts are designated by the same numbers in both figures.

Figure 1, is a perspective view illustrating a thread cutter embodying my invention in use. Fig. 2, is a perspective view of the thread cutter detached.

I make my thread cutter of a single rectangular plate of hard sheet metal 10, the upper end of which is bent over at right angles, preferably in a die, to form a narrow inwardly projecting flange 11, which is formed with a perforation 12, in its center large enough to receive an ordinary pin 13,

but not large enough to permit the passage 45 of the pin head 14. From the upper middle portion of the plate 10, is struck outwardly at right angles from its vertical side a triangular piece forming a blade 15, the upper edge 16 of which is inclined downwardly 50 and inwardly from its rounded safe nose 17, to its V-like junction 18, with the plate 10, where it is sharpened so as easily to cut a thread drawn downward between it and the plate 10.

The user simply attaches the cutter to his or her clothing by passing an ordinary pin through the perforation 12, in the flange 11, into the clothing fabric, where the cutter, owing to the position of the blade in the 60 upper middle of the plate 10, will securely maintain its most effective cutting position as the thread is drawn downward across the cutting edge 18, and will easily and quickly sever the thread.

As no pin is permanently attached to the cutter, these cutters can be closely and expeditiously packed together and unpacked without danger of injury to the packer or user, and the expense of their manufacture 70 is very small.

Having thus described my invention and the manner in which I make and use it, I claim as my invention—

As a new article of manufacture, a thread 75 cutter comprising a base plate, having a blade integral therewith, the cutting edge of which extends at an acute angle from the base plate, and the upper portion of the base plate bent at a right angle and provided 80 with a central perforation.

In testimony whereof I have hereunto set my hand the 4th day of January 1910.

ANDREW LE MASSENA.

In presence of— Anna B. Carroll, Thomas F. Kilroe.