
M. SALMOND. AMUSEMENT DEVICE. APPLICATION FILED SEPT. 23, 1910.

978,489.

Patented Dec. 13, 1910.



UNITED STATES PATENT OFFICE.

MALCOLM SALMOND, OF TOLEDO, OHIO.

AMUSEMENT DEVICE.

978,489.

Specification of Letters Patent.

Patented Dec. 13, 1910.

Application filed September 23, 1910. Serial No. 583,526.

To all whom it may concern:

Be it known that I, Malcolm Salmond, a citizen of the United States, and a resident of Toledo, in the county of Lucas and State 5 of Ohio, have invented a certain new and useful Amusement Device; and I do hereby declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which 10 it appertains to make and use the same, reference being had to the accompanying drawings, and to the figures of reference marked thereon, which form a part of this specification.

15 My invention relates to amusement devices, and has more particularly for its object the provision of a toy torpedo or the like, which is entirely harmless but designed to create amusement and pleasure in its use.

The invention is fully described in the following specification and a preferred embodiment thereof illustrated in the accompany-

ing drawings, in which,—

Figure 1 is a central longitudinal section 25 of a device embodying my invention with a portion of the interior parts in full. Fig. 2 is a cross-section on the line x x in Fig. 1, and Fig. 3 is a side elevation of the device with the top diaphragm and its retaining 30 ring removed and the contained figure

sprung outwardly.

Referring to the drawings, 1 designates a shell which is preferably of a shape to represent a torpedo of the type usually used 35 on the Fourth of July, one end of such shell being closed, as at 2, and the other end open, as shown. The open end of the shell is intended to be closed by a diaphragm 3 of some quickly combustible material, such, for in-40 stance, as flashlight paper of the kind used by photographers. The diaphragm 3 is larger than the end of the shell to provide an overhanging edge over which a retaining ring 4 may be drawn to coöperate with the 45 shell end to hold the diaphragm drawn tightly over the end of the shell, as indicated in Fig. 1. Extending from the center of the diaphragm 3 is a fuse 5.

Located within the shell 1, in the present 50 instance on a partition 6 therein, is a coiled compression spring 7 upon which is mounted a figure or other suitable device 8, which is shown as representing Uncle Sam.

When the diaphragm 3 is in position over the open end of the shell, it bears upon the 55 top of the figure to hold it and the spring 7 compressed within the shell, as indicated. Upon a release of the figure 8 by a burning or destruction of the diaphragm 3 in some other manner, the spring 7 acts upon the 60 figure to quickly force it outward from the open end of the shell to the exposed position shown in outline in Fig. 3. A pliant skirt 9 of cloth or other suitable material connects the figure to the partition 6 to limit 65 the outward movement thereof, as is apparent.

In the use of this device, the fuse 5 is lighted and as it burns to and ignites the diaphragm 3, said diaphragm quickly burns 70 and liberates the inclosed figure 8 which springs outwardly from the shell under the influence of the spring 7. To prepare the device for another operation it is only necessary to force the figure within the shell, 75 place a new diaphragm 3 with its attached fuse 5 over the open end of the shell and secure it in position thereon by forcing the ring over the shell and interposed edge of the diaphragm.

It is apparent that I have provided a harmless article for use on the Fourth of July or at other times when fireworks are used which is adapted to create considerable pleasure and amusement in its use; and also 85 that it may be repeatedly used by merely securing a new diaphragm 3 in position thereon, as above described.

I wish it understood that my invention is not limited to any specific construction or 90 arrangement of the parts except in so far as such limitations are specified in the claims.

Having thus described my invention, what I claim as new and desire to secure by Letters Patent, is,—

1. An amusement device, comprising a hollow member having an open end, a combustible diaphragm removably closing the open end of such member, a figure held within the member by said diaphragm, and 100 means for causing said figure to spring outwardly from the open end of the member upon a destruction of the diaphragm.

2. An amusement device comprising a shell, a quickly combustible diaphragm clos- 105 ing the open end of such shell, means removably securing the diaphragm to the shell end, a fuse leading from the diaphragm, a figure held within the shell by the diaphragm when in position over the shell end, and means for causing the figure to spring outwardly from the open end of the shell upon a destruction of said diaphragm.

In testimony whereof, I have hereunto signed my name to this specification in the presence of two subscribing witnesses.

MALCOLM SALMOND.

Witnesses:

C. W. OWEN, M. G. GASKELL.