
C. W. SPRINGFORD. IRONING BOARD.

APPLICATION FILED AUG. 1, 1910.

987,267.

Patented Mar. 21, 1911.



THE NORRIS PETERS CO., WASHINGTON, D. C.

UNITED STATES PATENT OFFICE.

CHARLES WILLIAM SPRINGFORD, OF TORONTO, ONTARIO, CANADA.

IRONING-BOARD.

987,267.

Specification of Letters Patent. Patented Mar. 21, 1911.

Application filed August 1, 1910. Serial No. 574,942.

To all whom it may concern:

Be it known that I, CHARLES WILLIAM Springford, of the city of Toronto, in the county of York, in the Province of Ontario, 5 Canada, have invented certain new and useful Improvements in Ironing-Boards, of which the following is the specification.

My invention relates to improvements in ironing boards and the object of the inven-10 tion is to devise a board, which may be used both as a sleeve and skirt board and which may be adjusted so as to be secured to any height of table or ledge and it consists essentially of a skirt board provided with a 15 longitudinal notch in its broad end, a sleeve board the broad end of which extends through the notch of the skirt board in an inclined direction and having grooves in each side thereof in proximity to the broad 20 end, a ratchet rack secured to the face of the sleeve board next to the skirt board and designed to engage with the inner end of the notch of the skirt board and depending hangers provided with pins extending in-25 wardly and engaging with the grooves of the sleeve board as hereinafter more particularly described.

Figure 1, is a perspective view of my ironing board secured to a table and used as a 30 skirt board. Fig. 2, is a similar view to Fig. 1 showing the ironing board used as a sleeve board. Fig. 3, is an enlarged perspective view of the ironing board partially broken away and in section to exhibit the 35 construction thereof. Fig. 4, is a front elevation of the sleeve board. Fig. 5, is an enlarged sectional detail of the broad end of the sleeve board and skirt board.

In the drawings like letters of reference 40 indicate corresponding parts in each figure.

ledge A'.

B is the skirt board provided with a notch B' in its broad end.

C is the sleeve board which extends |

through the notch B' of the skirt board and is provided with side grooves C' and a ratchet rack C².

C³ is a bracket provided with depending hangers secured to the skirt board in prox- 50 imity to the notch B'. The hangers are provided with inwardly extending pins C4 engaging with longitudinal grooves C' of the sleeve board.

E, F and G are pads of rubber or other 55 suitable material designed to prevent the board when gripping the ledge of the table from marring the surface of the table.

It will be readily seen that when I desire to use my device as shown in Fig. 1 as 60 a sleeve board as shown in Fig. 2, all that it is necessary to do is to turn the board upside down, so that the broad end of the sleeve board engages the under surface of the ledge of the table and the broad end of 65 the skirt board engages the upper surface of the ledge of the table.

To adjust the board to suit different heights of table all that it is necessary to do is to slide the skirt board longitudinally of 70 the sleeve board and the pins C4 of the grooves C', so that the edge of the notch B' engages with another of the series of teeth

of the rack C².

What I claim as my invention is:

1. A combined skirt board and sleeve board comprising a skirt board having a notch in its broad end, a sleeve board provided with longitudinal grooves at each side thereof, engaging pins connected to the 80 skirt board and entering the grooves of the sleeve board, and a ratchet rack between the sleeve board and the edge of the notch of the skirt board, as and for the purpose specified.

A is a table provided with the usual | 2. A combined skirt board and sleeve board comprising a sleeve board, a ratchet rack secured to the sleeve board, a skirt board having an end notch engaging the ratchet rack of the sleeve board, and slid- 90 able pivotal connecting means between the sleeve board and the skirt board, as and for

the purpose specified.

3. A combined ironing board and sleeve board comprising a skirt board provided with a notch in its broad end and depending hangers having inwardly extending pins, a sleeve board provided with side grooves into which the pins of the skirt board extend,

and a ratchet rack secured to the sleeve 10 board and engaging the edge of the notch of the skirt board, as and for the purpose specified.

CHARLES WILLIAM SPRINGFORD.

Witnesses:

B. Boyn,

H. Preston.

Copies of this patent may be obtained for five cents each, by addressing the "Commissioner of Patents, Washington, D. C."

en de la comparte de Comparte de la compa

The second of th