



US010230617B2

(12) **United States Patent**
Kumar et al.

(10) **Patent No.:** **US 10,230,617 B2**
(45) **Date of Patent:** **Mar. 12, 2019**

(54) **WIRELESS ROUTERS UNDER TEST**

H04W 88/16; H04W 88/18; H04W 84/12;
Y02D 70/00; Y02D 70/1224; Y02D
70/1242; Y02D 70/1262

(71) Applicant: **Contec, LLC**, Schenectady, NY (US)

See application file for complete search history.

(72) Inventors: **Samant Kumar**, San Jose, CA (US);
Dinesh Kumar, Bihar (IN);
Shivashankar Diddimani, Karnataka
(IN); **Gunjan Samaiya**, Madhya
Pradesh (IN); **Ina Huh**, Morgan Hill,
CA (US); **Jin Ryu**, San Jose, CA (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,005,197	A	4/1991	Parsons et al.
5,897,609	A	4/1999	Choi et al.
5,917,808	A	6/1999	Koshbab
6,088,582	A	7/2000	Canora et al.
6,308,496	B1	10/2001	Lee
6,367,032	B1	4/2002	Kasahara
6,662,135	B1	12/2003	Burns
6,671,160	B2	12/2003	Hayden
6,826,512	B2	11/2004	Dara-Abrams et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN	202261360	5/2012
WO	2001013604	2/2001

(Continued)

OTHER PUBLICATIONS

Kumar, Samant; Final Office Action for U.S. Appl. No. 15/642,915,
filed Jul. 6, 2017, dated Apr. 5, 2018, 18 pgs.

(Continued)

Primary Examiner — Afsar M Qureshi

(74) *Attorney, Agent, or Firm* — Taylor English Duma
LLP

(57) **ABSTRACT**

A system for testing multiple wireless routers independently
and simultaneously using different types of device probes is
disclosed. The system includes real-time, bi-directional/
asynchronous communication and interaction between sys-
tem components.

19 Claims, 4 Drawing Sheets

(73) Assignee: **Contec, LLC**, Schenectady, NY (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/813,838**

(22) Filed: **Nov. 15, 2017**

(65) **Prior Publication Data**

US 2018/0077046 A1 Mar. 15, 2018

Related U.S. Application Data

(63) Continuation of application No. 14/948,925, filed on
Nov. 23, 2015, now Pat. No. 9,838,295.

(51) **Int. Cl.**

H04L 12/26 (2006.01)


H04W 84/12 (2009.01)

(52) **U.S. Cl.**

CPC **H04L 43/50** (2013.01); **H04L 43/12**
(2013.01); **H04L 43/14** (2013.01); **H04W**
84/12 (2013.01)

(58) **Field of Classification Search**

CPC H04L 43/00; H04L 43/12; H04L 43/14;
H04L 43/50; H04L 43/10; H04L 43/0876;
H04L 43/0811; H04W 88/04; H04W
88/08; H04W 88/085; H04W 88/12;



(56)	References Cited						
	U.S. PATENT DOCUMENTS						
6,859,043	B2	2/2005	Ewing	2011/0035676	A1*	2/2011	Tischer H04M 1/677 715/745
7,068,757	B1	6/2006	Burnett	2011/0072306	A1	3/2011	Racey
7,254,755	B2	8/2007	De Obaldia et al.	2011/0090075	A1	4/2011	Armitage et al.
7,664,317	B1	2/2010	Sowerby	2011/0107074	A1	4/2011	Rivera Trevino
7,809,517	B1	10/2010	Zuckerman	2011/0116419	A1	5/2011	Chan et al.
8,121,028	B1	2/2012	Schlesener	2011/0149720	A1	5/2011	Cholas
8,209,732	B2	6/2012	Le	2011/0222549	A1	6/2011	Phuah et al.
8,229,344	B1	7/2012	Petersen	2011/0267782	A1	9/2011	Connelly
8,324,909	B2	12/2012	Oakes	2011/0306306	A1	11/2011	Petrick
8,418,000	B1	4/2013	Salame	2012/0140081	A1	12/2011	Reed
8,418,219	B1	4/2013	Parsons	2012/0122406	A1	1/2012	Clements
8,515,015	B2	8/2013	Maffre	2012/0163227	A1*	5/2012	Gregg et al.
8,689,071	B2	4/2014	Valakh			6/2012	Kannan H04L 41/5009 370/252
8,806,400	B1	8/2014	Bhawmik	2012/0198084	A1	8/2012	Keskitalo
9,013,307	B2	4/2015	Hussain	2012/0198442	A1	8/2012	Kashyap
9,270,983	B1	2/2016	Hare, Jr.	2012/0213259	A1	8/2012	Renken et al.
9,316,714	B2	4/2016	Rada	2012/0220240	A1	8/2012	Rothschild
9,319,908	B2	4/2016	Nickel	2012/0275784	A1	11/2012	Soto
9,372,228	B2	6/2016	Nickel	2012/0278826	A1*	11/2012	Jones H04H 60/32 725/14
9,402,601	B1	8/2016	Berger				
9,490,920	B2	11/2016	Partee	2012/0306895	A1*	12/2012	Faulkner H04L 43/50 345/501
9,491,454	B1	11/2016	Kumar	2013/0033279	A1	2/2013	Sozanski
9,571,211	B2	2/2017	Partee	2013/0049794	A1	2/2013	Humphrey
9,602,556	B1	3/2017	Cham	2013/0076217	A1	3/2013	Thompson
9,609,063	B2	3/2017	Zhu et al.	2013/0093447	A1	4/2013	Nickel
9,810,735	B2	11/2017	Kumar et al.	2013/0104158	A1	4/2013	Partee
9,838,295	B2	12/2017	Kumar et al.	2013/0160064	A1	6/2013	Van Rozen
9,900,113	B2	2/2018	Kumar et al.	2013/0167123	A1	6/2013	Dura
9,900,116	B2	2/2018	Kumar et al.	2013/0257468	A1	10/2013	Mlinarsky
9,960,989	B2	5/2018	Kumar et al.	2013/0305091	A1	11/2013	Stan et al.
9,992,084	B2	6/2018	Kumar et al.	2014/0047322	A1	2/2014	Kim
10,116,397	B2	10/2018	Kumar et al.	2014/0091874	A1	4/2014	Cook et al.
10,122,611	B2	11/2018	Kumar et al.	2014/0115580	A1	4/2014	Kellerman
10,158,553	B2	12/2018	Tiwari et al.	2014/0123200	A1	5/2014	Park
2002/0070725	A1	6/2002	Hilliges	2014/0126387	A1	5/2014	Gintis
2002/0077786	A1	6/2002	Vogel et al.	2014/0156819	A1	6/2014	Cavgalar
2003/0005380	A1	1/2003	Nguyen	2014/0187172	A1	7/2014	Partee
2003/0184035	A1	10/2003	Yu	2014/0187173	A1	7/2014	Partee
2004/0010584	A1	1/2004	Peterson	2014/0207404	A1	7/2014	Fritzsche
2004/0016708	A1	1/2004	Rafferty	2014/0256373	A1	9/2014	Hernandez
2004/0160226	A1	8/2004	Ewing	2014/0266930	A1	9/2014	Huynh
2004/0189281	A1	9/2004	Le et al.	2014/0269386	A1	9/2014	Chu
2004/0203726	A1	10/2004	Wei	2014/0269871	A1	9/2014	Huynh
2005/0041642	A1	2/2005	Robinson	2014/0282783	A1	9/2014	Totten
2005/0053008	A1	3/2005	Griesing	2014/0370821	A1	12/2014	Guterman
2005/0102488	A1	5/2005	Bullis	2015/0024720	A1	1/2015	Efrati
2005/0193294	A1	9/2005	Hildebrant	2015/0093987	A1	4/2015	Ouyang
2005/0249196	A1	11/2005	Ansari et al.	2015/0109941	A1	4/2015	Zhang
2005/0286466	A1	12/2005	Tagg	2015/0151669	A1	6/2015	Meisner
2006/0015785	A1	1/2006	Chun	2015/0180743	A1	6/2015	Jana et al.
2006/0271322	A1	11/2006	Haggerty	2015/0226716	A1	8/2015	Nelson
2007/0097659	A1	5/2007	Behrens	2015/0237010	A1	8/2015	Roskind
2007/0220380	A1	9/2007	Ohanyan	2015/0253357	A1	9/2015	Olgaard
2008/0026748	A1	1/2008	Alexander et al.	2015/0288589	A1	10/2015	Radford et al.
2008/0117907	A1	5/2008	Hein	2015/0369851	A1	12/2015	Even
2008/0144293	A1	6/2008	Aksamit	2016/0080241	A1	3/2016	Rocha De Maria
2008/0159737	A1	7/2008	Noble et al.	2016/0102951	A1	4/2016	Cole
2008/0168520	A1	7/2008	Vanderhoff	2016/0191364	A1	6/2016	Ajitomi
2008/0274712	A1	11/2008	Rofougaran	2016/0381818	A1	12/2016	Mills
2008/0315898	A1	12/2008	Cannon	2017/0048519	A1	2/2017	Friel
2009/0059933	A1	3/2009	Huang	2017/0089981	A1	3/2017	Kumar
2009/0089854	A1	4/2009	Le	2017/0093682	A1	3/2017	Kumar
2009/0213738	A1	8/2009	Volpe et al.	2017/0093683	A1	3/2017	Kumar
2009/0282446	A1	11/2009	Breed	2017/0126536	A1	5/2017	Kumar
2009/0282455	A1	11/2009	Bell et al.	2017/0126537	A1	5/2017	Kumar
2009/0289020	A1	11/2009	Wurmhoringer	2017/0126539	A1	5/2017	Tiwari
2010/0132000	A1	5/2010	Straub	2017/0149635	A1	5/2017	Kumar
2010/0138823	A1	6/2010	Thornley	2017/0149645	A1	5/2017	Kumar
2010/0246416	A1	9/2010	Sinha	2017/0195071	A1	7/2017	Kumar
2010/0281107	A1	11/2010	Fallows et al.	2017/0250762	A1	8/2017	Kumar et al.
2011/0001833	A1*	1/2011	Grinkemeyer H04H 20/12 348/192	2017/0288791	A1	10/2017	Kumar et al.
2011/0006794	A1	1/2011	Sellathamby	2017/0288993	A1	10/2017	Kumar et al.
2011/0012632	A1	1/2011	Merrow	2017/0289012	A1*	10/2017	Tiwari H04L 12/2801
				2017/0302994	A1	10/2017	Kumar

(56)

References Cited

U.S. PATENT DOCUMENTS

2018/0024193 A1 1/2018 Kumar et al.
 2018/0076908 A1 3/2018 Kumar et al.
 2018/0351846 A1 12/2018 Kumar et al.

FOREIGN PATENT DOCUMENTS

WO 2013169728 11/2013
 WO 2014035462 3/2014
 WO 2014065843 5/2014
 WO 2017053961 3/2017
 WO 2017074872 5/2017

OTHER PUBLICATIONS

- Kumar, Samant; Issue Notification for U.S. Appl. No. 14/866,630, filed Sep. 25, 2015, dated Apr. 11, 2018, 1 pg.
 Kumar, Samant; Supplemental Notice of Allowance for U.S. Appl. No. 14/866,630, filed Sep. 25, 2015, dated Jan. 31, 2018, 9 pgs.
 Kumar, Samant; Supplemental Notice of Allowance for U.S. Appl. No. 14/866,630, filed Sep. 25, 2015, dated Mar. 30, 2018, 6 pgs.
 Kumar, Samant; Certificate of Correction for U.S. Appl. No. 14/866,720, filed Sep. 25, 2015, dated Feb. 13, 2018, 1 pg.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/948,143, filed Nov. 20, 2015, dated Jan. 25, 2018, 13 pgs.
 Kumar, Samant; Issue Notification for U.S. Appl. No. 14/987,538, filed Jan. 4, 2016, dated Jan. 31, 2018, 1 pg.
 Kumar, Samant; Issue Notification for U.S. Appl. No. 15/057,085, filed Feb. 29, 2016, dated Jan. 31, 2018, 1 pg.
 Kumar, Samant; Advisory Action for U.S. Appl. No. 15/642,915, filed Jul. 6, 2017, dated Jul. 23, 2018, 18 pgs.
 Kumar, Samant; Corrected Notice of Allowability for U.S. Appl. No. 14/866,752, filed Sep. 25, 2015, dated Jul. 10, 2018, 5 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 15/624,950, filed Jun. 16, 2017, dated Jul. 9, 2018, 50 pgs.
 Kumar, Samant; Corrected Notice of Allowance for U.S. Appl. No. 15/624,961, filed Jun. 16, 2017, dated Jun. 28, 2018, 7 pgs.
 Kumar, Samant; Advisory Action for U.S. Appl. No. 14/929,180, filed Oct. 30, 2015, dated Jul. 27, 2018, 9 pgs.
 Kumar, Samant; Advisory Action for U.S. Appl. No. 14/929,220, filed Oct. 30, 2015, dated Jul. 27, 2018, 8 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 15/818,803, filed Nov. 21, 2017, dated Jul. 25, 2018, 46 pgs.
 Tiwari, Rajeev; Advisory Action for U.S. Appl. No. 15/348,920, filed Nov. 10, 2016, dated Jul. 17, 2018, 8 pgs.
 Tiwari, Rajeev; Non-Final Office Action for U.S. Appl. No. 15/348,920, filed Nov. 10, 2016, dated Aug. 24, 2018, 10 pgs.
 Tiwari, Rajeev; Advisory Action for U.S. Appl. No. 15/624,967, filed Jun. 16, 2017, dated Jul. 17, 2018, 7 pgs.
 Tiwari, Rajeev; Notice of Allowance for U.S. Appl. No. 15/624,967, filed Jun. 16, 2017, dated Aug. 28, 2018, 6 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/866,752, filed Sep. 25, 2015, dated May 17, 2018, 16 pgs.
 Kumar, Samant; Issue Notification for U.S. Appl. No. 14/948,143, filed Nov. 20, 2015, dated May 16, 2018, 1 pg.
 Kumar, Samant; Supplemental Notice of Allowance for U.S. Appl. No. 14/948,143, filed Nov. 20, 2015, dated May 7, 2018, 7 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 15/624,961, filed Jun. 16, 2017, dated May 22, 2018, 44 pgs.
 Kumar, Samant; Final Office Action for U.S. Appl. No. 14/929,180, filed Oct. 30, 2015, dated May 8, 2018, 35 pgs.
 Kumar, Samant; Final Office Action for U.S. Appl. No. 14/929,220, filed Oct. 30, 2015, dated May 10, 2018, 38 pgs.
 Tiwari, Rajeev; Final Office Action for U.S. Appl. No. 15/348,920, filed Nov. 10, 2016, dated Apr. 30, 2018, 34 pgs.
 Tiwari, Rajeev; Final Office Action for U.S. Appl. No. 15/624,967, filed Jun. 16, 2017, dated May 8, 2018, 40 pgs.
 Kumar, Samant; International Preliminary Report on Patentability for PCT Application No. PCT/US2016/053768, Sep. 26, 2016, dated Apr. 5, 2018, 13 pgs.
 Kumar, Samant; International Preliminary Report on Patentability for PCT Application No. PCT/US2016/058507, filed Oct. 24, 2016, dated May 11, 2018, 12 pgs.
 Kumar, Samant; Issue Notification for U.S. Appl. No. 14/866,780, filed Sep. 25, 2015, dated Oct. 19, 2016, 1 pg.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/866,780, filed Sep. 25, 2015, dated Jul. 19, 2016, 8 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 15/642,915, filed Jul. 6, 2017, dated Nov. 1, 2017, 42 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/866,630, filed Sep. 25, 2015, dated Aug. 9, 2017, 24 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/866,630, filed Sep. 25, 2015, dated Dec. 20, 2017, 19 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/866,752, filed Sep. 25, 2015, dated Nov. 7, 2017, 26 pgs.
 Kumar, Samant; Issue Notification for U.S. Appl. No. 14/866,720, filed Sep. 25, 2015, dated Oct. 18, 2017, 1 pg.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/866,720, filed Sep. 25, 2015, dated Jan. 23, 2017, 17 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/866,720, filed Sep. 25, 2015, dated Jun. 29, 2017, 26 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/866,720, filed Sep. 25, 2015, dated Aug. 28, 2017, 11 pgs.
 Kumar, Samant; Response to Rule 312 Communication for U.S. Appl. No. 14/866,720, filed Sep. 25, 2015, dated Jul. 26, 2017, 2 pgs.
 Kumar, Samant; Ex-Parte Quayle Office Action for U.S. Appl. No. 14/948,925, filed Nov. 23, 2015, dated Jun. 20, 2017, 29 pgs.
 Kumar, Samant; Issue Notification for U.S. Appl. No. 14/948,925, filed Nov. 23, 2015, dated Nov. 16, 2017, 1 pg.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/948,925, filed Nov. 23, 2015, dated Sep. 20, 2017, 15 pgs.
 Kumar, Samant; Supplemental Notice of Allowance for U.S. Appl. No. 14/948,925, filed Nov. 23, 2015, dated Oct. 5, 2017, 2 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/948,143, filed Nov. 20, 2015, dated Dec. 28, 2017, 39 pgs.
 Kumar, Samant; Corrected Notice of Allowance for U.S. Appl. No. 14/987,538, filed Jan. 4, 2016, dated Jan. 10, 2018, 8 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/987,538, filed Jan. 4, 2016, dated Jul. 21, 2017, 18 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/987,538, filed Jan. 4, 2016, dated Dec. 4, 2017, 20 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 14/987,538, filed Jan. 4, 2016, dated Mar. 23, 2017, 12 pgs.
 Kumar, Samant; Response to Amendment under Rule 312 for U.S. Appl. No. 14/987,538, filed Jan. 4, 2016, dated Jan. 17, 2018, 2 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 15/624,961, filed Jun. 16, 2017, dated Jul. 19, 2017, 7 pgs.
 Kumar, Samant; Notice of Non-Compliant Amendment for U.S. Appl. No. 15/624,961, filed Jun. 16, 2017, dated Jan. 10, 2018, 5 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/929,180, filed Oct. 30, 2015, dated Aug. 22, 2017, 32 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/929,220, filed Oct. 30, 2015, dated Aug. 24, 2017, 31 pgs.
 Kumar, Samant; Corrected Notice of Allowance for U.S. Appl. No. 15/057,085, filed Feb. 29, 2016, dated Oct. 31, 2017, 6 pgs.
 Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 15/057,085, filed Feb. 29, 2016, dated Apr. 7, 2017, 15 pgs.
 Kumar, Samant; Notice of Allowance for U.S. Appl. No. 15/057,085, filed Feb. 29, 2016, dated Sep. 29, 2017, 28 pgs.
 Tiwari, Rajeev; Non-Final Office Action for U.S. Appl. No. 15/348,920, filed Nov. 10, 2016, dated Nov. 20, 2017, 53 pgs.
 Tiwari, Rajeev; Non-Final Office Action for U.S. Appl. No. 15/624,967, filed Jun. 16, 2017, dated Nov. 7, 2017, 52 pgs.
 Kumar, Samant; International Search Report and Written Opinion for PCT/US16/53768, filed Sep. 26, 2016, dated Feb. 3, 2017, 17 pgs.
 Kumar, Samant; International Search Report and Written Opinion for PCT/US2016/058507, filed Oct. 24, 2016, dated Jan. 3, 2017, 12 pgs.

(56)

References Cited

OTHER PUBLICATIONS

Businesswire; Article entitled: “GENBAND and CTDI Settle Legal Dispute”, located at <<http://www.businesswire.com/news/home/20140321005528/en/GENBAND-CTDI-Settle-Legal-Dispute>>, Mar. 21, 2014, 1 pg.

CED Magazine; Article entitled: “Cable Connects in Atlanta”, located at <<https://www.cedmagazine.com/article/2006/04/cable-connects-atlanta>>, Apr. 30, 2006, 21 pgs.

Consumer Electronics Net; Article entitled: “Teleplan Enhances Test Solution Portfolio with Titan”, located at <<http://www.consumerelectronicsnet.com/article/Teleplan-Enhances-Test-Solution-Portfolio-With-Titan-4673561>>, published on Nov. 1, 2016, 3 pgs.

Digital Producer; Article entitled: “S3 Group Unveils Exclusive Partnership in North America With First US StormTest(TM) Decision Line Customer”, located at <[http://www.digitalproducer.com/article/S3-Group-Unveils-Exclusive-Partnership-in-North-America-With-First-US-StormTest\(TM\)-Decision-Line-Customer-1668213](http://www.digitalproducer.com/article/S3-Group-Unveils-Exclusive-Partnership-in-North-America-With-First-US-StormTest(TM)-Decision-Line-Customer-1668213)>, Sep. 8, 2011, 3 pgs.

Electronic Design; Article entitled: “Testing of MPEG-2 Set-Top Boxes Must be Fast, Thorough”, located at <<http://www.electronicdesign.com/print/839>>, published Nov. 18, 2001, 9 pgs.

Euromedia; Article entitled: “Automated TV Client testing: Swisscom partners with S3 Group to deliver the ultimate IPTV experience”, located at <<http://advanced-television.com/wp-content/uploads/2012/10/s3.pdf>>, earliest known pub. date—May 30, 2013, 2 pgs.

Exact Ventures; Report entitled: North American Telecommunications Equipment Repair Market, located at <http://www.fortsol.com/wp-content/uploads/2016/08/Exact-Ventures-NA-Repair-Market-Report.pdf>>, earliest known publication date Aug. 1, 2016, 12 pgs.

Nordman, Bruce, “Testing Products with Network Connectivity,” Jun. 21, 2011 [retrieved online at <http://citeseerx.s1.psu.edu/viewdoc/download?doi=10.1.1.695.772&rep=rep1&type=pdf> on Feb. 6, 2017], 20 pgs.

Promptlink Communications; Article entitled: “Promptlink Communications Officially Launches Sep-Top Box Testing Platform”, located at <<https://www.promptlink.com/company/assets/media/2014-05-20.pdf>>, published on May 20, 2014, 2 pgs.

Promptlink; Article entitled: “Cable Modem Test Platform”, located at <<https://www.promptlink.com/products/cmtp.html>>, earliest known publication date Aug. 11, 2016, 10 pgs.

Promptlink; Article entitled: “Set-Top Box Test Platform”, located at <<http://promptlink.com/products/stbtp.html>>, earliest known publication date Aug. 11, 2016, 7 pgs.

S3 Group; Document entitled: “White Paper: The Importance of Automated Testing in Set-Top Box Integration”, earliest known publication date Jun. 17, 2014, 11 pgs.

Teleplan; Article entitled: “Screening & Testing”, located at <<https://www.teleplan.com/innovative-services/screening-testing/>>, earliest known publication date Mar. 21, 2015, 7 pgs.

TVTechnology; Article entitled: “S3 Group’s StormTest”, located at <<http://www.tvtechnology.com/expertise/0003/s3-groups-stormtest/256690>>, published May 1, 2012, 2 pgs.

Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 15/642,915, filed Jul. 6, 2017, dated Oct. 2, 2018, 15 pgs.

Kumar, Samant; Corrected Notice of Allowance for U.S. Appl. No. 14/866,752, filed Sep. 25, 2015, dated Oct. 4, 2018, 5 pgs.

Kumar, Samant; Issue Notification for U.S. Appl. No. 14/866,752, filed Sep. 25, 2015, dated Oct. 17, 2018, 1 pg.

Kumar, Samant; Corrected Notice of Allowance for U.S. Appl. No. 15/624,961, filed Jun. 16, 2017, dated Sep. 28, 2018, 9 pgs.

Kumar, Samant; Issue Notification for U.S. Appl. No. 15/624,961, filed Jun. 16, 2017, dated Oct. 10, 2018, 1 pg.

Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/929,180, filed Oct. 30, 2015, dated Oct. 1, 2018, 15 pgs.

Kumar, Samant; Non-Final Office Action for U.S. Appl. No. 14/929,220, filed Oct. 30, 2015, dated Oct. 1, 2018, 13 pgs.

Kumar, Samant; Final Office Action for U.S. Appl. No. 15/818,803, filed Nov. 21, 2017, dated Nov. 26, 2018, 20 pgs.

Tiwari, Rajeev; Notice of Allowance for U.S. Appl. No. 15/348,920, filed Nov. 10, 2016, dated Dec. 4, 2018, 11 pgs.

Tiwari, Rajeev; Issue Notification for U.S. Appl. No. 15/624,967, filed Jun. 16, 2017, dated Nov. 29, 2018, 1 pg.

Tiwari, Rajeev; Supplemental Notice of Allowance for U.S. Appl. No. 15/624,967, filed Jun. 16, 2017, dated Sep. 19, 2018, 7 pgs.

Kumar, Samant; Non-Final Office Action with the United States Patent and Trademark Office, filed U.S. Appl. No. 15/722,235, dated Jan. 8, 2019, 62 pgs.

Kumar, Samant; Final Office Action for U.S. Appl. No. 15/624,950, filed Jun. 16, 2017, dated Dec. 20, 2018, 33 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3

400




FIG. 4

WIRELESS ROUTERS UNDER TEST

CROSS REFERENCE

This application is a continuation of U.S. patent application Ser. No. 14/948,925, filed Nov. 23, 2015, now a U.S. Pat. No. 9,838,295, issued on Dec. 5, 2017, which is hereby incorporated by reference in its entirety.

This application is also related to U.S. patent application Ser. No. 14/866,720 filed Sep. 25, 2015, now a U.S. Pat. No. 9,810,735, issued on Nov. 17, 2017, and to U.S. patent application Ser. No. 14/866,752 filed Sep. 25, 2015, and to U.S. patent application Ser. No. 14/866,630 filed Sep. 25, 2015, now a U.S. Pat. No. 9,960,989, issued on May, 1, 2018, and to U.S. patent application Ser. No. 14/866,780 filed Sep. 25, 2015, now a U.S. Pat. No. 9,491,454, issued on Nov. 8, 2016, and to U.S. patent application Ser. No. 14/948,143 filed Nov. 20, 2015, now a U.S. Pat. No. 9,992,084, issued on Jun. 05, 2018, and to U.S. patent application Ser. No. 14/929,180 filed Oct. 30, 2015, and to U.S. patent application Ser. No. 14/929,220 filed Oct. 30, 2015, each of which are hereby incorporated by reference in their entirety.

TECHNICAL FIELD

The present invention is directed to a system for testing devices.

BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the aforementioned aspects of the invention as well as additional aspects and embodiments thereof, reference should be made to the Description of Embodiments below, in conjunction with the following drawings in which like reference numerals refer to corresponding parts throughout the figures.

FIG. 1 illustrates a high-level system architecture for testing devices, according to certain embodiments.

FIG. 2 illustrates some of the testing components and the interaction between the testing components, according to certain embodiments.

FIG. 3 illustrates a sample architecture that includes the testing components, according to certain embodiments.

FIG. 4 illustrates a wireless router under test, according to certain embodiments.

DETAILED DESCRIPTION

Methods, systems, user interfaces, and other aspects of the invention are described. Reference will be made to certain embodiments of the invention, examples of which are illustrated in the accompanying drawings. While the invention will be described in conjunction with the embodiments, it will be understood that it is not intended to limit the invention to these particular embodiments alone. On the contrary, the invention is intended to cover alternatives, modifications and equivalents that are within the spirit and scope of the invention. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

Moreover, in the following description, numerous specific details are set forth to provide a thorough understanding of the present invention. However, it will be apparent to one of ordinary skill in the art that the invention may be practiced without these particular details. In other instances, methods, procedures, components, and networks that are well known

to those of ordinary skill in the art are not described in detail to avoid obscuring aspects of the present invention.

According to certain embodiments, an innovative system can test a set of devices simultaneously. Further, such a testing system is capable of testing disparate devices simultaneously.

According to certain embodiments, such a testing system provides a separate set of interfaces for each device that is under testing of the set of devices. Further, such a system is designed to be adaptive by being extendable for testing new devices with corresponding new testing interfaces without fundamentally changing the core architecture of the testing system. As a non-limiting example, the testing system includes a core testing subsystem with a user interface and asynchronous communication among the system components such that new types of devices and new tests can be added and executed in a seamless fashion.

According to certain embodiments, the user interface can communicate through web sockets with a universal tester. Such communication is in real-time, bi-directional and asynchronous so that the user can control and monitor the testing of multiple devices simultaneously and independently of each other using the same universal tester and associated test bench.

According to certain embodiments, the testing system is capable of testing a set of similar types of devices or a set of disparate devices.

According to certain embodiments, a testing solution system can be a three layer implementation. The number of layers may vary from implementation to implementation. FIG. 1 illustrates a high-level system architecture for testing devices, according to certain embodiments. FIG. 1 shows a test bench browser interface **102** that is in communication with a web-socket **104**, that is, in turn, in communication with a core testing processor **106**. According to certain embodiments, the communication between the test bench browser **102**, web-socket **104** and core testing processor **106** can be a TCP/IP communication. As a non-limiting example, the web browser is used as a user interface that communicates through web-sockets with the core testing processor. As a non-limiting example, communication may be in the form of JSON messages using TCP/IP protocol, according to certain embodiments. JSON is Java script object notation for transmitting data between the server and web applications.

FIG. 2 illustrates some of the testing components and the interaction between the testing components, according to certain embodiments. FIG. 2 shows a user interface **202**, web-sockets **204**, a core testing processor **206**, database **208**, test configuration modules **210**, testing environment modules **212**, a plurality of probes (**214**, **216**, **218**) to connect the devices under test (DUT) to the core testing processor **206**, and a speed test module **220**, according to certain embodiments. Speed testing is used for evaluating the performance of the WiFi and other media network connection and accessibility of the device under test. FIG. 2 shows as non-limiting examples, a WiFi probe **214**, an Ethernet local area network (LAN) probe **216** and a MOCA probe **218**. In other words, according to certain embodiments, various probes can be included such as a wireless local area network (WLAN) probe, an Ethernet wide area network (WAN) probe, a multimedia over coax alliance (MoCA) WAN probe, a MoCA LAN probe and a wireless probe via antenna. According to certain embodiments, servers and other components in the testing system may be distributed over a plurality of computers.

According to certain embodiments, core testing processor **206** loads and reads files from test configuration modules

210 and test environment modules **212** to initialize various components of the testing system. When the system is ready to begin testing after the initialization process, the system notifies a user that is using the testing system to test one or more devices (DUTs) of the readiness of the testing system. The user installs each device or DUT (of the set of DUTs that are to be tested) in a separate Faraday cage (slot) in the test bench and the serial number of each DUT is scanned. According to certain embodiments, there are several Faraday cages (slots) in a given test bench so that a plurality of DUTs can be tested simultaneously using the same test bench and same universal tester. The core testing processor **206** receives the serial number information of each DUT and using the serial number, retrieves further information associated with each DUT based on the serial number from database **208**, according to certain embodiments. The core testing processor **206** dynamically loads test configuration information **210** and test environment information **212** based on device information such as make, model etc of a given DUT. After the test configuration and test environment information are loaded, the core testing processor **206** begins executing the various tests corresponding to each DUT so that the set of DUTs can be tested simultaneously. Each test may correspond to underlying testing modules associated with WiFi, LAN, WAN or MoCA etc, interfaces of the DUT and such modules can be executed locally, remotely or at the device.

According to certain embodiments, the test configuration information identifies the test modules and corresponding testing scripts that are to be executed by the core testing processor **206** at run time. The core testing processor **206** also provides the test results and other feedback information to the user via the browser user interface **202** and web sockets **204**. Further, the user can send user input and requests to the system through the browser user interface **202** and web sockets **204**.

According to certain embodiments, core testing processor **206** determines the success or failure of a given test based on the test configuration parameters and output results of the testing. Further, upon failure of a given test, core testing processor **206** may continue further testing or halt test execution based on test configuration parameters, according to certain embodiments.

Upon completion of the relevant tests, a success message can be sent to the user via the browser user interface **202** and web sockets **204**. Even though the DUTs in the set of DUTs are tested simultaneously, the user does not have to wait until all the testing of the DUTs in the set have been completed to begin installing other devices that need testing. Further, the testing of the devices need not be started at the same time. Soon after the testing is completed for a given DUT, the tested DUT may be uninstalled from its slot (Faraday cage) in the test bench and a new DUT can be installed in its slot so that testing can begin for the newly installed device.

According to certain embodiments, the test results can be stored locally and/or pushed to the cloud so that the results can be viewed remotely from any location. Further, the test results can be aggregated. According to certain embodiments, aggregated data includes data combined from several data measurements. Summary reports can be generated from such aggregated data. Non-limiting examples of summary reports include charts and graphs that display information on all the DUTs or at least a subset of the DUTs. Thus, the summary reports generated from the aggregated data can provide an overview of the testing information and characteristics of the DUTs. The aggregated data can reveal trends

and other related information associated with the DUTs. Further, the aggregated data can include user-level data, access account activity, etc. According to certain embodiments, the testing system includes a billing system to charge for the testing services for each device.

FIG. **3** illustrates a sample architecture that includes the testing components of a universal tester, according to certain embodiments. FIG. **3** shows a browser user interface or operator dashboard **302**, a test controller **304**, a universal tester **306** and a device under test (DUT) **308**. There may be multiple devices under testing simultaneously but only one device under test is shown for convenience in FIG. **3**.

According to certain embodiments, browser user interface or operator dashboard **302** may include information **310** associated with each device under test. The information **310** can include DUT serial number **311**, and testing progress information **312**. Browser user interface or operator dashboard **302** may also include user command function buttons **314** and drop down menus (not shown in FIG. **3**). According to certain embodiments, the user can configure slot details (e.g., port numbers, IP address for the slot, etc), configure testing preferences such as push to cloud, export to billing, etc.

According to certain embodiments, test controller **304** may include a universal tester webserver **316** that is in communication (e.g., TCP/IP) with a universal tester database **318**. A billing process within the controller (not shown in FIG. **3**) may be in communication with a billing service or application (not shown in FIG. **3**). As a non-limiting example, database **318** can be a SQL database. Database **318** can store information associated with each slot in the test bench. As non-limiting examples, database **318** can store for each slot, test details, test history, test logs, DUT information (e.g., DUT serial number, model name, etc), testing preferences/configuration, user interface details/preferences/configuration, billing information, cloud push information, MSO/customer information (media subscriber organization), OEM (original equipment manufacturer) information, slot information, user information, and any persistent data needed by the universal device testing system for running tests.

According to certain embodiments, universal tester **306** may include web sockets **320** that are in communication (e.g., TCP/IP) with browser user interface or operator dashboard **302** and core testing processor **324**. According to certain embodiments, core testing processor **324** is in communication with test controller **304** (e.g., TCP/IP) and in communication (e.g., Telnet/SSH secure shell) with probes/containers (**328, 330, . . . , 332, 334**). Core testing processor **324** is also in communication with configuration modules **322** (e.g., testing and environment configuration). Non-limiting examples of probes include WiFi probe **328**, LAN probe **330**, MoCA probe **332** and WAN probe **334**. There may be other types of probes including MoCA WAN probe, MoCA LAN probe and different types of wireless probes besides WiFi probes depending on the characteristics of the device being tested.

According to certain embodiments, WiFi probe **328**, LAN probe **330**, MoCA probe **332** and WAN probe **334** communicate with the respective device under test through the relevant ports on the device such as WiFi port **336**, LAN port **338**, MoCA port **340** and WAN port **342**. Core testing processor **324** executes the relevant configured tests for the respective DUT. Status and test results can be sent to the user's dashboard (using JSON format messages as a non-limiting example) via the web-sockets.

5

Non-limiting examples of devices under test (DUTs) include set top boxes, cable modems, embedded multimedia terminal adapters, and wireless routers including broadband wireless routers for the home or for commercial networks.

FIG. 4 illustrates a testing architecture 400 for a wireless router under test, according to certain embodiments. As previously explained, multiple similar or disparate devices can be tested simultaneously and independently of each other using the same universal tester. Thus, multiple wireless routers can be tested simultaneously and independently of each other using the same universal tester, along with other types of devices using the same universal tester. For purposes of simplicity only one wireless router is shown in FIG. 4. FIG. 4 shows a universal tester 404 and a wireless router 402, which is the device under test for this specific case. Non-limiting examples of wireless routers include broadband wireless routers for the home or for commercial networks. Universal tester 404 includes a plurality of virtualization containers (probes) for communicating with corresponding interfaces of wireless router 402. For example, the core testing processor of the universal tester (as described herein) uses the LAN probes/containers 406b, 408b, 410b, 412b to test corresponding LAN interfaces 406a, 408a, 410a, 412a of wireless router 402. WLAN (wireless LAN) probe/container 416b can be used to test WLAN interface 416a of wireless router 402. Ethernet WAN probe/container 428b can be used to test WAN interface 428a of wireless router 402. MoCA LAN probe/container 418b can be used to test Coax interface 432 of wireless router 402 via MoCA LAN bridge 418a and splitter 420. MoCA WAN probe/container 430b can be used to test Coax interface 432 of wireless router 402 via MoCA WAN bridge 430a and splitter 420. The associated core testing processor executes the relevant configured tests for the wireless router 402. Status and test results can be sent to the user's dashboard (using JSON format messages as a non-limiting example) via the web-sockets.

According to certain embodiments, when executing a specific test for a given DUT, the core testing processor loads and reads test configuration information (for example from an XML structure) and identifies the relevant test script that needs to be executed. Inputs that are needed for executing the relevant test script are retrieved and supplied as inputs to the relevant test script. The following is a non-limiting sample test procedure.

Create DUT object & Environment Object

Verify Serial Number

Verify Warranty

Check Report Server

Check DUT Staging

Checks for DUT Serial number in Database or Web-service

Get DUT Readiness Information

Checks Web-service for test readiness status of DUT in the test process

Configure Container Environment

Clear Environment Temp Files

Analyze DUT for Factory Reset

Checks ability to login to DUT

Asks operator to manually Factory Reset if unable to login

Confirm Factory Reset (if needed)

Waits for operator to confirm that DUT was factory reset and booted up properly

Check Ethernet LAN connections to DUT

Ping connections: Eth LAN 1, 2, 3, 4

Fails if any ping to these connections fail

6

Detect DUT

Checks connection to DUT through socket connection

Reset Password

Operator scans password which is stored temporarily for use in the remainder of test until finished

Login to GUI

Done through web-scraping

Get DUT Information and compare values

Information retrieved through web-scraping

Enable Telnet

Enables telnet on DUT through web-scraping

Factory Reset

Factory resets DUT through telnet command

Enable Telnet after Factory Reset

Enables telnet on DUT through web-scraping

Confirm Power, WAN Ethernet, and Internet LEDs

Confirm all LAN Ethernet LEDs

Confirm WiFi LED

Configure Wireless Network

Through telnet commands

Sets N Mode

Enables Privacy

Sets WPA (Wi-Fi Protected Access)

Removes WEP (Wired Equivalent Privacy)

Assigns WiFi Channel to DUT (channel different by slot)

[Channel 1: slots 1, 4, 7, 10, 13, 16]

[Channel 6: slots 2, 5, 8, 11, 14]

[Channel 11: slots 3, 6, 9, 12, 15]

Verifies changes through GUI

Disables WiFi once done through telnet

Check Firmware Version and Upgrade Firmware (if needed)

Firmware version varies by models

Cage Closed Confirmation Check

Asks Operator to Close Door on Cage

Connect Wireless Card

Waits on shared Resource Server (located on TC) for Resource L2 (Layer 2) Lock

Lock waiting timeout: 600 sec

All L2 Locks are able to run in parallel but not when any L3 (Layer 3) Lock is running

Obtains Lock

Enables WiFi through telnet

Set WiFi Card

Total Retries allowed: 6 (2 sets of 3 retries)

Ping WiFi from DUT

L2 ARP Test on WiFi: must receive 10/10 ARP packets

Total Retries allowed: 6 (2 sets of 3 retries)

If either Set WiFi Card or L2 ARP Test Fail after its 3 retries, Ask Operator to Check Antennas

Performs one more retry in full (set of 3 retries each for Set WiFi Card and L2 ARP WiFi Test) after Check Antennas

Disables WiFi through telnet

Releases Lock

Wireless to LAN Ethernet Speed Test

Waits on shared Resource Server (located on TC) for Resource L3 Lock

Lock waiting timeout: 1800 sec

L3 Locks must be run one at a time and when no L2 Lock is running

Obtains Lock

Enables WiFi through telnet

Connects WiFi Card

Iperf3 Speed Test, 5 seconds for UDP Speed Test, 7 seconds for TCP Speed Test, Sending 200 Mbps Bandwidth

Bandwidth must be greater than 60 Mbps on TCP (Reverse) or 70 Mbps on UDP (Forward)
 If Fail after 2 retries, ask operator to Check Antennas
 Retries up to 2 times more if still Fail
 Therefore, Total Retries allowed: 4 (2 sets of 2 retries) 5
 Runs sudo iwlist wlan0 scan and returns all Wireless
 Signals seen
 Results parsed to print all visible SSI Ds and its
 matching Signal level
 Disables WiFi through telnet
 Releases Lock
 Check wireless signal strength
 Confirm if signal strength for each antenna is greater than
 threshold (e.g., -50 dB)
 Confirm WPS LED
 Confirm LAN Coax LED
 Confirm USB 1+2 LEDs
 Configure WAN MoCA
 Confirm WAN Coax LED
 Ping WAN MoCA
 Verify WPS trigger
 Confirm if WPS state toggles on the DUT after instruction
 L2 Test on LAN Ethernet
 Arp Test from Eth LAN 1 to Eth LAN 2, 3, 4
 Must receive 10/10 on all LAN connections
 LAN Ethernet to LAN Ethernet Speed Test
 From Eth LAN 1 to Eth LAN 2, 3, 4
 Iperf3 Speed Test, 5 seconds Reverse and Forward, (e.g.,
 Sending 1200 Mbps Bandwidth)
 Bandwidth must be greater than threshold (e.g., 700 30
 Mbps)
 Total Retries allowed: 2
 Check WAN and LAN MoCA Data Rates
 Rx and Tx Data rates for both WAN and LAN MoCA
 retrieved through telnet
 All Rates must be greater than threshold (e.g., 180 Mbps)
 LAN Ethernet to WAN MoCA FTP Speed Test
 From Eth LAN 1 to WAN MoCA
 Iperf3 Speed Test, 5 seconds Reverse and Forward (e.g.,
 Sending 1200 Mbps Bandwidth)
 Bandwidth must be greater than threshold (e.g., 60 Mbps)
 Total Retries allowed: 2
 LAN MoCA to LAN Ethernet FTP Speed Test
 From Eth LAN 1 to LAN MoCA
 Iperf3 Speed Test, 5 seconds Reverse and Forward, (e.g., 45
 Sending 240 Mbps Bandwidth)
 Bandwidth must be greater than threshold (e.g., 60 Mbps)
 Total Retries allowed: 2
 LAN MoCA to WAN MoCA FTP Speed Test
 From LAN MoCA to WAN MoCA
 Iperf3 Speed Test, 5 seconds Reverse and Forward, (e.g.,
 Sending 240 Mbps Bandwidth)
 Bandwidth must be greater than threshold (e.g., 60 Mbps)
 Total Retries allowed: 2
 Enable WAN Ethernet
 Through telnet command
 LAN Ethernet to WAN Ethernet FTP Speed Test
 From Eth LAN 1 to Eth WAN
 Iperf3 Speed Test, 5 seconds Reverse and Forward, (e.g.,
 Sending 1200 Mbps Bandwidth)
 Bandwidth must be greater than threshold (e.g., 700
 Mbps)
 Total Retries allowed: 2
 Clear Persistent Logs
 Final Factory Restore
 According to certain embodiments, the core testing processor uses a reflection and command design pattern to

invoke the relevant configured script(s) corresponding to each DUT being tested. For example, in the command design pattern one or more of the following are encapsulated in an object: an object, method name, arguments. According to certain embodiments, the core testing processor uses the Python “reflection” capability to execute the relevant test scripts for a given DUT. The core testing processor is agnostic of the inner workings of the relevant test scripts for a given DUT.
 According to certain embodiments, lightweight software containers (virtualization containers) are used to abstract the connection of probes to the different DUT interfaces in order to avoid conflicts. Non-limiting examples of virtualization containers are Linux containers. As a non-limiting example, Linux container is an operating-system-level virtualization environment for running multiple isolated Linux systems (virtualization containers) on a single Linux control host. In other word, lightweight virtualization containers are used to ensure isolation across servers. By using virtualization containers, resources can be isolated, services restricted, and processes provisioned to have an almost completely private view of the operating system with their own process ID space, file system structure, and network interfaces. Multiple virtualization containers share the same kernel, but each virtualization container can be constrained to only use a defined amount of resources such as CPU, memory and I/O. The relevant test script connects to the DUT interfaces through the virtualization containers to execute the tests. The core testing processor receives the test results from running the relevant test scripts. The core testing processor can further process and interpret such results and can also send the results to the user’s browser via web sockets. According to certain embodiments, the respective core testing processors are in communication (e.g., Telnet/SSH secure shell) with the virtualization containers (there may be multiple virtualization containers). The virtualization containers (probes) are in communication with corresponding DUT interfaces using Telnet/SSH/TCP/UDP/HTTP/HTTPS etc., as non-limiting examples.
 According to certain embodiments, a system for testing a plurality of devices comprises: a universal tester; at least one test controller; a plurality of sets of testing probes; and a plurality of web sockets; wherein:
 the plurality of devices includes a plurality of wireless router;
 the universal tester is enabled for communication with a platform independent user interface through the plurality of web sockets;
 the plurality of sets of testing probes comprising:
 a plurality of LAN probes for testing corresponding LAN interfaces of a wireless router of the plurality of wireless routers;
 at least one WLAN probe for testing a corresponding WLAN interface of the wireless router of the plurality of wireless routers;
 at least one Ethernet WAN probe for testing a corresponding WAN interface of the wireless router of the plurality of wireless routers;
 at least one MoCA LAN probe for testing a corresponding coax interface of the wireless router of the plurality of wireless routers;
 at least one MoCA WAN probe for testing a corresponding coax interface of the wireless router of the plurality of wireless routers; and
 the plurality of web sockets enable real-time bi-directional and asynchronous communication between the plat-

form independent user interface and the universal tester for simultaneously testing the plurality of devices under test by the universal tester.

According to certain embodiments, the system for testing a plurality of devices further comprises a MoCA LAN bridge.

According to certain embodiments, the system for testing a plurality of devices further comprises a MoCA WAN bridge.

According to certain embodiments, the system for testing a plurality of devices further comprises a splitter.

According to certain embodiments, the real-time bi-directional and asynchronous communication of the plurality of web sockets enables a user to control the testing of the plurality of devices simultaneously but asynchronously and independently of each other using the universal tester.

According to certain embodiments, the plurality of devices installed in the universal tester for purposes of simultaneous testing comprise a set of disparate devices.

According to certain embodiments, the plurality of devices installed in the universal tester for purposes of simultaneous testing comprise a set of similar devices.

According to certain embodiments, the testing system is adaptable to augmenting the test controller, the plurality of web sockets, the user interface and the plurality of sets of testing probes to accommodate testing of new types of devices.

In the foregoing specification, embodiments of the invention have been described with reference to numerous specific details that may vary from implementation to implementation. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

We claim:

1. A universal tester for testing a plurality of wireless routers, comprising:

a plurality of test slots, each test slot of the plurality of test slots configured to host a wireless router of a plurality of wireless routers; and

a plurality of sets of test connections, each set of test connections of the plurality of sets of test connections being associated with one test slot of the plurality of test slots,

wherein each set of test connections of the plurality of sets of test connections comprises:

a wireless networking test connection configured to test a corresponding wireless networking interface on a wireless router of the plurality of wireless routers,

an Ethernet test connection configured to test a corresponding Ethernet interface on a wireless router of the plurality of wireless routers, and

a MoCA test connection configured to test a corresponding MoCA interface on a wireless router of the plurality of wireless routers.

2. The universal tester of claim 1, wherein the plurality of test slots comprise faraday cages.

3. The universal tester of claim 1, wherein the Ethernet test connection is configured to test a wide area network interface.

4. The universal tester of claim 1, wherein the Ethernet test connection is configured to test a local area network interface.

5. The universal tester of claim 1, wherein the MoCA test connection comprises a MoCA local area network test connection and a MoCA wide area network test connection

configured to test a corresponding coax interface on a wireless router of the plurality of wireless routers.

6. The universal tester of claim 5, further comprising a MoCA WAN bridge, a MoCA LAN bridge, and a splitter.

7. The universal tester of claim 1, further comprising at least one web socket for communicating with a user interface, wherein the at least one web socket enables real-time, bidirectional, and asynchronous communication with the user interface.

8. The universal tester of claim 1, wherein the universal tester is capable of simultaneously and independently testing the plurality of wireless routers.

9. The universal tester of claim 1, wherein the test connections are associated with software virtualization containers.

10. The universal tester of claim 9, wherein the software virtualization containers comprise Linux containers.

11. A method for testing a plurality of wireless routers, comprising:

associating a plurality of test slots with a plurality of wireless routers, each test slot of the plurality of test slots having a set of test connections to connect with a wireless router of the plurality of wireless routers; and communicating between a user interface and the plurality of sets of test connections via a plurality of web sockets in a real-time, bidirectional, and asynchronous manner, wherein each set of test connections

uses a wireless networking test connection to test a wireless networking interface on a wireless router of the plurality of wireless routers,

uses an Ethernet test connection to test an Ethernet interface on a wireless router of the plurality of wireless routers, and

uses a MoCA test connection to test a coax interface on a wireless router of the plurality of wireless routers.

12. The method for testing a plurality of wireless routers of claim 11, wherein the plurality of test slots comprise faraday cages.

13. The method for testing a plurality of wireless routers of claim 11, wherein the Ethernet test connection is configured to test a wide area network interface.

14. The method for testing a plurality of wireless routers of claim 11, wherein the Ethernet test connection is configured to test a local area network interface.

15. The method for testing a plurality of wireless routers of claim 11, wherein the MoCA test connection comprises a MoCA local area network test connection and a MoCA wide area network test connection configured to test a corresponding coax interface on a wireless router of the plurality of wireless routers.

16. The method for testing a plurality of wireless routers of claim 15, further comprising a MoCA WAN bridge, a MoCA LAN bridge, and a splitter.

17. The method for testing a plurality of wireless routers of claim 11, wherein the real-time, bidirectional, and asynchronous communication of the plurality of web sockets enables a user to control the testing of the plurality of wireless routers simultaneously but asynchronously and independently of each other.

18. The method for testing a plurality of wireless routers of claim 11, wherein the test connections are associated with software virtualization containers.

19. The method for testing a plurality of wireless routers of claim 18, wherein the software virtualization containers comprise Linux containers.