

(12) United States Patent Stieber et al.

(10) Patent No.: US 10,265,116 B2 (45) Date of Patent: Apr. 23, 2019

- (54) DEVICE FOR THE PLANAR TREATMENT OF AREAS OF HUMAN OR ANIMAL SKIN OR MUCOUS MEMBRANE SURFACES BY MEANS OF A COLD ATMOSPHERIC PRESSURE PLASMA
- (71) Applicants: Manfred Stieber, Greifswald (DE);
 Klaus-Dieter Weltmann, Binz (DE);
 Stefan Horn, Greifswald (DE); Ronny
- (51) Int. Cl. A61B 18/04 (2006.01) A61N 1/18 (2006.01) (Continued)
 (52) U.S. Cl. CPC A61B 18/042 (2013.01); A61N 1/18 (2013.01); A61N 1/44 (2013.01); H05H 1/2406 (2013.01); (Continued)

Brandenburg, Gross Kiesow (DE); Thomas Von Woedtke, Horst (DE)

- (72) Inventors: Manfred Stieber, Greifswald (DE);
 Klaus-Dieter Weltmann, Binz (DE);
 Stefan Horn, Greifswald (DE); Ronny
 Brandenburg, Gross Kiesow (DE);
 Thomas Von Woedtke, Horst (DE)
- (73) Assignee: LEIBNIZ-INSTITUT FUER
 PLASMAFORSCHUNG UND
 TECHNOLOGIE E.V, Greifswald
 (DE)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 529 days.
- (21) Appl. No.: 14/732,387

(22) Filed: Jun. 5, 2015

- (56) **References Cited**
 - U.S. PATENT DOCUMENTS
 - 4,940,894 A 7/1990 Morters 7,008,596 B1 3/2006 Rump et al. (Continued)

FOREIGN PATENT DOCUMENTS

DE	101 27 035	2/2002	
DE	10127035	2/2002	
	(Continued)		

OTHER PUBLICATIONS

International Search Report dated Dec. 16, 2010 in PCT/Ep10/ 60859 Filed Jul. 27, 2010.

Primary Examiner — Bhisma Mahta

(65) **Prior Publication Data**

US 2016/0045246 A1 Feb. 18, 2016

Related U.S. Application Data

- (63) Continuation of application No. 13/392,221, filed as application No. PCT/EP2010/060859 on Jul. 27, 2010, now abandoned.
- (30) Foreign Application Priority Data

Aug. 25, 2009 (DE) 20 2009 011 521 U

Assistant Examiner — Matthew A Engel (74) Attorney, Agent, or Firm — Soroker Agmon Nordman

(57) **ABSTRACT**

The invention relates to a device, preferably a collar, for treating areas of human or animal skin or mucous membrane with a cold atmospheric pressure plasma by creating a dielectrically hindered surface discharge, comprising at least one flexible insulating material (1), a flexible high-voltage electrode (2), a flexible dielectric (3), a flexible grounded

(Continued)



US 10,265,116 B2 Page 2

electrode (4) and a gas supply (7), characterized in that the flexible high-voltage electrode (2) is embedded in the insulating elastomer (3), having the effect of a dielectric, and the grounded electrode (4) is applied to the elastomer surface facing the surface to be treated.

9 Claims, 5 Drawing Sheets

(51) **Int. Cl.** A61N 1/44 (2006.01)

2011/0112528 A1* 5/201	1 Stieber A61L 2/0011
2012/0271225 A1 * $10/201$	606/41
2012/02/1225 AI* 10/201	2 Stieber A61B 18/042 604/26
2013/0053760 A1* 2/201	
	604/23
	4 Chapman-Jones
2015/0088234 A1* 3/201	5 Weltmann A61B 18/042
	607/104
2016/0008500 A1* 1/201	6 Ehlbeck A61L 2/14
	427/230
2017/0136252 A1* 5/201	7 Weltmann A61N 1/44
2017/0231680 A1* 8/201	7 Mahrenholz A61B 18/042
	606/34

A011\ 1/44	(2000.01)				
H05H 1/24	(2006.01)				
A61B 18/00 (2006.01)		FOREIGN PATENT DOCUMENTS			
(52) U.S. Cl.		DE	10 2007 030 915	1/2009	
CPC A	<i>61B 2018/00452</i> (2013.01); <i>A61B</i>	DE	102007030915	1/2009	
2018/00583 (2013.01); H05H 2240/20		EP	1 023 003	5/2008	
(2013.01); <i>H05H 2245/122</i> (2013.01)		$_{\rm JP}$	2008 34184	2/2008	
($_{\rm JP}$	2008034184	2/2008	
(56) Defense Cited	WO	2004 068916	8/2004		
(56) Refe	References Cited		2006/001455	1/2006	
U.S. PATENT DOCUMENTS		WO	2006 001455	1/2006	
		WO	WO 2006/116252	11/2006	
		WO	2006/116252	8/2007	
<i>i i i</i>	009 Loori et al.	WO	2009 019156	2/2009	
· · · ·	010 Bhola	WO	2009 06782	5/2009	
	006 Swallow	WO	2009/067682	5/2009	
	007 Roy	WO	2009/067682	8/2009	
2010/0292757 A1* 11/20	010 Ehlbeck B29C 59/14				
607/50 * cited by examiner					

U.S. Patent Apr. 23, 2019 Sheet 1 of 5 US 10,265,116 B2

Fig. 1



U.S. Patent Apr. 23, 2019 Sheet 2 of 5 US 10,265,116 B2





U.S. Patent Apr. 23, 2019 Sheet 3 of 5 US 10,265,116 B2





U.S. Patent Apr. 23, 2019 Sheet 4 of 5 US 10,265,116 B2





U.S. Patent Apr. 23, 2019 Sheet 5 of 5 US 10,265,116 B2





US 10,265,116 B2

1

DEVICE FOR THE PLANAR TREATMENT OF AREAS OF HUMAN OR ANIMAL SKIN OR MUCOUS MEMBRANE SURFACES BY MEANS OF A COLD ATMOSPHERIC PRESSURE PLASMA

The invention relates to a device for surface treatment of areas of human or animal skin or mucous membrane surfaces by means of a cold atmospheric-pressure plasma. The centerpiece of the device is a special electrode arrangement ¹⁰ for generating a dielectric barrier surface discharge, which can be applied flexibly onto arbitrarily curved surfaces. On the basis of this invention, it is possible to generate, in the region of diseased skin or mucous membrane parts of the human body, in the immediate proximity of the skin or ¹⁵ mucous membrane surface or of wounds, a superficial plasma for treatment of diseased areas, which plasma is safe as regards the stress on the skin or mucous membrane due to temperature and electrical voltages.

2 OUTLINE OF THE INVENTION

The object is achieved according to the features of the claims. According to the invention, an electrode system for generating a dielectric barrier surface discharge is provided that on the one hand is composed of flexible materials, so that it can be conformed to curved surfaces, and on the other hand has an outer, electrically conductive surface, which is used as a grounded electrode and is structured in such a way that dielectric barrier surface discharges can form in the interstices of the structure that remain open.

A substantial advantage of the invention that is important especially for wound healing is the fact among others that, because of the design as a cuff that conforms to the body, the treated area is covered and thus is protected from desiccation, whereby the moist environment necessary according to the prior art for wound healing is better assured than during the application of open, rigid electrode systems with a gas flow that may be necessary. The design as a DBD (dielectric ²⁰ barrier discharge) without or with a small gas flow also counteracts the danger of desiccation. A further advantage of the invention is that the elastic electrode system can also be configured as a shapeable (inflatable) volume (for example, as a silicone ball), in such a way that treatments on the one hand of the mucous membrane surfaces of body cavities and on the other hand of arbitrarily shaped skin or mucous membrane areas can be performed with the plasma generated on the inner or outer surface of this electrode system. This arrangement offers the possibility of a combination with catheters, endoscopes and surgical instruments. It works both at atmospheric pressure and at slight overpressure or underpressure, with use of different gases or gas mixtures, if appropriate in combination with the transport of active substances, and is usable for diverse applications toward decontamination, sterilization, antisepsis, wound healing, etc., both in medicine and in other areas of the life sciences. Slight overpressure or underpressure means that only minor deviations from atmospheric pressure are involved here. Subject matter of the invention is also a method for treating areas of human or animal skin or mucous membrane surfaces by means of a cold atmospheric-pressure plasma. The inventive method consists in the fact that an electrode system of flexible materials for generating a dielectric barrier surface discharge is provided, so that it can be conformed to curved surfaces, and that the electrode system has an outer, electrically conductive surface, which is used and structured as a grounded electrode, wherein a dielectric barrier surface discharge is generated in the interstices of the structure that remain open. In a preferred embodiment of the method, it is possible to shape the elastic materials for electrodes and dielectric into a surface with a closed volume, preferably a silicone balloon, and to ignite a plasma both on the inside of the hollow body and on the outside.

PRIOR ART

As the result of scientific studies of recent years, new application possibilities are now being opened up in some areas of biology and medicine for plasma technology, which ²⁵ has already proved to be a key technology for diverse applications of surface treatments in industry ([1] M. Laroussi, "Low-Temperature Plasmas for Medicine?", IEEE Transactions on Plasma Science 2009, 37, 714-725; [2] M. Kong et al., Plasma medicine: "an introductory review", ³⁰ New Journal of Physics 2009, 11, 115012; [3] G. Lloyd et at, "Gas Plasma: Medical Uses and Developments in Wound Care", Plasma Processes and Polymers 2010, 7, 194-211).

The potential of plasma technology for applications of this type is rated as sufficiently important that an indepen-³⁵ dent discipline known as plasma medicine is now beginning to develop on the international front. One of its substantial objectives, for example, is the development of innovative therapeutic methods for treating skin or mucous membrane diseases and chronic wounds with cold atmospheric-pres- 40 sure plasmas, on the basis of the interaction of antiseptic plasma effect and stimulation of new growth of healthy tissue by the plasma. In order that plasma-based therapeutic approaches of this type can be systematically developed and employed, suit- 45 able plasma sources are needed that on the one hand work painlessly and ensure that the tissue to be treated is not harmed by temperature, desiccation or electrical voltages, and on the other hand can be used flexibly for large-area applications for various body regions under variable plasma 50 conditions. Devices for plasma treatment of living tissue with nonthermal atmospheric plasmas have been proposed in several publications (DE 3618412 A1, WO 2004/105810 A1, WO 2006/116252 A2). The devices described in these publica- 55 tions are equipped with rigid electrode systems or nozzles for generation of atmospheric-pressure plasmas in the region of the tissue surfaces to be treated, and so they permit only local treatment of relatively small areas.

OBJECT OF THE INVENTION

The object of the invention was to find a technical solution for generation of a superficial plasma that makes it possible to treat relatively large areas of body parts, especially of 65 arbitrarily curved areas of human or animal skin or mucous membrane.

EXAMPLES

The invention will be explained in more detail on the basis of figures, without being restricted to these figures. For this purpose FIGS. 1 and 2 show the basic structure of the inventive device. Of those, FIG. 2 is the assembled planar electrode arrangement while FIG. 1 represents an
exploded view of this arrangement for demonstration purposes. FIG. 3 shows an exemplary embodiment in curved form with a gas port for the optional supply of a process gas,

US 10,265,116 B2

10

3

and FIG. **4** shows an exemplary embodiment of an arm cuff. The basic structure of an electrode system configured as a shapeable silicone ball is schematically illustrated in FIG. **5**, and the application of such an inflatable plasma source for treating the inner surface of body cavities in combination 5with an endoscope is schematically illustrated in FIGS. **6***a* and **6***b*.

REFERENCE NUMERAL LIST

The following reference numerals are used for the attached drawings:

1 Flexible insulating material (such as elastomer, silicone

4

(1) and the flexible dielectric (3), and wherein the grounded electrode (4) is applied on a surface of the flexible dielectric (3) that faces a curved surface of a body part to be treated, wherein the flexible high-voltage electrode (2), the flexible dielectric (3) and the flexible grounded electrode (4) of the device form a flexible layered arrangement for providing the cold atmospheric pressure plasma, wherein said flexible layered arrangement is conformed to be wrapped flexibly around the curved surface of the body part for treating said curved surface with the cold atmospheric pressure plasma generated by the device.

2. The device according to claim 1, wherein the device is

- film)
- 2 Flexible high-voltage electrode (such as metal gauze, 15 metal foil, electrically conductive elastomer)
- 3 Flexible dielectric (such as elastomer, silicone film)
- 4 Grounded electrode: flexible and structured (such as metal gauze, structured metal foil, structured electrically conductive elastomer)
- **5** Electrical connecting cable
- 6 Insulating elastomer with embedded flexible high-voltage electrode
- 7 Gas supply
- 8 Arm cuff
- 9 Balloon of elastic materials (dielectric with embedded electrodes)
- 10 Body cavity
- 11 Endoscope coupling
- 12 Medical strip
- 13 Adhesive points
- 14 Interstices of the structure that remain open
 - The invention claimed is:
- 1. A device for treatment of areas of human or animal skin, mucous membrane, or body parts with a cold atmo- 35

- a flexible cuff (8) or a medical strip (12).
- 3. The flexible cuff (8) according to claim 2, wherein the cuff (8) represents an arm or leg cuff.
- 4. The medical strip (12) according to claim 2, wherein the medical strip (12) has adhesive points (13).
- 5. The device according to claim 1, wherein the device comprises a power-supply unit that is operatable in pulsed mode of operation and thus offers the possibility of being able to regulate the intensity of the cold atmospheric pressure plasma within wide limits.
- 6. The device according to claim 1, wherein the grounded electrode (4) is structured as a grid structure, so that dielectric barrier surface discharges can form in interstices (14) of the grid structure that remain open.
- ³⁰ 7. The device according to claim 1, wherein metal gauze, ³⁰ metal foil or thin films of metal or conductive elastomer are used as the flexible high-voltage electrode (2) and/or the grounded electrode (4).
 - 8. The device according to claim 1, wherein the flexible high-voltage electrode (2), the flexible dielectric (3) and the flexible grounded electrode (4) of the device are fixed to

spheric-pressure plasma by generating a dielectric barrier surface discharge, comprising:

at least one flexible insulating material (1), a planar flexible high-voltage electrode (2), a planar flexible dielectric (3),

a planar flexible grounded electrode (4),

a gas supply (7),

wherein the flexible high-voltage electrode (2) is embedded ded between the at least one flexible insulating material

each other so as to permanently form the flexible layered arrangement for a controlled plasma generation.

9. The device according to claim 1, wherein the flexible layered arrangement is conformed to be wrapped flexibly around the curved surface of the body part, the body part being a limb, a hand, a finger, or another appendage of the human or animal.

* * * * *