



US010375130B2

(12) **United States Patent**
Malatesha et al.

(10) **Patent No.: US 10,375,130 B2**
(45) **Date of Patent: Aug. 6, 2019**

(54) **APPROACH FOR ACCESSING
THIRD-PARTY CONTENT
COLLABORATION SERVICES ON
INTERACTIVE WHITEBOARD APPLIANCES
BY AN APPLICATION USING A WRAPPER
APPLICATION PROGRAM INTERFACE**

(71) Applicants: **Rathnakara Malatesha**, Sunnyvale,
CA (US); **Lana Wong**, Belleville, NJ
(US); **Hiroshi Kitada**, Tuckahoe, NY
(US)

(72) Inventors: **Rathnakara Malatesha**, Sunnyvale,
CA (US); **Lana Wong**, Belleville, NJ
(US); **Hiroshi Kitada**, Tuckahoe, NY
(US)

(73) Assignee: **Ricoh Company, Ltd.**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 151 days.

(21) Appl. No.: **15/384,181**

(22) Filed: **Dec. 19, 2016**

(65) **Prior Publication Data**

US 2018/0176267 A1 Jun. 21, 2018

(51) **Int. Cl.**
G06F 15/16 (2006.01)
H04L 29/06 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04L 65/403** (2013.01); **G06F 9/54**
(2013.01); **H04L 67/34** (2013.01); **H04N 7/15**
(2013.01)

(58) **Field of Classification Search**
USPC 709/204, 205
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,907,324 A 5/1999 Larson et al.
6,377,288 B1 4/2002 Moran
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2001175720 A 6/2001
JP 2005236843 A 9/2005
(Continued)

OTHER PUBLICATIONS

Nelson, U.S. Appl. No. 15/290,856, filed Oct. 11, 2016, Office
Action, dated May 31, 2018.

(Continued)


Primary Examiner — Liang Che A Wang

(74) *Attorney, Agent, or Firm* — Hickman Palermo
Becker Bingham LLP; Edward A. Becker

(57) **ABSTRACT**

An approach for managing collaboration on IWBs allows
users of different third-party collaboration services to par-
ticipate in collaboration meetings on IWBs. The approach
allows the users to use collaboration functionality provided
by IWBs, such as annotation, and to communicate with each
other, even though the users are using different third party
collaboration services. The approach uses a collaboration
manager that provides a “single wrapper” application pro-
gram interface (API) and centralized management of col-
laboration meetings, including license key and token man-
agement, cross-license collaboration, user management and
meeting management. The collaboration manager acts as a
mediation layer that handles the APIs of different third-party
collaboration services and allows users using heterogeneous
collaboration clients to participate in collaboration meetings.

17 Claims, 15 Drawing Sheets



(51) **Int. Cl.**
H04L 29/08 (2006.01)
G06F 9/54 (2006.01)
H04N 7/15 (2006.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,789,064	B2	9/2004	Koh	
7,634,546	B1	12/2009	Strickholm et al.	
7,693,736	B1	4/2010	Chu	
8,266,209	B2	9/2012	Pegg	
8,400,489	B2	3/2013	Le Golf	
8,578,463	B2	11/2013	Kee	
8,594,376	B2	11/2013	Ogasawara	
8,727,209	B1	5/2014	Shih	
8,988,505	B2	3/2015	Schaerer	
9,047,312	B1	6/2015	Ten-Pow	
9,189,699	B2	11/2015	Liu	
9,292,974	B2	3/2016	Kaino	
9,450,758	B1 *	9/2016	Allen	H04L 9/3202
9,646,420	B2	5/2017	Imamura	
9,652,665	B2	5/2017	Hanina	
9,769,139	B2 *	9/2017	Chizhov	H04L 63/029
9,965,159	B2	5/2018	Knodt	
2003/0018659	A1	1/2003	Fuks	
2003/0191643	A1	10/2003	Belenger	
2004/0064322	A1	4/2004	Georgiopoulos et al.	
2004/0230651	A1	11/2004	Ivashin	
2005/0027800	A1	2/2005	Erickson	
2005/0209886	A1	9/2005	Corkern	
2006/0031326	A1	2/2006	Ovenden	
2006/0161446	A1 *	7/2006	Fyfe	G06Q 30/06 705/26.1
2006/0180792	A1	8/2006	Ricci	
2006/0282266	A1	12/2006	Lopez-Barquilla	
2007/0106931	A1	5/2007	Vartiainen	
2008/0022209	A1	1/2008	Lyle	
2008/0320583	A1	12/2008	Sharma	
2009/0006161	A1	1/2009	Chen	
2009/0010496	A1	1/2009	Saito	
2009/0094088	A1	4/2009	Chen	
2009/0199113	A1	8/2009	McWhinnie	
2010/0014719	A1	1/2010	Date	
2010/0085415	A1	4/2010	Rahman	
2010/0198644	A1	8/2010	Renfro	
2010/0268656	A1	10/2010	Teicher	
2010/0318399	A1	12/2010	Li et al.	
2011/0087491	A1	4/2011	Wittenstein	
2011/0246172	A1	10/2011	Liberman	
2011/0282648	A1	11/2011	Sarikaya	
2012/0166532	A1	6/2012	Juan	
2012/0271676	A1	10/2012	Aravamudan	
2013/0006693	A1	1/2013	Haynes	
2013/0007773	A1	1/2013	Guilford	
2013/0058471	A1	3/2013	Garcia	
2013/0063542	A1	3/2013	Bhay et al.	
2013/0073329	A1	3/2013	Shoham	
2013/0144603	A1	6/2013	Lord	
2013/0182007	A1	7/2013	Syed-Mahmood et al.	
2013/0275164	A1	10/2013	Gruber	
2013/0282421	A1	10/2013	Graff	
2013/0325972	A1	12/2013	Boston et al.	
2014/0012926	A1	1/2014	Narayanan	
2014/0067390	A1	3/2014	Webb	
2014/0149492	A1	5/2014	Ananthanarayanan	
2014/0149494	A1	5/2014	Markley	
2014/0180667	A1	6/2014	Johansson	
2014/0223334	A1	8/2014	Jensen et al.	
2014/0365203	A1	12/2014	Waibel	
2014/0365918	A1	12/2014	Caldwell et al.	
2015/0066505	A1	3/2015	Baker	
2015/0067047	A1	3/2015	Fu	
2015/0106146	A1	4/2015	Higaki	
2015/0120278	A1	4/2015	Waibel	
2015/0154183	A1	6/2015	Kristjansson et al.	
2015/0154291	A1	6/2015	Shepherd	

2015/0179186	A1 *	6/2015	Swierk	G06F 3/167 704/276
2016/0071065	A1	3/2016	Ohashi	
2016/0085604	A1	3/2016	Rajagopalan	
2016/0092578	A1	3/2016	Ganani	
2016/0283473	A1	9/2016	Heinze et al.	
2016/0283676	A1	9/2016	Lyon	
2016/0307063	A1	10/2016	Bright et al.	
2017/0132518	A1	5/2017	Kitada	
2017/0255446	A1 *	9/2017	Malatesha	G06F 3/0488
2018/0101281	A1	4/2018	Nelson	
2018/0101760	A1	4/2018	Nelson	
2018/0101761	A1	4/2018	Nelson	
2018/0101823	A1	4/2018	Nelson	
2018/0101824	A1	4/2018	Nelson	
2018/0176207	A1	6/2018	Malatesha	
2018/0176268	A1	6/2018	Malatesha	
2018/0182052	A1	6/2018	Panagos	
2018/0247439	A1	8/2018	Knodt	
2019/0108221	A1	4/2019	Nelson	
2019/0108492	A1	4/2019	Nelson	
2019/0108493	A1	4/2019	Nelson	
2019/0108494	A1	4/2019	Nelson	
2019/0108834	A1	4/2019	Nelson	

FOREIGN PATENT DOCUMENTS

JP	2005346515	A	12/2005
JP	2015535635	A	12/2015
JP	2016173646	A	9/2016
WO	WO01/91033	A2	11/2001
WO	WO 2016/00010	A1	1/2016
WO	WO2017/160487	A1	9/2017

OTHER PUBLICATIONS

Knodt, U.S. Appl. No. 15/445,915, filed Feb. 28, 2017, Office Action, dated Jun. 7, 2018.

European Patent Office, “Search Report”, in application No. 17206719. 1-1224, dated May 4, 2018, 9 pages.

European Patent Office, “Search Report” in application No. 18194528. 8-1210, dated Nov. 27, 2018, 8 pages.

Malatesha, U.S. Appl. No. 15/384,187, filed Dec. 19, 2016, Office Action, dated Aug. 10, 2018.

Malatesha, U.S. Appl. No. 15/384,184, filed Dec. 19, 2016, Notice of Allowance, dated Oct. 4, 2018.

Nelson, U.S. Appl. No. 15/290,860, filed Oct. 11, 2016, Office Action, dated Nov. 16, 2018.

Nelson, U.S. Appl. No. 15/290,856, filed Oct. 11, 2016, Final Office Action, dated Nov. 20, 2018.

Nelson, U.S. Appl. No. 15/290,855, filed Oct. 11, 2016, Office Action, dated Oct. 18, 2018.

Knodt, U.S. Appl. No. 15/445,915, filed Feb. 28, 2018, Final Office Action, dated Dec. 4, 2018.

Nelson, U.S. Appl. No. 15/728,367, filed Oct. 9, 2017, Office Action, dated Jan. 24, 2019.

Nelson, U.S. Appl. No. 15/728, filed Oct. 9, 2017, Office Action, dated Feb. 25, 2019.

Malatesha, U.S. Appl. No. 15/384,187, filed Dec. 19, 2016, Notice of Allowance, dated Jan. 4, 2019.

Harrer et al., “The Scalable Adapter Design Pattern: Enabling Interoperability Between Educational Interoperability Between Educational Software Tools”, IEEE, vol. 1, No. 2, Apr. 1, 2008, 14 pages.

Gamma et al., “Design Patterns” Design Patterns, dated Jan. 1, 1995, 7 pages.

European Patent Office, “Search Report” in application No. 17194726. 0-1222, dated Jan. 16, 2018, 7 pages.

European Patent Office, “Search Report” in application No. 17192809. 6-1958, dated Dec. 6, 2017, 9 pages.

European Patent Office, “Search Report” in application No. 17207179. 7-1222, dated Jan. 25, 2018, 9 pages.

European Patent Office, “Search Report” in application No. 18196734. 0-1230, dated Feb. 21, 2019, 9 pages.

(56)

References Cited

OTHER PUBLICATIONS

Nelson, U.S. Appl. No. 15/728,367, filed Oct. 9, 2017, Final Office Action dated May 3, 2019.

Nelson, U.S. Appl. No. 15/728,367, filed Oct. 9, 2017, Advisory Action dated May 17, 2019.

Nelson, U.S. Appl. No. 15/290,860, filed Oct. 11, 2016, Notice of Allowance dated May 21, 2019.

Nelson, U.S. Appl. No. 15/290,858, filed Oct. 11, 2016, Office Action May 1, 2019.

Nelson, U.S. Appl. No. 15/290,855, filed Oct. 11, 2016, Final Office Action dated May 1, 2019.

Knodt, U.S. Appl. No. 15/445,915, filed Feb. 28, 2017, Notice of Allowance dated Apr. 12, 2019.

* cited by examiner

FIG. 1




FIG. 2A

Select a function:

Initial Screen 200

Login

Call

Rooms

Send

Chat

Meetings

Contacts

Share

FIG. 2B

Login Screen 210

Login with credentials:

Cisco Jabber

IBM Sametime

BlueJeans

Google Hangouts

MS Lync

FIG. 2C

User Credentials Screen 220

Enter credentials:

User ID:

Password:

Ok

Cancel

222

FIG. 2D




FIG. 2E




FIG. 2F




FIG. 2G




FIG. 2H

Share Screen 280

Select a Share Option:

Application Window Screen

Select an Application:

Email

Web Browser

Presentation

Word Processing

Spreadsheet

Videoconferencing

Ok Cancel 282

300

FIG. 3

Login <provider>
Call <contact>
Join <meeting>
Create Room <name>
Delete Room <name>
Get Room Information <name>
Get Room Link <name>
Invite <user> to Room <name>
Send File <name>
Send Invite <user>
Send Link <user>
Chat <user>
Chat <user><room>
Create Meeting <name>
Start Meeting <name>
Meeting Status <name>
Join Meeting <name>

FIG. 4A




FIG. 4B




FIG. 4C





FIG. 4D



500 **FIG. 5**

Provider	Service	Function	API	Format	Version	Status	Default	Comments
Cisco	Webex	Login	https://server.cisco.com/Login/user=userA&pass=encryptedpassword	REST	2.0	Active	Y	
Cisco	Webex	Call	https://server.cisco.com/Call/src=userA&dest=userB&service=webex	REST	2.0	Active	Y	
Cisco	Webex	Message	https://server.cisco.com/Message/src=userA&dest=userB&msg="Hi User B, did you receive the updated requirements specification?"	REST	2.0	Active	Y	
ABC	Conference	Login	https://conference.abc.com/Login/user=userA&pass=encryptedpassword	REST	1.0	Active	Y	Preferred
ABC	Conference	Login	XML Request Type	XML	3.0	Active	N	
ABC	Conference	Login	SOAP Request Type	SOAP	4.0	Active	N	
IBM	Sametime	Join Call	https://server.ibm.com/JoinCall/v1/user=userA&meetingID=XYZ	REST	1.0	Obsol ete	N	
IBM	Sametime	Join Call	https://server.ibm.com/JoinCall/v2/user=userA&meetingID=XYZ	REST	2.0	Active	Y	Preferred
IBM	Sametime	Join Call	https://server.ibm.com/JoinCall/v3/user=userA&meetingID=XYZ	REST	3.0	Active	N	

FIG. 6A

License Key Table						
Provider	Service	Organization	License Key	Users	Expiration	Status Comments
Cisco	Webex	XYZ	key1	10	3/7/2017	Active
ABC	Conference	XYZ	key2	20	3/6/2017	Active
IBM	Sametime	XYZ	key3	30	3/7/2017	Active

FIG. 6B

User Subscription Table					
Provider	Service	Organization	User ID	Contact No	Sub Status Comments
Cisco	Webex	XYZ	User1@xyz.com	912-497-1321	Active
ABC	Conference	XYZ	User2@xyz.com	912-497-1322	Active
IBM	Sametime	XYZ	User1@xyz.com	912-497-1321	Active
IBM	Sametime	XYZ	User3@xyz.com	912-497-1324	Active

FIG. 6C

Authentication Token Table						
Provider	Service	Org	User ID	Authentication Token	Token Status	Expiry in Presence
Cisco	Webex	XYZ	User1@xyz.com	a6d5g6dkish3	Active	30 days Offline
ABC	Conference	XYZ	User2@xyz.com	dir83kfdf4rdk93	Expired	0 days Offline
IBM	Sametime	XYZ	User1@xyz.com	dk39f97gn5kz3	Active	3 days Away
IBM	Sametime	XYZ	User3@xyz.com	dk58dd43ls84	Active	10 days Busy

FIG. 6D

Cross-Licence Authentication Token Table

Provider	Service	Org	Authentication Token	Token Status	Expiry in	Comments
Cisco	Webex	XYZ	a6d5g6dkish3	Active	30 days	
ABC	Conference	XYZ	dir83kfdf4rdk93	Expired	0 days	
IBM	Sametime	XYZ	dk39f97gn5kz3	Active	3 days	
IBM	Sametime	XYZ	dk58dd43ls84	Active	10 days	

User Status Table

FIG. 6E


Provider	Service	Organization	User ID	Contact No	User Status	Comments
Cisco	Webex	XYZ	User1@xyz.com	912-497-1321	Offline	
ABC	Conference	XYZ	User2@xyz.com	912-497-1322	Online	
IBM	Sametime	XYZ	User1@xyz.com	912-497-1321	Offline	
IBM	Sametime	XYZ	User3@xyz.com	912-497-1324	Busy	

Meeting Status Table

FIG. 6F

Meeting ID	Description	Service	Organization	User ID	Meeting Status	Comments
status-124	Weekly status	Webex	XYZ	User1@xyz.com	Offline	
scrum-737	Daily scrum	Conference	XYZ	User2@xyz.com	Online	
code review	Code review	Sametime	XYZ	User1@xyz.com	Offline	
patent review	Patent review	Sametime	XYZ	User3@xyz.com	Busy	

700 **FIG. 7A**



750 **FIG. 7B**




FIG. 8

800





FIG. 9



1

**APPROACH FOR ACCESSING
THIRD-PARTY CONTENT
COLLABORATION SERVICES ON
INTERACTIVE WHITEBOARD APPLIANCES
BY AN APPLICATION USING A WRAPPER
APPLICATION PROGRAM INTERFACE**

RELATED APPLICATION DATA

This application is related to U.S. patent application Ser. No. 15/384,184 entitled “APPROACH FOR ACCESSING THIRD-PARTY CONTENT COLLABORATION SERVICES ON INTERACTIVE WHITEBOARD APPLIANCES USING CROSS-LICENSE AUTHENTICATION”, filed Dec. 19, 2016, and U.S. patent application Ser. No. 15/384,187 entitled “APPROACH FOR ACCESSING THIRD-PARTY CONTENT COLLABORATION SERVICES ON INTERACTIVE WHITEBOARD APPLIANCES BY AN APPLICATION USING A WRAPPER APPLICATION PROGRAM INTERFACE”, filed Dec. 19, 2016, the contents all of which are incorporated by reference in their entirety for all purposes as if fully set forth herein.

FIELD

Embodiments relate generally to electronic meetings conducted over computer networks. SUGGESTED GROUP ART UNIT: 2625; SUGGESTED CLASSIFICATION: 358.

BACKGROUND

The approaches described in this section are approaches that could be pursued, but not necessarily approaches that have been previously conceived or pursued. Therefore, unless otherwise indicated, the approaches described in this section may not be prior art to the claims in this application and are not admitted to be prior art by inclusion in this section.

Interactive whiteboard (IWB) appliances allow users to share electronic information, such as documents and files, and collaborate in real time with other IWBs, client devices, mobile applications and third-party solutions. Some prominent features of IWBs include annotation, file sharing and syncing, OCR, as well as local functionality. For example, users in different geographical locations may view, discuss, and annotate electronic documents in real-time. IWBs may also be configured with third-party videoconferencing solutions to further facilitation real-time collaboration. Third-party videoconferencing solutions are typically implemented on IWBs using so called “shallow integration,” i.e., as separate processes on top of the whiteboard that are launched via the graphical user interface menu of the IWB.

This type of “shallow integration” has some undesirable characteristics, including a limited ability to integrate IWB functionality into the third-party videoconferencing solutions, and the difficulty and added complexity in supporting and managing a large number of third-party videoconferencing solutions. For example, the IWB must potentially manage a large number of third-party videoconferencing solutions, which increases the amount of computational resources required and can clutter the graphical user interface with controls for each third-party videoconferencing solution. In addition, the look and feel of the graphical user interfaces of the third-party videoconferencing solutions are different from each other, and from the look and feel of the native graphical user interface of the IWB. Also, “shallow integration” cannot even be used to manage enterprise client

2

applications on top of mobile applications because of the complexity and user interface (UI) clutter created by enterprise client applications. Furthermore, users cannot communicate with each other via different videoconferencing solutions and user authentication must be separately performed by each videoconferencing solution.

SUMMARY

An interactive whiteboard (IWB) appliance comprises one or more processors, and one or more memories, a user interface, an annotation application and a collaboration application. The annotation application executes on the IWB appliance and is configured to allow a user of the IWB appliance to annotate electronic content displayed on the user interface of the IWB appliance. The collaboration application also executes on the IWB and is configured to access a plurality of third-party collaboration services that each support a distinct application program interface (API), via a management service that is separate from both the collaboration application and the plurality of third-party collaboration services and supports an API that is different than the distinct APIs of the plurality of third-party collaboration services. The collaboration application supports the API of the management service, but not the distinct APIs of the plurality of third-party collaboration services. The approach may also be implemented by one or more non-transitory computer-readable media storing instructions which, when processed by one or more processors, causes the functionality to be performed. The approach may also be implemented by one or more computer-implemented methods.

BRIEF DESCRIPTION OF THE DRAWINGS

In the figures of the accompanying drawings like reference numerals refer to similar elements.

FIG. 1 is a block diagram that depicts an example arrangement for managing collaboration on Interactive Whiteboard (IWB) appliances.

FIG. 2A depicts an initial screen, referred to herein as the “OneLaunch Panel”, that is displayed upon invocation of a OneLaunch application.

FIG. 2B depicts a login screen that is displayed by a OneLaunch application in response to a user selecting the “Login” option from the OneLaunch Panel.

FIG. 2C depicts a user credentials screen that allows a user to enter user credentials in the form of a user ID and password for a selected third-party collaboration service.

FIG. 2D depicts an example electronic meeting screen that is displayed by a OneLaunch application in response to a user, who is currently logged in, selecting the “Call” option from the OneLaunch Panel.

FIG. 2E depicts a rooms screen that is displayed by a OneLaunch application in response to a user selecting the “Rooms” option from the OneLaunch Panel.

FIG. 2F depicts an example meetings management screen that is displayed by a OneLaunch application in response to a user selecting the “Meetings” option from the OneLaunch Panel.

FIG. 2G depicts an example contacts screen that is displayed by a OneLaunch application in response to a user selecting the “Contacts” option from the OneLaunch Panel.

FIG. 2H depicts an example share screen that is displayed by a OneLaunch application in response to a user selecting the “Share” option from the OneLaunch Panel.

FIG. 3 depicts a table that specifies example commands and corresponding arguments supported by a OneLaunch API.

FIG. 4A depicts an arrangement in which a OneLaunch API and a API Manager of a OneLaunch Manager provide unified API calls for third-party collaboration services.

FIG. 4B depicts an arrangement in which OneLaunch API and API Manager of OneLaunch Manager provide data conversion services between one or more data protocols and formats supported by OneLaunch API and data protocols and formats required by third-party collaboration services.

FIG. 4C depicts arrangement in which third-party collaboration services support multiple versions of APIs, and an API Manager determines an appropriate version of API to be used for each third-party collaboration service.

FIG. 4D depicts arrangement in which Service B supports three versions of an API, including versions 1.0, 2.0 and 3.0.

FIG. 5 is a table that depicts example API data that specifies attributes of APIs of third-party collaboration services.

FIG. 6A depicts a license key table that stores license keys for Third-Party Collaboration Services **108**.

FIG. 6B depicts a user subscription table that stores user subscription data for third-party collaboration services.

FIG. 6C depicts an authentication token table that stores authentication tokens that are used to authorize functions/operations involving different third-party collaboration services.

FIG. 6D is a Cross-License Authentication Token Table that stores cross-license authentication tokens that are used by OneLaunch Manager to support collaboration between users using different third-party collaboration services.

FIG. 6E depicts a User Status Table that stores user subscription data for Third-Party Collaboration Services.

FIG. 6F depicts a Meeting Status Table **650** that stores status information for collaboration meetings.

FIG. 7A is a block diagram that depicts a logical overview of cross-license collaboration that allows users to collaborate electronically using different third-party collaboration services.

FIG. 7B is a flow diagram that depicts an approach for using cross-license authentication tokens.

FIG. 8 is a message ladder diagram that depicts example interaction between various elements during a login procedure.

FIG. 9 is a block diagram of a computer system on which embodiments may be implemented.

DETAILED DESCRIPTION

In the following description, for the purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent, however, to one skilled in the art that the present invention may be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form in order to avoid unnecessarily obscuring the present invention. Various aspects of the invention are described hereinafter in the following sections:

I. Overview

II. Architecture

III. OneLaunch User Interface

- A. Login
- B. Call
- C. Rooms
- D. Send

E. Chat

F. Meetings

G. Contacts

H. Share

IV. API Management

V. License Key Management

VI. Cross-License Collaboration

VII. Operational Example

VIII. Implementation Examples

I. OVERVIEW

An approach for managing collaboration on IWBs allows users of different third-party collaboration services to participate in collaboration meetings on IWBs. The approach allows the users to use collaboration functionality provided by IWBs, such as annotation, and to communicate with each other, even though the users are using different third party collaboration services. The approach uses a collaboration manager that provides a “single wrapper” application program interface (API) and centralized management of collaboration meetings, including license key and token management, cross-license collaboration, user management and meeting management. The collaboration manager acts as a mediation layer that handles the APIs of different third-party collaboration services and allows users using heterogeneous collaboration clients to participate in collaboration meetings.

II. ARCHITECTURE

FIG. 1 is a block diagram that depicts an example arrangement **100** for managing collaboration on IWBs. In the example depicted in FIG. 1, arrangement **100** includes client devices in the form of an IWB **102** and a Client Device **104**, a OneLaunch Manager **106** and Third-Party Collaboration Services **108**. These elements may be communicatively coupled via one or more wired or wireless network connections including, for example, the Internet, as well as one or more direct wired or wireless connections. Embodiments are not limited to the particular example arrangement **100** depicted in FIG. 1, and embodiments may include additional or fewer elements depending upon a particular implementation.

IWB **102** and Client Device **104** are each configured with a OneLaunch Application **110**, **112**, respectively, that provides access to Third-Party Collaboration Services **108** via OneLaunch Manager **106**. Third-Party Collaboration Services **108** may be any type of collaboration services, for example, audio/video conferencing services, messaging services, chat services, desktop, application and data sharing services, etc.

IWB **102** includes one or more processors, one or more memories and a user interface. The user interface displays content to users and may be implemented by a touch screen that both displays information and accepts user input, for example, to select menu items, and annotate content displayed on IWB **102**, etc. IWB **102** may include wired and wireless interfaces for communicating with other devices via one or more wired or wireless networks. According to one embodiment, IWB **102** is implemented as a stand-alone device. Client Device **104** may be implemented by any type of client device. Example implementations of Client Device **104** include, without limitation, a desktop computer, a laptop computer, a tablet computing device, a personal digital assistant (PDA), a mobile device, a smartphone, a multi-function peripheral (MFP), a scanning device, etc.

OneLaunch Applications 110, 112 are each a collaboration application that is configured to access OneLaunch Manager 106 via a OneLaunch application program interface (API) 120 that provides access to functionality and data provided by OneLaunch Manager 106. OneLaunch Applications 110, 112 may be implemented as so called “thin clients” that access any number Third-Party Collaboration Services 108 via OneLaunch API 120 of OneLaunch Manager 106, without having to implement the details of Third-Party Collaboration Services 108, such as the APIs. Thus, OneLaunch Applications 110, 112 provide client-side access to Third-Party Collaboration Services 108, without the need to install, on IWB 102 and Client Device 104, a separate client for each of the Third-Party Collaboration Services 108. The term “application” is used herein for explanation purposes only and OneLaunch Applications 110, 112 are not limited to stand-alone applications per se. OneLaunch Applications 110, 112 may each be implemented as a stand-alone process, a plug-in module, a widget, a library, etc. As another example, on IWB 102, OneLaunch Application 110 may be implemented as a GUI window. IWB 102 and Client Device 104 may be configured with other applications and processes that may vary depending upon a particular implementation. According to one embodiment, IWB 102 is configured with an annotation application that allows one or more users of IWB 102 to annotate electronic content, such as electronic documents, spreadsheets, email, audio/video content, etc., displayed on a user interface of IWB 102.

OneLaunch Manager 106, also referred to herein as a “management service,” is one or more processes that implement Third-Party Collaboration Services 108 on behalf of IWB 102 and Client Device 104. In this manner, OneLaunch Manager 106 acts as a mediation layer between OneLaunch Applications 110, 112 and Third-Party Collaboration Services 108, and manages data and communications in a centralized manner. As described in more detail hereinafter, according to one embodiment, OneLaunch Manager 106 uses so called “deep integration” by implementing software development kits (SDKs), APIs and libraries for Third-Party Collaboration Services 108. Deep integration provides more granular control of Third-Party Collaboration Services 108 for managing users, features and the overall end-to-end user experience, and also reduces UI clutter on OneLaunch Applications 110, 112. OneLaunch Manager 106 also provides cross-license collaboration, which involves central management of license keys to allow a large and disparate set of users to be connected across a disparate set of third-party collaboration services.

OneLaunch Manager 106 may be implemented in computer software, computer hardware, or any combination of computer software and computer hardware. OneLaunch Manager 106 may be implemented as a stand-alone process, a plug-in, a library, etc., that is invoked by IWB 102 and Client Device 104. Some embodiments are described herein in the context of OneLaunch Manager 106 as a single process for purposes of explanation, but embodiments are not limited to this example implementation. OneLaunch Manager 106 may execute on one or more computing devices or network elements, including IWB 102 and Client Device 104.

As depicted in FIG. 1, OneLaunch Manager 106 includes OneLaunch API 120 that is used by OneLaunch Applications 110, 112. OneLaunch Manager 106 also includes a server 122, that receives requests from OneLaunch Applications 110, 112 that confirm to OneLaunch API 120 and routes the requests to Management Processes 130. Server

122 may also perform other functions, such as accessing data 150, performing data conversions, etc. For example, server 122 may perform data conversion between a data format supported by OneLaunch API 120 and data formats supported by third-party collaboration services 108. Management Processes 130 include an API Manager 132, a User Manager 134, an Identity Manager 136, a Meeting Manager 138, a License Manager 140 and a Presence Manager 142. These management processes are depicted in FIG. 1 as separate processes for explanation purposes only and the functionality provided by these managers may be organized and implemented in any number of processes that may vary depending upon a particular implementation. API Manager 132 generates requests that satisfy API requirements of third-party collaboration services. User Manager 134 maintains various types of data pertaining to users stored in User Data 154. Identity Manager 136 manages authentication tokens and cross-license authentication tokens. Meeting Manager 138 manages collaboration meetings and maintains Meeting Data 158. License Manager 140 manages license keys for third-party collaboration services. Presence Manager 142 manages user status data that may be maintained as part of User Data 154.

OneLaunch Manager 106 also includes an administrator 145 for managing various types of data 150 that includes API Data 152, User Data 154, authentication (auth) data 156, meeting data 158, License Data 160 and presence data 162. One or more portions of this data may be generated and managed by a user, such as an administrator, of OneLaunch Manager 106. User Data 154 may specify one or more Third-Party Collaboration Services 108 that correspond to each of a plurality of users. For example, User Data 154 may specify that a first user is a user of a Third-Party Collaboration Services 108 provided by a particular vendor. User Data 154 may also specify contacts for each user.

III. ONELAUNCH USER INTERFACE

According to one embodiment, the OneLaunch Applications 110, 112 implement a common graphical user interface for accessing Third-Party Collaboration Services 108 via OneLaunch Manager 106. The common graphical user interface may be implemented in a wide variety of ways that may vary depending upon a particular implementation. For example, the common graphical user interface may be implemented as an application-based user interface, as a Web-based user interface, or as a pluggable architecture which can be plugged into any application or system, etc. This provides a more favorable user experience by providing a common graphical user interface with a common “look and feel” across multiple third-party collaboration services. For example, the location and arrangement of windows and controls, as well as colors and other visual effects, is the same, regardless of the third-party collaboration service being used. Furthermore, the “look and feel” of the common graphical user interface may be tailored for particular implementations, for example using so called “skins,” to provide a particular “look and feel” across a plurality of client devices within an organization. The “look and feel” and functionality of the various graphical user interface screens depicted and discussed hereinafter may be changed based upon a particular third-party collaboration service selected by a user during the login process, as described in more detail hereinafter with respect to FIG. 2B. This may include, for example, displaying different windows, controls, etc., based upon the logic for different third-party collaboration services.

FIG. 2A depicts an initial screen, referred to herein as the “OneLaunch Panel” **200**, that is displayed upon invocation of OneLaunch Applications **110**, **112**. OneLaunch Panel **200** provides controls for accessing various collaboration functionality provided by Third-Party Collaboration Services **108**. According to one embodiment, these controls are common across any third-party collaboration service being used in IWB appliance **102**, and hence the OneLaunch Panel **200** acts as the one point of interface to any collaboration service. In the example depicted in FIG. 2A, the controls include a “Login” control to log into the OneLaunch service, a “Call” control to initiate a voice/video call, a “Rooms” control to access and manage rooms, a “Send” control to send electronic information to other users or meeting participants, a “Chat” control to initiate a chat session, a “Meetings” control to view and join ongoing meetings, a “Contacts” control to access contacts, and a “Share” control to share electronic information with participants of a meeting. These functions are commonly implemented on IWB appliances, but embodiments are not limited to these examples, and the approach described herein is applicable to any type of function that may be implemented on an IWB appliance. Each of these functions is described in more detail hereinafter. The particular options that are offered and/or enabled on OneLaunch Panel **200** may vary, depending upon the services offered by each Third-Party Collaboration Services **108**. For example, the “Chat” control may be disabled when a user logs into a particular Third-Party Collaboration Services **108** that does not offer a chat service.

A. Login

The login function allows a user to log into the OneLaunch service. FIG. 2B depicts a login screen **210** that is displayed by OneLaunch Applications **110**, **112** in response to a user selecting the “Login” option from OneLaunch Panel **200**. Login screen **210** allows a user to login into any third-party collaboration service for which the user is registered. FIG. 2C depicts a user credentials screen **220** that allows a user to enter user credentials, in the form of a user ID and password, for a selected third-party collaboration service. User credentials screen **220** is provided as one example and other user credentials may be queried from a user, depending upon the requirements of a particular third-party collaboration service. Controls **222**, allow a user to confirm the entered user credentials, or cancel and return to the OneLaunch Panel **200** of FIG. 2A. According to one embodiment, if a user does not have an account with any of the third-party collaboration services, the user may login using an identity provider, such as a social network service, e.g., Google+, Facebook, etc. For example, Controls **222** may include an option which when selected allows a user to log into an identity provider by supplying their login credentials for a selected identity provider.

Once the user credentials are entered and confirmed, OneLaunch Application **110**, **112** passes the user credentials to OneLaunch Manager **106** via OneLaunch API **120**, along with other information such as data that identifies the particular third-party collaboration service to be used, and optionally other information, such as machine parameters. OneLaunch Manager **106** in turn provides the user credentials to the selected third-party collaboration service for user authentication, using the API of the selected third-party collaboration service. Once the user is authenticated with the third-party collaboration service, OneLaunch Manager **106** updates Authentication Data **156**. There may be situations where a user has been previously authenticated and the previous authentication is still valid. In this situation, the user does not need to be reauthenticated with the third party

collaboration service and OneLaunch Manager **106** can use Authentication Data **156** to log the user into the third-party collaboration service. Alternatively, OneLaunch Manager **106** may send a request to the selected third-party collaboration service to request the authentication data that is required, and then inform OneLaunch Application **110**, **112** so that this information can be queried from the user. After a successful user authentication, a contacts screen may be displayed, as described in more detail hereinafter. Alternatively, a user may be returned to the OneLaunch Panel **200**.

B. Call

The call function allows a user to initiate a voice/video call with one or more other users. FIG. 2D depicts an example electronic meeting screen **230** that is displayed by OneLaunch Applications **110**, **112** in response to a user, who is currently logged in, selecting the “Call” option from OneLaunch Panel **200**. Selection of the “Call” option by a user who is not logged in causes the login screen **210** to be displayed.

Electronic meeting screen **230** includes a display/share area **232** for displaying and sharing electronic information and content **234**, such as electronic documents, audio/video information, desktop and screen content, etc. Electronic meeting screen **230** also includes a set of contacts **236**, from which participants for the call may be selected, or that have already been selected. Thus, contacts **236** may include candidate participants, current participants, or both candidate participants and current participants for a call, and participants may be added at any time during a call. A user may select a particular contact from contacts **236** and select a “Add to Call” control to add the selected contact to the call. Additional information, for example in the form of a visual indication, may be provided to indicate the status of each of the contacts **236**. The currently-logged in user may be designated as the meeting host or organizer.

Electronic meeting screen **230** also includes a video area **238** for displaying video content and/or a video conferencing window, a chat area **240** for conducting an electronic chat session, and an event log **242** that displays an event history. A “Return” control **244** allows a user to return to the OneLaunch Panel **200** of FIG. 2A. Embodiments are not limited to the example electronic meeting screen **230** depicted in FIG. 2D and the particular arrangement, sequence and content of electronic meeting screen **230** may vary depending upon a particular implementation.

C. Rooms

The Rooms control allows a user to access and manage rooms. As used herein, the term “room” refers to a private meeting between two or more participants. Rooms may not be known or visible to the public, and may only be known to the participants. Rooms may require user authentication, while meetings may not require user authentication. FIG. 2E depicts a rooms screen **250** that is displayed by OneLaunch Applications **110**, **112** in response to a user selecting the “Rooms” option from OneLaunch Panel **200**. Rooms screen **250** displays a set of current rooms. A user may select a room from rooms screen **250** to join the selected room. The user is allowed to join the selected room if the user has the credentials or authorization necessary to join the room. Otherwise, a request for the user to join the room is transmitted to the organizer of the selected room. If the organizer of the selected room grants the request, then the user is granted access to the selected room. In some implementations, rooms may be specific to a particular third-party collaboration service and may not be enabled for all third-party collaboration services. According to one embodiment, the “Rooms” option in the OneLaunch Panel **200** is enabled

only when a user is logged into a third-party collaboration service that supports a rooms service.

Rooms screen **250** includes controls **252** that, in the present example, allow a user to perform various functionality with respect to rooms and users. This includes joining a room, creating a new room, deleting an existing room, deleting a user from an existing room, adding a user to an existing room, or copying room information. For example, after selecting a particular room from rooms screen **250** using, for example, a pointing device such as a mouse, a user may select the “Join a Room” control **252** to join the selected room, select the “Delete a Room” control to delete the selected room, select the “Delete a User From a Room” control **252** to delete a user from the selected room, select the “Add a User to a Room” to add a user to the selected room, or select the “Copy Room Information” control **252** to copy room information from the selected room. In response to selecting the “Delete a User From a Room” control **252**, the user is presented with a list of current users of the selected room and the user may select one or more of the current users to be deleted from the room. In response to selecting the “Add a User to a Room” control **252**, the user is presented with a list of users, from contacts, and the user may select one or more users to be added to the selected room. In response to selecting the “Create a New Room” control **252**, the a dialog box is displayed that allows the user to specify attributes of the new room, such as a name, permissions, etc. The copying room information function allows content shared in a room to be copied to another room, for example, via a URL. A “Return” control **254** allows a user to return to the OneLaunch Panel **200** of FIG. **2A**.

D. Send

The send function allows a user to send electronic information, such as an electronic document or other content, to one or more other users and/or meeting participants. In response to a user selecting the “Send” option from OneLaunch Panel **200**, a navigation window may be displayed that allows the user to select electronic information to be sent. Once the electronic information to be sent has been selected, the user may select one or more recipients from contacts and/or meeting lists. To send electronic information to meeting participants, the user must be logged in and be in the meeting.

E. Chat

The chat function allows a user to chat with one or more other participants in a meeting. For example, after logging in and being presented with the electronic meeting screen **230**, a user may select the chat area **240** to access a set of controls pertaining to chat sessions. The controls may allow the user to join an existing chat, or create a new chat with one or more participants in the meeting. The users may include selected users in a meeting, all users in a meeting, or users from particular Third-Party Collaboration Services **108**. For example, the user may select, for inclusion in a new chat, one or more IBM Sametime users, or users from a specific collaboration service (to enable chatting with Cisco Jabber users only).

F. Meetings

The meetings function allows a user to access current and future meetings. FIG. **2F** depicts an example meetings management screen **260** that is displayed by OneLaunch Applications **110**, **112** in response to a user selecting the “Meetings” option from OneLaunch Panel **200**. Meetings management screen **260** displays current electronic meetings being conducted and information for each electronic meeting, including a meeting name, a meeting host, a room

and time. Meetings may be public or private and the public or private status of a meeting may be visually indicated on meetings management screen **260**. A Join/Request Invite (invitation) control allows a user to join or request an invitation to an electronic meeting. Selecting the Join/Request Invite control allows a user who has already been invited/authorized to join an electronic meeting. Joining an electronic meeting may cause the electronic meeting screen **230** (FIG. **2D**) to be displayed for the selected electronic meeting, as previously described herein with respect to the “Call” option. For a user that has not yet been invited/authorized to join an electronic meeting, selecting the Join/Request Invite control causes a request to be sent to the meeting organizer or host. An indication may be provided when the meeting organizer or host decides whether to accept the request.

Meetings management screen **260** also displays future electronic meetings and information for each future electronic meeting, including a meeting name, a meeting host, a room and date and time. A Request Invite (invitation) control allows a user to request an invitation to a future electronic meeting. Selecting the Request Invite control causes a request to be sent to the meeting organizer or host. A “Return” control **262** allows a user to return to the OneLaunch Panel **200** of FIG. **2A**.

G. Contacts

The contacts function allows a user to view contacts and their status. FIG. **2G** depicts an example contacts screen **270** that is displayed by OneLaunch Applications **110**, **112** in response to a user selecting the “Contacts” option from OneLaunch Panel **200**. Contacts screen **270** shows a list of contacts and a current status for each contact. According to one embodiment, contacts are maintained by OneLaunch Manager **106** as part of User Data **154**. Contacts may be generated and managed via the User Manager **134**. This provides the benefit of allowing a user to view contacts across multiple Third-Party Collaboration Services **108**. In the example depicted in FIG. **2G**, the current status is visually indicated by different symbols, but this is just one example, and status may be visually indicated in a wide variety of ways that may vary depending upon a particular implementation. For example, a current status may be visually indicated using colors, shading, special visual effects, etc. According to one embodiment, a current status may include online and available, online and in a meeting, online and away, online and do not disturb, offline and unavailable, and a custom status that may be specified, for example, by a user. Embodiments are not limited to these particular statuses and other statuses may be used. A views control **272** allows a user to select a view from a list of available views. Views provide a way to filter contacts, which may be useful in situations where a user has a large number of contacts. Example views include, without limitation, contacts with a particular status such as online contacts, contacts in a particular meeting, and contacts that are registered with a particular Third-Party Collaboration Services **108**, such as Google Hangouts, MS Lync, IBM Sametime, etc. A “Return” control **274** allows a user to return to the OneLaunch Panel **200** of FIG. **2A**.

H. Share

The share function allows a user to share artifacts, documents, screens, or any other electronic information with other users in an electronic meeting. FIG. **2H** depicts an example share screen **280** that is displayed by OneLaunch Applications **110**, **112** in response to a user selecting the “Share” option from OneLaunch Panel **200**. Share screen **280** allows a user to select a share option, where each share

11

option corresponds to a type of electronic information to be shared. In the example depicted in FIG. 2H, the options include application, window, and screen. Embodiments are not limited to this example and may allow for sharing of other types of electronic information. In the example depicted in FIG. 2H, the user has selected to share an application with other users in a meeting and in response to this selection, a list of applications that may be shared is displayed. The user has selected to share their Web browser and controls 282 allow the user to confirm or cancel this selection. Once an item has been confirmed for sharing, the user is provided the option of selecting a particular electronic meeting in which the selected information is to be shared. For example, a list of current electronic meetings may be displayed with controls for selecting a particular electronic meeting. A control may also be provided to stop sharing.

IV. API MANAGEMENT

OneLaunch Manager 106 uses “deep integration” to provide a single wrapper OneLaunch API 120 that allows OneLaunch Applications 110, 112 to access the services provided by Third-Party Collaboration Services 108 without having to be aware of, or implement, the details of the APIs of Third-Party Collaboration Services 108. According to one embodiment, API Manager 132 provides this functionality by providing unified API calls for accessing Third-Party Collaboration Services 108, data conversion, and version management. OneLaunch Manager 106 processes requests that conform to OneLaunch API 120 and provides, to Third-Party Collaboration Services 108, requests that conform to the APIs of Third-Party Collaboration Services 108. This may be accomplished using a wide variety of processing that may vary depending upon a particular implementation. For example, API Manager 132 may forward requests received from OneLaunch Applications 110, 112 to Third-Party Collaboration Services 108 with minimal or no processing. This may occur, for example, in situations where a request that conforms to OneLaunch API 120 satisfies the requirements of an API of Third-Party Collaboration Services 108 with minimal or no processing. Alternatively, API Manager 132 may perform various types of processing to generate requests that satisfy the requirements of the APIs of Third-Party Collaboration Services 108. For example, API Manager 132 may examine and extract data, such as commands, parameters, arguments, values, etc., from a request that satisfies the requirements of OneLaunch API 120, and then generate a request that satisfies the requirements of the APIs for Third-Party Collaboration Services 108 and includes part or all of the data extracted from the request that satisfies the requirements of the OneLaunch API 120. This may include transforming or translating one or more portions of the data extracted from the request that satisfies the requirements of the OneLaunch API 120. API Manager 132 may perform other functionality, such as managing API keys and URLs. The generating of calls that satisfy the requirements of the APIs of Third-Party Collaboration Services 108 may be accomplished by logic implemented by API Manager 132.

The particular functionality supported by OneLaunch API 120 may vary depending upon a particular implementation, and embodiments are not limited to any particular implementation. FIG. 3 depicts a Table 300 that specifies example commands and corresponding arguments supported by OneLaunch API 120. As depicted in FIG. 3, the commands relate generally to performing content collaboration functions with respect to electronic meetings, audio/video calls, and content

12

sharing. Embodiments are not limited to these contexts and are applicable to other contexts. In addition, fewer or additional commands may be supported, depending upon a particular implementation, and embodiments are not limited to OneLaunch API 120 supporting the example commands depicted in FIG. 3. The contents of Table 300 may be stored, for example, in API Data 152, as non-structured or structured data, in any format.

FIG. 4A depicts an arrangement 400 in which OneLaunch API 120 and API Manager 132 of OneLaunch Manager 106 provide unified API calls for Third-Party Collaboration Services 108. In the example depicted in FIG. 4A, Third-Party Collaboration Services 108 include Service A, Service B, and Service C. OneLaunch API 120 defines the commands, data, parameters, arguments, and any other information needed by API Manager 132 to generate calls that satisfy the requirements of the APIs for Third-Party Collaboration Services 108.

In the example depicted in FIG. 4A, OneLaunch Application 110 generates a login request that conforms to a Login API 402 of OneLaunch API 120. The login request specifies a particular Third-Party Collaboration Services 108 to be accessed, along with user credentials required by the particular Third-Party Collaboration Services 108. In the present example, it is presumed that the request specifies Webex, and user credentials in the form of a user ID (“JackD”) and password (“doghouse”). For example, the login request may take the form of “Login/service=webex&user=JackD&password=doghouse.” The login request is received by OneLaunch Manager 106 and routed by server 122 to API Manager 132. Server 122 may perform processing based upon the request, for example, accessing data 150 and implementing various logic and decision making. Although not specifically depicted in FIGS. 4A-4D, requests received by OneLaunch Manager 106 are initially processed by server 122 and routed to one of the Management Processes 130 for processing.

In the present example, API Manager 132 receives and processes the login request to generate a processed request, or a new request, that conforms to the API of Service A. According to one embodiment, API Manager 132 uses API Data 152 to generate the processed request, or the new request. API Data 152 includes data that describes the API of each Third-Party Collaboration Services 108, i.e., defines one or more attributes of the API of each third-party collaboration service.

FIG. 5 is a Table 500 that depicts example API data that specifies attributes of APIs of Third-Party Collaboration Services 108. In this example, Table 500 specifies a service provider, a service, a function, data that describes the API, which may be in the form of a link to data that describes the API, a protocol or format supported by the API, a version, status, whether a particular version is the default version of the API, and comments that may indicate, for example, whether a particular version is the preferred version. For example, the first row of Table 500 specifies API data for performing a “Login” function for the “Webex” service provided by Cisco. The API data includes data that specifies a URL address and arguments for performing the “Login” function. The first row also specifies the format as “REST,” the version of the API data as “2.0,” the status as “Active,” whether the particular version of the API is the default version, and no comments indicating that Version 2.0 is the preferred version. Referring to the prior example, API Manager 132 extracts the service name, user ID and password from the received request and generates a request that satisfies the requirements of the Cisco Webex API. For

example, the request may be “https://server.cisco.com/Login/user=JackD&password=doghouse.” As another example, the request may be “https://server.cisco.com/Login/authentication=SomeAuthenticationToken” if the user was recently logged in and the authentication token is available in Authentication Token Table 620, which is described in more detail hereinafter.

According to one embodiment, API versions that are designated as default or preferred are used when a request does not specify a version of an API to use. API Versions not indicated as “preferred” or as the default version may be used in situations where a request specifies a particular version of an API for one of the Third-Party Collaboration Services 108. For example, the API Data 152 for provider “ABC” includes three versions (V1, V3, V4) of the API for performing a “Login” function for the “Conference” service and version V1 is designated as the “preferred” version, even though versions V3 and V4 are later versions. A “Login” request for the “ABC-Conference” service received from OneLaunch Application 110, 112 may not specify a particular version of the API. In this situation, API Manager 132 determines, based upon API Data 152, that version V1 is the preferred version of the API for the “ABC-Conference” service and processes the request in a manner that ensures that the request provided to the particular third-party collaboration service satisfies the requirements of version V1 of the API. Alternatively, the request received from OneLaunch Application 110, 112 may specify V3 or V4 of the API for the “ABC-Conference” service and API Manager 132 processes the request in a manner that ensures that the request provided to the particular third-party collaboration service satisfies the requirements of the version of the particular API for the particular third-party collaboration service that was specified in the request. In this manner, API Manager 132 selects an appropriate API from Table 500 to minimize errors on the client and server side and allow the API to work seamlessly for the request made.

The contents of Table 500 may be generated and maintained by a user, such as an administrator, to ensure that the current version of APIs supported by Third-Party Collaboration Services 108 are represented in Table 500. Thus, API Manager 132 ensures, using API Data 152, that the processed request, or new request, properly conforms to the current supported version of the API for Service A. API Manager 132 then forwards the processed login request to Service A. According to one embodiment, the contents of Table 500 are regularly maintained with the latest API data to avoid APIs from becoming obsolete and to prevent errors.

Once received from OneLaunch Manager 106, the specified service processes the login request and provides, to API Manager 132, a response that conforms to the API of the specified service. API Manager 132 processes the response, generates a processed response that conforms to OneLaunch API 120, and forwards the processed response to the entity that sent the original request, which in the present example is OneLaunch Application 110. In this manner, OneLaunch Manager 106 provides a unified single wrapper API for OneLaunch Applications 110, 112 and handles the flow and processing of requests and responses between OneLaunch Applications 110, 112 and Third-Party Collaboration Services 108.

According to one embodiment, API Manager 132 includes the capability to handle different data protocols, languages and/or data formats. This allows OneLaunch Applications 110, 112 to support only the data protocol and format supported by OneLaunch API 120, without having to support data protocols and formats required by Third-Party

Collaboration Services 108. FIG. 4B depicts arrangement 400 in which OneLaunch API 120 and API Manager 132 of OneLaunch Manager 106 provide data conversion services between one or more data protocols and formats supported by OneLaunch API 120 and data protocols and formats required by Third-Party Collaboration Services 108.

In the example depicted in FIG. 4B, OneLaunch API 120 of OneLaunch Manager 106 supports Representational State Transfer (REST), while Service A supports Simple Object Access Protocol (SOAP), Service B supports REST and Service C supports Extensible Markup Language (XML). API Manager 132 is configured to convert requests from REST to SOAP, REST, or XML, depending upon the target Third-Party Collaboration Services 108. API Manager 132 is also configured to convert responses from SOAP, REST, or XML to REST. In this manner, OneLaunch Manager 106 provides data protocol and data format conversion services on behalf of OneLaunch Applications 110, 112, so that OneLaunch Applications 110, 112 do not need to support the data protocols and data formats required by Third-Party Collaboration Services 108. This allows a large number of disparate third-party collaboration services to be connected, irrespective of the data formats and protocols they support.

In some situations, Third-Party Collaboration Services 108 support multiple versions of an API. According to one embodiment, API Manager 132 includes the capability to select an appropriate version of an API for Third-Party Collaboration Services 108 and then perform conversion services that are consistent with that version of the API. FIG. 4C depicts arrangement 400 in which Third-Party Collaboration Services 108 support multiple versions of APIs, and API Manager 132 determines an appropriate version of API to be used for each Third-Party Collaboration Services 108. In the example depicted in FIG. 4C, API Manager 132 determines that version 3.0 of the API should be used for Service A, version 2.0 of the API should be used for Service B, and version 1.0 of the API should be used for Service C.

FIG. 4D depicts arrangement 400 in which Service B supports three versions of an API, including versions 1.0, 2.0 and 3.0. As indicated in FIG. 4D, API Manager 132 has determined that version 2.0 is the appropriate version of API to be used for Service B. The preferred version of the API for Third-Party Collaboration Services 108 may be specified by API Data 152, which may be configured, for example, by an administrator. According to one embodiment, API Manager 132 is configured to provide error handling services. This may include, for example, determining that there is no API support, or obsolete API support, for target Third-Party Collaboration Services 108. For example, OneLaunch Manager 106 may receive a request from OneLaunch Application 110 to initiate a chat service using Service A. During processing of the request, API Manager 132 determines that there is no API support, or inadequate API support, for Service A. In response to making this determination, API Manager 132 generates and transmits an error message to OneLaunch Application 110 indicating that there is no API support, or inadequate API support, for Service A.

V. LICENSE KEY MANAGEMENT

It is not uncommon for third-party content collaboration services to require users to be authorized to use their services. Authorization may be provided by a wide variety of mechanisms that may vary depending upon a particular implementation. As one example, third-party collaboration services may require the use of license keys to ensure that a

15

user that corresponds to a request is authorized to use the service. For example, a user might be required to be authorized under a valid license key to use a particular third-party collaboration service. According to one embodiment, OneLaunch Manager 106 manages various types of license data, user subscription data, user status data, and meeting data to support collaboration via Third-Party Collaboration Services 108 that require users to be currently licensed.

FIG. 6A depicts a License Key Table 600 that stores license keys for Third-Party Collaboration Services 108. Each row of License Key Table 600 corresponds to a license key issued to an organization, such as a business organization, and specifies a service provider, a service, a name of the organization, a license key, a number of users within the organization that are authorized to use the license key, an expiration date of the license key, a status of the license key, and comments pertaining to the license key. In the example depicted in FIG. 6A, all of the data is for the organization “XYZ” and three different services, but in practice License Key Table 600 may include data for any number of organizations and services. License Key Table 600 may be created and maintained by a user, such as an administrator of OneLaunch Manager 106, and used by License Manager 140 to determine whether a request has a corresponding valid license key before issuing the request to a Third-Party Collaboration Services 108. License Key Table 600 may be maintained as part of License Data 160.

FIG. 6B depicts a User Subscription Table 610 that stores user subscription data for Third-Party Collaboration Services 108. Each row of User Subscription Table 610 corresponds to a user and specifies a service provider, a service, a name of the organization, a user ID for the user, a contact number for the user, a current subscription status (“Sub Status”), and comments. A contact number is used for explanation purposes only, and other types of contact information may be used, depending upon a particular implementation. In the example depicted in FIG. 6B, all of the data is for the organization “XYZ” and three different services and three users, but in practice User Subscription Table 610 may include data for any number of organizations, services and users. User Subscription Table 610 may be created and maintained by a user, such as an administrator of OneLaunch Manager 106, and used by User Manager 134 to determine whether a user is current subscribed to a particular third-party collaboration service. This information may be used for many different purposes, for example, to indicate to a user the other users that are currently logged into a particular Third-Party Collaboration Services 108. User Subscription Table 610 may be maintained as part of User Data 154.

FIG. 6C depicts an Authentication Token Table 620 that stores authentication tokens that are used to authorize functions/operations involving different Third-Party Collaboration Services 108. Each row of Authentication Token Table 620 corresponds to a user and specifies a service provider, a service, a name of the organization, a user ID, an authentication token, a token status, a number of days to expiration (“Expiry in”), a presence or status of the user, and comments. In the example depicted in FIG. 6C, all of the data is for the organization “XYZ” and three different services and three different users, but in practice Authentication Token Table 620 may include data for any number of organizations, services and users. Authentication tokens may be manually specified by a user, for example, by an administrator of OneLaunch Manager 106. This may be done in situations, for example, where user credentials are separately registered with the particular Third-Party Collaboration Services 108.

16

In these situations, the registration tokens issued by the Third-Party Collaboration Services 108 upon completion of registration may be manually entered into Authentication Data 156. Alternatively, authentication tokens may be issued on a per-user basis by a Third-Party Collaboration Services 108 after a user logs into the Third-Party Collaboration Services 108 via OneLaunch Manager 106. For example, Identify Manager 138 may extract authentication tokens from Login responses received from Third-Party Collaboration Services 108. Authentication tokens have a limited lifespan and eventually expire, based upon the particular Third-Party Collaboration Services 108 (or as manually specified by an administrative user), and must be replaced. Authentication Token Table 620 may be created and maintained by a user in Authentication Data 156, such as an administrator of OneLaunch Manager 106, and is used by Identity Manager 136 to manage functions/operations involving different Third-Party Collaboration Services 108. The number of authentication tokens for a particular Third-Party Collaboration Services 108 is equal to the number of users authorized by the license key for the particular Third-Party Collaboration Services 108. Authentication Token Table 620 may be maintained as part of Authentication Data 156 by Identify Manager 136.

According to one embodiment, when OneLaunch Manager 106 receives a request, for example, a Login request for a particular user to access a particular third-party collaboration service from Third-Party Collaboration Services 108, License Manager 140 first verifies, based upon License Data 160, whether the user’s organization has a current license key. If so, then License Manager 140 verifies, based upon User Data 154, whether the particular user has an active subscription to the particular third-party collaboration service. If so, then License Manager 140 retrieves, from Authentication Token Table 620, an authentication token for the particular user with respect to the particular third-party collaboration service. The retrieved authentication token is used by API Manager 132 to access the API of the particular third-party collaboration service.

VI. CROSS-LICENSE COLLABORATION

Authentication tokens are normally specific to both a particular user and a particular third-party collaboration service. This means that normally a user must have an authentication token for each third-party collaboration service that the user wishes to use. For example, for a particular user to use both third-party collaboration services A and B, an authentication token must be available for the particular user with respect to service A, and a separate authentication token must be available for the particular user with respect to service B. Furthermore, users must use the same third-party collaboration services, meaning that a user of third-party collaboration service A cannot collaborate with a user of third-party collaboration service B. This greatly increases the number of authentication tokens that must be issued and maintained, and also increases the number of authorized users for license keys.

To address these issues, OneLaunch Manager 106 supports what is referred to herein as “cross-license collaboration,” which allows users to collaborate electronically using different third-party collaboration services. For example, a user of service A, e.g., Cisco Jabber, is able to collaborate with a user of Service B, e.g., IBM Sametime. Furthermore, this is accomplished without requiring a user-specific authentication token for each third-party collaboration service. According to one embodiment, OneLaunch Manager

106 uses cross-license authentication tokens that are specific to a particular third-party collaboration service, but not to a particular user, and therefore may be used across multiple users. This allows users of different third-party collaboration services to collaborate with each other.

FIG. 6D is a Cross-License Authentication Token Table **630** that stores cross-license authentication tokens that are used by OneLaunch Manager **106** to support collaboration between users using different third-party collaboration services **108**. Each row of Cross-License Authentication Token Table **630** corresponds to an organization, such as a business organization, and specifies a service provider, a service, a name of the organization, an authentication token, a token status, a number of days to expiration ("Expiry in"), and comments. In the example depicted in FIG. 6D, all of the data is for the organization "XYZ" and three different services, but in practice, Cross-License Authentication Token Table **630** may include data for any number of organizations and services. A user, such as an administrator, may establish the number of cross-license authentication tokens to be maintained for an organization, or other logical group.

The authentication tokens in Cross-License Authentication Table **630** may be specified manually, for example, by an administrative user of OneLaunch Manager **106**. The authentication tokens may be obtained from Third-Party Collaboration Services **108** using general or generic user credentials, for example, of an administrative user of an organization. The authentication token(s) are then manually entered into Cross-License Authentication Table **630**. Authentication tokens in Cross-License Authentication Table **630** may be acquired for any number of logical entities with an organization. For example, authentication tokens may be acquired for divisions, departments, projects, teams, etc. Cross-License Authentication Token Table **630** may be maintained as part of Authentication Data **156** by Identify Manager **136**. According to one embodiment, the number of users that can simultaneously use cross-license tokens is restricted by license key restrictions.

FIG. 6E depicts a User Status Table **640** that stores user subscription data for Third-Party Collaboration Services **108**. Each row of table **610** corresponds to a user and specifies a service provider, a service, a name of the organization, a user ID for the user, a contact number for the user, a current status of the user, e.g., "Online," "Offline," "Busy," "Away," etc., and comments. As in the user subscription table **610** above, a contact number is used for explanation purposes only, and other types of contact information may be used, depending upon a particular implementation. In the example depicted in FIG. 6E, all of the data is for the organization "XYZ" and three different services and three users, but in practice user subscription table **610** may include data for any number of organizations, services and users. User Status Table **640** may be created and maintained by a user, such as an administrator of OneLaunch Manager **106**. User Status Table **640** may be used by API Manager **132** to determine the service that a particular user is using. User Status Table **640** may be maintained as part of User Data **154**.

FIG. 6F depicts a Meeting Status Table **650** that stores status information for collaboration meetings. Each row of Meeting Status Table **650** corresponds to a meeting and specifies a meeting ID, a description, a service, a name of the organization, a user ID for the meeting organizer or the meeting host, a current status of the meeting, e.g., "Upcoming," "In Progress," "Completed", etc., and comments. In the example depicted in FIG. 6F, all of the meetings are for

the organization "XYZ" and three different services, but in practice Meeting Status Table **650** may include data for any number of organizations and services. Meeting Status Table **650** may be created and maintained by a user, such as an administrator of OneLaunch Manager **106**. User Status Table **640** may be used by OneLaunch Manager **106** to manage electronic meetings, and by API Manager **132** to generate API calls to Third-Party Collaboration Services **108**. Meeting Status Table **650** may be maintained by Meeting Manager **138** as part of Meeting Data **158**.

FIG. 7A is a block diagram **700** that depicts a logical overview of a cross-license collaboration approach that allows users to collaborate electronically using different third-party collaboration services. In the example depicted in FIG. 7A, User A collaborates electronically with User B. User A uses Service A **710** that is hosted by Service A Server **720**, and User B uses Service B **730** that is hosted by Service B Server **740**. In this example, Service A **710** and Service B **730** are collaboration services, such as audio/video conferencing services, desktop sharing, application sharing, or data sharing services, etc. In addition, Service A **710** and Service B **730** support different APIs.

According to one embodiment, when a collaboration is to be performed between users, e.g., a chat session, videoconferencing session, desktop, application or content sharing session, etc., API Manager **132** determines whether more than one type of third-party collaboration service will be involved. API Manager **132** may make this determination by, for example, consulting User Status Table **640**, or other data in User Data **154**. If the users participating in the collaboration are using the same third-party collaboration service, then API Manager **132** uses user-specific authentication tokens from Authentication Token Table **620**. For example, API Manager **132** may request, from Identity Manager **136**, an authentication token for a particular third-party collaboration service, organization, and user.

If more than one type of third-party collaboration service will be used for the collaboration, then instead of using user-specific authentication tokens to access the APIs of the third-party collaboration services, API Manager **132** uses authentication tokens from Cross-License Authentication Token Table **630** that are not specific to a particular user. More specifically, API Manager **132** includes a cross-service authentication token for a particular third-party collaboration service when accessing the API of the particular third-party collaboration service.

Referring to the example depicted in FIG. 7A, when making a call to Service A **710**, API Manager **132** uses an authentication token that is specific to Service A **710** and the organization. This allows API Manager **132** to generate a request that satisfies the requirements of the API for Service A **710**. In addition, API Manager **132** uses the appropriate API Data **152** that corresponds to the target Third-Party Collaboration Services **108**, which in the present example is Service A **710**. Similarly, when making a call to Service B **730**, API Manager **132** uses an authentication token that is specific to Service B **730** and the organization. In addition, API Manager **132** uses the appropriate API Data **152** that corresponds to Service B **730**. According to one embodiment, the use of cross-service authentication tokens instead of user-specific authentication tokens in this manner is done irrespective of whether the users participating in the collaboration have valid individual authentication tokens for the other Third-Party Collaboration Services **108**. When cross-service authentication tokens are near expiration, a notification may be issued to an administrative so that a new cross-service authentication token may be obtained.

FIG. 7B is a Flow Diagram 750 that depicts an approach for using cross-license authentication tokens. In step 752, OneLaunch Manager 106 receives a first request to perform a collaboration function. The first request may be received by OneLaunch Manager 106 from OneLaunch Application 110 and requests that a collaboration function be performed with respect to a first user on a first collaboration service and a second user on a second collaboration service. The collaboration function may be a wide variety of collaboration functions that may vary depending upon a particular implementation. In the present example, it is presumed that the first user is a user of Service A 710, the second user is a user of Service B 730, and that the collaboration function is a request to transmit a message from the first user to the second user via Service A 710 and Service B 730, respectively.

In step 754, OneLaunch Manager 106, and specifically API Manager 132, determines whether the users are using the same collaboration service. In the present example, API Manager 132 determines whether Service A 170 used by the first user is the same as Service B 730 used by the second user. This determination may be made, for example, by consulting User Status Table 640, or other data in User Data 154.

If, in step 754, a determination is made that the users are using the same collaboration service, then in step 756, OneLaunch Manager 106 generates a second request to perform the collaboration function that includes an authentication token that is specific to the first user or the second user. For example, API Manager 132 uses data from API Data 152, which defines the API of Service B 730, and an authentication token that is specific to both the first user and Service B 730, to generate a second request to transmit the message from the first user to the second user. The second request satisfies the API of Service B 730, and the authentication token is specific to the first user. For example, an authentication token from Authentication Token Table 620 for Service B may be used.

If, in step 754, a determination is made that the users are using different collaboration services, then in step 758, OneLaunch Manager 106 generates a second request to perform the collaboration function that includes an authentication token that is not specific to the first user or the second user. For example, API Manager 132 uses data from API Data 152, which defines the API of Service B 730, and an authentication token that is specific to Service B 730, but not specific to either the first user or the second user, to generate a second request to transmit the message from the first user to the second user. The second request satisfies the API of Service B 730, and the authentication token may be from Cross-License Authentication Token Table 630 for Service B 730. As is demonstrated by this example, OneLaunch Manager 106 receives requests that satisfy requirements of OneLaunch API 120, and generates requests that satisfy requirements of the APIs of target collaboration services. OneLaunch Manager 106 also handles license key management on behalf of OneLaunch Applications 110, 112, including using cross-license authentication tokens in situations where users use different collaboration services.

Authentication tokens may be manually specified by a user, for example, by an administrator of OneLaunch Manager 106. This may be done in situations, for example, where user credentials are separately registered with the particular Third-Party Collaboration Services 108. In these situations, the registration tokens issued by the Third-Party Collaboration Services 108 upon completion of registration may be manually entered into Authentication Data 156. Alternatively,

authentication tokens may be issued on a per-user basis by a Third-Party Collaboration Services 108 after a user logs into the Third-Party Collaboration Services 108 via OneLaunch Manager 106. For example, Identify Manager 138 may extract authentication tokens from Login responses received from Third-Party Collaboration Services 108. Authentication tokens may have a limited lifespan and eventually expire, based upon the particular third-party collaboration service (or as manually specified by an administrative user), and must be replaced. Authentication Token Table 620 may be created and maintained by a user in Authentication Data 156, such as an administrator of OneLaunch Manager 106, and is used by Identity Manager 136 to manage functions/operations involving different Third-Party Collaboration Services 108. The number of authentication tokens for a particular Third-Party Collaboration Services 108 is equal to the number of users authorized by the license key for the particular Third-Party Collaboration Services 108.

VII. OPERATIONAL EXAMPLE

FIG. 8 is a message ladder diagram 800 that depicts example interaction between various elements of arrangement 100 during a login procedure. In step 802, a user initiates a login procedure via OneLaunch application 110. For example, as previously described herein with respect to FIG. 2B, a user selects a particular third-party collaboration service to log into and in FIG. 2C, enters user credentials. In the present example, it is presumed that a particular user, User A, associated with an organization named "XYZ," requests to access a third-party collaboration service, Service A. OneLaunch Application 110 passes the user credentials for User A to OneLaunch Manager 106 via OneLaunch API 120, along with other information such as data that identifies the particular third-party collaboration service to be used, i.e., Service A, an organization associated with the user, i.e., "XYZ," and optionally other information, such as machine parameters.

In step 804, Server 122 receives and processes the data transmitted by OneLaunch Application 110. This includes, in step 804, performing a license check. According to one embodiment, this includes determining, via License Manager 140, whether a valid license key is available for the organization associated with the user. In the present example, License Manager 140 determines whether License Key Table 600 includes a valid license key for third-party collaboration service Service A and organization "XYZ." License Manager 140 generates and transmits a response to Server 122 indicating the result of the check, i.e., whether License Key Table 600 includes a valid license key for third-party collaboration service Service A and organization "XYZ." If the response from License Manager 140 indicates that a valid license key for third-party collaboration service Service A and organization "XYZ" does not exist, then Server 122 generates and transmits to OneLaunch Application 110 a message indicating this condition.

If the response from License Manager 140 indicates that a valid license key for third-party collaboration service Service A and organization "XYZ" exists, then in step 806, Server 122 performs a subscription check. According to one embodiment, this includes determining, via User Manager 134, whether the user has a current subscription to the third-party collaboration service. In the present example, User Manager 134 determines whether User Subscription Table 610 indicates that User A has a current subscription to Service A. User Manager 134 generates and transmits a

21

response to Server 122 indicating the result of the check, i.e., whether User Subscription Table 610 indicates that User A has a current subscription to Service A. If the response from User Manager 134 indicates that User A does not have a current subscription to Service A, then Server 122 generates and transmits to OneLaunch Application 110 a message indicating this condition.

If the response from User Manager 134 indicates that User A does have a current subscription to Service A, then in step 808, Server 122 obtains an authentication token for the user. According to one embodiment, this includes Server 122 requesting, from Identify Manager 136, an authentication token for User A, with respect to Service A and organization "XYZ." Identity Manager 136 determines whether Authentication Token Table 620 includes an entry that corresponds to Service A, organization "XYZ," and User A. Identity Manager 136 generates and transmits a response to Server 122 indicating the result of the check, i.e., whether Authentication Token Table 620 includes an entry that corresponds to Service A, organization "XYZ," and User A. If such an entry exists, then the response includes the authentication token. In situations where it is known that User A will be collaborating with other users using different third-party collaboration services other than Service A, then Identify Manager 136 may provide a cross-license authentication token from Cross-License Authentication Token Table 630, as previously described herein. If the response from Identity Manager 136 indicates that Authentication Token Table 620 does not include an entry that corresponds to Service A, organization "XYZ," and User A, then Server 122 generates and transmits to OneLaunch Application 110 a message indicating this condition.

If the response from Identity Manager 136 includes an authentication token for Service A, organization "XYZ," and User A, then in step 810, Server 122 acquires API information for the third-party collaboration service to enable API Manager 132 to generate requests that satisfy requirements of the API of the third-party collaboration service. In the present example, Server 122 acquires information that defines the API of Service A, for example, via Table 500.

In step 812, Server 122 updates the status of the user to indicate that the user is now logged in. This may include, for example, Identity Manager 136 updating Presence Data 162 to indicate that User A is now logged into Service A.

VIII. IMPLEMENTATION EXAMPLES

Although the flow diagrams of the present application depict a particular set of steps in a particular order, other implementations may use fewer or more steps, in the same or different order, than those depicted in the figures.

According to one embodiment, the techniques described herein are implemented by one or more special-purpose computing devices. The special-purpose computing devices may be hard-wired to perform the techniques, or may include digital electronic devices such as one or more application-specific integrated circuits (ASICs) or field programmable gate arrays (FPGAs) that are persistently programmed to perform the techniques, or may include one or more general purpose hardware processors programmed to perform the techniques pursuant to program instructions in firmware, memory, other storage, or a combination. Such special-purpose computing devices may also combine custom hard-wired logic, ASICs, or FPGAs with custom programming to accomplish the techniques. The special-purpose computing devices may be desktop computer systems, portable computer systems, handheld devices, networking

22

devices or any other device that incorporates hard-wired and/or program logic to implement the techniques.

FIG. 9 is a block diagram that depicts an example computer system 900 upon which embodiments may be implemented. Computer system 900 includes a bus 902 or other communication mechanism for communicating information, and a processor 904 coupled with bus 902 for processing information. Computer system 900 also includes a main memory 906, such as a random access memory (RAM) or other dynamic storage device, coupled to bus 902 for storing information and instructions to be executed by processor 904. Main memory 906 also may be used for storing temporary variables or other intermediate information during execution of instructions to be executed by processor 904. Computer system 900 further includes a read only memory (ROM) 908 or other static storage device coupled to bus 902 for storing static information and instructions for processor 904. A storage device 910, such as a magnetic disk or optical disk, is provided and coupled to bus 902 for storing information and instructions.

Computer system 900 may be coupled via bus 902 to a display 912, such as a cathode ray tube (CRT), for displaying information to a computer user. Although bus 902 is illustrated as a single bus, bus 902 may comprise one or more buses. For example, bus 902 may include without limitation a control bus by which processor 904 controls other devices within computer system 900, an address bus by which processor 904 specifies memory locations of instructions for execution, or any other type of bus for transferring data or signals between components of computer system 900.

An input device 914, including alphanumeric and other keys, is coupled to bus 902 for communicating information and command selections to processor 904. Another type of user input device is cursor control 916, such as a mouse, a trackball, or cursor direction keys for communicating direction information and command selections to processor 904 and for controlling cursor movement on display 912. This input device typically has two degrees of freedom in two axes, a first axis (e.g., x) and a second axis (e.g., y), that allows the device to specify positions in a plane.

Computer system 900 may implement the techniques described herein using customized hard-wired logic, one or more ASICs or FPGAs, firmware and/or program logic or computer software which, in combination with the computer system, causes or programs computer system 900 to be a special-purpose machine. According to one embodiment, those techniques are performed by computer system 900 in response to processor 904 processing instructions stored in main memory 906. Such instructions may be read into main memory 906 from another non-transitory computer-readable medium, such as storage device 910. Processing of the instructions contained in main memory 906 by processor 904 causes performance of the functionality described herein. In alternative embodiments, hard-wired circuitry may be used in place of or in combination with software instructions to implement the embodiments. Thus, embodiments are not limited to any specific combination of hardware circuitry and software.

The term "non-transitory computer-readable medium" as used herein refers to any non-transitory medium that participates in providing data that causes a computer to operate in a specific manner. In an embodiment implemented using computer system 900, various computer-readable media are involved, for example, in providing instructions to processor 904 for execution. Such media may take many forms, including but not limited to, non-volatile and volatile non-transitory media. Non-volatile non-transitory media

includes, for example, optical or magnetic disks, such as storage device **910**. Volatile non-transitory media includes dynamic memory, such as main memory **906**. Common forms of non-transitory computer-readable media include, without limitation, a floppy disk, a flexible disk, hard disk, magnetic tape, or any other magnetic medium, a CD-ROM, any other optical medium, a RAM, a PROM, and EPROM, a FLASH-EPROM, any other memory chip, memory cartridge or memory stick, or any other medium from which a computer can read.

Various forms of non-transitory computer-readable media may be involved in storing instructions for processing by processor **904**. For example, the instructions may initially be stored on a storage medium of a remote computer and transmitted to computer system **900** via one or more communications links. Bus **902** carries the data to main memory **906**, from which processor **904** retrieves and processes the instructions. The instructions received by main memory **906** may optionally be stored on storage device **910** either before or after processing by processor **904**.

Computer system **900** also includes a communication interface **918** coupled to bus **902**. Communication interface **918** provides a communications coupling to a network link **920** that is connected to a local network **922**. For example, communication interface **918** may be a modem to provide a data communication connection to a telephone line. As another example, communication interface **918** may be a local area network (LAN) card to provide a data communication connection to a compatible LAN. Wireless links may also be implemented. In any such implementation, communication interface **918** sends and receives electrical, electromagnetic or optical signals that carry digital data streams representing various types of information.

Network link **920** typically provides data communication through one or more networks to other data devices. For example, network link **920** may provide a connection through local network **922** to a host computer **924** or to data equipment operated by an Internet Service Provider (ISP) **926**. ISP **926** in turn provides data communication services through the world wide packet data communication network now commonly referred to as the "Internet" **928**. Local network **922** and Internet **928** both use electrical, electromagnetic or optical signals that carry digital data streams.

Computer system **900** can send messages and receive data, including program code, through the network(s), network link **920** and communication interface **918**. In the Internet example, a server **930** might transmit a requested code for an application program through Internet **928**, ISP **926**, local network **922** and communication interface **918**. The received code may be processed by processor **904** as it is received, and/or stored in storage device **910**, or other non-volatile storage for later execution.

In the foregoing specification, embodiments have been described with reference to numerous specific details that may vary from implementation to implementation. Thus, the sole and exclusive indicator of what is, and is intended by the applicants to be, the invention is the set of claims that issue from this application, in the specific form in which such claims issue, including any subsequent correction. Hence, no limitation, element, property, feature, advantage or attribute that is not expressly recited in a claim should limit the scope of such claim in any way. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

What is claimed is:

1. An interactive whiteboard (IWB) appliance:

one or more processors;

one or more memories;

a user interface;

an annotation application executing on the IWB appliance, wherein the annotation application is configured to allow a user of the IWB appliance to annotate electronic content displayed on the user interface of the IWB appliance;

a collaboration application executing on the IWB appliance, wherein the collaboration application is configured to access a plurality of third-party collaboration services via a management service that is separate from both the collaboration application and the plurality of third-party collaboration services;

wherein each third-party collaboration service, from the plurality of third-party collaboration services, and the management service supports a different Application Program Interface (API);

the collaboration application supports the API of the management service, but not the API of each third-party collaboration service from the plurality of third-party collaboration services; and

wherein the collaboration application is configured to access a particular collaboration function on a particular third-party collaboration service, from the plurality of collaboration services, by generating and transmitting, to the management service, a request to access the particular collaboration function that satisfies requirements of the API of the management service, but not requirements of the API of the particular third-party collaboration service.

2. The apparatus as recited in claim 1, wherein the collaboration application implements a common graphical user interface across the plurality of third-party collaboration services.

3. The apparatus as recited in claim 1, wherein the collaboration application is one or more of a stand-alone process, a plug-in module, a widget, or a library.

4. The apparatus as recited in claim 1, wherein:

the request to access the particular collaboration function that satisfies requirements of the API of the management service is a first request,

the management service processes the first request and generates a second request to access the collaboration function on the particular third-party collaboration service, wherein the second request satisfies requirements of an API of the particular third-party collaboration service.

5. The apparatus as recited in claim 4, wherein the second request to access the collaboration function on the particular third-party collaboration service includes an authentication token that is specific to both a user associated with the request to access the particular collaboration function that satisfies requirements of the API of the management service and the particular third-party collaboration service.

6. The apparatus as recited in claim 4, wherein the second request to access the collaboration function on the particular third-party collaboration service includes an authentication token that is specific to the particular third-party collaboration service, but not a user associated with the request to access the particular collaboration function that satisfies requirements of the API of the management service.

7. One or more non-transitory computer-readable media storing instructions which, when processed by one or more processors, cause:

25

an annotation application executing on an interactive whiteboard (IWB) appliance to allow a user of the IWB appliance to annotate electronic content displayed on the user interface of the IWB appliance; and
 a collaboration application executing on the IWB appliance, wherein the collaboration application is configured to access a plurality of third-party collaboration services via a management service that is separate from both the collaboration application and the plurality of third-party collaboration services;
 wherein each third-party collaboration service, from the plurality of third-party collaboration services, and the management service supports a different Application Program Interface (API);
 the collaboration application supports the API of the management service, but not the API of each third-party collaboration service from the plurality of third-party collaboration services; and
 wherein the collaboration application is configured to access a particular collaboration function on a particular third-party collaboration service, from the plurality of collaboration services, by generating and transmitting, to the management service, a request to access the particular collaboration function that satisfies requirements of the API of the management service, but not requirements of the API of the particular third-party collaboration service.

8. The one or more non-transitory computer-readable media as recited in claim 7, wherein the collaboration application implements a common graphical user interface across the plurality of third-party collaboration services.

9. The one or more non-transitory computer-readable media as recited in claim 7, wherein the collaboration application is one or more of a stand-alone process, a plug-in module, a widget, or a library.

10. The one or more non-transitory computer-readable media as recited in claim 7, wherein:
 the request to access the particular collaboration function that satisfies requirements of the API of the management service is a first request,
 the management service processes the first request and generates a second request to access the collaboration function on the particular third-party collaboration service, wherein the second request satisfies requirements of an API of the particular third-party collaboration service.

11. The one or more non-transitory computer-readable media as recited in claim 10, wherein the second request to access the collaboration function on the particular third-party collaboration service includes an authentication token that is specific to both a user associated with the request to access the particular collaboration function that satisfies requirements of the API of the management service and the particular third-party collaboration service.

12. The one or more non-transitory computer-readable media as recited in claim 10, wherein the second request to access the collaboration function on the particular third-party collaboration service includes an authentication token that is specific to the particular third-party collaboration

26

service, but not a user associated with the request to access the particular collaboration function that satisfies requirements of the API of the management service.

13. A computer-implemented method comprising:

allowing, by an annotation application executing on an interactive whiteboard (IWB) appliance, a user of the IWB appliance to annotate electronic content displayed on the user interface of the IWB appliance; and

accessing, by a collaboration application executing on the IWB appliance, a plurality of third-party collaboration services via a management service that is separate from both the collaboration application and the plurality of third-party collaboration services;

wherein each third-party collaboration service, from the plurality of third-party collaboration services, and the management service supports a different Application Program Interface (API);

the collaboration application supports the API of the management service, but not the API of each third-party collaboration service from the plurality of third-party collaboration services; and

wherein the collaboration application is configured to access a particular collaboration function on a particular third-party collaboration service, from the plurality of collaboration services, by generating and transmitting, to the management service, a request to access the particular collaboration function that satisfies requirements of the API of the management service, but not requirements of the API of the particular third-party collaboration service.

14. The computer-implemented method as recited in claim 13, wherein the collaboration application implements a common graphical user interface across the plurality of third-party collaboration services.

15. The computer-implemented method as recited in claim 13, wherein the collaboration application is one or more of a stand-alone process, a plug-in module, a widget, or a library.

16. The computer-implemented method as recited in claim 13, wherein:

the request to access the particular collaboration function that satisfies requirements of the API of the management service is a first request,

the management service processes the first request and generates a second request to access the collaboration function on the particular third-party collaboration service, wherein the second request satisfies requirements of an API of the particular third-party collaboration service.

17. The computer-implemented method as recited in claim 16, wherein the second request to access the collaboration function on the particular third-party collaboration service includes an authentication token that is specific to both a user associated with the request to access the particular collaboration function that satisfies requirements of the API of the management service and the particular third-party collaboration service.

* * * * *