



US010456332B2

(12) **United States Patent**
Paz

(10) **Patent No.:** **US 10,456,332 B2**
(45) **Date of Patent:** **Oct. 29, 2019**

- (54) **CONTROLLED DOSAGE FORM-DISPENSING SYSTEM**
- (71) Applicant: **P.C.O.A DEVICES LTD**, Tel Aviv (IL)
- (72) Inventor: **Ilan Paz**, Alon Shvut (IL)
- (73) Assignee: **P.C.O.A. DEVICES LTD.**, Tel Aviv (IL)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 3 days.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- 38,343 A 4/1863 Tower et al.
- 708,216 A 9/1902 Fowler, Jr.
- (Continued)

FOREIGN PATENT DOCUMENTS

- EP 1721596 B1 12/2009
- EP 2301850 3/2011
- (Continued)

OTHER PUBLICATIONS

PCT/IL2015/050637, International Search Report and Written Opinion, dated Nov. 11, 2015, 10 pages.

Primary Examiner — Timothy R Waggoner
(74) *Attorney, Agent, or Firm* — Stoel Rives LLP

- (21) Appl. No.: **15/321,655**
- (22) PCT Filed: **Jun. 22, 2015**
- (86) PCT No.: **PCT/IL2015/050637**
§ 371 (c)(1),
(2) Date: **Dec. 22, 2016**
- (87) PCT Pub. No.: **WO2015/198313**
PCT Pub. Date: **Dec. 30, 2015**

(65) **Prior Publication Data**


US 2017/0135907 A1 May 18, 2017

(30) **Foreign Application Priority Data**

Jun. 22, 2014 (IL) 233295

- (51) **Int. Cl.**
A61J 7/04 (2006.01)
A61J 1/03 (2006.01)
(Continued)
- (52) **U.S. Cl.**
CPC *A61J 7/0481* (2013.01); *A61J 1/03* (2013.01); *A61J 7/0076* (2013.01);
(Continued)
- (58) **Field of Classification Search**
None
See application file for complete search history.

- (57) **ABSTRACT**
- This invention provides a controlled dosage form-dispensing device, comprising a multi-chamber, bulk medicine storage and distribution unit, wherein said unit is provided with a plurality of individual dosage form-containing storage chambers with respective delivery ports; and a personal medication dispenser comprising a fixed dosage form extracting station comprising a dosage form receiving and extracting mechanism; wherein the medication dispenser is provided with a controller which moves the bulk medicine storage and distribution unit sequentially bringing a respective delivery port of a predetermined chamber into register with the fixed dosage form extracting station such that the dosage form receiving and extracting mechanism extracts and receives only one dosage form at a time. The dispensing device is further provided with at least one portable dosage form-dispensing cassette having a plurality of compartments and a first delivery controller for delivery of a predetermined dosage form from a predetermined compartment of the portable dosage form-dispensing cassette, the at least one portable cassette being releasably attachable to a personal medication dispenser; and a second delivery controller for the controlled delivery of predetermined dosage forms from
- (Continued)



the multi-chamber, bulk medicine storage and distribution unit to the portable dosage form-dispensing cassette via a conduit in the personal medication dispenser.

15 Claims, 15 Drawing Sheets

- (51) **Int. Cl.**
A61J 7/00 (2006.01)
G07F 17/00 (2006.01)
G06F 19/00 (2018.01)
G07F 11/00 (2006.01)
- (52) **U.S. Cl.**
 CPC *G06F 19/3462* (2013.01); *G07F 11/002* (2013.01); *G07F 17/0092* (2013.01); *A61J 2205/60* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,187,634	A	6/1916	Lorimer et al.
2,004,243	A	6/1935	Hloch
2,470,298	A	5/1949	Fields
2,510,712	A	6/1950	Olowinski
2,526,749	A	10/1950	Hokanson
2,694,641	A	11/1954	Atwood
2,740,558	A	4/1956	Steele
2,963,200	A	12/1960	Miller
3,150,639	A	9/1964	Sereda
3,270,918	A	9/1966	Burch et al.
3,437,194	A	4/1969	Ames et al.
RE26,589	E	5/1969	Murov et al.
3,505,737	A	4/1970	Merolla
3,923,060	A	12/1975	Ellinwood, Jr.
4,106,698	A	8/1978	Lin
4,114,965	A	9/1978	Oye et al.
4,695,954	A	9/1987	Rose et al.
4,839,806	A	6/1989	Goldfischer et al.
4,872,591	A	10/1989	Konopka
4,887,594	A	12/1989	Siegel
4,918,690	A	4/1990	Markkula, Jr.
5,014,040	A	5/1991	Weaver et al.
5,049,125	A	9/1991	Accaries et al.
5,110,008	A	5/1992	Moulding et al.
5,163,426	A	11/1992	Czeisler et al.
5,176,133	A	1/1993	Czeisler et al.
5,219,093	A	6/1993	Moulding et al.
5,344,043	A	9/1994	Moulding et al.
5,431,299	A	7/1995	Brewer et al.
5,460,299	A	10/1995	Prause
5,475,687	A	12/1995	Markkula, Jr. et al.
5,490,610	A	2/1996	Pearson
5,524,073	A	6/1996	Stambler
5,562,232	A	10/1996	Pearson
5,844,888	A	12/1998	Markkula, Jr.
5,850,937	A	12/1998	Rauche
5,853,244	A	12/1998	Hoff et al.
5,955,952	A	9/1999	Bergman et al.
6,021,918	A	2/2000	Dumont et al.
6,024,247	A	2/2000	Birr
6,032,155	A	2/2000	De La
6,048,271	A	4/2000	Barcelou
6,068,126	A	5/2000	Dejonge
6,145,697	A	11/2000	Gudish
6,150,942	A	11/2000	O'Brien et al.
6,152,364	A	11/2000	Schoonen et al.
6,163,736	A	12/2000	Halfacre
6,219,587	B1	4/2001	Arlin et al.
6,234,343	B1	5/2001	Papp
6,263,259	B1	7/2001	Bartur
6,304,797	B1	10/2001	Shusterman
6,318,051	B1	11/2001	Preiss
6,327,570	B1	12/2001	Stevens

6,352,200	B1	3/2002	Schoonen et al.
6,415,202	B1	7/2002	Halfacre
6,510,962	B1	1/2003	Lin
6,529,446	B1	3/2003	De La Huerga
6,579,231	B1	6/2003	Phipps
6,601,729	B1	8/2003	Papp
6,604,019	B2	8/2003	Ahlin et al.
6,611,733	B1*	8/2003	De La Huerga A61J 1/1437 700/235
6,729,327	B2	5/2004	McFarland, Jr. et al.
6,766,219	B1	7/2004	Hasey
6,776,304	B2	8/2004	Liff et al.
6,814,255	B2	11/2004	Liff et al.
6,848,593	B2	2/2005	Papp
6,892,941	B2	5/2005	Rosenblum
6,922,664	B1	7/2005	Fernandez et al.
6,947,900	B2	9/2005	Giordano, III et al.
6,988,634	B2	1/2006	Varis
7,006,894	B2	2/2006	De La
7,030,823	B2	4/2006	Apothéloz et al.
7,044,302	B2	5/2006	Conley
7,051,898	B1	5/2006	Connell
7,084,946	B2	8/2006	Ota et al.
7,178,688	B2	2/2007	Naufel et al.
7,216,776	B2	5/2007	Gelardi
7,216,802	B1	5/2007	De La Huerga
7,231,920	B2	6/2007	Harvey et al.
7,302,311	B2	11/2007	Varis
7,359,765	B2	4/2008	Varvarelis et al.
7,426,475	B1	9/2008	Tangellapally et al.
7,451,761	B2	11/2008	Hickey et al.
7,491,219	B2	2/2009	Steinberg
7,503,081	B2	3/2009	Montgomery
7,624,733	B2	12/2009	Riley et al.
7,624,894	B2	12/2009	Gerold et al.
7,637,079	B2	12/2009	Klingel et al.
7,654,261	B1	2/2010	Rockhold
7,665,811	B2	2/2010	Johanning
7,677,941	B2	3/2010	Koyama
7,692,195	B2	4/2010	Namose
7,704,236	B2	4/2010	Denolly
7,727,469	B2	6/2010	Takahashi et al.
7,743,923	B2	6/2010	Conley
7,766,365	B2	8/2010	Darling, III
7,771,984	B2	8/2010	Dzekunov et al.
7,787,986	B2	8/2010	Pinney et al.
7,828,147	B2	11/2010	Caracciolo et al.
7,844,362	B2	11/2010	Handfield et al.
7,860,724	B2	12/2010	Chudy et al.
7,865,263	B2	1/2011	Spano, Jr. et al.
7,885,725	B2	2/2011	Dunn
7,896,192	B2	3/2011	Conley et al.
7,930,056	B2	4/2011	Fernandez
7,932,832	B2	4/2011	Hayashi
7,934,355	B2	5/2011	Strub et al.
7,946,483	B2	5/2011	Miller et al.
7,978,083	B2	7/2011	Melker et al.
7,988,016	B2	8/2011	Klein et al.
7,996,106	B2	8/2011	Ervin
7,999,987	B2	8/2011	Namose
8,006,903	B2	8/2011	Braun
8,015,417	B2	9/2011	Kato et al.
8,027,748	B2	9/2011	Handfield et al.
8,032,397	B2	10/2011	Lawless
8,065,035	B2	11/2011	Ross et al.
8,073,563	B2	12/2011	Vahlberg et al.
8,090,473	B2	1/2012	Higham
8,103,346	B2	1/2012	Mass et al.
8,103,379	B2	1/2012	Biba et al.
8,112,942	B2	2/2012	Bohm et al.
8,118,222	B2	2/2012	Barcelou
8,126,590	B2	2/2012	Vahlberg et al.
8,135,497	B2	3/2012	Joslyn
8,140,186	B2	3/2012	Vahlberg et al.
8,145,353	B1	3/2012	Cotner
8,162,690	B2	4/2012	Smith
8,195,329	B2	6/2012	Pinney et al.
8,265,757	B2	9/2012	Mass et al.
8,266,447	B2	9/2012	Völkening et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

			2005/0043965	A1	2/2005	Heller et al.	
			2005/0211768	A1	9/2005	Stillman	
			2005/0258066	A1*	11/2005	Conley	A61J 7/0472 206/538
8,280,550	B2	10/2012	Levy et al.		5/2006	Yuyama	
8,343,434	B2	1/2013	Hyde et al.		6/2006	Meek, Jr. et al.	
8,386,073	B2*	2/2013	Kim	B65B 5/103 221/167	7/2006	Scannell, Jr.	
					8/2006	Pollanz	
8,390,761	B2	3/2013	Oda		8/2006	Miyamoto et al.	
8,395,314	B2	3/2013	Yamamoto et al.		9/2006	Anderson et al.	
8,417,378	B2	4/2013	Joslyn		11/2006	Berg	A61J 7/0084 700/231
8,468,031	B2	6/2013	Jung et al.				
8,478,604	B2	7/2013	Henderson et al.		2/2007	Bornemann	
8,494,878	B2	7/2013	Stevens		3/2007	Lai	
8,504,197	B2	8/2013	Farr		4/2007	Abdulhay	A61J 7/0084 700/231
8,554,365	B2	10/2013	Thomas et al.				
8,587,427	B2	11/2013	Lalonde et al.		5/2007	Kelleher et al.	
8,615,971	B2	12/2013	Freudelsperger		8/2007	Bain	
8,626,342	B2	1/2014	Williams		8/2007	Wortham	
8,672,879	B2	3/2014	Grant et al.		9/2007	Hart et al.	
8,725,291	B2	5/2014	Czaja et al.		9/2007	Hart	
8,787,555	B2	7/2014	Gonen et al.		11/2007	Allen	
8,827,112	B2*	9/2014	Yuyama	A61J 7/02 221/237	1/2008	Williams et al.	
					2/2008	Caracciolo et al.	
8,926,526	B2	1/2015	Shuck		7/2008	Poutiatine et al.	
8,930,207	B2	1/2015	Keravich et al.		7/2008	Cantlay et al.	
8,954,190	B2	2/2015	Braunstein		8/2008	Bakar et al.	
9,014,847	B2	4/2015	Dunn		10/2008	Huber et al.	
9,031,690	B2	5/2015	Cotner		10/2008	Schiff	
9,037,616	B2	5/2015	Bessette		11/2008	Lanka et al.	
9,043,012	B2	5/2015	Davey et al.		1/2009	Hodson	
9,098,983	B2	8/2015	Rahilly		2/2009	Jung et al.	
9,107,571	B2	8/2015	Strauss et al.		3/2009	Moriyama et al.	
9,111,408	B2	8/2015	Biba et al.		3/2009	Mitsuya et al.	
9,185,501	B2	11/2015	Pai		5/2009	Shibatani et al.	
9,211,498	B2	12/2015	Akdogan et al.		5/2009	Shibatani	
9,235,689	B2	1/2016	Ervin		5/2009	Shibatani et al.	
9,242,043	B2	1/2016	Ludolph		6/2009	Takiguchi et al.	
9,245,305	B2	1/2016	Wellington et al.		6/2009	Shibatani et al.	
9,358,499	B2	6/2016	Akdogan et al.		6/2009	Takiguchi et al.	
9,358,500	B2	6/2016	Akdogan et al.		7/2009	Takiguchi	
9,361,748	B2	6/2016	Cunningham et al.		7/2009	Takiguchi et al.	
9,381,311	B2	7/2016	Holakovsky et al.		9/2009	Freeman	
9,387,153	B1	7/2016	Mazur		9/2009	Bluth	
9,400,873	B2	7/2016	Kamen et al.		10/2009	Klingel	
9,443,062	B2	9/2016	Long et al.		11/2009	Gak	A61J 7/0481 700/242
9,463,412	B2	10/2016	Akdogan et al.				
9,465,919	B2	10/2016	Kamen et al.		12/2009	Nobilet et al.	
9,475,633	B2*	10/2016	Hoover	A61J 7/0069	1/2010	Argue et al.	
9,508,935	B2	11/2016	Watanabe		1/2010	Hampton et al.	
9,550,031	B2	1/2017	Van Sickle et al.		2/2010	Kinnon et al.	
9,561,324	B2	2/2017	Estes		8/2010	Kostoff	
9,600,635	B2	3/2017	Czaja		9/2010	Yamamoto et al.	
9,665,689	B2	5/2017	O'Brien et al.		9/2010	Hansen et al.	
9,675,523	B2	6/2017	Ducatt et al.		11/2010	Nelson et al.	
9,707,358	B2	7/2017	Eggert et al.		12/2010	Gilmour et al.	
9,730,005	B2	8/2017	Pai		1/2011	Reider et al.	
2002/0026332	A1	2/2002	Snowden et al.		6/2011	Ross	
2002/0034978	A1	3/2002	Legge et al.		7/2011	Bond	
2002/0070227	A1	6/2002	Ferruccio		8/2011	Bosler	
2002/0088825	A1	7/2002	Laverdure		11/2011	Conley et al.	
2002/0165641	A1	11/2002	Manalang et al.		1/2012	Geboers	
2003/0029880	A1	2/2003	Hunts		3/2012	Amos	
2003/0042167	A1	3/2003	Balz et al.		10/2012	Saltsov	A61J 7/0076 700/236
2003/0115082	A1	6/2003	Jacobsen et al.				
2003/0127463	A1*	7/2003	Varis	A61J 7/0084 221/2	1/2013	Prince	
					2/2013	Mernoe et al.	
2003/0216625	A1	11/2003	Phipps		3/2013	Bufalini et al.	
2004/0019502	A1	1/2004	Leaman		4/2013	Tran	
2004/0039481	A1	2/2004	De La Huergra		5/2013	Kantrowitz et al.	
2004/0045858	A1	3/2004	Harrold		7/2013	Hyde et al.	
2004/0073454	A1	4/2004	Urquhart et al.		9/2013	Bryant	
2004/0077937	A1	4/2004	Yarden		9/2013	Knighton	
2004/0139000	A1	7/2004	Amos		10/2013	Leoni et al.	
2004/0158350	A1*	8/2004	Ostergaard	A61J 7/0481 700/231	11/2013	Marshall	
					11/2013	Kozloski et al.	
2004/0158507	A1	8/2004	Meek et al.		11/2013	Mathew	
2004/0244794	A1	12/2004	Richards		6/2014	Mattsson et al.	
2004/0249250	A1	12/2004	McGee et al.		8/2014	Beck et al.	

(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0241839 A1 8/2014 Beck et al.
 2014/0244033 A1 8/2014 Ucer et al.
 2014/0277136 A1 9/2014 Stein
 2014/0318078 A1* 10/2014 Kondo B65B 57/10
 53/54
 2014/0320289 A1 10/2014 Raichman
 2015/0057574 A1 2/2015 Baym et al.
 2015/0058041 A1 2/2015 Ervin
 2015/0081330 A1 3/2015 Mann et al.
 2015/0083742 A1 3/2015 Choi et al.
 2015/0148943 A1 5/2015 Sullivan
 2015/0191294 A1 7/2015 Paz
 2015/0374441 A1 12/2015 Machado et al.
 2016/0012445 A1 1/2016 Villa-Real
 2016/0066855 A1 3/2016 Hyde et al.
 2016/0089303 A1 3/2016 Latorraca et al.
 2016/0089491 A1 3/2016 Smith
 2016/0158465 A1 6/2016 Coats et al.
 2016/0210439 A1 7/2016 Hartlaub et al.
 2016/0259183 A1 9/2016 Rayner
 2016/0267229 A1 9/2016 High et al.
 2016/0283691 A1 9/2016 Ali
 2016/0314272 A1 10/2016 Braustein
 2016/0346056 A1 12/2016 Demers et al.
 2016/0350500 A1 12/2016 Benja-Athon
 2016/0354284 A1 12/2016 Liou et al.
 2016/0367188 A1 12/2016 Malik et al.
 2016/0367421 A1 12/2016 Ead
 2016/0374902 A1 12/2016 Govindasamy
 2017/0020785 A1 1/2017 McCullough
 2017/0032092 A1 2/2017 Mink et al.
 2017/0043896 A1 2/2017 Fernandez
 2017/0231870 A1 8/2017 Stachler et al.

FOREIGN PATENT DOCUMENTS

JP 2006052019 A 2/2006
 WO 1992020455 A1 11/1992

WO 1996013790 A1 5/1996
 WO 199708078 A1 3/1997
 WO 199910830 A1 3/1999
 WO 2000064754 A1 11/2000
 WO 2001067345 A1 9/2001
 WO 2001076460 A2 10/2001
 WO 2002071955 A2 9/2002
 WO 2002095645 A1 11/2002
 WO 2003015838 A2 2/2003
 WO 2003040686 A2 5/2003
 WO 2003046695 A2 6/2003
 WO 2005109119 A1 11/2005
 WO 2007070570 A2 6/2007
 WO 2009036316 A1 3/2009
 WO 2010008377 A1 1/2010
 WO 2011002319 A2 1/2011
 WO 2011055040 A1 5/2011
 WO 2011151056 A1 12/2011
 WO 2012040528 A1 3/2012
 WO 2012066580 A2 5/2012
 WO 2012069896 A1 5/2012
 WO 2012098248 A2 7/2012
 WO 2012098249 A1 7/2012
 WO 2014059310 A2 4/2014
 WO 2014144548 A2 9/2014
 WO 2015016375 A1 2/2015
 WO 2015113149 A1 8/2015
 WO 2015117049 A2 8/2015
 WO 2015196293 A1 12/2015
 WO 2016030902 A1 3/2016
 WO 2016036566 A1 3/2016
 WO 2016090315 6/2016
 WO 2016103256 A1 6/2016
 WO 2016137186 A1 9/2016
 WO 2016155970 A1 10/2016
 WO 2016181014 A1 11/2016
 WO 2016189497 A1 12/2016
 WO 2016196102 A1 12/2016
 WO 2017055728 A2 4/2017

* cited by examiner




FIG 1a




FIG 1b




FIG 2a




FIG 2b




FIG 2c




FIG 2d




FIG 3




FIG 4a




FIG 4b




FIG 5a




FIG 5b




FIG 6




FIG 7




FIG 8




FIG 9

1

**CONTROLLED DOSAGE
FORM-DISPENSING SYSTEM**

RELATED APPLICATIONS

This application is a United States National Phase entry of of International Application No. PCT/IL2015/050637 filed Jun. 22, 2015, which claims the benefit of Israel Application No. 233295, filed on Jun. 22, 2014. The entire contents of both of the foregoing applications are hereby incorporated by reference herein.

FIELD OF THE INVENTION

The present invention relates to the field of controlled medication administration. Particularly, the present invention relates to medication dispensers. More particularly, the present invention relates to a receptacle for containing and dispensing solid medicinal dosage forms. Even more particularly, the present invention relates to a medication dispenser having a multi-chamber, bulk, medicine storage and distribution unit for administering dosage forms.

BACKGROUND OF THE INVENTION

Poor medication adherence contributes to an estimated over \$290 billion in unnecessary health care costs, 89,000 deaths and 2.4 million unnecessary hospitalizations per year for the over 150 million Americans with at least one chronic condition. Moreover, more than 50% of prescriptions are not completed correctly, and for long-term patients with complex regimens, adherence has been reported to be below 30%. (New England Healthcare Institute, *Medication Adherence and Care Teams: A Call for Demonstration Projects*, September 2010.)

There exist prior art devices for containing and dispensing solid medicinal pills and other solid dosage forms, however, they all have difficulties or drawbacks associated with them.

US 2009/0281657 to Gak et al. discloses a personal medication reminder and dispensing device having a programmable personal medicine container with an alarm for reminding a person to take or administer medicine in accordance with a medication regimen. In this patent the dispenser has stationary bulk pill containers which have to be filled manually from a pharmacy supplied container. Each bulk container has its own pill dispensing apparatus.

Additional prior art documents that describe medication dispensers include: US 2012055948, US2006097000, US 2003127463, US 2006180900 and US 2008300719, however, none of the above patent documents solve the problems associated with medication adherence in the inventive manner in which the present invention does.

Accordingly, it is an object of the present invention to obviate the problems mentioned above and other associated problems by providing a controlled dosage form-dispensing system comprising both a personal and portable device, that may be programmed only by authorized persons, in order to dispense the correct number of dosage forms, such as pills at the desired time on the desired day, to accomplish these objectives. The term "personal" as used herein is intended to denote that the device is individualized to the specific user for his personal use, as will be most convenient and appropriate for the user, for example, at home or in a care center such as a hospital or health care facility.

Additionally, it is an object of the present invention to provide a controlled dosage form-dispensing system for containing and dispensing solid medicinal dosage forms,

2

such as tablets, caplets, capsules and other solid forms in hospitals and nursing facilities as well as at home.

It is yet another object of the present invention to provide a controlled dosage form-dispensing system for containing and dispensing solid medicinal dosage forms, one or more at a time.

It is another object of the present invention to provide a controlled pill-dispensing system that is fully automated, thereby reducing errors in adhering to a medication regimen, and thereby avoid the dangers associated with such errors.

It is yet another object of the present invention to provide a controlled pill-dispensing system for containing and dispensing solid medicinal dosage forms that is easy and inexpensive to manufacture, and simple to use.

It is yet another object of the present invention to provide a lockable bulk chamber supplied by the pharmacy and receivable by the personal dispenser and openable only by the dispenser.

Additional objects and advantages of the invention will become apparent as the description proceeds.

SUMMARY OF THE INVENTION

In one embodiment, this invention provides a controlled dosage form-dispensing device, comprising:

- a. a multi-chamber, bulk medicine storage and distribution unit, wherein said unit is provided with a plurality of individual dosage form-containing storage chambers with respective delivery ports; and
- b. a personal medication dispenser comprising a fixed dosage form extracting station comprising a dosage form receiving and extracting mechanism;

wherein said medication dispenser is provided with a controller which moves said bulk medicine storage and distribution unit, sequentially bringing said respective delivery port of a predetermined chamber into register with said fixed dosage form extracting station such that said dosage form receiving and extracting mechanism extracts and receives only one dosage form at a time.

In some aspects, the controlled dosage form-dispensing device allows for the regulated access of the user to the dosage forms/medicinal products located within the device.

In some aspects, the devices of this invention promote the bulk medicine storage and distribution unit being moved about an axis to bring same (via its respective delivery ports) into register with the extracting unit such that only one dosage form at a time is released. In some embodiments, the sequential delivery can be quite fast, so that although the dosage forms are delivered one at a time, rapid administration is accommodated.

In some aspects, the device is suitable for use with any solid dosage form.

In one embodiment of the present invention there is provided a controlled dosage form-dispensing system, comprising:

- a. a multi-chamber, bulk medicine storage and distribution unit, wherein said unit is provided with a plurality of individual dosage form-containing chambers; and
- b. a portable personal medication dispenser incorporating said unit;

wherein each of said pill storage chambers is provided with a delivery port, and said medication dispenser is provided with means for moving said unit to sequentially bring a delivery port of a predetermined chamber into register with a fixed pill extracting station comprising a pill receiving and extracting mechanism, said mechanism extracting and receiving only one pill at a time.

In some aspects, each chamber is sized to receive and engage individual drug distributor issued, pre-packaged pill storage containers.

In some aspects, each chamber is sized to receive and engage individual drug distributor issued, pre-packaged dosage form storage containers.

In some embodiments, individual drug distributor issued, prepackaged dosage form storage containers are locked once filled, and are unlockable only within said personal medication dispenser.

In some embodiments, the controlled dosage form-dispensing device further comprises:

- a. at least one portable dosage form-dispensing cassette having a plurality of compartments and a first delivery controller for delivery of a predetermined dosage form from a predetermined compartment of said portable dosage form-dispensing cassette, said at least one portable cassette being releasably attachable to a personal medication dispenser; and
- b. a second delivery controller for the controlled delivery of predetermined dosage forms from said multi-chamber, bulk medicine storage and distribution unit to said portable dosage form-dispensing cassette via a conduit in said personal medication dispenser.

In some aspects, said system further comprises

- a. at least one portable pill-dispensing cassette having a plurality of compartments and means for controlled delivery of a predetermined pill from a predetermined compartment of said cassette, said at least one portable cassette being releasably attachable to said personal medication dispenser; and
- b. means for the controlled delivery of predetermined dosage forms from said unit to said portable cassette via said medication dispenser.

In some embodiments of the present invention there is provided a controlled dosage form-dispensing system comprising:

- a. a multi-chamber, bulk medicine storage and distribution unit, wherein said unit is provided with a plurality of individual chambers, each chamber being sized to receive and engage individual drug distributor issued, pre-packaged pill storage containers;
- b. a home (or personal) medication dispenser incorporating said unit;
- c. at least one portable pill-dispensing cassette having a plurality of compartments and means for controlled delivery of a predetermined pill from a predetermined compartment of said cassette, said at least one portable cassette being releasably attachable to said home (or personal) medication dispenser; and
- d. means for the controlled delivery of predetermined pills from said unit to said portable cassette via said medication dispenser;

wherein each of said pill storage containers is provided with a delivery port, and said medication dispenser is provided with means for moving said unit to sequentially bring a delivery port of a predetermined compartment and its chamber into register with a fixed pill extracting station comprising a pill receiving and extracting mechanism, said mechanism extracting and receiving only one pill at a time.

In some embodiments, said individual prepackaged pill storage containers are locked once filled, and are unlockable only within said medication dispenser.

In some embodiments, each chamber is sized to receive and engage individual drug distributor issued, pre-packaged dosage form storage containers.

In some embodiments, the device is provided with a portable pocket dispensing unit into which said portable dosage form-dispensing cassette is inserted. According to this aspect, and in some embodiments, the portable pocket dispensing unit is in wireless communication with a network.

According to this aspect, and in some embodiments, the device dispenses drugs and provides any one of an audio, visual and radio communication signal to a user according to the information received from said RFID tag.

In some embodiments, the portable dosage form-dispensing cassette is disposable.

In some embodiments, the personal medication dispenser comprises a rotator which rotates said multi-chamber, bulk medicine storage and distribution unit. According to this aspect, the rotator may be constructed of any appropriate material and of any appropriate structure, which can be manually or motor-operated, capable of rotating the multi-chamber bulk medicine storage and distribution unit, as described, and exemplified herein and as will be apparent to the skilled artisan.

In some embodiments said medication dispenser is provided with any of many means for rotating said unit.

In some embodiments each chamber or each container contains a multiplicity of a single type of dosage form.

In some aspects, the device is provided with a portable pocket dispensing unit into which said portable dosage form-dispensing cassette is inserted.

In some embodiments, the portable pocket dispensing unit is in wireless communication with a network. In some embodiments, the device dispenses drugs and provides any one of an audio, visual and radio communication signal to a user according to the information received from said RFID tag.

In some embodiments, the portable dosage form-dispensing cassette is disposable.

In some embodiments, the personal medication dispenser comprises a rotator which rotates said multi-chamber, bulk medicine storage and distribution unit.

In some aspects, the system is provided with a portable pocket dispensing unit into which said portable cassette is inserted.

In other embodiments, individual prepackaged pill storage containers are locked once filled and are unlockable only within the medication dispenser. Each container contains, in some embodiments, a multiplicity of a single type of pill or in some embodiments, multiple dosage forms which may be of various types.

Thus, in some embodiments, in order to secure the dosage forms and ensure that same are only delivered to the intended patient, said containers are locked during delivery and transport.

Thereafter, they are locked into their respective chambers in the bulk medicine storage and distribution unit, and in some embodiments, are extractable only by means of the stationary pill receiving and extracting mechanism.

The medicine storage and distribution unit is in some embodiments, removable from the dispenser for external prepackaging of drug distributor issued dosage forms.

In some aspects, the personal medication dispenser is preferably further provided with a channel for the controlled delivery of predetermined dosage forms from the unit to a dispensing receptacle for receiving a pill from the channel and dispensing the same.

In some aspect, the personal medication dispenser comprises a conduit for the controlled delivery of predetermined dosage forms from said multi-chamber, bulk medicine stor-

5

age and distribution unit to a dispensing receptacle for receiving a pill from said channel and dispensing the same.

In some aspects, the personal medication dispenser is in communication with said portable cassette, said cassette having an RFID (radio frequency identification) tag, or other form of bar code, for storing information related to the cassette contents.

In some embodiments, the system is also provided with a pocket dispensing unit into which the portable cassette is inserted.

In some aspects, the system dispenses drugs and provides any one of an audio, visual and radio communication signal to a user according to the information received from the RFID tag.

In other embodiments, the individual chambers, the portable pill dispensing cassette and the removable medicine storage and distribution unit are each optionally disposable.

In other embodiments, the personal medication dispenser is sized such that it is movable and can be moved from one location to another simply by picking it up and carrying it to the desired location.

In other embodiments, the personal medication dispenser may be operated by a home care personnel or the user.

In other embodiments, each of the home or personal medication dispenser and the pocket dispensing unit are in wireless communication with a network, such as a cloud-based network

To accomplish the above and related objects, the invention may be embodied in the form illustrated in the accompanying drawings. With specific reference now to the figures in detail, it is stressed that the particulars shown are by way of example and for purposes of illustrative discussion of the preferred embodiments of the present invention only and are presented in the cause of providing what is believed to be the most useful and readily understood description of the principles and conceptual aspects of the invention. In this regard, no attempt is made to show details of the invention in more detail than is necessary for a fundamental understanding of the invention, the description taken with the attached figures making apparent to those skilled in the art how the several forms of the invention may be embodied in practice.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1*a* shows a front perspective view of an assembled controlled dosage form-dispensing system of the present invention.

FIG. 1*b* shows a front perspective view of an assembled controlled dosage form-dispensing system of the present invention;

FIG. 2*a* shows a back perspective view of a controlled dosage form-dispensing system of the present invention;

FIG. 2*b* shows schematically, a personal medication dispenser and its components, longitudinally cross sectioned, such that the internal components of a dispenser are seen;

FIG. 2*c* shows a dosage form receiving and extracting mechanism with a series of holes in the rotating disc and shows a rotating rim.

FIG. 2*d* shows a dosage form receiving and extracting mechanism with a rotating rim provided with a series of holes.

FIG. 3 shows a medicine storage and distribution unit of the present invention;

FIGS. 4*a* and 4*b* show a sectioned portion (FIG. 4*a*) and cover portion (FIG. 4*b*) of a medicine storage and distribution unit of FIG. 3;

6

FIG. 5*a* shows a single container for disposing within a chamber of a medicine storage and distribution unit;

FIG. 5*b* shows a cross sectional view of a container of FIG. 5*a*, showing the door opening mechanism;

FIG. 6 shows a portable dosage form-dispensing cassette of the present invention;

FIG. 7 shows schematically, a personal medication dispenser and its components, longitudinally cross sectioned, such that the internal components of the dispenser are seen;

FIG. 8 shows a front view of a pocket dispenser of the present invention; and

FIG. 9 shows a back view of a portable pocket dispenser of FIG. 8, with a portable dosage form-dispensing cassette secured therein as well as detached therefrom.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

An embodiment of a controlled dosage form-dispensing system of the present invention is shown assembled in a front perspective view in FIG. 1*a* and in a back perspective view in FIG. 2*a*, and is generally designated by numeral (100). System (100) comprises a home medication dispenser (102) for accommodating a medicine storage and distribution unit (104) at the back (106) of dispenser (102). The front (108) of dispenser (102) comprises a display screen (110). A door (105) for filling the container is also provided.

Referring to FIG. 2*b*, controlled dosage form-dispensing system (100) is shown schematically, longitudinally cross-sectioned, such that dispenser (102) and its internal components are seen. When storage and distribution unit (104) is installed within dispenser (102), driving and rotating mechanism (160) shifts in the direction of arrows (162) such that shaft (172) is disposed within opening (128) of storage and distribution unit (104). Preferably, the shifting of driving and rotating mechanism (160) is automated, however the user may selectively shift driving and rotating mechanism (160) manually.

The pill receiving and extracting mechanism (111), shown in FIG. 2*c*, has a rotating rim (113). Disk (131) has a series of holes (105) sized from small to big into which a single dosage form will enter when the disk (131) is rotated from behind the rim (113) serially exposing holes (105) from the smallest hole (105) to the biggest hole, (shown in FIG. 2*c*) of a particular bulk storage single container (103). When the hole (105) is larger than the dosage form, a dosage form will enter the hole (105). As soon as a dosage form is detected by electronic means (107) the rim (113) is rotated in the reverse direction closing off all the holes (105), preventing an additional dosage form from entering a hole (105) and allowing the disk (131) to rotate freely and unhindered by additional dosage forms to bring the dosage form trapped in hole (105) opposite funnel (190) and deposit the dosage form in funnel (190). (as shown in FIG. 2*b*) causing the dosage form to fall through the chute (176) into the dosage form dispensing receptacle (114). The dosage form is further advanced into the hole (105) by vibrating the receiving and extracting mechanism (111).

In a further embodiment of the receiving and extracting mechanism (111), the dosage form receiving and extracting mechanism (111), also shown in FIG. 2*d*, has a rotating rim (121) provided with a series of holes (123) sized from small to big into which a single dosage form will enter when the rim (121) is rotated in proximity to exit aperture cavity (119), (shown in FIG. 2*d* with dashed line as it is below rim (121)) of a particular bulk storage single container (103). As the rim (121) rotates, smallest hole (127) is exposed first and

the hole size increases as the rim (121) advances. When the hole (123) is larger than the dosage form, a dosage form will enter the hole (123). Fixedly positioned below the rim (121) is an exit aperture cavity (119) which has a trap door (129). As soon as a dosage form is detected by electronic means (125) the rim (121) is rotated in the reverse direction closing off exit aperture cavity (119), preventing an additional dosage form from entering exit aperture cavity (119). Trap Door (129) opens, releasing dosage form into funnel (190). (as shown in FIG. 2b) causing the dosage form to fall through the chute (176) into the dosage form dispensing receptacle (114). The dosage form is further advanced into the hole (105) by vibrating the receiving and extracting mechanism (111).

A further embodiment of the receiving and extracting mechanism (111) could operate on a vacuum extractor which is extensively used in industry and will lift and transfer each independent dosage form from the aperture (115) to the funnel (190).

If a further embodiment as in FIG. 1b, a portable dosage form-dispensing cassette (112) and a dispensing receptacle (114) are provided. Cassette (112) is removably attached to dispenser (102), as described herein below. Ports (116) for connecting to a control station (not shown) are situated along a first side (118) of dispenser (102). It is understood that the configuration of dispenser (102) and its components shown in the figures are according to a preferred embodiment, but may be modified in other embodiments based on factors such as manufacturing costs, as well as structural and design considerations.

Referring to FIGS. 3, 4a and 4b, the multi-chamber, bulk medicine storage and distribution unit (104) is shown assembled (FIG. 3) in the shape of a wheel, and disassembled into sectioned portion (120) (FIG. 4a) and cover portion (122) (FIG. 4b). With reference to FIG. 4a, sectioned portion (120) comprises a disc base (124) having a central hexagonal hollow extension (126), extending orthogonally from disc base (124), forming opening (128) into which a shaft (not shown in this figure) is inserted, in order to rotate unit (104), as described herein below. A ring (130) for coupling with cover portion (122), is situated within central hexagonal extension (126), at the distal edge (131) of hexagonal extension (126). Partition walls (132) extend radially from the corner edges (134) of hexagonal extension (126) until outer edge (136) of disc base (124). With reference to FIG. 4b, cover portion (122) comprises a disc base (138) having a central cylindrical extension (140) for coupling with ring (130) of sectioned portion (120) (FIG. 4a), and an outer cylindrical wall (142) extending orthogonally from outer edge (139) of disc base (138). A gap (144) in outer cylindrical wall (142) is formed to enable a pre-packaged dosage form storage container (148) (see FIG. 5a) to be removed and replaced within storage and distribution unit (104), as described herein below. When assembled, sectioned portion (120) and cover portion (122) are rotatably connected via ring (130) and central cylindrical extension (140), such that each portion (120), (122) may be rotated independently of the other. Storage and distribution unit (104) may be disposable or reusable.

When unit (104) is assembled, as seen in FIG. 3, a plurality of individual chambers are formed between adjacent partition walls (132) and the surrounding walls of storage and distribution unit (104). Specifically, the walls of the individual hexagonal chambers include the base (146) between two adjacent partition walls (132), the wall of disc

base (124) of sectioned portion (120), the wall of disc base (138) of cover portion (122), and outer cylindrical wall (142).

In FIG. 5a, a disposable pre-packaged dosage form storage container (148) is shown. Alternatively, container (148) is reusable. Container (148) is provided to the user as a pre-packaged dosage form storage package that is locked once filled, and only unlockable within dispenser (102). Each container (148) comprises a multiplicity of a single type of dosage forms (not shown).

Container (148) has a truncated wedge shape in order to install container (148) within a chamber of storage and distribution unit (104). Gap (144) in outer cylindrical wall (142) is slightly larger than the curved wall (149) of container (148) such that container (148) may be selectively inserted and removed from a desired chamber compartment, described herein below. As seen in FIG. 5a, an RFID tag (150) is situated on any wall of each container (148) for storing data related to the medicine contained therein. As well, as shown in FIG. 3, an RFID tag (151) is situated on storage and distribution unit (104) when assembled. Tag (151) has a range of 20-40 cm and can be situated anywhere on storage and distribution unit (104) for communication with an electronic reader.

Referring still to FIG. 5a, two channels (152) run through container (148) from a first trapezoidal face (145) toward a second trapezoidal face (147) of container (148), for receiving securing pins (154) (see FIG. 7) to lock container (148) within storage and distribution unit (104) as well as to unlock and open door (155) (see FIG. 5b) via projections (158) and spring (159) when medicine storage and distribution unit (104) is installed within dispenser (102), as described herein below. Both the storage and distribution unit (104) and each container (148) are constructed preferably of a transparent material to enable the user to view the contents of container (148).

With reference to FIG. 5b, showing a cross-sectional view of container (148) cut along A-A of FIG. 5a, door (155) is shown in the normally closed position, along with a portion of side walls (153a), (153b) of container (148). Securing pins (154) are positioned out of channels (152) for illustrative purposes. As described below, securing pins (154) pass through openings (137) in disc base (124) of cover portion (120) (see FIGS. 3 and 4a), and enter into channels (152), thereby securing container (148) within storage and distribution unit (104). Projections (158) extend from the edges of side walls (153a), (153b) of container (148) through apertures (157) and into channels (152), for locking door (155) in a closed position. In order to shift door (155) to an open position for allowing the medicine contained within container (148) to exit therefrom, securing pins (154) are inserted further into channels (152) and push projections (158) out of channel (152), thereby allowing door (155) to be slidingly, shiftable. After projections are pushed out of channels (152), pins (154) are inserted further into channels (152) and force the base (163) of door (155) toward edge (165), thereby compressing springs (159). Medicine may then be removed from compartment (148) via the opening formed when door (155) is in the open position (not shown.)

In order to return door (155) to the normally closed and locked position, securing pins (154) are removed from channels (152), and springs (159) force door (155) back to the normally closed position. Projections (158) enter channels (152) thereby locking door (155) in the normally closed position.

FIG. 6 shows portable dosage form-dispensing cassette (112), also seen in FIG. 1 removed from dispenser (102), and

comprises an outer housing (164), which is fixed in place when cassette (112) is attached to dispenser (102), and an inner housing (166), which is independently rotatable about its central axis. Inner housing (166) comprises multiple compartments (168) for accommodating medicine therein. A central opening (170) is formed at the center of cassette (112), into which a rotating shaft (not shown in this figure) is inserted when cassette (112) is attached to dispenser (102), as described herein below.

Referring to FIG. 7, controlled dosage form-dispensing system (100) is shown schematically, longitudinally cross sectioned, such that dispenser (102) and its internal components are seen. When storage and distribution unit (104) is installed within dispenser (102), driving and rotating mechanism (160) shifts in the direction of arrows (162) such that shaft (172) is disposed within opening (128) of storage and distribution unit (104), and securing pins (154) pass through openings (137) in disc base (124) of cover portion (120) (see FIGS. 3 and 4a), and enter into channels (152). Preferably, the shifting of driving and rotating mechanism (160) is automated, however the user may selectively shift driving and rotating mechanism (160) manually.

Gap (144) in outer cylindrical wall (142) (FIG. 4b, not seen in FIG. 7) is normally disposed downward, toward the inside of dispenser (102) after container (148) is installed therein, to cover moving parts and thus prevent injury to user. When it is desired to replace an empty container with a container containing dosage forms, cover portion (122) (FIG. 4b) is rotated, either manually or by motor (161), around its central axis such that gap (144) is positioned upward, toward the outside of dispenser (102) to allow a container (148) to be removed from storage and distribution unit (104) via gap (144). In a preferred embodiment, when motor (161) turns in one direction it rotates storage and distribution unit (104); when it turns in the opposite direction it rotates cover portion (122). Following the replacement with a new container (148), cover portion (122) is then rotated back to its normal orientations such that gap (144) is disposed toward the inside of dispenser (102).

When it is time to administer a dosage form, driving and rotating mechanism (160) moves in the direction of arrows (162) and enters and engages into opening (128) and rotates sectioned portion (120) via motor (161) to align the container (148) from which a dosage form is to be removed, with the dosage form receiving and extracting mechanism (175). The door of container (177) is now opened as described previously and a dosage form from container (177) can now enter via the open container door into the extracting mechanism (175) which is now aligned with the open container door. Securing pins (154) unlock the chamber door (155) (see FIG. 5b) as described above, and a predetermined number of dosage forms are extracted from container (148) through opening (141) in hexagonal extension (140) and transferred to a first, main chute (174) for directing the pill or dosage forms to either portable cassette (112), or alternatively, to a second, branch chute (176) for directing the dosage form or dosage forms to dispensing receptacle (114). A diverter valve comprising a pivoting hatch (178) is situated at the junction of first and second chutes (174), (176), and selectively opens and closes the desired chutes (174), (176) for diverting the dosage form or dosage forms to the suitable chute (174), (176) depending on the desired final location of the pill or dosage forms. The receptacle (114) is a container with or without a manual door into which the dosage form falls and can be removed manually.

Shaft (180), extending from motor (182) is inserted into central opening (170) (See FIG. 6) of portable cassette (112) for rotating cassette (112) such that a desired compartment (168), for instance, if it is empty or low on dosage forms, is aligned with first chute (174) in order to receive a pill or dosage forms from storage and distribution unit (104) when needed.

Also shown in FIG. 7 is display screen (110) and a printed circuit board with microprocessor (184). A power source comprising a battery pack (186) is positioned at back wall (106) of dispenser (102). Battery pack (186) may be of the rechargeable type.

In order to operate system (100) of the present invention, medication dispenser (102) is preprogrammed at a hospital, doctor's office, pharmacy or by any authorized healthcare professional at the home of the patient to dispense medication at predetermined times and amounts. Dispenser (102) is provided with wireless communication means, or alternatively, wired communication means via ports (116) on side (118) of dispenser for communicating with a control center and/or with a cloud-based network. In one aspect display screen (110) functions solely as a panel for providing to the user relevant data such as: type of medication currently in dispenser (102), time of next medication release, etc., but does not enable an authorized user to program system (100) therefrom. In another aspect, display screen (110) functions as well as a controller for enabling an authorized user to program system (100) therefrom. Display screen (110) additionally provides a visual indicator to the user to alert him to take the medication. Additionally or alternatively, other alerting means, such as audio, may be used to remind the user to take the medication.

The controlled dosage form-dispensing system (100) of the present invention further comprises a pocket dispenser (188) shown in a front perspective view in FIG. 8, and in a back view in FIG. 9, showing cassette (112) both within pocket dispenser (188) and removed therefrom. Pocket dispenser (188) is shown comprising an LCD display screen (190) (although in some embodiments screen (190) is not present), a receptacle (192) for receiving dosage forms removed from cassette (112) and a dosage form releasing mechanism (194) for removing dosage forms from a cassette compartment (168) and transferring to receptacle (192). In a preferred embodiment this will be manually operated. Pocket dispenser (188) comprises the same essential features as that of the home medication dispenser described herein above, mutatis mutandis, such as requiring an authorized user to program the times of dispensing, the number of dosage forms, etc. According to one aspect, portable pocket dispenser (188) is disposable, and according to another aspect, pocket dispenser (188) is reusable.

It should be noted that the terms, "medicine" and "pill" and "dosage form" and grammatical forms thereof are used interchangeably herein, and refer to any form of solid medicament, including tablets, caplets, and capsules and others.

It is understood that the above description of the embodiments of the present invention are for illustrative purposes only, and is not meant to be exhaustive or to limit the invention to the precise form or forms disclosed, as many modifications and variations are possible. Such modifications and variations are intended to be included within the scope of the present invention as defined by the accompanying claims.

What is claimed is:

1. A controlled dosage form-dispensing device, comprising:

11

- a. a multi-chamber, bulk medicine storage and distribution unit, wherein said unit is provided with a plurality of individual dosage form-containing storage chambers with respective delivery ports;
- a personal medication dispenser comprising:
- a fixed dosage form extracting station comprising a dosage form receiving and extracting mechanism; and
 - a pair of chutes to receive and deliver the dosage form to either at least one portable dosage form-dispensing cassette or to a dispensing receptacle, said chutes being selectively opened and closed by a pivoting hatch;
- wherein said personal medication dispenser is provided with a controller which moves said bulk medicine storage and distribution unit sequentially bringing said respective delivery port of a predetermined chamber into register with said fixed dosage form extracting station such that said dosage form receiving and extracting mechanism extracts and receives only one dosage form at a time;
- c. the at least one portable dosage form-dispensing cassette having a plurality of compartments and a first delivery controller for delivery of a predetermined dosage form from a predetermined compartment of said portable dosage form-dispensing cassette, said at least one portable dosage form-dispensing cassette being releasably attachable to the personal medication dispenser; and
- d. a second delivery controller for the controlled delivery of predetermined dosage forms from said multi-chamber, bulk medicine storage and distribution unit to said portable dosage form-dispensing cassette via one of said chutes.
2. A controlled dosage form-dispensing device according to claim 1, wherein each chamber is sized to receive and engage individual drug distributor issued, pre-packaged dosage form storage containers.
3. A controlled dosage form dispensing device of claim 2, wherein said individual drug distributor issued, prepackaged dosage form storage containers are locked once filled, and are unlockable only within said personal medication dispenser.
4. A controlled dosage form dispensing device of claim 1, wherein said device is provided with a portable pocket dispensing unit into which said portable dosage form-dispensing cassette is inserted.

12

5. A controlled dosage form dispensing device of claim 4, wherein said portable pocket dispensing unit is in wireless communication with a network.
6. A controlled dosage form dispensing device of claim 1, wherein said device dispenses drugs and provides any one of an audio, visual and radio communication signal to a user according to the information received from a RFID tag.
7. A controlled dosage form dispensing device of claim 1, wherein said portable dosage form-dispensing cassette is disposable.
8. A controlled dosage form dispensing device of claim 1, wherein said personal medication dispenser comprises a rotator which rotates said multi-chamber, bulk medicine storage and distribution unit.
9. A controlled dosage form dispensing device of claim 1, wherein each chamber accommodates or contains a multiplicity of a single type of dosage form.
10. A controlled dosage form dispensing device of claim 1, wherein said multi-chamber, bulk medicine storage and distribution unit is removable from said personal medication dispenser for external prepackaging of drug distributor issued dosage forms.
11. A controlled dosage form dispensing device of claim 1, wherein said personal medication dispenser comprises a conduit for the controlled delivery of predetermined dosage forms from said multi-chamber, bulk medicine storage and distribution unit to a dispensing receptacle for receiving a pill from said channel and dispensing the same.
12. A controlled dosage form dispensing device of claim 1, wherein said personal medication dispenser is in communication with said portable dosage form-dispensing cassette, said portable dosage form-dispensing cassette having an RFID tag for storing information related to the cassette contents.
13. A controlled dosage form dispensing device of claim 1, wherein said multi-chamber, bulk medicine storage and distribution unit is removable and disposable.
14. A controlled dosage form dispensing device of claim 1, wherein said individual chambers are disposable.
15. A controlled dosage form dispensing device of claim 1, wherein said personal medication dispenser is in wireless communication with a network.

* * * * *