



US010494409B2

(12) **United States Patent**  
**Baum et al.**

(10) **Patent No.:** **US 10,494,409 B2**  
(45) **Date of Patent:** **Dec. 3, 2019**

(54) **CHIMERIC INSECTICIDAL PROTEINS TOXIC OR INHIBITORY TO LEPIDOPTERAN PESTS**

(71) Applicant: **Monsanto Technology LLC**, St. Louis, MO (US)

(72) Inventors: **James A. Baum**, Webster Groves, MO (US); **Thomas A. Cerruti**, Newton, MA (US); **Crystal L. Dart**, Norton, MA (US); **Leigh H. English**, Chesterfield, MO (US); **Stanislaw Flasiński**, Chesterfield, MO (US); **Xiaoran Fu**, Belmont, MA (US); **Victor M. Guzov**, Cambridge, MA (US); **Arlene R. Howe**, Chesterfield, MO (US); **Jay P. Morgenstern**, Boston, MA (US); **James K. Roberts**, Chesterfield, MO (US); **Sara A. Salvador**, Wildwood, MO (US); **Jinling Wang**, Belmont, MA (US)

5,510,471 A 4/1996 Lebrun et al.  
5,627,061 A 5/1997 Barry et al.  
5,633,435 A 5/1997 Barry et al.  
5,633,448 A 5/1997 Lebrun et al.  
5,728,925 A 3/1998 Herrera-Estrella et al.  
5,880,275 A 3/1999 Fischhoff et al.  
6,017,534 A 1/2000 Marlvar et al.  
6,033,874 A 3/2000 Baum et al.  
6,204,246 B1 3/2001 Bosch et al.  
6,218,188 B1\* 4/2001 Cardineau ..... C07K 14/325  
435/468

6,501,009 B1 12/2002 Romano  
6,713,063 B1 3/2004 Malvar et al.  
6,962,705 B2 11/2005 Malvar et al.  
7,064,249 B2 6/2006 Corbin et al.  
7,070,982 B2 7/2006 Malvar et al.  
7,193,133 B2 3/2007 Lassner et al.  
7,510,878 B2 3/2009 Abad et al.  
7,772,465 B2 8/2010 Abad et al.  
7,812,129 B1 10/2010 Abad et al.  
8,344,207 B2 1/2013 Bogdanova et al.  
8,609,936 B2 12/2013 Baum et al.  
2003/0119158 A1\* 6/2003 Malvar ..... C07K 14/325  
435/184

2006/0021087 A1 1/2006 Baum et al.  
2006/0112447 A1 5/2006 Bogdanova et al.  
2008/0172762 A1 7/2008 Cerf et al.  
2008/0256667 A1 10/2008 Dersch et al.  
2008/0280361 A1 11/2008 Calabotta et al.  
2008/0282432 A1 11/2008 Duncan et al.  
2009/0138985 A1 5/2009 Martinell et al.  
2009/0142837 A1 6/2009 Adams, Jr. et al.  
2009/0313721 A1 12/2009 Abad et al.

(73) Assignee: **Monsanto Technology LLC**, St. Louis, MO (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 70 days.

(21) Appl. No.: **15/848,852**

(22) Filed: **Dec. 20, 2017**

(65) **Prior Publication Data**

US 2018/0127773 A1 May 10, 2018

**Related U.S. Application Data**

(63) Continuation of application No. 14/884,469, filed on Oct. 15, 2015, now Pat. No. 10,233,217.

(60) Provisional application No. 62/064,989, filed on Oct. 16, 2014.

(51) **Int. Cl.**  
**C07K 14/325** (2006.01)  
**C12N 15/82** (2006.01)  
**A01N 63/02** (2006.01)  
**C12N 15/62** (2006.01)

(52) **U.S. Cl.**  
CPC ..... **C07K 14/325** (2013.01); **A01N 63/02** (2013.01); **C12N 15/8286** (2013.01); **C07K 2319/00** (2013.01); **C12N 15/62** (2013.01); **Y02A 40/162** (2018.01)

(58) **Field of Classification Search**  
None  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,188,642 A 2/1993 Shah et al.  
5,312,910 A 5/1994 Kishore et al.  
5,500,365 A 3/1996 Fischhoff et al.

**FOREIGN PATENT DOCUMENTS**

EP 0189707 A2 8/1986  
EP 0508909 A1 10/1992

(Continued)

**OTHER PUBLICATIONS**

Fourgoux-Nicol et al *Plant Mol. Biol.* (1999) 40: 857-872.\*  
Pardo Lopez et al, *Peptides* (2009) 30:589-595.\*  
Aronson et al, *FEMS Microbiol. Lett.* (2001) 195:1-8.\*  
Herrero et al., *Biochem. J.* (2004) 384, 507-513.\*  
Abdul-Rauf et al, *Curr. Microbiol.* (1999) 39, 94-98.\*  
UniProt Accession No. Q45739, Integrated into UniProt on May 30, 2000; initial submission on Nov. 1, 1996.\*  
Abdul-Rauf et al., "Mutations of Loop 2 and Loop 3 Residues in Domain II of *Bacillus thuringiensis* Cry1C  $\delta$ -Endotoxin Affect Insecticidal Specificity and Initial Binding to *Spodoptera littoralis* and *Aedes aegypti* Midgut Membranes," *Current Microbiology*, 39:94-98 (1999).

(Continued)

*Primary Examiner* — Mykola V. Kovalenko  
(74) *Attorney, Agent, or Firm* — Timothy K. Ball; Carine M. Doyle; Arnold & Porter Kaye Scholer LLP

(57) **ABSTRACT**

Nucleotide sequences are disclosed that encode novel chimeric insecticidal proteins exhibiting Lepidopteran inhibitory activity. Particular embodiments provide compositions and transformed plants, plant parts, and seeds containing the recombinant nucleic acid molecules encoding one or more of the chimeric insecticidal proteins.

**19 Claims, No Drawings**

**Specification includes a Sequence Listing.**

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2009/0313722	A1*	12/2009	Abad .....	C07K 14/32 800/279
2010/0004176	A1	1/2010	Sampson et al.	
2010/0017914	A1	1/2010	Hart et al.	
2010/0077507	A1	3/2010	Abad et al.	
2010/0077508	A1	3/2010	Abad et al.	
2010/0137216	A1	6/2010	Carozzi et al.	
2010/0160231	A1	6/2010	Sampson et al.	
2010/0192256	A1	6/2010	Abad et al.	
2010/0197592	A1	8/2010	Heinrichs	
2010/0269221	A1	10/2010	Abad et al.	
2010/0317569	A1	12/2010	Lira et al.	
2010/0319092	A1	12/2010	Lira et al.	
2010/0319093	A1	12/2010	Lira et al.	
2011/0030096	A1	2/2011	Lira et al.	
2011/0055968	A1	3/2011	Cerf et al.	
2011/0112013	A1	5/2011	Abad et al.	
2011/0154536	A1	6/2011	Abad et al.	
2012/0047606	A1	2/2012	Abad et al.	
2012/0117690	A1	5/2012	Cerf et al.	
2012/0167259	A1	6/2012	Liu et al.	
2012/0192310	A1	7/2012	Abad et al.	
2012/0210462	A1	8/2012	Bermudez et al.	
2012/0233726	A1	9/2012	Abad et al.	
2012/0317681	A1	12/2012	Meade et al.	
2013/0055469	A1	2/2013	Sampson et al.	
2013/0097735	A1	4/2013	Bowen et al.	
2013/0104259	A1	4/2013	Sampson et al.	
2013/0117884	A1	5/2013	Hargiss et al.	
2013/0167264	A1	6/2013	Sampson et al.	
2013/0219570	A1	8/2013	Lira et al.	
2013/0269060	A1	10/2013	Baum et al.	
2013/0303440	A1	11/2013	Sampson et al.	
2013/0310543	A1	11/2013	Sampson et al.	
2014/0007292	A1	1/2014	Cerf et al.	
2014/0033361	A1	1/2014	Altier et al.	
2014/0033363	A1	1/2014	Sampson	
2014/0196175	A1	7/2014	Sampson et al.	
2014/0223599	A1	8/2014	Sampson et al.	
2014/0245491	A1	8/2014	Sampson et al.	
2014/0298538	A1	10/2014	Heinrichs et al.	
2014/0366227	A1	12/2014	Gatehouse et al.	
2014/0373195	A1	12/2014	Sampson et al.	

## FOREIGN PATENT DOCUMENTS

EP	0218571	B1	2/1993
EP	0924299	A1	6/1999
JP	2009-505679	A	2/2009
JP	2013-514769	A	5/2013
WO	WO 90/10076		9/1990
WO	WO 99/24581	A2	5/1999
WO	WO 01/14562	A1	3/2001
WO	WO 01/19859	A2	3/2001
WO	WO 02/14517	A1	2/2002
WO	WO 2004/020636	A1	3/2004
WO	WO2007027777	A1	3/2007
WO	WO 2011/075588	A1	6/2011
WO	WO2011075588	A1	6/2011
WO	WO 2014/008054	A2	1/2014
WO	WO 2014/055881	A1	4/2014

## OTHER PUBLICATIONS

Aronson et al., "Why *Bacillus thuringiensis* insecticidal toxins are so effective: unique features of their mode of action," *FEMS Microbiology Letters*, 195:1-8 (2001).

Baig et al., "cry Genes profiling and the toxicity of isolates of *Bacillus thuringiensis* from soil samples against American bollworm, *Helicoverpa armigera*," *Journal of Applied Microbiology*, 109:1967-1978 (2010).

Bravo et al., "Mode of action of *Bacillus thuringiensis* Cry and Cyt toxins and their potential for insect control," *Toxins*, 49:423-435 (2007).

Database UniProt, Database accession No. D9U3MO (2010).

De Maagd et al., "*Bacillus thuringiensis* delta-endotoxin Cry1C domain III Can Function as a Specificity Determinant for *Spodoptera exigua* in Different, but Not All, Cry1-Cry1C Hybrids," *Applied and Environmental Microbiology*, 66(4):1559-1563 (2000).

Della-Cioppa et al., "Translocation of the precursor of 5-enolpyruvylshikimate-3-phosphate synthase into chloroplasts of higher plants in vitro," *Proc. Natl. Acad. Sci. USA*, 83:6873-6877, (1986).

Forgoux-Nicol et al., "Isolation of repeseed genes expressed early and specifically during development of the male gametophyte," *Plant Molecular Biology*, 40:857-872 (1999).

Herrero et al., "Mutations in the *Bacillus thuringiensis* Cry1Ca toxin demonstrate the role of domains II and III in specificity towards *Spodoptera exigua* larvae," *Biochem J.*, 384:507-513 (2004).

International Search Report dated Jun. 6, 2016, in International Patent Application No. PCT US2015/055800.

IUPAC-IUB Joint Commission on Biochemical Nomenclature, "Nomenclature and Symbolism for Amino Acids and Peptides," *Eur. J. Biochem.* 138:9-37(1984).

Klee et al., "Cloning of an *Arabidopsis thaliana* gene encoding 5-enolpyruvylshikimate-3-phosphate synthase: sequence analysis and manipulation to obtain glyphosate-tolerant plants," *Mol Gen Genet*, 210:437-442 (1987).

Knight et al., "A Strategy for Shuffling Numerous *Bacillus thuringiensis* Crystal Protein Domains," *Journal of Economic Entomology*, 97:1805-1813 (2004).

James, "Global Status of Commercialized Biotech/GM Crops: 2012," *ISAAA*, Brief No. 44 (2012).

Lucena et al., "Molecular Approaches to Improve the Insecticidal Activity of *Bacillus thuringiensis* Cry toxins," *Toxins*, 6(8):2393-2423 (2014).

Pardo-Lopez et al., "Strategies to improve the insecticidal activity of Cry toxins from *Bacillus thuringiensis*," *Peptides*, 30:589-595 (2009).

Pardo-Lopez et al., "*Bacillus thuringiensis* insecticidal three-domain Cry toxins: mode of action, insect resistance and consequences for crop protection," *FEMS Microbiology Reviews*, 37:3-22 (2013).

Thompson et al., "CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice," *Nucleic Acids Research*, 22:4673-4680 (1994).

Bravo et al., "Evolution of *Bacillus thuringiensis* Cry toxins insecticidal activity," *Microbial Biotechnology*, 6:17-26 (2012).

Gen Bank Database, Apr. 25, 1994, Accession No. AAA 22344.1.

GenBank Database, Aug. 24, 1998, Accession No. AAC 32850.1.

GenBank Database, Apr. 18, 2005, Accession No. CAA 31951.1.

GenBank Database, Dec. 31, 2013, Accession No. AEH 31431.1.

GenBank Database, Apr. 26, 1993, Accession No. AAA 22561.1.

Gen Bank Database, Apr. 26, 1993, Accession No. AAA 22331.1.

GenBank Database, Nov. 18, 2005, Accession No. ABB 766664.1.

Maagd R. A. et al., "*Bacillus thuringiensis* Delta-Endotoxin Cry1C Domain III Can Function as a Specificity Determinant for *Spodoptera exigua* in Different, but Not All, Cry1-Cry1C Hybrids," *Applied and Environmental Microbiology*, 66(4):1559-1563 (2000).

Office Action in corresponding Application No. JP 2017-0520352, dated Feb. 5, 2019.

Periak et al., Insect Resistant Cotton Plants, *FEMS Microbiology Reviews*, 37:3-22 (2013).

\* cited by examiner

1

**CHIMERIC INSECTICIDAL PROTEINS  
TOXIC OR INHIBITORY TO  
LEPIDOPTERAN PESTS**

REFERENCE TO RELATED APPLICATION

This application is a continuation of U.S. patent application Ser. No. 14/884,469, filed Oct. 15, 2015, which claims the benefit of U.S. provisional application No. 62/064,989, filed Oct. 16, 2014, each of which are herein incorporated by reference in their entireties.

INCORPORATION OF SEQUENCE LISTING

A computer readable form of the Sequence Listing is filed with this application by electronic submission and is incorporated into this application by reference in its entirety. The Sequence Listing is contained in the file created on Dec. 11, 2017, having the file name P34230US03\_SEQ.txt, and which is 371,792 bytes in size (as measured in the MS-Windows® operating system).

FIELD OF THE INVENTION

The invention generally relates to the field of insect inhibitory proteins. A novel class of chimeric insecticidal proteins exhibiting insect inhibitory activity against agriculturally-relevant pests of crop plants and seeds is disclosed in this application. In particular, the disclosed class of proteins exhibits insecticidal activity against the Lepidopteran order of insect pests. Plants, plant parts, and seeds containing a recombinant nucleic acid molecule encoding one or more of the disclosed toxin proteins are provided.

BACKGROUND OF THE INVENTION

Improving crop yield from agriculturally-significant plants including, among others, corn, soybean, sugarcane, rice, wheat, vegetables, and cotton, has become increasingly important. In addition to the growing need for agricultural products to feed, clothe and provide energy for a growing human population, climate-related effects and pressure from the growing population to use land other than for agricultural practices are predicted to reduce the amount of arable land available for farming. These factors have led to grim forecasts with respect to food security, particularly in the absence of major improvements in plant biotechnology and agronomic practices. In light of these pressures, environmentally sustainable improvements in technology, agricultural techniques, and pest management are vital tools to expand crop production on the limited amount of arable land available for farming.

Insects, particularly insects within the order Lepidoptera, are considered a major cause of damage to field crops, thereby decreasing crop yields in infested areas. Lepidopteran pest species which negatively impact agriculture include, but are not limited to, fall armyworm (*Spodoptera frugiperda*), beet armyworm (*Spodoptera exigua*), bertha armyworm (*Mamestra configurata*), black cutworm (*Agrotis ipsilon*), cabbage looper (*Trichoplusia ni*), soybean looper (*Chrysodeixis includens*), velvetbean caterpillar (*Anticarsia gemmatilis*), green cloverworm (*Hypena scabra*), tobacco budworm (*Heliothis virescens*), granulate cutworm (*Agrotis subterranea*), armyworm (*Pseudaletia unipuncta*), western cutworm (*Agrotis orthogonia*), European corn borer (*Ostrinia nubilalis*), navel orangeworm (*Amyelois transitella*), corn root webworm (*Crambus caliginosellus*), sod web-

2

worm (*Herpetogramma licarsisalis*), sunflower moth (*Homoeosoma electellum*), lesser cornstalk borer (*Elasmopalpus lignosellus*), codling moth (*Cydia pomonella*), grape berry moth (*Endopiza viteana*), oriental fruit moth (*Grapholita molesta*), sunflower bud moth (*Suleima helianthana*), diamondback moth (*Plutella xylostella*), pink bollworm (*Pectinophora gossypiella*), pink stem borer (*Sesamia inferens*), gypsy moth (*Lymantria dispar*), cotton leaf worm (*Alabama argillacea*), fruit tree leaf roller (*Archips argyrospila*), European leafroller (*Archips rosana*), Asiatic rice borer, or rice stem borer (*Chilo suppressalis*), rice leaf roller (*Cnaphalocrocis medinalis*), corn root webworm (*Crambus caliginosellus*), bluegrass webworm (*Crambus teterrellus*), southwestern corn borer (*Diatraea grandiosella*), sugarcane borer (*Diatraea saccharalis*), spiny bollworm (*Earias insulana*), spotted bollworm (*Earias vittella*), Old World cotton bollworm (*Helicoverpa armigera*), corn earworm, soy podworm or cotton bollworm (*Helicoverpa zea*), sod webworm (*Herpetogramma licarsisalis*), European grape vine moth (*Lobesia botrana*), citrus leafminer (*Phyllocnistis citrella*), large white butterfly (*Pieris brassicae*), imported cabbageworm, or small white butterfly (*Pieris rapae*), tobacco cutworm, or cluster caterpillar (*Spodoptera litura*), and tomato leafminer (*Tuta absoluta*).

Historically, the intensive application of synthetic chemical insecticides was relied upon as the pest control agent in agriculture. Concerns for the environment and human health, in addition to emerging resistance issues, stimulated the research and development of biological pesticides. This research effort led to the progressive discovery and use of various entomopathogenic microbial species, including bacteria.

The biological control paradigm shifted when the potential of entomopathogenic bacteria, especially bacteria belonging to the genus *Bacillus*, was discovered and developed as a biological pest control agent. Strains of the bacterium *Bacillus thuringiensis* (Bt) have been used as a source for insecticidal proteins since it was discovered that Bt strains show a high toxicity against specific insects. Bt strains are known to produce delta-endotoxins that are localized within parasporal crystalline inclusion bodies at the onset of sporulation and during the stationary growth phase (e.g., Cry proteins), and are also known to produce secreted insecticidal protein. Upon ingestion by a susceptible insect, delta-endotoxins as well as secreted toxins exert their effects at the surface of the midgut epithelium, disrupting the cell membrane, leading to cell disruption and death. Genes encoding insecticidal proteins have also been identified in bacterial species other than Bt, including other *Bacillus* and a diversity of other bacterial species, such as *Brevibacillus laterosporus*, *Lysinibacillus sphaericus* ("Ls" formerly known as *Bacillus sphaericus*) and *Paenibacillus popilliae*.

Crystalline and secreted soluble insecticidal protein toxins are highly specific for their hosts and have gained worldwide acceptance as alternatives to chemical insecticides. For example, insecticidal toxin proteins have been employed in various agricultural applications to protect agriculturally important plants from insect infestations, decrease the need for chemical pesticide applications, and increase yields. Insecticidal toxin proteins are used to control agriculturally-relevant pests of crop plants by mechanical methods, such as spraying to disperse microbial formulations containing various bacteria strains onto plant surfaces, and by using genetic transformation techniques to produce transgenic plants and seeds expressing insecticidal toxin protein.

The use of transgenic plants expressing insecticidal proteins has been globally adopted. For example, in 2012, 26.1 million hectares were planted with transgenic crops expressing Bt toxins (James, C., Global Status of Commercialized Biotech/GM Crops: 2012. ISAAA Brief No. 44). The global use of transgenic insect-protected crops and the limited number of insecticidal proteins used in these crops has created a selection pressure for existing insect alleles that impart resistance to the currently-utilized insecticidal proteins.

The development of resistance in target pests to insecticidal proteins creates the continuing need for discovery and development of new forms of insecticidal proteins that are useful for managing the increase in insect resistance to transgenic crops expressing insecticidal proteins. New insecticidal proteins with improved efficacy and which exhibit control over a broader spectrum of susceptible insect species will reduce the number of surviving insects which can develop resistance alleles. In addition, the use in one plant of two or more transgenic insecticidal proteins toxic to the same insect pest and displaying different modes of action reduces the probability of resistance in any single target insect species.

Consequently, there is a critical need to identify additional insecticidal proteins with improved insecticidal properties such as increased efficacy against a broader spectrum of target insect pests species and different modes of action compared to the toxins currently used in agricultural practices. To meet this need, the present invention discloses novel Cry1 chimeric insecticidal proteins that exhibit activity against significant target Lepidopteran pest species.

Members of the family of Cry1 crystal proteins are known in the art to exhibit bioactivity against Lepidopteran pests. The precursor form of Cry 1 crystal proteins consists of two approximately equal-sized segments. The carboxy-terminal portion of the precursor protein, known as the protoxin segment, stabilizes crystal formation and exhibits no insecticidal activity. The amino-terminal half of the precursor protein comprises the toxin segment of the Cry1 protein and, based on alignment of conserved or substantially conserved sequences within Cry1 family members, can be further sub-divided into three structural domains, domain I, domain II, and domain III. Domain I comprises about the first third of the active toxin segment and has been shown to be essential for channel formation. Domains II and III have both been implicated in receptor binding and insect species specificity, depending on the insect and insecticidal protein being examined.

The likelihood of arbitrarily creating a chimeric protein with enhanced properties from the assortment of the domain structures of the numerous native insecticidal proteins known in the art is remote. This is a result of the complex nature of protein structure, oligomerization, and activation (including correct proteolytic processing of the chimeric precursor, if expressed in such a form) required to release an insecticidal protein segment. Only by careful selection of protoxins and specific targets within each parental protein for the creation of a chimeric structure can functional chimeric insecticidal toxins be constructed that exhibit improved insecticidal activity in comparison to the parental proteins from which the chimeras are derived. It is known in the art that reassembly of the protoxin and toxin domains I, II and III of any two or more toxins that are different from each other often results in the construction of proteins that exhibit faulty crystal formation or the complete lack of any detectable insecticidal activity directed to a preferred target insect pest species. Only by trial and error are effective

insecticidal chimeras designed, and even then, the skilled artisan is not certain to end up with a chimera that exhibits insecticidal activity that is equivalent to or improved in comparison to any single parental toxin protein from which the constituent protoxin or toxin domains of the chimera may have been derived. For example, the literature reports numerous examples of the construction or assembly of chimeric proteins from two or more crystal protein precursors. See, e.g. Jacqueline S. Knight, et al. "A Strategy for Shuffling Numerous *Bacillus thuringiensis* Crystal Protein Domains." *J. Economic Entomology*, 97 (6) (2004): 1805-1813; Bosch, et al. (U.S. Pat. No. 6,204,246); Malvar and Gilmer (U.S. Pat. No. 6,017,534). In each of these examples, many of the resultant chimeras failed to exhibit insecticidal or crystal forming properties that were equivalent to or improved in comparison to the precursor proteins from which the components of the chimeras were derived.

#### SUMMARY OF THE INVENTION

Recombinant nucleic acid molecules are provided that encode chimeric insecticidal proteins toxic to Lepidopteran species of plant pests. Each of the chimeric insecticidal proteins can be used alone or in combination with each other and with other insecticidal proteins and insect inhibitory agents in formulations and in planta; thus providing alternatives to insecticidal proteins and insecticidal chemistries currently in use in agricultural systems.

In certain embodiments disclosed herein is a chimeric insecticidal protein comprising an amino acid sequence as set forth in any of SEQ ID NOs: 21, 10, 28, 7, 4, 13, 16, 19, 23, 25, 30, 33, 36, 39, 41, 43, 45, 47, 50 or 53. This chimeric insecticidal protein exhibits inhibitory activity against an insect species of the order Lepidoptera such as, but not limited to, *Anticarsia gemmatalis*, *Diatraea saccharalis*, *Elasmopalpus lignosellus*, *Helicoverpa zea*, *Heliothis virescens*, *Chrysodeixis includens*, *Spodoptera cosmioides*, *Spodoptera eridania*, *Spodoptera frugiperda*, *Spodoptera exigua*, *Helicoverpa armigera*, *Spodoptera litura*, *Pectinophora gossypiella*, *Diatraea grandiosella*, *Earias vitella*, *Helicoverpa gelotopon*, and *Rachiplusia nu*.

In another embodiment, a polynucleotide encoding a chimeric insecticidal protein, wherein the polynucleotide is operably linked to a heterologous promoter and the chimeric insecticidal protein comprises the amino acid sequence as set forth in any of SEQ ID NOs: 21, 10, 28, 7, 4, 13, 16, 19, 23, 25, 30, 33, 36, 39, 41, 43, 45, 47, 50 or 53 is disclosed. A polynucleotide encoding a chimeric insecticidal protein, wherein the polynucleotide comprises a nucleotide sequence that optionally: hybridizes under stringent conditions to the reverse complement of the polynucleotide sequence as set forth in any of SEQ ID NOs: 1, 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 22, 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 44, 46, 48, 49, 51 or 52; or encodes the chimeric insecticidal protein comprising an amino acid sequence as set forth in any of SEQ ID NOs: 21, 10, 28, 7, 4, 13, 16, 19, 23, 25, 30, 33, 36, 39, 41, 43, 45, 47, 50 or 53 is also contemplated.

In other embodiments disclosed herein is a host cell comprising the polynucleotide set forth in any of SEQ ID NO: 1, 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 22, 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 44, 46, 48, 49, 51 or 52, wherein the host cell is selected from the group consisting of a bacterial host cell or a plant host cell. Contemplated bacterial host include *Agrobacterium*, *Rhizobium*, *Bacillus*, *Brevibacillus*, *Escherichia*, *Pseudomonas*, *Klebsiella*, and *Erwinia*; and wherein the *Bacillus* species is a *Bacillus*

*cereus* or a *Bacillus thuringiensis*, said *Brevibacillus* is a *Brevibacillus laterosperous*, and said *Escherichia* is an *Escherichia coli*. Contemplated plant cells include monocots and dicots.

Other embodiments disclosed herein include insect inhibitory compositions comprising a chimeric insecticidal protein comprising an amino acid sequence as set forth in any of SEQ ID NOs: 21, 10, 28, 7, 4, 13, 16, 19, 23, 25, 30, 33, 36, 39, 41, 43, 45, 47, 50 or 53. In certain embodiments, the insect inhibitory composition further comprises at least one insect inhibitory agent different from the chimeric insecticidal protein. Contemplated insect inhibitory agents different from the chimeric insecticidal protein include an insect inhibitory protein, an insect inhibitory dsRNA molecule, and an insect inhibitory chemistry. These insect inhibitory agents different from the chimeric insecticidal protein can exhibit activity against one or more pest species of the orders Lepidoptera, Coleoptera, Hemiptera, Homoptera, or Thysanoptera.

In yet another embodiment, disclosed herein is a seed comprising an insect inhibitory effective amount of: a chimeric insecticidal protein comprising the amino acid sequence as set forth in any of SEQ ID NOs: 21, 10, 28, 7, 4, 13, 16, 19, 23, 25, 30, 33, 36, 39, 41, 43, 45, 47, 50 or 53; or a polynucleotide set forth in any of SEQ ID NOs: 1, 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 22, 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 44, 46, 48, 49, 51 or 52.

Methods of controlling a Lepidopteran pest comprising contacting the Lepidopteran pest with an inhibitory amount of a chimeric insecticidal protein of the invention are also contemplated.

In another embodiment, disclosed herein is a transgenic plant cell, plant or plant part comprising a chimeric insecticidal protein, wherein: the chimeric insecticidal protein comprises any amino acid sequence set forth in any of SEQ ID NO: 21, 10, 28, 7, 4, 13, 16, 19, 23, 25, 30, 33, 36, 39, 41, 43, 45, 47, 50 or 53; or the chimeric insecticidal protein comprises a protein having: at least 94% identical to SEQ ID NOs: 21, 10; at least 93% identical to SEQ ID NO: 28; at least 87% identical to SEQ ID NO: 7; at least 90% identity to SEQ ID NO: 4; at least 91% identical to SEQ ID NO: 13; at least 64% identical to SEQ ID NO: 16; at least 66% identical to SEQ ID NO: 19; at least 86% identical to SEQ ID NO: 23; at least 91% identical to SEQ ID NO: 25; at least 94% identical to SEQ ID NO: 30; at least 91% identical to SEQ ID NO: 33; at least 64% identical to SEQ ID NO: 36; at least 66% identical to SEQ ID NO: 39; at least 94% identical to SEQ ID NO: 41; at least 84% identical to SEQ ID NO: 43; at least 93% identical to SEQ ID NO: 45; at least 94% identical to SEQ ID NO: 47; at least 91% identical to SEQ ID NO: 50; or at least 93% identical to SEQ ID NO: 53. Methods of controlling a Lepidopteran pest which comprise exposing the pest to this transgenic plant cell, plant or plant part, wherein said plant cell, plant or plant part expresses a Lepidopteran inhibitory amount of the chimeric insecticidal protein are also contemplated.

In other embodiments herein, commodity products derived from the plant cell, plant, or plant part wherein the product comprises a detectable amount of the chimeric insecticidal protein are provided. Contemplated commodity products include plant biomass, oil, meal, animal feed, flour, flakes, bran, lint, hulls, and processed seed.

Yet another method disclosed herein is a method of producing a seed comprising a chimeric insecticidal protein, the method comprising: planting at least one seed comprising a chimeric insecticidal protein; growing plants from said

seed; and harvesting seed from said plants, wherein said harvested seed comprises the chimeric insecticidal protein.

Recombinant polynucleotide molecules encoding a chimeric insecticidal protein, comprising a nucleotide sequence selected from the group consisting of 1, 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 22, 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 44, 46, 48, 49, 51 or 52; and optionally a polynucleotide sequence encoding an insect inhibitory agent different from the chimeric insecticidal protein are also contemplated herein.

Another recombinant nucleic acid molecule contemplated herein comprises a heterologous promoter operably linked to a polynucleotide segment encoding a chimeric insecticidal proteins, wherein: the chimeric insecticidal protein comprises any amino acid sequence set forth in any of SEQ ID NO: 21, 10, 28, 7, 4, 13, 16, 19, 23, 25, 30, 33, 36, 39, 41, 43, 45, 47, 50 or 53; or the chimeric insecticidal protein comprises a protein having: at least 94% identical to SEQ ID NOs: 21, 10; at least 93% identical to SEQ ID NO: 28; at least 87% identical to SEQ ID NO: 7; at least 90% identity to SEQ ID NO: 4; at least 91% identical to SEQ ID NO: 13; at least 64% identical to SEQ ID NO: 16; at least 66% identical to SEQ ID NO: 19; at least 86% identical to SEQ ID NO: 23; at least 91% identical to SEQ ID NO: 25; at least 94% identical to SEQ ID NO: 30; at least 91% identical to SEQ ID NO: 33; at least 64% identical to SEQ ID NO: 36; at least 66% identical to SEQ ID NO: 39; at least 94% identical to SEQ ID NO: 41; at least 84% identical to SEQ ID NO: 43; at least 93% identical to SEQ ID NO: 45; at least 94% identical to SEQ ID NO: 47; at least 91% identical to SEQ ID NO: 50; or at least 93% identical to SEQ ID NO: 53; or the polynucleotide segment hybridizes to a polynucleotide having a nucleotide sequence as set forth in any of SEQ ID NO: 1, 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 22, 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 44, 46, 48, 49, 51 or 52.

Other embodiments, features, and advantages of the invention will be apparent from the following detailed description, examples, and claims.

#### BRIEF DESCRIPTION OF THE SEQUENCES

SEQ ID NO: 1 is a recombinant DNA sequence encoding TIC1100 used for expression in a bacterial cell.

SEQ ID NO: 2 is a synthetic DNA sequence encoding TIC1100 for expression in a plant cell.

SEQ ID NO: 3 is a synthetic DNA sequence encoding TIC1100 for expression in a plant cell.

SEQ ID NO: 4 is the amino acid sequence of TIC1100.

SEQ ID NO: 5 is a recombinant DNA sequence encoding TIC860 used for expression in a bacterial cell.

SEQ ID NO: 6 is a synthetic DNA sequence encoding TIC860 for expression in a plant cell.

SEQ ID NO: 7 is the amino acid sequence of TIC860.

SEQ ID NO: 8 is a recombinant DNA sequence encoding TIC867 used for expression in a bacterial cell.

SEQ ID NO: 9 is a synthetic DNA sequence encoding TIC867 for expression in a plant cell.

SEQ ID NO: 10 is the amino acid sequence of TIC867.

SEQ ID NO: 11 is a recombinant DNA sequence encoding TIC867\_20 used for expression in a bacterial cell.

SEQ ID NO: 12 is a synthetic DNA sequence encoding TIC867\_20 for expression in a plant cell.

SEQ ID NO: 13 is the amino acid sequence of TIC867\_20.

SEQ ID NO: 14 is a recombinant DNA sequence encoding TIC867\_21 used for expression in a bacterial cell.

SEQ ID NO: 15 is a synthetic DNA sequence encoding TIC867\_21 for expression in a plant cell.

SEQ ID NO: 16 is the amino acid sequence of TIC867\_21.

SEQ ID NO: 17 is a recombinant DNA sequence encoding TIC867\_22 used for expression in a bacterial cell.

SEQ ID NO: 18 is a synthetic DNA sequence encoding TIC867\_22 for expression in a plant cell.

SEQ ID NO: 19 is the amino acid sequence of TIC867\_22.

SEQ ID NO: 20 is a synthetic DNA sequence encoding TIC867\_23 for expression in the plant cell.

SEQ ID NO: 21 is the amino acid sequence of TIC867\_23.

SEQ ID NO: 22 is a synthetic DNA sequence encoding TIC867\_24 for expression in a plant cell.

SEQ ID NO: 23 is the amino acid sequence of TIC867\_24.

SEQ ID NO: 24 is a synthetic DNA sequence encoding TIC867\_24 for expression in a plant cell.

SEQ ID NO: 25 is the amino acid sequence of TIC867\_25.

SEQ ID NO: 26 is a recombinant DNA sequence encoding TIC868 used for expression in a bacterial cell.

SEQ ID NO: 27 is a synthetic DNA sequence encoding TIC868 for expression in a plant cell.

SEQ ID NO: 28 is the amino acid sequence of TIC868.

SEQ ID NO: 29 is a synthetic DNA sequence encoding TIC868\_9 for expression in a plant cell.

SEQ ID NO: 30 is the amino acid sequence of TIC868\_9.

SEQ ID NO: 31 is a recombinant DNA sequence encoding TIC868\_10 used for expression in a bacterial cell.

SEQ ID NO: 32 is a synthetic DNA sequence for expression in the plant cell encoding the TIC868 variant, TIC868\_10.

SEQ ID NO: 33 is the amino acid sequence of TIC868\_10.

SEQ ID NO: 34 is a recombinant DNA sequence encoding TIC868\_11 used for expression in a bacterial cell.

SEQ ID NO: 35 is a synthetic DNA sequence encoding TIC868\_11 for expression in a plant cell.

SEQ ID NO: 36 is the amino acid sequence of TIC868\_11.

SEQ ID NO: 37 is a recombinant DNA sequence encoding TIC868\_12 used for expression in a bacterial cell.

SEQ ID NO: 38 is a synthetic DNA sequence encoding TIC868\_12 for expression in the plant cell.

SEQ ID NO: 39 is the amino acid sequence of TIC868\_12.

SEQ ID NO: 40 is a synthetic DNA sequence encoding TIC868\_13 for expression in the plant cell.

SEQ ID NO: 41 is the amino acid sequence of TIC868\_13.

SEQ ID NO: 42 is a synthetic DNA sequence encoding TIC868\_14 for expression in a plant cell.

SEQ ID NO: 43 is the amino acid sequence of TIC868\_14.

SEQ ID NO: 44 is a synthetic DNA sequence encoding TIC868\_15 for expression in a plant cell.

SEQ ID NO: 45 is the amino acid sequence of TIC868\_15.

SEQ ID NO: 46 is a synthetic DNA sequence encoding TIC868\_29 for expression in a plant cell.

SEQ ID NO: 47 is the amino acid sequence of TIC868\_29.

SEQ ID NO: 48 is a recombinant DNA sequence encoding TIC869 used for expression in a bacterial cell.

SEQ ID NO: 49 is a synthetic DNA sequence encoding TIC869 for expression in a plant cell.

SEQ ID NO: 50 is the amino acid sequence of TIC869.

SEQ ID NO: 51 is a recombinant DNA sequence encoding TIC836 used for expression in a bacterial cell.

SEQ ID NO: 52 is a synthetic DNA sequence encoding TIC836 for expression in a plant cell.

SEQ ID NO: 53 is the amino acid sequence of TIC836.

## DETAILED DESCRIPTION OF THE INVENTION

The problem in the art of agricultural pest control can be characterized as a need for new insecticidal proteins that are efficacious against target pests, exhibit broad spectrum toxicity against target pest species, are capable of being expressed in plants without causing undesirable agronomic issues, and provide an alternative mode of action compared to current toxins that are used commercially in plants. Novel chimeric insecticidal proteins are disclosed herein, and address each of these needs, particularly against a broad spectrum of Lepidopteran insect pests.

In order to avoid the development of, or circumvent insect resistance against currently used insecticidal proteins, new insecticidal proteins with different modes-of-action (MOA), as well as a broad spectrum and efficacy, are needed for Lepidoptera control. One way to address this need is to discover new insecticidal proteins from different biological sources, preferably from bacteria, fungi or plants. Another approach is to interchange segments between various Bt proteins that exhibit structural similarities to create new chimeric Bt proteins having insect inhibitory properties. The likelihood of creating a chimeric protein with enhanced properties from the re-assortment of the domain structures of numerous native insecticidal crystal proteins known in the art is known in the art to be remote. See, e.g. Jacqueline S. Knight, et al. "A Strategy for Shuffling Numerous *Bacillus thuringiensis* Crystal Protein Domains." *J. Economic Entomology*, 97 (6) (2004): 1805-1813.

Disclosed herein are recombinant nucleic acid molecule sequences that encode novel chimeric insecticidal proteins. These insecticidal proteins address the ongoing need in the art to engineer additional toxic insecticidal proteins with improved insecticidal properties such as increased efficacy against a broader spectrum of target insect pests species and different modes of action. Members of this group of proteins, including the exemplary proteins disclosed herein, exhibit insecticidal activity against Lepidopteran insect pest species.

The term "segment" or "fragment" is used in this application to describe consecutive amino acid or nucleic acid sequences that are shorter than the complete amino acid or nucleic acid sequence describing a disclosed chimeric insecticidal protein. A segment or fragment exhibiting insect inhibitory activity is also disclosed in this application if alignment of such segment or fragment, with the corresponding section of the chimeric insecticidal protein, results in amino acid sequence identity of any fraction percentage from about 65 to about 100 percent between the segment or fragment and the corresponding section of the chimeric insecticidal protein.

Reference in this application to the terms "active" or "activity", "pesticidal activity" or "pesticidal", or "insecticidal activity", "insect inhibitory" or "insecticidal" refer to efficacy of a toxic agent, such as an insecticidal protein, in inhibiting (inhibiting growth, feeding, fecundity, or viability), suppressing (suppressing growth, feeding, fecundity, or viability), controlling (controlling the pest infestation, con-

trolling the pest feeding activities on a particular crop containing an effective amount of the insecticidal protein) or killing (causing the morbidity, mortality, or reduced fecundity of) a pest. These terms are intended to include the result of providing a pesticidally effective amount of an insecticidal protein to a pest where the exposure of the pest to the insecticidal protein results in morbidity, mortality, reduced fecundity, or stunting. These terms also include repulsion of the pest from the plant, a tissue of the plant, a plant part, seed, plant cells, or from the particular geographic location where the plant may be growing, as a result of providing a pesticidally effective amount of the insecticidal protein in or on the plant. In general, pesticidal activity refers to the ability of an insecticidal protein to be effective in inhibiting the growth, development, viability, feeding behavior, mating behavior, fecundity, or any measurable decrease in the adverse effects caused by an insect feeding on this protein, protein fragment, protein segment or polynucleotide of a particular target pest, including but not limited to insects of the order Lepidoptera. The insecticidal protein can be produced by the plant or can be applied to the plant or to the environment within the location where the plant is located. The terms “bioactivity”, “effective”, “efficacious” or variations thereof are also terms interchangeably utilized in this application to describe the effects of the chimeric insecticidal proteins of the present invention on target insect pests.

A pesticidally effective amount of a toxic agent, when provided in the diet of a target pest, exhibits pesticidal activity when the toxic agent contacts the pest. A toxic agent can be an insecticidal protein or one or more chemical agents known in the art. Insecticidal chemical agents and insecticidal protein agents can be used alone or in combinations with each other. Chemical agents include but are not limited to dsRNA molecules targeting specific genes for suppression in a target pest, organochlorides, organophosphates, carbamates, pyrethroids, neonicotinoids, and ryanoids. Insecticidal protein agents include the chimeric insecticidal proteins set forth in this application, as well as other proteinaceous toxic agents including those that target Lepidopteran pest species, as well as protein toxins that are used to control other plant pests such as Cry proteins available in the art for use in controlling Coleopteran, Thysanopteran, Hemipteran and Homopteran species.

It is intended that reference to a pest, particularly a pest of a crop plant, means insect pests of crop plants, particularly those Lepidopteran insect pests that are controlled by the disclosed chimeric insecticidal proteins. However, reference to a pest can also include Coleopteran, Hemipteran and Homopteran insect pests of plants, as well as nematodes and fungi when toxic agents targeting these pests are colocalized or present together with the chimeric insecticidal protein, or a protein that is 65 to about 100 percent identical to the chimeric insecticidal protein.

The chimeric insecticidal proteins disclosed herein exhibit insecticidal activity towards insect pests from the Lepidopteran insect species, including adults, pupae, larvae, and neonates, as well as Hemipteran insect species, including adults and nymphs. The insects of the order Lepidoptera include, but are not limited to, armyworms, cutworms, loopers, and heliothines in the Family Noctuidae, e.g., fall armyworm (*Spodoptera frugiperda*), beet armyworm (*Spodoptera exigua*), bertha armyworm (*Mamestra configurata*), black cutworm (*Agrotis ipsilon*), cabbage looper (*Trichoplusia ni*), soybean looper (*Pseudoplusia includens*), velvetbean caterpillar (*Anticarsia gemmatalis*), green cloverworm (*Hypena scabra*), tobacco budworm (*Heliothis virescens*), granulate cutworm (*Agrotis subterranea*), army-

worm (*Pseudaletia unipuncta*), western cutworm (*Agrotis orthogonia*); borers, casebearers, webworms, coneworms, cabbageworms and skeletonizers from the Family Pyralidae, e.g., European corn borer (*Ostrinia nubilalis*), navel orange-worm (*Amyelois transitella*), corn root webworm (*Crambus caliginosellus*), sod webworm (*Herpetogramma licarsialis*), sunflower moth (*Homoeosoma electellum*), lesser corn-stalk borer (*Elasmopalpus lignosellus*); leafrollers, budworms, seed worms, and fruit worms in the Family Tortricidae, e.g., codling moth (*Cydia pomonella*), grape berry moth (*Endopiza viteana*), oriental fruit moth (*Grapholita molesta*), sunflower bud moth (*Suleima helianthana*); and many other economically important Lepidoptera, e.g., diamondback moth (*Plutella xylostella*), pink bollworm (*Pectinophora gossypiella*) and gypsy moth (*Lymantria dispar*). Other insect pests of order Lepidoptera include, e.g., *Alabama argillacea* (cotton leaf worm), *Archips argyrospila* (fruit tree leaf roller), *Archips rosana* (European leafroller) and other *Archips* species, *Chilo suppressalis* (Asiatic rice borer, or rice stem borer), *Cnaphalocrocis medinalis* (rice leaf roller), *Crambus caliginosellus* (corn root webworm), *Crambus teterrellus* (bluegrass webworm), *Diatraea grandiosella* (southwestern corn borer), *Diatraea saccharalis* (surgarcane borer), *Earias insulana* (spiny bollworm), *Earias vittella* (spotted bollworm), *Helicoverpa armigera* (American bollworm), *Helicoverpa zea* (corn earworm or cotton bollworm), *Heliothis virescens* (tobacco budworm), *Herpetogramma licarsialis* (sod webworm), *Lobesia botrana* (European grape vine moth), *Phyllocnistis citrella* (citrus leafminer), *Pieris brassicae* (large white butterfly), *Pieris rapae* (imported cabbageworm, or small white butterfly), *Plutella xylostella* (diamondback moth), *Spodoptera exigua* (beet armyworm), *Spodoptera litura* (tobacco cutworm, cluster caterpillar), and *Tuta absoluta* (tomato leafminer).

Reference in this application to an “isolated DNA molecule”, or an equivalent term or phrase, is intended to mean that the DNA molecule is one that is present alone or in combination with other compositions, but not within its natural environment. For example, nucleic acid elements such as a coding sequence, intron sequence, untranslated leader sequence, promoter sequence, transcriptional termination sequence, and the like, that are naturally found within the DNA of the genome of an organism are not considered to be “isolated” so long as the element is within the genome of the organism and at the location within the genome in which it is naturally found. However, each of these elements, and subparts of these elements, would be “isolated” within the scope of this disclosure so long as the element is not within the genome of the organism and at the location within the genome in which it is naturally found. Similarly, a nucleotide sequence encoding an insecticidal protein or any naturally occurring insecticidal variant of that protein would be an isolated nucleotide sequence so long as the nucleotide sequence was not within the DNA of the bacterium from which the sequence encoding the protein is naturally found. A synthetic nucleotide sequence encoding the amino acid sequence of the naturally occurring insecticidal protein would be considered to be isolated for the purposes of this disclosure. For the purposes of this disclosure, any transgenic nucleotide sequence, i.e., the nucleotide sequence of the DNA inserted into the genome of the cells of a plant or bacterium, or present in an extrachromosomal vector, would be considered to be an isolated nucleotide sequence whether it is present within the plasmid or similar structure used to transform the cells, within the genome of the plant or

bacterium, or present in detectable amounts in tissues, progeny, biological samples or commodity products derived from the plant or bacterium.

As described further in the Examples, through a chimeragenesis effort about eight hundred and forty four (844) nucleotide sequences that encode chimeric insecticidal proteins were constructed from the protoxin and toxin domains of known insecticidal toxins (referred to herein as the “parent proteins”), and expressed and tested in bioassay for Lepidopteran activity. A small number of the constructed chimeric insecticidal proteins exhibited improved Lepidopteran activity or an enhanced Lepidopteran spectrum compared to the parent proteins from which its toxin components were derived.

These novel chimeric insecticidal proteins with improved Lepidopteran activity or an enhanced Lepidopteran spectrum were constructed from the following insecticidal parent protein protoxin and toxin domains: Cry1Ah (Domain I), Cry1Bb1 (Domains I and II), Cry1Be2 (Domains I and II), Cry1Ja1 (Domains I and II), Cry1Fa1 (Domains I and II), Cry1Ac (Domain II and protoxin), Cry1Ca (Domain III and protoxin), Cry1Ka (Domain III and protoxin), Cry1Jx (Domain III), Cry1Ab (Domain III), Cry1Ab3 (protoxin), Cry1Da1(protoxin), Cry4 (protoxin), Cry9 (protoxin), Cry1Be (protoxin), and Cry1Ka (protoxin).

Specifically, the novel chimeric insecticidal proteins of this invention with improved Lepidopteran activity or an enhanced Lepidopteran spectrum comprise the following protoxin and domain combinations: TIC1100/SEQ ID NO:4 (Domain I—Cry1Ah, Domain II—Cry1Ac, Domain III—Cry1Ca, Protoxin—Cry1Ac), TIC860/SEQ ID NO:7 (Domain I—Cry1Bb1, Domain II—Cry1BB1, Domain III—Cry1Ca, Protoxin—Cry1Ac), TIC867/SEQ ID NO:10 (Domain I—Cry1Be2, Domain II—Cry1Be2, Domain III—Cry1Ka, Protoxin—Cry1Ab3), TIC868/SEQ ID NO:28 (Domain I—Cry1Be2, Domain II—Cry1Be2, and Domain III—Cry1Ca, Protoxin—Cry1Ab3), TIC869/SEQ ID NO:50 (Domain I—Cry1Ja1, Domain II—Cry1Ja1, Domain III—Cry1Jx, Protoxin—Cry1Ab3) and TIC836/SEQ ID NO:53 (Domain I—Cry1Fa1, Domain II—Cry1Fa1, Domain III—Cry1Ab, Protoxin—Cry1Ac).

Variants in which amino acid substitutions or alternate protoxin domains were introduced were also constructed for the chimeric insecticidal proteins TIC867 and TIC868. Specifically, these variants of TIC867 and TIC868 comprise the following amino acid substitutions or alternate protoxin domains: TIC867\_20/SEQ ID NO:13 (alternate protoxin domain Cry1Da1), TIC867\_21/SEQ ID NO:16 (alternate protoxin domain Cry4), TIC867\_22/SEQ ID NO:19 (alternate protoxin domain Cry9), TIC867\_23/SEQ ID NO:21 (alternate protoxin domain Cry1Be), TIC867\_24/SEQ ID NO:23 (alternate protoxin domain Cry1Ka), TIC867\_25/SEQ ID NO: 25 (alternate protoxin domain Cry1Ka), TIC868\_9/SEQ ID NO:30 (amino acid modification N240S\_Y343QN349T), TIC868\_10/SEQ ID NO:33 (alternate protoxin domain Cry1Da1), TIC868\_11/SEQ ID NO:36 (alternate protoxin domain Cry4), TIC868\_12/SEQ ID NO:39 (alternate protoxin domain Cry9), TIC868\_13/SEQ ID NO:41 (alternate protoxin domain Cry1Be), TIC868\_14/SEQ ID NO:43 (alternate protoxin domain Cry1Ka), TIC868\_15/SEQ ID NO:45 (alternate protoxin domain Cry1Ca), and TIC868\_29/SEQ ID NO:47 (amino acid modification Q136Y\_Y343Q\_N349T).

As demonstrated in the Examples, each of these TIC867 and TIC868 variants altered the Lepidopteran activity and/or reduced the Lepidopteran activity spectrum of the parent chimeric insecticidal protein, thus indicating that the alter-

nate protoxin domain and the amino acid substitutions had a direct consequence on the insecticidal activity and spectrum of the chimeric insecticidal proteins TIC867 and TIC868.

Many of the chimeric insecticidal proteins demonstrate insecticidal activity against multiple Lepidopteran insect pest species. Specifically, the novel chimeric insecticidal proteins disclosed in this application exhibited activity against one or more of the following Lepidopteran insect pests, Velvet bean caterpillar (VBC, *Anticarsia gemmatalis*), Sugarcane borer (SCB, *Diatraea saccharalis*), Lesser cornstalk borer (LSCB, *Elasmopalpus lignosellus*), Corn earworm (CEW, *Helicoverpa zea*), Soybean pod worm (SPW, *Helicoverpa zea*), Cotton bollworm (CBW, *Helicoverpa zea*), Tobacco budworm (TBW, *Heliothis virescens*), Soybean looper (SBL, *Chrysodeixis includens*), Black armyworm (BLAW, *Spodoptera cosmioides*), Southern armyworm (SAW, *Spodoptera eridania*), Fall armyworm (FAW, *Spodoptera frugiperda*), Beet armyworm (BAW, *Spodoptera exigua*), Old World bollworm (OBW, *Helicoverpa armigera*), Oriental leafworm (OLW, *Spodoptera litura*), Pink bollworm (PBW, *Pectinophora gossypiella*), Southwestern Corn Borer (SWCB, *Diatraea grandiosella*), Spotted bollworm (SBW, *Earias vitella*), American bollworm (SABW, *Helicoverpa gelotopenon*), and Sunflower looper (SFL, *Rachiplusia nu*). Thus, the exemplary proteins described in this application are related by common function and exhibit insecticidal activity towards insect pests from the Lepidoptera insect species including adults, larvae and pupae.

Proteins that resemble the chimeric insecticidal proteins can be identified by comparison to each other using various computer based algorithms known in the art. For example, amino acid sequence identities of proteins related to the chimeric insecticidal proteins can be analyzed using a Clustal W alignment using these default parameters: Weight matrix: blosum, Gap opening penalty: 10.0, Gap extension penalty: 0.05, Hydrophilic gaps: On, Hydrophilic residues: GPSNDQERK, Residue-specific gap penalties: On (Thompson, et al (1994) Nucleic Acids Research, 22:4673-4680). Percent amino acid identity is further calculated by the product of 100% multiplied by (amino acid identities/length of the subject protein). Other alignment algorithms are also available in the art, provide results similar to those obtained using Clustal W alignment and are contemplated in this application.

It is intended that a query protein exhibiting insect inhibitory activity is disclosed in this application if alignment of such query protein with the subject chimeric insecticidal proteins set forth in SEQ ID NOs: 4, 7, 10, 13, 16, 19, 21, 23, 25, 28, 30, 33, 36, 39, 41, 43, 45, 47, 50 and 53 and results in at least about 64%, 65%, 66%, 67%, 68%, 69%, 70%, 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or about 100% amino acid sequence identity (or any fraction percentage in this range) between the query and subject protein.

As described further in the Examples of this application, synthetic or artificial sequences encoding the chimeric insecticidal proteins were designed for use in plants. Exemplary synthetic nucleotide sequences that were designed for use in plants are set forth in SEQ ID NOs: 2 and 3 (TIC1100), SEQ ID NO:6 (TIC860), SEQ ID NO:9 (TIC867), SEQ ID NO:12 (TIC867\_20), SEQ ID NO:15 (TIC867\_21), SEQ ID NO:18 (TIC867\_22), SEQ ID NO:20 (TIC867\_23), SEQ ID NO:22 (TIC867\_24), SEQ ID NO: 24 (TIC867\_25), SEQ ID NO:27



(TIC868), SEQ ID NO:29 (TIC868\_9), SEQ ID NO:32 (TIC868\_10), SEQ ID NO:35 (TIC868\_11), SEQ ID NO:38 (TIC868\_12), SEQ ID NO:40 (TIC868\_13), SEQ ID NO:42 (TIC868\_14), SEQ ID NO:44 (TIC868\_15), SEQ ID NO:46 (TIC868\_29), SEQ ID NO:49 (TIC869) and SEQ ID NO:52 (TIC836).

For expression in plant cells, the chimeric insecticidal proteins can be expressed to reside in the cytosol or targeted to various organelles of the plant cell. For example, targeting a protein to the chloroplast may result in increased levels of expressed protein in a transgenic plant while preventing off-phenotypes from occurring. Targeting may also result in an increase in pest resistance efficacy in the transgenic event. A target peptide or transit peptide is a short (3-70 amino acids long) peptide chain that directs the transport of a protein to a specific region in the cell, including the nucleus, mitochondria, endoplasmic reticulum (ER), chloroplast, apoplast, peroxisome and plasma membrane. Some target peptides are cleaved from the protein by signal peptidases after the proteins are transported. For targeting to the chloroplast, proteins contain transit peptides which are around 40-50 amino acids. For descriptions of the use of chloroplast transit peptides, see U.S. Pat. Nos. 5,188,642 and 5,728,925. Many chloroplast-localized proteins are expressed from nuclear genes as precursors and are targeted to the chloroplast by a chloroplast transit peptide (CTP). Examples of such isolated chloroplast proteins include, but are not limited to, those associated with the small subunit (SSU) of ribulose-1,5,-bisphosphate carboxylase, ferredoxin, ferredoxin oxidoreductase, the light-harvesting complex protein I and protein II, thioredoxin F, enolpyruvyl shikimate phosphate synthase (EPSPS), and transit peptides described in U.S. Pat. No. 7,193,133. It has been demonstrated in vivo and in vitro that non-chloroplast proteins may be targeted to the chloroplast by use of protein fusions with a heterologous CTP and that the CTP is sufficient to target a protein to the chloroplast. Incorporation of a suitable chloroplast transit peptide such as the *Arabidopsis thaliana* EPSPS CTP (CTP2) (see, Klee et al., *Mol. Gen. Genet.* 210:437-442, 1987) or the *Petunia hybrida* EPSPS CTP (CTP4) (see, della-Cioppa et al., *Proc. Natl. Acad. Sci. USA* 83:6873-6877, 1986) has been shown to target heterologous EPSPS protein sequences to chloroplasts in transgenic plants (see, U.S. Pat. Nos. 5,627,061; 5,633,435; and 5,312,910; and EP 0218571; EP 189707; EP 508909; and EP 924299). For targeting the chimeric insecticidal proteins to the chloroplast, a sequence encoding a chloroplast transit peptide is placed 5' in operable linkage and in frame to a synthetic coding sequence encoding the chimeric insecticidal protein that has been designed for optimal expression in plant cells.

Expression cassettes and vectors containing these synthetic or artificial nucleotide sequences were constructed and introduced into corn, cotton, and soybean plant cells in accordance with transformation methods and techniques which are known in the art. Transformed cells were regenerated into transformed plants that were observed to be expressing the chimeric insecticidal protein. To test pesticidal activity, bioassays were performed in the presence of Lepidopteran pest larvae using plant leaf disks obtained from the transformed plants. Recombinant nucleic acid molecule compositions that encode the chimeric insecticidal proteins are contemplated. For example, the chimeric insecticidal proteins can be expressed with recombinant DNA constructs in which a polynucleotide molecule with an ORF encoding a chimeric insecticidal protein is operably linked to genetic expression elements such as a promoter and any other regulatory element necessary for expression in the

system for which the construct is intended. Non-limiting examples include a plant-functional promoter operably linked to the synthetic chimeric insecticidal protein encoding sequences for expression of the chimeric insecticidal protein in plants or a Bt-functional promoter operably linked to a chimeric insecticidal protein encoding sequence for expression of the protein in a Bt bacterium or other *Bacillus* species. Other elements can be operably linked to the chimeric insecticidal proteins encoding sequences including, but not limited to, enhancers, introns, untranslated leaders, encoded protein immobilization tags (HIS-tag), translocation peptides (i.e., plastid transit peptides, signal peptides), polypeptide sequences for post-translational modifying enzymes, ribosomal binding sites, and RNAi target sites.

Exemplary recombinant polynucleotide molecules provided herein include, but are not limited to, a heterologous promoter operably linked to a polynucleotide such as SEQ ID NOs: 1, 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 22, 24, 26, 27, 29, 31, 32, 34, 35, 37, 38, 40, 42, 44, 46, 48, 49, 51, and 52, that encodes the polypeptide or protein having the amino acid sequence as set forth in SEQ ID NOs: 4 (TIC1100), 7 (TIC860), 10 (TIC867), 13 (TIC867\_20), 16 (TIC867\_21), 19 (TIC867\_22), 21 (TIC867\_23), 23 (TIC867\_24), 25 (TIC867\_25), 28 (TIC868), 30 (TIC868\_9), 33 (TIC868\_10), 36 (TIC868\_11), 39 (TIC867\_12), 41 (TIC867\_13), 43 (TIC867\_14), 45 (TIC867\_15), 47 (TIC867\_29), 50 (TIC869) and 53 (TIC836). A heterologous promoter can also be operably linked to synthetic DNA coding sequences encoding a plastid targeted chimeric insecticidal protein and untargeted chimeric insecticidal protein. It is contemplated that the codons of a recombinant nucleic acid molecule encoding for a chimeric insecticidal protein disclosed herein can be substituted by synonymous codons (known in the art as a silent substitution).

A recombinant DNA molecule or construct comprising a chimeric insecticidal protein encoding sequence can further comprise a region of DNA that encodes for one or more toxic agents which can be configured to concomitantly express or co-express with a DNA sequence encoding a chimeric insecticidal protein, a protein different from a chimeric insecticidal protein, an insect inhibitory dsRNA molecule, or an ancillary protein. Ancillary proteins include, but are not limited to, co-factors, enzymes, binding-partners, or other agents that function to aid in the effectiveness of an insect inhibitory agent, for example, by aiding its expression, influencing its stability in plants, optimizing free energy for oligomerization, augmenting its toxicity, and increasing its spectrum of activity. An ancillary protein may facilitate the uptake of one or more insect inhibitory agents, for example, or potentiate the toxic effects of the toxic agent.

A recombinant DNA molecule or construct can be assembled so that all proteins or dsRNA molecules are expressed from one promoter or each protein or dsRNA molecule is under separate promoter control or some combination thereof. The proteins of this invention can be expressed from a multi-gene expression system in which a chimeric insecticidal protein is expressed from a common nucleotide segment which also contains other open reading frames and promoters, depending on the type of expression system selected. For example, a bacterial multi-gene expression system can utilize a single promoter to drive expression of multiply-linked/tandem open reading frames from within a single operon (i.e., polycistronic expression). In another example, a plant multi-gene expression system can utilize

multiply-unlinked expression cassettes, each expressing a different protein or other toxic agent such as one or more dsRNA molecules.

Recombinant nucleic acid molecules or recombinant DNA constructs comprising chimeric insecticidal protein encoding sequence can be delivered to host cells by vectors, e.g., a plasmid, baculovirus, synthetic chromosome, virion, cosmid, phagemid, phage, or viral vector. Such vectors can be used to achieve stable or transient expression of a chimeric insecticidal protein encoding sequence in a host cell, or subsequent expression of the encoded polypeptide. An exogenous recombinant polynucleotide or recombinant DNA construct that comprises chimeric insecticidal protein sequence encoding sequence and that is introduced into a host cell is referred herein as a “transgene”.

Transgenic bacteria, transgenic plant cells, transgenic plants, and transgenic plant parts that contain a polynucleotide that encodes any one or more of the chimeric insecticidal proteins are provided herein. The term “bacterial cell” or “bacterium” can include, but is not limited to, an *Agrobacterium*, a *Bacillus*, an *Escherichia*, a *Salmonella*, a *Pseudomonas*, or a *Rhizobium* cell. The term “plant cell” or “plant” can include but is not limited to a dicotyledonous cell or a monocotyledonous cell. Contemplated plants and plant cells include, but are not limited to, alfalfa, banana, barley, bean, broccoli, cabbage, brassica, carrot, cassava, castor, cauliflower, celery, chickpea, Chinese cabbage, citrus, coconut, coffee, corn, clover, cotton, a cucurbit, cucumber, Douglas fir, eggplant, eucalyptus, flax, garlic, grape, hops, leek, lettuce, Loblolly pine, millets, melons, nut, oat, olive, onion, ornamental, palm, pasture grass, pea, peanut, pepper, pigeonpea, pine, potato, poplar, pumpkin, Radiata pine, radish, rapeseed, rice, rootstocks, rye, safflower, shrub, sorghum, Southern pine, soybean, spinach, squash, strawberry, sugar beet, sugarcane, sunflower, sweet corn, sweet gum, sweet potato, switchgrass, tea, tobacco, tomato, triticale, turf grass, watermelon, and wheat plant cell or plant. In certain embodiments, transgenic plants and transgenic plant parts regenerated from a transgenic plant cell are provided. In certain embodiments, the transgenic plants can be obtained from a transgenic seed, by cutting, snapping, grinding or otherwise disassociating the part from the plant. In certain embodiments, the plant part can be a seed, a boll, a leaf, a flower, a stem, a root, or any portion thereof, or a non-regenerable portion of a transgenic plant part. As used in this context, a “non-regenerable” portion of a transgenic plant part is a portion that cannot be induced to form a whole plant or that cannot be induced to form a whole plant that is capable of sexual and/or asexual reproduction. In certain

embodiments, a non-regenerable portion of a plant part is a portion of a transgenic seed, boll, leaf, flower, stem, or root. Methods of making transgenic plants that comprise Lepidoptera-inhibitory amounts of a chimeric insecticidal proteins are provided. Such plants can be made by introducing a polynucleotide that encodes the chimeric insecticidal proteins provided in this application into a plant cell, and selecting a plant derived from said plant cell that expresses an insect or Lepidoptera-inhibitory amount of the chimeric insecticidal protein. Plants can be derived from the plant cells by regeneration, seed, pollen, or meristem transformation techniques. Methods for transforming plants are known in the art. For example, *Agrobacterium*-mediated transformation is described in U.S. Patent Application Publications 2009/0138985A1 (soybean), 2008/0280361A1 (soybean), 2009/0142837A1 (corn), 2008/0282432 (cotton), and 2008/0256667 (cotton).

Plants expressing the chimeric insecticidal proteins can be crossed by breeding with transgenic events expressing other insecticidal proteins and/or expressing other transgenic traits such as other insect control traits, herbicide tolerance genes, genes conferring yield or stress tolerance traits, and the like, or such traits can be combined in a single vector so that the traits are all linked.

Processed plant products, wherein the processed product comprises a detectable amount of a chimeric insecticidal protein, an insect inhibitory segment or fragment thereof, or any distinguishing portion thereof, are also disclosed in this application. In certain embodiments, the processed product is selected from the group consisting of plant parts, plant biomass, oil, meal, sugar, animal feed, flour, flakes, bran, lint, hulls, processed seed, and seed. In certain embodiments, the processed product is non-regenerable. The plant product can comprise commodity or other products of commerce derived from a transgenic plant or transgenic plant part, where the commodity or other products can be tracked through commerce by detecting nucleotide segments or expressed RNA or proteins that encode or comprise distinguishing portions of a chimeric insecticidal protein.

Methods of controlling insects, in particular Lepidoptera infestations of crop plants, with the chimeric insecticidal proteins are also disclosed in this application. Such methods can comprise growing a plant comprising an insect- or Lepidoptera-inhibitory amount of the chimeric insecticidal protein. In certain embodiments, such methods can further comprise any one or more of: (i) applying any composition comprising or encoding a chimeric insecticidal protein to a plant or a seed that gives rise to a plant; and (ii) transforming a plant or a plant cell that gives rise to a plant with a polynucleotide encoding a chimeric insecticidal protein. In general, it is contemplated that chimeric insecticidal protein can be provided in a composition, provided in a microorganism, or provided in a transgenic plant to confer insect inhibitory activity against Lepidopteran insects.

In certain embodiments, the chimeric insecticidal protein is the insecticidally active ingredient of an insect inhibitory composition prepared by culturing recombinant *Bacillus* or any other recombinant bacterial cell transformed to express a chimeric insecticidal protein under conditions suitable for expression. Such a composition can be prepared by desiccation, lyophilization, homogenization, extraction, filtration, centrifugation, sedimentation, or concentration of a culture of such recombinant cells expressing/producing the chimeric insecticidal protein. Such a process can result in a *Bacillus* or other entomopathogenic bacterial cell extract, cell suspension, cell homogenate, cell lysate, cell supernatant, cell filtrate, or cell pellet. By obtaining the chimeric insecticidal protein so produced, a composition that includes the chimeric insecticidal protein can include bacterial cells, bacterial spores, and parasporal inclusion bodies and can be formulated for various uses, including as agricultural insect inhibitory spray products or as insect inhibitory formulations in diet bioassays.

The aforementioned compound or formulation can further comprise an agriculturally-acceptable carrier, such as a bait, a powder, dust, pellet, granule, spray, emulsion, a colloidal suspension, an aqueous solution, a *Bacillus* spore or crystal preparation or a seed treatment. The compound or formulation can also further comprise a recombinant plant cell, plant tissue, seed or plant transformed to express one or more of the proteins; or bacterium transformed to express one or more of the proteins. Depending on the level of insect inhibitory or insecticidal inhibition inherent in the recombinant polypeptide and the level of compound or formula-

tion to be applied to a plant or diet assay, the compound or formulation can include various by weight amounts of the recombinant polypeptide, e.g. from 0.0001% to 0.001% to 0.01% to 1% to 99% by weight of the recombinant polypeptide.

In an embodiment, in order to reduce the likelihood of resistance development, an insect inhibitory composition or transgenic plant comprising a chimeric insecticidal protein can further comprise at least one additional toxic agent that exhibits insect inhibitory activity against the same Lepidopteran insect species, but which is different from the chimeric insecticidal protein. Possible additional toxic agents for such a composition include an insect inhibitory protein and an insect inhibitory dsRNA molecule. One example for the use of such ribonucleotide sequences to control insect pests is described in Baum, et al. (U.S. Patent Publication 2006/0021087 A1). Such additional polypeptide(s) for the control of Lepidopteran pests may be selected from the group consisting of an insect inhibitory protein, such as, but not limited to, Cry1A (U.S. Pat. No. 5,880,275), Cry1Ab, Cry1Ac, Cry1A.105, Cry1Ae, Cry1B (U.S. patent Publication Ser. No. 10/525,318), Cry1C (U.S. Pat. No. 6,033,874), Cry1D, Cry1E, Cry1F, and Cry1A/F chimeras (U.S. Pat. Nos. 7,070,982; 6,962,705; and 6,713,063), Cry1G, Cry1H, Cry1I, Cry1J, Cry1K, Cry1L, Cry2A, Cry2Ab (U.S. Pat. No. 7,064,249), Cry2Ae, Cry4B, Cry6, Cry7, Cry8, Cry9, Cry15, Cry43A, Cry43B, Cry51Aa1, ET66, TIC400, TIC800, TIC834, TIC1415, Vip3A, VIP3Ab, VIP3B, AXMI-001, AXMI-002, AXMI-030, AXMI-035, AND AXMI-045 (U.S. Patent Publication 2013-0117884 A1), AXMI-52, AXMI-58, AXMI-88, AXMI-97, AXMI-102, AXMI-112, AXMI-117, AXMI-100 (U.S. Patent Publication 2013-0310543 A1), AXMI-115, AXMI-113, AXMI-005 (U.S. Patent Publication 2013-0104259 A1), AXMI-134 (U.S. Patent Publication 2013-0167264 A1), AXMI-150 (U.S. Patent Publication 2010-0160231 A1), AXMI-184 (U.S. Patent Publication 2010-0004176 A1), AXMI-196, AXMI-204, AXMI-207, AXMI-209 (U.S. Patent Publication 2011-0030096 A1), AXMI-218, AXMI-220 (U.S. Patent Publication 2014-0245491 A1), AXMI-221z, AXMI-222z, AXMI-223z, AXMI-224z, AXMI-225z (U.S. Patent Publication 2014-0196175 A1), AXMI-238 (U.S. Patent Publication 2014-0033363 A1), AXMI-270 (U.S. Patent Publication 2014-0223598 A1), AXMI-345 (U.S. Patent Publication 2014-0373195 A1), DIG-3 (U.S. Patent Publication 2013-0219570 A1), DIG-5 (U.S. Patent Publication 2010-0319093 A1), AfIP-1A and derivatives thereof (U.S. Patent Publication 2014-0033361 A1), AfIP-1B and derivatives thereof (U.S. Patent Publication 2014-0033361 A1), PIP-1A/PIP-1B (U.S. Patent Publication 2014-0007292 A1), PSEEN3174 (U.S. Patent Publication 2014-0007292 A1), AECFG-592740 (U.S. Patent Publication 2014-0007292 A1), Pput\_1063 (U.S. Patent Publication 2014-0007292 A1), Pput\_1064 (U.S. Patent Publication 2014-0007292 A1), GS-135 and derivatives thereof (U.S. Patent Publication 2012-0233726 A1), GS153 and derivatives thereof (U.S. Patent Publication 2012-0192310 A1), GS154 and derivatives thereof (U.S. Patent Publication 2012-0192310 A1), GS155 and derivatives thereof (U.S. Patent Publication 2012-0192310 A1), SEQ ID NO:2 and derivatives thereof as described in U.S. Patent Publication 2012-0167259 A1, SEQ ID NO:2 and derivatives thereof as described in U.S. Patent Publication 2012-0047606 A1, SEQ ID NO:2 and derivatives thereof as described in U.S. Patent Publication 2011-0154536 A1, SEQ ID NO:2 and derivatives thereof as described in U.S. Patent Publication 2011-0112013 A1, SEQ

ID NO:2 and 4 and derivatives thereof as described in U.S. Patent Publication 2010-0192256 A1, SEQ ID NO:2 and derivatives thereof as described in U.S. Patent Publication 2010-0077507 A1, SEQ ID NO:2 and derivatives thereof as described in U.S. Patent Publication 2010-0077508 A1, SEQ ID NO:2 and derivatives thereof as described in U.S. Patent Publication 2009-0313721 A1, SEQ ID NO:2 or 4 and derivatives thereof as described in U.S. Patent Publication 2010-0269221 A1, SEQ ID NO:2 and derivatives thereof as described in U.S. Pat. No. 7,772,465 (B2), CF161\_0085 and derivatives thereof as described in WO2014/008054 A2, Lepidopteran toxic proteins and their derivatives as described in US Patent Publications US2008-0172762 A1, US2011-0055968 A1, and US2012-0117690 A1; SEQ ID NO:2 and derivatives thereof as described in U.S. Pat. No. 7,510,878(B2), SEQ ID NO:2 and derivatives thereof as described in U.S. Pat. No. 7,812,129(B1); and the like.

In other embodiments, an insect inhibitory composition or transgenic plant can further comprise at least one additional toxic agent that exhibits insect inhibitory activity to an insect pest that is not inhibited by the chimeric insecticidal proteins of the present invention (such as Coleopteran, Hemipteran and Homopteran pests), in order to expand the spectrum of insect inhibition obtained.

Such additional toxic agent for the control of Coleopteran pests may be selected from the group consisting of an insect inhibitory protein, such as, but not limited to, Cry3Bb (U.S. Pat. No. 6,501,009), Cry1C variants, Cry3A variants, Cry3, Cry3B, Cry34/35, 5307, AXMI134 (U.S. Patent Publication 2013-0167264 A1) AXMI-184 (U.S. Patent Publication 2010-0004176 A1), AXMI-205 (U.S. Patent Publication 2014-0298538 A1), axmi207 (U.S. Patent Publication 2013-0303440 A1), AXMI-218, AXMI-220 (U.S. Patent Publication 20140245491A1), AXMI-221z, AXMI-223z (U.S. Patent Publication 2014-0196175 A1), AXMI-279 (U.S. Patent Publication 2014-0223599 A1), AXMI-R1 and variants thereof (U.S. Patent Publication 2010-0197592 A1, TIC407, TIC417, TIC431, TIC807, TIC853, TIC901, TIC1201, TIC3131, DIG-10 (U.S. Patent Publication 2010-0319092 A1), eHIPs (U.S. Patent Application Publication No. 2010/0017914), IP3 and variants thereof (U.S. Patent Publication 2012-0210462 A1), and  $\omega$ -Hexatoxin-Hv1a (U.S. Patent Application Publication US2014-0366227 A1).

Such additional toxic agent for the control of Hemipteran pests may be selected from the group consisting of Hemipteran-active proteins such as, but not limited to, TIC1415 (US Patent Publication 2013-0097735 A1), TIC807 (U.S. Pat. No. 8,609,936), TIC834 (U.S. Patent Publication 2013-0269060 A1), AXMI-036 (U.S. Patent Publication 2010-0137216 A1), and AXMI-171 (U.S. Patent Publication 2013-0055469 A1). Additional polypeptides for the control of Coleopteran, Lepidopteran, and Hemipteran insect pests can be found on the *Bacillus thuringiensis* toxin nomenclature website maintained by Neil Crickmore (on the world wide web at [bt.nomenclature.info](http://bt.nomenclature.info)).

Chimeric insecticidal protein-encoding sequences and sequences having a substantial percentage identity to the chimeric insecticidal proteins can be identified using methods known to those of ordinary skill in the art such as polymerase chain reaction (PCR), thermal amplification and hybridization. For example, the chimeric insecticidal proteins can be used to produce antibodies that bind specifically to related proteins, and can be used to screen for and to find other proteins that are closely related.

Furthermore, nucleotide sequences encoding the chimeric insecticidal proteins can be used as probes and primers for screening to identify other members of the class using

thermal-cycle or isothermal amplification and hybridization methods. For example, oligonucleotides derived from sequences as set forth in SEQ ID NO:2 can be used to determine the presence or absence of a chimeric insecticidal transgene in a deoxyribonucleic acid sample derived from a commodity product. Given the sensitivity of certain nucleic acid detection methods that employ oligonucleotides, it is anticipated that oligonucleotides derived from sequences as set forth in any of SEQ ID NO:2 can be used to detect the respective chimeric insecticidal protein in commodity products derived from pooled sources where only a fraction of the commodity product is derived from a transgenic plant containing any of SEQ ID NO:2.

### EXAMPLES

In view of the foregoing, those of skill in the art will appreciate that the following disclosed embodiments are merely representative of the invention, which may be embodied in various forms. Thus, specific structural and functional details disclosed herein are not to be interpreted as limiting.

sequences encoding novel chimeric insecticidal proteins. The resulting polynucleotide sequences were cloned into a *Bacillus thuringiensis* (Bt) expression plasmid vector. After confirmation of the polynucleotide sequence, the expression plasmid was transformed into Bt and expressed. Preparations of the expressed novel chimeric proteins were assayed for activity against various Lepidopteran pests.

Many polynucleotide sequences encoding chimeric insecticidal proteins were produced and tested in bioassay. Not all of the chimeric insecticidal proteins demonstrated activity. Only a few of the chimeric insecticidal proteins were selected based upon their activity to specific Lepidoptera demonstrated in bioassay. Amino acid variants in which amino acid substitutions, or alternate protoxin domains, were introduced were also produced based upon the original chimeric insecticidal proteins TIC867 and TIC868. The components of the chimeric insecticidal proteins (domains I, II and III and the protoxin) of the present invention are presented in Table 1. The amino acid substitutions in the TIC868 variants relative to the original TIC868 protein sequence are also presented.

TABLE 1

Novel chimeric pesticidal proteins and their components.						
Toxin	PRT SEQ ID NO:	Dom1	Dom2	Dom3	Protox	Amino Acid Modifications*
TIC1100	4	Cry1Ah	Cry1Ac	Cry1Ca	Cry1Ac	
TIC860	7	Cry1Bb1	Cry1Bb1	Cry1Ca	Cry1Ac	
TIC867	10	Cry1Be2	Cry1Be2	Cry1Ka	Cry1Ab3	
TIC867_20	13	Cry1Be2	Cry1Be2	Cry1Ka	Cry1Da1	
TIC867_21	16	Cry1Be2	Cry1Be2	Cry1Ka	Cry4	
TIC867_22	19	Cry1Be2	Cry1Be2	Cry1Ka	Cry9	
TIC867_23	21	Cry1Be2	Cry1Be2	Cry1Ka	Cry1Be	
TIC867_24	23	Cry1Be2	Cry1Be2	Cry1Ka	Cry1Ka	
TIC867_25	25	Cry1Be2	Cry1Be2	Cry1Ka	Cry1Ca	
TIC868	28	Cry1Be2	Cry1Be2	Cry1Ca	Cry1Ab3	
TIC868_9	30	Cry1Be2	Cry1Be2	Cry1Ca	Cry1Ab3	N240S_Y343Q_N349T
TIC868_10	33	Cry1Be2	Cry1Be2	Cry1Ca	Cry1Da1	
TIC868_11	36	Cry1Be2	Cry1Be2	Cry1Ca	Cry4	
TIC868_12	39	Cry1Be2	Cry1Be2	Cry1Ca	Cry9	
TIC868_13	41	Cry1Be2	Cry1Be2	Cry1Ca	Cry1Be	
TIC868_14	43	Cry1Be2	Cry1Be2	Cry1Ca	Cry1Ka	
TIC868_15	45	Cry1Be2	Cry1Be2	Cry1Ca	Cry1Ca	
TIC868_29	47	Cry1Be2	Cry1Be2	Cry1Ca	Cry1Ab3	Q136Y_Y343Q_N349T
TIC869	50	Cry1Ja1	Cry1Ja1	Cry1Jx	Cry1Ab3	
TIC836	53	Cry1Fa1	Cry1Fa1	Cry1Ab	Cry1Ac	

\*The amino acid mutations are identified using the standard IUPAC amino acid code. See IUPAC-IUB Joint Commission on Biochemical Nomenclature. Nomenclature and Symbolism for Amino Acids and Peptides. Eur. J. Biochem. 138: 9-37 (1984). The first amino acid sequence abbreviation indicates the original amino acid in the given scaffold protein, the number represents the position of the amino acid, and the second amino acid sequence abbreviation indicates the amino acid placed in that position in the improved variant protein.

#### Example 1

##### Creation and Cloning of Lepidopteran-Active Novel Chimeric Insecticidal Protein Coding Sequences

This Example illustrates the creation of the novel chimeric insecticidal proteins and the cloning and expressing of the chimeric insecticidal proteins.

Recombinant nucleic acid sequences were constructed from known Cry protein genes to produce polynucleotide

#### Example 2

##### The Novel Chimeric Insecticidal Proteins Demonstrate Activity Against Lepidopteran Pests

This Example illustrates the testing of the chimeric insecticidal proteins described in Example 1 and the Lepidopteran activity observed for the chimeric insecticidal proteins.

Polynucleotide sequences encoding chimeric insecticidal proteins were expressed in Bt. The expressed chimeric insecticidal proteins were then assayed against a variety of

## 21

Lepidoptera known to be pests of corn, sugarcane, soybean and cotton, as well as other crop plants. Specifically, the insecticidal proteins were assayed for activity against Velvetbean caterpillar (VBC, *Anticarsia gemmatilis*), Sugarcane borer (SCB, *Diatraea saccharalis*), Lesser cornstalk borer (LSCB, *Elasmopalpus lignosellus*), Corn earworm (CEW, *Helicoverpa zea*), Tobacco budworm (TBW, *Heliothis virescens*), Soybean looper (SBL, *Chrysodeixis includens*), Black armyworm (BLAW, *Spodoptera cosmioides*), Southern armyworm (SAW, *Spodoptera eridania*), Fall armyworm (FAW, *Spodoptera frugiperda*), Beet armyworm (BAW, *Spodoptera exigua*), Old World bollworm (OBW, *Helicoverpa armigera*), Oriental leafworm (OLW, *Spodoptera litura*), Pink bollworm (PBW, *Pectinophora gossypiella*), Black cutworm (BCW, *Agrotis ipsilon*), Southwestern Corn Borer (SWCB, *Diatraea grandiosella*), Spotted bollworm (SBW, *Earias vitella*), and European corn borer (ECB, *Ostrinia nubilalis*). Corn earworm (CEW, *Helicoverpa zea*) is also referred to as Soybean pod worm (SPW) and Cotton bollworm (CBW). Activity was determined through a combination of mortality and stunting scores as well as MIC50 scores. MIC50 refers to a molt inhibition concentration wherein both the dead larvae and L1 larvae (larvae that failed to molt to second instars) are factored into the score. Table 2 shows the activity of each chimeric insecticidal protein. A '+' sign indicates activity observed to the specific insect pest.

TABLE 2

Bioassay activity against selected Lepidoptera.																			
Toxin	PRT SEQ ID NO:	Insect																	
		VBC	SCB	LSCB	CEW SPW CBW	BLAW	TBW	SBL	SAW	FAW	BAW	OBW	OLW	PBW	BCW	SWCB	ECB	SBW	
TIC1100	4	+	+		+			+						+	+				
TIC860	7	+	+	+	+	+	+	+	+	+			+	+		+			+
TIC867	10	+	+		+		+		+	+	+		+						
TIC867_20	13																		
TIC867_21	16				+														
TIC867_22	19				+					+									
TIC868	28	+	+		+		+		+	+			+	+		+			+
TIC868_10	33									+									
TIC868_11	36									+									
TIC868_12	39									+									
TIC869	50	+	+					+		+						+			
TIC836	53	+			+		+	+	+	+									

As can be seen in Table 2 above, most of the chimeric insecticidal proteins exhibited activity against one or more Lepidopteran pest species.

## Example 3

## Synthesis of Genes Encoding Chimeric Insecticidal Proteins and for Expression in Plants

This Example illustrates the synthesis of polynucleotides encoding the chimeric insecticidal proteins for expression in plants.

Synthetic coding sequences were constructed for use in expression of the chimeric insecticidal proteins in plants. The synthetic sequences were designed and synthesized according to methods generally described in U.S. Pat. No.

## 22

5,500,365, avoiding certain inimical problem sequences such as ATTTA and A/T rich plant polyadenylation sequences while preserving the amino acid sequence of the chimeric insecticidal protein. The nucleotide sequences for these genes encoding the chimeric insecticidal proteins for expression in plants are listed in Table 3.

TABLE 3

Polynucleotide Sequences Encoding Chimeric Insecticidal Proteins Designed for Use in Plants.		
Insecticidal Protein	DNA SEQ ID NO:	PRT SEQ ID NO:
TIC1100	2	4
TIC1100	3	4
TIC860	6	7
TIC867	9	10
TIC867_20	12	13
TIC867_21	15	16
TIC867_22	18	19
TIC867_23	20	21
TIC867_24	22	23
TIC867_25	24	25
TIC868	27	28
TIC868_9	29	30
TIC868_10	32	33
TIC868_11	35	36
TIC868_12	38	39
TIC868_13	40	41
TIC868_14	42	43
TIC868_15	44	45

TABLE 3-continued

Polynucleotide Sequences Encoding Chimeric Insecticidal Proteins Designed for Use in Plants.		
Insecticidal Protein	DNA SEQ ID NO:	PRT SEQ ID NO:
TIC868_29	46	47
TIC869	49	50
TIC836	52	53

## Example 4

Expression Cassettes for the Expression of  
Chimeric Insecticidal Proteins in Plants

This Example illustrates the construction of expression cassettes comprising polynucleotide sequences designed for use in plants which encode chimeric insecticidal proteins.

A variety of plant expression cassettes were constructed with the polynucleotide sequences encoding the chimeric insecticidal proteins designed for plant expression provided in Table 3. Such expression cassettes are useful for transient expression in plant protoplasts or transformation of plant cells. Typical expression cassettes were designed with respect to the eventual placement of the protein within the cell. One set of expression cassettes was designed in a manner to allow the protein to be translated and remain in the cytosol. Another set of expression cassettes was designed to have a transit peptide contiguous with the toxin protein to allow targeting to an organelle of the cell such as the chloroplast or plastid. All expression cassettes were designed to begin at the 5' end with a promoter, which can be comprised of multiple promoter elements, enhancer elements, or other expression elements known to those of ordinary skill in the art operably linked to boost the expression of the transgene. The promoter sequence was usually followed contiguously with one or more leader sequences 3' to the promoter. An intron sequence was usually provided 3'

pests when expressed in corn plants and provided as a diet to the respective corn insect pest.

Corn variety LH244 was transformed with the binary transformation vectors described in Example 4 using an *Agrobacterium*-mediated transformation method. The transformed cells were induced to form plants by methods known in the art. Bioassays using plant leaf disks were performed analogous to those described in U.S. Pat. No. 8,344,207. A non-transformed LH244 plant was used to obtain tissue to be used as a negative control. Multiple transformation events from each binary vector were assessed against Corn earworm (CEW, *Helicoverpa zea*), Fall armyworm (FAW, *Spodoptera frugiperda*), Black cutworm (BCW, *Agrotis ipsilon*) and Southwestern Corn Borer (SWCB, *Diatraea grandiosella*).

Leaf disc bioassay was performed on R<sub>0</sub> and F<sub>1</sub> generation transgenic plants. In addition, leaf damage ratings were assessed for whole transgenic F<sub>1</sub> plants expressing certain chimeric insecticidal proteins infested with the Lepidopteran insect pests. F<sub>1</sub> transgenic events expressing TIC860 and TIC868 were also assessed for activity in the field against FAW, CEW, and SWCB. The assay results are shown in Table 4. A '+' sign indicates activity observed to the specific insect pest. As can be seen in Table 4, most of the chimeric insecticidal proteins and many of the chimeric insecticidal protein variants demonstrated activity against one or more Lepidopteran pest species.

TABLE 4

Toxin	PRT				Insect														
	SEQ ID NO:	VBC	SCB	LSCB	CEW SPW CBW	BLAW	TBW	SBL	SAW	FAW	BAW	OBW	OLW	PBW	BCW	SWCB	ECB	SBW	
TIC1100	4	+	+			+			+		+		+	+					
TIC860	7	+	+	+		+	+	+	+	+	+		+	+		+		+	
TIC867	10	+	+			+		+		+	+	+	+			+			
TIC867_20	13	NT	NT	NT		NT	NT	NT	NT		NT	NT	NT	NT	NT	NT	NT	NT	
TIC867_21	16	NT	NT	NT	+	NT	NT	NT	NT		NT	NT	NT	NT	NT	NT	NT	NT	
TIC867_22	19	NT	NT	NT	+	NT	NT	NT	NT	+	NT	NT	NT	NT	NT	NT	NT	NT	
TIC868	28	+	+			+		+	+	+	+	+	+			+		+	
TIC868_10	33	NT	NT	NT	+	NT	NT	NT	NT	+	NT	NT	NT	NT	NT	NT	NT	NT	
TIC868_11	36	NT	NT	NT	+	NT	NT	NT	NT	+	NT	NT	NT	NT	NT	NT	NT	NT	
TIC868_12	39	NT	NT	NT	+	NT	NT	NT	NT	+	NT	NT	NT	NT	NT	NT	NT	NT	
TIC869	50	+	+					+	+	+						+			
TIC836	53	+				+		+	+	+									

to the leader sequence to improve expression of the transgene. A coding sequence for the toxin or transit peptide and coding sequence for the toxin was usually located 3' to the operably linked promoter, leader and intron configuration. A 3'UTR sequence was usually provided 3' of the coding sequence to facilitate termination of transcription and to provide sequences important for the polyadenylation of the resulting transcript. All of the elements described above were operably linked and arranged sequentially, often with additional sequences provided for the construction of the expression cassette.

## Example 5

Lepidopteran Activity of the Chimeric Insecticidal  
Proteins in Stably Transformed Corn

This Example illustrates the inhibitory activity exhibited by the chimeric insecticidal proteins against Lepidopteran

## Example 6

Lepidopteran Activity of the Chimeric Insecticidal  
Proteins in Stably Transformed Soybean

This Example illustrates the inhibitory activity exhibited by the chimeric insecticidal proteins against Lepidopteran pests when expressed in soybean plants and provided as a diet to the respective insect pest.

The coding sequences for selected chimeric insecticidal proteins were redesigned for plant expression, cloned into a binary plant transformation vector, and used to transform soybean plant cells. The plant transformation vectors comprised a first transgene cassette for expression of the chimeric insecticidal protein as described in Example 4 and a second transgene cassette for the selection of transformed plant cells using spectinomycin selection. In some instances,

## 25

such as in the case of TIC1100, TIC860 and TIC836, a chloroplast transit peptide coding sequence was operably linked to the chimeric insecticidal coding sequence. Assays were performed with plastid targeted and untargeted TIC1100, TIC860 and TIC836. Table 5 below shows the chimeric insecticidal and TIC867 variant chimeric insecticidal protein and associated coding sequences used for expression in stably transformed soybean.

Soybean plant cells were transformed using the binary transformation vectors described above by *Agrobacterium*-mediated transformation. The resulting transformed plant cells were induced to form whole soybean plants. Leaf tissue was harvested and used in bioassay as described in Example 5 or alternatively, lyophilized tissue was used in the insect diet for bioassay. Bioassay was performed against FAW, Southern armyworm (SAW, *Spodoptera eridania*), Soybean looper (SBL, *Chrysodeixis includens*), Soybean Pod Worm (SPW, *Helicoverpa zea*), Velvetbean caterpillar (VBC, *Anticarsia gemmatalis*), Tobacco budworm (TBW, *Heliothis virescens*), Black armyworm (BLAW, *Spodoptera cosmioides*), Lesser cornstalk borer (LSCB, *Elasmopalpus lignosellus*) and Old World bollworm (OBW, *Helicoverpa armigera*).

Table 5 shows the activity against selected species of Lepidoptera for each insecticidal protein in R<sub>0</sub> generation plants, wherein '+' indicates activity. As can be seen in Table 5, each of the chimeric insecticidal proteins expressed in stably transformed soybean demonstrated activity against multiple Lepidopteran species. Of particular note is that the TIC867 variant, TIC867\_23 demonstrated activity against SPW.

TABLE 5

Bioassay activity of chimeric insecticidal proteins from stably transformed R <sub>0</sub> soybean leaf tissue.									
Insecticidal Protein	FAW	SAW	SBL	SPW	VBC	TBW	BLAW	LSCB	OBW
TIC1100	+	+	+		+		+	+	+
TIC860	+	+	+		+			+	
TIC867	+	+	+		+	+		+	
TIC867_20		+	+						
TIC867_21		+	+						
TIC867_22		+	+						
TIC867_23	+	+	+	+					
TIC867_24		+	+						
TIC867_25		+	+						
TIC868	+		+		+		+	+	
TIC869			+		+	+		+	
TIC836	+	+	+		+	+	+		+

Selected transformed events were allowed to self-pollinate and the resulting seed was grown. Leaf tissue was harvested from the R<sub>1</sub> generation plants and used in a feeding bioassay. R<sub>1</sub> plants expressing TIC1100, TIC860, TIC867, TIC868, TIC869 and TIC836 were assayed for activity against SAW, SBL, SPW and VBC. Table 6 shows the activity observed in these tests. A '+' sign indicates activity observed to the specific insect pest. As demonstrated in Table 6, most of the expressed chimeric insecticidal proteins from R<sub>1</sub> generation plants demonstrated activity to one or more Lepidopteran species.

## 26

TABLE 6

Bioassay activity of chimeric insecticidal proteins from stably transformed R <sub>1</sub> soybean leaf tissue.				
Toxin	SAW	SBL	SPW	VBC
TIC1100	+	+		+
TIC860	+	+		+
TIC867	+			
TIC868	+	+		+
TIC869	+	+		+
TIC836	+	+		+

Table 7 demonstrates the results of field tests conducted in screen houses with stably transformed R<sub>1</sub> generation soybean plants expressing TIC1100, TIC860, and TIC836. Species used to infest plants in the screen houses include SAW, SBL and SPW. Resistance was defined as being less than or equal to fifteen percent defoliation in the soybean plants. The resistance observed in these cage trials is consistent with the resistance observed in the R<sub>1</sub> generation soybean leaf tissue assay presented in Table 6. A '+' sign indicates activity observed to the specific insect pest.

TABLE 7

Activity Profile of TIC1100, TIC860 and TIC836 Expressed in R <sub>1</sub> Generation Soybean Tested in Screen House Field Tests.			
Toxin	SAW	SBL	SPW
TIC1100	+	+	
TIC860	+	+	
TIC836	+	+	

Field tests in screen houses with stably transformed R<sub>1</sub> generation soybean plants expressing TIC867 and TIC869 were also conducted at two different locations in Argentina, Acevedo and Fontezuela. Species used to infest plants in the screen houses include South American bollworm (SABW, *Helicoverpa gelotopon*), VBC, BLAW, and Sunflower looper (SFL, *Rachiplusia nu*). Resistance was defined as being less than or equal to fifteen percent defoliation in the soybean plants. Table 8 below shows the resistance observed. A '+' sign indicates activity observed to the specific insect pest. As demonstrated in Table 8, transgenic soybean plants expressing TIC867 demonstrated resistance to BLAW and VBC. Transgenic soybean plants expressing TIC869 demonstrated resistance to SABW, SFL, BLAW, and VBC.

27

TABLE 8

Activity Profile of TIC867 and TIC869 Expressed in R <sub>1</sub> Generation Soybean Tested in Screen House Field Tests.						
Toxin	Acevedo			Fontezuela		
	SABW	SFL	VBC	SABW	BLAW	VBC
TIC867			+		+	+
TIC869		+	+	+	+	+

## Example 7

## Lepidopteran Activity of the Chimeric Insecticidal Proteins in Stably Transformed Cotton

This Example illustrates the inhibitory activity exhibited by the chimeric insecticidal proteins against Lepidopteran pests when expressed in cotton plants and provided as a diet to the respective insect pest.

The coding sequences for selected chimeric insecticidal proteins were redesigned for plant expression, cloned into a binary plant transformation vector, and used to transform cotton plant cells. The resulting binary vectors were similar to those described in Example 4 and were used to express plastid targeted and untargeted TIC860 (coding sequence: SEQ ID NO: 6; protein sequence: SEQ ID NO: 7), TIC867 (coding sequence: SEQ ID NO: 9; protein sequence: SEQ ID NO: 10), TIC868 (coding sequence: SEQ ID NO: 27; protein sequence: SEQ ID NO: 28) and TIC867\_23 (coding sequence: SEQ ID NO: 20; protein sequence: SEQ ID NO: 23).

Cotton plant cells were transformed by an *Agrobacterium*-mediated transformation method. Transformed cotton cells were induced to form whole plants. Cotton leaf tissue was used in bioassay as described in Example 5 against Cotton Boll Worm (CBW, *Helicoverpa zea*), FAW, TBW and SBL. Table 9 shows the activity observed against these Lepidopteran species for TIC860, TIC867, and TIC868 in stably transformed R<sub>0</sub> generation cotton, wherein '+' indicate activity. As can be seen in Table 9, TIC860, TIC867, and TIC868 demonstrated activity against two or more Lepidopteran pest species in stably transformed R<sub>0</sub> generation cotton.

TABLE 9

Bioassay activity of TIC860, TIC867 and TIC868 from stably transformed R <sub>0</sub> cotton leaf tissue.				
Toxin	CBW	FAW	TBW	SBL
TIC860		+		+
TIC867	+	+	+	NT
TIC868		+		+

28

Selected transformation events were used to produce R<sub>1</sub> seed. R<sub>1</sub> Plants expressing TIC860, TIC867, and TIC868 were assayed for resistance to CBW, FAW, TBW, and SBL. Leaf, square and boll tissues were used in assay. Table 10 shows the activity observed in these tests. A '+' sign indicates activity observed to the specific insect pest. As demonstrated in Table 10, TIC860 demonstrated activity against FAW in the leaf tissue. Further, the chimeric insecticidal protein TIC867 demonstrated activity against CBW and FAW in the leaf, square and boll tissues, as well as TBW and SBL in the leaf. The chimeric insecticidal protein TIC868 demonstrated activity against FAW in the leaf, square and boll tissues, as well as TBW and SBL in the leaf.

TABLE 10

Bioassay activity of chimeric insecticidal proteins from stably transformed R <sub>1</sub> cotton leaf tissue.								
Toxin	CBW			FAW			TBW	SBL
	Leaf	Square	Boll	Leaf	Square	Boll	Leaf	Leaf
TIC860				+				
TIC867	+	+	+	+	+	+	+	+
TIC868				+	+	+	+	+

All of the compositions disclosed and claimed herein can be made and executed without undue experimentation in light of the present disclosure. While the compositions of this invention have been described in terms of the foregoing illustrative embodiments, it will be apparent to those of skill in the art that variations, changes, modifications, and alterations may be applied to the composition described herein, without departing from the true concept, spirit, and scope of the invention. More specifically, it will be apparent that certain agents that are both chemically and physiologically related may be substituted for the agents described herein while the same or similar results would be achieved. All such similar substitutes and modifications apparent to those skilled in the art are deemed to be within the spirit, scope, and concept of the invention as defined by the appended claims.

All publications and published patent documents cited in the specification are incorporated herein by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

## SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 53

<210> SEQ ID NO 1

<211> LENGTH: 3570

<212> TYPE: DNA

<213> ORGANISM: Artificial

<220> FEATURE:

<223> OTHER INFORMATION: Recombinant nucleotide sequence used for expression in a bacterial cell encoding TIC1100.



-continued

---

<400> SEQUENCE: 1

atggagatag tgaataatca gaatcaatgc gtgccttata attgtttgaa taatccccgaa 60  
atcgaaatat tagaaggcgg aagaatatca gttggttaata ccccaattga tatttctctt 120  
tcgcttactc agtttctttt gagtgaattt gtcccagggtg cgggggtttgt attaggatta 180  
attgatttaa tatggggatt tgtaggctct tcccaatggg acgcatttct tgctcaagtg 240  
gaacagttaa ttaaccaaag aatagcagaa gctgtaagaa atacagcaat tcaggaatta 300  
gagggaatgg cacgggttta tagaacctat gctactgctt ttgctgagtg ggaaaaagct 360  
cctgatgacc cagagctaag agaagcacta cgtacacaat ttacagcaac tgagacttat 420  
ataagtggaa gaatatccgt tttaaaaatt caaacttttg aagtacagct gttatcagtg 480  
tttgcccaag ctgcaaattt acatttatct ttattaagag acgttgtgtt ttttgggcaa 540  
agatgggggtt tttcaacgac aaccgtaa atactactaca atgatttaac agaagggtt 600  
agtacctata cagattatgc tgtacgctgg tacaatacgg gattagaacg tgtatgggga 660  
ccggattcta gagattgggt aagggtataat caatttagaa gagaattaac actaactgta 720  
ttagatatcg ttgctctggt cccgaattat gatagtagaa gatatccaat tcgaacagtt 780  
tccaattaa caagagaaat ttatacaaac ccagtattag aaaattttga tggtagtttt 840  
cgaggctcgg ctcagggcat agaaagaagt attaggagtc cacatttgat ggatatactt 900  
aacagtataa ccatctatac ggatgctcat aggggttatt attattggtc agggcatcaa 960  
ataatggctt ctctgtcgg tttttcgggg ccagaattca cgtttccgct atatggaacc 1020  
atgggaaatg cagctccaca acaacgtatt gttgctcaac taggtcaggg cgtgtataga 1080  
acattatcgt ccactttata tagaagacct ttaatatag ggataaataa tcaacaacta 1140  
tctgttcttg acgggacaga atttgcttat ggaacctcct caaatttgcc atccgctgta 1200  
tacagaaaaa gcggaacggt agattcgcgt gatgaaatac cgccacagaa taacaacgtg 1260  
ccacctaggc aaggatttag tcatcgatta agccatgttt caatgtttcg ttcaggcttt 1320  
agtaatagta gtgtaagtat aataagagct cctatgttct cttggataca tcgtagtgct 1380  
gaatttaata atataattgc atcggatagt attaatcaa tacctttagt gaaaggattt 1440  
agagtttggg ggggcacctc tgtcattaca ggaccaggat ttacaggagg ggatatacctt 1500  
cgaagaaata cctttggtga ttttgtatct ctacaagtca atattaattc accaattacc 1560  
caaagatacc gtttaagatt tcgttacgct tccagtaggg atgcacgagt tatagtatta 1620  
acaggagcgg catccacagg agtgggaggc caagttagt taaatatgcc tcttcagaaa 1680  
actatggaaa taggggagaa cttaacatct agaacttta gatataccga ttttagtaat 1740  
cctttttcat ttagagctaa tccagatata attgggataa gtgaacaacc tctatttggg 1800  
gcaggttcta ttagtagcgg tgaactttat atagataaaa ttgaaattat tctagcagat 1860  
gcaacatttg aagcagaatc tgatttagaa agagcgcaga aggcggtgaa tgcgctgttt 1920  
acgtctaaa accaactagg gctaaaaaca aatgtaacgg attatcatat tgatcaagtg 1980  
tccaatttag ttacgtattt atcggatgaa ttttgtctgg atgaaaagcg agaattgtcc 2040  
gagaaagtca aacatgcgaa gcgactcagt gatgaacgca atttactcca agattcaaat 2100  
ttcaaagaca ttaataggca accagaacgt ggggtggggcg gaagtacagg gattaccatc 2160  
caaggagggg atgacgtatt taaagaaaat tacgtcacac tatcaggtag ctttgatgag 2220  
tgctatccaa catatttgta tcaaaaaatc gatgaatcaa aattaaaagc ctttaccctg 2280  
tatcaattaa gaggtatat cgaagatagt caagacttag aaatctattt aattcgctac 2340

-continued

---

```

aatgcaaac atgaaacagt aaatgtgcca ggtacgggtt ccttatggcc gctttcagcc 2400
caaagtccaa tcggaaagtg tggagagccg aatcgatgcg cgccacacct tgaatggaat 2460
cctgacttag attgttcgtg tagggatgga gaaaagtgtg cccatcattc gcatcatttc 2520
tccttagaca ttgatgtagg atgtacagac ttaaatgagg acctaggtgt atgggtgatc 2580
ttaaagatta agacgcaaga tgggcacgca agactagggg atctagagtt tctcgaagag 2640
aaaccattag taggagaagc gctagctcgt gtgaaaagag cggagaaaaa atggagagac 2700
aaacgtgaaa aattggaatg ggaaacaaat atcgtttata aagaggcaaa agaactctgta 2760
gatgctttat ttgtaaactc tcaatatgat caattacaag cggatacгаа tattgccatg 2820
attcatgceg cagataaacg tgttcatagc attcgagaag cttatctgcc tgagctgtct 2880
gtgattccgg gtgtcaatgc ggctatTTTT gaagaattag aagggcgtat tttcactgca 2940
ttctccctat atgatgagc aaatgtcatt aaaaatgggt attttaataa tggcttatcc 3000
tgctggaacg tgaaggga tgtagatgta gaagaacaaa acaaccaacg ttcggtcctt 3060
gttgttccgg aatgggaagc agaagtgtca caagaagttc gtgtctgtcc gggctcgtggc 3120
tatatccttc gtgtcacagc gtacaaggag ggatatggag aaggttgctt aaccattcat 3180
gagatcgaga acaatacaga cgaactgaag ttagcaact gcgtagaaga ggaaatctat 3240
ccaataaca cggtaacgtg taatgattat actgtaaatc aagaagaata cggaggtgcg 3300
tacacttctc gtaatcgagg atataacгаа gtccttccg taccagctga ttatgcgtca 3360
gtctatgaag aaaaatcgta tacagatgga cgaagagaga atccttgtga atttaacaga 3420
gggtataggg attacacgcc actaccagtt ggttatgtga caaagaatt agaatacttc 3480
ccagaaaccg ataaggtatg gattgagatt ggagaaacgg aaggaacatt tatcgtggac 3540
agcgtggaat tactccttat ggaggaatga 3570

```

&lt;210&gt; SEQ ID NO 2

&lt;211&gt; LENGTH: 3570

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC1100.

&lt;400&gt; SEQUENCE: 2

```

atggagattg tgaacaacca gaaccagtgc gttccttaca actgcttgaa caaccctgag 60
attgagattc ttgaggggtg tagaatttct gttggcaaca ctctattga catctctttg 120
agtttgactc aattcttgtt gagtgagttc gttcctgggt ctggtttcgt cttggggttg 180
attgatttga tttggggttt cgttggctct agtcaatggg atgctttctt ggctcaagtt 240
gagcaattga ttaaccagag gatcgctgag gctgtgagga aactgctat tcaagagttg 300
gagggtatgg ctagagttaa cagaacttac gctactgctt tcgctgagtg ggagaaggct 360
cctgatgacc ctgagttgag ggaggctttg agaactcaat tcaactgctac tgagacttac 420
atcagtggta gaatcagtgt cttgaagatt caaactttcg aggttcaatt gctttctgtg 480
ttcgtcaag ctgcaactt gcacttgtct ttgcttagag atgttgtgtt ctttgggtcaa 540
agatgggggt tctccactac taccgtgaac aattactaca acgatttgac tgaggggtatt 600
tctacttaca ctgattacgc tgtagatgg tacaacactg gtttggagag agtttgggggt 660
ccagattcca gagattgggt cagatacaac cagttcagaa gggagttgac tttgactgtc 720
ttggacattg ttgctctctt ccctaactac gatagtcgtc gttaccctat tagaactggt 780

```

-continued

---

tctcaactta	ctagggaaat	ctacactaac	cctgttcttg	agaacttcga	tggtagtttc	840
cgtggtagtg	ctcaagggat	tgagcgttct	attcgttctc	ctcatcttat	ggacattctt	900
aactctatta	ctatctacac	tgatgctcat	cgtggttact	attactggtc	tggtcatcaa	960
attatggcta	gtcctgttgg	tttcagtggg	cctgagttca	ctttccctct	ttacgggtact	1020
atgggcaacg	ctgcacctca	acagaggatc	gttgctcaac	ttggccaagg	tgtttacagg	1080
actctttctt	caacccttta	caggcgctct	ttcaacattg	ggatcaacaa	ccagcagctt	1140
tctgttcttg	atggaaccga	gttcgcttac	ggaacctctt	caaaccttcc	tagtgctggt	1200
tacaggaagt	ctggaaccgt	tgacagtctt	gatgagattc	caccgcagaa	caataacgtt	1260
ccaccaggc	aaggcttcag	tcataggctt	tctcatgttt	ctatgttccg	ctctggattc	1320
agcaactctt	cagtttctat	tatcagggct	ccaatgttct	cgtggattca	taggtctgcc	1380
gagttcaaca	acattatcgc	ttccgatagc	attaaccaga	ttccacttgt	taagggattc	1440
cgtgtttggg	gaggcacctc	tgttattacc	ggaccaggct	tcaccggagg	cgacattctt	1500
cgtcgtaaca	ccttcggaga	tttcgtttca	cttcaagtga	acattaactc	accaatcacc	1560
cagcgctaca	ggcttcgctt	ccgctacgca	tcatccaggg	atgcaagggt	gatcgtgctt	1620
accggagcag	cctcaaccgg	agtgggaggc	caagtgagcg	tgaacatgcc	acttcagaag	1680
acgatggaga	tcggcgagaa	ccttacctca	agaacctttc	gttacaccga	tttcagcaac	1740
ccattcagct	ttcgtgcaaa	cccagacatc	atagggatct	cagagcagcc	actgtttgga	1800
gctggatcaa	tctcatccgg	agagctttac	atcgacaaga	tcgagatcat	actcgcagat	1860
gcaaccttcg	aggctgagag	cgatctggag	cgtgcacaga	aggcagtga	cgactcttt	1920
acctctacca	accagctcgg	actcaagacc	aacgtgaccg	attaccacat	cgaccaagtg	1980
agcaacctcg	tgacctacct	ctcagatgag	ttctgcttgg	atgagaaacg	cgaaactcagc	2040
gagaaggtga	agcacgcaaa	gcgctctctca	gatgagcgta	acctctcca	ggatagcaat	2100
ttcaaggaca	tcaatcgtca	gccagagcgt	ggatggggag	gctcaaccgg	aatcaccatc	2160
cagggaggcg	atgatgtgtt	taaggagaat	tacgtgacac	tctccggaac	attcgatgag	2220
tgctacccaa	catactcta	tcagaagatc	gacgagtcca	agctcaaggc	gttcacccgt	2280
tatcagctcc	gtggctacat	cgaggatagt	caagacctgg	aaatctacct	catccgctac	2340
aatgcaaagc	acgagacagt	gaatgtgcca	ggaacaggct	ccctctggcc	actctccgca	2400
cagtctccaa	tcggcaagtg	cggcgagcca	aatcgctgcg	cgccacacct	ggagtggaa	2460
cccagctgg	actgctcctg	ccgcgacggc	gagaagtgcg	cccaccactc	ccaccacttt	2520
agcctggaca	tcgacgtggg	ctgtacagac	ctgaatgagg	atctgggctg	gtgggtgatc	2580
tttaagatca	agacacagga	cggccacgcc	cgctgggca	atctggagt	tctggaggag	2640
aagcctctgg	tgggcaagc	cctggcccgc	gtgaagcgcg	ccgagaagaa	atggcgcgac	2700
aaacgcgaga	aactggaatg	ggaaacaaac	atcgtgtaca	aagaagccaa	agaatccgtg	2760
gacgccctat	ttgtgaactc	ccagtatgac	cagctacagg	ccgacacaaa	catcgcgatg	2820
atccacgctg	cggacaagcg	cgtgcactcc	atcgcgaag	cctatctacc	cgaactatcc	2880
gtgatacccg	gcgtaaatgc	cgcgatcttt	gaagaattgg	aaggccgcat	cttcacagcc	2940
tttagcctct	atgacgcccg	aaatgtcatc	aagaatggcg	actttaacaa	tgggctatcc	3000
tgttggaatg	tcaaagggca	cgtggacgtc	gaagagcaga	acaatcagcg	atccgtctta	3060
gtcgtacccg	aatgggaagc	cgaagtctcc	caggaagtcc	gagtctgtcc	tggtagaggt	3120

-continued

---

tacatcttga	gagtgactgc	ttacaaggag	ggttacggtg	agggatgcgt	gactattcac	3180
gagattgaga	acaacactga	tgagttgaag	ttcagtaact	gcgtggagga	ggaaatctac	3240
cccaacaaca	ctgtgacttg	taacgattac	accgtgaacc	aggaggaata	cggaggcgct	3300
tacacctcca	gaaaccgtgg	atacaatgag	gctccctcgg	tccccgctga	ttatgcctcc	3360
gtctatgagg	agaagtccta	caccgatgga	aggcgcgaga	atccctgcga	gttcaatcgc	3420
ggctatcgag	actacactcc	gctaccggtt	ggctatgtca	caaaggaact	ggaatacttc	3480
ccggaaacag	acaaagtctg	gatcgaaatc	ggcgaaacag	aagggacggt	catagtcgat	3540
agcgtagaac	ttctccttat	ggaagaatga				3570

&lt;210&gt; SEQ ID NO 3

&lt;211&gt; LENGTH: 3570

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC1100.

&lt;400&gt; SEQUENCE: 3

atggagattg	tgaacaacca	gaaccagtgc	gttccttaca	actgcttgaa	caaccctgag	60
attgagattc	ttgaggggtg	tagaatttct	gttggaaca	ctcctattga	catctctttg	120
agtttgactc	aattcttgtt	gagtgagttc	gttcctgggtg	ctggtttcgt	cttggggttg	180
attgatttga	tttggggttt	cgttggtcct	agtcaatggg	atgctttctt	ggctcaagtt	240
gagcaattga	ttaaccagag	gatcgctgag	gctgtgagga	acactgctat	tcaagagttg	300
gagggtatgg	ctagagttta	cagaacttac	gctactgctt	tcgctgagtg	ggagaaggct	360
cctgatgacc	ctgagttgag	ggaggctttg	agaactcaat	tcaactgctac	tgagacttac	420
atcagtggta	gaatcagtgt	cttgaagatt	caaactttcg	aggttcaatt	gctttctgtg	480
ttcgctcaag	ctgcaaactt	gcacttgtct	ttgcttagag	atgttgtgtt	ctttgggtcaa	540
agatgggggt	tctccactac	taccgtgaac	aattactaca	acgatttgac	tgaggggtatt	600
tctacttaca	ctgattacgc	tgtagatgg	tacaacactg	gtttggagag	agtttgggggt	660
ccagattcca	gagattgggt	cagatacaac	cagttcagaa	gggagttgac	tttgactgtc	720
ttggacattg	ttgctctctt	ccctaactac	gatagtcgtc	gttacccctat	tagaactggt	780
tctcaactta	ctagggaaat	ctacactaac	cctgttcttg	agaacttcga	tggtagtttc	840
cgtggtagtg	ctcaagggat	tgagcgttct	attcgttctc	ctcatcttat	ggacattctt	900
aactctatta	ctatctacac	tgatgctcat	cgtggttact	attactggtc	tggtcatcaa	960
attatggcta	gtcctgttgg	tttcagtggg	cctgagttca	ctttccctct	ttacgggtact	1020
atgggcaacg	ctgcacctca	acagaggatc	gttgctcaac	ttgggtcaagg	tgtttacagg	1080
actctttctt	caacccttta	caggcgtcct	ttcaacattg	ggatcaacaa	ccagcagctt	1140
tctgttcttg	atggaaccga	gttcgcttac	ggaacctctt	caaaccttcc	tagtgctggt	1200
tacaggaagt	ctggaaccgt	tgacagtctt	gatgagattc	caccgcagaa	caataacggt	1260
ccaccagggc	aaggcttcag	tcataggctt	tctcatgttt	ctatgttccg	ctctggattc	1320
agcaactctt	cagtttctat	tatcagggct	ccaatgttct	cgtggattca	taggtctgcc	1380
gagttcaaca	acattatcgc	ttccgatagc	attaaccaga	ttccacttgt	taagggattc	1440
cgtgtttggg	gaggcacctc	tgttattacc	ggaccaggct	tcaccggagg	cgacattctt	1500
cgtcgtaaca	ccttcggaga	tttcgtttca	cttcaagtga	acattaactc	accaatcacc	1560

-continued

---

```

cagcgctaca ggcttcgctt ccgctacgca tcatccaggg atgcaagggt gatcgtgctt 1620
accggagcag cctcaaccgg agtgggaggg caagtgagcg tgaacatgcc acttcagaag 1680
acgatggaga tcggcgagaa ccttacctca agaacccttc gttacaccga tttcagcaac 1740
ccattcagct ttcgtgcaaa cccagacatc atagggatct cagagcagcc actgtttggg 1800
gctggatcaa tctcatccgg agagctttac atcgacaaga tcgagatcat actcgcagat 1860
gcaaccttcg aggctgagag cgatctggag cgtgcacaga aggcagtgaa cgcactcttt 1920
acctctacca accagctcgg actcaagacc aacgtgaccg attaccacat cgaccaagtg 1980
agcaacctcg tgacctacct ctcagatgag ttctgcttgg atgagaaacg cgaactcagc 2040
gagaagggtga agcacgcaaa gcgtctctca gatgagcgtg acctcctcca ggatagcaat 2100
ttcaaggaca tcaatcgta gccagagcgt ggatggggag gctcaaccgg aatcaccatc 2160
cagggagggc atgatgtgtt taaggagaat tacgtgacac tctccggaac attcgatgag 2220
tgctacccaa catacctcta tcagaagatc gacgagtcca agctcaaggc gttcaccctg 2280
tatcagctcc gtggctacat cgaggatagt caagacctgg aaatctacct catccgctac 2340
aatgcaaagc acgagacagt gaatgtacca ggaacaggct ccctctggcc actctccgca 2400
cagtctccaa tcggcaagtg cggcgagcca aatcgctcgg cgccacacct ggagtgggat 2460
cccgacctgg actgctcctg ccgcgacggc gagaagtggc cccaccactc ccaccacttt 2520
agcctggaca tcgacgtggg ctgtacagac ctgaatgagg atctgggctg gtgggtgatc 2580
tttaagatca agacacagga cggccacgcc cgctgggca atctggagt tctggaggag 2640
aagcctctgg tgggcgaagc cctggcccgc gtgaagcggc ccgagaagaa atggcgcgac 2700
aaacgcgaga aactggaatg ggaaacaaac atcgtgtaca aagaagcaa agaatccgtg 2760
gacgcctat ttgtgaactc ccagtatgac cagctacagg ccgacacaaa catcgcgatg 2820
atccacgctg cggacaagcg cgtgcactcc atacgcgaag cctatctacc cgaactatcc 2880
gtgatacccg gcgtcaatgc cgcgatcttt gaagaattgg aaggccgcat cttcacagcc 2940
tttagcctct atgacgcccg aaatgtcatc aagaatggcg actttaacaa tgggctatcc 3000
tgttggatg tcaaagggca cgtggacgtc gaagagcaga acaatcagcg atccgtctta 3060
gtcgtacccg aatgggaagc cgaagtctcc caggaagtcc gagtctgtcc tggtagaggt 3120
tacatcttga gagtgactgc ttacaaggag ggttacggtg agggatgctg gactattcac 3180
gagattgaga acaacactga tgagttgaag ttcagtaact gcgtggagga ggaaatctac 3240
cccaacaaca ctgtgacttg taacgattac accgtgaacc aggaggaata cggaggcgct 3300
tacacctcca gaaaccgtgg atacaatgag gctccctcgg tccccgctga ttatgcctcc 3360
gtctatgagg agaagtctca caccgatgga aggcgcgaga atccctgcga gttcaatcgc 3420
ggctatcgag actacactcc gctaccctgt ggctatgtca caaaggaact ggaatacttc 3480
ccggaaacag acaaagtctg gatcgaaatc ggcgaaacag aagggacgtt catagtcgat 3540
agcgtagaac ttctccttat ggaagaatga 3570

```

&lt;210&gt; SEQ ID NO 4

&lt;211&gt; LENGTH: 1189

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein TIC1100.

&lt;400&gt; SEQUENCE: 4

-continued

---

Met	Glu	Ile	Val	Asn	Asn	Gln	Asn	Gln	Cys	Val	Pro	Tyr	Asn	Cys	Leu
1				5					10					15	
Asn	Asn	Pro	Glu	Ile	Glu	Ile	Leu	Glu	Gly	Gly	Arg	Ile	Ser	Val	Gly
			20					25					30		
Asn	Thr	Pro	Ile	Asp	Ile	Ser	Leu	Ser	Leu	Thr	Gln	Phe	Leu	Leu	Ser
		35					40					45			
Glu	Phe	Val	Pro	Gly	Ala	Gly	Phe	Val	Leu	Gly	Leu	Ile	Asp	Leu	Ile
	50					55					60				
Trp	Gly	Phe	Val	Gly	Pro	Ser	Gln	Trp	Asp	Ala	Phe	Leu	Ala	Gln	Val
65					70					75					80
Glu	Gln	Leu	Ile	Asn	Gln	Arg	Ile	Ala	Glu	Ala	Val	Arg	Asn	Thr	Ala
				85					90					95	
Ile	Gln	Glu	Leu	Glu	Gly	Met	Ala	Arg	Val	Tyr	Arg	Thr	Tyr	Ala	Thr
			100					105						110	
Ala	Phe	Ala	Glu	Trp	Glu	Lys	Ala	Pro	Asp	Asp	Pro	Glu	Leu	Arg	Glu
		115					120					125			
Ala	Leu	Arg	Thr	Gln	Phe	Thr	Ala	Thr	Glu	Thr	Tyr	Ile	Ser	Gly	Arg
	130					135					140				
Ile	Ser	Val	Leu	Lys	Ile	Gln	Thr	Phe	Glu	Val	Gln	Leu	Leu	Ser	Val
145					150					155					160
Phe	Ala	Gln	Ala	Ala	Asn	Leu	His	Leu	Ser	Leu	Leu	Arg	Asp	Val	Val
				165					170					175	
Phe	Phe	Gly	Gln	Arg	Trp	Gly	Phe	Ser	Thr	Thr	Thr	Val	Asn	Asn	Tyr
			180					185						190	
Tyr	Asn	Asp	Leu	Thr	Glu	Gly	Ile	Ser	Thr	Tyr	Thr	Asp	Tyr	Ala	Val
	195						200					205			
Arg	Trp	Tyr	Asn	Thr	Gly	Leu	Glu	Arg	Val	Trp	Gly	Pro	Asp	Ser	Arg
	210					215					220				
Asp	Trp	Val	Arg	Tyr	Asn	Gln	Phe	Arg	Arg	Glu	Leu	Thr	Leu	Thr	Val
225					230					235					240
Leu	Asp	Ile	Val	Ala	Leu	Phe	Pro	Asn	Tyr	Asp	Ser	Arg	Arg	Tyr	Pro
				245					250					255	
Ile	Arg	Thr	Val	Ser	Gln	Leu	Thr	Arg	Glu	Ile	Tyr	Thr	Asn	Pro	Val
			260					265						270	
Leu	Glu	Asn	Phe	Asp	Gly	Ser	Phe	Arg	Gly	Ser	Ala	Gln	Gly	Ile	Glu
		275					280					285			
Arg	Ser	Ile	Arg	Ser	Pro	His	Leu	Met	Asp	Ile	Leu	Asn	Ser	Ile	Thr
	290					295					300				
Ile	Tyr	Thr	Asp	Ala	His	Arg	Gly	Tyr	Tyr	Tyr	Trp	Ser	Gly	His	Gln
305					310					315					320
Ile	Met	Ala	Ser	Pro	Val	Gly	Phe	Ser	Gly	Pro	Glu	Phe	Thr	Phe	Pro
				325					330					335	
Leu	Tyr	Gly	Thr	Met	Gly	Asn	Ala	Ala	Pro	Gln	Gln	Arg	Ile	Val	Ala
			340					345						350	
Gln	Leu	Gly	Gln	Gly	Val	Tyr	Arg	Thr	Leu	Ser	Ser	Thr	Leu	Tyr	Arg
		355					360						365		
Arg	Pro	Phe	Asn	Ile	Gly	Ile	Asn	Asn	Gln	Gln	Leu	Ser	Val	Leu	Asp
	370					375					380				
Gly	Thr	Glu	Phe	Ala	Tyr	Gly	Thr	Ser	Ser	Asn	Leu	Pro	Ser	Ala	Val
385					390					395					400
Tyr	Arg	Lys	Ser	Gly	Thr	Val	Asp	Ser	Leu	Asp	Glu	Ile	Pro	Pro	Gln
				405					410					415	
Asn	Asn	Asn	Val	Pro	Pro	Arg	Gln	Gly	Phe	Ser	His	Arg	Leu	Ser	His

-continued

420					425					430					
Val	Ser	Met	Phe	Arg	Ser	Gly	Phe	Ser	Asn	Ser	Ser	Val	Ser	Ile	Ile
		435					440					445			
Arg	Ala	Pro	Met	Phe	Ser	Trp	Ile	His	Arg	Ser	Ala	Glu	Phe	Asn	Asn
		450					455					460			
Ile	Ile	Ala	Ser	Asp	Ser	Ile	Asn	Gln	Ile	Pro	Leu	Val	Lys	Gly	Phe
							470					475			480
Arg	Val	Trp	Gly	Gly	Thr	Ser	Val	Ile	Thr	Gly	Pro	Gly	Phe	Thr	Gly
				485					490						495
Gly	Asp	Ile	Leu	Arg	Arg	Asn	Thr	Phe	Gly	Asp	Phe	Val	Ser	Leu	Gln
			500					505					510		
Val	Asn	Ile	Asn	Ser	Pro	Ile	Thr	Gln	Arg	Tyr	Arg	Leu	Arg	Phe	Arg
			515				520					525			
Tyr	Ala	Ser	Ser	Arg	Asp	Ala	Arg	Val	Ile	Val	Leu	Thr	Gly	Ala	Ala
							535					540			
Ser	Thr	Gly	Val	Gly	Gly	Gln	Val	Ser	Val	Asn	Met	Pro	Leu	Gln	Lys
							550					555			560
Thr	Met	Glu	Ile	Gly	Glu	Asn	Leu	Thr	Ser	Arg	Thr	Phe	Arg	Tyr	Thr
				565					570						575
Asp	Phe	Ser	Asn	Pro	Phe	Ser	Phe	Arg	Ala	Asn	Pro	Asp	Ile	Ile	Gly
			580						585				590		
Ile	Ser	Glu	Gln	Pro	Leu	Phe	Gly	Ala	Gly	Ser	Ile	Ser	Ser	Gly	Glu
			595					600					605		
Leu	Tyr	Ile	Asp	Lys	Ile	Glu	Ile	Ile	Leu	Ala	Asp	Ala	Thr	Phe	Glu
							615					620			
Ala	Glu	Ser	Asp	Leu	Glu	Arg	Ala	Gln	Lys	Ala	Val	Asn	Ala	Leu	Phe
							630					635			640
Thr	Ser	Thr	Asn	Gln	Leu	Gly	Leu	Lys	Thr	Asn	Val	Thr	Asp	Tyr	His
				645					650						655
Ile	Asp	Gln	Val	Ser	Asn	Leu	Val	Thr	Tyr	Leu	Ser	Asp	Glu	Phe	Cys
			660					665					670		
Leu	Asp	Glu	Lys	Arg	Glu	Leu	Ser	Glu	Lys	Val	Lys	His	Ala	Lys	Arg
			675				680						685		
Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln	Asp	Ser	Asn	Phe	Lys	Asp	Ile
							695					700			
Asn	Arg	Gln	Pro	Glu	Arg	Gly	Trp	Gly	Gly	Ser	Thr	Gly	Ile	Thr	Ile
							710					715			720
Gln	Gly	Gly	Asp	Asp	Val	Phe	Lys	Glu	Asn	Tyr	Val	Thr	Leu	Ser	Gly
				725					730						735
Thr	Phe	Asp	Glu	Cys	Tyr	Pro	Thr	Tyr	Leu	Tyr	Gln	Lys	Ile	Asp	Glu
			740					745					750		
Ser	Lys	Leu	Lys	Ala	Phe	Thr	Arg	Tyr	Gln	Leu	Arg	Gly	Tyr	Ile	Glu
			755				760					765			
Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr	Asn	Ala	Lys	His
							775					780			
Glu	Thr	Val	Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp	Pro	Leu	Ser	Ala
							790					795			800
Gln	Ser	Pro	Ile	Gly	Lys	Cys	Gly	Glu	Pro	Asn	Arg	Cys	Ala	Pro	His
				805					810						815
Leu	Glu	Trp	Asn	Pro	Asp	Leu	Asp	Cys	Ser	Cys	Arg	Asp	Gly	Glu	Lys
			820					825					830		
Cys	Ala	His	His	Ser	His	His	Phe	Ser	Leu	Asp	Ile	Asp	Val	Gly	Cys
							840					845			

-continued

---

Thr Asp Leu Asn Glu Asp Leu Gly Val Trp Val Ile Phe Lys Ile Lys  
 850 855 860

Thr Gln Asp Gly His Ala Arg Leu Gly Asn Leu Glu Phe Leu Glu Glu  
 865 870 875 880

Lys Pro Leu Val Gly Glu Ala Leu Ala Arg Val Lys Arg Ala Glu Lys  
 885 890 895

Lys Trp Arg Asp Lys Arg Glu Lys Leu Glu Trp Glu Thr Asn Ile Val  
 900 905 910

Tyr Lys Glu Ala Lys Glu Ser Val Asp Ala Leu Phe Val Asn Ser Gln  
 915 920 925

Tyr Asp Gln Leu Gln Ala Asp Thr Asn Ile Ala Met Ile His Ala Ala  
 930 935 940

Asp Lys Arg Val His Ser Ile Arg Glu Ala Tyr Leu Pro Glu Leu Ser  
 945 950 955 960

Val Ile Pro Gly Val Asn Ala Ala Ile Phe Glu Glu Leu Glu Gly Arg  
 965 970 975

Ile Phe Thr Ala Phe Ser Leu Tyr Asp Ala Arg Asn Val Ile Lys Asn  
 980 985 990

Gly Asp Phe Asn Asn Gly Leu Ser Cys Trp Asn Val Lys Gly His Val  
 995 1000 1005

Asp Val Glu Glu Gln Asn Asn Gln Arg Ser Val Leu Val Val Pro  
 1010 1015 1020

Glu Trp Glu Ala Glu Val Ser Gln Glu Val Arg Val Cys Pro Gly  
 1025 1030 1035

Arg Gly Tyr Ile Leu Arg Val Thr Ala Tyr Lys Glu Gly Tyr Gly  
 1040 1045 1050

Glu Gly Cys Val Thr Ile His Glu Ile Glu Asn Asn Thr Asp Glu  
 1055 1060 1065

Leu Lys Phe Ser Asn Cys Val Glu Glu Glu Ile Tyr Pro Asn Asn  
 1070 1075 1080

Thr Val Thr Cys Asn Asp Tyr Thr Val Asn Gln Glu Glu Tyr Gly  
 1085 1090 1095

Gly Ala Tyr Thr Ser Arg Asn Arg Gly Tyr Asn Glu Ala Pro Ser  
 1100 1105 1110

Val Pro Ala Asp Tyr Ala Ser Val Tyr Glu Glu Lys Ser Tyr Thr  
 1115 1120 1125

Asp Gly Arg Arg Glu Asn Pro Cys Glu Phe Asn Arg Gly Tyr Arg  
 1130 1135 1140

Asp Tyr Thr Pro Leu Pro Val Gly Tyr Val Thr Lys Glu Leu Glu  
 1145 1150 1155

Tyr Phe Pro Glu Thr Asp Lys Val Trp Ile Glu Ile Gly Glu Thr  
 1160 1165 1170

Glu Gly Thr Phe Ile Val Asp Ser Val Glu Leu Leu Leu Met Glu  
 1175 1180 1185

Glu

<210> SEQ ID NO 5  
 <211> LENGTH: 3672  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Recombinant nucleotide sequence used for  
 expression in a bacterial cell encoding TIC860.

<400> SEQUENCE: 5



-continued

---

atgacttcaa	ataggaaaa	tgagaatgaa	attataaatg	ctttatcgat	tccaacggta	60
tccaatcctt	ccacgcaaat	gaatctatca	ccagatgctc	gtattgaaga	tagcttgtgt	120
gtagccgagg	tgaacaatat	tgatccattt	gttagcgcac	caacagtcca	aacgggtata	180
aacatagctg	gtagaatatt	gggcgtatta	ggtgtgccgt	ttgctggaca	actagctagt	240
ttttatagtt	ttcttggttg	ggaattatgg	cctagtggca	gagatccatg	ggaaattttc	300
ctggaacatg	tagaacaact	tataagacaa	caagtaacag	aaaatactag	gaatacggct	360
attgctcgat	tagaaggtct	aggaagaggc	tatagatctt	accagcaggc	tcttgaaact	420
tggttagata	accgaaatga	tgcaagatca	agaagcatta	ttcttgagcg	ctatggtgct	480
ttagaacttg	acattactac	tgctataccg	cttttcagaa	tacgaaatga	agaagttcca	540
ttattaatgg	tatatgctca	agctgcaaat	ttacacctat	tattattgag	agacgcatcc	600
ctttttggta	gtgaatgggg	gatggcatct	tccgatgta	accaatatta	ccaagaacaa	660
atcagatata	cagaggaata	ttctaacct	tgctacaat	ggtataatac	agggctaaat	720
aacttaagag	ggacaaatgc	tgaaagttgg	ttgcggtata	atcaattccg	tagagaccta	780
acgttagggg	tattagattt	agtagcccta	ttccaagct	atgatactcg	cacttatcca	840
atcaatacga	gtgctcagtt	aacaagagaa	attatacag	atccaattgg	gagaacaaat	900
gcaccttcag	gatttgcaag	tacgaattgg	tttaataata	atgcaccatc	gttttctgcc	960
atagaggctg	ccattttcag	gcctccgcat	ctacttgatt	ttccagaaca	acttacaatt	1020
tacagtgcac	caagccgttg	gagtagcact	caacatatga	attattgggt	gggacatagg	1080
cttaacttcc	gccaatagg	aggacatta	aatacctcaa	cacaaggact	tactaataat	1140
acttcaatta	atcctgtaac	attacagttt	acgtctcgag	acgtttatag	aacagaatca	1200
aatgcaggga	caaatatact	atttactact	cctgtgaatg	gagtaccttg	ggctagattt	1260
aattttataa	accctcagaa	tatttatgaa	agaggcgcca	ctacctacag	tcaaccgtat	1320
cagggagttg	ggattcaatt	atttgattca	gaaactgaat	taccaccaga	aacaacagaa	1380
cgaccaaatt	atgaatcata	tagtcataga	ttatctcata	taggactaat	cataggaaac	1440
actttgagag	caccagtcta	ttcttgagcg	catcgtagtg	cagatcgtac	gaatacgtat	1500
ggaccaaata	gaattaatca	aataccttta	gtgaaaggat	ttagagtttg	ggggggcacc	1560
tctgtcatta	caggaccagg	atttacagga	gggatatcc	ttcgaagaaa	tacctttggt	1620
gattttgtat	ctctacaagt	caatattaat	tcaccaatta	cccaaagata	ccgtttaaga	1680
tttcgttacg	cttcagtag	ggatgcacga	ggtatagtat	taacaggagc	ggcatccaca	1740
ggagtgggag	gccaagttag	tgtaaatatg	cctcttcaga	aaactatgga	aataggggag	1800
aacttaacat	ctagaacatt	tagatatacc	gatttttagta	atcctttttc	atttagagct	1860
aatccagata	taattgggat	aagtgaacaa	cctctatttg	gtgcaggttc	tattagtagc	1920
ggtgaacttt	atatagataa	aattgaaatt	attctagcag	atgcaacatt	tgaagcagaa	1980
tctgatttag	aaagagcgca	gaaggcgggtg	aatgcgctgt	ttacgtctac	aaaccaacta	2040
gggctaaaaa	caaatgtaac	ggattatcat	attgatcaag	tgtccaattt	agttacgtat	2100
ttatcggatg	aattttgtct	ggatgaaaag	cgagaattgt	ccgagaaagt	caaacatgcg	2160
aagcgactca	gtgatgaacg	caatttactc	caagattcaa	atttcaaaga	cattaatagg	2220
caaccagaac	gtgggtgggg	cggaagtaca	gggattacca	tccaaggagg	ggatgacgta	2280
tttaaagaaa	attacgtcac	actatcaggt	acctttgatg	agtgctatcc	aacatatttg	2340

-continued

---

tatcaaaaaa	tcgatgaatc	aaaattaaaa	gcctttaccc	gttatcaatt	aagagggtat	2400
atcgaagata	gtcaagactt	agaaatctat	ttaattcgct	acaatgcaaa	acatgaaaca	2460
gtaaatgtgc	caggtacggg	ttccttatgg	ccgctttcag	cccaaagtcc	aatcggaag	2520
tgtggagagc	cgaatcgatg	cgcgccacac	cttgaatgga	atcctgactt	agattgttcg	2580
tgtagggatg	gagaaaagtg	tgcccatcat	tcgcatcatt	tctccttaga	cattgatgta	2640
ggatgtacag	acttaaata	ggacctaggt	gtatgggtga	tctttaagat	taagacgcaa	2700
gatgggcacg	caagactagg	gaatctagag	tttctcgaag	agaaaccatt	agtaggagaa	2760
gcgctagctc	gtgtgaaaag	agcggagaaa	aatggagag	acaaacgtga	aaaattggaa	2820
tgggaaacaa	atategttta	taaagaggca	aaagaatctg	tagatgcttt	atttgtaaac	2880
tctcaatatg	atcaattaca	agcggatagc	aatattgcca	tgattcatgc	ggcagataaa	2940
cgtgttcata	gcattcgaga	agcttatctg	cctgagctgt	ctgtgattcc	gggtgtcaat	3000
gcggctattt	ttgaagaatt	agaagggcgt	atcttactg	cattctccct	atatgatgcg	3060
agaaatgtca	ttaaaaatgg	tgattttaat	aatggcttat	cctgctggaa	cgtgaaaggg	3120
catgtagatg	tagaagaaca	aaacaaccaa	cgctcggctc	ttgttggtcc	ggaatgggaa	3180
gcagaagtgt	cacaagaagt	tcgtgtctgt	ccgggtcgtg	gctatatcct	tcgtgtcaca	3240
gcgtacaagg	agggatatgg	agaaggttgc	gtaaccatc	atgagatcga	gaacaataca	3300
gacgaactga	agtttagcaa	ctgcgtagaa	gaggaaatct	atccaaataa	cacggtaacg	3360
tgtaatgatt	atactgtaaa	tcaagaagaa	tacggaggty	cgtacacttc	tcgtaatcga	3420
ggatataacg	aagctccttc	cgtaccagct	gattatgcgt	cagtctatga	agaaaaatcg	3480
tatacagatg	gacgaagaga	gaatccttgt	gaatttaaca	gagggtatag	ggattacacg	3540
ccactaccag	ttggttatgt	gacaaaagaa	ttagaatact	tcccagaaac	cgataaggta	3600
tggattgaga	ttggagaaac	ggaaggaaca	tttatcgtgg	acagcgtgga	attactcctt	3660
atggaggaat	ag					3672

&lt;210&gt; SEQ ID NO 6

&lt;211&gt; LENGTH: 3672

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC860.

&lt;400&gt; SEQUENCE: 6

atgaccagca	accggaagaa	cgagaacgag	atcatcaacg	ccctgagcat	cccgaaccgtg	60
agcaaccocta	gcaccagat	gaacctgagc	cctgacgctc	gcatcgagga	ctccctctgc	120
gtggctgagg	tgaacaacat	cgaccggttc	gtgtccgctc	ccaccgtgca	gaccggcatc	180
aacatcgagg	gccgcatcct	cgcggtgctc	ggcgtgcctc	ttgcgggcca	gctcgcctcc	240
tttactcct	tcctcgtggg	agagctgtgg	ccctccggcc	gcgaccctg	ggagatcttc	300
ctggagcacg	tggagcagct	catccgccag	caagtcaaccg	agaacaccgg	caacaccgcc	360
atgcccgcgc	tggaggcctc	ggcccggtgg	taccgctcct	accagcaagc	cctggagacc	420
tggctcgaca	accgcaacga	cgcccgtctc	cgctccatca	tcctggagcg	ctacgtcgcc	480
ctggaactgg	acatcaccac	tgccatccca	ctcttcgca	tcaggaacga	ggagggtgcct	540
ctgctgatgg	tgtacgcca	ggctgccaac	ctgcaacctg	tgctgctgcg	cgacgcaagc	600
ctgtttggct	ccgagtgggg	tatggcaagc	tccgacgtca	accagtacta	ccaggagcag	660

-continued

---

atccgctaca	ccgaggagta	cagcaaccac	tgcgtccagt	ggtacaacac	cggtctgaac	720
aatctcagag	ggaccaacgc	tgagagctgg	ctgcgctaca	accagttccg	gcgggatctg	780
accctaggtg	tcctggatct	ggtcgctctg	ttcccagact	acgataccag	gacgtaccct	840
atcaaacact	ctgctcagct	taccagggag	atctacactg	atcctatcgg	taggactaac	900
gctcctagtg	gtttcgccag	cactaactgg	ttcaacaaca	acgcgcctag	tttctctgcc	960
atcgaggcgg	cgatcttccg	gcctcctcac	ctcctcgact	ttcccggagca	gcttactatc	1020
tactctcggt	cttcgcggtg	gtcttcgact	cagcacatga	actactgggt	tggtcaccgg	1080
cttaacttcc	gcccgatgg	aggaactctt	aacaccagta	cgcaaggtct	tacgaacaac	1140
acttccatca	accgggttac	gttgcagttc	acgtctcggg	acgtttaccg	gacggagtcg	1200
aatgctggga	cgaacatcct	gttcacgaca	ccggtgaatg	gtgttccgtg	ggcacgtttc	1260
aacttcatca	accgcagaa	catctacgag	cgtggagcaa	cgacatactc	gcaaccatac	1320
caaggcgttg	gcatccaact	gtttgactcg	gagacggaac	tgccaccaga	gacgacagaa	1380
cgccgaatt	acgagtcata	ctcacacaga	ctatcacaca	ttggactcat	tatcggaaac	1440
acactgagag	caccagtgtg	ctcatggaca	catcggtcag	cagatcgtac	gaacaccatc	1500
ggacccaatc	ggatcaacca	gatcccgtc	gtgaagggt	tccgcgtgtg	gggcggcacc	1560
tccgtcatca	ccggtccggg	cttcaccggc	ggcgacatcc	tccgcgcaa	caccttcggc	1620
gacttcgtgt	cactccaagt	gaacatcaac	agcccgatca	cccagcgcta	tcgcctccgc	1680
ttccgctacg	cctcctcccg	cgacgctaga	gtgatcgtgc	tcaccggagc	ggcgtccaca	1740
ggcgtaggcg	gccaagtgtc	tgtgaacatg	ccgctccaga	agactatgga	gattggtgag	1800
aacctcacct	ctcgacctt	ccgctacacc	gacttctcca	atccgttctc	cttcagagcc	1860
aaccagaca	tcacggcat	ctccgagcag	cctctctttg	gcgctggctc	catctcctcc	1920
ggcgagctgt	acatcgacaa	gattgagatc	atccttgccg	acgccacctt	cgaagctgag	1980
tccgatctcg	agcgcgcca	gaaggccgtg	aacgccctct	tcactagcac	taaccagctc	2040
ggcctcaaga	ctaactgtac	cgactaccac	attgaccaag	tgagcaacct	agtgacctac	2100
cttagcgacg	agttctgcct	tgacgagaag	cgtgagctga	gcgagaaggt	gaagcacgcc	2160
aagcgcctct	ccgacgagcg	caacctcctc	caggactcca	acttcaagga	catcaaccgc	2220
cagcccagagc	gcggctgggg	cggtagcacc	ggcatcacca	tccagggcgg	tgacgatgtg	2280
ttcaaggaga	actacgtgac	cctctccggc	accttcgacg	agtgctacc	gacctacctc	2340
taccagaaga	tcgacgagtc	caagctcaag	gcgttcccc	gctaccagct	tcgcggtac	2400
atcgaggact	cccaggatct	ggagatctac	ctcatccgct	acaacgcaa	gcacgagacc	2460
gtgaacgtgc	ccggcaccgg	ctccctctgg	ccgctctccg	cccagagccc	tatcggcaag	2520
tgccgagagc	ccaaccgctg	cgcgcctcac	ctggagtgga	accctgacct	cgactgctcc	2580
tgccgagagc	gcgagaagtg	cgcccaccat	agccaccact	tctctctcga	catcgacgtg	2640
ggctgcaccg	acctcaacga	ggatctgggc	gtgtgggtga	tcttcaagat	caagaccag	2700
gacggccacg	ccaggctggg	caacctggag	ttcctggagg	agaagcctct	ggtgggtgag	2760
gcctggcca	gggtcaagag	ggctgagaag	aatggagggg	acaagagga	gaagctggag	2820
tgggagacca	acatcgtgta	caaggaggct	aaggagtccg	tggacgctct	gttcgtcaac	2880
tctcagtagc	atcagctcca	ggctgacacc	aacatcgcta	tgatccacgc	tgccgataag	2940
agggctccact	ctatcagga	ggcttacctg	cctgagcttt	ctgtcatccc	tggtgtcaac	3000
gcggaatct	tcgaggaact	tgagggccgc	atcttcaactg	cgttctcgct	ttacgatgcg	3060

-continued

---

```

cgaacgtca ttaagaacgg tgacttcaac aatggtcttt cgtgctggaa cgtcaagggt 3120
catgtcgatg tcgaggaaca gaacaaccag cggtcgggtcc ttgtcggtcc cgagtgggag 3180
gccgaggtct cgcaagaggt ccgggtctgc cctgggocgcg ggtacattct tcgtgtcact 3240
gcgtaacaagg agggctacgg cgagggctgc gttactattc atgagattga gaacaatacg 3300
gatgagctta agtttagtaa ctgtgttgag gaggagatct acccgaaca tacggttacg 3360
tgcaatgatt acacggtgaa ccaggaggaa tacggcggag catacacctc acgtaataga 3420
gggtacaatg aggcaccgtc agttccggca gattatgcct cagtttatga ggagaagtcc 3480
tacacggatg gaagacgca gaatccatgt gagttaata gaggataccg agactacaca 3540
ccactcccag ttggatacgt taaaaggag ttggaatact tcccagaaac agataaagtt 3600
tggatagaga tcggagaaac agaaggaacc ttcacgtgg acagtgtaga actgctgctg 3660
atggaagaat ga 3672

```

```

<210> SEQ ID NO 7
<211> LENGTH: 1223
<212> TYPE: PRT
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Amino acid sequence of the chimeric protein
TIC860.

```

```

<400> SEQUENCE: 7

```

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15
Ile Pro Thr Val Ser Asn Pro Ser Thr Gln Met Asn Leu Ser Pro Asp
          20           25           30
Ala Arg Ile Glu Asp Ser Leu Cys Val Ala Glu Val Asn Asn Ile Asp
          35           40           45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
          50           55           60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Leu Ala Ser
          65           70           75           80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Ser Gly Arg Asp Pro
          85           90           95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
          100          105          110
Thr Glu Asn Thr Arg Asn Thr Ala Ile Ala Arg Leu Glu Gly Leu Gly
          115          120          125
Arg Gly Tyr Arg Ser Tyr Gln Gln Ala Leu Glu Thr Trp Leu Asp Asn
          130          135          140
Arg Asn Asp Ala Arg Ser Arg Ser Ile Ile Leu Glu Arg Tyr Val Ala
          145          150          155          160
Leu Glu Leu Asp Ile Thr Thr Ala Ile Pro Leu Phe Arg Ile Arg Asn
          165          170          175
Glu Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His
          180          185          190
Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Trp Gly Met
          195          200          205
Ala Ser Ser Asp Val Asn Gln Tyr Tyr Gln Glu Gln Ile Arg Tyr Thr
          210          215          220
Glu Glu Tyr Ser Asn His Cys Val Gln Trp Tyr Asn Thr Gly Leu Asn
          225          230          235          240

```

-continued

---

Asn	Leu	Arg	Gly	Thr	Asn	Ala	Glu	Ser	Trp	Leu	Arg	Tyr	Asn	Gln	Phe
				245					250					255	
Arg	Arg	Asp	Leu	Thr	Leu	Gly	Val	Leu	Asp	Leu	Val	Ala	Leu	Phe	Pro
			260					265					270		
Ser	Tyr	Asp	Thr	Arg	Thr	Tyr	Pro	Ile	Asn	Thr	Ser	Ala	Gln	Leu	Thr
		275					280					285			
Arg	Glu	Ile	Tyr	Thr	Asp	Pro	Ile	Gly	Arg	Thr	Asn	Ala	Pro	Ser	Gly
	290					295					300				
Phe	Ala	Ser	Thr	Asn	Trp	Phe	Asn	Asn	Asn	Ala	Pro	Ser	Phe	Ser	Ala
305					310					315					320
Ile	Glu	Ala	Ala	Ile	Phe	Arg	Pro	Pro	His	Leu	Leu	Asp	Phe	Pro	Glu
				325					330					335	
Gln	Leu	Thr	Ile	Tyr	Ser	Ala	Ser	Ser	Arg	Trp	Ser	Ser	Thr	Gln	His
			340					345					350		
Met	Asn	Tyr	Trp	Val	Gly	His	Arg	Leu	Asn	Phe	Arg	Pro	Ile	Gly	Gly
		355					360					365			
Thr	Leu	Asn	Thr	Ser	Thr	Gln	Gly	Leu	Thr	Asn	Asn	Thr	Ser	Ile	Asn
	370					375					380				
Pro	Val	Thr	Leu	Gln	Phe	Thr	Ser	Arg	Asp	Val	Tyr	Arg	Thr	Glu	Ser
385					390					395					400
Asn	Ala	Gly	Thr	Asn	Ile	Leu	Phe	Thr	Thr	Pro	Val	Asn	Gly	Val	Pro
				405					410					415	
Trp	Ala	Arg	Phe	Asn	Phe	Ile	Asn	Pro	Gln	Asn	Ile	Tyr	Glu	Arg	Gly
			420					425					430		
Ala	Thr	Thr	Tyr	Ser	Gln	Pro	Tyr	Gln	Gly	Val	Gly	Ile	Gln	Leu	Phe
		435					440					445			
Asp	Ser	Glu	Thr	Glu	Leu	Pro	Pro	Glu	Thr	Thr	Glu	Arg	Pro	Asn	Tyr
	450					455					460				
Glu	Ser	Tyr	Ser	His	Arg	Leu	Ser	His	Ile	Gly	Leu	Ile	Ile	Gly	Asn
465					470					475					480
Thr	Leu	Arg	Ala	Pro	Val	Tyr	Ser	Trp	Thr	His	Arg	Ser	Ala	Asp	Arg
			485						490					495	
Thr	Asn	Thr	Ile	Gly	Pro	Asn	Arg	Ile	Asn	Gln	Ile	Pro	Leu	Val	Lys
			500					505					510		
Gly	Phe	Arg	Val	Trp	Gly	Gly	Thr	Ser	Val	Ile	Thr	Gly	Pro	Gly	Phe
		515					520					525			
Thr	Gly	Gly	Asp	Ile	Leu	Arg	Arg	Asn	Thr	Phe	Gly	Asp	Phe	Val	Ser
	530					535					540				
Leu	Gln	Val	Asn	Ile	Asn	Ser	Pro	Ile	Thr	Gln	Arg	Tyr	Arg	Leu	Arg
545					550					555					560
Phe	Arg	Tyr	Ala	Ser	Ser	Arg	Asp	Ala	Arg	Val	Ile	Val	Leu	Thr	Gly
			565						570					575	
Ala	Ala	Ser	Thr	Gly	Val	Gly	Gly	Gln	Val	Ser	Val	Asn	Met	Pro	Leu
			580					585					590		
Gln	Lys	Thr	Met	Glu	Ile	Gly	Glu	Asn	Leu	Thr	Ser	Arg	Thr	Phe	Arg
		595					600					605			
Tyr	Thr	Asp	Phe	Ser	Asn	Pro	Phe	Ser	Phe	Arg	Ala	Asn	Pro	Asp	Ile
	610					615					620				
Ile	Gly	Ile	Ser	Glu	Gln	Pro	Leu	Phe	Gly	Ala	Gly	Ser	Ile	Ser	Ser
625					630					635					640
Gly	Glu	Leu	Tyr	Ile	Asp	Lys	Ile	Glu	Ile	Ile	Leu	Ala	Asp	Ala	Thr
			645						650					655	
Phe	Glu	Ala	Glu	Ser	Asp	Leu	Glu	Arg	Ala	Gln	Lys	Ala	Val	Asn	Ala

-continued

660					665					670					
Leu	Phe	Thr	Ser	Thr	Asn	Gln	Leu	Gly	Leu	Lys	Thr	Asn	Val	Thr	Asp
		675					680					685			
Tyr	His	Ile	Asp	Gln	Val	Ser	Asn	Leu	Val	Thr	Tyr	Leu	Ser	Asp	Glu
		690					695					700			
Phe	Cys	Leu	Asp	Glu	Lys	Arg	Glu	Leu	Ser	Glu	Lys	Val	Lys	His	Ala
		705					710					715			720
Lys	Arg	Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln	Asp	Ser	Asn	Phe	Lys
				725					730					735	
Asp	Ile	Asn	Arg	Gln	Pro	Glu	Arg	Gly	Trp	Gly	Gly	Ser	Thr	Gly	Ile
			740					745					750		
Thr	Ile	Gln	Gly	Gly	Asp	Asp	Val	Phe	Lys	Glu	Asn	Tyr	Val	Thr	Leu
		755					760					765			
Ser	Gly	Thr	Phe	Asp	Glu	Cys	Tyr	Pro	Thr	Tyr	Leu	Tyr	Gln	Lys	Ile
		770					775					780			
Asp	Glu	Ser	Lys	Leu	Lys	Ala	Phe	Thr	Arg	Tyr	Gln	Leu	Arg	Gly	Tyr
		785					790					795			800
Ile	Glu	Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr	Asn	Ala
				805					810					815	
Lys	His	Glu	Thr	Val	Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp	Pro	Leu
			820					825					830		
Ser	Ala	Gln	Ser	Pro	Ile	Gly	Lys	Cys	Gly	Glu	Pro	Asn	Arg	Cys	Ala
		835					840					845			
Pro	His	Leu	Glu	Trp	Asn	Pro	Asp	Leu	Asp	Cys	Ser	Cys	Arg	Asp	Gly
		850					855					860			
Glu	Lys	Cys	Ala	His	His	Ser	His	His	Phe	Ser	Leu	Asp	Ile	Asp	Val
		865					870					875			880
Gly	Cys	Thr	Asp	Leu	Asn	Glu	Asp	Leu	Gly	Val	Trp	Val	Ile	Phe	Lys
				885					890					895	
Ile	Lys	Thr	Gln	Asp	Gly	His	Ala	Arg	Leu	Gly	Asn	Leu	Glu	Phe	Leu
			900					905					910		
Glu	Glu	Lys	Pro	Leu	Val	Gly	Glu	Ala	Leu	Ala	Arg	Val	Lys	Arg	Ala
		915					920					925			
Glu	Lys	Lys	Trp	Arg	Asp	Lys	Arg	Glu	Lys	Leu	Glu	Trp	Glu	Thr	Asn
		930					935					940			
Ile	Val	Tyr	Lys	Glu	Ala	Lys	Glu	Ser	Val	Asp	Ala	Leu	Phe	Val	Asn
				945			950					955			960
Ser	Gln	Tyr	Asp	Gln	Leu	Gln	Ala	Asp	Thr	Asn	Ile	Ala	Met	Ile	His
				965					970					975	
Ala	Ala	Asp	Lys	Arg	Val	His	Ser	Ile	Arg	Glu	Ala	Tyr	Leu	Pro	Glu
			980					985					990		
Leu	Ser	Val	Ile	Pro	Gly	Val	Asn	Ala	Ala	Ile	Phe	Glu	Glu	Leu	Glu
			995				1000					1005			
Gly	Arg	Ile	Phe	Thr	Ala	Phe	Ser	Leu	Tyr	Asp	Ala	Arg	Asn	Val	
				1010			1015					1020			
Ile	Lys	Asn	Gly	Asp	Phe	Asn	Asn	Gly	Leu	Ser	Cys	Trp	Asn	Val	
				1025			1030					1035			
Lys	Gly	His	Val	Asp	Val	Glu	Glu	Gln	Asn	Asn	Gln	Arg	Ser	Val	
				1040			1045					1050			
Leu	Val	Val	Pro	Glu	Trp	Glu	Ala	Glu	Val	Ser	Gln	Glu	Val	Arg	
				1055			1060					1065			
Val	Cys	Pro	Gly	Arg	Gly	Tyr	Ile	Leu	Arg	Val	Thr	Ala	Tyr	Lys	
				1070			1075					1080			

-continued

Glu	Gly	Tyr	Gly	Glu	Gly	Cys	Val	Thr	Ile	His	Glu	Ile	Glu	Asn
1085						1090					1095			
Asn	Thr	Asp	Glu	Leu	Lys	Phe	Ser	Asn	Cys	Val	Glu	Glu	Glu	Ile
1100						1105					1110			
Tyr	Pro	Asn	Asn	Thr	Val	Thr	Cys	Asn	Asp	Tyr	Thr	Val	Asn	Gln
1115						1120					1125			
Glu	Glu	Tyr	Gly	Gly	Ala	Tyr	Thr	Ser	Arg	Asn	Arg	Gly	Tyr	Asn
1130						1135					1140			
Glu	Ala	Pro	Ser	Val	Pro	Ala	Asp	Tyr	Ala	Ser	Val	Tyr	Glu	Glu
1145						1150					1155			
Lys	Ser	Tyr	Thr	Asp	Gly	Arg	Arg	Glu	Asn	Pro	Cys	Glu	Phe	Asn
1160						1165					1170			
Arg	Gly	Tyr	Arg	Asp	Tyr	Thr	Pro	Leu	Pro	Val	Gly	Tyr	Val	Thr
1175						1180					1185			
Lys	Glu	Leu	Glu	Tyr	Phe	Pro	Glu	Thr	Asp	Lys	Val	Trp	Ile	Glu
1190						1195					1200			
Ile	Gly	Glu	Thr	Glu	Gly	Thr	Phe	Ile	Val	Asp	Ser	Val	Glu	Leu
1205						1210					1215			
Leu	Leu	Met	Glu	Glu										
1220														

&lt;210&gt; SEQ ID NO 8

&lt;211&gt; LENGTH: 3564

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Recombinant nucleotide sequence used for expression in a bacterial cell encoding TIC867.

&lt;400&gt; SEQUENCE: 8

```

atgacttcaa ataggaaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta      60
tcgaatcatt cgcacaaaat gaatctatca accgatgctc gtattgagga tagcttgtgt      120
atagccgagg ggaacaatat cgatccattt gtagcgcgat caacagtcca aacgggtatt      180
aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt      240
ttttatagtt ttcttgttgg tgaattatgg ccccgcgcca gagatccttg ggaaattttc      300
ctagaacatg tcgaacaact tataagacaa caagtaacag aaaatactag ggatacggct      360
cttgctcgat tacaaggttt aggaaattcc tttagagcct atcaacagtc acttgaagat      420
tggttagaaa accgtgatga tgcaagaacg agaagtgttc tttataccca atatatagcc      480
ttagaacttg attttcttaa tgcgatgccg cttttcgcaa ttagaaacca agaagttcca      540
ttattaatgg tatatgctca agctgcaaat ttacacctat tattattgag agatgcctct      600
ctttttggta gtgaatttgg gcttacatcc caagaaattc aacgttatta tgagcgccaa      660
gtggaaaaaa cgagagaata ttctgattat tgcgcaagat ggtataatac gggtttaaat      720
aatttgagag ggacaaatgc tgaaagttgg ttgcgatata atcaattccg tagagactta      780
acgctaggag tattagatct agtggcacta ttcccaagct atgacacgcg tgtttatcca      840
atgaatacca gtgctcaatt aacaagagaa atttatacag atccaattgg gagaacaaat      900
gcaccttcag gatttgcaag tacgaattgg ttaataata atgcaccatc gttttctgcc      960
atagaggctg cgttattag gcctccgat ctacttgatt ttccagaaca gcttacaatt     1020
ttcagcgtat taagtcatg gagtaatact caatatatga attactgggt gggacataga     1080
cttgaatcgc gaacaataag ggggtcatta agtacctcga cacacgaaa taccaatact     1140

```

-continued

---

tctattaatc	ctgtaacatt	acagttcaca	tctcgagacg	tttatagaac	agaatcattt	1200
gcagggataa	atatacttct	aactactcct	gtgaatggag	taccttgggc	tagatttaat	1260
tggagaaatc	ccctgaattc	tcttagaggt	agccttctct	atactatagg	gtatactgga	1320
gtggggacac	aactatttga	ttcagaaact	gaattaccac	cagaaacaac	agaacgacca	1380
aattatgaat	cttacagtca	tagattatct	aatataagac	taatatcagg	aaacactttg	1440
agagcaccag	tatattcttg	gacgcaccgt	agtgcagatc	gtacaaatac	cattagttca	1500
gatagcatta	cacaaatacc	attggtaaag	gcgcataccc	tccaatcggg	taccactgta	1560
gtaaaagggc	cagggtttac	aggaggggat	atcctccgtc	gaacaagtgg	aggaccattt	1620
gcttttagta	atgttaatct	agattttaac	ttgtcacaaa	ggatcgtgc	tagaattcgt	1680
tatgcctcta	ctactaacct	aagaatttac	gtaacggttg	caggtgaacg	aatttttgct	1740
ggtcaatttg	acaaaactat	ggatgctggg	gccccattaa	cattccaatc	ttttagttac	1800
gcaactatta	atacagcttt	tacattccca	gaaagatcga	gcagcttgac	tgtaggtgcc	1860
gatacgttta	gttcaggtaa	tgaagtttat	gtagatagat	ttgaattaat	cccagttact	1920
gcaaccttcg	aggcagaatc	tgatttagaa	agagcacaaa	aggcggtgaa	tgagctgttt	1980
acttcttcca	atcaaatcgg	gttaaaaaa	gatgtgacgg	attatcatat	tgatcaagta	2040
tccaatttag	ttgagtgttt	atctgatgaa	ttttgtctgg	atgaaaaaaaa	agaattgtcc	2100
gagaaagtca	aacatgcgaa	gcgacttagt	gatgagcggg	atttacttca	agatccaaac	2160
tttagagggg	tcaatagaca	actagaccgt	ggctggagag	gaagtacgga	tattaccatc	2220
caaggaggcg	atgacgtatt	caaagagaat	tacgttacgc	tattgggtac	ctttgatgag	2280
tgctatccaa	cgtatttata	tcaaaaaata	gatgagtcga	aattaaaagc	ctatacccg	2340
taccaattaa	gagggtatat	cgaagatagt	caagacttag	aatctattt	aattcgctac	2400
aatgccaaac	acgaaacagt	aatgtgcca	ggtacggggt	ccttatggcc	gctttcagcc	2460
ccaagtccaa	tcggaaatg	tgcccatcat	tcccatcatt	tctccttggg	cattgatggt	2520
ggatgtacag	acttaaatga	ggacttaggt	gtatgggtga	tattcaagat	taagacgcaa	2580
gatggccatg	caagactagg	aatctagaa	tttctcgaag	agaaaccatt	agtaggagaa	2640
gcactagctc	gtgtgaaaag	agcggagaaa	aatggagag	acaaacgtga	aaaattggaa	2700
tgggaaacaa	atattgttta	taaagaggca	aaagaatctg	tagatgcttt	atttgtaaac	2760
tctcaatatg	atagattaca	agcggatacc	aacatcgcca	tgattcatgc	ggcagataaa	2820
cgcggtcata	gcattcgaga	agcttatctg	cctgagctgt	ctgtgattcc	gggtgtcaat	2880
gcggctatct	ttgaagaatt	agaagggcgt	atcttccactg	cattctccct	atatgatgcg	2940
agaaatgtca	ttaaaaatgg	tgattttaat	aatggcttat	cctgctggaa	cgtgaaaggg	3000
catgtagatg	tagaagaaca	aaacaaccac	cgttcggctc	ttgttgttcc	ggaatgggaa	3060
gcagaagtgt	cacaagaagt	tcgtgtctgt	ccgggtcgtg	gctatatcct	tcgtgtcaca	3120
gcgtacaagg	agggatatgg	agaaggttgc	gtaaccatc	atgagatcga	gaacaatata	3180
gacgaactga	agtttagcaa	ctgtgtagaa	gaggaagtat	atccaaacaa	cacggtaacg	3240
tgtaatgatt	atactgcgac	tcaagaagaa	tatgagggta	cgtacacttc	tcgtaatcga	3300
ggatatgacg	gagcctatga	aagcaattct	tctgtaccag	ctgattatgc	atcagcctat	3360
gaagaaaaag	catatacaga	tggacgaaga	gacaatcctt	gtgaatctaa	cagaggatat	3420
ggggattaca	caccactacc	agctggctat	gtgacaaaag	aattagagta	cttcccagaa	3480



-continued

---

```
accgataagg tatggattga gatcggagaa acggaaggaa cattcatcgt ggacagcgtg 3540
gaattacttc ttatggagga atag 3564
```

```
<210> SEQ ID NO 9
<211> LENGTH: 3564
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic nucleotide sequence designed for
expression in a plant cell encoding TIC867.
```

```
<400> SEQUENCE: 9
```

```
atgaccagca accgaaagaa cgagaacgag atcatcaacg ccctgtccat accggccgtg 60
tcaaaccact ccgccagat gaacctctcc accgacgca ggatcgagga ctccctctgc 120
atcgccgagg gcaacaacat cgaccggtc gtgtctgcaa gcacggcca gaccggcatc 180
aacatcgcg gccgcatcct gggcgtgctc ggcgtgccct tcgcggtca aatcgctct 240
ttctactcat tcctcgtgg cgagctgtgg ccgcgaggac gtgaccctg ggaaatcttc 300
ctggagcacg ttgagcagct catccggcag caagtgaccg agaaccag ggacaccgca 360
ctggcacggc tccagggcct tggcaacagc ttccgcgct accagcagtc gctggaggac 420
tggtggaga accgagacga cgccagaacc cgctcagtc tgtacacaca gtacatcgcc 480
ctagagctgg acttctcaa cgctatgcc ctcttcgcca tccgtaacca ggaagtaccg 540
cttctgatgg tgtacgcaca agcagcgaac ctccatctgc tcctgctgcg agacgcatct 600
ctgttcggca gtgagttcgg gctgacgagc caggagatcc agcgctacta cgagcgcca 660
gtggagaaga ctctgagta cagcgactac tgcgcgcgct ggtacaacac gggcttgaac 720
aaccttcgcg ggacaaacgc cgaatcctgg ctctctaca accagttccg ccgcgacctc 780
acgctgggtg tgctggacct ggtcgcgctc ttcccgtcct acgacacag ggtgtacca 840
atgaacacga ggcacagct caccctgag atctacacag atcccatcgg ccgcaccaac 900
gctcccagtg gcttcgcaag cacgaattgg ttcaacaata acgctccttc tttctctgcc 960
atcgaggccg ctgtcatcag accgcccac ttactcgatt tcccggagca gctcactatc 1020
ttctctgtgt tgtcccgtg gtcgaacacg cagtacatga actactgggt gggccacagg 1080
ctagagagcc ggaccatccg tggcagtctc tcaacctoga cccacggcaa cacgaacacg 1140
agcatcaacc ctgtcactct ccagtttaca tctagggagc tttacaggac agagtcgttc 1200
gctggcatta acattctgtt gaccactccg gtgaacggcg tcccttgggc ccgcttcaac 1260
tggaggaatc ctctgaactc actgcgcccg agccttctct acactatcgg ctacaccggc 1320
gttgggacgc aactcttca ctccggagacc gagctgcgca ccgagaccac cgagcggcct 1380
aactacgaga gttattcaca caggctctcc aacatccgct tgatttctgg gaacaccttg 1440
cgggctccgg tgtactcctg gacgcaccgc agcgcgaca gaactaatac catcagctcc 1500
gactcgatca cccagatccc gctggggaag gctcacacgc ttcagtcggg caccacagtc 1560
gtcaagggcc ctggcttca cggcggcgac atcctcgctc gcacatctgg cggacccttc 1620
gccttcagca acgtgaactt ggacttcaat ttgtcacagc ggtatcgtgc cagaatccgg 1680
tacgccagca ctacgaacct gcgaatctat gttactgtgg cgggagagcg gatcttcgcc 1740
gggcaattcg acaagacgat ggacgcccga gcacctctga cattccagtc attctcttac 1800
gccacgatca acacggcatt cacgtttccg gacggtcca gtagcctgac cgtgggagct 1860
gataccttca gtagcgggaa cgaggtgtac gttgaccgtt tcgagctgat cccggtcacc 1920
```

-continued

---

```

gccaccttcg aagctgagtc ggacctggag cgtgcacaga aggcagtcaa cgagctgttc 1980
acctctagca accagatcgg cctcaagacc gacgtcacag actaccacat cgaccaagtg 2040
tccaacctgg tcgagtgcct tagcgacgag ttctgcctag acgagaagaa ggagctgtcg 2100
gagaagggtca aacacgccaa gcgtctgagc gatgagcgca acctgctcca agaccctaac 2160
ttccgtggca tcaacaggca gcttgaccgt ggctggcgcg gctcgacgga catcacgac 2220
caggggtggcg acgacgtatt caaggagaat tacgtgacct tgcttgggac gtttgacgag 2280
tgctatccca cctaccteta ccagaagatt gatgaatcga aattgaaggc gtacacgaga 2340
taccagctcc gtggctacat cgaggacagc caggacttgg agatctacct catacgctac 2400
aacgctaaac atgagaccgt gaacgtccct gggacgggca gtctgtggcc actctctgct 2460
cctagcccta tcggcaagtg cgctcaccac tcgcaccact tcagccttga catcgacgtg 2520
ggatgtactg acctcaacga agacctgggc gtctgggtta tcttcaagat caagaccag 2580
gacggccacg cccgactcgg caacctggag ttctggagg agaaaccact ggtgggag 2640
gcgctcgccc gcgtgaagcg tgccgagaag aagtggcggg acaagagga gaagctagaa 2700
tgggagacga acatcgtgta caaggaggcc aaggaaagcg tcgatgccct gttcgtgaac 2760
tcacagtacg accgtctcca ggcggacacg aacatcgcca tgatccacgc ggctgacaag 2820
cgcgtccact ccatccgca ggcgtactta ccggagctgt cggatgaccc aggcgtaaac 2880
gcggcgatct tcgaggagct agagggacgc atcttcacag cgttcagcct gtacgacgca 2940
cgcaacgtca tcaagaacgg cgatttcaac aacggactgt cctgctggaa cgtgaagggc 3000
cacgtcgatg tcgaggaaca gaacaaccac cgctctgtcc tgggtgtccc agagtgggag 3060
gccgaggtct cccaggaggt ccgcgtgtgc cctgggctg gctacatcct ccgtgtgaca 3120
gcctacaagg agggctacgg tgagggctgc gtcaccattc acgagatcga gaacaacact 3180
gacgaactca agttctcga ttgctggag gaggaggtgt acccgaaca tacggtgacg 3240
tgcaacgact acacggcaac ccaagaggag tacgagggca cctacaccag taggaaccgt 3300
ggctacgacg gtgcctacga gtcgaactcc agcgtccctg cggactacgc cagcgcgtac 3360
gaggagaagg cttacaccga cggacgccgg gacaacccat gcgagagcaa ccgtggctac 3420
ggcgactaca ctctctccc ggccggatac gtcacaaagg agctggagta ttcccagag 3480
acggacaagg tgtggatcga aatcggagag acagagggaa ccttcatcgt ggacagcgtg 3540
gagctgctcc tcatggagga gtga 3564

```

&lt;210&gt; SEQ ID NO 10

&lt;211&gt; LENGTH: 1187

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein TIC867.

&lt;400&gt; SEQUENCE: 10

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15

Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
                20           25           30

Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
                35           40           45

Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
50           55           60

```

-continued

---

Arg	Ile	Leu	Gly	Val	Leu	Gly	Val	Pro	Phe	Ala	Gly	Gln	Ile	Ala	Ser	65	70	75	80
Phe	Tyr	Ser	Phe	Leu	Val	Gly	Glu	Leu	Trp	Pro	Arg	Gly	Arg	Asp	Pro	85	90	95	
Trp	Glu	Ile	Phe	Leu	Glu	His	Val	Glu	Gln	Leu	Ile	Arg	Gln	Gln	Val	100	105	110	
Thr	Glu	Asn	Thr	Arg	Asp	Thr	Ala	Leu	Ala	Arg	Leu	Gln	Gly	Leu	Gly	115	120	125	
Asn	Ser	Phe	Arg	Ala	Tyr	Gln	Gln	Ser	Leu	Glu	Asp	Trp	Leu	Glu	Asn	130	135	140	
Arg	Asp	Asp	Ala	Arg	Thr	Arg	Ser	Val	Leu	Tyr	Thr	Gln	Tyr	Ile	Ala	145	150	155	160
Leu	Glu	Leu	Asp	Phe	Leu	Asn	Ala	Met	Pro	Leu	Phe	Ala	Ile	Arg	Asn	165	170	175	
Gln	Glu	Val	Pro	Leu	Leu	Met	Val	Tyr	Ala	Gln	Ala	Ala	Asn	Leu	His	180	185	190	
Leu	Leu	Leu	Leu	Arg	Asp	Ala	Ser	Leu	Phe	Gly	Ser	Glu	Phe	Gly	Leu	195	200	205	
Thr	Ser	Gln	Glu	Ile	Gln	Arg	Tyr	Tyr	Glu	Arg	Gln	Val	Glu	Lys	Thr	210	215	220	
Arg	Glu	Tyr	Ser	Asp	Tyr	Cys	Ala	Arg	Trp	Tyr	Asn	Thr	Gly	Leu	Asn	225	230	235	240
Asn	Leu	Arg	Gly	Thr	Asn	Ala	Glu	Ser	Trp	Leu	Arg	Tyr	Asn	Gln	Phe	245	250	255	
Arg	Arg	Asp	Leu	Thr	Leu	Gly	Val	Leu	Asp	Leu	Val	Ala	Leu	Phe	Pro	260	265	270	
Ser	Tyr	Asp	Thr	Arg	Val	Tyr	Pro	Met	Asn	Thr	Ser	Ala	Gln	Leu	Thr	275	280	285	
Arg	Glu	Ile	Tyr	Thr	Asp	Pro	Ile	Gly	Arg	Thr	Asn	Ala	Pro	Ser	Gly	290	295	300	
Phe	Ala	Ser	Thr	Asn	Trp	Phe	Asn	Asn	Asn	Ala	Pro	Ser	Phe	Ser	Ala	305	310	315	320
Ile	Glu	Ala	Ala	Val	Ile	Arg	Pro	Pro	His	Leu	Leu	Asp	Phe	Pro	Glu	325	330	335	
Gln	Leu	Thr	Ile	Phe	Ser	Val	Leu	Ser	Arg	Trp	Ser	Asn	Thr	Gln	Tyr	340	345	350	
Met	Asn	Tyr	Trp	Val	Gly	His	Arg	Leu	Glu	Ser	Arg	Thr	Ile	Arg	Gly	355	360	365	
Ser	Leu	Ser	Thr	Ser	Thr	His	Gly	Asn	Thr	Asn	Thr	Ser	Ile	Asn	Pro	370	375	380	
Val	Thr	Leu	Gln	Phe	Thr	Ser	Arg	Asp	Val	Tyr	Arg	Thr	Glu	Ser	Phe	385	390	395	400
Ala	Gly	Ile	Asn	Ile	Leu	Leu	Thr	Thr	Pro	Val	Asn	Gly	Val	Pro	Trp	405	410	415	
Ala	Arg	Phe	Asn	Trp	Arg	Asn	Pro	Leu	Asn	Ser	Leu	Arg	Gly	Ser	Leu	420	425	430	
Leu	Tyr	Thr	Ile	Gly	Tyr	Thr	Gly	Val	Gly	Thr	Gln	Leu	Phe	Asp	Ser	435	440	445	
Glu	Thr	Glu	Leu	Pro	Pro	Glu	Thr	Thr	Glu	Arg	Pro	Asn	Tyr	Glu	Ser	450	455	460	
Tyr	Ser	His	Arg	Leu	Ser	Asn	Ile	Arg	Leu	Ile	Ser	Gly	Asn	Thr	Leu	465	470	475	480
Arg	Ala	Pro	Val	Tyr	Ser	Trp	Thr	His	Arg	Ser	Ala	Asp	Arg	Thr	Asn				

-continued

485					490					495					
Thr	Ile	Ser	Ser	Asp	Ser	Ile	Thr	Gln	Ile	Pro	Leu	Val	Lys	Ala	His
			500					505					510		
Thr	Leu	Gln	Ser	Gly	Thr	Thr	Val	Val	Lys	Gly	Pro	Gly	Phe	Thr	Gly
		515					520					525			
Gly	Asp	Ile	Leu	Arg	Arg	Thr	Ser	Gly	Gly	Pro	Phe	Ala	Phe	Ser	Asn
	530					535					540				
Val	Asn	Leu	Asp	Phe	Asn	Leu	Ser	Gln	Arg	Tyr	Arg	Ala	Arg	Ile	Arg
545					550					555					560
Tyr	Ala	Ser	Thr	Thr	Asn	Leu	Arg	Ile	Tyr	Val	Thr	Val	Ala	Gly	Glu
				565					570					575	
Arg	Ile	Phe	Ala	Gly	Gln	Phe	Asp	Lys	Thr	Met	Asp	Ala	Gly	Ala	Pro
			580					585					590		
Leu	Thr	Phe	Gln	Ser	Phe	Ser	Tyr	Ala	Thr	Ile	Asn	Thr	Ala	Phe	Thr
		595					600					605			
Phe	Pro	Glu	Arg	Ser	Ser	Ser	Leu	Thr	Val	Gly	Ala	Asp	Thr	Phe	Ser
	610					615					620				
Ser	Gly	Asn	Glu	Val	Tyr	Val	Asp	Arg	Phe	Glu	Leu	Ile	Pro	Val	Thr
625					630					635				640	
Ala	Thr	Phe	Glu	Ala	Glu	Ser	Asp	Leu	Glu	Arg	Ala	Gln	Lys	Ala	Val
			645						650					655	
Asn	Glu	Leu	Phe	Thr	Ser	Ser	Asn	Gln	Ile	Gly	Leu	Lys	Thr	Asp	Val
			660					665					670		
Thr	Asp	Tyr	His	Ile	Asp	Gln	Val	Ser	Asn	Leu	Val	Glu	Cys	Leu	Ser
		675				680						685			
Asp	Glu	Phe	Cys	Leu	Asp	Glu	Lys	Lys	Glu	Leu	Ser	Glu	Lys	Val	Lys
	690					695					700				
His	Ala	Lys	Arg	Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln	Asp	Pro	Asn
705					710					715					720
Phe	Arg	Gly	Ile	Asn	Arg	Gln	Leu	Asp	Arg	Gly	Trp	Arg	Gly	Ser	Thr
				725					730					735	
Asp	Ile	Thr	Ile	Gln	Gly	Gly	Asp	Asp	Val	Phe	Lys	Glu	Asn	Tyr	Val
			740					745					750		
Thr	Leu	Leu	Gly	Thr	Phe	Asp	Glu	Cys	Tyr	Pro	Thr	Tyr	Leu	Tyr	Gln
		755					760					765			
Lys	Ile	Asp	Glu	Ser	Lys	Leu	Lys	Ala	Tyr	Thr	Arg	Tyr	Gln	Leu	Arg
	770					775					780				
Gly	Tyr	Ile	Glu	Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr
785					790					795				800	
Asn	Ala	Lys	His	Glu	Thr	Val	Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp
				805					810					815	
Pro	Leu	Ser	Ala	Pro	Ser	Pro	Ile	Gly	Lys	Cys	Ala	His	His	Ser	His
			820					825					830		
His	Phe	Ser	Leu	Asp	Ile	Asp	Val	Gly	Cys	Thr	Asp	Leu	Asn	Glu	Asp
		835					840					845			
Leu	Gly	Val	Trp	Val	Ile	Phe	Lys	Ile	Lys	Thr	Gln	Asp	Gly	His	Ala
				850			855					860			
Arg	Leu	Gly	Asn	Leu	Glu	Phe	Leu	Glu	Glu	Lys	Pro	Leu	Val	Gly	Glu
865					870					875					880
Ala	Leu	Ala	Arg	Val	Lys	Arg	Ala	Glu	Lys	Lys	Trp	Arg	Asp	Lys	Arg
				885					890					895	
Glu	Lys	Leu	Glu	Trp	Glu	Thr	Asn	Ile	Val	Tyr	Lys	Glu	Ala	Lys	Glu
			900				905						910		

-continued

---

Ser Val Asp Ala Leu Phe Val Asn Ser Gln Tyr Asp Arg Leu Gln Ala  
 915 920 925

Asp Thr Asn Ile Ala Met Ile His Ala Ala Asp Lys Arg Val His Ser  
 930 935 940

Ile Arg Glu Ala Tyr Leu Pro Glu Leu Ser Val Ile Pro Gly Val Asn  
 945 950 955 960

Ala Ala Ile Phe Glu Glu Leu Glu Gly Arg Ile Phe Thr Ala Phe Ser  
 965 970 975

Leu Tyr Asp Ala Arg Asn Val Ile Lys Asn Gly Asp Phe Asn Asn Gly  
 980 985 990

Leu Ser Cys Trp Asn Val Lys Gly His Val Asp Val Glu Glu Gln Asn  
 995 1000 1005

Asn His Arg Ser Val Leu Val Val Pro Glu Trp Glu Ala Glu Val  
 1010 1015 1020

Ser Gln Glu Val Arg Val Cys Pro Gly Arg Gly Tyr Ile Leu Arg  
 1025 1030 1035

Val Thr Ala Tyr Lys Glu Gly Tyr Gly Glu Gly Cys Val Thr Ile  
 1040 1045 1050

His Glu Ile Glu Asn Asn Thr Asp Glu Leu Lys Phe Ser Asn Cys  
 1055 1060 1065

Val Glu Glu Glu Val Tyr Pro Asn Asn Thr Val Thr Cys Asn Asp  
 1070 1075 1080

Tyr Thr Ala Thr Gln Glu Glu Tyr Glu Gly Thr Tyr Thr Ser Arg  
 1085 1090 1095

Asn Arg Gly Tyr Asp Gly Ala Tyr Glu Ser Asn Ser Ser Val Pro  
 1100 1105 1110

Ala Asp Tyr Ala Ser Ala Tyr Glu Glu Lys Ala Tyr Thr Asp Gly  
 1115 1120 1125

Arg Arg Asp Asn Pro Cys Glu Ser Asn Arg Gly Tyr Gly Asp Tyr  
 1130 1135 1140

Thr Pro Leu Pro Ala Gly Tyr Val Thr Lys Glu Leu Glu Tyr Phe  
 1145 1150 1155

Pro Glu Thr Asp Lys Val Trp Ile Glu Ile Gly Glu Thr Glu Gly  
 1160 1165 1170

Thr Phe Ile Val Asp Ser Val Glu Leu Leu Leu Met Glu Glu  
 1175 1180 1185

<210> SEQ ID NO 11  
 <211> LENGTH: 3642  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Recombinant nucleotide sequence used for  
 expression in a bacterial cell encoding TIC867\_20.

<400> SEQUENCE: 11

atgacttcaa ataggaaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta 60  
 tcgaatcatt ccgcacaaat gaatctatca accgatgctc gtattgagga tagcttgtgt 120  
 atagccgagg ggaacaatat cgatccattt gttagcgcac caacagtcca aacgggtatt 180  
 aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt 240  
 ttttatagtt ttcttgttgg tgaattatgg ccccgcgcca gagatecttg ggaaattttc 300  
 ctagaacatg tcgaacaact tataagacaa caagtaacag aaaatactag ggatacggct 360  
 cttgctcgat tacaaggttt aggaaattcc ttttagagcct atcaacagtc acttgaagat 420

-continued

---

tggctagaaa	accgtgatga	tgcaagaacg	agaagtgttc	tttataccca	atatatagcc	480
ttagaacttg	atcttcttaa	tgcgatgccg	cttttcgcaa	ttagaaacca	agaagttcca	540
ttattaatgg	tatatgctca	agctgcaa	ttacacctat	tattattgag	agatgcctct	600
ctttttggta	gtgaatttgg	gcttacatcc	caagaaatc	aacgttatta	tgagcgccaa	660
gtggaaaaaa	cgagagaata	ttctgattat	tgcgcaagat	ggtataatac	gggtttaaat	720
aatttgagag	ggacaaatgc	tgaaagtgg	ttgcgatata	atcaattccg	tagagactta	780
acgctaggag	tattagatct	agtggcacta	ttccaagct	atgacacgcg	tgtttatcca	840
atgaatacca	gtgctcaatt	aacaagagaa	attatacag	atccaattgg	gagaacaaat	900
gcaccttcag	gatttgcaag	tacgaattgg	tttaataata	atgcaccatc	gttttctgcc	960
atagaggctg	ccgttattag	gcctccgat	ctacttgatt	ttccagaaca	gcttacaatt	1020
ttcagcgtat	taagtcatg	gagtaatact	caatatatga	attactgggt	gggacataga	1080
cttgaatcgc	gaacaataag	ggggtcatta	agtacctcga	cacacggaaa	taccaatact	1140
tctattaatc	ctgtaacatt	acagttcaca	tctcgagacg	tttatagaac	agaatcattt	1200
gcagggataa	atatacttct	aactactcct	gtgaatggag	taccttgggc	tagatttaat	1260
tggagaaatc	ccctgaattc	tcttagaggt	agccttctct	atactatagg	gtatactgga	1320
gtggggacac	aactatttga	ttcagaaact	gaattaccac	cagaaacaac	agaacgacca	1380
aattatgaat	cttacagtca	tagattatct	aatataagac	taatcagg	aaacactttg	1440
agagcaccag	tatattcttg	gacgcaccgt	agtgcagatc	gtacaaatac	cattagttca	1500
gatagcatta	cacaaatacc	attggtaaag	gcgcataccc	tccaatcggg	taccactgta	1560
gtaaaagggc	cagggtttac	aggaggggat	atcctccgtc	gaacaagtgg	aggaccattt	1620
gcttttagta	atgttaatct	agattttaac	ttgtcacaaa	ggtatcgtgc	tagaattcgt	1680
tatgcctcta	ctactaacct	aagaatttac	gtaacggttg	caggtgaacg	aatttttgct	1740
ggtcaatttg	acaaaactat	ggatgctgg	gccccattaa	cattccaatc	ttttagttac	1800
gcaactatta	atacagcttt	tacattccca	gaaagatcga	gcagcttgac	tgtaggtgcc	1860
gatacgttta	gttcaggtaa	tgaagtttat	gtagatagat	ttgaattaat	cccagttact	1920
gcaacctttg	aggcagaata	tgatttagaa	agagcgcaaa	agggtggtgaa	tgccctgttt	1980
acgtctacaa	accaactagg	gctaaaaaca	gatgtgacgg	attatcatat	tgatcaggta	2040
tccaatctag	ttgcgtgttt	atcggatgaa	ttttgtctgg	atgaaaagag	agaattgtcc	2100
gagaaagtta	aacatgcaaa	gcgactcagt	gatgagcgga	atttacttca	agatccaaac	2160
ttcagagggga	tcaataggca	accagaccgt	ggctggagag	gaagtacgga	tattactatc	2220
caaggaggag	atgacgtatt	caaagagaat	tacgttacgc	taccgggtac	ctttgatgag	2280
tgctatccaa	cgtatttata	tcaaaaaata	gatgagtcga	aattaaagc	ctatacccg	2340
tatcaattaa	gaggtatat	cgaagatagt	caagacttag	aaatctattt	aattcgttac	2400
aatgcaaaac	acgaaatagt	aaatgtacca	ggtacaggaa	gtttatggcc	tctttctgta	2460
gaaaatcaaa	ttggaccttg	tggagaaccg	aatcgatcgc	cgccacacct	tgaatggaat	2520
cctgatttac	actgttcttg	cagagacggg	gaaaaatgtg	cacatcattc	tcatcatttc	2580
tctttggaca	ttgatgttgg	atgtacagac	ttaaagagg	acttaggtgt	atgggtgata	2640
ttcaagatta	agacgcaaga	tggccacgca	cgactagggga	atctagagtt	tctcgaagag	2700
aaaccattat	taggagaagc	actagctcgt	gtgaaaagag	cggagaaaaa	atggagagac	2760

-continued

---

```

aaacgcgaaa cattacaatt ggaaacaact atcgtttata aagaggcaaa agaactctgta 2820
gatgctttat ttgtaaactc tcaatatgat agattacaag cggatacгаа catcgcgatg 2880
attcatgcgg cagataaacg cgttcataga attcgagaag cgtatctgcc ggagctgtct 2940
gtgattccgg gtgtcaatgc ggctatTTTT gaagaattag aagagcgtat tttcactgca 3000
ttttccctat atgatgcgag aaatattatt aaaaatggcg atttcaataa tggcttatta 3060
tgctggaacg tgaaagggca tgtagaggta gaagaacaaa acaatcaccg ttcagtcctg 3120
gttatcccag aatgggaggc agaagtgtca caagaggttc gtgtctgtcc aggtcgtggc 3180
tatatccttc gtgttacagc gtacaaagag ggatatggag aaggttgctg aacgatccat 3240
gagatcgaga acaatacaga cgaactgaaa ttcaacaact gtgtagaaga ggaagtatat 3300
ccaaacaaca cggtaacgtg tattaattat actgcgactc aagaagaata tgagggtacg 3360
tacacttctc gtaatcgagg atatgacгаа gcctatggta ataacccttc cgtaccagct 3420
gattatgcgt cagtctatga agaaaaatcg tatacagata gacgaagaga gaatccttgt 3480
gaatctaaca gaggatatgg agattacaca ccaactaccag ctggttatgt aacaaaggaa 3540
ttagagtact tcccagagac cgataaggta tggattgaga ttggagaaac agaaggaaca 3600
ttcatcgtgg acagcgtgga attactcctt atggaggaat ag 3642

```

&lt;210&gt; SEQ ID NO 12

&lt;211&gt; LENGTH: 3642

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC867\_20.

&lt;400&gt; SEQUENCE: 12

```

atgaccagca accgaaagaa cgagaacgag atcatcaacg ccctgtccat accggccgtg 60
tcaaaccact ccgccagat gaacctctcc accgacgoga ggatcgagga ctccctctgc 120
atcgccgagg gcaacaacat cgaccggttc gtgtctgcaa gcacgggtcca gaccggcatc 180
aacatcgcgg gccgcatcct gggcgtgctc ggctgtccct tcgcggtca aatcgctct 240
ttctactcat tcctcgtggg cgagctgtgg ccgcgcgac gtgaccctg ggaaatcttc 300
ctggagcacg ttgagcagct catccggcag caagtgaccg agaacaccag ggacaccgca 360
ctggcaaggc tccagggcct tggcaacagc ttccgcgct accagcagtc gctggaggac 420
tggtggaga accgagacga cgccagaacc cgctcagttc tgtacacaca gtacatcgcc 480
ctagagctgg acttctcaa cgctatgccg ctcttcgcca tccgtaacca ggaagtaccg 540
cttctgatgg tgtacgaca agcagcgaac ctccatctgc tcctgctgc agacgcatct 600
ctgttcggca gtgagttcgg gctgacgagc caggagatcc agcgtacta cgagcgcaa 660
gtggagaaga ctcgtgagta cagcgactac tgcgcgcgct ggtacaacac gggcttgaac 720
aaccttcgcg ggacaaacgc cgaatcctgg cttegtaca accagttcgg ccgcgacctc 780
acgctgggtg tgctggacct ggtcgcgctc ttccgctct acgacacag ggtgtacca 840
atgaacacga gcgcacagct caccctgag atctacacag atcccatcgg ccgcaccaac 900
gctcccagtg gcttcgcaag cacgaattgg ttcaacaata acgctccttc tttctctgcc 960
atcgaggccg ctgtcatcag accgcccac ttactcgatt tcccggagca gctcactatc 1020
ttctctgtgt tgcctcgtg gtgcgaacag cagtacatga actactgggt gggccacagg 1080
ctagagagcc ggaccatccg tggcagtctc tcaacctega cccacggcaa cacgaacagc 1140

```

-continued

---

agcatcaacc	ctgtcactct	ccagtttaca	tctagggacg	tttacaggac	agagtcgttc	1200
gctggcatta	acattctgtt	gaccactccg	gtgaacggcg	tcccttgggc	ccgcttcaac	1260
tggaggaatc	ctctgaactc	actgcgcggc	agccttctct	acactatcgg	ctacaccggc	1320
gttgggacgc	aactcttcga	ctcggagacc	gagctgccc	ccgagaccac	cgagcggcct	1380
aactacgaga	gttattcaca	caggctctcc	aacatccgct	tgatttctgg	gaacaccttg	1440
cgggctccgg	tgtactcctg	gacgcaccgc	agcgccgaca	gaactaatac	catcagctcc	1500
gactcgatca	cccagatccc	gctggggaag	gtcacacgc	ttcagtcggg	caccacagtc	1560
gtcaagggcc	ctggcttcac	cggcggcgac	atcctgcgtc	gcacatctgg	cggacccttc	1620
gccttcagca	acgtgaactt	ggacttcaat	ttgtcacagc	ggatcctgtc	cagaatccgg	1680
tacgccagca	ctacgaacct	gcgaatctat	gttactgtgg	cgggcgagcg	gatcttcgcc	1740
gggcaattcg	acaagacgat	ggacgcggga	gcacctctga	cattccagtc	attctcttac	1800
gccacgatca	acacggcatt	cacgtttccg	gagcgttcca	gtagcctgac	cgtggggcgt	1860
gataccttca	gtagcgggaa	cgagggtgac	gttgaccggt	tcgagctgat	cccggtcacc	1920
gccaccttgc	aggccgagta	cgaccttgag	cgcgcccaga	aggtgggtaa	cgccctcttc	1980
actagcacta	accagctagg	cctgaagact	gacgtgaccg	actaccacat	cgaccaagtg	2040
agcaacctag	tggcctgcct	ctccgacgag	ttctgcctcg	acgagaagcg	cgagctgtcc	2100
gagaaggtga	agcacgcaa	gcgcctctcc	gacgagcgca	acctgctcca	ggaccccaac	2160
ttcaggggca	tcaacaggca	gcccgaccgc	ggctggcgcg	gctccaccga	catcaccatc	2220
cagggcgggtg	acgacgtatt	caaggagaac	tacgttacc	tccccggcac	cttcgacgag	2280
tgttacccca	cctacctta	ccagaagatc	gacgagtcca	agctgaaggc	ctacaccgc	2340
taccagctcc	gcggtacat	cgaggactcc	caggacctgg	aaatctacct	catccgctac	2400
aacgccaagc	acgagatcgt	gaacgtgcct	ggcaccggca	gcctctggcc	tctcagcgtg	2460
gagaaccaga	tggcccttg	cggcgagcct	aaccgctgcg	cccctcacct	cgagtggaac	2520
cctgacctcc	actgctcgtg	cagggacggc	gagaagtgcg	cccaccatag	ccaccacttc	2580
tctctggaca	tcgacgtggg	ctgcaccgac	ctgaacgagg	acctgggctg	gtgggttatc	2640
ttcaagatca	agaccagga	cggtcacgcc	aggctgggta	acctggagtt	ccttgaggaa	2700
aagcctctgc	tgggtgaggc	cctggccagg	gtcaagaggg	ctgagaagaa	atggagggat	2760
aagagggaga	ccctgcagct	ggagaccact	atcgtctaca	aggaggctaa	ggagtctgtc	2820
gatgctctgt	tcgtcaactc	tcagtacgat	agactgcaag	ctgataccaa	catcgctatg	2880
atccacgctg	cggataagcg	ggtccaccgg	atccgggagg	cttaccttcc	ggagctttct	2940
gtcatcccgg	gtgtcaacgc	tgcatcttc	gaggaacttg	aggaacggat	cttcactgcg	3000
tttagtcttt	acgatgcgcg	gaacatcatc	aagaacgggg	acttcaaaa	tggctctgctg	3060
tgctggaacg	tcaagggtea	tgctgaggtc	gaggaacaaa	acaatcatcg	tagtgcctt	3120
gtcattcctg	agtgggaggc	ggaggctctct	caagaggctc	gtgtttgccc	ggggcgtggg	3180
tacattcttc	gtgttactgc	gtacaaggag	gggtacgggg	aggggtgctg	tactattcat	3240
gagattgaga	acaatactga	tgagcttaag	ttcaacaatt	gtgttgagga	ggaggtttac	3300
ccgaacaata	ctgttacgtg	catcaactac	acggcaacgc	aagaggaata	cgaggggacg	3360
tacacctcgc	gtaatagagg	gtatgatgag	gcgtacggaa	acaaccgctc	ggttccagca	3420
gattatgcct	cggtttatga	ggagaagtgc	tacacggata	gacgacgcga	gaatccatgt	3480
gagtcaaadc	gaggatacgg	agattacaca	ccattaccag	caggatacgt	tacaaaggag	3540



-continued

ttggaatact tcccggaaac agataaagtt tggattgaaa tcggagaaac agaaggaaca 3600

ttcatcgtcg actcagtaga attggtgttg atggaagaat ga 3642

<210> SEQ ID NO 13

<211> LENGTH: 1213

<212> TYPE: PRT

<213> ORGANISM: Artificial

<220> FEATURE:

<223> OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC867\_20.

<400> SEQUENCE: 13

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser  
1 5 10 15

Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp  
20 25 30

Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp  
35 40 45

Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly  
50 55 60

Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser  
65 70 75 80

Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro  
85 90 95

Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val  
100 105 110

Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly  
115 120 125

Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn  
130 135 140

Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala  
145 150 155 160

Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn  
165 170 175

Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His  
180 185 190

Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu  
195 200 205

Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr  
210 215 220

Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn  
225 230 235 240

Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe  
245 250 255

Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro  
260 265 270

Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr  
275 280 285

Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly  
290 295 300

Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala  
305 310 315 320

Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu  
325 330 335

-continued

---

Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr  
 340 345 350

Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly  
 355 360 365

Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro  
 370 375 380

Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400

Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415

Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu  
 420 425 430

Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser  
 435 440 445

Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser  
 450 455 460

Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu  
 465 470 475 480

Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn  
 485 490 495

Thr Ile Ser Ser Asp Ser Ile Thr Gln Ile Pro Leu Val Lys Ala His  
 500 505 510

Thr Leu Gln Ser Gly Thr Thr Val Val Lys Gly Pro Gly Phe Thr Gly  
 515 520 525

Gly Asp Ile Leu Arg Arg Thr Ser Gly Gly Pro Phe Ala Phe Ser Asn  
 530 535 540

Val Asn Leu Asp Phe Asn Leu Ser Gln Arg Tyr Arg Ala Arg Ile Arg  
 545 550 555 560

Tyr Ala Ser Thr Thr Asn Leu Arg Ile Tyr Val Thr Val Ala Gly Glu  
 565 570 575

Arg Ile Phe Ala Gly Gln Phe Asp Lys Thr Met Asp Ala Gly Ala Pro  
 580 585 590

Leu Thr Phe Gln Ser Phe Ser Tyr Ala Thr Ile Asn Thr Ala Phe Thr  
 595 600 605

Phe Pro Glu Arg Ser Ser Ser Leu Thr Val Gly Ala Asp Thr Phe Ser  
 610 615 620

Ser Gly Asn Glu Val Tyr Val Asp Arg Phe Glu Leu Ile Pro Val Thr  
 625 630 635 640

Ala Thr Phe Glu Ala Glu Tyr Asp Leu Glu Arg Ala Gln Lys Val Val  
 645 650 655

Asn Ala Leu Phe Thr Ser Thr Asn Gln Leu Gly Leu Lys Thr Asp Val  
 660 665 670

Thr Asp Tyr His Ile Asp Gln Val Ser Asn Leu Val Ala Cys Leu Ser  
 675 680 685

Asp Glu Phe Cys Leu Asp Glu Lys Arg Glu Leu Ser Glu Lys Val Lys  
 690 695 700

His Ala Lys Arg Leu Ser Asp Glu Arg Asn Leu Leu Gln Asp Pro Asn  
 705 710 715 720

Phe Arg Gly Ile Asn Arg Gln Pro Asp Arg Gly Trp Arg Gly Ser Thr  
 725 730 735

Asp Ile Thr Ile Gln Gly Gly Asp Asp Val Phe Lys Glu Asn Tyr Val  
 740 745 750

Thr Leu Pro Gly Thr Phe Asp Glu Cys Tyr Pro Thr Tyr Leu Tyr Gln

-continued

755					760					765					
Lys	Ile	Asp	Glu	Ser	Lys	Leu	Lys	Ala	Tyr	Thr	Arg	Tyr	Gln	Leu	Arg
770					775					780					
Gly	Tyr	Ile	Glu	Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr
785					790					795					800
Asn	Ala	Lys	His	Glu	Ile	Val	Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp
				805					810					815	
Pro	Leu	Ser	Val	Glu	Asn	Gln	Ile	Gly	Pro	Cys	Gly	Glu	Pro	Asn	Arg
			820					825					830		
Cys	Ala	Pro	His	Leu	Glu	Trp	Asn	Pro	Asp	Leu	His	Cys	Ser	Cys	Arg
		835					840					845			
Asp	Gly	Glu	Lys	Cys	Ala	His	His	Ser	His	His	Phe	Ser	Leu	Asp	Ile
850					855					860					
Asp	Val	Gly	Cys	Thr	Asp	Leu	Asn	Glu	Asp	Leu	Gly	Val	Trp	Val	Ile
865					870					875					880
Phe	Lys	Ile	Lys	Thr	Gln	Asp	Gly	His	Ala	Arg	Leu	Gly	Asn	Leu	Glu
				885					890					895	
Phe	Leu	Glu	Glu	Lys	Pro	Leu	Leu	Gly	Glu	Ala	Leu	Ala	Arg	Val	Lys
			900					905					910		
Arg	Ala	Glu	Lys	Lys	Trp	Arg	Asp	Lys	Arg	Glu	Thr	Leu	Gln	Leu	Glu
		915					920					925			
Thr	Thr	Ile	Val	Tyr	Lys	Glu	Ala	Lys	Glu	Ser	Val	Asp	Ala	Leu	Phe
930					935					940					
Val	Asn	Ser	Gln	Tyr	Asp	Arg	Leu	Gln	Ala	Asp	Thr	Asn	Ile	Ala	Met
945					950					955					960
Ile	His	Ala	Ala	Asp	Lys	Arg	Val	His	Arg	Ile	Arg	Glu	Ala	Tyr	Leu
				965					970					975	
Pro	Glu	Leu	Ser	Val	Ile	Pro	Gly	Val	Asn	Ala	Ala	Ile	Phe	Glu	Glu
			980					985					990		
Leu	Glu	Glu	Arg	Ile	Phe	Thr	Ala	Phe	Ser	Leu	Tyr	Asp	Ala	Arg	Asn
			995				1000					1005			
Ile	Ile	Lys	Asn	Gly	Asp	Phe	Asn	Asn	Gly	Leu	Leu	Cys	Trp	Asn	
1010					1015					1020					
Val	Lys	Gly	His	Val	Glu	Val	Glu	Glu	Gln	Asn	Asn	His	Arg	Ser	
1025					1030					1035					
Val	Leu	Val	Ile	Pro	Glu	Trp	Glu	Ala	Glu	Val	Ser	Gln	Glu	Val	
1040					1045					1050					
Arg	Val	Cys	Pro	Gly	Arg	Gly	Tyr	Ile	Leu	Arg	Val	Thr	Ala	Tyr	
1055					1060					1065					
Lys	Glu	Gly	Tyr	Gly	Glu	Gly	Cys	Val	Thr	Ile	His	Glu	Ile	Glu	
1070					1075					1080					
Asn	Asn	Thr	Asp	Glu	Leu	Lys	Phe	Asn	Asn	Cys	Val	Glu	Glu	Glu	
1085					1090					1095					
Val	Tyr	Pro	Asn	Asn	Thr	Val	Thr	Cys	Ile	Asn	Tyr	Thr	Ala	Thr	
1100					1105					1110					
Gln	Glu	Glu	Tyr	Glu	Gly	Thr	Tyr	Thr	Ser	Arg	Asn	Arg	Gly	Tyr	
1115					1120					1125					
Asp	Glu	Ala	Tyr	Gly	Asn	Asn	Pro	Ser	Val	Pro	Ala	Asp	Tyr	Ala	
1130					1135					1140					
Ser	Val	Tyr	Glu	Glu	Lys	Ser	Tyr	Thr	Asp	Arg	Arg	Arg	Glu	Asn	
1145					1150					1155					
Pro	Cys	Glu	Ser	Asn	Arg	Gly	Tyr	Gly	Asp	Tyr	Thr	Pro	Leu	Pro	
1160					1165					1170					

-continued

Ala Gly Tyr Val Thr Lys Glu Leu Glu Tyr Phe Pro Glu Thr Asp  
 1175 1180 1185

Lys Val Trp Ile Glu Ile Gly Glu Thr Glu Gly Thr Phe Ile Val  
 1190 1195 1200

Asp Ser Val Glu Leu Leu Leu Met Glu Glu  
 1205 1210

<210> SEQ ID NO 14  
 <211> LENGTH: 3690  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Recombinant nucleotide sequence used for  
 expression in a bacterial cell encoding TIC867\_21.

<400> SEQUENCE: 14

atgacttcaa ataggaaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta 60  
 tcgaatcatt ccgcacaaat gaatctatca accgatgctc gtattgagga tagcttgtgt 120  
 atagccgagg ggaacaatat cgatccattt gttagcgcac caacagtcca aacgggtatt 180  
 aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt 240  
 ttttatagtt ttcttgttgg tgaattatgg ccccgcgcca gagatccttg ggaaattttc 300  
 ctagaacatg tcgaacaact tataagacaa caagtaacag aaaataactag ggatacggct 360  
 cttgctcgat tacaaggttt aggaaattcc tttagagcct atcaacagtc acttgaagat 420  
 tggctagaaa accgtgatga tgcaagaacg agaagtgttc tttataccca atatatagcc 480  
 ttagaacttg attttcttaa tgcgatgccg cttttcgcaa ttagaaacca agaagttcca 540  
 ttattaatgg tatatgctca agctgcaaat ttacacctat tattattgag agatgcctct 600  
 ctttttggtg gtgaatttgg gcttacatcc caagaaattc aacgttatta tgagcgccaa 660  
 gtggaaaaaa cgagagaata ttctgattat tgcgcaagat ggtataatac gggtttaaat 720  
 aatttgagag ggacaaatgc tgaaagtgg ttgcgatata atcaattccg tagagactta 780  
 acgctaggag tattagatct agtggcacta ttcccaagct atgacacgcg tgtttatcca 840  
 atgaatacca gtgctcaatt aacaagagaa atttatacag atccaattgg gagaacaaat 900  
 gcacctcag gatttgcaag tacgaattgg ttaataata atgcaccatc gttttctgcc 960  
 atagaggctg ccgttattag gcctccgcat ctacttgatt ttccagaaca gcttacaatt 1020  
 ttcagcgtat taagtcatg gagtaatact caatatatga attactgggt gggacataga 1080  
 cttgaatcgc gaacaataag ggggtcatta agtacctcga cacacggaaa taccaatact 1140  
 tctattaatc ctgtaacatt acagttcaca tctcgagacg tttatagaac agaatcattt 1200  
 gcagggataa atatacttct aactactcct gtgaatggag taccttgggc tagatttaat 1260  
 tggagaaatc ccctgaattc tcttagaggt agccttctct atactatagg gtatactgga 1320  
 gtggggacac aactatttga ttcagaaact gaattaccac cagaaacaac agaacgacca 1380  
 aattatgaat cttacagtca tagattatct aatataagac taatatcagg aaacactttg 1440  
 agagcaccag tatattcttg gacgcaccgt agtgcagatc gtacaaatac cattagttca 1500  
 gatagcatta cacaaatacc attggtaaag gcgcataccc tccaatcggg taccactgta 1560  
 gtaaaagggc cagggtttac aggaggggat atcctccgtc gaacaagtgg aggaccattt 1620  
 gcttttagta atgttaatct agattttaac ttgtcacaaa ggtatcgtgc tagaattcgt 1680  
 tatgcctcta ctactaacct aagaatttac gtaacggttg caggtgaacg aatttttgct 1740

-continued

---

```

ggccaatttg acaaaactat ggatgctggg gcccattaa cattccaatc ttttagttac 1800
gcaactatta atacagcttt tacattccca gaaagatcga gcagcttgac tgtaggtgcc 1860
gatacgttta gttcaggtaa tgaagtttat gtagatagat ttgaattaat cccagttact 1920
gcaaccggaa cgacaaccta tgagtatgaa gagaagcaga atctagaaaa agcgcagaaa 1980
gcgttgaacg ctttgtttac ggatggcacg aatggctatc taaaaatgga tgccactgat 2040
tatgatatca atcaactgc aaacttaata gaatgtgat cagatgaatt gtatgcaaaa 2100
gaaaagatag ttttattaga tgaagtcaaa tatgcgaagc ggcttagcat atcacgtaac 2160
ctacttttga acgatgattt agaattttca gatggatttg gagaaaacgg atggacgaca 2220
agtgataata tttcaatcca ggccgataat ccccttttta aggggaatta tttaaaaatg 2280
tttggggcaa gagatattga tggaaacctt tttccaactt atctctatca aaaaatagat 2340
gagtcagggt taaaaccata tacacgttat cgagtaagag ggtttgtggg aagtagtaaa 2400
aatctaaaat tagtggtaac acgctatgag aaagaaattg atgccattat gaatgttcca 2460
aatgatttgg cacatatgca gcttaaccct tcatgtggag attatcgctg tgaatcatcg 2520
tcccagtttt tggatgaacca agtgcaccc caccacaacag ctggatatgc tcttgatatg 2580
tatgcatgcc cgtcaagttc agataaaaaa catattatgt gtcacgatcg tcatccattt 2640
gattttcata ttgacaccgg agaattaaat ccaaacacaa acctgggtat tgatgtcttg 2700
tttaaaattt ctaatccaaa tggatagcct acattagggg atctagaagt cattgaagaa 2760
ggaccactaa cagatgaagc attggtacat gtaaaacaaa aggaaaagaa atggcgtcag 2820
cacatggaga aaaaacgaat ggaaacacaa caagcctatg atccagcaa acaagctgta 2880
gatgcattat ttacaaatga acaagagtta gactatcata ctactttaga tcatattcag 2940
aacgcccgatc agctggtaca ggcgattccc tatgtacacc atgcttggtt accggatgct 3000
ccaggatga actatgatgt atatcaaggg ttaaacgcac gtatcatgca ggcgtaaat 3060
ttatatgatg cacgaaatgt cataataaat ggtgacttta cacaaggact acaaggatgg 3120
cacgcaacag gaaaagcagc ggtacaacaa atagatggag cttcagtatt agttctatca 3180
aactggagtg ccgaggtatc tcagaatctg catgcccagg atcatcatgg atatatgtta 3240
cgtgtgattg ccaaaaaaga aggtcctgga aaagggtatg taatgatgat ggattttaat 3300
ggaaagcagg aaacacttac gttcacttct tgtgaagaag gatataaac aaaaacaata 3360
gaggtattcc cggaaagtga tcgaatacga attgaaatgg gagaaacaga gggtagcttt 3420
tatgtagata gcatcgagtt gctttgtatg caaggatag ctagegataa taaccgcac 3480
acgggtaata tgtatgagca aagttataat ggaaattata atcaaaatac tagcgatgtg 3540
tatcacciaag gatataaaa caactataac caaaattcta gtagtatgta taatcaaaat 3600
tatattaaca atgatgacct gcattccggg tgacacatgta accaagggca taactctggc 3660
tgtacatgta atcaaggata taaccgtag 3690

```

&lt;210&gt; SEQ ID NO 15

&lt;211&gt; LENGTH: 3690

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC867\_21.

&lt;400&gt; SEQUENCE: 15

```

atgaccagca accgaaagaa cgagaacgag atcatcaacg ccctgtccat accggccgtg 60

```

-continued

---

tcaaaccact	ccgccagat	gaacctctcc	accgacgca	ggatcgagga	ctccctctgc	120
atcgccgagg	gcaacaacat	cgaccggttc	gtgtctgcaa	gcacgggtcca	gaccggcatc	180
aacatcgagg	gccgcatcct	ggcggtgctc	ggcgtgccct	tcgcggttca	aatcgctct	240
ttctactcat	tcctcgtggg	cgagctgtgg	ccgcgaggac	gtgaccctgt	ggaaatcttc	300
ctggagcagc	ttgagcagct	catccggcag	caagtgaccg	agaacaccag	ggacaccgca	360
ctggcacggc	tccagggcct	tggcaacagc	ttccgcgctc	accagcagtc	gctggaggac	420
tggctggaga	accgagacga	cgccagaacc	cgctcagttc	tgtacacaca	gtacatcgcc	480
ctagagctgg	acttctcaa	cgctatgccg	ctcttcgcca	tcgtaacca	ggaagtaccg	540
cttctgatgg	tgtacgcaca	agcagcgaac	ctccatctgc	tctgctgcg	agacgcatct	600
ctgttcggca	gtgagttcgg	gctgacgagc	caggagatcc	agcgtacta	cgagcgcca	660
gtggagaaga	ctcgtgagta	cagcgactac	tgcgcgctc	ggtacaacac	gggcttgaac	720
aaccttcgag	ggacaaacgc	cgaatcctgg	cttcgctaca	accagttccg	ccgcgacctc	780
acgctgggtg	tgctggacct	ggtcgcgctc	ttcccgctc	acgacacacg	ggtgtacca	840
atgaacacga	gcgcacagct	caccctgag	atctacacag	atcccatcgg	ccgcaccaac	900
gctcccagtg	gcttcgcaag	cacgaattgg	ttcaacaata	acgctccttc	tttctctgcc	960
atcgaggccg	ctgtcatcag	accgcccac	ttactcgatt	tcccgagca	gctcactatc	1020
ttctctgtgt	tgtcccggtg	gtcgaacacg	cagtacatga	actactgggt	gggccacagg	1080
ctagagagcc	ggaccatccg	tggcagtctc	tcaacctcga	cccacggcaa	cacgaacacg	1140
agcatcaacc	ctgtcactct	ccagtttaca	tctagggacg	tttacaggac	agagtcgttc	1200
gctggcatta	acattctgtt	gaccactccg	gtgaacggcg	tccttgggc	ccgcttcaac	1260
tggaggaatc	ctctgaactc	actgcgaggc	agccttctct	acactatcgg	ctacaccggc	1320
gttgggacgc	aactcttcga	ctcggagacc	gagctgcgc	ccgagaccac	cgagcggcct	1380
aactacgaga	gttattcaca	caggctctcc	aacatccgct	tgatttctgg	gaacaccttg	1440
cgggctccgg	tgtactcctg	gacgcaccgc	agcgcgaca	gaactaatac	catcagctcc	1500
gactcgatca	cccagatccc	gctgggtgaag	gctcacacgc	ttcagtcggg	caccacagtc	1560
gtcaagggcc	ctggcttcac	cggcggcgac	atcctgcgtc	gcacatctgg	cggacccttc	1620
gccttcagca	acgtgaactt	ggacttcaat	ttgtcacagc	ggtatcgtgc	cagaatccgg	1680
tacgccagca	ctacgaacct	gcgaatctat	gttactgtgg	cgggcgagcg	gatcttcgcc	1740
gggcaattcg	acaagacgat	ggacgcggga	gcacctctga	cattccagtc	attctcttac	1800
gccacgatca	acacggcatt	cacgtttccg	gagcgttcca	gtagcctgac	cgtgggcgct	1860
gataccttca	gtagcgggaa	cgaggtgtac	gttgaccggt	tcgagctgat	cccggtcacc	1920
gccaccggga	ctaccaccta	cgagtacgag	gagaagcaga	atctcgagaa	ggctcagaag	1980
gctctgaacg	ctctgttcac	tgacgggacc	aacggctacc	tccagatgga	cgccactgac	2040
tacgacatca	accagacagc	taacctgatt	gagtgtgtga	gtgacgaact	gtacgctaag	2100
gagaagatcg	tactcctgga	cgaggtgaag	tacgctaagc	gcctgagcat	tagccgtaac	2160
ctgctgctga	acgacgatct	ggagtccagc	gacggctttg	gcgagaacgg	ctggaccacc	2220
agcgacaaca	tctccatcca	ggccgacaat	ccactcttca	aaggcaacta	cctcaagatg	2280
ttcggagcca	gggacatcga	cggcaccctc	tttccgacct	acctctacca	gaagatcgac	2340
gagtcccgcc	tcaaacccta	caccgctac	aggtgcgcg	gcttcgtggg	cagcagcaag	2400
aacctcaagc	tcgtggtcac	acggtatgag	aaggagatcg	acgccatcat	gaacgtgccc	2460

-continued

```

aacgatctcg cccacatgca gctcaatcca tctgcggcg actaccggtg cgagtccagc 2520
tcccagttcc tcgtgaacca ggtgcaccct actccgaccg ctggctatgc cctggacatg 2580
tacgcctgcc ctagtctctc cgacaagaag cacatcatgt gccacgaccg tcatccgttc 2640
gacttccaca tcgacaccgg cgaactgaac ccgaacacca acctgggcat cgacgtactg 2700
ttcaagattt ccaacccgaa cgggtacgcc accttgggca acctggaggt catcgaagaa 2760
ggcccgtga ccgacgaggc cctgggtccac gtcaaacaga aggagaagaa gtggcggcag 2820
cacatggaga agaagcggat ggagactcaa caagctacg acccggccaa gcaagctgtg 2880
gacgctctgt tcaccaacga gcaagagctt gactaccaca ctactcttga ccacatccag 2940
aatgctgacc agcttgtcca ggctattccg tacgtccacc acgcttggct accggacgct 3000
ccagggatga actacgatgt gtaccagggt ctgaacgcgc ggatcatgca agcgtacaac 3060
ctgtacgacg cgcgtaacgt catcatcaac ggtgacttca ctacgggtct tcaaggttgg 3120
cacgcgactg gcaaagcggc agtccagcag attgatggtg cgtctgttct tgtgttgagc 3180
aactggtctg cggaggttcc tcagaacctg cacgcacagg atcaccacgg ctacatgctg 3240
agggtgattg ctaagaagga gggccctggc aaaggctacg tcatgatgat ggacttcaac 3300
ggaaagcaag aaacctgac cttcactagc tgtgaggagg gctacatcac taagaccatt 3360
gaggtctttc cggagtctga ccgcatccgg atcgagatgg gcgagaccga aggcacgttc 3420
tacgtggact ccatcgaact cctctgcatg caaggctacg cctccgaaa caaccacac 3480
acgggcaaca tgtacgagca gtctacaac gggaaactaca accagaacac ctccgatgtg 3540
taccatcagg gctacatcaa caactacaac cagaacagca gcagcatgta caaccagaac 3600
tacatcaaca acgatgactt gcactcgggt tgcacctgca accaggttca caacagtggg 3660
tgcacgtgca accagggata caaccgttga 3690

```

&lt;210&gt; SEQ ID NO 16

&lt;211&gt; LENGTH: 1229

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC867\_21.

&lt;400&gt; SEQUENCE: 16

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
          20           25           30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
          35           40           45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
          50           55           60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
          85           90           95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
          100          105          110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
          115          120          125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn

```

-continued

130	135	140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala 145 150 155 160		
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn 165 170 175		
Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His 180 185 190		
Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu 195 200 205		
Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr 210 215 220		
Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn 225 230 235 240		
Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe 245 250 255		
Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro 260 265 270		
Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr 275 280 285		
Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly 290 295 300		
Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala 305 310 315 320		
Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu 325 330 335		
Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr 340 345 350		
Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly 355 360 365		
Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro 370 375 380		
Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe 385 390 395 400		
Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp 405 410 415		
Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu 420 425 430		
Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser 435 440 445		
Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser 450 455 460		
Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu 465 470 475 480		
Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn 485 490 495		
Thr Ile Ser Ser Asp Ser Ile Thr Gln Ile Pro Leu Val Lys Ala His 500 505 510		
Thr Leu Gln Ser Gly Thr Thr Val Val Lys Gly Pro Gly Phe Thr Gly 515 520 525		
Gly Asp Ile Leu Arg Arg Thr Ser Gly Gly Pro Phe Ala Phe Ser Asn 530 535 540		
Val Asn Leu Asp Phe Asn Leu Ser Gln Arg Tyr Arg Ala Arg Ile Arg 545 550 555 560		



-continued

---

Tyr Ala Ser Thr Thr Asn Leu Arg Ile Tyr Val Thr Val Ala Gly Glu  
 565 570 575  
 Arg Ile Phe Ala Gly Gln Phe Asp Lys Thr Met Asp Ala Gly Ala Pro  
 580 585 590  
 Leu Thr Phe Gln Ser Phe Ser Tyr Ala Thr Ile Asn Thr Ala Phe Thr  
 595 600 605  
 Phe Pro Glu Arg Ser Ser Ser Leu Thr Val Gly Ala Asp Thr Phe Ser  
 610 615 620  
 Ser Gly Asn Glu Val Tyr Val Asp Arg Phe Glu Leu Ile Pro Val Thr  
 625 630 635 640  
 Ala Thr Gly Thr Thr Thr Tyr Glu Tyr Glu Glu Lys Gln Asn Leu Glu  
 645 650 655  
 Lys Ala Gln Lys Ala Leu Asn Ala Leu Phe Thr Asp Gly Thr Asn Gly  
 660 665 670  
 Tyr Leu Gln Met Asp Ala Thr Asp Tyr Asp Ile Asn Gln Thr Ala Asn  
 675 680 685  
 Leu Ile Glu Cys Val Ser Asp Glu Leu Tyr Ala Lys Glu Lys Ile Val  
 690 695 700  
 Leu Leu Asp Glu Val Lys Tyr Ala Lys Arg Leu Ser Ile Ser Arg Asn  
 705 710 715 720  
 Leu Leu Leu Asn Asp Asp Leu Glu Phe Ser Asp Gly Phe Gly Glu Asn  
 725 730 735  
 Gly Trp Thr Thr Ser Asp Asn Ile Ser Ile Gln Ala Asp Asn Pro Leu  
 740 745 750  
 Phe Lys Gly Asn Tyr Leu Lys Met Phe Gly Ala Arg Asp Ile Asp Gly  
 755 760 765  
 Thr Leu Phe Pro Thr Tyr Leu Tyr Gln Lys Ile Asp Glu Ser Arg Leu  
 770 775 780  
 Lys Pro Tyr Thr Arg Tyr Arg Val Arg Gly Phe Val Gly Ser Ser Lys  
 785 790 795 800  
 Asn Leu Lys Leu Val Val Thr Arg Tyr Glu Lys Glu Ile Asp Ala Ile  
 805 810 815  
 Met Asn Val Pro Asn Asp Leu Ala His Met Gln Leu Asn Pro Ser Cys  
 820 825 830  
 Gly Asp Tyr Arg Cys Glu Ser Ser Ser Gln Phe Leu Val Asn Gln Val  
 835 840 845  
 His Pro Thr Pro Thr Ala Gly Tyr Ala Leu Asp Met Tyr Ala Cys Pro  
 850 855 860  
 Ser Ser Ser Asp Lys Lys His Ile Met Cys His Asp Arg His Pro Phe  
 865 870 875 880  
 Asp Phe His Ile Asp Thr Gly Glu Leu Asn Pro Asn Thr Asn Leu Gly  
 885 890 895  
 Ile Asp Val Leu Phe Lys Ile Ser Asn Pro Asn Gly Tyr Ala Thr Leu  
 900 905 910  
 Gly Asn Leu Glu Val Ile Glu Glu Gly Pro Leu Thr Asp Glu Ala Leu  
 915 920 925  
 Val His Val Lys Gln Lys Glu Lys Lys Trp Arg Gln His Met Glu Lys  
 930 935 940  
 Lys Arg Met Glu Thr Gln Gln Ala Tyr Asp Pro Ala Lys Gln Ala Val  
 945 950 955 960  
 Asp Ala Leu Phe Thr Asn Glu Gln Glu Leu Asp Tyr His Thr Thr Leu  
 965 970 975

-continued

---

Asp His Ile Gln Asn Ala Asp Gln Leu Val Gln Ala Ile Pro Tyr Val  
                   980                                  985                                  990

His His Ala Trp Leu Pro Asp Ala Pro Gly Met Asn Tyr Asp Val Tyr  
                   995                                  1000                                  1005

Gln Gly Leu Asn Ala Arg Ile Met Gln Ala Tyr Asn Leu Tyr Asp  
           1010                                  1015                                  1020

Ala Arg Asn Val Ile Ile Asn Gly Asp Phe Thr Gln Gly Leu Gln  
           1025                                  1030                                  1035

Gly Trp His Ala Thr Gly Lys Ala Ala Val Gln Gln Ile Asp Gly  
           1040                                  1045                                  1050

Ala Ser Val Leu Val Leu Ser Asn Trp Ser Ala Glu Val Ser Gln  
           1055                                  1060                                  1065

Asn Leu His Ala Gln Asp His His Gly Tyr Met Leu Arg Val Ile  
           1070                                  1075                                  1080

Ala Lys Lys Glu Gly Pro Gly Lys Gly Tyr Val Met Met Met Asp  
           1085                                  1090                                  1095

Phe Asn Gly Lys Gln Glu Thr Leu Thr Phe Thr Ser Cys Glu Glu  
           1100                                  1105                                  1110

Gly Tyr Ile Thr Lys Thr Ile Glu Val Phe Pro Glu Ser Asp Arg  
           1115                                  1120                                  1125

Ile Arg Ile Glu Met Gly Glu Thr Glu Gly Thr Phe Tyr Val Asp  
           1130                                  1135                                  1140

Ser Ile Glu Leu Leu Cys Met Gln Gly Tyr Ala Ser Asp Asn Asn  
           1145                                  1150                                  1155

Pro His Thr Gly Asn Met Tyr Glu Gln Ser Tyr Asn Gly Asn Tyr  
           1160                                  1165                                  1170

Asn Gln Asn Thr Ser Asp Val Tyr His Gln Gly Tyr Ile Asn Asn  
           1175                                  1180                                  1185

Tyr Asn Gln Asn Ser Ser Ser Met Tyr Asn Gln Asn Tyr Ile Asn  
           1190                                  1195                                  1200

Asn Asp Asp Leu His Ser Gly Cys Thr Cys Asn Gln Gly His Asn  
           1205                                  1210                                  1215

Ser Gly Cys Thr Cys Asn Gln Gly Tyr Asn Arg  
           1220                                  1225

&lt;210&gt; SEQ ID NO 17

&lt;211&gt; LENGTH: 3432

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Recombinant nucleotide sequence used for expression in a bacterial cell encoding TIC867\_22.

&lt;400&gt; SEQUENCE: 17

atgacttcaa ataggaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta 60  
 tcgaatcatt cgcacaaat gaatctatca accgatgctc gtattgagga tagcttgtgt 120  
 atagccgagg ggaacaatat cgatccattt gttagcgcac caacagtcca aacgggtatt 180  
 aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt 240  
 ttttatagtt ttcttgttgg tgaattatgg ccccgcgcca gagatccttg ggaaattttc 300  
 ctagaacatg tcgaacaact tataagacaa caagtaacag aaaatactag ggatacggct 360  
 cttgctcgat tacaaggttt aggaaattcc tttagagcct atcaacagtc acttgaagat 420  
 tggctagaaa accgtgatga tgcaagaacg agaagtgttc tttataccca atatatagcc 480  
 ttagaacttg attttcttaa tgcgatgccg cttttcgcaa ttagaaacca agaagttcca 540

-continued

---

ttattaatgg	tatatgctca	agctgcaa	ttacacctat	tattattgag	agatgcctct	600
ctttttggta	gtgaatttgg	gcttacatcc	caagaaatc	aacgttatta	tgagcgccaa	660
gtggaaaaaa	cgagagaata	ttctgattat	tgcgcaagat	ggtataatac	gggtttaaat	720
aatttgagag	ggacaaatgc	tgaaagttgg	ttgcgatata	atcaattccg	tagagactta	780
acgctaggag	tattagatct	agtggcacta	ttccaagct	atgacacgcg	tgtttatcca	840
atgaatacca	gtgctcaatt	aacaagagaa	atttatacag	atccaattgg	gagaacaaat	900
gcaccttcag	gatttgcaag	tacgaattgg	tttaataata	atgcaccatc	gttttctgcc	960
atagaggctg	ccgttattag	gcctccgcat	ctacttgatt	ttccagaaca	gcttacaatt	1020
ttcagcgtat	taagtcgatg	gagtaatact	caatatatga	attactgggt	gggacataga	1080
cttgaatcgc	gaacaataag	ggggtcatta	agtacctoga	cacacggaaa	taccaatact	1140
tctattaatc	ctgtaacatt	acagttcaca	tctcgagacg	tttatagaac	agaatcattt	1200
gcagggataa	atatacttct	aactactcct	gtgaatggag	taccttgggc	tagatttaat	1260
tggagaaatc	ccctgaattc	tcttagaggt	agccttctct	atactatagg	gtatactgga	1320
gtggggacac	aactatttga	ttcagaaact	gaattaccac	cagaaacaac	agaacgacca	1380
aattatgaat	cttacagtca	tagattatct	aatataagac	taatatcagg	aaacactttg	1440
agagcaccag	tatattcttg	gacgcaccgt	agtgcatatc	gtacaaatac	cattagttca	1500
gatagcatta	cacaaatacc	attggtaaag	gcgcataccc	tccaatcggg	taccactgta	1560
gtaaaagggc	cagggtttac	aggaggggat	atcctccgtc	gaacaagtgg	aggaccattt	1620
gcttttagta	atgttaatct	agattttaac	ttgtcacaaa	ggtatcgtgc	tagaattcgt	1680
tatgcctcta	ctactaacct	aagaatttac	gtaacggttg	caggtgaacg	aatttttgct	1740
ggtcaatttg	acaaaactat	ggatgctggg	gccccattaa	cattccaatc	ttttagttac	1800
gcaactatta	atacagcttt	tacattccca	gaaagatcga	gcagcttgac	tgtaggtgcc	1860
gatacgttta	gttcaggtaa	tgaagtttat	gtagatagat	ttgaattaat	cccagttact	1920
gcaaccaatc	cgacgcgaga	ggcgggaagag	gatctagaag	cagcgaagaa	agcggtgggc	1980
agcttgttta	cacgtacaag	ggacggatta	caagtaaag	tgacagatta	tcaagtcgat	2040
caagcggcaa	atttagtgtc	atgcttatca	gatgaacaat	atgggcatga	caaaaagatg	2100
ttattggaag	cggttaagagc	ggcaaaacgc	ctcagccgag	aacgcaactt	acttcaggat	2160
ccagatttta	atacaatcaa	tagtacagaa	gaaaatggat	ggaaagcaag	taacggcggt	2220
actattagcg	agggcggtcc	attctataaa	ggccgtgcgc	ttcagctagc	aagcgcaaga	2280
gaaaattacc	caacatacat	ttatcaaaaa	gtaaatgcat	cagagttaa	gccgtataca	2340
cgttatagac	tggatgggtt	cgtgaagagt	agtcaagatt	tagaaattga	tctcattcac	2400
catcataaag	tccatctcgt	gaaaaatgta	ccagataatt	tagtatccga	tacttactcg	2460
gatggttctt	gcagtggaat	gaatcgatgt	gaggaacaac	agatggtaaa	tgcgcaactg	2520
gaaacagaac	atcatcatcc	gatggattgc	tgtgaagcgg	ctcaaacaca	tgagttttct	2580
tcctatatta	atacaggcga	tctaaattca	agtgtagatc	aaggcatttg	ggttgatttg	2640
aaagttcgaa	caaccgatgg	ttatgcgacg	ctaggaaatc	ttgaattggg	agaggtcgga	2700
ccgttatcgg	gtgaatctct	agaacgtgaa	caaagggata	atgcgaaatg	gagtgacagag	2760
ctaggaagaa	agcgtgcaga	aacagatcgc	gtgtatcaag	atgccaaaca	atccatcaat	2820
catttatttg	tggattatca	agatcaacaa	ttaaatccag	aaatagggat	ggcagatatt	2880

-continued

---

```

attgacgctc aaaatcttgt cgcatacaatt tcagatgtgt atagcgatgc agtactgcaa 2940
atccctggaa ttaactatga gatttacaca gagctatcca atcgcttaca acaagcatcg 3000
tatctgtata cgtctcgaaa tgcggtgcaa aatggggact ttaacagcgg tctagatagt 3060
tggaaatgcaa cagggggggc tacgggtacaa caggatggca atacgcattt cttagttctt 3120
tctcattggg atgcacaagt ttctcaacaa tttagagtgc agccgaattg taaatatgta 3180
ttacgtgtaa cagcagagaa agtaggcggc ggagacggat acgtgacaat ccgggatggg 3240
gctcatcata cagaaaagct tacatttaat gcatgtgatt atgatataaa tggcacgtac 3300
gtgactgata atacgtatct aacaaaagaa gtggtattct attcacatac agaacacatg 3360
tgggtagagg taagtgaac agaaggtgca tttcatatag atagtattga attcgttgaa 3420
acagaaaagt ag 3432

```

&lt;210&gt; SEQ ID NO 18

&lt;211&gt; LENGTH: 3432

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC867\_22.

&lt;400&gt; SEQUENCE: 18

```

atgaccagca accgaaagaa cgagaacgag atcatcaacg ccctgtccat accggccgtg 60
tcaaaccact ccgccagat gaacctctcc accgacgca ggatcgagga ctccctctgc 120
atcgccgagg gcaacaacat cgaccggtc gtgtctgcaa gcacggcca gaccggcatc 180
aacatcgcg gccgcatcct gggcgtgctc ggcgtgcoct tcgcggtca aatcgctct 240
ttctactcat tcctcgtggg cgagctgtgg ccgcgggac gtgaccctg ggaaatcttc 300
ctggagcacg ttgagcagct catccggcag caagtgaccg agaacaccag ggacaccgca 360
ctggcacggc tccagggcct tggcaacagc ttccgcgct accagcagtc gctggaggac 420
tggctggaga accgagacga cgccagaacc cgctcagttc tgtacacaca gtacatcgcc 480
ctagagctgg acttctcaa cgctatgccg ctcttcgcca tccgtaacca ggaagtaccg 540
cttctgatgg tgtacgaca agcagcgaac ctccatctgc tcctgctgcg agacgcatct 600
ctgttcggca gtgagttcgg gctgacgagc caggagatcc agecgtacta cgagcgcaa 660
gtggagaaga ctctgagta cagcgactac tgcgcgcgct ggtacaacac gggcttgaac 720
aaccttcgcg ggacaaacgc cgaatcctgg ctctcgtaca accagttccg ccgcgacctc 780
acgctgggtg tgctggacct ggtcgcgctc ttcccgctct acgacacacg ggtgtacca 840
atgaacacga gcgcacagct caccctgag atctacacag atcccatcgg ccgcaccaac 900
gctcccagtg gcttcgcaag cacgaattgg ttcaacaata acgctccttc tttctctgcc 960
atcgaggccg ctgtcatcag accgcccac ttactcgatt tcccggagca gctcactatc 1020
ttctctgtgt tgtcccgtg gtcgaacacg cagtacatga actactgggt gggccacagg 1080
ctagagagcc ggaccatccg tggcagtctc tcaacctoga cccacggcaa cacgaacacg 1140
agcatcaacc ctgtcactct ccagtttaca tctagggacg tttacaggac agagtcgttc 1200
gctggcatta acattctgtt gaccactccg gtgaacggcg tcccttgggc ccgcttcaac 1260
tggaggaatc ctctgaactc actgcgcggc agccttctct aactatcgg ctacaccggc 1320
gttgggacgc aactcttcca ctccggagacc gagctgcgcg ccgagaccac cgagcggcct 1380
aactacgaga gttattcaca caggctctcc aacatccgct tgatttctgg gaacaccttg 1440

```

-continued

---

```

cgggctccgg tgtactcctg gacgcaccgc agcgccgaca gaactaatac catcagctcc 1500
gactcgatca cccagatccc gctgggtgaag gtcacacgc ttcagtcggg caccacagtc 1560
gtcaagggcc ctggcttcac cggcggcgac atcctgcgtc gcacatctgg cggacccttc 1620
gccttcagca acgtgaactt ggacttcaat ttgtcacagc ggtatcgtgc cagaatccgg 1680
tacgccagca ctacgaacct gcgaatctat gttactgtgg cgggcgagcg gatcttcgcc 1740
gggcaattcg acaagacgat ggacgcggga gcacctctga cattccagtc attctcttac 1800
gccacgatca acacggcatt cacgtttccg gagcgttcca gtagcctgac cgtggggcgt 1860
gataccttca gtagcgggaa cgaggtgtac gttgaccgtt tcgagctgat cccggtcacc 1920
gccaccaacc cgacgcggga agctgaggaa gacttggaa cgcgaagaa agcggtcgcc 1980
agcctgttta ctcgacgcg ggacgggctc caagtgaatg tgacggacta tcaagtggat 2040
caggccgcta acctcgtgtc atgcctgagc gacgagcagt acggtcacga caagaaaatg 2100
ctgctggagg ccgtccgggc cgccaagcgg ctgtccaggg agcgtaacct gctacaagat 2160
cccgacttta acacgatcaa cagcacagag gagaatggct ggaaggccag caacggagtt 2220
acgataagcg agggcgggtcc gttctacaag ggtcgtgccc tccagctcgc ctctgcaagg 2280
gagaactatc caacctacat ctatcagaag gtgaacgcac ccgagcttaa gccctacaca 2340
cgctaccgcc tggacgggtt cgtaagtcc agtcaagacc tagagataga cctcatccac 2400
caccacaaag tgcactctgt caagaacggt cccgataatc tcgtgagcga tacctactca 2460
gacggctcat gctctggcat gaacagatgt gaggagcaac agatggtaa tgctcaactc 2520
gaaaccgagc atcatcatcc tatggattgc tgcgaggccg cgcagacca tgagttcagc 2580
tcttacatca acaccggaga cctcaacagt agcgtggatc agggaaattg ggtggtgctt 2640
aaagtgcgta caaccgacgg ctacgccacc ctcgcaacc ttgagcttgt cgaggtcgga 2700
ccacttagcg gcgagtcctt ggaacgtgag cagcgggaca acgccaatg gagcgcagag 2760
ctagggcgca aacgcgcgga gacggaccgg gtttatcagg acgcaagca gtccatcaat 2820
cacctcttcg tggattatca ggaccagcag cttaatccag agatcggcat ggccgacatc 2880
atcgacgccc agaacctagt agcgtcgatt tccgatgtct attccgacgc cgtgcttcaa 2940
atacctggca tcaactacga gatctacaca gattgtcca acaggctcca gcaagcgtca 3000
tacctctaca ccagccgcaa cgccgtccag aatggcgact tcaattccgg actagactcc 3060
tggaacgcca cgggcggagc tacggtgcaa caagacggca acaccactt cctcgtactt 3120
agccactggg acgctcaagt gagtcagcaa ttccgggttc agccgaactg caagtacgtc 3180
ctgcgcgtaa cggccgagaa ggttggaggc ggagacggct acgttacat ccgcgacggc 3240
gctcaccaca ccgagaaact gacgttcaac gcttgtgact acgacatcaa cggcacttac 3300
gtgacggaca acacctact gacgaaggag gtggtgttct attctcacac cgagcacatg 3360
tgggttgagg tcagcgagac cgagggagcc ttccacattg acagcatcga gttcgtggag 3420
actgagaagt ga 3432

```

&lt;210&gt; SEQ ID NO 19

&lt;211&gt; LENGTH: 1143

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC867\_22.

&lt;400&gt; SEQUENCE: 19

-continued

---

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser  
 1 5 10 15  
 Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp  
 20 25 30  
 Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp  
 35 40 45  
 Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly  
 50 55 60  
 Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser  
 65 70 75 80  
 Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro  
 85 90 95  
 Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val  
 100 105 110  
 Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly  
 115 120 125  
 Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn  
 130 135 140  
 Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala  
 145 150 155 160  
 Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn  
 165 170 175  
 Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His  
 180 185 190  
 Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu  
 195 200 205  
 Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr  
 210 215 220  
 Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn  
 225 230 235 240  
 Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe  
 245 250 255  
 Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro  
 260 265 270  
 Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr  
 275 280 285  
 Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly  
 290 295 300  
 Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala  
 305 310 315 320  
 Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu  
 325 330 335  
 Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr  
 340 345 350  
 Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly  
 355 360 365  
 Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro  
 370 375 380  
 Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400  
 Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415  
 Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu

-continued

420					425					430					
Leu	Tyr	Thr	Ile	Gly	Tyr	Thr	Gly	Val	Gly	Thr	Gln	Leu	Phe	Asp	Ser
		435					440					445			
Glu	Thr	Glu	Leu	Pro	Pro	Glu	Thr	Thr	Glu	Arg	Pro	Asn	Tyr	Glu	Ser
		450					455					460			
Tyr	Ser	His	Arg	Leu	Ser	Asn	Ile	Arg	Leu	Ile	Ser	Gly	Asn	Thr	Leu
							470					475			480
Arg	Ala	Pro	Val	Tyr	Ser	Trp	Thr	His	Arg	Ser	Ala	Asp	Arg	Thr	Asn
				485					490					495	
Thr	Ile	Ser	Ser	Asp	Ser	Ile	Thr	Gln	Ile	Pro	Leu	Val	Lys	Ala	His
			500					505						510	
Thr	Leu	Gln	Ser	Gly	Thr	Thr	Val	Val	Lys	Gly	Pro	Gly	Phe	Thr	Gly
		515					520					525			
Gly	Asp	Ile	Leu	Arg	Arg	Thr	Ser	Gly	Gly	Pro	Phe	Ala	Phe	Ser	Asn
		530					535					540			
Val	Asn	Leu	Asp	Phe	Asn	Leu	Ser	Gln	Arg	Tyr	Arg	Ala	Arg	Ile	Arg
							550					555			560
Tyr	Ala	Ser	Thr	Thr	Asn	Leu	Arg	Ile	Tyr	Val	Thr	Val	Ala	Gly	Glu
				565					570					575	
Arg	Ile	Phe	Ala	Gly	Gln	Phe	Asp	Lys	Thr	Met	Asp	Ala	Gly	Ala	Pro
			580					585					590		
Leu	Thr	Phe	Gln	Ser	Phe	Ser	Tyr	Ala	Thr	Ile	Asn	Thr	Ala	Phe	Thr
		595					600					605			
Phe	Pro	Glu	Arg	Ser	Ser	Ser	Leu	Thr	Val	Gly	Ala	Asp	Thr	Phe	Ser
		610					615					620			
Ser	Gly	Asn	Glu	Val	Tyr	Val	Asp	Arg	Phe	Glu	Leu	Ile	Pro	Val	Thr
							630					635			640
Ala	Thr	Asn	Pro	Thr	Arg	Glu	Ala	Glu	Glu	Asp	Leu	Glu	Ala	Ala	Lys
				645					650					655	
Lys	Ala	Val	Ala	Ser	Leu	Phe	Thr	Arg	Thr	Arg	Asp	Gly	Leu	Gln	Val
			660					665					670		
Asn	Val	Thr	Asp	Tyr	Gln	Val	Asp	Gln	Ala	Ala	Asn	Leu	Val	Ser	Cys
		675					680					685			
Leu	Ser	Asp	Glu	Gln	Tyr	Gly	His	Asp	Lys	Lys	Met	Leu	Leu	Glu	Ala
		690					695					700			
Val	Arg	Ala	Ala	Lys	Arg	Leu	Ser	Arg	Glu	Arg	Asn	Leu	Leu	Gln	Asp
							710					715			720
Pro	Asp	Phe	Asn	Thr	Ile	Asn	Ser	Thr	Glu	Glu	Asn	Gly	Trp	Lys	Ala
				725					730					735	
Ser	Asn	Gly	Val	Thr	Ile	Ser	Glu	Gly	Gly	Pro	Phe	Tyr	Lys	Gly	Arg
			740					745					750		
Ala	Leu	Gln	Leu	Ala	Ser	Ala	Arg	Glu	Asn	Tyr	Pro	Thr	Tyr	Ile	Tyr
			755				760					765			
Gln	Lys	Val	Asn	Ala	Ser	Glu	Leu	Lys	Pro	Tyr	Thr	Arg	Tyr	Arg	Leu
			770				775					780			
Asp	Gly	Phe	Val	Lys	Ser	Ser	Gln	Asp	Leu	Glu	Ile	Asp	Leu	Ile	His
							790					795			800
His	His	Lys	Val	His	Leu	Val	Lys	Asn	Val	Pro	Asp	Asn	Leu	Val	Ser
				805					810					815	
Asp	Thr	Tyr	Ser	Asp	Gly	Ser	Cys	Ser	Gly	Met	Asn	Arg	Cys	Glu	Glu
			820					825					830		
Gln	Gln	Met	Val	Asn	Ala	Gln	Leu	Glu	Thr	Glu	His	His	His	Pro	Met
			835				840						845		

-continued

Asp Cys Cys Glu Ala Ala Gln Thr His Glu Phe Ser Ser Tyr Ile Asn  
 850 855 860  
 Thr Gly Asp Leu Asn Ser Ser Val Asp Gln Gly Ile Trp Val Val Leu  
 865 870 875 880  
 Lys Val Arg Thr Thr Asp Gly Tyr Ala Thr Leu Gly Asn Leu Glu Leu  
 885 890 895  
 Val Glu Val Gly Pro Leu Ser Gly Glu Ser Leu Glu Arg Glu Gln Arg  
 900 905 910  
 Asp Asn Ala Lys Trp Ser Ala Glu Leu Gly Arg Lys Arg Ala Glu Thr  
 915 920 925  
 Asp Arg Val Tyr Gln Asp Ala Lys Gln Ser Ile Asn His Leu Phe Val  
 930 935 940  
 Asp Tyr Gln Asp Gln Gln Leu Asn Pro Glu Ile Gly Met Ala Asp Ile  
 945 950 955 960  
 Ile Asp Ala Gln Asn Leu Val Ala Ser Ile Ser Asp Val Tyr Ser Asp  
 965 970 975  
 Ala Val Leu Gln Ile Pro Gly Ile Asn Tyr Glu Ile Tyr Thr Glu Leu  
 980 985 990  
 Ser Asn Arg Leu Gln Gln Ala Ser Tyr Leu Tyr Thr Ser Arg Asn Ala  
 995 1000 1005  
 Val Gln Asn Gly Asp Phe Asn Ser Gly Leu Asp Ser Trp Asn Ala  
 1010 1015 1020  
 Thr Gly Gly Ala Thr Val Gln Gln Asp Gly Asn Thr His Phe Leu  
 1025 1030 1035  
 Val Leu Ser His Trp Asp Ala Gln Val Ser Gln Gln Phe Arg Val  
 1040 1045 1050  
 Gln Pro Asn Cys Lys Tyr Val Leu Arg Val Thr Ala Glu Lys Val  
 1055 1060 1065  
 Gly Gly Gly Asp Gly Tyr Val Thr Ile Arg Asp Gly Ala His His  
 1070 1075 1080  
 Thr Glu Lys Leu Thr Phe Asn Ala Cys Asp Tyr Asp Ile Asn Gly  
 1085 1090 1095  
 Thr Tyr Val Thr Asp Asn Thr Tyr Leu Thr Lys Glu Val Val Phe  
 1100 1105 1110  
 Tyr Ser His Thr Glu His Met Trp Val Glu Val Ser Glu Thr Glu  
 1115 1120 1125  
 Gly Ala Phe His Ile Asp Ser Ile Glu Phe Val Glu Thr Glu Lys  
 1130 1135 1140

&lt;210&gt; SEQ ID NO 20

&lt;211&gt; LENGTH: 3696

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC867\_23.

&lt;400&gt; SEQUENCE: 20

atgaccagca accgaaagaa cgagaacgag atcatcaacg ccctgtccat accggccgtg 60  
 tcaaaccact ccgccagat gaacctctcc accgacgca ggatcgagga ctccctctgc 120  
 atcgccgagg gcaacaacat cgaccggttc gtgtctgcaa gcacgggtcca gaccggcatc 180  
 aacatcgagg gccgcatcct gggcgtgctc ggcgtgccct tcgcggtca aatcgctct 240  
 ttctactcat tcctcgtggg cgagctgtgg ccgcgcgac gtgaccgtg ggaaatcttc 300



-continued

---

ctggagcacg	ttgagcagct	catccggcag	caagtgaccg	agaacaccag	ggacaccgca	360
ctggcacggc	tccagggcct	tggcaacagc	ttccgcgcct	accagcagtc	gctggaggac	420
tggctggaga	accgagacga	cgccagaacc	cgctcagttc	tgtacacaca	gtacatcgcc	480
ctagagctgg	acttccctcaa	cgctatgccg	ctcttcgcca	tccgtaacca	ggaagtaccg	540
cttctgatgg	tgtacgcaca	agcagcgaac	ctccatctgc	tcttgetgcg	agacgcatct	600
ctgttcggca	gtgagttcgg	gctgacgagc	caggagatcc	agcgctacta	cgagcgccaa	660
gtggagaaga	ctcgtgagta	cagcgactac	tgcgcgcgct	ggtacaacac	gggcttgaac	720
aaccttcgcy	ggacaaacgc	cgaatcctgg	cttcgctaca	accagttccg	ccgcyacctc	780
acgctgggtg	tgctggacct	ggtcgcgctc	ttcccgctct	acgacacacg	ggtgtacca	840
atgaacacga	gcygcacagct	caccctgag	atctacacag	atcccatcgg	ccgcaccaac	900
gctcccagtg	gcttcgcaag	cacgaattgg	ttcaacaata	acgctccttc	tttctctgcc	960
atcgaggccg	ctgtcatcag	accgcccac	ttactcgatt	tcccggagca	gctcactatc	1020
ttctctgtgt	tgtcccgtg	gtcgaacacg	cagtacatga	actactgggt	gggccacagg	1080
ctagagagcc	ggaccatccg	tggcagtctc	tcaacctcga	cccacggcaa	cacgaacacg	1140
agcatcaacc	ctgtcactct	ccagtttaca	tctagggacg	tttacaggac	agagtcgttc	1200
gctggcatta	acattctgtt	gaccactccg	gtgaacggcg	tcccttgggc	ccgcttcaac	1260
tggaggaatc	ctctgaactc	actgcgcggc	agccttctct	acactatcgg	ctacaccggc	1320
gttgggacgc	aactcttcga	ctcggagacc	gagctgccgc	ccgagaccac	cgagcggcct	1380
aactacgaga	gttattcaca	caggctctcc	aacatccgct	tgatttctgg	gaacaccttg	1440
cgggctccgg	tgtactcctg	gacgcaccgc	agcgccgaca	gaactaatac	catcagctcc	1500
gactcgatca	cccagatccc	gctggtgaag	gctcacacgc	ttcagtcggg	caccacagtc	1560
gtcaagggcc	ctggcttcac	cggcggcgac	atcctgcgtc	gcacatctgg	cggacccttc	1620
gccttcagca	acgtgaactt	ggacttcaat	ttgtcacagc	ggtatcgtgc	cagaatccgg	1680
tacgccagca	ctacgaacct	gcgaatctat	gttactgtgg	cgggcygagcy	gatcttcgcc	1740
gggcaattcg	acaagacgat	ggacgcggga	gcacctctga	cattccagtc	attctcttac	1800
gccacgatca	acacggcatt	cacgtttccg	gagcgttcca	gtagcctgac	cgtgggcgct	1860
gataccttca	gtagcgggaa	cgaggtgtac	gttgaccggt	tcgagctgat	cccggtcacc	1920
gccaccacgg	cgaccttcga	ggcggagtat	gacttggagc	gggctcagga	ggccgtcaac	1980
gcgctgttca	caaacaccaa	tcctcgccgc	ctcaagacgg	gtgtgactga	ttaccacatt	2040
gacgaggtct	ccaacttgg	cgcgtgtctg	tccgatgagt	tctgcctgga	cgagaagcgg	2100
gaactgctgg	agaaggtcaa	gtacgccaa	cgcctctccg	acgaaaggaa	cctcctcaa	2160
gatcccaact	ttacttccat	taacaagcag	ccggacttca	tctccaccaa	cgagcagctcc	2220
aacttcacct	caatccacga	gcagtcggag	cacgggtgg	ggggcagcga	gaacatcacc	2280
atccaagagg	gcaacgacgt	cttcaaggag	aactacgtga	tcttgcctgg	caccttcaac	2340
gagtgttacc	cgacctatct	ctaccagaag	attggcgaag	cggaaactcaa	ggcttacacc	2400
cgttaccaac	tgagtggcta	cattgaggac	tcacaagacc	tggaaatcta	cctgatccgc	2460
tacaacgcca	agcacgagac	cctcgacgtg	cctggcacgg	agtccgtctg	gcccttgagc	2520
gtggagtctc	ctateggctg	ttgcggcgag	cccaatcgct	gcgctccgca	ctttgagtg	2580
aatcctgatt	tggattgctc	ctgccgagac	ggtgagaaat	gcgcccacca	ctcgcaccac	2640
ttcagcctag	acatcgacgt	gggctgcac	gacctgcacg	agaacttggg	cgtctgggtc	2700

-continued

---

```

gtgttcaaga tcaagacaca ggagggccat gctcggcttg ggaacctgga gttcatcgag 2760
gagaagccac tgctgggtga agccttgta cgggtgaaac ggcgagagaa gaagtggcgg 2820
gacaaacggg agaagctcca gttggagaca aagcgtgtgt acacagaggc caaggaggcc 2880
gtggatgcct tgttcgtgga cagtcagtac gacaggctgc aagcggacac caacatcggg 2940
atgatccacg cggctgataa gcttgttcac agaatccgcg aggcgtacct gtcagagctt 3000
agcgtgatcc caggcgtcaa cgccgaaatc ttcgaggaac tggagggccg cattatcacg 3060
gcaatctcac tttatgacgc gaggaatgtg gtcaagaacg gtgacttcaa caacggcttg 3120
gcgtgttgga acgttaaagg gcacgtggat gtacaacagt cacaccacag aagtgtcttg 3180
gtcatcccgg agtgggaggc ggaagtgagc caggccgtcc gggctctgcc tgggcgcggt 3240
tacatcctcc gcgtgacagc gtacaaggag ggctacggtg agggctgctg gacgatccac 3300
gagattgaga acaacacgga cgagcttaag ttcaagaact gcgaggagga ggaagtgtac 3360
ccgacagaca ccggcacctg caacgactac accgcccacc aagggaccgc cgcctgcaac 3420
agccgcaacg cgggctatga agatgcgtac gaggttgata ccaccgctc agtgaactac 3480
aaaccgactt atgaggagga gacatacacg gacgtcaggc gcgacaacca ttgtgagtac 3540
gaccgtggct acgtgaacta tccgcccgtg ccagcgggct acatgacgaa ggagctagaa 3600
tacttcctcg agacggacaa ggtgtggatt gaaatcgcg agaccgaggg caagtttatc 3660
gtggattctg tcgagctgct gctaattggag gagtag 3696

```

&lt;210&gt; SEQ ID NO 21

&lt;211&gt; LENGTH: 1231

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC867\_23.

&lt;400&gt; SEQUENCE: 21

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
20           25           30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
35           40           45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
50           55           60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
85           90           95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
100          105          110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
115          120          125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
130          135          140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
165          170          175

```

-continued

Gln	Glu	Val	Pro	Leu	Leu	Met	Val	Tyr	Ala	Gln	Ala	Ala	Asn	Leu	His
			180					185					190		
Leu	Leu	Leu	Leu	Arg	Asp	Ala	Ser	Leu	Phe	Gly	Ser	Glu	Phe	Gly	Leu
		195					200					205			
Thr	Ser	Gln	Glu	Ile	Gln	Arg	Tyr	Tyr	Glu	Arg	Gln	Val	Glu	Lys	Thr
	210					215					220				
Arg	Glu	Tyr	Ser	Asp	Tyr	Cys	Ala	Arg	Trp	Tyr	Asn	Thr	Gly	Leu	Asn
225					230					235					240
Asn	Leu	Arg	Gly	Thr	Asn	Ala	Glu	Ser	Trp	Leu	Arg	Tyr	Asn	Gln	Phe
				245					250					255	
Arg	Arg	Asp	Leu	Thr	Leu	Gly	Val	Leu	Asp	Leu	Val	Ala	Leu	Phe	Pro
			260					265					270		
Ser	Tyr	Asp	Thr	Arg	Val	Tyr	Pro	Met	Asn	Thr	Ser	Ala	Gln	Leu	Thr
		275					280					285			
Arg	Glu	Ile	Tyr	Thr	Asp	Pro	Ile	Gly	Arg	Thr	Asn	Ala	Pro	Ser	Gly
	290					295					300				
Phe	Ala	Ser	Thr	Asn	Trp	Phe	Asn	Asn	Asn	Ala	Pro	Ser	Phe	Ser	Ala
305					310					315					320
Ile	Glu	Ala	Ala	Val	Ile	Arg	Pro	Pro	His	Leu	Leu	Asp	Phe	Pro	Glu
				325					330					335	
Gln	Leu	Thr	Ile	Phe	Ser	Val	Leu	Ser	Arg	Trp	Ser	Asn	Thr	Gln	Tyr
			340					345					350		
Met	Asn	Tyr	Trp	Val	Gly	His	Arg	Leu	Glu	Ser	Arg	Thr	Ile	Arg	Gly
		355					360					365			
Ser	Leu	Ser	Thr	Ser	Thr	His	Gly	Asn	Thr	Asn	Thr	Ser	Ile	Asn	Pro
	370					375					380				
Val	Thr	Leu	Gln	Phe	Thr	Ser	Arg	Asp	Val	Tyr	Arg	Thr	Glu	Ser	Phe
385					390					395					400
Ala	Gly	Ile	Asn	Ile	Leu	Leu	Thr	Thr	Pro	Val	Asn	Gly	Val	Pro	Trp
			405						410				415		
Ala	Arg	Phe	Asn	Trp	Arg	Asn	Pro	Leu	Asn	Ser	Leu	Arg	Gly	Ser	Leu
			420					425					430		
Leu	Tyr	Thr	Ile	Gly	Tyr	Thr	Gly	Val	Gly	Thr	Gln	Leu	Phe	Asp	Ser
		435					440					445			
Glu	Thr	Glu	Leu	Pro	Pro	Glu	Thr	Thr	Glu	Arg	Pro	Asn	Tyr	Glu	Ser
	450					455					460				
Tyr	Ser	His	Arg	Leu	Ser	Asn	Ile	Arg	Leu	Ile	Ser	Gly	Asn	Thr	Leu
465					470					475					480
Arg	Ala	Pro	Val	Tyr	Ser	Trp	Thr	His	Arg	Ser	Ala	Asp	Arg	Thr	Asn
				485					490					495	
Thr	Ile	Ser	Ser	Asp	Ser	Ile	Thr	Gln	Ile	Pro	Leu	Val	Lys	Ala	His
			500					505					510		
Thr	Leu	Gln	Ser	Gly	Thr	Thr	Val	Val	Lys	Gly	Pro	Gly	Phe	Thr	Gly
		515					520					525			
Gly	Asp	Ile	Leu	Arg	Arg	Thr	Ser	Gly	Gly	Pro	Phe	Ala	Phe	Ser	Asn
	530					535					540				
Val	Asn	Leu	Asp	Phe	Asn	Leu	Ser	Gln	Arg	Tyr	Arg	Ala	Arg	Ile	Arg
545					550					555					560
Tyr	Ala	Ser	Thr	Thr	Asn	Leu	Arg	Ile	Tyr	Val	Thr	Val	Ala	Gly	Glu
				565					570				575		
Arg	Ile	Phe	Ala	Gly	Gln	Phe	Asp	Lys	Thr	Met	Asp	Ala	Gly	Ala	Pro
			580					585					590		
Leu	Thr	Phe	Gln	Ser	Phe	Ser	Tyr	Ala	Thr	Ile	Asn	Thr	Ala	Phe	Thr

-continued

595					600					605					
Phe	Pro	Glu	Arg	Ser	Ser	Ser	Leu	Thr	Val	Gly	Ala	Asp	Thr	Phe	Ser
610					615					620					
Ser	Gly	Asn	Glu	Val	Tyr	Val	Asp	Arg	Phe	Glu	Leu	Ile	Pro	Val	Thr
625					630					635					640
Ala	Thr	Thr	Ala	Thr	Phe	Glu	Ala	Glu	Tyr	Asp	Leu	Glu	Arg	Ala	Gln
				645					650					655	
Glu	Ala	Val	Asn	Ala	Leu	Phe	Thr	Asn	Thr	Asn	Pro	Arg	Arg	Leu	Lys
			660					665					670		
Thr	Gly	Val	Thr	Asp	Tyr	His	Ile	Asp	Glu	Val	Ser	Asn	Leu	Val	Ala
		675					680					685			
Cys	Leu	Ser	Asp	Glu	Phe	Cys	Leu	Asp	Glu	Lys	Arg	Glu	Leu	Leu	Glu
690					695					700					
Lys	Val	Lys	Tyr	Ala	Lys	Arg	Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln
705					710					715					720
Asp	Pro	Asn	Phe	Thr	Ser	Ile	Asn	Lys	Gln	Pro	Asp	Phe	Ile	Ser	Thr
			725						730					735	
Asn	Glu	Gln	Ser	Asn	Phe	Thr	Ser	Ile	His	Glu	Gln	Ser	Glu	His	Gly
			740					745					750		
Trp	Trp	Gly	Ser	Glu	Asn	Ile	Thr	Ile	Gln	Glu	Gly	Asn	Asp	Val	Phe
		755					760					765			
Lys	Glu	Asn	Tyr	Val	Ile	Leu	Pro	Gly	Thr	Phe	Asn	Glu	Cys	Tyr	Pro
	770					775					780				
Thr	Tyr	Leu	Tyr	Gln	Lys	Ile	Gly	Glu	Ala	Glu	Leu	Lys	Ala	Tyr	Thr
785					790					795					800
Arg	Tyr	Gln	Leu	Ser	Gly	Tyr	Ile	Glu	Asp	Ser	Gln	Asp	Leu	Glu	Ile
				805					810					815	
Tyr	Leu	Ile	Arg	Tyr	Asn	Ala	Lys	His	Glu	Thr	Leu	Asp	Val	Pro	Gly
			820					825					830		
Thr	Glu	Ser	Val	Trp	Pro	Leu	Ser	Val	Glu	Ser	Pro	Ile	Gly	Arg	Cys
			835				840					845			
Gly	Glu	Pro	Asn	Arg	Cys	Ala	Pro	His	Phe	Glu	Trp	Asn	Pro	Asp	Leu
	850					855					860				
Asp	Cys	Ser	Cys	Arg	Asp	Gly	Glu	Lys	Cys	Ala	His	His	Ser	His	His
865					870					875					880
Phe	Ser	Leu	Asp	Ile	Asp	Val	Gly	Cys	Ile	Asp	Leu	His	Glu	Asn	Leu
				885					890					895	
Gly	Val	Trp	Val	Val	Phe	Lys	Ile	Lys	Thr	Gln	Glu	Gly	His	Ala	Arg
			900					905					910		
Leu	Gly	Asn	Leu	Glu	Phe	Ile	Glu	Glu	Lys	Pro	Leu	Leu	Gly	Glu	Ala
		915					920						925		
Leu	Ser	Arg	Val	Lys	Arg	Ala	Glu	Lys	Lys	Trp	Arg	Asp	Lys	Arg	Glu
		930				935					940				
Lys	Leu	Gln	Leu	Glu	Thr	Lys	Arg	Val	Tyr	Thr	Glu	Ala	Lys	Glu	Ala
945					950					955					960
Val	Asp	Ala	Leu	Phe	Val	Asp	Ser	Gln	Tyr	Asp	Arg	Leu	Gln	Ala	Asp
				965					970					975	
Thr	Asn	Ile	Gly	Met	Ile	His	Ala	Ala	Asp	Lys	Leu	Val	His	Arg	Ile
			980					985					990		
Arg	Glu	Ala	Tyr	Leu	Ser	Glu	Leu	Ser	Val	Ile	Pro	Gly	Val	Asn	Ala
			995				1000					1005			
Glu	Ile	Phe	Glu	Glu	Leu	Glu	Gly	Arg	Ile	Ile	Thr	Ala	Ile	Ser	
1010						1015					1020				

-continued

Leu Tyr	Asp Ala Arg	Asn Val	Val Lys Asn Gly	Asp Phe Asn Asn
1025		1030		1035
Gly Leu	Ala Cys Trp	Asn Val	Lys Gly His Val	Asp Val Gln Gln
1040		1045		1050
Ser His	His Arg Ser	Val Leu	Val Ile Pro Glu	Trp Glu Ala Glu
1055		1060		1065
Val Ser	Gln Ala Val	Arg Val	Cys Pro Gly Arg	Gly Tyr Ile Leu
1070		1075		1080
Arg Val	Thr Ala Tyr	Lys Glu	Gly Tyr Gly Glu	Gly Cys Val Thr
1085		1090		1095
Ile His	Glu Ile Glu	Asn Asn	Thr Asp Glu Leu	Lys Phe Lys Asn
1100		1105		1110
Cys Glu	Glu Glu Glu	Val Tyr	Pro Thr Asp Thr	Gly Thr Cys Asn
1115		1120		1125
Asp Tyr	Thr Ala His	Gln Gly	Thr Ala Ala Cys	Asn Ser Arg Asn
1130		1135		1140
Ala Gly	Tyr Glu Asp	Ala Tyr	Glu Val Asp Thr	Thr Ala Ser Val
1145		1150		1155
Asn Tyr	Lys Pro Thr	Tyr Glu	Glu Glu Thr Tyr	Thr Asp Val Arg
1160		1165		1170
Arg Asp	Asn His Cys	Glu Tyr	Asp Arg Gly Tyr	Val Asn Tyr Pro
1175		1180		1185
Pro Val	Pro Ala Gly	Tyr Met	Thr Lys Glu Leu	Glu Tyr Phe Pro
1190		1195		1200
Glu Thr	Asp Lys Val	Trp Ile	Glu Ile Gly Glu	Thr Glu Gly Lys
1205		1210		1215
Phe Ile	Val Asp Ser	Val Glu	Leu Leu Leu Met	Glu Glu
1220		1225		1230

&lt;210&gt; SEQ ID NO 22

&lt;211&gt; LENGTH: 3666

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC867\_24.

&lt;400&gt; SEQUENCE: 22

atgaccagca accgaaagaa cgagaacgag atcatcaacg ccctgtccat accggccgtg	60
tcaaaccact ccgccagat gaacctctcc accgacgcga ggatcgagga ctccctctgc	120
atcgccgagg gcaacaacat cgaccggttc gtgtctgcaa gcacggtcca gaccggcatc	180
aacatcgagg gccgcatcct gggcgtgctc ggcgtgccct tcgcggtca aatcgctct	240
ttctactcat tcctcgtggg cgagctgtgg ccgcgcgac gtgaccctg ggaaatcttc	300
ctggagcacg ttgagcagct catccggcag caagtgaccg agaacaccag ggacaccgca	360
ctggcacggc tccagggcct tggcaacagc ttccgcgct accagcagtc gctggaggac	420
tggctggaga accgagacga cgccagaacc cgctcagttc tgtacacaca gtacatcgcc	480
ctagagctgg acttctcaa cgctatgccg ctcttcgcca tccgtaacca ggaagtaccg	540
cttctgatgg tgtagcaca agcagcgaac ctccatctgc tcctgctgag agacgcatct	600
ctgttcggca gtgagttcgg gctgacgagc caggagatcc agcgctacta cgagcgccaa	660
gtggagaaga ctctgagta cagcgactac tgccgcgct ggtacaacac gggcttgaac	720
aaccttcgag ggacaaacgc cgaatcctgg ctctcgtaca accagttccg ccgcgacctc	780

-continued

---

acgctgggtg	tgctggacct	ggtcgcgctc	ttcccgctct	acgacacacg	ggtgtaccca	840
atgaacacga	gcgcacagct	cacccgtgag	atctacacag	atcccatcgg	cgcaccaac	900
gctcccagtg	gcttcgcaag	cacgaattgg	ttcaacaata	acgctccttc	tttctctgcc	960
atcgaggccg	ctgtcatcag	accgcccac	ttactcgatt	tcccggagca	gctcactatc	1020
ttctctgtgt	tgtcccgggtg	gtcgaacacg	cagtacatga	actactgggt	gggccacagg	1080
ctagagagcc	ggaccatccg	tggcagtctc	tcaacctcga	cccacggcaa	cacgaacacg	1140
agcatcaacc	ctgtcactct	ccagtttaca	tctagggacg	tttacaggac	agagtcgttc	1200
gctggcatta	acattctggt	gaccactccg	gtgaacggcg	tcccttgggc	ccgcttcaac	1260
tggaggaatc	ctctgaactc	actgcgcggc	agccttctct	acactatcgg	ctacaccggc	1320
gttgggacgc	aactcttcga	ctcggagacc	gagctgccgc	ccgagaccac	cgagcggcct	1380
aactacgaga	gttattcaca	caggctctcc	aacatccgct	tgatttctgg	gaacaccttg	1440
cgggctccgg	tgtactcctg	gacgcaccgc	agcgcgcaca	gaactaatac	catcagctcc	1500
gactcgatca	cccagatccc	gctgggtgaag	gctcacacgc	ttcagtcggg	caccacagtc	1560
gtcaagggcc	ctggcttcac	cggcggcgac	atcctgcgtc	gcacatctgg	cggacccttc	1620
gccttcagca	acgtgaactt	ggacttcaat	ttgtcacagc	ggtatcgtgc	cagaatccgg	1680
tacgccagca	ctacgaacct	gcgaatctat	gttactgtgg	cgggagcgcg	gatcttcgcc	1740
gggcaattcg	acaagacgat	ggacgcggga	gcacctctga	cattccagtc	attctcttac	1800
gccacgatca	acacggcatt	cacgtttccg	gagcgttcca	gtagcctgac	cgtgggcgct	1860
gataccttca	gtagcgggaa	cgaggtgtac	gttgaccggt	tcgagctgat	cccggtcacc	1920
gccaccaccg	cgacgtttga	agctgaatcc	gacctcgagc	gtgcgcgcaa	ggcgggtgaac	1980
gctctgttca	cgagcaccaa	ccctcgtggc	ttgaagacgg	atgtgacgga	ctaccacatc	2040
gaccaagtct	cgaacctcgt	ggagtgcctg	agcgaacgag	tctgtcttga	caagaagcgc	2100
gagctgctgg	aggaggtgaa	gtacgccaa	cgcctctccg	atgagcgcaa	cctgctccaa	2160
gatctacct	tcacgtcgat	ttccggccaa	accgaccgtg	gatggatcgg	ctcgactggc	2220
atctccatcc	agggcggcga	cgacatcttc	aaggagaact	atgttcggct	gccgggcacg	2280
gtggacgagt	gttacccgac	gtacctctac	cagaagatag	acgagagtca	actcaagtcc	2340
tacacgcggt	atcagttacg	tggctacatt	gaagactccc	aggacttggg	aatctatctc	2400
atacgggtaca	acgccaagca	cgagacctta	agcgtgccgg	gaacggagtc	gccctggcca	2460
agctctggcg	tgtacccttc	cggtaggtgc	ggcgagccca	accgctgtgc	acctcgaatc	2520
gaatggaacc	cggaccttga	ctgctcttgc	cggtacggcg	agaagtgcgt	ccatcattct	2580
caccacttca	gcttggacat	tgacgtcggc	tgcaccgacc	tcaatgaaga	cctcggagtg	2640
tgggtcatct	tcaagatcaa	gacacaggac	gggcacgcga	aactaggaaa	cctggagtcc	2700
atcgaggaga	agccactcct	cggcaaggca	ctttccaggg	tcaagcgggc	cgagaagaaa	2760
tggagggaca	agtacgagaa	actccagctc	gaaacaaagc	gggtgtacac	ggaggcaaag	2820
gaatccgtgg	acgccctggt	cgtggactct	cagtacgaca	agctccaggc	gaacacaaac	2880
attggcatca	tccacgggtc	ggacaagcaa	gtgcacagga	tacgggagcc	ttacctctcg	2940
gagctgccgg	tgattccctc	gatcaacgcg	gcgatcttcg	aggaactgga	gggccacatc	3000
ttcaaggcgt	attctctgta	cgacgcgcgt	aacgtcatca	agaacggcga	cttcaacaat	3060
gggctgtcct	gctggaacgt	taaaggccac	gtcgatgtcc	agcagaacca	ccataggtca	3120

-continued

---

```

gtcctggtgc tgagcgagtg ggaggcggag gtgtcccaga aggtgcgcgt gtgcccggat 3180
cgcggttaca tcttgagggt gacagcctac aaggagggct acggcgaggg ctgtgtcacg 3240
atccatgagt tcgaggacaa cacggatgtc ctgaaattcc gtaacttcgt cgaggaggag 3300
gtctatocca acaacaccgt gacctgcaac gactacacga ccaatcagtc ggctgagggc 3360
agtaccgatg cctgcaacag ctacaaccgt ggttacgaag atggatacga gaaccgctac 3420
gagcccaatc cttcggctcc cgtgaattac actcccacgt acgaggaggg catgtacact 3480
gacactcagg gctacaacca ttgcgtcagc gaccgtggct accgcaacca cacgcccgtc 3540
ccagcgggct acgtgacgct ggagctggaa tactttcccg agacagaaca agtgtggata 3600
gagatcggcg agaccgaggg cacattcatc gtgggctctg tggaattgct cctcatggag 3660
gagtaa 3666

```

&lt;210&gt; SEQ ID NO 23

&lt;211&gt; LENGTH: 1221

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC867\_24.

&lt;400&gt; SEQUENCE: 23

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15

Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
          20           25           30

Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
          35           40           45

Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
          50           55           60

Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80

Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
          85           90           95

Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
          100          105          110

Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
          115          120          125

Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
          130          135          140

Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160

Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
          165          170          175

Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His
          180          185          190

Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu
          195          200          205

Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr
          210          215          220

Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn
225          230          235          240

Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe
          245          250          255

```

-continued

---

Arg	Arg	Asp	Leu	Thr	Leu	Gly	Val	Leu	Asp	Leu	Val	Ala	Leu	Phe	Pro
			260					265					270		
Ser	Tyr	Asp	Thr	Arg	Val	Tyr	Pro	Met	Asn	Thr	Ser	Ala	Gln	Leu	Thr
		275					280					285			
Arg	Glu	Ile	Tyr	Thr	Asp	Pro	Ile	Gly	Arg	Thr	Asn	Ala	Pro	Ser	Gly
	290					295					300				
Phe	Ala	Ser	Thr	Asn	Trp	Phe	Asn	Asn	Asn	Ala	Pro	Ser	Phe	Ser	Ala
305					310					315					320
Ile	Glu	Ala	Ala	Val	Ile	Arg	Pro	Pro	His	Leu	Leu	Asp	Phe	Pro	Glu
				325					330					335	
Gln	Leu	Thr	Ile	Phe	Ser	Val	Leu	Ser	Arg	Trp	Ser	Asn	Thr	Gln	Tyr
			340					345					350		
Met	Asn	Tyr	Trp	Val	Gly	His	Arg	Leu	Glu	Ser	Arg	Thr	Ile	Arg	Gly
		355					360					365			
Ser	Leu	Ser	Thr	Ser	Thr	His	Gly	Asn	Thr	Asn	Thr	Ser	Ile	Asn	Pro
	370					375					380				
Val	Thr	Leu	Gln	Phe	Thr	Ser	Arg	Asp	Val	Tyr	Arg	Thr	Glu	Ser	Phe
385					390					395					400
Ala	Gly	Ile	Asn	Ile	Leu	Leu	Thr	Thr	Pro	Val	Asn	Gly	Val	Pro	Trp
				405					410					415	
Ala	Arg	Phe	Asn	Trp	Arg	Asn	Pro	Leu	Asn	Ser	Leu	Arg	Gly	Ser	Leu
			420					425					430		
Leu	Tyr	Thr	Ile	Gly	Tyr	Thr	Gly	Val	Gly	Thr	Gln	Leu	Phe	Asp	Ser
		435					440					445			
Glu	Thr	Glu	Leu	Pro	Pro	Glu	Thr	Thr	Glu	Arg	Pro	Asn	Tyr	Glu	Ser
	450					455					460				
Tyr	Ser	His	Arg	Leu	Ser	Asn	Ile	Arg	Leu	Ile	Ser	Gly	Asn	Thr	Leu
465					470					475					480
Arg	Ala	Pro	Val	Tyr	Ser	Trp	Thr	His	Arg	Ser	Ala	Asp	Arg	Thr	Asn
				485					490					495	
Thr	Ile	Ser	Ser	Asp	Ser	Ile	Thr	Gln	Ile	Pro	Leu	Val	Lys	Ala	His
			500					505					510		
Thr	Leu	Gln	Ser	Gly	Thr	Thr	Val	Val	Lys	Gly	Pro	Gly	Phe	Thr	Gly
		515					520					525			
Gly	Asp	Ile	Leu	Arg	Arg	Thr	Ser	Gly	Gly	Pro	Phe	Ala	Phe	Ser	Asn
	530					535					540				
Val	Asn	Leu	Asp	Phe	Asn	Leu	Ser	Gln	Arg	Tyr	Arg	Ala	Arg	Ile	Arg
545					550					555					560
Tyr	Ala	Ser	Thr	Thr	Asn	Leu	Arg	Ile	Tyr	Val	Thr	Val	Ala	Gly	Glu
				565					570					575	
Arg	Ile	Phe	Ala	Gly	Gln	Phe	Asp	Lys	Thr	Met	Asp	Ala	Gly	Ala	Pro
			580					585					590		
Leu	Thr	Phe	Gln	Ser	Phe	Ser	Tyr	Ala	Thr	Ile	Asn	Thr	Ala	Phe	Thr
		595					600					605			
Phe	Pro	Glu	Arg	Ser	Ser	Ser	Leu	Thr	Val	Gly	Ala	Asp	Thr	Phe	Ser
	610					615					620				
Ser	Gly	Asn	Glu	Val	Tyr	Val	Asp	Arg	Phe	Glu	Leu	Ile	Pro	Val	Thr
625					630					635					640
Ala	Thr	Thr	Ala	Thr	Phe	Glu	Ala	Glu	Ser	Asp	Leu	Glu	Arg	Ala	Arg
				645					650					655	
Lys	Ala	Val	Asn	Ala	Leu	Phe	Thr	Ser	Thr	Asn	Pro	Arg	Gly	Leu	Lys
			660					665					670		
Thr	Asp	Val	Thr	Asp	Tyr	His	Ile	Asp	Gln	Val	Ser	Asn	Leu	Val	Glu



-continued

675				680				685							
Cys	Leu	Ser	Asp	Glu	Phe	Cys	Leu	Asp	Lys	Lys	Arg	Glu	Leu	Leu	Glu
690						695					700				
Glu	Val	Lys	Tyr	Ala	Lys	Arg	Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln
705					710					715					720
Asp	Pro	Thr	Phe	Thr	Ser	Ile	Ser	Gly	Gln	Thr	Asp	Arg	Gly	Trp	Ile
				725						730				735	
Gly	Ser	Thr	Gly	Ile	Ser	Ile	Gln	Gly	Gly	Asp	Asp	Ile	Phe	Lys	Glu
			740					745					750		
Asn	Tyr	Val	Arg	Leu	Pro	Gly	Thr	Val	Asp	Glu	Cys	Tyr	Pro	Thr	Tyr
		755					760						765		
Leu	Tyr	Gln	Lys	Ile	Asp	Glu	Ser	Gln	Leu	Lys	Ser	Tyr	Thr	Arg	Tyr
	770					775						780			
Gln	Leu	Arg	Gly	Tyr	Ile	Glu	Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu
785					790					795					800
Ile	Arg	Tyr	Asn	Ala	Lys	His	Glu	Thr	Leu	Ser	Val	Pro	Gly	Thr	Glu
				805					810						815
Ser	Pro	Trp	Pro	Ser	Ser	Gly	Val	Tyr	Pro	Ser	Gly	Arg	Cys	Gly	Glu
			820					825					830		
Pro	Asn	Arg	Cys	Ala	Pro	Arg	Ile	Glu	Trp	Asn	Pro	Asp	Leu	Asp	Cys
		835					840						845		
Ser	Cys	Arg	Tyr	Gly	Glu	Lys	Cys	Val	His	His	Ser	His	His	Phe	Ser
	850						855					860			
Leu	Asp	Ile	Asp	Val	Gly	Cys	Thr	Asp	Leu	Asn	Glu	Asp	Leu	Gly	Val
865					870					875					880
Trp	Val	Ile	Phe	Lys	Ile	Lys	Thr	Gln	Asp	Gly	His	Ala	Lys	Leu	Gly
				885						890					895
Asn	Leu	Glu	Phe	Ile	Glu	Glu	Lys	Pro	Leu	Leu	Gly	Lys	Ala	Leu	Ser
			900					905						910	
Arg	Val	Lys	Arg	Ala	Glu	Lys	Lys	Trp	Arg	Asp	Lys	Tyr	Glu	Lys	Leu
		915					920						925		
Gln	Leu	Glu	Thr	Lys	Arg	Val	Tyr	Thr	Glu	Ala	Lys	Glu	Ser	Val	Asp
	930						935								940
Ala	Leu	Phe	Val	Asp	Ser	Gln	Tyr	Asp	Lys	Leu	Gln	Ala	Asn	Thr	Asn
945					950					955					960
Ile	Gly	Ile	Ile	His	Gly	Ala	Asp	Lys	Gln	Val	His	Arg	Ile	Arg	Glu
				965					970						975
Pro	Tyr	Leu	Ser	Glu	Leu	Pro	Val	Ile	Pro	Ser	Ile	Asn	Ala	Ala	Ile
			980					985						990	
Phe	Glu	Glu	Leu	Glu	Gly	His	Ile	Phe	Lys	Ala	Tyr	Ser	Leu	Tyr	Asp
		995					1000						1005		
Ala	Arg	Asn	Val	Ile	Lys	Asn	Gly	Asp	Phe	Asn	Asn	Gly	Leu	Ser	
	1010						1015					1020			
Cys	Trp	Asn	Val	Lys	Gly	His	Val	Asp	Val	Gln	Gln	Asn	His	His	
	1025						1030					1035			
Arg	Ser	Val	Leu	Val	Leu	Ser	Glu	Trp	Glu	Ala	Glu	Val	Ser	Gln	
	1040						1045					1050			
Lys	Val	Arg	Val	Cys	Pro	Asp	Arg	Gly	Tyr	Ile	Leu	Arg	Val	Thr	
	1055						1060					1065			
Ala	Tyr	Lys	Glu	Gly	Tyr	Gly	Glu	Gly	Cys	Val	Thr	Ile	His	Glu	
	1070						1075					1080			
Phe	Glu	Asp	Asn	Thr	Asp	Val	Leu	Lys	Phe	Arg	Asn	Phe	Val	Glu	
	1085						1090					1095			

-continued

---

Glu Glu Val Tyr Pro Asn Asn Thr Val Thr Cys Asn Asp Tyr Thr  
 1100 1105 1110  
 Thr Asn Gln Ser Ala Glu Gly Ser Thr Asp Ala Cys Asn Ser Tyr  
 1115 1120 1125  
 Asn Arg Gly Tyr Glu Asp Gly Tyr Glu Asn Arg Tyr Glu Pro Asn  
 1130 1135 1140  
 Pro Ser Ala Pro Val Asn Tyr Thr Pro Thr Tyr Glu Glu Gly Met  
 1145 1150 1155  
 Tyr Thr Asp Thr Gln Gly Tyr Asn His Cys Val Ser Asp Arg Gly  
 1160 1165 1170  
 Tyr Arg Asn His Thr Pro Leu Pro Ala Gly Tyr Val Thr Leu Glu  
 1175 1180 1185  
 Leu Glu Tyr Phe Pro Glu Thr Glu Gln Val Trp Ile Glu Ile Gly  
 1190 1195 1200  
 Glu Thr Glu Gly Thr Phe Ile Val Gly Ser Val Glu Leu Leu Leu  
 1205 1210 1215  
 Met Glu Glu  
 1220

&lt;210&gt; SEQ ID NO 24

&lt;211&gt; LENGTH: 3651

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC867\_25.

&lt;400&gt; SEQUENCE: 24

```

atgaccagca accgaaagaa cgagaacgag atcatcaacg cctgtccat accggcctg      60
tcaaaccact ccgccagat gaacctctcc accgacgoga ggatcgagga ctccctctgc     120
atcgccgagg gcaacaacat cgaccggttc gtgtctgcaa gcacgggtcca gaccggcatc     180
aacatcgccg gccgcatcct gggcgtgctc ggcgtgccct tcgcggttca aatcgctctt     240
ttctactcat tcctegtggg cgagctgtgg ccgcgaggac gtgaccctgt ggaaatcttc     300
ctggagcacg ttgagcagct catccggcag caagtgaccg agaacaccag ggacaccgca     360
ctggcacggc tccagggctt tggcaacagc ttccgcgctt accagcagtc gctggaggac     420
tggctggaga accgagacga cgccagaacc cgctcagttc tgtacacaca gtacatcgcc     480
ctagagctgg acttctcaa cgctatgccg ctcttcgcca tccgtaacca ggaagtaccg     540
cttctgatgg tgtacgcaca agcagcgaac ctccatctgc tctgtctgag agacgcatct     600
ctgttcggca gtgagttcgg gctgacgagc caggagatcc agcgctacta cgagcgccaa     660
gtggagaaga ctctgtgagta cagcgactac tgcgcgcgct ggtacaacac gggcttgaac     720
aaccttcgcg ggacaaacgc cgaatcctgg ctctcgtaca accagttccg ccgcgacctc     780
acgctgggtg tgctggacct ggtcgcgctc ttcccgctct acgacacacg ggtgtacca     840
atgaacacga ggcacagct caccctgtag atctacacag atcccatcgg ccgcaccaac     900
gctcccagtg gcttcgcaag cacgaattgg ttcaacaata acgctccttc tttctctgcc     960
atcgaggccg ctgtcatcag accgcccac ttactcgatt tcccggagca gctcactatc    1020
ttctctgtgt tgcccgggtg gtcgaacacg cagtacatga actactgggt gggccacagg    1080
ctagagagcc ggaccatccg tggcagtctc tcaacctoga cccacggcaa cacgaacacg    1140
agcatcaacc ctgtcactct ccagtttaca tctagggacg tttacaggac agagtcgttc    1200

```

-continued

---

gctggcatta	acattctgtt	gaccactccg	gtgaacggcg	tcccttgggc	ccgcttcaac	1260
tggaggaatc	ctctgaactc	actgcgcggc	agccttctct	acactatcgg	ctacaccggc	1320
gttgggacgc	aactcttcga	ctcggagacc	gagctgccgc	ccgagaccac	cgagcggcct	1380
aactacgaga	gttattcaca	caggctctcc	aacatccgct	tgatttctgg	gaacaccttg	1440
cgggctccgg	tgtactcctg	gacgcaccgc	agcgcgcgaca	gaactaatac	catcagctcc	1500
gactcgatca	cccagatccc	gctgggtgaag	gctcacacgc	ttcagtcggg	caccacagtc	1560
gtcaagggcc	ctggcttcac	cggcggcgac	atcctgcgtc	gcacatctgg	cggacccttc	1620
gccttcagca	acgtgaactt	ggacttcaat	ttgtcacagc	ggatcgtgc	cagaatccgg	1680
tacgccagca	ctacgaacct	gcgaatctat	gttactgtgg	cgggcgagcg	gatcttcgcc	1740
gggcaattcg	acaagacgat	ggacgcggga	gcacctctga	cattccagtc	attctcttac	1800
gccacgatca	acacggcatt	cacgtttccg	gagcgttcca	gtagcctgac	cgtgggcgct	1860
gataccttca	gtagcgggaa	cgaggtgtac	gttgaccgtt	tcgagctgat	cccggtcacc	1920
gccaccgatg	ctacctttga	agcagagtcc	gacttggaac	gtgcacagaa	ggcagtgaac	1980
gcactcttca	cctcaagcaa	ccagatcggg	ttgaagacag	atgtgacaga	ttaccacatc	2040
gaccaagtga	gcaacttggg	ggattgcttg	tcagatgagt	tctgcttggg	tgagaagcgt	2100
gaactctccg	agaaggtgaa	gcacgcaaag	cgtctctcag	atgaacgtaa	tctccttcaa	2160
gaccctaact	ttcgtggtat	caatcgtcag	ccagatcgtg	gatggcgtgg	atcaacagac	2220
atcaccatcc	agggaggcga	tgatgtgttc	aaggagaact	acgtgaccct	cccaggaacc	2280
gtggatgaat	gctaccaaac	ctacctctac	cagaagatcg	acgagtcaa	gctcaaggct	2340
tacaccggtt	atgaactccg	tggctacatc	gaagatagcc	aggatctcga	aatctatctc	2400
atccgttaca	atgctaagca	cgaaatcgtg	aatgtgccag	gaaccggctc	actctggcca	2460
ctctcagcac	agtcaccaat	cggcaagtgc	ggcgaacca	atcgtcgcgc	tcctcatctc	2520
gaatggaatc	ccgatctcga	ctgctcctgc	cgagacggcg	agaagtgtgc	acatcactca	2580
caccacttca	ccctcgacat	cgacgtgggc	tgcaccgacc	tcaatgaaga	cctgggcgctg	2640
tgggtgatct	tcaagatcaa	gaccaggac	ggccacgcac	gactgggcaa	tctggagtct	2700
ctggaggaga	agccactgct	tggcgaggca	ctggcacgag	tgaaacgagc	cgagaagaaa	2760
tggcgagaca	aacgtgagaa	gctgcaactg	gagaccaaca	tcgtgtacaa	agaggccaaa	2820
gagtcagttg	acgccctgtt	tgtcaatagc	cagtatgacc	gactgcaagt	tgacaccaac	2880
atcgccatga	tccacgctgc	ggacaagcgc	gtccaccgca	tccgcgaggc	ttatctgccc	2940
gagctgagcg	tcattcccgg	cgtcaatgcc	gcgatcttcg	aggagttaga	gggccgcatc	3000
ttcaccgctt	acagcctcta	tgacgcccgc	aatgtcatta	agaatggcga	cttcaacaat	3060
ggcttactat	gctggaatgt	caaagggcac	gttgacgtcg	aggagcagaa	caatcaccgc	3120
agcgtcttag	tcatacccga	gtgggaggcc	gaagtcagcc	aggaagtccg	cgtctgtcca	3180
gggcgcgggt	acatcctgcg	ggtcaccgcc	tacaaagagg	gatacggcga	gggttgtgtc	3240
accatacacg	agatagagga	caataccgac	gaactcaagt	tcagcaattg	tgtcgaggag	3300
gaagtctatc	ccaacaatac	cgtaacctgc	aacaactaca	ccggaacca	ggaggagtat	3360
gaagggacgt	acacctcgcg	gaaccagggc	tatgacgaag	cctatgggaa	caaccgctcg	3420
gtgcctgctg	actatgcgtc	ggtctatgag	gagaaatcgt	acacggacgg	gcggcgggag	3480
aatccgtgtg	agtcgaatcg	cgggtatggt	gactacacgc	cgctaccggc	gggctatgta	3540
acgaaagacc	tggaatactt	cccggagacg	gacaaagtat	ggatagagat	aggcgagacg	3600

-continued

gagggaaactg tcatcgtgga ctcggtagag ctgctgctca tggaggagtg a 3651

<210> SEQ ID NO 25  
 <211> LENGTH: 1216  
 <212> TYPE: PRT  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Amino acid sequence of the chimeric protein  
 variant TIC867\_25.

<400> SEQUENCE: 25

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser  
 1 5 10 15  
 Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp  
 20 25 30  
 Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp  
 35 40 45  
 Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly  
 50 55 60  
 Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser  
 65 70 75 80  
 Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro  
 85 90 95  
 Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val  
 100 105 110  
 Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly  
 115 120 125  
 Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn  
 130 135 140  
 Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala  
 145 150 155 160  
 Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn  
 165 170 175  
 Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His  
 180 185 190  
 Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu  
 195 200 205  
 Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr  
 210 215 220  
 Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn  
 225 230 235 240  
 Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe  
 245 250 255  
 Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro  
 260 265 270  
 Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr  
 275 280 285  
 Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly  
 290 295 300  
 Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala  
 305 310 315 320  
 Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu  
 325 330 335  
 Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr  
 340 345 350

-continued

---

Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly  
 355 360 365

Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro  
 370 375 380

Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400

Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415

Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu  
 420 425 430

Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser  
 435 440 445

Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser  
 450 455 460

Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu  
 465 470 475 480

Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn  
 485 490 495

Thr Ile Ser Ser Asp Ser Ile Thr Gln Ile Pro Leu Val Lys Ala His  
 500 505 510

Thr Leu Gln Ser Gly Thr Thr Val Val Lys Gly Pro Gly Phe Thr Gly  
 515 520 525

Gly Asp Ile Leu Arg Arg Thr Ser Gly Gly Pro Phe Ala Phe Ser Asn  
 530 535 540

Val Asn Leu Asp Phe Asn Leu Ser Gln Arg Tyr Arg Ala Arg Ile Arg  
 545 550 555 560

Tyr Ala Ser Thr Thr Asn Leu Arg Ile Tyr Val Thr Val Ala Gly Glu  
 565 570 575

Arg Ile Phe Ala Gly Gln Phe Asp Lys Thr Met Asp Ala Gly Ala Pro  
 580 585 590

Leu Thr Phe Gln Ser Phe Ser Tyr Ala Thr Ile Asn Thr Ala Phe Thr  
 595 600 605

Phe Pro Glu Arg Ser Ser Ser Leu Thr Val Gly Ala Asp Thr Phe Ser  
 610 615 620

Ser Gly Asn Glu Val Tyr Val Asp Arg Phe Glu Leu Ile Pro Val Thr  
 625 630 635 640

Ala Thr Asp Ala Thr Phe Glu Ala Glu Ser Asp Leu Glu Arg Ala Gln  
 645 650 655

Lys Ala Val Asn Ala Leu Phe Thr Ser Ser Asn Gln Ile Gly Leu Lys  
 660 665 670

Thr Asp Val Thr Asp Tyr His Ile Asp Gln Val Ser Asn Leu Val Asp  
 675 680 685

Cys Leu Ser Asp Glu Phe Cys Leu Asp Glu Lys Arg Glu Leu Ser Glu  
 690 695 700

Lys Val Lys His Ala Lys Arg Leu Ser Asp Glu Arg Asn Leu Leu Gln  
 705 710 715 720

Asp Pro Asn Phe Arg Gly Ile Asn Arg Gln Pro Asp Arg Gly Trp Arg  
 725 730 735

Gly Ser Thr Asp Ile Thr Ile Gln Gly Gly Asp Asp Val Phe Lys Glu  
 740 745 750

Asn Tyr Val Thr Leu Pro Gly Thr Val Asp Glu Cys Tyr Pro Thr Tyr  
 755 760 765

-continued

---

Leu Tyr Gln Lys Ile Asp Glu Ser Lys Leu Lys Ala Tyr Thr Arg Tyr  
 770 775 780

Glu Leu Arg Gly Tyr Ile Glu Asp Ser Gln Asp Leu Glu Ile Tyr Leu  
 785 790 795 800

Ile Arg Tyr Asn Ala Lys His Glu Ile Val Asn Val Pro Gly Thr Gly  
 805 810 815

Ser Leu Trp Pro Leu Ser Ala Gln Ser Pro Ile Gly Lys Cys Gly Glu  
 820 825 830

Pro Asn Arg Cys Ala Pro His Leu Glu Trp Asn Pro Asp Leu Asp Cys  
 835 840 845

Ser Cys Arg Asp Gly Glu Lys Cys Ala His His Ser His His Phe Thr  
 850 855 860

Leu Asp Ile Asp Val Gly Cys Thr Asp Leu Asn Glu Asp Leu Gly Val  
 865 870 875 880

Trp Val Ile Phe Lys Ile Lys Thr Gln Asp Gly His Ala Arg Leu Gly  
 885 890 895

Asn Leu Glu Phe Leu Glu Glu Lys Pro Leu Leu Gly Glu Ala Leu Ala  
 900 905 910

Arg Val Lys Arg Ala Glu Lys Lys Trp Arg Asp Lys Arg Glu Lys Leu  
 915 920 925

Gln Leu Glu Thr Asn Ile Val Tyr Lys Glu Ala Lys Glu Ser Val Asp  
 930 935 940

Ala Leu Phe Val Asn Ser Gln Tyr Asp Arg Leu Gln Val Asp Thr Asn  
 945 950 955 960

Ile Ala Met Ile His Ala Ala Asp Lys Arg Val His Arg Ile Arg Glu  
 965 970 975

Ala Tyr Leu Pro Glu Leu Ser Val Ile Pro Gly Val Asn Ala Ala Ile  
 980 985 990

Phe Glu Glu Leu Glu Gly Arg Ile Phe Thr Ala Tyr Ser Leu Tyr Asp  
 995 1000 1005

Ala Arg Asn Val Ile Lys Asn Gly Asp Phe Asn Asn Gly Leu Leu  
 1010 1015 1020

Cys Trp Asn Val Lys Gly His Val Asp Val Glu Glu Gln Asn Asn  
 1025 1030 1035

His Arg Ser Val Leu Val Ile Pro Glu Trp Glu Ala Glu Val Ser  
 1040 1045 1050

Gln Glu Val Arg Val Cys Pro Gly Arg Gly Tyr Ile Leu Arg Val  
 1055 1060 1065

Thr Ala Tyr Lys Glu Gly Tyr Gly Glu Gly Cys Val Thr Ile His  
 1070 1075 1080

Glu Ile Glu Asp Asn Thr Asp Glu Leu Lys Phe Ser Asn Cys Val  
 1085 1090 1095

Glu Glu Glu Val Tyr Pro Asn Asn Thr Val Thr Cys Asn Asn Tyr  
 1100 1105 1110

Thr Gly Thr Gln Glu Glu Tyr Glu Gly Thr Tyr Thr Ser Arg Asn  
 1115 1120 1125

Gln Gly Tyr Asp Glu Ala Tyr Gly Asn Asn Pro Ser Val Pro Ala  
 1130 1135 1140

Asp Tyr Ala Ser Val Tyr Glu Glu Lys Ser Tyr Thr Asp Gly Arg  
 1145 1150 1155

Arg Glu Asn Pro Cys Glu Ser Asn Arg Gly Tyr Gly Asp Tyr Thr  
 1160 1165 1170

Pro Leu Pro Ala Gly Tyr Val Thr Lys Asp Leu Glu Tyr Phe Pro

-continued

1175	1180	1185	
Glu Thr Asp Lys Val Trp Ile	Glu Ile Gly Glu Thr	Glu Gly Thr	
1190	1195	1200	
Phe Ile Val Asp Ser Val Glu	Leu Leu Leu Met Glu	Glu	
1205	1210	1215	

<210> SEQ ID NO 26  
 <211> LENGTH: 3600  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Recombinant nucleotide sequence used for expression in a bacterial cell encoding TIC868.

<400> SEQUENCE: 26

```

atgacttcaa ataggaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta    60
tcgaatcatt cgcacaaat gaatctatca accgatgctc gtattgagga tagcttgtgt    120
atagccgagg ggaacaatat cgatccattt gttagcgcac caacagtcca aacgggtatt    180
aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt    240
ttttatagtt ttcttggttg tgaattatgg ccccgcgcca gagatccttg ggaaattttc    300
ctagaacatg tcgaacaact tataagacaa caagtaacag aaaataactag ggatacggct    360
cttgctcgat tacaagttt aggaaattcc tttagagcct atcaacagtc acttgaagat    420
tggttagaaa accgtgatga tgcaagaacg agaagtgttc tttataacca atatatagcc    480
ttagaacttg attttcttaa tgcgatgccg cttttcgcaa ttagaaacca agaagttcca    540
ttattaatgg tatatgctca agctgcaaat ttacacctat tattattgag agatgcctct    600
ctttttggta gtgaatttgg gcttacatcc caagaaattc aacgttatta tgagcgccaa    660
gtggaaaaaa cgagagaata ttctgattat tgcgcaagat ggtataatac gggtttaaat    720
aatttgagag ggacaaatgc tgaaagttgg ttgcgatata atcaattccg tagagactta    780
acgctaggag tattagatct agtggcacta ttccaagct atgacacgcg tgtttatcca    840
atgaatacca gtgctcaatt aacaagagaa atttatacag atccaattgg gagaacaaat    900
gcaccttcag gatttgcaag tacgaattgg ttaataata atgcaccatc gttttctgcc    960
atagaggctg cegttattag gcctccgcac ctacttgatt ttccagaaca gcttacaatt   1020
ttcagcgtat taagtcgatg gagtaatact caatatatga attactgggt gggacataga   1080
cttgaatcgc gaacaataag ggggtcatta agtacctcga cacacggaaa taccaatact   1140
tctattaatc ctgtaacatt acagttcaca tctcgagacg tttatagaac agaatcattt   1200
gcagggataa atatacttct aactactcct gtgaatggag taccttgggc tagatttaat   1260
tggagaaatc ccctgaattc tottagaggt agccttctct atactatagg gtatactgga   1320
gtggggacac aactatttga ttcagaaact gaattaccac cagaacaac agaacgacca   1380
aattatgaat cttacagtca tagattatct aatataagac taatatcagg aaacactttg   1440
agagcaccag tatattcttg gacgcaccgt agtgcagatc gtacaaatac cattagttca   1500
gatagcatta atcaaatacc tttagtghaa ggatttagag tttggggggg cacctctgtc   1560
attacaggac caggatttac aggaggggat atccttcgaa gaaatacctt tggtgatttt   1620
gtatctctac aagtcaatat taattcacca attacccaaa gataccgttt aagatttcgt   1680
tacgcttcca gtagggatgc acgagttata gtattaacag gagcggcatc cacaggagtg   1740
ggaggccaag ttagtgtaaa tatgcctctt cagaaaacta tggaaatagg ggagaactta   1800

```

-continued

---

```

acatctagaa catttagata taccgatttt agtaatcctt tttcatttag agctaatacca 1860
gatataattg ggataagtga acaacctcta tttggtgcag gttctattag tagcggtgaa 1920
ctttatatag ataaaattga aattattcta gcagatgcaa catttgaagc agaactctgat 1980
ttagaaagag cacaaaaggc ggtgaatgag ctgtttactt cttccaatca aatcgggtta 2040
aaaacagatg tgacggatta tcatattgat caagtatcca atttagttga gtgtttatct 2100
gatgaatfff gtctggatga aaaaaagaa ttgtccgaga aagtcaaaca tgogaagcga 2160
cttagtgatg agcgggaattt acttcaagat ccaaacttta gagggatcaa tagacaacta 2220
gaccgtggct ggagaggaag tacggatatt accatccaag gaggcgatga cgtattcaaa 2280
gagaattacg ttacgctatt gggtagcttt gatgagtgcct atccaacgta tttatatcaa 2340
aaaatagatg agtcgaaatt aaaagcctat acccgttacc aattaagagg gtatatcgaa 2400
gatagtcaag acttagaaat ctatttaatt cgctacaatg ccaaacacga aacagtaaat 2460
gtgccaggta cgggttcctt atggccgctt tcagcccaa gtccaatcgg aaaatgtgcc 2520
catcattccc atcatttctc cttggacatt gatgttggat gtacagactt aaatgaggac 2580
ttaggtgat gggatgatatt caagattaag acgcaagatg gccatgcaag actaggaaat 2640
ctagaatttc tcgaagagaa accattagta ggagaagcac tagctcgtgt gaaaagagcg 2700
gagaaaaaat ggagagacaa acgtgaaaaa ttggaatggg aaacaaatat tgtttataaa 2760
gaggcaaaag aatctgtaga tgctttatft gtaaactctc aatatgatag attacaagcg 2820
gataccaaca tcgcgatgat tcatgcccga gataaacgcy ttcatacatc tcgagaagct 2880
tatctgcctg agctgtctgt gattccgggt gtcaatgccc ctatftttga agaattagaa 2940
ggcgtatftt tactgcatt ctcctatat gatgcgagaa atgtcattaa aaatggatgat 3000
tttaataatg gcttatcctg ctggaacgtg aaagggcatg tagatgtaga agaacaaaac 3060
aaccacggtt cggtccttgt tgttccgga tgggaagcag aagtgtcaca agaagtctgt 3120
gtctgtccgg gtcgtggcta tacccttctg gtcacagcgt acaaggaggg atatggagaa 3180
ggttgcgtaa ccattcatga gatcgagaac aatacagacg aactgaagt tagcaactgt 3240
gtagaagagg aagtatatcc aaacaacacg gtaactgtga atgattatac tgcgactcaa 3300
gaagaatatg agggtagta cacttctcgt aatcgaggat atgacggagc ctatgaaagc 3360
aattcttctg taccagctga ttatgcatca gcctatgaag aaaaagcata tacagatgga 3420
cgaagagaca atccttgtga atctaacaga ggatatgggg attacacacc actaccagct 3480
ggctatgtga caaaagaatt agagtacttc ccagaaaccg ataaggtatg gattgagatc 3540
ggagaaacgg aaggaacatt catcgtggac agcgtggaat tacttcttat ggaggaatag 3600

```

&lt;210&gt; SEQ ID NO 27

&lt;211&gt; LENGTH: 3600

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC868.

&lt;400&gt; SEQUENCE: 27

```

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctgtt 60
tcaaaccact ccgcgcagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc 120
atagccgagg gcaacaacat cgaccatttc gtgtcggcca gcacggttca gaccggcatc 180
aacatcgcgg gccgtatcct cggcgtcctc ggtgtcccat tcgcccgtca gatcgcgtcc 240

```



-continued

---

ttctactcgt	tccttgtggg	cgagctgtgg	cctcgcggtc	gtgaccegtg	ggagatcttc	300
ctggagcatg	tggagcagtt	gatccggcag	caagtcacgg	agaacacccg	cgatactgct	360
ctggccaggc	tacagggcct	gggaaactcc	tttcgggcat	accagcagtc	actggaggac	420
tggttgagga	acagggatga	cgcgcgaaaca	cgctcggtag	tctacacca	gtacatcgct	480
ctcgaactcg	acttctgaa	cgctatgccg	ctgttcgcca	tcaggaacca	ggaagttcca	540
ctccttatgg	tgtacgccc	ggccgccaac	ttacatctgc	tcctgctgcg	ggacgcccagc	600
ctgttcggct	ccgagttcgg	actcacatct	caagaaatcc	agcgttacta	cgagcgccaa	660
gtggagaaga	cccgtgagta	cagtgactac	tgcgctcgat	ggtacaacac	agggctcaac	720
aacctgcgcg	gcaccaacgc	tgagtcatgg	ctccgttaca	accagttccg	ccgcgacttg	780
actttgggtg	tcctagacct	ggtggcgcta	ttcccgtctt	acgacacacg	ggtgtacca	840
atgaacacta	gcgcgcaact	cacgcgggag	atctacacag	accaatcgg	ccggacgaac	900
gcaccctccg	gtttcgcatc	cacgaattgg	ttcaacaaca	acgcaccctc	cttctcggca	960
atcgaggccg	ccgtcatccg	ccctcctcac	ctgctcgact	ttcccagca	gctcacgatc	1020
ttctccgtgc	tctcacgctg	gtccaacaca	cagtacatga	actactgggt	cgggcaccga	1080
ttggagagta	ggacgatccg	tggcagcttg	agcaccagta	cccacggcaa	caccaacacc	1140
tccatcaacc	cagttacgct	acagttcacg	agccgcgacg	tttaccggac	tgagtcgttc	1200
gcgggcatta	acatccttct	gacaacgccc	gtcaacggcg	tcccgtgggc	ccggttcaac	1260
tggcgtaacc	cgttgaactc	cctgcgcggg	tcattgctct	acaccatcgg	gtacacgggc	1320
gtcggcacc	agctcttcga	cagtgaaact	gagctgccgc	ccgagaccac	ggaacgcccg	1380
aactacgagt	cctacagcca	ccgcctgtcc	aacatccggc	tcattctctg	caacacgctg	1440
cgtagcgcgg	tgtactcctg	gacacaccgc	agcgcgacc	ggaccaacac	gatctcttcc	1500
gactccatta	accagatccc	gctcgtgaag	ggcttccgtg	tgtggggtgg	cacgagcgtc	1560
atcaccggtc	cgggcttcac	cggtggagac	atactgcggc	gcaaaccttt	cggcgacttc	1620
gtttcgttgc	aagtgaacat	caactcgccg	atcaccacgc	gttaccgtct	gaggttccgc	1680
tacgcttcaa	gccgcgacgc	gagggtcatt	gtcctgaccg	gagccgcgtc	cacagggcgtg	1740
ggaggccaag	tctcagtcaa	catgcctctc	cagaagacga	tggagatagg	cgagaacttg	1800
actagccgaa	ccttccggta	cactgatttc	tcgaaccctt	tctcattcag	agcgaaccct	1860
gacatcattg	ggatctccga	gcaaccgctg	ttcgggtgctg	gctccatcag	ctctggcgaa	1920
ctgtacatcg	acaagattga	gatcatcctg	gcggatgcga	cgttcgaggc	cgagtctgac	1980
ctggagcggg	ctcagaaggc	tgtcaacgaa	ctgttcacca	gcagcaacca	gattgggctc	2040
aagaccgacg	tcacggacta	tcacattgac	caagtgtcca	accttggtga	gtgcctgtcc	2100
gacgagttct	gcctcgacga	gaagaaggag	ctgtccgaga	aggtcaaaca	cgcgaagcgt	2160
ctgagtgacg	agcggaaatt	gctccaggac	ccgaacttcc	gtggcatcaa	ccgccagctc	2220
gaccgtgggt	ggcgcgggag	tacagacatc	accatccagg	gagggcgacga	tgtgttcaag	2280
gagaactatg	tgacgctgct	cgggactttc	gacgaatgct	acccgacgta	tctctaccag	2340
aagatagacg	agagtaaatt	gaaggcgtac	acccgctacc	agcttcgagg	gtacatcgag	2400
gatagtcagg	acctggaat	ctacctgatc	cgatacaacg	ccaagcacga	gacagtgaac	2460
gtgccaggca	cgggctcact	ttggccattg	agcgtccct	ctccaatcgg	aaagtgcgct	2520
caccactcgc	accacttctc	tctggacatc	gacgtgggct	gcaccgacct	caacgaggac	2580
ctgggtgtct	gggttatctt	caagattaag	accaggacg	gacatgcccg	cctcggcaac	2640

-continued

```

ctggagttcc ttgaggagaa gcctctcgtg ggcgaggccc tcgctcgtgt gaagcgcgcc 2700
gagaagaaat ggcgagacaa gcgggagaag ctggagtggg agaccaacat cgtgtacaag 2760
gaggccaagg agtcagtga cgcactcttc gtcaacagcc agtacgaccg cctccaggct 2820
gacaccaaca tcgcatgat ccacgcggct gacaagcggg tccacagcat ccgtgaggcg 2880
tacctgcccg agctgtcagt gatccctggt gtgaacgcgg cgatcttcga ggaactggag 2940
ggccgcatct tcacagcatt cagcctgtac gatgccagga atgttattaa gaacggtgac 3000
ttcaacaacg ggctgagttg ctggaacgtc aagggccatg tggacgtcga ggagcagaac 3060
aaccaccggt ccgtgctggt cgtgccggag tgggaggcag aggtgagcca ggaggtccgc 3120
gtctgccttg gtcgcggtta catcctccgt gtgactgctg acaaggaagg ctacggtgaa 3180
ggctgcgtga ctatccacga gatcgagaac aacaccgacg agctcaagtt ctogaactgt 3240
gtggaggagg aggtgtaccg gaacaacacc gttacttgca acgactacac tgccaacgaa 3300
gaggagtacg agggcactta cacttcccgg aatcgcggct atgatggcgc gtacgagtcc 3360
aacagcagcg tgctgcgga ttatgctgct gcttacgagg agaaggcgta caccgacgga 3420
cggagggaca acccttgca gtccaaccgt ggctacggtg actacactcc gctgcccgcc 3480
gggtacgtca ccaaggagct ggagtacttc ccggagaccg acaaagtctg gatcgagatc 3540
ggcgagacgg agggcacttt catcgtggac tcggtcgagc tgctactgat ggaggagtga 3600

```

&lt;210&gt; SEQ ID NO 28

&lt;211&gt; LENGTH: 1199

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein TIC868.

&lt;400&gt; SEQUENCE: 28

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
20           25           30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
35           40           45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
50           55           60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
85           90           95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
100          105          110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
115          120          125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
130          135          140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
165          170          175
Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His
180          185          190

```

-continued

---

Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu  
 195 200 205  
 Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr  
 210 215 220  
 Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn  
 225 230 235 240  
 Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe  
 245 250 255  
 Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro  
 260 265 270  
 Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr  
 275 280 285  
 Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly  
 290 295 300  
 Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala  
 305 310 315 320  
 Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu  
 325 330 335  
 Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr  
 340 345 350  
 Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly  
 355 360 365  
 Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro  
 370 375 380  
 Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400  
 Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415  
 Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu  
 420 425 430  
 Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser  
 435 440 445  
 Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser  
 450 455 460  
 Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu  
 465 470 475 480  
 Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn  
 485 490 495  
 Thr Ile Ser Ser Asp Ser Ile Asn Gln Ile Pro Leu Val Lys Gly Phe  
 500 505 510  
 Arg Val Trp Gly Gly Thr Ser Val Ile Thr Gly Pro Gly Phe Thr Gly  
 515 520 525  
 Gly Asp Ile Leu Arg Arg Asn Thr Phe Gly Asp Phe Val Ser Leu Gln  
 530 535 540  
 Val Asn Ile Asn Ser Pro Ile Thr Gln Arg Tyr Arg Leu Arg Phe Arg  
 545 550 555 560  
 Tyr Ala Ser Ser Arg Asp Ala Arg Val Ile Val Leu Thr Gly Ala Ala  
 565 570 575  
 Ser Thr Gly Val Gly Gly Gln Val Ser Val Asn Met Pro Leu Gln Lys  
 580 585 590  
 Thr Met Glu Ile Gly Glu Asn Leu Thr Ser Arg Thr Phe Arg Tyr Thr  
 595 600 605

-continued

---

Asp	Phe	Ser	Asn	Pro	Phe	Ser	Phe	Arg	Ala	Asn	Pro	Asp	Ile	Ile	Gly
610						615					620				
Ile	Ser	Glu	Gln	Pro	Leu	Phe	Gly	Ala	Gly	Ser	Ile	Ser	Ser	Gly	Glu
625					630					635					640
Leu	Tyr	Ile	Asp	Lys	Ile	Glu	Ile	Ile	Leu	Ala	Asp	Ala	Thr	Phe	Glu
				645					650					655	
Ala	Glu	Ser	Asp	Leu	Glu	Arg	Ala	Gln	Lys	Ala	Val	Asn	Glu	Leu	Phe
			660					665					670		
Thr	Ser	Ser	Asn	Gln	Ile	Gly	Leu	Lys	Thr	Asp	Val	Thr	Asp	Tyr	His
		675					680						685		
Ile	Asp	Gln	Val	Ser	Asn	Leu	Val	Glu	Cys	Leu	Ser	Asp	Glu	Phe	Cys
690						695					700				
Leu	Asp	Glu	Lys	Lys	Glu	Leu	Ser	Glu	Lys	Val	Lys	His	Ala	Lys	Arg
705					710					715					720
Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln	Asp	Pro	Asn	Phe	Arg	Gly	Ile
				725					730					735	
Asn	Arg	Gln	Leu	Asp	Arg	Gly	Trp	Arg	Gly	Ser	Thr	Asp	Ile	Thr	Ile
			740					745					750		
Gln	Gly	Gly	Asp	Asp	Val	Phe	Lys	Glu	Asn	Tyr	Val	Thr	Leu	Leu	Gly
		755					760					765			
Thr	Phe	Asp	Glu	Cys	Tyr	Pro	Thr	Tyr	Leu	Tyr	Gln	Lys	Ile	Asp	Glu
770						775					780				
Ser	Lys	Leu	Lys	Ala	Tyr	Thr	Arg	Tyr	Gln	Leu	Arg	Gly	Tyr	Ile	Glu
785					790					795					800
Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr	Asn	Ala	Lys	His
				805					810					815	
Glu	Thr	Val	Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp	Pro	Leu	Ser	Ala
			820					825					830		
Pro	Ser	Pro	Ile	Gly	Lys	Cys	Ala	His	His	Ser	His	His	Phe	Ser	Leu
		835					840						845		
Asp	Ile	Asp	Val	Gly	Cys	Thr	Asp	Leu	Asn	Glu	Asp	Leu	Gly	Val	Trp
850						855					860				
Val	Ile	Phe	Lys	Ile	Lys	Thr	Gln	Asp	Gly	His	Ala	Arg	Leu	Gly	Asn
865					870					875					880
Leu	Glu	Phe	Leu	Glu	Glu	Lys	Pro	Leu	Val	Gly	Glu	Ala	Leu	Ala	Arg
				885					890					895	
Val	Lys	Arg	Ala	Glu	Lys	Lys	Trp	Arg	Asp	Lys	Arg	Glu	Lys	Leu	Glu
			900					905					910		
Trp	Glu	Thr	Asn	Ile	Val	Tyr	Lys	Glu	Ala	Lys	Glu	Ser	Val	Asp	Ala
		915					920						925		
Leu	Phe	Val	Asn	Ser	Gln	Tyr	Asp	Arg	Leu	Gln	Ala	Asp	Thr	Asn	Ile
930						935					940				
Ala	Met	Ile	His	Ala	Ala	Asp	Lys	Arg	Val	His	Ser	Ile	Arg	Glu	Ala
945					950					955					960
Tyr	Leu	Pro	Glu	Leu	Ser	Val	Ile	Pro	Gly	Val	Asn	Ala	Ala	Ile	Phe
				965					970					975	
Glu	Glu	Leu	Glu	Gly	Arg	Ile	Phe	Thr	Ala	Phe	Ser	Leu	Tyr	Asp	Ala
			980					985					990		
Arg	Asn	Val	Ile	Lys	Asn	Gly	Asp	Phe	Asn	Asn	Gly	Leu	Ser	Cys	Trp
		995					1000					1005			
Asn	Val	Lys	Gly	His	Val	Asp	Val	Glu	Glu	Gln	Asn	Asn	His	Arg	
1010						1015						1020			
Ser	Val	Leu	Val	Val	Pro	Glu	Trp	Glu	Ala	Glu	Val	Ser	Gln	Glu	

-continued

1025	1030	1035
Val Arg 1040	Val Cys Pro Gly Arg 1045	Gly Tyr Ile Leu Arg 1050
Tyr Lys 1055	Glu Gly Tyr Gly Glu 1060	Gly Cys Val Thr Ile His Glu Ile 1065
Glu Asn 1070	Asn Thr Asp Glu Leu 1075	Lys Phe Ser Asn Cys Val Glu Glu 1080
Glu Val 1085	Tyr Pro Asn Asn Thr 1090	Val Thr Cys Asn Asp Tyr Thr Ala 1095
Thr Gln 1100	Glu Glu Tyr Glu Gly 1105	Thr Tyr Thr Ser Arg Asn Arg Gly 1110
Tyr Asp 1115	Gly Ala Tyr Glu Ser 1120	Asn Ser Ser Val Pro Ala Asp Tyr 1125
Ala Ser 1130	Ala Tyr Glu Glu Lys 1135	Ala Tyr Thr Asp Gly Arg Arg Asp 1140
Asn Pro 1145	Cys Glu Ser Asn Arg 1150	Gly Tyr Gly Asp Tyr Thr Pro Leu 1155
Pro Ala 1160	Gly Tyr Val Thr Lys 1165	Glu Leu Glu Tyr Phe Pro Glu Thr 1170
Asp Lys 1175	Val Trp Ile Glu Ile 1180	Gly Glu Thr Glu Gly Thr Phe Ile 1185
Val Asp 1190	Ser Val Glu Leu Leu 1195	Leu Met Glu Glu

&lt;210&gt; SEQ ID NO 29

&lt;211&gt; LENGTH: 3600

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC868\_9.

&lt;400&gt; SEQUENCE: 29

```

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt      60
tcaaaccact ccgcgagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc      120
atagccgagg gcaacaacat cgaccattc gtgtcggcca gcacggttca gaccggcatc      180
aacatcgagg gccgtatcct cggcgtctc ggtgtcccat tcgccgtca gatcgctcc      240
tttactcgt tccttggtgg cgagctgtgg cctcgcggtc gtgaccctg ggagatcttc      300
ctggagcatg tggagcagtt gatccggcag caagtcacgg agaacaccg cgatactgct      360
ctggccaggc tacaggcct gggaaactcc tttcgggcat accagcagtc actggaggac      420
tggttgagga acaggatga cgcggaaca cgctcggtag tctacacca gtacatcgt      480
ctcgaactcg acttctgaa cgctatgccg ctgttcgcca tcaggaacca ggaagttcca      540
ctccttatgg tgtacgcca ggccgccaac ttacatctgc tcctgctgcg ggacgccagc      600
ctgttcggct ccgagttcgg actcacatct caagaaatcc agcgttacta cgagcgcca      660
gtggagaaga cccgtgagta cagtgactac tgcgctcgat ggtacaacac agggctcaac      720
agcctgcgcg gcaccaacgc tgagtcagtg ctccgttaca accagttccg ccgagacttg      780
actttgggtg tcctagacct ggtggcgcta tccccgtctt acgacacacg ggtgtacca      840
atgaacacta gcgagcaact cacgcgggag atctacacag acccaatcgg ccggacgaac      900
gcaccctccg gtttcgcatc cacgaattgg ttcaacaaca acgcaccctc cttctcggca      960
atcgaggccg ccgcatccg cctcctcac ctgctcgact tccccgagca gctcacgatc     1020

```

-continued

---

ttctccgtgc	tctcacgctg	gtccaacaca	cagtacatga	actactgggt	cgggcaccga	1080
ttggagagta	ggacgatccg	tggcagcttg	agcaccagta	cccacggcaa	caccaacacc	1140
tccatcaacc	cagttacgct	acagttcacg	agccgcgacg	tttaccggac	tgagtcgcag	1200
gcgggcatta	acatccttat	gacaacgccc	gtcaacggcg	tcccggtggc	ccggttcaac	1260
tggcgtaacc	cgaagaactc	cctgcgcggg	tcattgctct	acaccatcgg	gtacacgggc	1320
gtcggcacc	agctcttcga	cagtgaaact	gagctgccgc	ccgagaccac	ggaacgcccg	1380
aactacgagt	cctacagcca	ccgcctgtcc	aacatccggc	tcctctctgg	caacacgctg	1440
cgtgcgcggg	tgtactcctg	gacacaccgc	agcgcggacc	ggaccaacac	gatctcttcc	1500
gactccatta	accagatccc	gctcgtgaag	ggcttccgtg	tgtgggggtg	cacgagcgtc	1560
atcaccggtc	cgggcttcac	cggtggagac	atactgcggc	gcaaaccttt	cggcgacttc	1620
gtttcgttgc	aagtgaacat	caactcgccg	atcaccagc	gttaccgtct	gaggttccgc	1680
tacgttcaa	gccgcgacgc	gagggtcatt	gtcctgaccg	gagccgcgtc	cacaggcgtg	1740
ggaggccaag	tctcagtaa	catgcctctc	cagaagacga	tggagatagg	cgagaacttg	1800
actagccgaa	ccttccggta	cactgatttc	tcgaaccctt	tctcattcag	agcgaaccct	1860
gacatcattg	ggatctccga	gcaaccgctg	ttcgggtgctg	gctccatcag	ctctggcgaa	1920
ctgtacatcg	acaagattga	gatcatcctg	gcggatgcga	cgttcggaggc	cgagtctgac	1980
ctggagcggg	ctcagaaggc	tgtcaacgaa	ctgttcacca	gcagcaacca	gattgggctc	2040
aagaccgacg	tcacggacta	tcacattgac	caagtgtcca	accttgtgga	gtgcctgtcc	2100
gacgagttct	gcctcgacga	gaagaaggag	ctgtccgaga	aggtaaaca	cgcaagcgt	2160
ctgagtgcg	agcggaaatt	gctccaggac	ccgaacttcc	gtggcatcaa	ccgccagctc	2220
gaccgtggtt	ggcgcgggag	tacagacatc	accatccagg	gaggcgacga	tgtgttcaag	2280
gagaactatg	tgacgctgct	cgggactttc	gacgaatgct	acccgacgta	tctctaccag	2340
aagatagacg	agagtaaatt	gaaggcgtac	accgctacc	agcttcgcgg	gtacatcgag	2400
gatagtcagg	acctgaaat	ctacctgatc	cgatacaacg	ccaagcacga	gacagtgaac	2460
gtgccaggca	cgggctcact	ttggccattg	agcgtccct	ctccaatcgg	aaagtgcgct	2520
caccactcgc	accacttctc	tctggacatc	gacgtgggct	gcaccgacct	caacgaggac	2580
ctgggtgtct	gggttatctt	caagattaag	accaggacg	gacatgcccg	cctcggcaac	2640
ctggagtcc	ttgaggagaa	gcctctcgtg	ggcgaggccc	tcgctcgtgt	gaagcgcgcc	2700
gagaagaaat	ggcgagacaa	gcgggagaag	ctggagtggg	agaccaacat	cgtgtacaag	2760
gaggccaagg	agtcagtga	cgcactcttc	gtcaacagcc	agtacgaccg	cctccaggct	2820
gacaccaaca	tcgccatgat	ccacgcggct	gacaagcggg	tccacagcat	ccgtgaggcg	2880
tacctgcccg	agctgtcagt	gatccctggg	gtgaacgcgg	cgatcttcca	ggaactggag	2940
ggccgcattc	tcacagcatt	cagcctgtac	gatgccagga	atgttattaa	gaacgggtgac	3000
ttcaacaacg	ggctgagttg	ctggaacgtc	aagggccatg	tggacgtcga	ggagcagaac	3060
aaccaccggt	ccgtgctggt	cgtgccggag	tgggaggcag	aggtgagcca	ggaggtccgc	3120
gtctgcctcg	gtcgcggcta	catcctccgt	gtgactgcgt	acaaggaagg	ctacggtgaa	3180
ggctgcgtga	ctatccacga	gatcgagaac	aacaccgacg	agctcaagtt	ctogaactgt	3240
gtggaggagg	aggtgtacc	gaacaacacc	gttacttgca	acgactacac	tgccacgcaa	3300
gaggagtacg	agggcactta	cacttcccgg	aatcgcggct	atgatggcgc	gtacgagtcc	3360

-continued

---

```

aacagcagcg tgcctgcgga ttatgctgcc gcttacgagg agaaggcgta caccgacgga 3420
cggagggaca acccttgcca gtccaaccgt ggctacgggtg actacactcc gctgcccgcc 3480
gggtactgca ccaaggagct ggagtacttc ccggagaccg acaaagtctg gatcgagatc 3540
ggcgagacgg agggcacttt catcgtggac tcggtcgagc tgctactgat ggaggagtga 3600

```

```

<210> SEQ ID NO 30
<211> LENGTH: 1199
<212> TYPE: PRT
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Amino acid sequence of the chimeric protein
variant TIC868_9.

```

```

<400> SEQUENCE: 30

```

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1          5          10          15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
20          25          30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
35          40          45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
50          55          60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65          70          75          80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
85          90          95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
100         105         110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
115         120         125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
130         135         140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145         150         155         160
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
165         170         175
Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His
180         185         190
Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu
195         200         205
Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr
210         215         220
Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn
225         230         235         240
Ser Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe
245         250         255
Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro
260         265         270
Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr
275         280         285
Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly
290         295         300
Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala
305         310         315         320

```

-continued

---

Ile	Glu	Ala	Ala	Val	Ile	Arg	Pro	Pro	His	Leu	Leu	Asp	Phe	Pro	Glu
				325					330					335	
Gln	Leu	Thr	Ile	Phe	Ser	Val	Leu	Ser	Arg	Trp	Ser	Asn	Thr	Gln	Tyr
			340					345					350		
Met	Asn	Tyr	Trp	Val	Gly	His	Arg	Leu	Glu	Ser	Arg	Thr	Ile	Arg	Gly
		355					360					365			
Ser	Leu	Ser	Thr	Ser	Thr	His	Gly	Asn	Thr	Asn	Thr	Ser	Ile	Asn	Pro
	370					375					380				
Val	Thr	Leu	Gln	Phe	Thr	Ser	Arg	Asp	Val	Tyr	Arg	Thr	Glu	Ser	Gln
385					390					395					400
Ala	Gly	Ile	Asn	Ile	Leu	Met	Thr	Thr	Pro	Val	Asn	Gly	Val	Pro	Trp
			405						410					415	
Ala	Arg	Phe	Asn	Trp	Arg	Asn	Pro	Lys	Asn	Ser	Leu	Arg	Gly	Ser	Leu
			420					425					430		
Leu	Tyr	Thr	Ile	Gly	Tyr	Thr	Gly	Val	Gly	Thr	Gln	Leu	Phe	Asp	Ser
		435					440					445			
Glu	Thr	Glu	Leu	Pro	Pro	Glu	Thr	Thr	Glu	Arg	Pro	Asn	Tyr	Glu	Ser
	450					455					460				
Tyr	Ser	His	Arg	Leu	Ser	Asn	Ile	Arg	Leu	Ile	Ser	Gly	Asn	Thr	Leu
465					470					475					480
Arg	Ala	Pro	Val	Tyr	Ser	Trp	Thr	His	Arg	Ser	Ala	Asp	Arg	Thr	Asn
				485					490					495	
Thr	Ile	Ser	Ser	Asp	Ser	Ile	Asn	Gln	Ile	Pro	Leu	Val	Lys	Gly	Phe
			500					505					510		
Arg	Val	Trp	Gly	Gly	Thr	Ser	Val	Ile	Thr	Gly	Pro	Gly	Phe	Thr	Gly
		515					520					525			
Gly	Asp	Ile	Leu	Arg	Arg	Asn	Thr	Phe	Gly	Asp	Phe	Val	Ser	Leu	Gln
	530					535					540				
Val	Asn	Ile	Asn	Ser	Pro	Ile	Thr	Gln	Arg	Tyr	Arg	Leu	Arg	Phe	Arg
545					550					555					560
Tyr	Ala	Ser	Ser	Arg	Asp	Ala	Arg	Val	Ile	Val	Leu	Thr	Gly	Ala	Ala
				565					570					575	
Ser	Thr	Gly	Val	Gly	Gly	Gln	Val	Ser	Val	Asn	Met	Pro	Leu	Gln	Lys
			580					585					590		
Thr	Met	Glu	Ile	Gly	Glu	Asn	Leu	Thr	Ser	Arg	Thr	Phe	Arg	Tyr	Thr
		595					600					605			
Asp	Phe	Ser	Asn	Pro	Phe	Ser	Phe	Arg	Ala	Asn	Pro	Asp	Ile	Ile	Gly
	610					615					620				
Ile	Ser	Glu	Gln	Pro	Leu	Phe	Gly	Ala	Gly	Ser	Ile	Ser	Ser	Gly	Glu
625					630					635					640
Leu	Tyr	Ile	Asp	Lys	Ile	Glu	Ile	Ile	Leu	Ala	Asp	Ala	Thr	Phe	Glu
				645					650					655	
Ala	Glu	Ser	Asp	Leu	Glu	Arg	Ala	Gln	Lys	Ala	Val	Asn	Glu	Leu	Phe
			660					665					670		
Thr	Ser	Ser	Asn	Gln	Ile	Gly	Leu	Lys	Thr	Asp	Val	Thr	Asp	Tyr	His
			675				680						685		
Ile	Asp	Gln	Val	Ser	Asn	Leu	Val	Glu	Cys	Leu	Ser	Asp	Glu	Phe	Cys
	690					695					700				
Leu	Asp	Glu	Lys	Lys	Glu	Leu	Ser	Glu	Lys	Val	Lys	His	Ala	Lys	Arg
705					710					715					720
Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln	Asp	Pro	Asn	Phe	Arg	Gly	Ile
				725					730					735	
Asn	Arg	Gln	Leu	Asp	Arg	Gly	Trp	Arg	Gly	Ser	Thr	Asp	Ile	Thr	Ile



-continued

740				745				750							
Gln	Gly	Gly	Asp	Asp	Val	Phe	Lys	Glu	Asn	Tyr	Val	Thr	Leu	Leu	Gly
		755					760						765		
Thr	Phe	Asp	Glu	Cys	Tyr	Pro	Thr	Tyr	Leu	Tyr	Gln	Lys	Ile	Asp	Glu
	770					775					780				
Ser	Lys	Leu	Lys	Ala	Tyr	Thr	Arg	Tyr	Gln	Leu	Arg	Gly	Tyr	Ile	Glu
	785				790					795					800
Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr	Asn	Ala	Lys	His
			805						810					815	
Glu	Thr	Val	Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp	Pro	Leu	Ser	Ala
			820						825				830		
Pro	Ser	Pro	Ile	Gly	Lys	Cys	Ala	His	His	Ser	His	His	Phe	Ser	Leu
		835					840						845		
Asp	Ile	Asp	Val	Gly	Cys	Thr	Asp	Leu	Asn	Glu	Asp	Leu	Gly	Val	Trp
	850					855					860				
Val	Ile	Phe	Lys	Ile	Lys	Thr	Gln	Asp	Gly	His	Ala	Arg	Leu	Gly	Asn
	865				870					875					880
Leu	Glu	Phe	Leu	Glu	Glu	Lys	Pro	Leu	Val	Gly	Glu	Ala	Leu	Ala	Arg
			885						890					895	
Val	Lys	Arg	Ala	Glu	Lys	Lys	Trp	Arg	Asp	Lys	Arg	Glu	Lys	Leu	Glu
			900						905					910	
Trp	Glu	Thr	Asn	Ile	Val	Tyr	Lys	Glu	Ala	Lys	Glu	Ser	Val	Asp	Ala
		915					920						925		
Leu	Phe	Val	Asn	Ser	Gln	Tyr	Asp	Arg	Leu	Gln	Ala	Asp	Thr	Asn	Ile
	930					935					940				
Ala	Met	Ile	His	Ala	Ala	Asp	Lys	Arg	Val	His	Ser	Ile	Arg	Glu	Ala
	945				950					955					960
Tyr	Leu	Pro	Glu	Leu	Ser	Val	Ile	Pro	Gly	Val	Asn	Ala	Ala	Ile	Phe
			965						970					975	
Glu	Glu	Leu	Glu	Gly	Arg	Ile	Phe	Thr	Ala	Phe	Ser	Leu	Tyr	Asp	Ala
			980						985					990	
Arg	Asn	Val	Ile	Lys	Asn	Gly	Asp	Phe	Asn	Asn	Gly	Leu	Ser	Cys	Trp
		995					1000							1005	
Asn	Val	Lys	Gly	His	Val	Asp	Val	Glu	Glu	Gln	Asn	Asn	His	Arg	
	1010					1015					1020				
Ser	Val	Leu	Val	Val	Pro	Glu	Trp	Glu	Ala	Glu	Val	Ser	Gln	Glu	
	1025					1030					1035				
Val	Arg	Val	Cys	Pro	Gly	Arg	Gly	Tyr	Ile	Leu	Arg	Val	Thr	Ala	
	1040					1045					1050				
Tyr	Lys	Glu	Gly	Tyr	Gly	Glu	Gly	Cys	Val	Thr	Ile	His	Glu	Ile	
	1055					1060					1065				
Glu	Asn	Asn	Thr	Asp	Glu	Leu	Lys	Phe	Ser	Asn	Cys	Val	Glu	Glu	
	1070					1075					1080				
Glu	Val	Tyr	Pro	Asn	Asn	Thr	Val	Thr	Cys	Asn	Asp	Tyr	Thr	Ala	
	1085					1090					1095				
Thr	Gln	Glu	Glu	Tyr	Glu	Gly	Thr	Tyr	Thr	Ser	Arg	Asn	Arg	Gly	
	1100					1105					1110				
Tyr	Asp	Gly	Ala	Tyr	Glu	Ser	Asn	Ser	Ser	Val	Pro	Ala	Asp	Tyr	
	1115					1120					1125				
Ala	Ser	Ala	Tyr	Glu	Glu	Lys	Ala	Tyr	Thr	Asp	Gly	Arg	Arg	Asp	
	1130					1135					1140				
Asn	Pro	Cys	Glu	Ser	Asn	Arg	Gly	Tyr	Gly	Asp	Tyr	Thr	Pro	Leu	
	1145					1150					1155				

-continued

---

Pro Ala Gly Tyr Val Thr Lys Glu Leu Glu Tyr Phe Pro Glu Thr  
 1160 1165 1170

Asp Lys Val Trp Ile Glu Ile Gly Glu Thr Glu Gly Thr Phe Ile  
 1175 1180 1185

Val Asp Ser Val Glu Leu Leu Leu Met Glu Glu  
 1190 1195

<210> SEQ ID NO 31  
 <211> LENGTH: 3678  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Recombinant nucleotide sequence used for  
 expression in a bacterial cell encoding TIC868\_10.

<400> SEQUENCE: 31

atgacttcaa ataggaaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta 60  
 tcgaatcatt ccgcacaaat gaatctatca accgatgctc gtattgagga tagcttgtgt 120  
 atagccgagg ggaacaatat cgatccattt gttagcgcac caacagtcca aacgggtatt 180  
 aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt 240  
 ttttatagtt ttcttgttgg tgaattatgg ccccgcgga gagatccttg ggaaattttc 300  
 ctagaacatg tcgaacaact tataagacaa caagtaacag aaaataactag ggatacggct 360  
 cttgctcgat tacaaggttt aggaaattcc tttagagcct atcaacagtc acttgaagat 420  
 tggctagaaa accgtgatga tgcaagaacg agaagtgttc tttataccca atatatagcc 480  
 ttagaacttg attttcttaa tgcgatgccg cttttcgcaa ttagaaacca agaagttcca 540  
 ttattaatgg tatatgctca agctgcaaat ttacacctat tattattgag agatgcctct 600  
 ctttttggtg gtgaatttgg gcttacatcc caagaaattc aacggtatta tgagcgccaa 660  
 gtggaaaaaa cgagagaata ttctgattat tgcgcaagat ggtataatac gggtttaaat 720  
 aatttgagag ggacaaatgc tgaaagtgg ttgcgatata atcaattccg tagagactta 780  
 acgctaggag tattagatct agtggcacta ttcccaagct atgacacgcg tgtttatcca 840  
 atgaatacca gtgctcaatt aacaagagaa atttatacag atccaattgg gagaacaaat 900  
 gcacctcag gatttgcaag tacgaattgg ttaataata atgcaccatc gttttctgcc 960  
 atagaggctg ccgttattag gcctccgcat ctacttgatt ttccagaaca gcttacaatt 1020  
 ttcagcgtat taagtcatg gagtaatact caatatatga attactgggt gggacataga 1080  
 cttgaatcgc gaacaataag ggggtcatta agtacctcga cacacggaaa taccaatact 1140  
 tctattaatc ctgtaacatt acagttcaca tctcgagacg tttatagaac agaactcatt 1200  
 gcagggataa atatacttct aactactcct gtgaatggag taccttgggc tagatttaat 1260  
 tggagaaatc ccctgaattc tcttagaggt agccttctct atactatagg gtatactgga 1320  
 gtggggacac aactatttga ttcagaaact gaattaccac cagaaacaac agaacgacca 1380  
 aattatgaat cttacagtca tagattatct aatataagac taatatcagg aaacactttg 1440  
 agagcaccag tatattcttg gacgcaccgt agtgcagatc gtacaaatac cattagttca 1500  
 gatagcatta atcaaatacc tttagtgaag ggatttagag tttggggggg cacctctgtc 1560  
 attacaggac caggatttac aggaggggat atccttcgaa gaaatacctt tgggtgatttt 1620  
 gtatctctac aagtcaatat taattcacca attacccaaa gataccgttt aagatttcgt 1680  
 tacgcttcca gtaggatgc acgagttata gtattaacag gagcggcatc cacaggagtg 1740

-continued

---

```

ggaggccaag ttagtgtaaa tatgcctctt cagaaaacta tggaaatagg ggagaactta 1800
acatctagaa catttagata taccgatttt agtaatcctt tttcatttag agctaatacca 1860
gatataattg ggataagtga acaacctcta tttggtgcag gttctattag tagcggtgaa 1920
ctttatatag ataaaattga aattattcta gcagatgcaa catttgaggc agaatatgat 1980
ttagaaagag cgcaaaaggt ggtgaatgcc ctgtttacgt ctacaaacca actagggcta 2040
aaaacagatg tgacggatta tcatattgat caggtatcca atctagttgc gtgtttatcg 2100
gatgaatttt gtctggatga aaagagagaa ttgtccgaga aagttaaaca tgcaaagcga 2160
ctcagtgatg agcggattt acttcaagat ccaaacttca gagggatcaa taggcaacca 2220
gaccgtggct ggagaggaag tacggatatt actatccaag gaggagatga cgtattcaaa 2280
gagaattacg ttacgctacc gggtagcttt gatgagtgc atccaacgta tttatatcaa 2340
aaaatagatg agtcgaaatt aaaagcctat acccgttatc aattaagagg gtatatcgaa 2400
gatagtcaag acttagaaat ctatttaatt cgttacaatg caaaacacga aatagtaaat 2460
gtaccaggta caggaagttt atggcctctt tctgtagaaa atcaaattgg accttggtgga 2520
gaaccgaatc gatgcgcgcc acaccttgaa tggaaatcctg atttacctg ttctgcaga 2580
gacggggaaa aatgtgcaca tcattctcat catttctctt tggacattga tgttgatgt 2640
acagacttaa atgaggactt aggtgatggt gtgatattca agattaagac gcaagatggc 2700
cacgcacgac tagggaatct agagtttctc gaagagaaac cattattagg agaagcacta 2760
gctcgtgtga aaagagcggg gaaaaaatgg agagacaaac gcgaaacatt acaattggaa 2820
acaactatcg tttataaaga ggcaaaagaa tctgtagatg ctttatttgt aaactctcaa 2880
tatgatagat tacaagcggg tacgaacatc gcgatgatc atgcggcaga taaacgcggt 2940
catagaattc gagaagcgtg tctgccggag ctgtctgtga ttccgggtgt caatgcccgt 3000
atTTTTgaag aattagaaga gcgtattttc actgcatttt ccctatatga tgcgagaaat 3060
attattaaaa atggcgattt caataatggc ttattatgct ggaacgtgaa agggcatgta 3120
gaggtagaag aacaaaacaa tcaccgttca gtcttggtta tcccagaatg ggaggcagaa 3180
gtgtcacaag aggttcgtgt ctgtccaggt cgtggctata tccttcgtgt tacagcgtac 3240
aaagagggat atggagaagg ttgcgtaacg atccatgaga tcgagaacaa tacagacgaa 3300
ctgaaattca acaactgtgt agaagaggaa gtatatccaa acaacacggt aacgtgtatt 3360
aattatactg cgactcaaga agaatatgag ggtacgtaca cttctcgtaa tcgaggatat 3420
gacgaagcct atggtaataa cccttcgta ccagctgatt atgcgtcagt ctatgaagaa 3480
aaatcgtata cagatagacg aagagagaat ccttgtgaat ctaacagagg atatggagat 3540
tacacaccac taccagctgg ttatgtaaca aaggaattag agtacttccc agagaccgat 3600
aaggtatgga ttgagattgg agaaacagaa ggaacattca tcgtggacag cgtggaatta 3660
ctccttatgg aggaatag 3678

```

&lt;210&gt; SEQ ID NO 32

&lt;211&gt; LENGTH: 3678

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC868\_10.

&lt;400&gt; SEQUENCE: 32

```

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt 60

```

-continued

tcaaaccact	ccgcgcagat	gaacctgtcc	accgacgcgc	gcatcgagga	ctccctctgc	120
atagccgagg	gcaacaacat	cgaccattc	gtgtcggcca	gcacggttca	gaccggcatc	180
aacatcgcg	gccgtatcct	cggcgtcctc	ggtgtcccat	tcgccgtca	gatcgctcc	240
ttctactcgt	tccttgtggg	cgagctgtgg	cctcgcggtc	gtgaccctg	ggagatcttc	300
ctggagcatg	tggagcagtt	gatccggcag	caagtcaagg	agaacacccg	cgatactgct	360
ctggccaggc	tacagggcct	gggaaactcc	tttcgggcat	accagcagtc	actggaggac	420
tggttggaga	acagggatga	cgcggaaca	cgctcggta	tctacacca	gtacatcgct	480
ctcgaactcg	acttcctgaa	cgctatgccg	ctgttcgcca	tcaggaacca	ggaagttcca	540
ctccttatgg	tgtacgcca	ggccgccaac	ttacatctgc	tctgctgcg	ggacgccagc	600
ctgttcggct	ccgagttcgg	actcacatct	caagaaatcc	agcgttacta	cgagcgcca	660
gtggagaaga	cccgtgagta	cagtgactac	tgcgctcgat	ggtacaacac	agggtcaac	720
aacctgcgcg	gcaccaacgc	tgagtcagtg	ctccgttaca	accagttccg	ccgcgacttg	780
actttgggtg	tcctagacct	ggtggcgcta	ttcccgctt	acgacacacg	ggtgtacca	840
atgaacacta	gcgcgcaact	cacgcgggag	atctacacag	accaatcgg	ccggacgaac	900
gcaccctccg	gtttcgcac	cacgaattgg	ttcaacaaca	acgcaccctc	cttctcggca	960
atcgaggccg	ccgtcatccg	ccctcctcac	ctgctcgact	ttcccgagca	gctcagatc	1020
ttctccgtgc	tctcacgctg	gtccaacaca	cagtacatga	actactgggt	cgggcaccga	1080
ttggagagta	ggacgatccg	tggcagcttg	agcaccagta	cccacggcaa	caccaacacc	1140
tccatcaacc	cagttacgct	acagttcacg	agccgcgacg	ttaccggac	tgagtcgttc	1200
gcgggcatta	acatccttct	gacaacgccc	gtcaacggcg	tcccggtggc	ccggttcaac	1260
tggcgtaacc	cgttgaactc	cctgcgcggg	tcattgctct	acaccatcgg	gtacacgggc	1320
gtcggcacc	agctcttcga	cagtgaaact	gagctgcgc	ccgagaccac	ggaacgccc	1380
aactacgagt	cctacagcca	ccgcctgtcc	aacatccggc	tcctctctgg	caacacgctg	1440
cgtgcgcgg	tgtactcctg	gacacaccgc	agcgcgacc	ggaccaacac	gatctcttcc	1500
gactccatta	accagatccc	gctcgtgaag	ggcttccgtg	tgtgggtgg	cacgagcgtc	1560
atcaccggtc	cggtcttcac	cggtggagac	atctgcggc	gcaacacttt	cggcgacttc	1620
gtttcgttgc	aagtgaacat	caactcgccg	atcaccagc	gttaccgtct	gaggttccgc	1680
tacgttcaa	gccgcgacgc	gaggtcatt	gtcctgaccg	gagccgcgtc	cacaggcgtg	1740
ggaggccaag	tctcagtaa	catgcctctc	cagaagacga	tggagatagg	cgagaacttg	1800
actagccgaa	ccttccgta	cactgatttc	tcgaaccctt	tctcattcag	agcgaaccct	1860
gacatcattg	ggatctccga	gcaaccgctg	ttcgggtctg	gctccatcag	ctctggcgaa	1920
ctgtacatcg	acaagattga	gatcatcctg	gcggatgcga	cgttcgaggc	cgagtacgac	1980
cttgagcgcg	cccagaaggt	ggtgaacgcc	ctcttacta	gcactaacca	gctaggcctg	2040
aagactgacg	tgaccgacta	ccacatcgac	caagtgagca	acctagtggc	ctgcctctcc	2100
gacgagttct	gcctcgacga	gaagcgcgag	ctgtccgaga	aggtgaagca	cgccaagcgc	2160
ctctccgacg	agcgaacct	gctccaggac	cccaacttca	ggggcatcaa	caggcagccc	2220
gaccgcggt	ggcgcggctc	caccgacatc	accatccagg	gcggtgacga	cgtattcaag	2280
gagaactacg	ttaccctccc	cggcaccttc	gacgagtgtt	acccaccta	cctctaccag	2340
aagatcgacg	agccaagct	gaaggcctac	acccgctacc	agctccgcg	ctacatcgag	2400
gactcccagg	acctggaat	ctacctcatc	cgctacaacg	ccaagcacga	gatcgtgaac	2460

-continued

---

```

gtgcctggca cccgcagcct ctggcctctc agcgtggaga accagatcgg cccttgccgc 2520
gagcctaacc gctgcgcccc tcacctcgag tggaaacctg acctccactg ctcggtgcagg 2580
gacggcgaga agtgcgcccc ccatagccac cacttctctc tggacatcga cgtgggctgc 2640
accgacctga acgaggacct gggcgtgtgg gttatcttca agatcaagac ccaggacggt 2700
cacgccaggc tgggtaacct ggagttcctt gaggaaaagc ctctgctggg tgaggccctg 2760
gccagggtca agagggtga gaagaaatgg agggataaga gggagaccct gcagctggag 2820
accactatcg tctacaagga ggctaaggag tctgtcgatg ctctgttcgt caactctcag 2880
tacgatagac tgcaagctga taccaacatc gctatgatcc acgctgcgga taagcgggtc 2940
caccggatcc gggaggctta ccttccggag ctttctgtca tcccgggtgt caacgctgcg 3000
atcttcgagg aacttgagga acggatcttc actgcgttta gtctttacga tgccggaac 3060
atcatcaaga acggggactt caacaatggt ctgctgtgct ggaacgtcaa gggatcatgc 3120
gaggtcgagg aaaaaaaa tcatcgtagt gtccttgta ttctgagtg ggaggcggag 3180
gtctctcaag aggtccgtgt ttgcccggg cgtgggtaca ttcttcgtgt tactgcgtac 3240
aaggaggggt acggggaggg gtgcgttact attcatgaga ttgagaaca tactgatgag 3300
cttaagtcca acaattgtgt tgaggaggag gttaccoga acaatactgt tacgtgcatc 3360
aactacacgg caacgcaaga ggaatacagag gggacgtaca cctcgcgtaa tagagggtat 3420
gatgagggct acggaacaa cccgtcgggt ccagcagatt atgcctcggg ttatgaggag 3480
aagtcgtaca cggatagacg acgcgagaat ccatgtgagt caaatcgagg atacggagat 3540
tacacacat taccagcagg atacgttaca aaggagttgg aatacttccc ggaaacagat 3600
aaagtttggg ttgaaatcgg agaaacagaa ggaacattca tcgtcgactc agtagaattg 3660
ttgttgatgg aagaatga 3678

```

&lt;210&gt; SEQ ID NO 33

&lt;211&gt; LENGTH: 1225

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC868\_10.

&lt;400&gt; SEQUENCE: 33

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
          20           25           30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
          35           40           45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
          50           55           60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
          85           90           95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
          100          105          110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
          115          120          125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn

```

-continued

130	135	140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala 145 150 155 160		
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn 165 170 175		
Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His 180 185 190		
Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu 195 200 205		
Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr 210 215 220		
Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn 225 230 235 240		
Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe 245 250 255		
Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro 260 265 270		
Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr 275 280 285		
Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly 290 295 300		
Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala 305 310 315 320		
Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu 325 330 335		
Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr 340 345 350		
Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly 355 360 365		
Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro 370 375 380		
Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe 385 390 395 400		
Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp 405 410 415		
Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu 420 425 430		
Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser 435 440 445		
Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser 450 455 460		
Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu 465 470 475 480		
Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn 485 490 495		
Thr Ile Ser Ser Asp Ser Ile Asn Gln Ile Pro Leu Val Lys Gly Phe 500 505 510		
Arg Val Trp Gly Gly Thr Ser Val Ile Thr Gly Pro Gly Phe Thr Gly 515 520 525		
Gly Asp Ile Leu Arg Arg Asn Thr Phe Gly Asp Phe Val Ser Leu Gln 530 535 540		
Val Asn Ile Asn Ser Pro Ile Thr Gln Arg Tyr Arg Leu Arg Phe Arg 545 550 555 560		

-continued

---

Tyr Ala Ser Ser Arg Asp Ala Arg Val Ile Val Leu Thr Gly Ala Ala  
 565 570 575

Ser Thr Gly Val Gly Gly Gln Val Ser Val Asn Met Pro Leu Gln Lys  
 580 585 590

Thr Met Glu Ile Gly Glu Asn Leu Thr Ser Arg Thr Phe Arg Tyr Thr  
 595 600 605

Asp Phe Ser Asn Pro Phe Ser Phe Arg Ala Asn Pro Asp Ile Ile Gly  
 610 615 620

Ile Ser Glu Gln Pro Leu Phe Gly Ala Gly Ser Ile Ser Ser Gly Glu  
 625 630 635 640

Leu Tyr Ile Asp Lys Ile Glu Ile Ile Leu Ala Asp Ala Thr Phe Glu  
 645 650 655

Ala Glu Tyr Asp Leu Glu Arg Ala Gln Lys Val Val Asn Ala Leu Phe  
 660 665 670

Thr Ser Thr Asn Gln Leu Gly Leu Lys Thr Asp Val Thr Asp Tyr His  
 675 680 685

Ile Asp Gln Val Ser Asn Leu Val Ala Cys Leu Ser Asp Glu Phe Cys  
 690 695 700

Leu Asp Glu Lys Arg Glu Leu Ser Glu Lys Val Lys His Ala Lys Arg  
 705 710 715 720

Leu Ser Asp Glu Arg Asn Leu Leu Gln Asp Pro Asn Phe Arg Gly Ile  
 725 730 735

Asn Arg Gln Pro Asp Arg Gly Trp Arg Gly Ser Thr Asp Ile Thr Ile  
 740 745 750

Gln Gly Gly Asp Asp Val Phe Lys Glu Asn Tyr Val Thr Leu Pro Gly  
 755 760 765

Thr Phe Asp Glu Cys Tyr Pro Thr Tyr Leu Tyr Gln Lys Ile Asp Glu  
 770 775 780

Ser Lys Leu Lys Ala Tyr Thr Arg Tyr Gln Leu Arg Gly Tyr Ile Glu  
 785 790 795 800

Asp Ser Gln Asp Leu Glu Ile Tyr Leu Ile Arg Tyr Asn Ala Lys His  
 805 810 815

Glu Ile Val Asn Val Pro Gly Thr Gly Ser Leu Trp Pro Leu Ser Val  
 820 825 830

Glu Asn Gln Ile Gly Pro Cys Gly Glu Pro Asn Arg Cys Ala Pro His  
 835 840 845

Leu Glu Trp Asn Pro Asp Leu His Cys Ser Cys Arg Asp Gly Glu Lys  
 850 855 860

Cys Ala His His Ser His His Phe Ser Leu Asp Ile Asp Val Gly Cys  
 865 870 875 880

Thr Asp Leu Asn Glu Asp Leu Gly Val Trp Val Ile Phe Lys Ile Lys  
 885 890 895

Thr Gln Asp Gly His Ala Arg Leu Gly Asn Leu Glu Phe Leu Glu Glu  
 900 905 910

Lys Pro Leu Leu Gly Glu Ala Leu Ala Arg Val Lys Arg Ala Glu Lys  
 915 920 925

Lys Trp Arg Asp Lys Arg Glu Thr Leu Gln Leu Glu Thr Thr Ile Val  
 930 935 940

Tyr Lys Glu Ala Lys Glu Ser Val Asp Ala Leu Phe Val Asn Ser Gln  
 945 950 955 960

Tyr Asp Arg Leu Gln Ala Asp Thr Asn Ile Ala Met Ile His Ala Ala  
 965 970 975

-continued

---

Asp Lys Arg Val His Arg Ile Arg Glu Ala Tyr Leu Pro Glu Leu Ser  
                   980                                  985                                  990  
  
 Val Ile Pro Gly Val Asn Ala Ala Ile Phe Glu Glu Leu Glu Glu Arg  
                   995                                  1000                                  1005  
  
 Ile Phe Thr Ala Phe Ser Leu Tyr Asp Ala Arg Asn Ile Ile Lys  
           1010                                  1015                                  1020  
  
 Asn Gly Asp Phe Asn Asn Gly Leu Leu Cys Trp Asn Val Lys Gly  
           1025                                  1030                                  1035  
  
 His Val Glu Val Glu Glu Gln Asn Asn His Arg Ser Val Leu Val  
           1040                                  1045                                  1050  
  
 Ile Pro Glu Trp Glu Ala Glu Val Ser Gln Glu Val Arg Val Cys  
           1055                                  1060                                  1065  
  
 Pro Gly Arg Gly Tyr Ile Leu Arg Val Thr Ala Tyr Lys Glu Gly  
           1070                                  1075                                  1080  
  
 Tyr Gly Glu Gly Cys Val Thr Ile His Glu Ile Glu Asn Asn Thr  
           1085                                  1090                                  1095  
  
 Asp Glu Leu Lys Phe Asn Asn Cys Val Glu Glu Glu Val Tyr Pro  
           1100                                  1105                                  1110  
  
 Asn Asn Thr Val Thr Cys Ile Asn Tyr Thr Ala Thr Gln Glu Glu  
           1115                                  1120                                  1125  
  
 Tyr Glu Gly Thr Tyr Thr Ser Arg Asn Arg Gly Tyr Asp Glu Ala  
           1130                                  1135                                  1140  
  
 Tyr Gly Asn Asn Pro Ser Val Pro Ala Asp Tyr Ala Ser Val Tyr  
           1145                                  1150                                  1155  
  
 Glu Glu Lys Ser Tyr Thr Asp Arg Arg Arg Glu Asn Pro Cys Glu  
           1160                                  1165                                  1170  
  
 Ser Asn Arg Gly Tyr Gly Asp Tyr Thr Pro Leu Pro Ala Gly Tyr  
           1175                                  1180                                  1185  
  
 Val Thr Lys Glu Leu Glu Tyr Phe Pro Glu Thr Asp Lys Val Trp  
           1190                                  1195                                  1200  
  
 Ile Glu Ile Gly Glu Thr Glu Gly Thr Phe Ile Val Asp Ser Val  
           1205                                  1210                                  1215  
  
 Glu Leu Leu Leu Met Glu Glu  
           1220                                  1225

&lt;210&gt; SEQ ID NO 34

&lt;211&gt; LENGTH: 3726

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Recombinant nucleotide sequence used for expression in a bacterial cell encoding TIC868\_11.

&lt;400&gt; SEQUENCE: 34

```

atgacttcaa ataggaaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta      60
tcgaatcatt cgcacaaaat gaatctatca accgatgctc gtattgagga tagcttgtgt      120
atagccgagg ggaacaatat cgatccatgt gttagcgcac caacagtcca aacgggtatt      180
aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt      240
ttttatagtt ttcttgttgg tgaattatgg ccccgcgcca gagatccttg ggaaattttc      300
ctagaacatg tcgaacaact tataagacaa caagtaacag aaaatactag ggatacggct      360
cttgctcgat tacaaggttt aggaaattcc tttagagcct atcaacagtc acttgaagat      420
tggctagaaa accgtgatga tgcaagaacg agaagtgttc tttataccca atatatagcc      480
ttagaacttg attttcttaa tgcgatgccg cttttcgcaa ttagaaacca agaagttcca      540

```



-continued

---

ttattaatgg	tatatgctca	agctgcaa	at	ttacacctat	tattattgag	agatgcctct	600
ctttttggta	gtgaatttg	gcttacatcc	caagaaatc	aacgttatta	tgagcgccaa		660
gtggaaaaaa	cgagagaata	ttctgattat	tgcgcaagat	ggtataatac	gggtttaaat		720
aatttgagag	ggacaaatgc	tgaaagttgg	ttgcgatata	atcaattccg	tagagactta		780
acgctaggag	tattagatct	agtggcacta	ttcccaagct	atgacacgcg	tgtttatcca		840
atgaatacca	gtgctcaatt	aacaagagaa	atttatacag	atccaattgg	gagaacaaat		900
gcaccttcag	gatttgcaag	tacgaattgg	tttaataata	atgcaccatc	gttttctgcc		960
atagaggctg	ccgttattag	gcctccgcat	ctacttgatt	ttccagaaca	gcttacaatt		1020
ttcagcgtat	taagtcgatg	gagtaatact	caatatatga	attactgggt	gggacataga		1080
cttgaatcgc	gaacaataag	ggggtcatta	agtacctcga	cacacggaaa	taccaatact		1140
tctattaatc	ctgtaacatt	acagttcaca	tctcgagacg	tttatagaac	agaatcattt		1200
gcagggataa	atatacttct	aactactcct	gtgaatggag	taccttgggc	tagatttaat		1260
tggagaaatc	ccctgaattc	tcttagaggt	agccttctct	atactatagg	gtatactgga		1320
gtggggacac	aactatttga	ttcagaaact	gaattaccac	cagaaacaac	agaacgacca		1380
aattatgaat	cttacagtca	tagattatct	aatataagac	taatatcagg	aaacactttg		1440
agagcaccag	tatattcttg	gacgcaccgt	agtgacagatc	gtacaaatac	cattagttca		1500
gatagcatta	atcaaatacc	tttagtgaaa	ggatttagag	tttggggggg	cacctctgtc		1560
attacaggac	caggatttac	aggaggggat	atccttcgaa	gaaatacctt	tggtgathtt		1620
gtatctctac	aagtcaatat	taattcacca	attacccaaa	gataccgttt	aagatttcgt		1680
tacgcttcca	gtagggatgc	acgagttata	gtattaacag	gagcggcatc	cacaggagtg		1740
ggaggccaag	ttagtgtaaa	tatgcctctt	cagaaaacta	tggaaatagg	ggagaactta		1800
acatctagaa	catttagata	taccgatttt	agtaatcctt	tttcatttag	agctaatcca		1860
gatataattg	ggataagtga	acaacctcta	tttgggtcag	gttctattag	tagcggtgaa		1920
ctttatatag	ataaaattga	aattattcta	gcagatgcaa	caggaacgac	aacctatgag		1980
tatgaagaga	agcagaatct	agaaaaagcg	cagaaagcgt	tgaacgcttt	gtttacggat		2040
ggcacgaatg	gctatctaca	aatggatgcc	actgattatg	atatcaatca	aactgcaaac		2100
ttaatagaat	gtgtatcaga	tgaattgtat	gcaaaagaaa	agatagtttt	attagatgaa		2160
gtcaaatatg	cgaagcggct	tagcatatca	cgtaacctac	ttttgaacga	tgatttagaa		2220
ttttcagatg	gatttgagaa	aaacggatgg	acgacaagtg	ataatatttc	aatccaggcg		2280
gataatcccc	tttttaaggg	gaattattta	aaaatgtttg	gggcaagaga	tattgatgga		2340
accctatttc	caacttatct	ctatcaaaaa	atagatgagt	ccaggttaaa	accatataca		2400
cgttatcgag	taagagggtt	tgtgggaagt	agtaaaaatc	taaaattagt	ggtaacacgc		2460
tatgagaaaag	aaattgatgc	cattatgaat	gttccaaatg	atgtggcaca	tatgcagctt		2520
aaccttcat	gtggagatta	tcgctgtgaa	tcatcgcccc	agtttttggt	gaaccaagtg		2580
catcctacac	caacagctgg	atagtctctt	gatatgtatg	catgcccgtc	aagttcagat		2640
aaaaaacata	ttatgtgtca	cgatcgatc	ccatttgatt	ttcatattga	caccggagaa		2700
ttaaatccaa	acacaaacct	gggtattgat	gtcttgttta	aaatttctaa	tccaaatgga		2760
tacgctacat	tagggaatct	agaagtcatt	gaagaaggac	cactaacaga	tgaagcattg		2820
gtacatgtaa	aacaaaagga	aaagaaatgg	cgtcagcaca	tggagaaaaa	acgaatggaa		2880

-continued

---

```

acacaacaag cctatgatcc agcaaaacaa gctgtagatg cattatttac aatgaacaa 2940
gagttagact atcatactac tttagatcat attcagaacg cccatcagct ggtacaggcg 3000
attccctatg tacaccatgc ttggttaccg gatgctccag gtatgaacta tgatgtatat 3060
caagggttaa acgcacgtat catgcaggcg tacaatttat atgatgcacg aatgtcata 3120
ataaatggtg actttacaca aggactacaa ggatggcacg caacaggaaa agcagcggta 3180
caacaaatag atggagcttc agtattagtt ctatcaaact ggagtgccga ggtatctcag 3240
aatctgcatg cccaagatca tcatggatat atgttacgtg tgattgccaa aaaagaaggt 3300
cctggaaaag ggtatgtaat gatgatggat tttaatggaa agcaggaaac acttacgttc 3360
acttcttggtg aagaaggata tataacaaaa acaatagagg tattcccgga aagtgatcga 3420
atacgaattg aatgggaga aacagagggt acgttttatg tagatagcat cgagttgctt 3480
tgtatgcaag gatatgctag cgataataac ccgcacacgg gtaatatgta tgagcaaagt 3540
tataatggaa attataatca aaatactagc gatgtgtatc accaaggata tataaacaac 3600
tataacaaaa attctagtag tatgtataat caaaattata ttaacaatga tgacctgcat 3660
tccggttgca catgtaacca agggcataac tctggctgta catgtaatca aggatataac 3720
cgttag 3726

```

&lt;210&gt; SEQ ID NO 35

&lt;211&gt; LENGTH: 3726

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC868\_11.

&lt;400&gt; SEQUENCE: 35

```

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt 60
tcaaaccact ccgcgcagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc 120
atagccgagg gcaacaacat cgaccattc gtgtcggcca gcacggttca gaccggcatc 180
aacatcgcg gccgtatcct cggcgtcctc ggtgtcccat tcgcccgtca gatcgcgtcc 240
ttctactcgt tccttggtgg cgagctgtgg cctcgcggtc gtgaccctg ggagatcttc 300
ctggagcatg tggagcagtt gatccggcag caagtcaacg agaacaccg cgatactgct 360
ctggccaggc tacagggcct gggaaactcc tttcgggcat accagcagtc actggaggac 420
tggttgagga acagggatga cgcgcgaaca cgctcggtag tctacacca gtacatcgct 480
ctcgaactcg acttctgaa cgctatgccg ctgttcgcca tcaggaacca ggaagttcca 540
ctccttatgg tgtacgcca ggcgcgcaac ttacatctgc tcctgctgcg ggacgccagc 600
ctgttcggct ccgagttcgg actcacatct caagaaatcc agcgttacta cgagcgccaa 660
gtggagaaga cccgtgagta cagtgactac tgcgctcgat ggtacaacac agggctcaac 720
aacctgcgcg gcaccaacgc tgagtcagtg ctccgttaca accagttccg ccgcgacttg 780
actttgggtg tcctagacct ggtggcgcta ttcccgtctt acgacacacg ggtgtacca 840
atgaacacta gcgcgcaact cacgcgggag atctacacag acccaatcgg ccggacgaac 900
gcaccctccg gtttcgcatc cacgaattgg ttcaacaaca acgcaccctc cttctcggca 960
atcgaggccg ccgcatccg cctcctcac ctgctcgact ttcccagca gctcacgatc 1020
ttctccgtgc tctcacgtg gtccaacaca cagtacatga actactgggt cgggcaccga 1080
ttggagagta ggacgatccg tggcagcttg agcaccagta cccacggcaa caccaacacc 1140

```

-continued

---

tccatcaacc	cagttacgct	acagttcacg	agccgcgacg	tttaccggac	tgagtcgttc	1200
gcgggcatta	acatccttct	gacaacgccc	gtcaacggcg	tcccgtgggc	ccggttcaac	1260
tggcgtaacc	cgttgaactc	cctgcgcggg	tcattgctct	acaccatcgg	gtacacgggc	1320
gtcggcacc	agctcttcga	cagtgaaact	gagctgcgc	ccgagaccac	ggaacgccc	1380
aactacgagt	cctacagcca	ccgctgtcc	aacatccggc	tcattctctg	caacacgctg	1440
cgtgcgcgg	tgtactcctg	gacacaccgc	agcgcgacc	ggaccaacac	gatctcttc	1500
gactccatta	accagatccc	gctcgtgaag	ggcttccgtg	tgtggggtg	cacgagcgtc	1560
atcaccggtc	cggtcttcac	cggtggagac	atactgcggc	gcaaaccttt	cggcgacttc	1620
gtttcgttgc	aagtgaacat	caactcgcgc	atcaccacgc	gttaccgtct	gaggttccgc	1680
tacgcttcaa	gccgcgacgc	gagggtcatt	gtcctgaccg	gagccgcgtc	cacaggcgtg	1740
ggaggccaag	tctcagtcaa	catgcctctc	cagaagacga	tggagatagg	cgagaacttg	1800
actagccgaa	ccttccggta	cactgatttc	tcgaacctt	tctcattcag	agcgaacct	1860
gacatcattg	ggatctccga	gcaaccgctg	ttcggtgctg	gctccatcag	ctctggcgaa	1920
ctgtacatcg	acaagattga	gatcatcctg	gcggatgcga	cggggactac	cacctacgag	1980
tacgaggaga	agcagaatct	cgagaaggct	cagaaggctc	tgaacgctct	gttactgac	2040
gggaccaacg	gctacctcca	gatggacgcc	actgactacg	acatcaacca	gacagctaac	2100
ctgattgagt	gtgtgagtga	cgaactgtac	gctaaggaga	agatcgtact	cctggacgag	2160
gtgaagtacg	ctaagcgct	gagcattagc	cgtaacctgc	tgctgaacga	cgatctggag	2220
ttcagcgacg	gctttggcga	gaacggctgg	accaccagcg	acaacatctc	catccaggcc	2280
gacaatccac	tcttcaaagg	caactacctc	aagatgttcg	gagccaggga	catcgacggc	2340
accctctttc	cgacctacct	ctaccagaag	atcgacgagt	cccgcctcaa	acctacacc	2400
cgctacaggg	tgccgcgctt	cgtgggcagc	agcaagaacc	tcaagctcgt	ggtcacacgg	2460
tatgagaagg	agatcgacgc	catcatgaac	gtgcccaacg	atctcgcca	catgcagctc	2520
aatccatcct	gcggcgacta	ccggtgcgag	tccagctccc	agttcctcgt	gaaccagggtg	2580
cacctactc	cgaccgctgg	ctatgccctg	gacatgtaag	cctgccctag	ttcctccgac	2640
aagaagcaca	tcattgtcca	cgaccgtcat	ccgttcgact	tccacatcga	caccggcgaa	2700
ctgaacccga	acaccaacct	gggcatcgac	gtactgttca	agatttcaa	cccgaacggg	2760
tacgccacct	tgggcaacct	ggaggtcatc	gaagaaggcc	cgctgaccga	cgaggccctg	2820
gtccacgtca	aacagaagga	gaagaagtgg	cggcagcaca	tggagaagaa	gcggatggag	2880
actcaacaag	cctacgacc	ggccaagcaa	gctgtggacg	ctctgttcac	caacgagcaa	2940
gagcttgact	accacactac	tcttgaccac	atccagaatg	ctgaccagct	tgtccaggct	3000
attccgtacg	tccaccacgc	ttggctaccg	gacgctccag	ggatgaacta	cgatgtgtac	3060
cagggctctga	acgcgcggat	catgcaagcg	tacaacctgt	acgacgcgcg	taacgtcatc	3120
atcaacggtg	acttcaactca	gggtcttcaa	ggttggcagc	cgactggcaa	agggcgagtc	3180
cagcagattg	atggtgcgtc	tgttcttggt	ttgagcaact	ggtctgcgga	ggtttctcag	3240
aacctgcacg	cacaggatca	ccacggctac	atgctgaggg	tgattgctaa	gaaggagggc	3300
cctggcaaag	gctacgtcat	gatgatggac	ttcaacggaa	agcaagaaac	cctgaccttc	3360
actagctgtg	aggagggcta	catcactaag	accattgagg	tctttccgga	gtctgaccgc	3420
atccggatcg	agatgggcga	gaccgaaggc	acgttctacg	tggactccat	cgaaactctc	3480
tgcatgcaag	gctacgcctc	cgacaacaac	ccacacacgg	gcaacatgta	cgagcagttc	3540

-continued

---

```
tacaacggga actacaacca gaacacctcc gatgtgtacc atcagggcta catcaacaac 3600
tacaaccaga acagcagcag catgtacaac cagaactaca tcaacaacga tgacttgac 3660
tcgggttgca cctgcaacca gggtcacaac agtgggtgca cgtgcaacca gggatacaac 3720
cgttga 3726
```

```
<210> SEQ ID NO 36
<211> LENGTH: 1241
<212> TYPE: PRT
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Amino acid sequence of the chimeric protein
variant TIC868_11.
```

```
<400> SEQUENCE: 36
```

```
Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
20           25           30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
35           40           45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
50           55           60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
85           90           95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
100          105          110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
115          120          125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
130          135          140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
165          170          175
Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His
180          185          190
Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu
195          200          205
Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr
210          215          220
Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn
225          230          235          240
Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe
245          250          255
Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro
260          265          270
Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr
275          280          285
Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly
290          295          300
Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala
305          310          315          320
```

-continued

---

Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu  
 325 330 335

Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr  
 340 345 350

Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly  
 355 360 365

Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro  
 370 375 380

Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400

Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415

Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu  
 420 425 430

Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser  
 435 440 445

Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser  
 450 455 460

Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu  
 465 470 475 480

Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn  
 485 490 495

Thr Ile Ser Ser Asp Ser Ile Asn Gln Ile Pro Leu Val Lys Gly Phe  
 500 505 510

Arg Val Trp Gly Gly Thr Ser Val Ile Thr Gly Pro Gly Phe Thr Gly  
 515 520 525

Gly Asp Ile Leu Arg Arg Asn Thr Phe Gly Asp Phe Val Ser Leu Gln  
 530 535 540

Val Asn Ile Asn Ser Pro Ile Thr Gln Arg Tyr Arg Leu Arg Phe Arg  
 545 550 555 560

Tyr Ala Ser Ser Arg Asp Ala Arg Val Ile Val Leu Thr Gly Ala Ala  
 565 570 575

Ser Thr Gly Val Gly Gly Gln Val Ser Val Asn Met Pro Leu Gln Lys  
 580 585 590

Thr Met Glu Ile Gly Glu Asn Leu Thr Ser Arg Thr Phe Arg Tyr Thr  
 595 600 605

Asp Phe Ser Asn Pro Phe Ser Phe Arg Ala Asn Pro Asp Ile Ile Gly  
 610 615 620

Ile Ser Glu Gln Pro Leu Phe Gly Ala Gly Ser Ile Ser Ser Gly Glu  
 625 630 635 640

Leu Tyr Ile Asp Lys Ile Glu Ile Ile Leu Ala Asp Ala Thr Gly Thr  
 645 650 655

Thr Thr Tyr Glu Tyr Glu Glu Lys Gln Asn Leu Glu Lys Ala Gln Lys  
 660 665 670

Ala Leu Asn Ala Leu Phe Thr Asp Gly Thr Asn Gly Tyr Leu Gln Met  
 675 680 685

Asp Ala Thr Asp Tyr Asp Ile Asn Gln Thr Ala Asn Leu Ile Glu Cys  
 690 695 700

Val Ser Asp Glu Leu Tyr Ala Lys Glu Lys Ile Val Leu Leu Asp Glu  
 705 710 715 720

Val Lys Tyr Ala Lys Arg Leu Ser Ile Ser Arg Asn Leu Leu Leu Asn  
 725 730 735

-continued

---

Asp Asp Leu Glu Phe Ser Asp Gly Phe Gly Glu Asn Gly Trp Thr Thr  
                   740                                  745                                  750

Ser Asp Asn Ile Ser Ile Gln Ala Asp Asn Pro Leu Phe Lys Gly Asn  
                   755                                  760                                  765

Tyr Leu Lys Met Phe Gly Ala Arg Asp Ile Asp Gly Thr Leu Phe Pro  
           770                                  775                                  780

Thr Tyr Leu Tyr Gln Lys Ile Asp Glu Ser Arg Leu Lys Pro Tyr Thr  
   785                                  790                                  795                                  800

Arg Tyr Arg Val Arg Gly Phe Val Gly Ser Ser Lys Asn Leu Lys Leu  
                                   805                                  810                                  815

Val Val Thr Arg Tyr Glu Lys Glu Ile Asp Ala Ile Met Asn Val Pro  
                                   820                                  825                                  830

Asn Asp Leu Ala His Met Gln Leu Asn Pro Ser Cys Gly Asp Tyr Arg  
                   835                                  840                                  845

Cys Glu Ser Ser Ser Gln Phe Leu Val Asn Gln Val His Pro Thr Pro  
           850                                  855                                  860

Thr Ala Gly Tyr Ala Leu Asp Met Tyr Ala Cys Pro Ser Ser Ser Asp  
   865                                  870                                  875                                  880

Lys Lys His Ile Met Cys His Asp Arg His Pro Phe Asp Phe His Ile  
                                   885                                  890                                  895

Asp Thr Gly Glu Leu Asn Pro Asn Thr Asn Leu Gly Ile Asp Val Leu  
                   900                                  905                                  910

Phe Lys Ile Ser Asn Pro Asn Gly Tyr Ala Thr Leu Gly Asn Leu Glu  
           915                                  920                                  925

Val Ile Glu Glu Gly Pro Leu Thr Asp Glu Ala Leu Val His Val Lys  
   930                                  935                                  940

Gln Lys Glu Lys Lys Trp Arg Gln His Met Glu Lys Lys Arg Met Glu  
   945                                  950                                  955                                  960

Thr Gln Gln Ala Tyr Asp Pro Ala Lys Gln Ala Val Asp Ala Leu Phe  
                                   965                                  970                                  975

Thr Asn Glu Gln Glu Leu Asp Tyr His Thr Thr Leu Asp His Ile Gln  
                   980                                  985                                  990

Asn Ala Asp Gln Leu Val Gln Ala Ile Pro Tyr Val His His Ala Trp  
                   995                                  1000                                  1005

Leu Pro Asp Ala Pro Gly Met Asn Tyr Asp Val Tyr Gln Gly Leu  
   1010                                  1015                                  1020

Asn Ala Arg Ile Met Gln Ala Tyr Asn Leu Tyr Asp Ala Arg Asn  
   1025                                  1030                                  1035

Val Ile Ile Asn Gly Asp Phe Thr Gln Gly Leu Gln Gly Trp His  
   1040                                  1045                                  1050

Ala Thr Gly Lys Ala Ala Val Gln Gln Ile Asp Gly Ala Ser Val  
   1055                                  1060                                  1065

Leu Val Leu Ser Asn Trp Ser Ala Glu Val Ser Gln Asn Leu His  
   1070                                  1075                                  1080

Ala Gln Asp His His Gly Tyr Met Leu Arg Val Ile Ala Lys Lys  
   1085                                  1090                                  1095

Glu Gly Pro Gly Lys Gly Tyr Val Met Met Met Asp Phe Asn Gly  
   1100                                  1105                                  1110

Lys Gln Glu Thr Leu Thr Phe Thr Ser Cys Glu Glu Gly Tyr Ile  
   1115                                  1120                                  1125

Thr Lys Thr Ile Glu Val Phe Pro Glu Ser Asp Arg Ile Arg Ile  
   1130                                  1135                                  1140

Glu Met Gly Glu Thr Glu Gly Thr Phe Tyr Val Asp Ser Ile Glu

-continued

1145	1150	1155
Leu Leu Cys Met Gln Gly Tyr Ala Ser Asp Asn Asn Pro His Thr 1160	1165	1170
Gly Asn Met Tyr Glu Gln Ser Tyr Asn Gly Asn Tyr Asn Gln Asn 1175	1180	1185
Thr Ser Asp Val Tyr His Gln Gly Tyr Ile Asn Asn Tyr Asn Gln 1190	1195	1200
Asn Ser Ser Ser Met Tyr Asn Gln Asn Tyr Ile Asn Asn Asp Asp 1205	1210	1215
Leu His Ser Gly Cys Thr Cys Asn Gln Gly His Asn Ser Gly Cys 1220	1225	1230
Thr Cys Asn Gln Gly Tyr Asn Arg 1235	1240	

<210> SEQ ID NO 37  
 <211> LENGTH: 3468  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Recombinant nucleotide sequence used for  
 expression in a bacterial cell encoding TIC868\_12.

<400> SEQUENCE: 37

```

atgacttcaa ataggaaaa tgagaatgaa attataaatg ctttatcgat tccagctgta      60
tcgaatcatt cgcacaaaat gaatctatca accgatgctc gtattgagga tagcttgtgt     120
atagccgagg ggaacaatat cgatccattt gttagcgcac caacagtcca aacgggtatt     180
aacatagctg gtagaatact aggtgtatta ggcgtaccgt ttgctggaca aatagctagt     240
ttttatagtt ttcttgttgg tgaattatgg ccccgcgcca gagatccttg ggaaattttc     300
ctagaacatg tcgaacaact tataagacaa caagtaacag aaaatactag ggatacggct     360
cttgctcgat tacaaggttt aggaaattcc tttagagcct atcaacagtc acttgaagat     420
tggctagaaa accgtgatga tgcaagaacg agaagtgttc tttataccca atatatagcc     480
ttagaacttg attttcttaa tgcgatgccg cttttcgcaa ttagaaacca agaagttcca     540
ttattaatgg tatatgctca agctgcaaat ttacacctat tattattgag agatgcctct     600
ctttttggta gtgaatttgg gcttacatcc caagaaattc aacgttatta tgagcgccaa     660
gtggaaaaaa cgagagaata ttctgattat tgcgcaagat ggtataatac gggtttaaat     720
aatttgagag ggacaaatgc tgaaagtggg ttgcatata atcaattccg tagagactta     780
acgctaggag tattagatct agtggcacta ttcccaagct atgacacgcg tgtttatcca     840
atgaatacca gtgctcaatt aacaagagaa atttatacag atccaattgg gagaacaaat     900
gcaccttcag gatttgcaag tacgaattgg ttaataata atgcaccatc gttttctgcc     960
atagaggctg ccgttattag gcctccgcat ctacttgatt ttccagaaca gcttacaatt    1020
ttcagcgtat taagtcgatg gagtaatact caatatatga attactgggt gggacataga    1080
cttgaatcgc gaacaataag ggggtcatta agtacctcga cacacggaaa taccaatact    1140
tctattaatc ctgtaacatt acagttcaca tctcgagacg tttatagaac agaatcattt    1200
gcagggataa atatacttct aactactcct gtgaatggag taccttgggc tagatttaat    1260
tggagaaatc ccctgaattc tcttagaggt agccttctct atactatagg gtatactgga    1320
gtggggacac aactatttga ttcagaaact gaattaccac cagaaacaac agaacgacca    1380
aattatgaat cttacagtca tagattatct aatataagac taatatcagg aaacactttg    1440

```

-continued

---

```

agagcaccag tatattcttg gacgcaccgt agtgcagatc gtacaaatac cattagttca 1500
gatagcatta atcaaatacc tttagtgaag ggatttagag tttggggggg cacctctgtc 1560
attacaggac caggatttac aggaggggat atccttcgaa gaaatacctt tgggtgatttt 1620
gtatctctac aagtcaatat taattcacca attacccaaa gataccgttt aagatttcgt 1680
tacgcttcca gtagggatgc acgagttata gtattaacag gagcggcatc cacaggagtg 1740
ggaggccaag ttagtgtaaa tatgcctctt cagaaaacta tggaaatagg ggagaactta 1800
acatctagaa catttagata taccgatttt agtaatcctt tttcatttag agctaatacca 1860
gatataattg ggataagtga acaacctcta tttggtgcag gttctattag tagcggtgaa 1920
ctttatatag ataaaattga aattattcta gcagatgcaa caaatccgac gcgagaggcg 1980
gaagaggatc tagaagcagc gaagaaagcg gtggcgagct tgtttacacg tacaagggac 2040
ggattacaag taaatgtgac agattatcaa gtcgatcaag cggcaaattt agtgtcatgc 2100
ttatcagatg aacaatatgg gcatgacaaa aagatggtat tgggaagcgt aagagcggca 2160
aaacgcctca gccgagaacg caacttactt caggatccag attttaatac aatcaatagt 2220
acagaagaaa atggatggaa agcaagtaac ggcgttacta ttagcgaggg cgggccattc 2280
tataaaggcc gtgcgcttca gctagcaagc gcaagagaaa attacccaac atacatttat 2340
caaaaagtaa atgcatcaga gttaaagccg tatacacggt atagactgga tgggttcgtg 2400
aagagtagtc aagatttaga aattgatctc attcaccatc ataaagtcca tctcgtgaaa 2460
aatgtaccag ataatttagt atccgatact tactcggatg gttcttgcag tggaaatgaat 2520
cgatgtgagg aacaacagat ggtaaatgag caactggaaa cagaacatca tcatccgatg 2580
gattgctgtg aagcggctca aacacatgag ttttcttctt atattaatac aggcgatcta 2640
aattcaagtg tagatcaagg catttggggt gtattgaaag ttcgaacaac cgatgggttat 2700
gcgacgctag gaaatcttga attggtagag gtcggaccgt tatcgggtga atctctagaa 2760
cgtgaacaaa gggataatgc gaaatggagt gcagagctag gaagaaagcg tgcagaaaca 2820
gatcgcgtgt atcaagatgc caaacaatcc atcaatcatt tatttgtgga ttatcaagat 2880
caacaattaa atccagaaat agggatggca gatattattg acgctcaaaa tcttgtcgca 2940
tcaatttcag atgtgatag cgatgcagta ctgcaaatcc ctggaattaa ctatgagatt 3000
tacacagagc tatccaatcg cttacaacaa gcatcgtatc tgtatacgtc tcgaaatgag 3060
gtgcaaatg gggactttaa cagcggctca gatagttgga atgcaacagg gggggctacg 3120
gtacaacagg atggcaatac gcatttctta gttctttctc attgggatgc acaagtttct 3180
caacaattta gagtgcagcc gaattgtaaa tatgtattac gtgtaacagc agagaaagta 3240
ggcggcggag acggatacgt gacaatccgg gatggtgctc atcatacaga aaagcttaca 3300
tttaatgcat gtgattatga tataaatggc acgtacgtga ctgataatac gtatctaaca 3360
aaagaagtgg tattctattc acatacagaa cacatgtggg tagaggtaag tgaaacagaa 3420
ggtgcatttc atatagatag tattgaattc gttgaaacag aaaagtag 3468

```

&lt;210&gt; SEQ ID NO 38

&lt;211&gt; LENGTH: 3468

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC868\_12.

&lt;400&gt; SEQUENCE: 38



-continued

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt	60
tcaaaccact ccgcgagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc	120
atagccgagg gcaacaacat cgacccattc gtgtcggcca gcacggttca gaccggcatc	180
aacatcgcg gccgtatcct cggcgtcctc ggtgtcccat tcgcccgtca gatcgcgctc	240
ttctactcgt tccttgtggg cgagctgtgg cctcggggtc gtgacccgtg ggagatcttc	300
ctggagcatg tggagcagtt gatccggcag caagtacgcg agaacaccgc cgatactgct	360
ctggccaggc tacagggcct gggaaactcc ttccgggcat accagcagtc actggaggac	420
tggttggaga acagggatga cgcgcgaaca cgctcggtag tctacacca gtacatcgct	480
ctcgaactcg acttctgaa cgctatgccg ctgttcgcca tcaggaacca ggaagttcca	540
ctccttatgg tgtacgcca ggccgccaac ttacatctgc tcctgctgcg ggacgccagc	600
ctgttcggct ccgagttcgg actcacatct caagaaatcc agcgttacta cgagcgccaa	660
gtggagaaga cccgtgagta cagtgactac tgcgctcgat ggtacaacac agggctcaac	720
aacctgcgcg gcaccaacgc tgagtcagtg ctccgttaca accagttccg ccgcgacttg	780
actttgggtg tcctagacct ggtggcgcta ttcccgtctt acgacacacg ggtgtacca	840
atgaacacta gcgcgcaact cacgcgggag atctacacag acccaatcgg ccggacgaac	900
gcaccctccg gtttcgcatc cacgaattgg ttcaacaaca acgcaccctc cttctcgga	960
atcgaggccg ccgctatccg ccctcctcac ctgctcgact ttcccagca gctcacgac	1020
ttctccgtgc tctcacgtg gtccaacaca cagtacatga actactgggt cgggcaccga	1080
ttggagagta ggacgatccg tggcagcttg agcaccagta cccacggcaa caccaacacc	1140
tccatcaacc cagttacgct acagttcacg agccgcgacg tttaccggac tgagtcgttc	1200
gcgggcatta acatccttct gacaacgccc gtcaacggcg tcccgtgggc ccggttcaac	1260
tggcgtaacc cgttgaactc cctgcgcggg tcattgctct acaccatcgg gtacacgggc	1320
gtcggcacc cagctcttga cagtgaaact gagctgcgcg ccgagaccac ggaacgcccg	1380
aactacgagt cctacagcca ccgcctgtcc aacatccggc tcatctctgg caacacgctg	1440
cgtgcgcggg tgtactcctg gacacaccgc agcgcgacg ggaccaacac gatctcttcc	1500
gactccatta accagatccc gctcgtgaag ggcttccgtg tgtggggtgg cacgagcgtc	1560
atcacccggtc cgggcttcc cgggtggagac atactgcggc gcaaaccttt cggcgacttc	1620
gtttcgttgc aagtgaacat caactcgccg atcaccagc gttaccgtct gaggttccgc	1680
tacgcttcaa gccgcgacgc gagggctcatt gtctgaccg gagccgcgtc cacaggcgtg	1740
ggaggccaag tctcagtcaa catgcctctc cagaagacga tggagatagg cgagaacttg	1800
actagccgaa ccttccggta cactgatttc tcgaaccctt tctcattcag agcgaaccct	1860
gacatcattg ggatctccga gcaaccgctg ttcgggtgctg gctccatcag ctctggcgaa	1920
ctgtacatcg acaagattga gatcatcctg gcggatgcga cgaaccgac gcgggaagct	1980
gaggaagact tgaagccgc caagaaagcg gtcgccagcc tgtttactcg gacgcgggac	2040
gggctccaag tgaatgtgac ggactatcaa gtggatcagg ccgctaacct cgtgtcatgc	2100
ctgagcgacg agcagtacgg tcacgacaag aaaatgctgc tggaggccgt ccgggcccgc	2160
aagcggctgt ccaggagcg taacctgcta caagatcccg actttaacac gatcaacagc	2220
acagaggaga atggctggaa ggccagcaac ggagttacga taagcgaggg cggctcgttc	2280
tacaagggtc gtgcctcca gctcgcctct gcaagggaga actatccaac ctacatctat	2340
cagaaggtga acgcatccga gcttaagccc tacacacgct accgcctgga cgggttcggt	2400

-continued

---

```

aagtccagtc aagacctaga gatagacctc atccaccacc acaaagtgca tctgggtcaag 2460
aacgttccccg ataatctcgt gagcgatacc tactcagacg gctcatgctc tggcatgaac 2520
agatgtgagg agcaacagat ggttaatgct caactcgaaa ccgagcatca tcatcctatg 2580
gattgctgcg aggccgcgca gacctatgag ttcagctctt acatcaacac cggagacctc 2640
aacagtagcg tggatcaggg aatttgggtg gtgcttaaag tgcgtacaac cgacgggtac 2700
gccaccctcg gcaaccttga gcttgctgag gtcggaccac ttagcggcga gtccctggaa 2760
cgtgagcagc gggacaacgc caaatggagc gcagagctag ggcgcaaacg cgcgagacg 2820
gaccggggtt atcaggacgc gaagcagtcc atcaatcacc tcttcgtgga ttatcaggac 2880
cagcagctta atccagagat cggcatggcc gacatcatcg acgcccagaa cctagtagcg 2940
tcgatttccg atgtctattc cgacgccgtg cttcaaatac ctggcatcaa ctacgagatc 3000
tacacagagt tgtccaacag gctccagcaa gcgtcatacc tctacaccag ccgcaacgcc 3060
gtccagaatg gcgacttcaa ttccggacta gactcctgga acgccacggg cggagctacg 3120
gtgcaacaag acggcaacac ccaacttctc gtacttagcc actgggacgc tcaagtgagt 3180
cagcaattcc gggttcagcc gaactgcaag tacgtcctgc gcgtaacggc cgagaaggtt 3240
ggaggcggag acggctacgt taccatccgc gacggcgtc accacaccga gaaactgacg 3300
ttcaacgctt gtgactacga catcaacggc acttacgtga cggacaacac ctacctgacg 3360
aaggaggtgg tgttctattc tcacaccgag cacatgtggg ttgaggtcag cgagaccgag 3420
ggagccttcc acattgacag catcgagttc gtggagactg agaagtga 3468

```

&lt;210&gt; SEQ ID NO 39

&lt;211&gt; LENGTH: 1155

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC868\_12.

&lt;400&gt; SEQUENCE: 39

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15

Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
          20           25           30

Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
          35           40           45

Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
          50           55           60

Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80

Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
          85           90           95

Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
          100          105          110

Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
          115          120          125

Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
          130          135          140

Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160

Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn

```

-continued

165				170				175							
Gln	Glu	Val	Pro	Leu	Leu	Met	Val	Tyr	Ala	Gln	Ala	Ala	Asn	Leu	His
			180												190
Leu	Leu	Leu	Leu	Arg	Asp	Ala	Ser	Leu	Phe	Gly	Ser	Glu	Phe	Gly	Leu
			195												205
Thr	Ser	Gln	Glu	Ile	Gln	Arg	Tyr	Tyr	Glu	Arg	Gln	Val	Glu	Lys	Thr
			210												220
Arg	Glu	Tyr	Ser	Asp	Tyr	Cys	Ala	Arg	Trp	Tyr	Asn	Thr	Gly	Leu	Asn
															240
Asn	Leu	Arg	Gly	Thr	Asn	Ala	Glu	Ser	Trp	Leu	Arg	Tyr	Asn	Gln	Phe
															255
Arg	Arg	Asp	Leu	Thr	Leu	Gly	Val	Leu	Asp	Leu	Val	Ala	Leu	Phe	Pro
			260												270
Ser	Tyr	Asp	Thr	Arg	Val	Tyr	Pro	Met	Asn	Thr	Ser	Ala	Gln	Leu	Thr
			275												285
Arg	Glu	Ile	Tyr	Thr	Asp	Pro	Ile	Gly	Arg	Thr	Asn	Ala	Pro	Ser	Gly
			290												300
Phe	Ala	Ser	Thr	Asn	Trp	Phe	Asn	Asn	Asn	Ala	Pro	Ser	Phe	Ser	Ala
															320
Ile	Glu	Ala	Ala	Val	Ile	Arg	Pro	Pro	His	Leu	Leu	Asp	Phe	Pro	Glu
															335
Gln	Leu	Thr	Ile	Phe	Ser	Val	Leu	Ser	Arg	Trp	Ser	Asn	Thr	Gln	Tyr
			340												350
Met	Asn	Tyr	Trp	Val	Gly	His	Arg	Leu	Glu	Ser	Arg	Thr	Ile	Arg	Gly
			355												365
Ser	Leu	Ser	Thr	Ser	Thr	His	Gly	Asn	Thr	Asn	Thr	Ser	Ile	Asn	Pro
			370												380
Val	Thr	Leu	Gln	Phe	Thr	Ser	Arg	Asp	Val	Tyr	Arg	Thr	Glu	Ser	Phe
			385												400
Ala	Gly	Ile	Asn	Ile	Leu	Leu	Thr	Thr	Pro	Val	Asn	Gly	Val	Pro	Trp
			405												415
Ala	Arg	Phe	Asn	Trp	Arg	Asn	Pro	Leu	Asn	Ser	Leu	Arg	Gly	Ser	Leu
			420												430
Leu	Tyr	Thr	Ile	Gly	Tyr	Thr	Gly	Val	Gly	Thr	Gln	Leu	Phe	Asp	Ser
			435												445
Glu	Thr	Glu	Leu	Pro	Pro	Glu	Thr	Thr	Glu	Arg	Pro	Asn	Tyr	Glu	Ser
			450												460
Tyr	Ser	His	Arg	Leu	Ser	Asn	Ile	Arg	Leu	Ile	Ser	Gly	Asn	Thr	Leu
															480
Arg	Ala	Pro	Val	Tyr	Ser	Trp	Thr	His	Arg	Ser	Ala	Asp	Arg	Thr	Asn
			485												495
Thr	Ile	Ser	Ser	Asp	Ser	Ile	Asn	Gln	Ile	Pro	Leu	Val	Lys	Gly	Phe
			500												510
Arg	Val	Trp	Gly	Gly	Thr	Ser	Val	Ile	Thr	Gly	Pro	Gly	Phe	Thr	Gly
			515												525
Gly	Asp	Ile	Leu	Arg	Arg	Asn	Thr	Phe	Gly	Asp	Phe	Val	Ser	Leu	Gln
			530												540
Val	Asn	Ile	Asn	Ser	Pro	Ile	Thr	Gln	Arg	Tyr	Arg	Leu	Arg	Phe	Arg
			545												560
Tyr	Ala	Ser	Ser	Arg	Asp	Ala	Arg	Val	Ile	Val	Leu	Thr	Gly	Ala	Ala
			565												575
Ser	Thr	Gly	Val	Gly	Gly	Gln	Val	Ser	Val	Asn	Met	Pro	Leu	Gln	Lys
			580												590

-continued

---

Thr Met Glu Ile Gly Glu Asn Leu Thr Ser Arg Thr Phe Arg Tyr Thr  
 595 600 605  
 Asp Phe Ser Asn Pro Phe Ser Phe Arg Ala Asn Pro Asp Ile Ile Gly  
 610 615 620  
 Ile Ser Glu Gln Pro Leu Phe Gly Ala Gly Ser Ile Ser Ser Gly Glu  
 625 630 635 640  
 Leu Tyr Ile Asp Lys Ile Glu Ile Ile Leu Ala Asp Ala Thr Asn Pro  
 645 650 655  
 Thr Arg Glu Ala Glu Glu Asp Leu Glu Ala Ala Lys Lys Ala Val Ala  
 660 665 670  
 Ser Leu Phe Thr Arg Thr Arg Asp Gly Leu Gln Val Asn Val Thr Asp  
 675 680 685  
 Tyr Gln Val Asp Gln Ala Ala Asn Leu Val Ser Cys Leu Ser Asp Glu  
 690 695 700  
 Gln Tyr Gly His Asp Lys Lys Met Leu Leu Glu Ala Val Arg Ala Ala  
 705 710 715 720  
 Lys Arg Leu Ser Arg Glu Arg Asn Leu Leu Gln Asp Pro Asp Phe Asn  
 725 730 735  
 Thr Ile Asn Ser Thr Glu Glu Asn Gly Trp Lys Ala Ser Asn Gly Val  
 740 745 750  
 Thr Ile Ser Glu Gly Gly Pro Phe Tyr Lys Gly Arg Ala Leu Gln Leu  
 755 760 765  
 Ala Ser Ala Arg Glu Asn Tyr Pro Thr Tyr Ile Tyr Gln Lys Val Asn  
 770 775 780  
 Ala Ser Glu Leu Lys Pro Tyr Thr Arg Tyr Arg Leu Asp Gly Phe Val  
 785 790 795 800  
 Lys Ser Ser Gln Asp Leu Glu Ile Asp Leu Ile His His His Lys Val  
 805 810 815  
 His Leu Val Lys Asn Val Pro Asp Asn Leu Val Ser Asp Thr Tyr Ser  
 820 825 830  
 Asp Gly Ser Cys Ser Gly Met Asn Arg Cys Glu Glu Gln Gln Met Val  
 835 840 845  
 Asn Ala Gln Leu Glu Thr Glu His His His Pro Met Asp Cys Cys Glu  
 850 855 860  
 Ala Ala Gln Thr His Glu Phe Ser Ser Tyr Ile Asn Thr Gly Asp Leu  
 865 870 875 880  
 Asn Ser Ser Val Asp Gln Gly Ile Trp Val Val Leu Lys Val Arg Thr  
 885 890 895  
 Thr Asp Gly Tyr Ala Thr Leu Gly Asn Leu Glu Leu Val Glu Val Gly  
 900 905 910  
 Pro Leu Ser Gly Glu Ser Leu Glu Arg Glu Gln Arg Asp Asn Ala Lys  
 915 920 925  
 Trp Ser Ala Glu Leu Gly Arg Lys Arg Ala Glu Thr Asp Arg Val Tyr  
 930 935 940  
 Gln Asp Ala Lys Gln Ser Ile Asn His Leu Phe Val Asp Tyr Gln Asp  
 945 950 955 960  
 Gln Gln Leu Asn Pro Glu Ile Gly Met Ala Asp Ile Ile Asp Ala Gln  
 965 970 975  
 Asn Leu Val Ala Ser Ile Ser Asp Val Tyr Ser Asp Ala Val Leu Gln  
 980 985 990  
 Ile Pro Gly Ile Asn Tyr Glu Ile Tyr Thr Glu Leu Ser Asn Arg Leu  
 995 1000 1005

-continued

Gln	Gln	Ala	Ser	Tyr	Leu	Tyr	Thr	Ser	Arg	Asn	Ala	Val	Gln	Asn
	1010					1015					1020			
Gly	Asp	Phe	Asn	Ser	Gly	Leu	Asp	Ser	Trp	Asn	Ala	Thr	Gly	Gly
	1025					1030					1035			
Ala	Thr	Val	Gln	Gln	Asp	Gly	Asn	Thr	His	Phe	Leu	Val	Leu	Ser
	1040					1045					1050			
His	Trp	Asp	Ala	Gln	Val	Ser	Gln	Gln	Phe	Arg	Val	Gln	Pro	Asn
	1055					1060					1065			
Cys	Lys	Tyr	Val	Leu	Arg	Val	Thr	Ala	Glu	Lys	Val	Gly	Gly	Gly
	1070					1075					1080			
Asp	Gly	Tyr	Val	Thr	Ile	Arg	Asp	Gly	Ala	His	His	Thr	Glu	Lys
	1085					1090					1095			
Leu	Thr	Phe	Asn	Ala	Cys	Asp	Tyr	Asp	Ile	Asn	Gly	Thr	Tyr	Val
	1100					1105					1110			
Thr	Asp	Asn	Thr	Tyr	Leu	Thr	Lys	Glu	Val	Val	Phe	Tyr	Ser	His
	1115					1120					1125			
Thr	Glu	His	Met	Trp	Val	Glu	Val	Ser	Glu	Thr	Glu	Gly	Ala	Phe
	1130					1135					1140			
His	Ile	Asp	Ser	Ile	Glu	Phe	Val	Glu	Thr	Glu	Lys			
	1145					1150					1155			

&lt;210&gt; SEQ ID NO 40

&lt;211&gt; LENGTH: 3732

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC868\_13.

&lt;400&gt; SEQUENCE: 40

```

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt    60
tcaaaccact ccgcgcagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc    120
atagccgagg gcaacaacat cgaccattc gtgtcggccca gcacggttca gaccggcatc    180
aacatcgcgg gccgtatcct cggcgtcctc ggtgtcccat tcgccgtca gatcgcgctc    240
ttctactcgt tccttgtggg cgagctgtgg cctcgcggtc gtgaccctg ggagatcttc    300
ctggagcatg tggagcagtt gatccggcag caagtcacgg agaacaccg cgatactgct    360
ctggccaggc tacagggcct gggaaactcc tttcgggcat accagcagtc actggaggac    420
tggttggaga acagggatga cgcgcgaaca cgctcggtag tctacacca gtacatcgct    480
ctcgaactcg acttctgaa cgctatgccg ctgttcgcca tcaggaacca ggaagttcca    540
ctccttatgg tgtacgcca gcccgccaac ttacatctgc tcctgctgcg ggacgccagc    600
ctgttcggct ccgagttcgg actcacatct caagaaatcc agcgttacta cgagcgccaa    660
gtggagaaga cccgtgagta cagtgactac tgcgctcgat ggtacaacac agggctcaac    720
aacctgcgcg gcaccaacgc tgagtcagtg ctccgttaca accagttccg ccgcgacttg    780
actttgggtg tcctagacct ggtggcgcta ttcccgtctt acgacacacg ggtgtacca    840
atgaacacta gcgcgcaact cacgcgggag atctacacag acccaatcgg ccggacgaac    900
gcaccctccg gtttcgcatc cacgaattgg ttcaacaaca acgcaccctc cttctcggca    960
atcgaggccg ccgcatccg ccctcctcac ctgctcgact ttcccagca gctcacgac    1020
ttctccgtgc tctcacgtg gtccaacaca cagtacatga actactgggt cgggcaccga    1080
ttggagagta ggacgatccg tggcagcttg agcaccagta cccacggcaa caccaacacc    1140

```

-continued

---

tccatcaacc	cagttacgct	acagttcacg	agccgcgacg	tttaccggac	tgagtcgttc	1200
gcgggcatta	acatccttct	gacaacgccc	gtcaacggcg	tcccgtgggc	ccggttcaac	1260
tggcgtaacc	cgttgaactc	cctgcgcggg	tcatgtctct	acaccatcgg	gtacacgggc	1320
gtcggcacc	agctcttcga	cagtgaaact	gagctgcgcg	ccgagaccac	ggaacgccc	1380
aactacgagt	cctacagcca	ccgctgtcc	aacatccggc	tcatctctgg	caacacgctg	1440
cgtgcgcgg	tgtactcctg	gacacaccgc	agcgcgacc	ggaccaacac	gatctcttcc	1500
gactccatta	accagatccc	gctcgtgaag	ggcttccgtg	tgtgggggtg	cacgagcgtc	1560
atcaccggtc	cggtcttcac	cggtggagac	atactgcggc	gcaaaccttt	cggcgacttc	1620
gtttcgttgc	aagtgaacat	caactcgccg	atcaccacgc	gttaccgtct	gaggttccgc	1680
tacgcttcaa	gccgcgacgc	gagggtcatt	gtcctgaccg	gagccgcgtc	cacaggcgtg	1740
ggaggccaag	tctcagtcaa	catgcctctc	cagaagacga	tggagatagg	cgagaacttg	1800
actagccgaa	ccttccggta	cactgatttc	tcgaaccctt	tctcattcag	agcgaaccct	1860
gacatcattg	ggatctccga	gcaaccgctg	ttcggtgctg	gctccatcag	ctctggcgaa	1920
ctgtacatcg	acaagattga	gatcatcctg	gcggatgcga	cgacggcgac	cttcgaggcg	1980
gagtatgact	tggagcgggc	tcaggaggcc	gtcaacgcgc	tgttcacaaa	caccaatcct	2040
cgccgcctca	agacgggtgt	gactgattac	cacattgacg	aggtctccaa	cttggtcgcg	2100
tgtctgtccg	atgagttctg	cctggacgag	aagcgggaac	tgctggagaa	ggtcaagtac	2160
gccaagcgcc	tctccgacga	aaggaacctc	ctccaagatc	ccaactttac	ttccattaac	2220
aagcagccgg	acttcatctc	caccaacgag	cagtccaact	tcacctcaat	ccacgagcag	2280
tcggagcacg	ggtggtggg	cagcgagaac	atcaccatcc	aagagggcaa	cgacgtcttc	2340
aaggagaact	acgtgatcct	gcccggcacc	ttcaacgagt	gttaccggac	ctatctctac	2400
cagaagattg	gcgaagcgg	actcaaggct	tacaccggtt	accaactgag	tggtacatt	2460
gaggactcac	aagacctgga	aatctacctg	atccgctaca	acgccaagca	cgagaccctc	2520
gacgtgcctg	gcacggagtc	cgtctggccc	ttgagcgtgg	agtctcctat	cggtcgttgc	2580
ggcgagccca	atcgtctgct	tccgcacttt	gagtggaatc	ctgatttgg	ttgctcctgc	2640
cgagacgggtg	agaaatgctc	ccaccactcg	caccacttca	gcctagacat	cgacgtgggc	2700
tgcacgacc	tgcacgagaa	cttgggcgct	tgggtcgtgt	tcaagatcaa	gacacaggag	2760
ggccatgctc	ggcttgggaa	cctggagttc	atcgaggaga	agccactgct	gggtgaagcc	2820
ttgtcacggg	tgaacgcgc	cgagaagaag	tggcgggaca	aacgggagaa	gctccagttg	2880
gagacaaagc	gtgtgtacac	agaggccaag	gaggccgtgg	atgccttgtt	cgtggacagt	2940
cagtacgaca	ggctgcaagc	ggacaccaac	atcgggatga	tccacgcggc	tgataagctt	3000
gttacagaa	tccgcgaggc	gtacctgtca	gagcttagcg	tgatcccagg	cgtcaacgcc	3060
gaaatcttcg	aggaactgga	gggccgcatt	atcacggcaa	tctcacttta	tgacgcgagg	3120
aatgtggtca	agaacgggtg	cttcaacaac	ggcttggcgt	gttggaacgt	taaagggcac	3180
gtggatgtac	aacagtcaca	ccacagaagt	gtcttggtea	tcccggagtg	ggagggcgaa	3240
gtgagccagg	ccgtccgggt	ctgccctggg	cgcggttaca	tcctccgctg	gacagcgtac	3300
aaggagggct	acggtgaggg	ctgcgtgacg	atccacgaga	ttgagaacaa	cacggacgag	3360
cttaagttca	agaactgcga	ggaggaggaa	gtgtaccoga	cagacaccgg	cacctgcaac	3420
gactacaccg	cccaccaagg	gaccgccc	tgcaacagcc	gcaacgcggg	ctatgaagat	3480
gcgtacgagg	ttgataccac	cgctcagtg	aactacaaac	cgacttatga	ggaggagaca	3540

-continued

---

```

tacacggacg tcaggcgcga caaccattgt gactacgacc gtggctacgt gaactatccg 3600
ccgggtgccag cgggctacat gacgaaggag ctagaatact tccctgagac ggacaagggtg 3660
tggattgaaa tcggcgagac cgagggcaag tttatcgtgg attctgtcga gctgctgcta 3720
atggaggagt ag 3732

```

```

<210> SEQ ID NO 41
<211> LENGTH: 1243
<212> TYPE: PRT
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Amino acid sequence of the chimeric protein
variant TIC868_13.

```

```

<400> SEQUENCE: 41

```

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
20           25           30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
35           40           45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
50           55           60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
85           90           95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
100          105          110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
115          120          125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
130          135          140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
165          170          175
Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His
180          185          190
Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu
195          200          205
Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr
210          215          220
Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn
225          230          235          240
Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe
245          250          255
Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro
260          265          270
Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr
275          280          285
Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly
290          295          300
Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala
305          310          315          320

```

-continued

---

Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu  
 325 330 335

Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr  
 340 345 350

Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly  
 355 360 365

Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro  
 370 375 380

Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400

Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415

Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu  
 420 425 430

Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser  
 435 440 445

Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser  
 450 455 460

Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu  
 465 470 475 480

Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn  
 485 490 495

Thr Ile Ser Ser Asp Ser Ile Asn Gln Ile Pro Leu Val Lys Gly Phe  
 500 505 510

Arg Val Trp Gly Gly Thr Ser Val Ile Thr Gly Pro Gly Phe Thr Gly  
 515 520 525

Gly Asp Ile Leu Arg Arg Asn Thr Phe Gly Asp Phe Val Ser Leu Gln  
 530 535 540

Val Asn Ile Asn Ser Pro Ile Thr Gln Arg Tyr Arg Leu Arg Phe Arg  
 545 550 555 560

Tyr Ala Ser Ser Arg Asp Ala Arg Val Ile Val Leu Thr Gly Ala Ala  
 565 570 575

Ser Thr Gly Val Gly Gly Gln Val Ser Val Asn Met Pro Leu Gln Lys  
 580 585 590

Thr Met Glu Ile Gly Glu Asn Leu Thr Ser Arg Thr Phe Arg Tyr Thr  
 595 600 605

Asp Phe Ser Asn Pro Phe Ser Phe Arg Ala Asn Pro Asp Ile Ile Gly  
 610 615 620

Ile Ser Glu Gln Pro Leu Phe Gly Ala Gly Ser Ile Ser Ser Gly Glu  
 625 630 635 640

Leu Tyr Ile Asp Lys Ile Glu Ile Ile Leu Ala Asp Ala Thr Thr Ala  
 645 650 655

Thr Phe Glu Ala Glu Tyr Asp Leu Glu Arg Ala Gln Glu Ala Val Asn  
 660 665 670

Ala Leu Phe Thr Asn Thr Asn Pro Arg Arg Leu Lys Thr Gly Val Thr  
 675 680 685

Asp Tyr His Ile Asp Glu Val Ser Asn Leu Val Ala Cys Leu Ser Asp  
 690 695 700

Glu Phe Cys Leu Asp Glu Lys Arg Glu Leu Leu Glu Lys Val Lys Tyr  
 705 710 715 720

Ala Lys Arg Leu Ser Asp Glu Arg Asn Leu Leu Gln Asp Pro Asn Phe  
 725 730 735



-continued

---

Thr Ser Ile Asn Lys Gln Pro Asp Phe Ile Ser Thr Asn Glu Gln Ser  
 740 745 750  
 Asn Phe Thr Ser Ile His Glu Gln Ser Glu His Gly Trp Trp Gly Ser  
 755 760 765  
 Glu Asn Ile Thr Ile Gln Glu Gly Asn Asp Val Phe Lys Glu Asn Tyr  
 770 775 780  
 Val Ile Leu Pro Gly Thr Phe Asn Glu Cys Tyr Pro Thr Tyr Leu Tyr  
 785 790 795 800  
 Gln Lys Ile Gly Glu Ala Glu Leu Lys Ala Tyr Thr Arg Tyr Gln Leu  
 805 810 815  
 Ser Gly Tyr Ile Glu Asp Ser Gln Asp Leu Glu Ile Tyr Leu Ile Arg  
 820 825 830  
 Tyr Asn Ala Lys His Glu Thr Leu Asp Val Pro Gly Thr Glu Ser Val  
 835 840 845  
 Trp Pro Leu Ser Val Glu Ser Pro Ile Gly Arg Cys Gly Glu Pro Asn  
 850 855 860  
 Arg Cys Ala Pro His Phe Glu Trp Asn Pro Asp Leu Asp Cys Ser Cys  
 865 870 875 880  
 Arg Asp Gly Glu Lys Cys Ala His His Ser His His Phe Ser Leu Asp  
 885 890 895  
 Ile Asp Val Gly Cys Ile Asp Leu His Glu Asn Leu Gly Val Trp Val  
 900 905 910  
 Val Phe Lys Ile Lys Thr Gln Glu Gly His Ala Arg Leu Gly Asn Leu  
 915 920 925  
 Glu Phe Ile Glu Glu Lys Pro Leu Leu Gly Glu Ala Leu Ser Arg Val  
 930 935 940  
 Lys Arg Ala Glu Lys Lys Trp Arg Asp Lys Arg Glu Lys Leu Gln Leu  
 945 950 955 960  
 Glu Thr Lys Arg Val Tyr Thr Glu Ala Lys Glu Ala Val Asp Ala Leu  
 965 970 975  
 Phe Val Asp Ser Gln Tyr Asp Arg Leu Gln Ala Asp Thr Asn Ile Gly  
 980 985 990  
 Met Ile His Ala Ala Asp Lys Leu Val His Arg Ile Arg Glu Ala Tyr  
 995 1000 1005  
 Leu Ser Glu Leu Ser Val Ile Pro Gly Val Asn Ala Glu Ile Phe  
 1010 1015 1020  
 Glu Glu Leu Glu Gly Arg Ile Ile Thr Ala Ile Ser Leu Tyr Asp  
 1025 1030 1035  
 Ala Arg Asn Val Val Lys Asn Gly Asp Phe Asn Asn Gly Leu Ala  
 1040 1045 1050  
 Cys Trp Asn Val Lys Gly His Val Asp Val Gln Gln Ser His His  
 1055 1060 1065  
 Arg Ser Val Leu Val Ile Pro Glu Trp Glu Ala Glu Val Ser Gln  
 1070 1075 1080  
 Ala Val Arg Val Cys Pro Gly Arg Gly Tyr Ile Leu Arg Val Thr  
 1085 1090 1095  
 Ala Tyr Lys Glu Gly Tyr Gly Glu Gly Cys Val Thr Ile His Glu  
 1100 1105 1110  
 Ile Glu Asn Asn Thr Asp Glu Leu Lys Phe Lys Asn Cys Glu Glu  
 1115 1120 1125  
 Glu Glu Val Tyr Pro Thr Asp Thr Gly Thr Cys Asn Asp Tyr Thr  
 1130 1135 1140  
 Ala His Gln Gly Thr Ala Ala Cys Asn Ser Arg Asn Ala Gly Tyr

-continued

1145	1150	1155
Glu Asp Ala Tyr Glu Val Asp Thr Thr Ala Ser Val Asn Tyr Lys 1160	1165	1170
Pro Thr Tyr Glu Glu Glu Thr Tyr Thr Asp Val Arg Arg Asp Asn 1175	1180	1185
His Cys Glu Tyr Asp Arg Gly Tyr Val Asn Tyr Pro Pro Val Pro 1190	1195	1200
Ala Gly Tyr Met Thr Lys Glu Leu Glu Tyr Phe Pro Glu Thr Asp 1205	1210	1215
Lys Val Trp Ile Glu Ile Gly Glu Thr Glu Gly Lys Phe Ile Val 1220	1225	1230
Asp Ser Val Glu Leu Leu Leu Met Glu Glu 1235	1240	

<210> SEQ ID NO 42  
 <211> LENGTH: 3702  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic nucleotide sequence designed for  
 expression in a plant cell encoding TIC868\_14.

<400> SEQUENCE: 42

```

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt      60
tcaaaccact ccgcgcagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc     120
atagccgagg gcaacaacat cgaccattc gtgtcggcca gcacggttca gaccggcatc     180
aacatcgcgg gccgtatcct cggcgtcctc ggtgtcccat tcgccgttca gatcgcgctc     240
ttctactcgt tccttgtggg cgagctgtgg cctcggcggtc gtgacctgtg ggagatcttc     300
ctggagcatg tggagcagtt gatccggcag caagtacagg agaacaccgg cgatactgct     360
ctggccaggc tacagggcct gggaaactcc ttccgggcat accagcagtc actggaggac     420
tggttggaga acagggatga cgcgcgaaca cgctcggtag tctacacca gtacatcgct     480
ctcgaactcg acttctgaa cgctatgccg ctgttcgcca tcaggaacca ggaagttcca     540
ctccttatgg tgtacgcca ggccgccaac ttacatctgc tcctgctgcg ggacgccagc     600
ctgttcggct ccgagttcgg actcacatct caagaaatcc ageggtacta cgagcgccaa     660
gtggagaaga cccgtgagta cagtgactac tgcgctcgat ggtacaacac agggctcaac     720
aacctgcgcg gcaccaacgc tgagtcattg ctccgttaca accagttccg ccgcgacttg     780
actttgggtg tcctagacct ggtggcgcta ttcccgctt acgacacacg ggtgtacca     840
atgaacacta gcgcgcaact cacgcgggag atctacacag acccaatcgg ccggacgaac     900
gcaccctccg gtttcgcatc cacgaattgg ttcaacaaca acgcaccctc cttctcggca     960
atcgaggccg ccgcatccg ccctcctcac ctgctcgact ttcccagca gctcagatc     1020
ttctccgtgc tctacgctg gtccaacaca cagtacatga actactgggt cgggcaccga     1080
ttggagagta ggacgatccg tggcagcttg agcaccagta cccacggcaa caccaacacc     1140
tccatcaacc cagttacgct acagttcacg agccgcgacg tttaccggac tgagtcgttc     1200
gcgggcatta acatccttct gacaacgccc gtcaacggcg tcccgtgggc ccggttcaac     1260
tggcgtaacc cgttgaactc cctgcgcggg tcattgctct acaccatcgg gtacacgggc     1320
gtcggcacc cagctcttga cagtgaaact gagctgcgcg ccgagaccac ggaacgcccg     1380
aactacgagt cctacagcca ccgcctgtcc aacatccggc tcctctctgg caacacgctg     1440

```

-continued

---

cgtgcgccgg	tgtactcctg	gacacaccgc	agcgccgacc	ggaccaacac	gatctcttcc	1500
gactccatta	accagatccc	gctcgtgaag	ggcttccgtg	tgtgggggtg	cacgagcgtc	1560
atcaccggtc	cgggcttcac	cgggtggagac	atactgcggc	gcaaaccttt	cggcgacttc	1620
gtttcgttgc	aagtgaacat	caactcgccg	atcaccacagc	gttaccgtct	gaggttccgc	1680
tacgcttcaa	gccgcgacgc	gagggtcatt	gtcctgaccg	gagcccgctc	cacaggcgtg	1740
ggaggccaag	tctcagtcaa	catgcctctc	cagaagacga	tggagatagg	cgagaacttg	1800
actagccgaa	ccttccggta	cactgatttc	tcgaaacctt	tctcattcag	agcgaacctt	1860
gacatcattg	ggatctccga	gcaaccgctg	ttcggtgctg	gctccatcag	ctctggcgaa	1920
ctgtacatcg	acaagattga	gatcatcctg	gcggatgcga	cgaccgcgac	gtttgaagct	1980
gaatccgacc	tcgagcgtgc	gcgcaaggcg	gtgaacgctc	tgttcacgag	caccaacctt	2040
cgtggcttga	agacggatgt	gacggactac	cacatcgacc	aagtctcgaa	cctcgtggag	2100
tgctgagcgc	acgagttctg	tcttgacaag	aagcgcgagc	tgctggagga	ggtgaagtac	2160
gccaaagccc	tctccgatga	gcgcaacctg	ctccaagatc	ctaccttcac	gtcgatttcc	2220
ggccaaaccg	accgtggatg	gatcggctcg	actggcatct	ccatccaggg	cggcgacgac	2280
atcttcaagg	agaactatgt	tcggctgccc	ggcacgggtg	acgagtgtta	cccgacgtac	2340
ctctaccaga	agatagacga	gagtcaactc	aagtctctaca	cgcggtatca	gttacgtggc	2400
tacattgaag	actcccagga	cttggaatc	tatctcatac	ggtacaacgc	caagcacgag	2460
accttaagcg	tgccgggaac	ggagtcgccc	tggccaagct	ctggcgtgta	cccttccggt	2520
aggtgcggcg	agcccaaccg	ctgtgcacct	cgaatcgaat	ggaaccggga	ccttgactgc	2580
tcttgccggt	acggcgagaa	gtgcgtccat	cattctcacc	acttcagctt	ggacattgac	2640
gtcggctgca	ccgacctcaa	tgaagacctc	ggagtgtggg	tcattctcaa	gatcaagaca	2700
caggacgggc	acgcgaaact	aggaaacctg	gagttcatcg	aggagaagcc	actcctcggc	2760
aaggcacttt	ccagggtcaa	gcgggcccag	aagaaatgga	gggacaagta	cgagaaactc	2820
cagctcgaaa	caaagcgggt	gtacacggag	gcaaaggaat	ccgtggacgc	cctgttcgtg	2880
gactctcagt	acgacaagct	ccaggcgaac	acaaacattg	gcatcatcca	cggtgcggac	2940
aagcaagtgc	acaggatacg	ggagccttac	ctctcggagc	tgccggtgat	tccctcgatc	3000
aacgcggcga	tcttcgagga	actggagggc	cacatcttca	aggcgtattc	tctgtacgac	3060
gcgcgtaacg	tcacaaagaa	cggcgacttc	aacaatgggc	tgtcctgctg	gaacgttaaa	3120
ggccacgtcg	atgtccagca	gaaccacat	aggtcagtc	tggtgctgag	cgagtgggag	3180
gcggagggtg	cccagaaggt	gcgcgtgtgc	ccgatcgcg	gctacatctt	gagggtgaca	3240
gcctacaagg	agggctacgg	cgagggctgt	gtcacgatcc	atgagttcga	ggacaacacg	3300
gatgtcctga	aattccgtaa	cttcgtcgag	gaggaggtct	atcccaaaa	caccgtgacc	3360
tgcaacgact	acacgaccaa	tcagtcggct	gagggcagta	ccgatgcctg	caacagctac	3420
aaccgtgggt	acgaagatgg	atacgagaac	cgctacgagc	ccaatccttc	ggctcccgtg	3480
aattacactc	ccacgtacga	ggagggcatg	tacactgaca	ctcagggcta	caaccattgc	3540
gtcagcgacc	gtggctaccg	caaccacacg	ccgtcccag	cgggctacgt	gacgctggag	3600
ctggaatact	ttcccagagc	agaacaagtg	tgatagaga	tcggcgagac	cgagggcaca	3660
ttcatcgtgg	gctctgtgga	attgctcctc	atggaggagt	aa		3702

&lt;210&gt; SEQ ID NO 43

&lt;211&gt; LENGTH: 1200

-continued

<212> TYPE: PRT  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Amino acid sequence of the chimeric protein  
 variant TIC868\_14.

<400> SEQUENCE: 43

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1          5          10          15
Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
          20          25          30
Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
          35          40          45
Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
          50          55          60
Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65          70          75          80
Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
          85          90          95
Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
          100          105          110
Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
          115          120          125
Asn Ser Phe Arg Ala Tyr Gln Gln Ser Leu Glu Asp Trp Leu Glu Asn
          130          135          140
Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160
Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
          165          170          175
Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His
          180          185          190
Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu
          195          200          205
Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr
          210          215          220
Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn
225          230          235          240
Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe
          245          250          255
Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro
          260          265          270
Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr
          275          280          285
Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly
          290          295          300
Phe Ala Ser Thr Asn Trp Phe Asn Asn Asn Ala Pro Ser Phe Ser Ala
305          310          315          320
Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu
          325          330          335
Gln Leu Thr Ile Phe Ser Val Leu Ser Arg Trp Ser Asn Thr Gln Tyr
          340          345          350
Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly
          355          360          365
Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro
          370          375          380

```

-continued

---

Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400  
 Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415  
 Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu  
 420 425 430  
 Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser  
 435 440 445  
 Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser  
 450 455 460  
 Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu  
 465 470 475 480  
 Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn  
 485 490 495  
 Thr Ile Ser Ser Asp Ser Ile Asn Gln Ile Pro Leu Val Lys Gly Phe  
 500 505 510  
 Arg Val Trp Gly Gly Thr Ser Val Ile Thr Gly Pro Gly Phe Thr Gly  
 515 520 525  
 Gly Asp Ile Leu Arg Arg Asn Thr Phe Gly Asp Phe Val Ser Leu Gln  
 530 535 540  
 Val Asn Ile Asn Ser Pro Ile Thr Gln Arg Tyr Arg Leu Arg Phe Arg  
 545 550 555 560  
 Tyr Ala Ser Ser Arg Asp Ala Arg Val Ile Val Leu Thr Gly Ala Ala  
 565 570 575  
 Ser Thr Gly Val Gly Gly Gln Val Ser Val Asn Met Pro Leu Gln Lys  
 580 585 590  
 Thr Met Glu Ile Gly Glu Asn Leu Thr Ser Arg Thr Phe Arg Tyr Thr  
 595 600 605  
 Asp Phe Ser Asn Pro Phe Ser Phe Arg Ala Asn Pro Asp Ile Ile Gly  
 610 615 620  
 Ile Ser Glu Gln Pro Leu Phe Gly Ala Gly Ser Ile Ser Ser Gly Glu  
 625 630 635 640  
 Leu Tyr Ile Asp Lys Ile Glu Ile Ile Leu Ala Asp Ala Thr Thr Ala  
 645 650 655  
 Thr Phe Glu Ala Glu Ser Asp Leu Glu Arg Ala Arg Lys Ala Val Asn  
 660 665 670  
 Ala Leu Phe Thr Ser Thr Asn Pro Arg Gly Leu Lys Thr Asp Val Thr  
 675 680 685  
 Asp Tyr His Ile Asp Gln Val Ser Asn Leu Val Glu Cys Leu Ser Asp  
 690 695 700  
 Glu Phe Cys Leu Asp Lys Lys Arg Glu Leu Leu Glu Glu Val Lys Tyr  
 705 710 715 720  
 Ala Lys Arg Leu Ser Asp Glu Arg Asn Leu Leu Gln Asp Pro Thr Phe  
 725 730 735  
 Thr Ser Ile Ser Gly Gln Thr Asp Arg Gly Trp Ile Gly Ser Thr Gly  
 740 745 750  
 Ile Ser Ile Gln Gly Gly Asp Asp Ile Phe Lys Glu Asn Tyr Val Arg  
 755 760 765  
 Leu Pro Gly Thr Val Asp Glu Cys Tyr Pro Thr Tyr Leu Tyr Gln Lys  
 770 775 780  
 Ile Asp Glu Ser Gln Leu Lys Ser Tyr Thr Arg Tyr Gln Leu Arg Gly  
 785 790 795 800

-continued

---

Tyr Ile Glu Asp Ser Gln Asp Leu Glu Ile Tyr Leu Ile Arg Tyr Asn  
 805 810 815  
 Ala Lys His Glu Thr Leu Ser Val Pro Gly Thr Glu Ser Pro Trp Pro  
 820 825 830  
 Ser Ser Gly Val Tyr Pro Ser Gly Arg Cys Gly Glu Pro Asn Arg Cys  
 835 840 845  
 Ala Pro Arg Ile Glu Trp Asn Pro Asp Leu Asp Cys Ser Cys Arg Tyr  
 850 855 860  
 Gly Glu Lys Cys Val His His Ser His His Phe Ser Leu Asp Ile Asp  
 865 870 875 880  
 Val Gly Cys Thr Asp Leu Asn Glu Asp Leu Gly Val Trp Val Ile Phe  
 885 890 895  
 Lys Ile Lys Thr Gln Asp Gly His Ala Lys Leu Gly Asn Leu Glu Phe  
 900 905 910  
 Ile Glu Glu Lys Pro Leu Leu Gly Lys Ala Leu Ser Arg Val Lys Arg  
 915 920 925  
 Ala Glu Lys Lys Trp Arg Asp Lys Tyr Glu Lys Leu Gln Leu Glu Thr  
 930 935 940  
 Lys Arg Val Tyr Thr Glu Ala Lys Glu Ser Val Asp Ala Leu Phe Val  
 945 950 955 960  
 Asp Ser Gln Tyr Asp Lys Leu Gln Ala Asn Thr Asn Ile Gly Ile Ile  
 965 970 975  
 His Gly Ala Asp Lys Gln Val His Arg Ile Arg Glu Pro Tyr Leu Ser  
 980 985 990  
 Glu Leu Pro Val Ile Pro Ser Ile Asn Ala Ala Ile Phe Glu Glu Leu  
 995 1000 1005  
 Glu Gly His Ile Phe Lys Ala Tyr Ser Leu Tyr Asp Ala Arg Asn  
 1010 1015 1020  
 Val Ile Lys Asn Gly Asp Phe Asn Asn Gly Leu Ser Cys Trp Asn  
 1025 1030 1035  
 Val Lys Gly His Val Asp Val Gln Gln Asn His His Arg Ser Val  
 1040 1045 1050  
 Leu Val Leu Ser Glu Trp Glu Ala Glu Val Ser Gln Lys Val Arg  
 1055 1060 1065  
 Val Cys Pro Asp Arg Gly Tyr Ile Leu Arg Val Thr Ala Tyr Lys  
 1070 1075 1080  
 Glu Gly Tyr Gly Glu Gly Cys Val Thr Ile His Glu Phe Glu Asp  
 1085 1090 1095  
 Asn Thr Asp Val Leu Lys Phe Arg Asn Phe Val Glu Glu Glu Val  
 1100 1105 1110  
 Tyr Pro Asn Asn Thr Val Thr Cys Asn Asp Tyr Thr Thr Asn Gln  
 1115 1120 1125  
 Ser Ala Glu Gly Ser Thr Asp Ala Cys Asn Ser Tyr Asn Arg Gly  
 1130 1135 1140  
 Tyr Glu Asp Gly Tyr Glu Asn Arg Tyr Glu Pro Asn Pro Ser Ala  
 1145 1150 1155  
 Pro Val Asn Tyr Thr Pro Thr Tyr Glu Glu Gly Met Tyr Thr Asp  
 1160 1165 1170  
 Thr Gln Gly Tyr Asn His Cys Val Ser Asp Arg Gly Tyr Arg Asn  
 1175 1180 1185  
 His Thr Pro Leu Pro Ala Gly Tyr Val Thr Leu Glu  
 1190 1195 1200

-continued

---

<210> SEQ ID NO 44  
 <211> LENGTH: 3687  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Synthetic nucleotide sequence designed for  
 expression in a plant cell encoding TIC868\_15.

<400> SEQUENCE: 44

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt	60
tcaaaccact ccgcgagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc	120
atagccgagg gcaacaacat cgaccattc gtgtcggcca gcacggttca gaccggcatc	180
aacatcgagg gccgtatcct cggcgtctc ggtgtcccat tcgcccgtca gatcgcgctc	240
ttctactcgt tccttggtgg cgagctgtgg cctcgcggtc gtgaccctg ggagatcttc	300
ctggagcatg tggagcagtt gatccggcag caagtcaagg agaacaccg cgatactgct	360
ctggccaggc tacagggcct gggaaactcc tttcgggcat accagcagtc actggaggac	420
tggttggaga acagggatga cgcgcgaaca cgctcggtag tctacacca gtacatcgct	480
ctcgaactcg acttctgaa cgctatgccg ctgttcgcca tcaggaacca ggaagttcca	540
ctccttatgg tgtacgcca ggcgcgcaac ttacatctgc tcctgctgcg ggacgcccagc	600
ctgttcggct ccgagttcgg actcacatct caagaaatcc agcgttacta cgagcgccaa	660
gtggagaaga cccgtgagta cagtgactac tgcgctcgat ggtacaacac agggctcaac	720
aacctgcgcy gcaccaacgc tgagtcattg ctccgttaca accagttccg ccgcygactg	780
actttgggtg tcctagacct ggtggcgcta ttcccgtctt acgacacacg ggtgtacca	840
atgaacacta gcgcgcaact cacgcgggag atctacacag acccaatcgg ccggacgaac	900
gcaccctccg gtttcgcatc cacgaattgg ttcaacaaca acgcaccctc cttctcggca	960
atcgaggccg ccgctatccg cctcctcac ctgctcgact ttcccagca gctcacgac	1020
ttctccgtgc tctcacgctg gtccaacaca cagtacatga actactgggt cgggcaccga	1080
ttggagagta ggacgatccg tggcagcttg agcaccagta cccacggcaa caccaacacc	1140
tccatcaacc cagttacgct acagttcacg agccgcgagc tttaccggac tgagtcgttc	1200
gcgggcatta acatccttct gacaacgccc gtcaacggcg tcccgtgggc ccggttcaac	1260
tggcgtaacc cgttgaactc cctgcgcggg tcattgctct acaccatcgg gtacacgggc	1320
gtcggcacc cagctcttca cagtgaact gagctgccgc ccgagaccac ggaacgcccg	1380
aactacgagt cctacagcca ccgctgtcc aacatccggc tcattctctg caaacgctg	1440
cgtgcgcggg tgtactcctg gacacaccgc agcgcgacc ggaccaacac gatctcttc	1500
gactccatta accagatccc gctcgtgaag ggcttccgtg tgtggggtgg cacgagcgtc	1560
atcaccggtc cgggcttca cgggtggagac atactgcggc gcaaaccttt cggcgacttc	1620
gtttcgttgc aagtgaacat caactcgcg atcaccagc gttaccgtct gaggttccgc	1680
tacgcttcaa gccgcgacgc gagggctcatt gtctgaccg gagccgcgtc cacaggcgtg	1740
ggaggccaag tctcagtaa catgcctctc cagaagacga tggagatagg cgagaacttg	1800
actagccgaa ccttccggtg cactgatttc tcgaaccctt tctcattcag agcgaaccct	1860
gacatcattg ggatctccga gcaaccgctg ttcggtgctg gctccatcag ctctggcgaa	1920
ctgtacatcg acaagattga gatcatcctg gcggatgcca cggatgctac ctttgaagca	1980
gagtcgact tggaacgtgc acagaaggca gtgaacgcac tcttcacctc aagcaaccag	2040
atcggattga agacagatgt gacagattac cacatcgacc aagtgagcaa cttggtggat	2100

-continued

---

```

tgcttgctcag atgagttctg cttggatgag aagcgtgaac tctccgagaa ggtgaagcac 2160
gcaaagcgtc tctcagatga acgtaatctc cttcaagacc ctaactttcg tggatcaat 2220
cgtcagccag atcgtggatg gcgtggatca acagacatca ccatccaggg aggcgatgat 2280
gtgttcaagg agaactacgt gaccctccca ggaaccgtgg atgaatgcta cccaacctac 2340
ctctaccaga agatcgacga gtcaaagctc aaggcttaca cccgttatga actccgtggc 2400
tacatcgaag atagccagga tctcgaaatc tatctcatcc gttacaatgc taagcacgaa 2460
atcgtgaatg tgccaggaac cggctcactc tggcactct cagcacagtc accaatcggc 2520
aagtgcggcg aaccaatcg ctgcgctcct catctcgaat ggaatcccga tctcgactgc 2580
tcctgccgag acggcgagaa gtgtgcacat cactcacacc acttcacct cgacatcgac 2640
gtgggctgca ccgacctcaa tgaagacctg ggcgtgtggg tgatcttcaa gatcaagacc 2700
caggacggcc acgcacgact gggcaatctg gaggttctgg aggagaagcc actgcttggc 2760
gaggcactgg cacgagtga acgagccgag aagaaatggc gagacaaacg tgagaagctg 2820
caactggaga ccaacatcgt gtacaaagag gccaaagagt cagttgacgc cctgtttgtc 2880
aatagccagt atgaccgact gcaagttgac accaacatcg ccatgatcca cgctgcggac 2940
aagcgcgtcc accgcatccg cgaggcttat ctgcccagac tgagcgtcat tcccggcgtc 3000
aatgccgga tcttcgagga gttagagggc cgcatcttca ccgcctacag cctctatgac 3060
gcccgcaatg tcattaagaa tggcgacttc aacaatggct tactatgctg gaatgtcaaa 3120
gggcacgttg acgtcgagga gcagaacaat caccgcagcg tcttagtcat acccgagtgg 3180
gaggccgaag tcagccagga agtccgcgtc tgtccagggc gcgggtacat cctgcccggc 3240
accgcctaca aagagggata cggcgagggg tgtgtcacca tacacgagat agaggacaat 3300
accgacgaac tcaagttcag caattgtgct gaggaggaag tctatccaa caataccgta 3360
acctgcaaca actacaccgg aaccaggag gagtatgaag ggacgtacac ctgcgggaac 3420
cagggctatg acgaagccta tgggaacaac ccgtcgggtc ctgctgacta tgcgtcggtc 3480
tatgaggaga aatcgtacac ggacggggcg cgggagaatc cgtgtgagtc gaatcgggg 3540
tatggtgact acacgccgt accggcgggc tatgtaacga aagacctgga atacttccc 3600
gagacggaca aagtatgat agagataggc gagacggagg gaacgttcat cgtggactcg 3660
gtagagctgc tgctcatgga ggagtga 3687

```

&lt;210&gt; SEQ ID NO 45

&lt;211&gt; LENGTH: 1228

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC868\_15.

&lt;400&gt; SEQUENCE: 45

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15

```

```

Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
                20           25           30

```

```

Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
          35           40           45

```

```

Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
          50           55           60

```

```

Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser

```



-continued

65	70				75				80			
Phe Tyr Ser Phe	Leu Val Gly Glu	Leu Trp Pro Arg	Gly Arg Asp Pro	85		90	95					
Trp Glu Ile Phe	Leu Glu His Val	Glu Gln Leu Ile	Arg Gln Gln Val	100		105	110					
Thr Glu Asn Thr	Arg Asp Thr Ala	Leu Ala Arg Leu	Gln Gly Leu Gly	115		120	125					
Asn Ser Phe Arg	Ala Tyr Gln Gln	Ser Leu Glu Asp	Trp Leu Glu Asn	130		135	140					
Arg Asp Asp Ala	Arg Thr Arg Ser	Val Leu Tyr Thr	Gln Tyr Ile Ala	145		150	155				160	
Leu Glu Leu Asp	Phe Leu Asn Ala	Met Pro Leu Phe	Ala Ile Arg Asn	165		170	175					
Gln Glu Val Pro	Leu Leu Met Val	Tyr Ala Gln Ala	Ala Asn Leu His	180		185	190					
Leu Leu Leu Leu	Arg Asp Ala Ser	Leu Phe Gly Ser	Glu Phe Gly Leu	195		200	205					
Thr Ser Gln Glu	Ile Gln Arg Tyr	Tyr Glu Arg Gln	Val Glu Lys Thr	210		215	220					
Arg Glu Tyr Ser	Asp Tyr Cys Ala	Arg Trp Tyr Asn	Thr Gly Leu Asn	225		230	235				240	
Asn Leu Arg Gly	Thr Asn Ala Glu	Ser Trp Leu Arg	Tyr Asn Gln Phe	245		250	255					
Arg Arg Asp Leu	Thr Leu Gly Val	Leu Asp Leu Val	Ala Leu Phe Pro	260		265	270					
Ser Tyr Asp Thr	Arg Val Tyr Pro	Met Asn Thr Ser	Ala Gln Leu Thr	275		280	285					
Arg Glu Ile Tyr	Thr Asp Pro Ile	Gly Arg Thr Asn	Ala Pro Ser Gly	290		295	300					
Phe Ala Ser Thr	Asn Trp Phe Asn	Asn Asn Ala Pro	Ser Phe Ser Ala	305		310	315				320	
Ile Glu Ala Ala	Val Ile Arg Pro	Pro His Leu Leu	Asp Phe Pro Glu	325		330	335					
Gln Leu Thr Ile	Phe Ser Val Leu	Ser Arg Trp Ser	Asn Thr Gln Tyr	340		345	350					
Met Asn Tyr Trp	Val Gly His Arg	Leu Glu Ser Arg	Thr Ile Arg Gly	355		360	365					
Ser Leu Ser Thr	Ser Thr His Gly	Asn Thr Asn Thr	Ser Ile Asn Pro	370		375	380					
Val Thr Leu Gln	Phe Thr Ser Arg	Asp Val Tyr Arg	Thr Glu Ser Phe	385		390	395				400	
Ala Gly Ile Asn	Ile Leu Leu Thr	Thr Pro Val Asn	Gly Val Pro Trp	405		410	415					
Ala Arg Phe Asn	Trp Arg Asn Pro	Leu Asn Ser Leu	Arg Gly Ser Leu	420		425	430					
Leu Tyr Thr Ile	Gly Tyr Thr Gly	Val Gly Thr Gln	Leu Phe Asp Ser	435		440	445					
Glu Thr Glu Leu	Pro Pro Glu Thr	Thr Glu Arg Pro	Asn Tyr Glu Ser	450		455	460					
Tyr Ser His Arg	Leu Ser Asn Ile	Arg Leu Ile Ser	Gly Asn Thr Leu	465		470	475				480	
Arg Ala Pro Val	Tyr Ser Trp Thr	His Arg Ser Ala	Asp Arg Thr Asn	485		490	495					

-continued

---

Thr Ile Ser Ser Asp Ser Ile Asn Gln Ile Pro Leu Val Lys Gly Phe  
 500 505 510  
 Arg Val Trp Gly Gly Thr Ser Val Ile Thr Gly Pro Gly Phe Thr Gly  
 515 520 525  
 Gly Asp Ile Leu Arg Arg Asn Thr Phe Gly Asp Phe Val Ser Leu Gln  
 530 535 540  
 Val Asn Ile Asn Ser Pro Ile Thr Gln Arg Tyr Arg Leu Arg Phe Arg  
 545 550 555 560  
 Tyr Ala Ser Ser Arg Asp Ala Arg Val Ile Val Leu Thr Gly Ala Ala  
 565 570 575  
 Ser Thr Gly Val Gly Gly Gln Val Ser Val Asn Met Pro Leu Gln Lys  
 580 585 590  
 Thr Met Glu Ile Gly Glu Asn Leu Thr Ser Arg Thr Phe Arg Tyr Thr  
 595 600 605  
 Asp Phe Ser Asn Pro Phe Ser Phe Arg Ala Asn Pro Asp Ile Ile Gly  
 610 615 620  
 Ile Ser Glu Gln Pro Leu Phe Gly Ala Gly Ser Ile Ser Ser Gly Glu  
 625 630 635 640  
 Leu Tyr Ile Asp Lys Ile Glu Ile Ile Leu Ala Asp Ala Thr Asp Ala  
 645 650 655  
 Thr Phe Glu Ala Glu Ser Asp Leu Glu Arg Ala Gln Lys Ala Val Asn  
 660 665 670  
 Ala Leu Phe Thr Ser Ser Asn Gln Ile Gly Leu Lys Thr Asp Val Thr  
 675 680 685  
 Asp Tyr His Ile Asp Gln Val Ser Asn Leu Val Asp Cys Leu Ser Asp  
 690 695 700  
 Glu Phe Cys Leu Asp Glu Lys Arg Glu Leu Ser Glu Lys Val Lys His  
 705 710 715 720  
 Ala Lys Arg Leu Ser Asp Glu Arg Asn Leu Leu Gln Asp Pro Asn Phe  
 725 730 735  
 Arg Gly Ile Asn Arg Gln Pro Asp Arg Gly Trp Arg Gly Ser Thr Asp  
 740 745 750  
 Ile Thr Ile Gln Gly Gly Asp Asp Val Phe Lys Glu Asn Tyr Val Thr  
 755 760 765  
 Leu Pro Gly Thr Val Asp Glu Cys Tyr Pro Thr Tyr Leu Tyr Gln Lys  
 770 775 780  
 Ile Asp Glu Ser Lys Leu Lys Ala Tyr Thr Arg Tyr Glu Leu Arg Gly  
 785 790 795 800  
 Tyr Ile Glu Asp Ser Gln Asp Leu Glu Ile Tyr Leu Ile Arg Tyr Asn  
 805 810 815  
 Ala Lys His Glu Ile Val Asn Val Pro Gly Thr Gly Ser Leu Trp Pro  
 820 825 830  
 Leu Ser Ala Gln Ser Pro Ile Gly Lys Cys Gly Glu Pro Asn Arg Cys  
 835 840 845  
 Ala Pro His Leu Glu Trp Asn Pro Asp Leu Asp Cys Ser Cys Arg Asp  
 850 855 860  
 Gly Glu Lys Cys Ala His His Ser His His Phe Thr Leu Asp Ile Asp  
 865 870 875 880  
 Val Gly Cys Thr Asp Leu Asn Glu Asp Leu Gly Val Trp Val Ile Phe  
 885 890 895  
 Lys Ile Lys Thr Gln Asp Gly His Ala Arg Leu Gly Asn Leu Glu Phe  
 900 905 910

-continued

Leu Glu Glu Lys Pro Leu Leu Gly Glu Ala Leu Ala Arg Val Lys Arg  
 915 920 925  
 Ala Glu Lys Lys Trp Arg Asp Lys Arg Glu Lys Leu Gln Leu Glu Thr  
 930 935 940  
 Asn Ile Val Tyr Lys Glu Ala Lys Glu Ser Val Asp Ala Leu Phe Val  
 945 950 955 960  
 Asn Ser Gln Tyr Asp Arg Leu Gln Val Asp Thr Asn Ile Ala Met Ile  
 965 970 975  
 His Ala Ala Asp Lys Arg Val His Arg Ile Arg Glu Ala Tyr Leu Pro  
 980 985 990  
 Glu Leu Ser Val Ile Pro Gly Val Asn Ala Ala Ile Phe Glu Glu Leu  
 995 1000 1005  
 Glu Gly Arg Ile Phe Thr Ala Tyr Ser Leu Tyr Asp Ala Arg Asn  
 1010 1015 1020  
 Val Ile Lys Asn Gly Asp Phe Asn Asn Gly Leu Leu Cys Trp Asn  
 1025 1030 1035  
 Val Lys Gly His Val Asp Val Glu Glu Gln Asn Asn His Arg Ser  
 1040 1045 1050  
 Val Leu Val Ile Pro Glu Trp Glu Ala Glu Val Ser Gln Glu Val  
 1055 1060 1065  
 Arg Val Cys Pro Gly Arg Gly Tyr Ile Leu Arg Val Thr Ala Tyr  
 1070 1075 1080  
 Lys Glu Gly Tyr Gly Glu Gly Cys Val Thr Ile His Glu Ile Glu  
 1085 1090 1095  
 Asp Asn Thr Asp Glu Leu Lys Phe Ser Asn Cys Val Glu Glu Glu  
 1100 1105 1110  
 Val Tyr Pro Asn Asn Thr Val Thr Cys Asn Asn Tyr Thr Gly Thr  
 1115 1120 1125  
 Gln Glu Glu Tyr Glu Gly Thr Tyr Thr Ser Arg Asn Gln Gly Tyr  
 1130 1135 1140  
 Asp Glu Ala Tyr Gly Asn Asn Pro Ser Val Pro Ala Asp Tyr Ala  
 1145 1150 1155  
 Ser Val Tyr Glu Glu Lys Ser Tyr Thr Asp Gly Arg Arg Glu Asn  
 1160 1165 1170  
 Pro Cys Glu Ser Asn Arg Gly Tyr Gly Asp Tyr Thr Pro Leu Pro  
 1175 1180 1185  
 Ala Gly Tyr Val Thr Lys Asp Leu Glu Tyr Phe Pro Glu Thr Asp  
 1190 1195 1200  
 Lys Val Trp Ile Glu Ile Gly Glu Thr Glu Gly Thr Phe Ile Val  
 1205 1210 1215  
 Asp Ser Val Glu Leu Leu Leu Met Glu Glu  
 1220 1225

&lt;210&gt; SEQ ID NO 46

&lt;211&gt; LENGTH: 3600

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC868\_29.

&lt;400&gt; SEQUENCE: 46

atgacgagca accggaagaa cgagaacgag atcatcaacg ccctctcgat ccctgctggt 60

tcaaaccact ccgcgagat gaacctgtcc accgacgcgc gcatcgagga ctccctctgc 120

atagccgagg gcaacaacat cgaccattc gtgtcggcca gcacggttca gaccggcatc 180

-continued

---

aacatcgagg	gccgtatcct	cggcgtcctc	ggtgtcccat	tcgccggcca	gatcgcgccc	240
ttctactcgt	tccttgtggg	cgagctgtgg	cctcgcggtc	gtgacccgtg	ggagatcttc	300
ctggagcatg	tggagcagtt	gatccggcag	caagtcacgg	agaacaccgg	cgatactgct	360
ctggccaggc	tacagggcct	gggaaactcc	tttcgggcat	accagtactc	actggaggac	420
tggttgagga	acagggatga	cgcgcgaaaca	cgctcggtag	tctacacca	gtacatcgct	480
ctcgaactcg	acttctgaa	cgctatgccg	ctgttcgcca	tcaggaacca	ggaagttcca	540
ctccttatgg	tgtacgcca	ggccgccaac	ttacatctgc	tctgtctgcg	ggacgcccagc	600
ctgttcggct	ccgagttcgg	actcacatct	caagaaatcc	agcgttacta	cgagcgccaa	660
gtggagaaga	cccgtgagta	cagtgactac	tgcgctcgat	ggtacaacac	agggtcaac	720
aacctgcgcg	gcaccaacgc	tgagtcagtg	ctccgttaca	accagttccg	ccgcgacttg	780
actttgggtg	tcctagacct	ggtggcgcta	ttcccgcttt	acgacacacg	ggtgtacca	840
atgaacacta	gcgcgcaact	cacgcgggag	atctacacag	acccaatcgg	ccggacgaac	900
gcaccctccg	gttctgcctc	cacgaattgg	ttcaacaaca	acgacacctc	cttctcgga	960
atcgaggccg	ccgtcatccg	ccctcctcac	ctgctcgact	ttcccagca	gctcacgatc	1020
ttctcccagc	tctcacgtg	gtcccacaca	cagtacatga	actactgggt	cgggcaccga	1080
ttggagagta	ggacgatccg	tggcagcttg	agcaccagta	cccacggcaa	caccaacacc	1140
tccatcaacc	cagttacgct	acagttcacg	agccgcgacg	tttaccggac	tgagtcgttc	1200
gcgggcatta	acatccttct	gacaacgccc	gtcaacggcg	tcccgtgggc	ccggttcaac	1260
tggcgtaacc	cgttgaactc	cctgcgcggg	tcattgctct	acaccatcgg	gtacacgggc	1320
gtcggcacc	agctcttcga	cagtgaaact	gagctgcgcg	ccgagaccac	ggaacgcccg	1380
aactacgagt	cctacagcca	ccgcctgtcc	aacatccggc	tcatctctgg	caacacgctg	1440
cgtgcgcccg	tgtactcctg	gacacaccgc	agcgcgac	ggaccaacac	gatctcttcc	1500
gactccatta	accagatccc	gctcgtgaag	ggcttccgtg	tgtgggggtg	cacgagcgtc	1560
atcacccggtc	cggtcttcac	cggtggagac	atactcgggc	gcaacacttt	cggcgacttc	1620
gtttcgttgc	aagtgaacat	caactcgccg	atcaccagc	gttaccgtct	gaggttccgc	1680
tacgcttcaa	gccgcgacgc	gagggtcatt	gtcctgaccg	gagccgctc	cacagcgctg	1740
ggaggccaag	tctcagtcaa	catgcctctc	cagaagacga	tggagatagg	cgagaacttg	1800
actagccgaa	ccttccggta	cactgatttc	tcgaaccctt	tctcattcag	agcgaaccct	1860
gacatcattg	ggatctccga	gcaaccgctg	ttcgggtgctg	gctccatcag	ctctggcgaa	1920
ctgtacatcg	acaagattga	gatcatcctg	gcggatgcga	cgttcgaggc	cgagtctgac	1980
ctggagcggg	ctcagaaggc	tgtcaacgaa	ctgttcacca	gcagcaacca	gattgggctc	2040
aagaccgacg	tcacggacta	tcacattgac	caagtgtcca	accttgtgga	gtgocctgtcc	2100
gacgagttct	gcctcgacga	gaagaaggag	ctgtccgaga	aggtaaaaca	cgcgaagcgt	2160
ctgagtgcag	agcggaaatt	gctccaggac	ccgaacttcc	gtggcatcaa	ccgccagctc	2220
gaccgtggtt	ggcgcgggag	tacagacatc	accatccagg	gagggcagca	tgtgttcaag	2280
gagaactatg	tgacgctgct	cgggactttc	gacgaatgct	acccgacgta	tctctaccag	2340
aagatagacg	agagtaaatt	gaaggcgtac	acccgctacc	agcttcgctg	gtacatcgag	2400
gatagtcagg	acctggaat	ctacctgatc	cgatacaacg	ccaagcacga	gacagtgaac	2460
gtgccaggca	cggtctcact	ttggccattg	agcgtccct	ctccaatcgg	aaagtgcgct	2520

-continued

---

```

caccactcgc accacttctc tctggacatc gacgtgggct gcaccgacct caacgaggac 2580
ctgggtgtct gggttatctt caagattaag acccaggacg gacatgcccg cctcggcaac 2640
ctggagtcc ttgaggagaa gcctctcgtg ggcgaggccc tcgctcgtgt gaagcgcgcc 2700
gagaagaaat ggcgagacaa gcgggagaag ctggagtggg agaccaacat cgtgtacaag 2760
gaggccaagg agtcagtga cgcactcttc gtcaacagcc agtacgaccg cctccaggct 2820
gacaccaaca tcgcatgat ccacgaggct gacaagcggg tccacagcat ccgtgaggcg 2880
tacctgcccg agctgtcagt gatccctggt gtgaacgcgg cgatcttcga ggaactggag 2940
ggccgcatct tcacagcatt cagcctgtac gatgccagga atgttattaa gaacggtgac 3000
ttcaacaacg ggctgagttg ctggaacgtc aagggccatg tggacgtcga ggagcagaac 3060
aaccaccggt ccgtgctggt cgtgccggag tgggaggcag aggtgagcca ggaggtccgc 3120
gtctgccttg gtcgaggcta catcctcctg gtgactgctg acaaggaagg ctacggtgaa 3180
ggctgctgga ctatccacga gatcgagaac aacaccgacg agctcaagtt ctogaactgt 3240
gtggaggagg aggtgtacc gaacaacacc gtacttgca acgactacac tgccacgcaa 3300
gaggagtacg agggcactta cacttcccgg aatcgcggct atgatggcgc gtacgagtcc 3360
aacagcagcg tgcctgcgga ttatgctcc gcttacgagg agaaggcgt a caccgacgga 3420
cggagggaca acccttgcca gtccaaccgt ggctacggtg actaacctcc gctgcccgcc 3480
gggtacgtca ccaaggagct ggagtacttc ccggagaccg acaaagtctg gatcgagatc 3540
ggcgagacgg agggcacttt catcgtggac tcggtcgagc tgctactgat ggaggagtga 3600

```

&lt;210&gt; SEQ ID NO 47

&lt;211&gt; LENGTH: 1199

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein variant TIC868\_29.

&lt;400&gt; SEQUENCE: 47

```

Met Thr Ser Asn Arg Lys Asn Glu Asn Glu Ile Ile Asn Ala Leu Ser
1           5           10           15

Ile Pro Ala Val Ser Asn His Ser Ala Gln Met Asn Leu Ser Thr Asp
                20           25           30

Ala Arg Ile Glu Asp Ser Leu Cys Ile Ala Glu Gly Asn Asn Ile Asp
            35           40           45

Pro Phe Val Ser Ala Ser Thr Val Gln Thr Gly Ile Asn Ile Ala Gly
            50           55           60

Arg Ile Leu Gly Val Leu Gly Val Pro Phe Ala Gly Gln Ile Ala Ser
65           70           75           80

Phe Tyr Ser Phe Leu Val Gly Glu Leu Trp Pro Arg Gly Arg Asp Pro
            85           90           95

Trp Glu Ile Phe Leu Glu His Val Glu Gln Leu Ile Arg Gln Gln Val
            100          105          110

Thr Glu Asn Thr Arg Asp Thr Ala Leu Ala Arg Leu Gln Gly Leu Gly
            115          120          125

Asn Ser Phe Arg Ala Tyr Gln Tyr Ser Leu Glu Asp Trp Leu Glu Asn
            130          135          140

Arg Asp Asp Ala Arg Thr Arg Ser Val Leu Tyr Thr Gln Tyr Ile Ala
145          150          155          160

Leu Glu Leu Asp Phe Leu Asn Ala Met Pro Leu Phe Ala Ile Arg Asn
            165          170          175

```

-continued

---

Gln Glu Val Pro Leu Leu Met Val Tyr Ala Gln Ala Ala Asn Leu His  
 180 185 190  
 Leu Leu Leu Leu Arg Asp Ala Ser Leu Phe Gly Ser Glu Phe Gly Leu  
 195 200 205  
 Thr Ser Gln Glu Ile Gln Arg Tyr Tyr Glu Arg Gln Val Glu Lys Thr  
 210 215 220  
 Arg Glu Tyr Ser Asp Tyr Cys Ala Arg Trp Tyr Asn Thr Gly Leu Asn  
 225 230 235 240  
 Asn Leu Arg Gly Thr Asn Ala Glu Ser Trp Leu Arg Tyr Asn Gln Phe  
 245 250 255  
 Arg Arg Asp Leu Thr Leu Gly Val Leu Asp Leu Val Ala Leu Phe Pro  
 260 265 270  
 Ser Tyr Asp Thr Arg Val Tyr Pro Met Asn Thr Ser Ala Gln Leu Thr  
 275 280 285  
 Arg Glu Ile Tyr Thr Asp Pro Ile Gly Arg Thr Asn Ala Pro Ser Gly  
 290 295 300  
 Phe Ala Ser Thr Asn Trp Phe Asn Asn Ala Pro Ser Phe Ser Ala  
 305 310 315 320  
 Ile Glu Ala Ala Val Ile Arg Pro Pro His Leu Leu Asp Phe Pro Glu  
 325 330 335  
 Gln Leu Thr Ile Phe Ser Gln Leu Ser Arg Trp Ser His Thr Gln Tyr  
 340 345 350  
 Met Asn Tyr Trp Val Gly His Arg Leu Glu Ser Arg Thr Ile Arg Gly  
 355 360 365  
 Ser Leu Ser Thr Ser Thr His Gly Asn Thr Asn Thr Ser Ile Asn Pro  
 370 375 380  
 Val Thr Leu Gln Phe Thr Ser Arg Asp Val Tyr Arg Thr Glu Ser Phe  
 385 390 395 400  
 Ala Gly Ile Asn Ile Leu Leu Thr Thr Pro Val Asn Gly Val Pro Trp  
 405 410 415  
 Ala Arg Phe Asn Trp Arg Asn Pro Leu Asn Ser Leu Arg Gly Ser Leu  
 420 425 430  
 Leu Tyr Thr Ile Gly Tyr Thr Gly Val Gly Thr Gln Leu Phe Asp Ser  
 435 440 445  
 Glu Thr Glu Leu Pro Pro Glu Thr Thr Glu Arg Pro Asn Tyr Glu Ser  
 450 455 460  
 Tyr Ser His Arg Leu Ser Asn Ile Arg Leu Ile Ser Gly Asn Thr Leu  
 465 470 475 480  
 Arg Ala Pro Val Tyr Ser Trp Thr His Arg Ser Ala Asp Arg Thr Asn  
 485 490 495  
 Thr Ile Ser Ser Asp Ser Ile Asn Gln Ile Pro Leu Val Lys Gly Phe  
 500 505 510  
 Arg Val Trp Gly Gly Thr Ser Val Ile Thr Gly Pro Gly Phe Thr Gly  
 515 520 525  
 Gly Asp Ile Leu Arg Arg Asn Thr Phe Gly Asp Phe Val Ser Leu Gln  
 530 535 540  
 Val Asn Ile Asn Ser Pro Ile Thr Gln Arg Tyr Arg Leu Arg Phe Arg  
 545 550 555 560  
 Tyr Ala Ser Ser Arg Asp Ala Arg Val Ile Val Leu Thr Gly Ala Ala  
 565 570 575  
 Ser Thr Gly Val Gly Gly Gln Val Ser Val Asn Met Pro Leu Gln Lys  
 580 585 590

-continued

Thr	Met	Glu	Ile	Gly	Glu	Asn	Leu	Thr	Ser	Arg	Thr	Phe	Arg	Tyr	Thr
		595					600					605			
Asp	Phe	Ser	Asn	Pro	Phe	Ser	Phe	Arg	Ala	Asn	Pro	Asp	Ile	Ile	Gly
	610					615					620				
Ile	Ser	Glu	Gln	Pro	Leu	Phe	Gly	Ala	Gly	Ser	Ile	Ser	Ser	Gly	Glu
625					630					635					640
Leu	Tyr	Ile	Asp	Lys	Ile	Glu	Ile	Ile	Leu	Ala	Asp	Ala	Thr	Phe	Glu
				645					650					655	
Ala	Glu	Ser	Asp	Leu	Glu	Arg	Ala	Gln	Lys	Ala	Val	Asn	Glu	Leu	Phe
			660					665					670		
Thr	Ser	Ser	Asn	Gln	Ile	Gly	Leu	Lys	Thr	Asp	Val	Thr	Asp	Tyr	His
		675					680						685		
Ile	Asp	Gln	Val	Ser	Asn	Leu	Val	Glu	Cys	Leu	Ser	Asp	Glu	Phe	Cys
	690					695					700				
Leu	Asp	Glu	Lys	Lys	Glu	Leu	Ser	Glu	Lys	Val	Lys	His	Ala	Lys	Arg
705					710					715					720
Leu	Ser	Asp	Glu	Arg	Asn	Leu	Leu	Gln	Asp	Pro	Asn	Phe	Arg	Gly	Ile
				725					730					735	
Asn	Arg	Gln	Leu	Asp	Arg	Gly	Trp	Arg	Gly	Ser	Thr	Asp	Ile	Thr	Ile
			740					745					750		
Gln	Gly	Gly	Asp	Asp	Val	Phe	Lys	Glu	Asn	Tyr	Val	Thr	Leu	Leu	Gly
		755					760					765			
Thr	Phe	Asp	Glu	Cys	Tyr	Pro	Thr	Tyr	Leu	Tyr	Gln	Lys	Ile	Asp	Glu
	770					775					780				
Ser	Lys	Leu	Lys	Ala	Tyr	Thr	Arg	Tyr	Gln	Leu	Arg	Gly	Tyr	Ile	Glu
785					790					795					800
Asp	Ser	Gln	Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr	Asn	Ala	Lys	His
				805					810					815	
Glu	Thr	Val	Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp	Pro	Leu	Ser	Ala
			820					825					830		
Pro	Ser	Pro	Ile	Gly	Lys	Cys	Ala	His	His	Ser	His	His	Phe	Ser	Leu
		835					840					845			
Asp	Ile	Asp	Val	Gly	Cys	Thr	Asp	Leu	Asn	Glu	Asp	Leu	Gly	Val	Trp
	850					855					860				
Val	Ile	Phe	Lys	Ile	Lys	Thr	Gln	Asp	Gly	His	Ala	Arg	Leu	Gly	Asn
865					870					875					880
Leu	Glu	Phe	Leu	Glu	Glu	Lys	Pro	Leu	Val	Gly	Glu	Ala	Leu	Ala	Arg
				885					890					895	
Val	Lys	Arg	Ala	Glu	Lys	Lys	Trp	Arg	Asp	Lys	Arg	Glu	Lys	Leu	Glu
			900					905					910		
Trp	Glu	Thr	Asn	Ile	Val	Tyr	Lys	Glu	Ala	Lys	Glu	Ser	Val	Asp	Ala
		915					920					925			
Leu	Phe	Val	Asn	Ser	Gln	Tyr	Asp	Arg	Leu	Gln	Ala	Asp	Thr	Asn	Ile
	930					935					940				
Ala	Met	Ile	His	Ala	Ala	Asp	Lys	Arg	Val	His	Ser	Ile	Arg	Glu	Ala
945					950					955					960
Tyr	Leu	Pro	Glu	Leu	Ser	Val	Ile	Pro	Gly	Val	Asn	Ala	Ala	Ile	Phe
				965					970					975	
Glu	Glu	Leu	Glu	Gly	Arg	Ile	Phe	Thr	Ala	Phe	Ser	Leu	Tyr	Asp	Ala
			980					985					990		
Arg	Asn	Val	Ile	Lys	Asn	Gly	Asp	Phe	Asn	Asn	Gly	Leu	Ser	Cys	Trp
	995						1000					1005			
Asn	Val	Lys	Gly	His	Val	Asp	Val	Glu	Glu	Gln	Asn	Asn	His	Arg	

-continued

1010	1015	1020
Ser Val Leu Val Val Pro Glu Trp Glu Ala Glu Val Ser Gln Glu 1025	1030	1035
Val Arg Val Cys Pro Gly Arg Gly Tyr Ile Leu Arg Val Thr Ala 1040	1045	1050
Tyr Lys Glu Gly Tyr Gly Glu Gly Cys Val Thr Ile His Glu Ile 1055	1060	1065
Glu Asn Asn Thr Asp Glu Leu Lys Phe Ser Asn Cys Val Glu Glu 1070	1075	1080
Glu Val Tyr Pro Asn Asn Thr Val Thr Cys Asn Asp Tyr Thr Ala 1085	1090	1095
Thr Gln Glu Glu Tyr Glu Gly Thr Tyr Thr Ser Arg Asn Arg Gly 1100	1105	1110
Tyr Asp Gly Ala Tyr Glu Ser Asn Ser Ser Val Pro Ala Asp Tyr 1115	1120	1125
Ala Ser Ala Tyr Glu Glu Lys Ala Tyr Thr Asp Gly Arg Arg Asp 1130	1135	1140
Asn Pro Cys Glu Ser Asn Arg Gly Tyr Gly Asp Tyr Thr Pro Leu 1145	1150	1155
Pro Ala Gly Tyr Val Thr Lys Glu Leu Glu Tyr Phe Pro Glu Thr 1160	1165	1170
Asp Lys Val Trp Ile Glu Ile Gly Glu Thr Glu Gly Thr Phe Ile 1175	1180	1185
Val Asp Ser Val Glu Leu Leu Leu Met Glu Glu 1190	1195	

&lt;210&gt; SEQ ID NO 48

&lt;211&gt; LENGTH: 3432

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Recombinant nucleotide sequence used for expression in a bacterial cell encoding TIC869.

&lt;400&gt; SEQUENCE: 48

```

atggagataa ataatcagaa gcaatgcata ccatataatt gcttaagtaa tcctgaggaa      60
gtacttttgg atggggagag gatattacct gatatcgatc cactcgaagt ttctttgtcg     120
cttttgcaat ttcttttgaa taactttggt ccagggggag gctttatttc aggattagtt     180
gataaaatat ggggggcttt gagaccatct gaatgggact tatttcttgc acagattgaa     240
cggttgattg atcaaagaat agaagcaaca gtaagagcaa aagcaatcac tgaattagaa     300
ggattagga gaaattatca aatatacgct gaagcattta aagaatggga atcagatcct     360
gataacgaag cggctaaaag tagagtaatt gatcgctttc gtatacttga tggcttaatt     420
gaagcaaata tcccttcatt tcggataatt ggatttgaag tgccactttt atcggtttat     480
gttcaagcag ctaatctaca tctcgctcta ttgagagatt ctgttatfff tggagagaga     540
tggggattga cgacaaaaaa tgtcaatgat atctataata gacaaattag agaaattcat     600
gaatatagca atcattgcgt agatacgtat aacacagaac tagaacgtct agggtttaga     660
tctatagcgc agtggagaat atataatcag tttagaagag aactaacact aactgtatta     720
gatattgtcg ctcttttccc gaactatgac agtagactgt atccgatcca aactttttct     780
caattgacaa gagaaattgt tacatcccca gtaagcgaat tttattatgg tgttattaat     840
agtggtaata taattggtac tcttactgaa cagcagataa ggcgaccaca tcttatggac     900

```



-continued

ttctttaact	ccatgatcat	gtatacatca	gataatagac	gggaacatta	ttggtcagga	960
cttgaaatga	cggcttattt	tacaggattt	gcaggagctc	aagtgtcatt	ccctttagtc	1020
gggactagag	gggagtcagc	tccaccatta	actgttagaa	gtgttaatga	tggaatttat	1080
agaatattat	cggcacctgt	ttattcagcg	ccttttctag	gcaccattgt	attgggaagt	1140
cgtggagaaa	aatttgattt	tgcgcttaat	aatatttcac	ctccgccatc	tacaatatac	1200
agacatcctg	gaacagtaga	ttcactagtc	agtataccgc	cacaggataa	tagcgtacca	1260
ccgcacaggg	gatctagtca	tcgattaagt	catgttacia	tgcgcgcaag	ttcccctata	1320
ttccattgga	cgcacgcag	cgcaaccact	acaatacaa	ttaatccaaa	tgctattatc	1380
caaataccac	tagtaaaagc	atttaacctt	cattcaggtg	ccactgttgt	tagaggacca	1440
gggtttacag	gtggagatct	cttacgaaga	acgaatactg	gtacatttgc	agacataaga	1500
gtcaatgttc	cttcatcact	atcttcccaa	agatatacgc	taaggattcg	ttatgcttct	1560
actaccgatt	tacaattttt	cacgagaatt	aatggaactt	ctgttaatca	aggtaatttc	1620
tcaaaaacga	tggatagagg	ggataaactg	aaatctgaaa	actttagaac	tgccggattt	1680
agtactcctt	ttagattttc	aaattttcaa	agtacattca	cgttgggtac	tcaggctttt	1740
tcaaatcagg	aagtttatat	agatagaatt	gaatttgtcc	cggcagaagt	aacattcgag	1800
gcagaatctg	atttagaaaag	agcacaaaag	gcggtgaatg	agctgtttac	ttcttccaat	1860
caaatcgggt	taaaaacaga	tgtgacggat	tatcatattg	atcaagtatc	caatttagtt	1920
gagtgtttat	ctgatgaatt	ttgtctggat	gaaaaaaaaag	aattgtccga	gaaagtcaaa	1980
catgcgaagc	gacttagtga	tgagcggaat	ttacttcaag	atccaaactt	tagagggatc	2040
aatagacaac	tagaccgtgg	ctggagagga	agtacggata	ttaccatcca	aggaggcgat	2100
gacgtattca	aagagaatta	cgttacgcta	ttgggtacct	ttgatgagtg	ctatccaacg	2160
tatttatatc	aaaaaataga	tgagtcgaaa	ttaaaagcct	ataccctgta	ccaattaaga	2220
gggtatatcg	aagatagtca	agacttagaa	atctatttaa	ttcgtacaaa	tgccaaacac	2280
gaaacagtaa	atgtgccagg	tacgggttcc	ttatggccgc	tttcagcccc	aagtccaatc	2340
ggaaaatgtg	cccatcattc	ccatcatttc	tccttggaca	ttgatgttgg	atgtacagac	2400
ttaaatgagg	acttaggtgt	atgggtgata	ttcaagatta	agacgcaaga	tggccatgca	2460
agactaggaa	atctagaatt	tctcgaagag	aaaccattag	taggagaagc	actagctcgt	2520
gtgaaaagag	cggagaaaaa	atggagagac	aaacgtgaaa	aattggaatg	ggaaacaaat	2580
attgtttata	aagaggcaaa	agaatctgta	gatgctttat	ttgtaaactc	tcaatatgat	2640
agattacaag	cggataccaa	catcgcgatg	attcatgcgg	cagataaacg	cgttcatagc	2700
attcgagaag	cttatctgcc	tgagctgtct	gtgattccgg	gtgtcaatgc	ggctattttt	2760
gaagaattag	aagggcgtat	tttactgca	ttctccctat	atgatgcgag	aaatgtcatt	2820
aaaaatgggtg	attttaataa	tggcttatcc	tgctggaacg	tgaaagggca	tgtagatgta	2880
gaagaacaaa	acaaccaccg	ttcggctcctt	gtgttccgg	aatgggaagc	agaagtgtca	2940
caagaagttc	gtgtctgtcc	gggtcgtggc	tatatccttc	gtgtcacagc	gtacaaggag	3000
ggatatggag	aaggttgcgt	aaccattcat	gagatcgaga	acaatacaga	cgaactgaag	3060
tttagcaact	gtgtagaaga	ggaagtatat	ccaacaaca	cggtaacgtg	taatgattat	3120
actgcgactc	aagaagaata	tgagggtacg	tacacttctc	gtaategagg	atatgacgga	3180
gcctatgaaa	gcaattcttc	tgtaccagct	gattatgcat	cagcctatga	agaaaaagca	3240
tatacagatg	gacgaagaga	caatccttgt	gaatctaaca	gaggatatgg	ggattacaca	3300

-continued

---

```

ccactaccag ctggctatgt gacaaaagaa ttagagtact tcccagaaac cgataaggta 3360
tggattgaga tcggagaaac ggaaggaaca ttcacgtggg acagcgtgga attacttctt 3420
atggaggaat ag 3432

```

```

<210> SEQ ID NO 49
<211> LENGTH: 3432
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic nucleotide sequence designed for
expression in a plant cell encoding TIC869.

```

```

<400> SEQUENCE: 49

```

```

atggagataa acaaccagaa gcagtgcatt ccgtacaact gcctcagcaa cccggaggag 60
gtgctgctgg acggcgagcg taccctccca gacatcgacc cactggagggt cagcctgagc 120
ctcctccagt tcctcctcaa taacttcgtg ccaggcggcg gcttcatctc cggcctggtg 180
gacaagatct ggggcgcact ccggccaagt gagtgggatc tgttcctggc ccaaactcgag 240
cgctgatcg accagaggat cgaggcgacg gtccgcgcca aggcgataac cgagctggag 300
ggcctcggtc gcaactacca gatctacgca gaggcgttca aggagtggga gagcgacccg 360
gacaacgagg cggccaagtc tcgggtgatt gaccgcttcc gcatcctcga cggcctcatc 420
gaagccaaca tcccttcctt ccggatcata ggcttcgaag tcccgctcct cagcgtgtac 480
gtgcaagcgg ccaatctcca cctcgcgctt ctccgtgaca gcgtcatctt tggcgagaga 540
tggggcctga cgacgaagaa cgtgaacgac atctacaaca ggcagatccg agagattcac 600
gagtacagca accactgctt ggacacatac aacacggagc tggagcggct cggcttccgc 660
tcaatcgctc agtggcggat ctacaaccag ttccgcgcgc agctgaccct caccgtgctc 720
gacatcgctc cattgtttcc caattacgac tcacgcctct acccaatcca gactttcagc 780
cagctcacac gcgagattgt gaccagcccc gtgtcagagt tctactacgg cgtcatcaac 840
tcaggcaaca tcatcgggac actgactgaa cagcagatca gacgtccgca cttgatggac 900
ttcttcaact ccatgattat gtacacatca gacaacagga gagagcacta ctgggtccggg 960
ttggagatga ctgcttactt caccggcttc gccggtgccc aagtgagctt cccactggtc 1020
ggaactcgtg gcgagtcagc tcctccgcta actgtgcgat ctgtcaacga cgggatctac 1080
agaatactgt cggctccctt ctacagtgcg ccgttcctcg gcaccatcgt cctcggctca 1140
cgtggtgaga agttcgactt cgcactgaac aacattagcc cgccgectag tacaatctac 1200
aggcaccctg gcaccgtgga ctcaactggt tcgatcccgc cacaagacia cagtgtgccg 1260
ccacatcgtg gttctagcca caggctctcc catgtgacca tgcgcgctc ttcaccgatc 1320
tttcaactgga cccatcggtc cgtacaacc acaaacacca tcaaccctaa cgccatcatc 1380
caaatccccg tgggaagcgt gtttaacctc cacagcggcg caactgtcgt gcgcggccct 1440
ggattcaccg gtggtgacct gctccgctcg accaatactg gcacgttcgc agacatccga 1500
gtgaacgtcc cgtcctcgtt gttcagtcag cgtaccgtg tccgcattcg gtaacgttcc 1560
accacggatc tccagttctt tactcgcac aatgggacga gcgtcaacca gggcaacttc 1620
agcaagacga tggaccgtgg agataagctc aagtccgaga acttccgcac ggctggcttc 1680
tcgacaccgt tcagattcag caacttccag agcactttca cgtgggcac acaggcgttc 1740
tccaaccagg aggtgtacat cgaccgcac gagttcgtgc ctgctgaggt taccttcgag 1800
gcggaaagcg acctcgaaag ggcccagaag gccgtcaacg agctgttcac ctccagcaac 1860

```

-continued

---

```

cagatcggtc tcaagaccga cgtcactgac tatcacattg accaagtcag caacctggtg 1920
gagtgcctca gtgatgagtt ctgcctggat gagaagaagg agcttagcga gaaggccaag 1980
cacgcaaagc gcttgagcga cgagcgcgaac cttctccagg acccgaattt ccgtggtatc 2040
aatagacagc ttgaccgtgg gtggcgcggt agtaccgaca taaccatcca gggggcgac 2100
gatgtgttca aggagaatta tgttacgctg ctcggtacgt tcgacgagtg ctatcccacg 2160
tacttgtacc agaagattga cgagagcaag ctcaaggcgt acaccctta ccagctccgt 2220
ggctacatcg aggacagcca ggatctggaa atctacctta tccgatacaa tgctaagcac 2280
gagacagtca acgtgcccgg aacagggctg ctctggccgc tcagtgtcc gtgcccatt 2340
ggcaagtgcg cgcaccattc gcatcacttc tcaactgaca ttgacgtggg ctgcaccgac 2400
ctgaacgagg atctgggtgt ctgggtcatc ttcaagatca agaccaaga cggccacgcg 2460
cgctcggga acctggagtt cctggaggag aagcctttgg taggtgaagc cctggcccgc 2520
gtcaagcgcg cggagaagaa gtggcgcgac aagagggaga agctggaatg ggagaccaac 2580
atcgtgtaca aggaggcga ggagtcggtg gacgcactat tcgtgaactc ccagtacgac 2640
cgtctccagg ccgacaccaa catcgccatg atccacgccc ctgacaaacg agttcattcc 2700
attcgtgaag cctatcttcc cgagctgtct gtcataccgg gcgtcaacgc ggccatcttc 2760
gaggagttag agggctcgat ctttacagct ttctcactgt acgatgcccg caacgtcatc 2820
aagaacggcg acttcaacaa cggctctctc tgttgaacg tgaagggcca cgtggatgtc 2880
gaggagcaga acaaccaccg ctctgtgctt gtggtgcccg agtgggaggc cgaggtgagc 2940
caggaggtcc gcgtctgtcc gggtcgcccg tacatcctgc gggtcaccgc ctacaaggag 3000
ggctacggcg aaggctgctg tactattcac gagattgaga acaataccga cgaactcaag 3060
ttctccaact gtgtcgagga ggaggtgtac ccgaacaaca ccgtgacgtg caacgactac 3120
accgcgacac aggaggaata cgagggcacc tacaccagcc gcaaccgagg ctacgacgga 3180
gcgtacgaga gcaactcgtc cgtgcccgcg gattacgcca gtgcgtacga ggagaaggct 3240
tacaccgacg gacggcgcca caatccctgc gagagtaacc gtggatacgg agattacagc 3300
ccgctaccgc ctggctacgt cactaaggaa ctggagtact tcccagagac ggacaagggtg 3360
tggatcgaaa tcggcgagac agagggcagc ttcacgtgg actccgtgga gctgctgctg 3420
atggaggagt ga 3432

```

&lt;210&gt; SEQ ID NO 50

&lt;211&gt; LENGTH: 1143

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein TIC869.

&lt;400&gt; SEQUENCE: 50

```

Met Glu Ile Asn Asn Gln Lys Gln Cys Ile Pro Tyr Asn Cys Leu Ser
1           5           10           15
Asn Pro Glu Glu Val Leu Leu Asp Gly Glu Arg Ile Leu Pro Asp Ile
20           25           30
Asp Pro Leu Glu Val Ser Leu Ser Leu Leu Gln Phe Leu Leu Asn Asn
35           40           45
Phe Val Pro Gly Gly Gly Phe Ile Ser Gly Leu Val Asp Lys Ile Trp
50           55           60
Gly Ala Leu Arg Pro Ser Glu Trp Asp Leu Phe Leu Ala Gln Ile Glu

```

-continued

65	70	75	80
Arg Leu Ile Asp	Gln Arg Ile Glu Ala	Thr Val Arg Ala Lys	Ala Ile
	85	90	95
Thr Glu Leu Glu Gly	Leu Gly Arg Asn Tyr	Gln Ile Tyr Ala	Glu Ala
	100	105	110
Phe Lys Glu Trp Glu Ser	Asp Pro Asp Asn Glu Ala	Ala Lys Ser Arg	
	115	120	125
Val Ile Asp Arg Phe Arg	Ile Leu Asp Gly Leu Ile	Glu Ala Asn Ile	
	130	135	140
Pro Ser Phe Arg Ile Ile	Gly Phe Glu Val Pro Leu Leu	Ser Val Tyr	
	145	150	155
Val Gln Ala Ala Asn Leu	His Leu Ala Leu Leu Arg	Asp Ser Val Ile	
	165	170	175
Phe Gly Glu Arg Trp Gly	Leu Thr Thr Lys Asn Val	Asn Asp Ile Tyr	
	180	185	190
Asn Arg Gln Ile Arg Glu	Ile His Glu Tyr Ser Asn	His Cys Val Asp	
	195	200	205
Thr Tyr Asn Thr Glu Leu	Glu Arg Leu Gly Phe Arg	Ser Ile Ala Gln	
	210	215	220
Trp Arg Ile Tyr Asn Gln	Phe Arg Arg Glu Leu Thr	Leu Thr Val Leu	
	225	230	240
Asp Ile Val Ala Leu Phe	Pro Asn Tyr Asp Ser Arg	Leu Tyr Pro Ile	
	245	250	255
Gln Thr Phe Ser Gln Leu	Thr Arg Glu Ile Val Thr	Ser Pro Val Ser	
	260	265	270
Glu Phe Tyr Tyr Gly Val	Ile Asn Ser Gly Asn Ile	Ile Gly Thr Leu	
	275	280	285
Thr Glu Gln Gln Ile Arg	Arg Pro His Leu Met Asp	Phe Phe Asn Ser	
	290	295	300
Met Ile Met Tyr Thr Ser	Asp Asn Arg Arg Glu His	Tyr Trp Ser Gly	
	305	310	320
Leu Glu Met Thr Ala Tyr	Phe Thr Gly Phe Ala Gly	Ala Gln Val Ser	
	325	330	335
Phe Pro Leu Val Gly Thr	Arg Gly Glu Ser Ala Pro	Pro Leu Thr Val	
	340	345	350
Arg Ser Val Asn Asp Gly	Ile Tyr Arg Ile Leu Ser	Ala Pro Phe Tyr	
	355	360	365
Ser Ala Pro Phe Leu Gly	Thr Ile Val Leu Gly Ser	Arg Gly Glu Lys	
	370	375	380
Phe Asp Phe Ala Leu Asn	Asn Ile Ser Pro Pro Pro	Ser Thr Ile Tyr	
	385	390	400
Arg His Pro Gly Thr Val	Asp Ser Leu Val Ser Ile	Pro Pro Gln Asp	
	405	410	415
Asn Ser Val Pro Pro His	Arg Gly Ser Ser His Arg	Leu Ser His Val	
	420	425	430
Thr Met Arg Ala Ser Ser	Pro Ile Phe His Trp Thr	His Arg Ser Ala	
	435	440	445
Thr Thr Thr Asn Thr Ile	Asn Pro Asn Ala Ile Ile	Gln Ile Pro Leu	
	450	455	460
Val Lys Ala Phe Asn Leu	His Ser Gly Ala Thr Val	Val Arg Gly Pro	
	465	470	480
Gly Phe Thr Gly Gly Asp	Leu Leu Arg Arg Thr Asn	Thr Gly Thr Phe	
	485	490	495

-continued

---

Ala Asp Ile Arg Val Asn Val Pro Ser Ser Leu Phe Ser Gln Arg Tyr  
500 505 510

Arg Val Arg Ile Arg Tyr Ala Ser Thr Thr Asp Leu Gln Phe Phe Thr  
515 520 525

Arg Ile Asn Gly Thr Ser Val Asn Gln Gly Asn Phe Ser Lys Thr Met  
530 535 540

Asp Arg Gly Asp Lys Leu Lys Ser Glu Asn Phe Arg Thr Ala Gly Phe  
545 550 555 560

Ser Thr Pro Phe Arg Phe Ser Asn Phe Gln Ser Thr Phe Thr Leu Gly  
565 570 575

Thr Gln Ala Phe Ser Asn Gln Glu Val Tyr Ile Asp Arg Ile Glu Phe  
580 585 590

Val Pro Ala Glu Val Thr Phe Glu Ala Glu Ser Asp Leu Glu Arg Ala  
595 600 605

Gln Lys Ala Val Asn Glu Leu Phe Thr Ser Ser Asn Gln Ile Gly Leu  
610 615 620

Lys Thr Asp Val Thr Asp Tyr His Ile Asp Gln Val Ser Asn Leu Val  
625 630 635 640

Glu Cys Leu Ser Asp Glu Phe Cys Leu Asp Glu Lys Lys Glu Leu Ser  
645 650 655

Glu Lys Val Lys His Ala Lys Arg Leu Ser Asp Glu Arg Asn Leu Leu  
660 665 670

Gln Asp Pro Asn Phe Arg Gly Ile Asn Arg Gln Leu Asp Arg Gly Trp  
675 680 685

Arg Gly Ser Thr Asp Ile Thr Ile Gln Gly Gly Asp Asp Val Phe Lys  
690 695 700

Glu Asn Tyr Val Thr Leu Leu Gly Thr Phe Asp Glu Cys Tyr Pro Thr  
705 710 715 720

Tyr Leu Tyr Gln Lys Ile Asp Glu Ser Lys Leu Lys Ala Tyr Thr Arg  
725 730 735

Tyr Gln Leu Arg Gly Tyr Ile Glu Asp Ser Gln Asp Leu Glu Ile Tyr  
740 745 750

Leu Ile Arg Tyr Asn Ala Lys His Glu Thr Val Asn Val Pro Gly Thr  
755 760 765

Gly Ser Leu Trp Pro Leu Ser Ala Pro Ser Pro Ile Gly Lys Cys Ala  
770 775 780

His His Ser His His Phe Ser Leu Asp Ile Asp Val Gly Cys Thr Asp  
785 790 795 800

Leu Asn Glu Asp Leu Gly Val Trp Val Ile Phe Lys Ile Lys Thr Gln  
805 810 815

Asp Gly His Ala Arg Leu Gly Asn Leu Glu Phe Leu Glu Glu Lys Pro  
820 825 830

Leu Val Gly Glu Ala Leu Ala Arg Val Lys Arg Ala Glu Lys Lys Trp  
835 840 845

Arg Asp Lys Arg Glu Lys Leu Glu Trp Glu Thr Asn Ile Val Tyr Lys  
850 855 860

Glu Ala Lys Glu Ser Val Asp Ala Leu Phe Val Asn Ser Gln Tyr Asp  
865 870 875 880

Arg Leu Gln Ala Asp Thr Asn Ile Ala Met Ile His Ala Ala Asp Lys  
885 890 895

Arg Val His Ser Ile Arg Glu Ala Tyr Leu Pro Glu Leu Ser Val Ile  
900 905 910

-continued

---

Pro Gly Val Asn Ala Ala Ile Phe Glu Glu Leu Glu Gly Arg Ile Phe  
 915 920 925

Thr Ala Phe Ser Leu Tyr Asp Ala Arg Asn Val Ile Lys Asn Gly Asp  
 930 935 940

Phe Asn Asn Gly Leu Ser Cys Trp Asn Val Lys Gly His Val Asp Val  
 945 950 955 960

Glu Glu Gln Asn Asn His Arg Ser Val Leu Val Val Pro Glu Trp Glu  
 965 970 975

Ala Glu Val Ser Gln Glu Val Arg Val Cys Pro Gly Arg Gly Tyr Ile  
 980 985 990

Leu Arg Val Thr Ala Tyr Lys Glu Gly Tyr Gly Glu Gly Cys Val Thr  
 995 1000 1005

Ile His Glu Ile Glu Asn Asn Thr Asp Glu Leu Lys Phe Ser Asn  
 1010 1015 1020

Cys Val Glu Glu Glu Val Tyr Pro Asn Asn Thr Val Thr Cys Asn  
 1025 1030 1035

Asp Tyr Thr Ala Thr Gln Glu Glu Tyr Glu Gly Thr Tyr Thr Ser  
 1040 1045 1050

Arg Asn Arg Gly Tyr Asp Gly Ala Tyr Glu Ser Asn Ser Ser Val  
 1055 1060 1065

Pro Ala Asp Tyr Ala Ser Ala Tyr Glu Glu Lys Ala Tyr Thr Asp  
 1070 1075 1080

Gly Arg Arg Asp Asn Pro Cys Glu Ser Asn Arg Gly Tyr Gly Asp  
 1085 1090 1095

Tyr Thr Pro Leu Pro Ala Gly Tyr Val Thr Lys Glu Leu Glu Tyr  
 1100 1105 1110

Phe Pro Glu Thr Asp Lys Val Trp Ile Glu Ile Gly Glu Thr Glu  
 1115 1120 1125

Gly Thr Phe Ile Val Asp Ser Val Glu Leu Leu Leu Met Glu Glu  
 1130 1135 1140

<210> SEQ ID NO 51  
 <211> LENGTH: 3513  
 <212> TYPE: DNA  
 <213> ORGANISM: Artificial  
 <220> FEATURE:  
 <223> OTHER INFORMATION: Recombinant nucleotide sequence used for  
 expression in a bacterial cell encoding TIC836.

<400> SEQUENCE: 51

atggagaata atattcaaaa tcaatgcgta cttacaatt gtttaataa tctgaagta 60  
 gaaatattaa atgaagaaag aagtactggc agattaccgt tagatatatc cttatcgctt 120  
 acacgtttcc ttttgagtga atttgttcca ggtgtgggag ttgcgtttgg attatttgat 180  
 ttaatatggg gttttataac tccttctgat tggagcttat ttcttttaca gattgaacaa 240  
 ttgattgagc aaagaataga aacattggaa aggaaccggg caattactac attacgaggg 300  
 ttgacagata gctatgaaat ttatattgaa gcactaagag agtgggaagc aaatcctaat 360  
 aatgcacaat taaggaaga tgtgcgtatt cgatttgcta atacagacga cgctttaata 420  
 acagcaataa ataattttac acttacaagt tttgaaatcc ctcttttatc ggtctatggt 480  
 caagcggcga atttacattt atcactatta agagacgctg tatcgtttgg gcagggttgg 540  
 ggactggata tagctactgt taataatcat tataatagat taataaatct tattcataga 600  
 tatacgaaac attgtttga cacatacaat caaggattag aaaacttaag aggtactaat 660  
 actcgacaat gggcaagatt caatcagttt aggagagatt taacacttac tgtattagat 720

-continued

---

atcgttgctc	ttttccgaa	ctacgatggt	agaacatata	caattcaaac	gtcatcccaa	780
ttaacaaggg	aaatttatac	aagttcagta	attgaggatt	ctccagtttc	tgctaataata	840
cctaagtgtt	ttaatagggc	ggaatttggg	gtagaccgc	cccatcttat	ggactttatg	900
aattctttgt	ttgtaactgc	agagactggt	agaagtcaaa	ctgtgtgggg	aggacactta	960
gtagttcac	gaaatacggc	tggtaacctg	ataaatttcc	ctagttacgg	ggtcttcaat	1020
cctggtggcg	ccatttggat	tgcatagag	gatccacgtc	ctttttatcg	gacattatca	1080
gatcctgttt	ttgtccgagg	aggatttggg	aatcctcatt	atgtactggg	gcttagggga	1140
gtagcatttc	aacaaactgg	tacgaaccac	acccgaacat	ttagaaatag	tgggaccata	1200
gattctctag	atgaaatccc	acctcaggat	aatagtgggg	caccttggaa	tgattatagt	1260
catgtattaa	atcatgttac	atgtgtacga	tgccacgggtg	agatttcagg	aagtgattca	1320
tgagagagctc	caatgttttc	ttggacgcac	cgtagtgcaa	cccctacaaa	tacaattgat	1380
ccggagagga	ttacacaaat	acctttaaca	aaatctacta	atcttggctc	tggaacttct	1440
gtcgttaaag	gaccaggatt	tacaggagga	gatattcttc	gaagaacttc	acctggccag	1500
atccaacct	taagagtaaa	tattactgca	ccattatcac	aaagatatcg	ggtaagaatt	1560
cgctacgctt	ctaccacaaa	tttacaattc	catacatcaa	ttgacggaag	acctattaat	1620
caggggaatt	tttcagcaac	tatgagtagt	gggagtaatt	tacagtccgg	aagctttagg	1680
actgtagggt	ttactactcc	gtttaacttt	tcaaatggat	caagtgtatt	tacgttaagt	1740
gctcatgtct	tcaattcagg	caatgaagtt	tatatagatc	gaattgaatt	tgttccggca	1800
gaagtaacct	ttgaggcaga	atatgattta	gaaagagcgc	agaaggcgg	gaatgcgctg	1860
tttacgtcta	caaaccaact	agggctaaaa	acaaatgtaa	cggattatca	tattgatcaa	1920
gtgtccaatt	tagttacgta	tttatcggat	gaattttgtc	tggtgaaaa	gcgagaattg	1980
tccgagaaaag	tcaaactatgc	gaagcgactc	agtgatgaac	gcaatttact	ccaagattca	2040
aatttcaaag	acattaatag	gcaaccagaa	cgtgggtggg	gcggaagtac	agggattacc	2100
atccaaggag	gggatgacgt	atntaaagaa	aattacgtca	cactatcagg	tacctttgat	2160
gagtgctatc	caacatattt	gtatcaaaaa	atcgatgaat	caaaattaaa	agcctttacc	2220
cgttatcaat	taagagggtg	tatcgaagat	agtcaagact	tagaaatcta	tttaattcgc	2280
tacaatgcaa	aacatgaaac	agtaaatgtg	ccaggtacgg	gttccttatg	gcccgtttca	2340
gccccaaagtc	caatcgaaa	gtgtggagag	ccgaatcgat	gcgcgccaca	ccttgaatgg	2400
aatcctgact	tagattgttc	gtgtagggat	ggagaaaagt	gtgcccata	ttcgatcat	2460
ttctccttag	acattgatgt	aggatgtaca	gacttaaatg	aggacctagg	tgtaggggtg	2520
atctttaaga	ttaagacgca	agatgggcac	gcaagactag	ggaatctaga	gtttctcgaa	2580
gaaaaacct	tagtaggaga	agcgctagct	cgtgtgaaa	gagcggagaa	aaaatggaga	2640
gacaaacgtg	aaaaattgga	atgggaaaca	aatatcgttt	ataaagaggc	aaaagaatct	2700
gtagatgctt	tatttgtaaa	ctctcaatat	gatcaattac	aagcggatac	gaatattgcc	2760
atgattcatg	cggcagataa	acgtgttcat	agcattcgag	aagcttatct	gcctgagctg	2820
tctgtgattc	cgggtgtcaa	tgccgctatt	tttgaagaat	tagaaggcg	tattttcact	2880
gatttctccc	tatatgatgc	gagaaatgtc	attaaaaatg	gtgattttaa	taatggctta	2940
tcctgctgga	acgtgaaagg	gcatgtagat	gtagaagaac	aaaacaacca	acgttcggtc	3000
cttgttgctc	cggaatggga	agcagaagtg	tcacaagaag	ttcgtgtctg	tccgggtcgt	3060

-continued

---

```

ggctatatcc ttcgtgtcac agcgtacaag gagggatatg gagaaggttg cgtaaccatt 3120
catgagatcg agaacaatac agacgaactg aagtttagca actgcgtaga ggaggaaatc 3180
tatccaaata acacggtaac gtgtaatgat tatactgtaa atcaagaaga atacggaggt 3240
gcgtacactt ctcgtaatcg aggatataac gaagctcctt ccgtaccagc tgattatgcg 3300
tcagtctatg aagaaaaatc gtatacagat ggacgtagag agaatccttg tgaatttaac 3360
agaggggata gggattacac gccactacca gttggttatg tgacaaaaga attagaatac 3420
ttcccagaaa ccgataaggt atggattgag attggagaaa cggaaggaac atttatcgtg 3480
gacagcgtgg aattactcct tatggaggaa taa 3513

```

&lt;210&gt; SEQ ID NO 52

&lt;211&gt; LENGTH: 3513

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Synthetic nucleotide sequence designed for expression in a plant cell encoding TIC836.

&lt;400&gt; SEQUENCE: 52

```

atggagaaca acatccagaa ccagtgcgtg ccctacaact gcctgaacaa ccctgaggtt 60
gagatcctga acgaggagcg tagcaccggg aggcctccgc tagacatctc cctgagcctg 120
accgcttcc tccttagtga gttcgtgccc ggcggtggcg tggccttcgg cctcttcgac 180
ctcatctggg gcttcatcac tccttccgac tggtcctct tctccttca gattgagcaa 240
ctgatcgagc agcgcacgga gacccttgag cgcaaccgcg ccatcaccac tctcagaggt 300
ctcgccgact cctacgaaat ctacatcgag gcactccgtg agtgggaggc caaccggaac 360
aatgcccagc tccgcgagga cgtgaggatc agattcgcca acaccgacga tgcctcatc 420
accgccatca acaattcac cctcacctcc ttcgagatcc ctcttctgtc tgtgtacgtt 480
caagctgcta accttcacct ttccctcctg cgcgacgccc tgagcttcgg ccagggctgg 540
ggcctcgaca tcgccaccgt gaacaatcac tacaaccgcc tcatcaacct catccaccgc 600
tacaccaagc actgccttga cacctacaac cagggccttg agaacctccg tggcaccaac 660
accgccaggt gggcccgtt caaccagttc cgcagagacc tcaccctcac cgtgctcgac 720
atcgtggcac tcttccaaa ctacgacgtg cgtacctacc ctatccagac ctccagccag 780
ctcaccaggg aatctacac ctccagcgtg atcgaggact ctctgtgtc cgccaacatc 840
cctaaccggc tcaaccgccc cgagtccggc gtgcgccctc ctcacctcat ggacttcatg 900
aactccctct tcgtcactgc cgagaccgtg cgtcccaga ccgtgtgggg cggtcacctc 960
gtgtccagcc gtaacaccgc tggcaacagg atcaacttcc cgtcctacgg cgtgttcaac 1020
ccagggcgtg ccatctggat cgcgatgaa gaccctcgtc ctttctaccg taccctgtcc 1080
gaccctgtgt tcgtgcgtgg cggtttcggc aaccctcact acgtgctggg cctgcgtggc 1140
gtggccttcc agcaaaccgg caccaaccac accaggacgt tccgtaactc cggcaccatc 1200
gacagtcttg acgagatccc tccgcaagac aactccggtg caccttgaa cgactactcc 1260
cacgtgctga accacgtgac cttcgtgagg tggcctggcg aaatctccgg ctccgactcc 1320
tggagggctc ctatgttcag ttggaccac aggagcgcta cgcctacaa caccatcgac 1380
cctgagcgta tcaactcagat ccctctgact aagagcacta acctgggcag cggcactagc 1440
gtggtaagg gccctggctt cactggcggg gacatcctga ggcggactag ccctggccag 1500
atcagcactc tgagggtgaa catcactgct ccgctgagcc agcgttacag ggtcagaatc 1560

```



-continued

---

```

cgttacgctt ctactactaa ccttcagttc cacactagca tgcagggccg tccgatcaac 1620
cagggcaact tctctgctac tatgagttct ggcagtaacc tccagtctgg tagtttccgg 1680
actgtcgggt tcaactctgg caacgaggtg tacatcgacc ggatcgagtt cgtccctgct 1740
gctcacgtgt tcaactctgg caacgaggtg tacatcgacc ggatcgagtt cgtccctgct 1800
gaggtgacgt tgcagggccg gtacgacctg gagcgggctc agaaggctgt caacgctctg 1860
ttcacttcta ctaaccagct tggtttgaag actaacgtga ccgactacca cattgatcaa 1920
gtcagtaacc tggtcacgta cctgtctgac gaggttctgtc ttgacgagaa gcgggagctg 1980
tctgagaagg tcaagcacgc taagcggctg tctgacgagc ggaacctgct tcaagacagt 2040
aacttcaagg acattaaccg ccagcctgag cgtggttggg gagggccac gggattacg 2100
attcaaggag gtgacgatgt ctttaaggag aactatgtga cgctttcggg tacgtttgat 2160
gagtgctatc caacgtacct ttaccagaag attgacgagc cgaagctgaa ggctttcact 2220
cgttaccagc ttcgtggtta cattgaggac tcgcaagacc tcgaaatcta cctcattcgt 2280
tacaacgcta agcacgagac tgtcaacgtc cctggtacgg gtagtctttg gccgctttct 2340
gctcagtcgc cgattggcaa gtgtggcgag ccgaaccggt gcgctcctca cttggagtgg 2400
aaccgggatc tgcattgctc gtgccgtgac ggtgagaagt gcgcgacca tagtcatcac 2460
tttagccttg acattgatgt cggttgcacg gatcctaacg aggatcttgg agtctgggtg 2520
atthtcaaga tcaaaactca ggatgggac gcgcgtcttg ggaatcttga gttcctggag 2580
gagaagccac ttgtcgggtga ggcgcttgcg cgtgtcaagc gtgcggagaa gaaatggcgt 2640
gataagcgtg agaagttgga gtgggagacg aacatcgtgt acaaggaggc gaaggagtgc 2700
gtcgatgcgt tgtttgtcaa tagtcaatac gatcaattgc aagcggatac gaacatcgca 2760
atgattcatg cggcagataa gcgtgtccat tgcattcgtg aggcgtactt gccagagttg 2820
tcggtcatcc caggagttaa tgcggcaatc tttgaggaat tggagggcag aatcttcacg 2880
gcgttctcgt tgtacgatgc aagaaatggt attaagaatg gagatttcaa caatggggtg 2940
tcatgctgga atgttaaggg tcacgttgat gttgaagaac agaacaacca gagatcagtg 3000
ttggttgtag cagagtggga ggcagaggtt tcacaagagg tgagagtttg cccaggcaga 3060
ggctacatct tgagagttac agcatacaaa gagggatacg gcgagggatg tgttacaatc 3120
cacgaaatcg agaacaatac cgatgagcta aagttctcaa attgtgttga ggaggagatc 3180
taccgaaca acacggttac ttgtaatgat tacacagtga accaggagga gtatgggtgt 3240
gcatacacat caagaaatag aggtacaaat gaagcaccat cagttccagc agattatgcc 3300
tcagtttatg aggagaagtc atacacagat ggacgacgtg agaatccatg tgagttcaat 3360
cgaggatacc gagattacac accactacca gttggatacg ttacaaagga actagaatac 3420
ttccagaaa cagataaagt atggatagag atcggagaaa cagaaggaac attcatcgtt 3480
gattcagtag aactactact tatggaagaa tga 3513

```

&lt;210&gt; SEQ ID NO 53

&lt;211&gt; LENGTH: 1170

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Artificial

&lt;220&gt; FEATURE:

&lt;223&gt; OTHER INFORMATION: Amino acid sequence of the chimeric protein TIC836.

&lt;400&gt; SEQUENCE: 53

```

Met Glu Asn Asn Ile Gln Asn Gln Cys Val Pro Tyr Asn Cys Leu Asn
1           5           10           15

```

-continued

---

Asn Pro Glu Val Glu Ile Leu Asn Glu Glu Arg Ser Thr Gly Arg Leu  
 20 25 30  
 Pro Leu Asp Ile Ser Leu Ser Leu Thr Arg Phe Leu Leu Ser Glu Phe  
 35 40 45  
 Val Pro Gly Val Gly Val Ala Phe Gly Leu Phe Asp Leu Ile Trp Gly  
 50 55 60  
 Phe Ile Thr Pro Ser Asp Trp Ser Leu Phe Leu Leu Gln Ile Glu Gln  
 65 70 75 80  
 Leu Ile Glu Gln Arg Ile Glu Thr Leu Glu Arg Asn Arg Ala Ile Thr  
 85 90 95  
 Thr Leu Arg Gly Leu Ala Asp Ser Tyr Glu Ile Tyr Ile Glu Ala Leu  
 100 105 110  
 Arg Glu Trp Glu Ala Asn Pro Asn Asn Ala Gln Leu Arg Glu Asp Val  
 115 120 125  
 Arg Ile Arg Phe Ala Asn Thr Asp Asp Ala Leu Ile Thr Ala Ile Asn  
 130 135 140  
 Asn Phe Thr Leu Thr Ser Phe Glu Ile Pro Leu Leu Ser Val Tyr Val  
 145 150 155 160  
 Gln Ala Ala Asn Leu His Leu Ser Leu Leu Arg Asp Ala Val Ser Phe  
 165 170 175  
 Gly Gln Gly Trp Gly Leu Asp Ile Ala Thr Val Asn Asn His Tyr Asn  
 180 185 190  
 Arg Leu Ile Asn Leu Ile His Arg Tyr Thr Lys His Cys Leu Asp Thr  
 195 200 205  
 Tyr Asn Gln Gly Leu Glu Asn Leu Arg Gly Thr Asn Thr Arg Gln Trp  
 210 215 220  
 Ala Arg Phe Asn Gln Phe Arg Arg Asp Leu Thr Leu Thr Val Leu Asp  
 225 230 235 240  
 Ile Val Ala Leu Phe Pro Asn Tyr Asp Val Arg Thr Tyr Pro Ile Gln  
 245 250 255  
 Thr Ser Ser Gln Leu Thr Arg Glu Ile Tyr Thr Ser Ser Val Ile Glu  
 260 265 270  
 Asp Ser Pro Val Ser Ala Asn Ile Pro Asn Gly Phe Asn Arg Ala Glu  
 275 280 285  
 Phe Gly Val Arg Pro Pro His Leu Met Asp Phe Met Asn Ser Leu Phe  
 290 295 300  
 Val Thr Ala Glu Thr Val Arg Ser Gln Thr Val Trp Gly Gly His Leu  
 305 310 315 320  
 Val Ser Ser Arg Asn Thr Ala Gly Asn Arg Ile Asn Phe Pro Ser Tyr  
 325 330 335  
 Gly Val Phe Asn Pro Gly Gly Ala Ile Trp Ile Ala Asp Glu Asp Pro  
 340 345 350  
 Arg Pro Phe Tyr Arg Thr Leu Ser Asp Pro Val Phe Val Arg Gly Gly  
 355 360 365  
 Phe Gly Asn Pro His Tyr Val Leu Gly Leu Arg Gly Val Ala Phe Gln  
 370 375 380  
 Gln Thr Gly Thr Asn His Thr Arg Thr Phe Arg Asn Ser Gly Thr Ile  
 385 390 395 400  
 Asp Ser Leu Asp Glu Ile Pro Pro Gln Asp Asn Ser Gly Ala Pro Trp  
 405 410 415  
 Asn Asp Tyr Ser His Val Leu Asn His Val Thr Phe Val Arg Trp Pro  
 420 425 430

-continued

---

Gly	Glu	Ile	Ser	Gly	Ser	Asp	Ser	Trp	Arg	Ala	Pro	Met	Phe	Ser	Trp
		435					440					445			
Thr	His	Arg	Ser	Ala	Thr	Pro	Thr	Asn	Thr	Ile	Asp	Pro	Glu	Arg	Ile
	450					455					460				
Thr	Gln	Ile	Pro	Leu	Thr	Lys	Ser	Thr	Asn	Leu	Gly	Ser	Gly	Thr	Ser
465					470					475					480
Val	Val	Lys	Gly	Pro	Gly	Phe	Thr	Gly	Gly	Asp	Ile	Leu	Arg	Arg	Thr
				485					490						495
Ser	Pro	Gly	Gln	Ile	Ser	Thr	Leu	Arg	Val	Asn	Ile	Thr	Ala	Pro	Leu
			500					505					510		
Ser	Gln	Arg	Tyr	Arg	Val	Arg	Ile	Arg	Tyr	Ala	Ser	Thr	Thr	Asn	Leu
		515					520					525			
Gln	Phe	His	Thr	Ser	Ile	Asp	Gly	Arg	Pro	Ile	Asn	Gln	Gly	Asn	Phe
	530					535					540				
Ser	Ala	Thr	Met	Ser	Ser	Gly	Ser	Asn	Leu	Gln	Ser	Gly	Ser	Phe	Arg
545					550					555					560
Thr	Val	Gly	Phe	Thr	Thr	Pro	Phe	Asn	Phe	Ser	Asn	Gly	Ser	Ser	Val
				565					570						575
Phe	Thr	Leu	Ser	Ala	His	Val	Phe	Asn	Ser	Gly	Asn	Glu	Val	Tyr	Ile
			580					585					590		
Asp	Arg	Ile	Glu	Phe	Val	Pro	Ala	Glu	Val	Thr	Phe	Glu	Ala	Glu	Tyr
		595					600					605			
Asp	Leu	Glu	Arg	Ala	Gln	Lys	Ala	Val	Asn	Ala	Leu	Phe	Thr	Ser	Thr
	610					615					620				
Asn	Gln	Leu	Gly	Leu	Lys	Thr	Asn	Val	Thr	Asp	Tyr	His	Ile	Asp	Gln
625					630					635					640
Val	Ser	Asn	Leu	Val	Thr	Tyr	Leu	Ser	Asp	Glu	Phe	Cys	Leu	Asp	Glu
				645					650					655	
Lys	Arg	Glu	Leu	Ser	Glu	Lys	Val	Lys	His	Ala	Lys	Arg	Leu	Ser	Asp
			660					665					670		
Glu	Arg	Asn	Leu	Leu	Gln	Asp	Ser	Asn	Phe	Lys	Asp	Ile	Asn	Arg	Gln
		675					680						685		
Pro	Glu	Arg	Gly	Trp	Gly	Gly	Ser	Thr	Gly	Ile	Thr	Ile	Gln	Gly	Gly
	690					695						700			
Asp	Asp	Val	Phe	Lys	Glu	Asn	Tyr	Val	Thr	Leu	Ser	Gly	Thr	Phe	Asp
705					710					715					720
Glu	Cys	Tyr	Pro	Thr	Tyr	Leu	Tyr	Gln	Lys	Ile	Asp	Glu	Ser	Lys	Leu
				725					730					735	
Lys	Ala	Phe	Thr	Arg	Tyr	Gln	Leu	Arg	Gly	Tyr	Ile	Glu	Asp	Ser	Gln
			740					745					750		
Asp	Leu	Glu	Ile	Tyr	Leu	Ile	Arg	Tyr	Asn	Ala	Lys	His	Glu	Thr	Val
	755						760						765		
Asn	Val	Pro	Gly	Thr	Gly	Ser	Leu	Trp	Pro	Leu	Ser	Ala	Gln	Ser	Pro
	770					775						780			
Ile	Gly	Lys	Cys	Gly	Glu	Pro	Asn	Arg	Cys	Ala	Pro	His	Leu	Glu	Trp
785					790					795					800
Asn	Pro	Asp	Leu	Asp	Cys	Ser	Cys	Arg	Asp	Gly	Glu	Lys	Cys	Ala	His
			805						810					815	
His	Ser	His	His	Phe	Ser	Leu	Asp	Ile	Asp	Val	Gly	Cys	Thr	Asp	Leu
			820					825					830		
Asn	Glu	Asp	Leu	Gly	Val	Trp	Val	Ile	Phe	Lys	Ile	Lys	Thr	Gln	Asp
		835					840						845		
Gly	His	Ala	Arg	Leu	Gly	Asn	Leu	Glu	Phe	Leu	Glu	Glu	Lys	Pro	Leu

-continued

850	855	860
Val Gly Glu Ala Leu Ala Arg Val Lys Arg Ala Glu Lys Lys Trp Arg 865 870 875 880		
Asp Lys Arg Glu Lys Leu Glu Trp Glu Thr Asn Ile Val Tyr Lys Glu 885 890 895		
Ala Lys Glu Ser Val Asp Ala Leu Phe Val Asn Ser Gln Tyr Asp Gln 900 905 910		
Leu Gln Ala Asp Thr Asn Ile Ala Met Ile His Ala Ala Asp Lys Arg 915 920 925		
Val His Ser Ile Arg Glu Ala Tyr Leu Pro Glu Leu Ser Val Ile Pro 930 935 940		
Gly Val Asn Ala Ala Ile Phe Glu Glu Leu Glu Gly Arg Ile Phe Thr 945 950 955 960		
Ala Phe Ser Leu Tyr Asp Ala Arg Asn Val Ile Lys Asn Gly Asp Phe 965 970 975		
Asn Asn Gly Leu Ser Cys Trp Asn Val Lys Gly His Val Asp Val Glu 980 985 990		
Glu Gln Asn Asn Gln Arg Ser Val Leu Val Val Pro Glu Trp Glu Ala 995 1000 1005		
Glu Val Ser Gln Glu Val Arg Val Cys Pro Gly Arg Gly Tyr Ile 1010 1015 1020		
Leu Arg Val Thr Ala Tyr Lys Glu Gly Tyr Gly Glu Gly Cys Val 1025 1030 1035		
Thr Ile His Glu Ile Glu Asn Asn Thr Asp Glu Leu Lys Phe Ser 1040 1045 1050		
Asn Cys Val Glu Glu Glu Ile Tyr Pro Asn Asn Thr Val Thr Cys 1055 1060 1065		
Asn Asp Tyr Thr Val Asn Gln Glu Glu Tyr Gly Gly Ala Tyr Thr 1070 1075 1080		
Ser Arg Asn Arg Gly Tyr Asn Glu Ala Pro Ser Val Pro Ala Asp 1085 1090 1095		
Tyr Ala Ser Val Tyr Glu Glu Lys Ser Tyr Thr Asp Gly Arg Arg 1100 1105 1110		
Glu Asn Pro Cys Glu Phe Asn Arg Gly Tyr Arg Asp Tyr Thr Pro 1115 1120 1125		
Leu Pro Val Gly Tyr Val Thr Lys Glu Leu Glu Tyr Phe Pro Glu 1130 1135 1140		
Thr Asp Lys Val Trp Ile Glu Ile Gly Glu Thr Glu Gly Thr Phe 1145 1150 1155		
Ile Val Asp Ser Val Glu Leu Leu Leu Met Glu Glu 1160 1165 1170		

What is claimed is:

1. A chimeric insecticidal protein comprising SEQ ID NO:7, wherein the chimeric insecticidal protein exhibits inhibitory activity against an insect species of the order Lepidoptera.

2. A polynucleotide encoding the chimeric insecticidal protein of claim 1, wherein the polynucleotide is operably linked to a heterologous promoter.

3. A polynucleotide encoding a chimeric insecticidal protein, wherein the polynucleotide:

a) comprises SEQ ID NO: 6; or

b) encodes the chimeric insecticidal protein of claim 1.

4. A host cell comprising the polynucleotide of claim 3, wherein said polynucleotide comprises SEQ ID NO: 6,

wherein the host cell is selected from the group consisting of a bacterial host cell and a plant host cell.

5. The host cell of claim 4, wherein the bacterial host cell is selected from the group consisting of *Agrobacterium*, *Rhizobium*, *Bacillus*, *Brevibacillus*, *Escherichia*, *Pseudomonas*, *Klebsiella*, and *Erwinia*.

6. The host cell of claim 4, wherein said plant host cell is selected from the group of plants consisting of monocots and dicots.

7. An insect inhibitory composition comprising the chimeric insecticidal protein of claim 1.

8. The insect inhibitory composition of claim 7, further comprising at least one insect inhibitory agent different from the chimeric insecticidal protein.

## 261

9. The insect inhibitory composition of claim 8, wherein said at least one insect inhibitory agent is selected from the group consisting of an insect inhibitory protein and an insect inhibitory dsRNA molecule.

10. The insect inhibitory composition of claim 8, wherein said at least one other pesticidal agent exhibits activity against one or more pest species of the orders Lepidoptera, Coleoptera, Hemiptera, Homoptera, or Thysanoptera.

11. A seed comprising an insect inhibitory effective amount of:

- a) the chimeric insecticidal protein of claim 1; or
- b) the polynucleotide set forth in SEQ ID NO: 6.

12. A method of controlling a Lepidopteran pest, the method comprising contacting the Lepidopteran pest with an inhibitory amount of the chimeric insecticidal protein of claim 1.

13. A transgenic plant cell, plant or plant part comprising a chimeric insecticidal protein, wherein

the chimeric insecticidal protein comprises SEQ ID NO: 7.

14. A method of controlling a Lepidopteran pest, comprising exposing the pest to the transgenic plant or plant part of claim 13, wherein said plant or plant part expresses a Lepidopteran inhibitory amount of the chimeric insecticidal protein.

15. A commodity product derived from the plant or plant part of claim 13, wherein the product comprises a detectable amount of the chimeric insecticidal protein.

## 262

16. The commodity product of claim 15, wherein the product is selected from the group consisting of plant biomass, oil, meal, animal feed, flour, flakes, bran, lint, hulls, and processed seed.

17. A method of producing a seed comprising the chimeric insecticidal protein of claim 1, the method comprising:

- a) planting at least one seed comprising the chimeric insecticidal protein of claim 1;
- b) growing at least one plant from said seed; and
- c) harvesting seeds from said at least one plant, wherein the harvested seeds comprise the chimeric insecticidal protein of claim 1.

18. A recombinant polynucleotide molecule encoding the chimeric insecticidal protein of claim 1, said molecule comprising SEQ ID NO:6 and a polynucleotide sequence encoding an insect inhibitory agent different from the chimeric insecticidal protein.

19. A recombinant nucleic acid molecule comprising a heterologous promoter operably linked to a polynucleotide segment encoding a chimeric insecticidal protein, wherein:

- a) in the chimeric insecticidal protein comprises SEQ ID NO: 7; or
- b) the polynucleotide segment comprises SEQ ID NO: 6; wherein said chimeric insecticidal protein exhibits inhibitory activity against an insect species of the order Lepidoptera.

\* \* \* \* \*