



US010776414B2

(12) **United States Patent**
Des Jardins et al.

(10) **Patent No.:** **US 10,776,414 B2**
(45) **Date of Patent:** **Sep. 15, 2020**

(54) **DYNAMIC CONTENT RECOMMENDATIONS**

7,680,959 B2 3/2010 Svendsen
7,757,250 B1 * 7/2010 Horvitz H04H 60/37
725/14

(71) Applicant: **Comcast Cable Communications, LLC**, Philadelphia, PA (US)

8,095,432 B1 1/2012 Berman et al.
(Continued)

(72) Inventors: **George Thomas Des Jardins**, Washington, DC (US); **Erik M. Schwartz**, Kensington, MD (US)

FOREIGN PATENT DOCUMENTS

EP 1454484 B1 9/2004
EP 1901475 A2 3/2008

(73) Assignee: **Comcast Cable Communications, LLC**, Philadelphia, PA (US)

(Continued)

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 237 days.

Entertainment Fiend: Keep Track of Watched TV Show Episodes and Movies and Plan What to Watch! dated Apr. 11, 2008, <http://entertainmentfiend.blogspot.com/2008/04/keep-track-of-watched-tv-show-episodes.html>, retrieved Jul. 31, 2014, 4 pages.

(Continued)

(21) Appl. No.: **14/310,327**

Primary Examiner — Richard L Bowen

(22) Filed: **Jun. 20, 2014**

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(65) **Prior Publication Data**

(57) **ABSTRACT**

US 2015/0370818 A1 Dec. 24, 2015

According to some aspects, disclosed methods and systems may include determining, by a device and based on historical data associated with a first user, a first user profile comprising one or more content recommendation periods each associated with a time period and a content classification, and in response to detecting a user interaction, selecting a first content recommendation period of the one or more content recommendation periods. The methods and system may also include determining one or more content candidates corresponding to the content classification from a plurality of content assets based on an amount of remaining time in the time period associated with the first content recommendation period and a correlation between the historical data associated with the first user and one or more contextual features associated with the plurality of content assets, and transmitting, to a client device, an indication of the one or more content candidates.

(51) **Int. Cl.**

G06F 16/435 (2019.01)

(52) **U.S. Cl.**

CPC **G06F 16/435** (2019.01)

(58) **Field of Classification Search**

CPC G06F 17/30029


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,782,551 B1 8/2004 Entwistle
6,925,610 B2 8/2005 Thurston et al.
7,509,663 B2 3/2009 Maynard et al.
7,624,416 B1 11/2009 Vandermolen et al.

25 Claims, 5 Drawing Sheets



US 10,776,414 B2

(56)

References Cited

U.S. PATENT DOCUMENTS

8,180,804	B1	5/2012	Narayanan et al.	2009/0300670	A1	12/2009	Barish	
8,291,321	B2	10/2012	Matsubayashi	2010/0023506	A1*	1/2010	Sahni	G06F 17/30876
8,302,127	B2	10/2012	Klarfeld et al.					707/E17.014
8,397,257	B1	3/2013	Barber	2010/0058376	A1	3/2010	Alhadeff et al.	
8,554,640	B1*	10/2013	Dykstra	2010/0083115	A1	4/2010	Park	
				2010/0122207	A1	5/2010	Kim et al.	
				2010/0138867	A1	6/2010	Wong et al.	
				2010/0162289	A1	6/2010	Sanders	
				2010/0229212	A1	9/2010	Liu et al.	
				2010/0241699	A1	9/2010	Muthukumarasamy et al.	
				2010/0250341	A1*	9/2010	Hauser	G06Q 30/02
8,555,177	B1	10/2013	Junee et al.					707/769
8,677,415	B2	3/2014	Angiolillo et al.	2010/0251305	A1*	9/2010	Kimble	H04N 7/17318
8,692,763	B1	4/2014	Kim					725/46
8,793,735	B2	7/2014	VanDuyn et al.	2010/0318611	A1	12/2010	Curtin et al.	
9,147,000	B2*	9/2015	Vasudevan	2010/0325544	A1	12/2010	Alhadeff et al.	
9,183,523	B2*	11/2015	Cudak	2010/0325646	A1	12/2010	Alhadeff et al.	
9,246,613	B2	1/2016	McKee et al.	2010/0332330	A1	12/2010	Goel et al.	
9,247,300	B2	1/2016	Oddo et al.	2011/0035445	A1	2/2011	Eickhoff	
9,342,576	B2*	5/2016	Saito	2011/0124408	A1	5/2011	Ward	
9,407,751	B2*	8/2016	Hansen	2011/0154213	A1	6/2011	Wheatley et al.	
9,426,509	B2	8/2016	Ellis et al.	2011/0161148	A1	6/2011	Schmidt	
9,554,163	B2	1/2017	Ellis et al.	2011/0184792	A1	7/2011	Butcher et al.	
9,832,501	B2	11/2017	Ruffini et al.	2011/0231265	A1	9/2011	Brown et al.	
2002/0004742	A1	1/2002	Willcocks et al.	2011/0264494	A1	10/2011	Lechowicz	
2002/0004748	A1	1/2002	Koga et al.	2011/0276882	A1	11/2011	Buehler et al.	
2002/0085024	A1	7/2002	White et al.	2011/0312375	A1	12/2011	Kim et al.	
2002/0152224	A1	10/2002	Roth et al.	2012/0047008	A1	2/2012	Alhadeff et al.	
2002/0152459	A1	10/2002	Bates et al.	2012/0064820	A1*	3/2012	Bemmel	G08G 1/0141
2002/0199188	A1*	12/2002	Sie					455/3.02
2003/0084448	A1	5/2003	Soundararajan	2012/0089705	A1	4/2012	French et al.	
2003/0145338	A1	7/2003	Harrington	2012/0243850	A1*	9/2012	Basra	H04N 5/76
2003/0233278	A1	12/2003	Marshall					386/248
2004/0031046	A1	2/2004	Weinblatt et al.	2013/0046772	A1*	2/2013	Gu	G06O 30/0201
2004/0122736	A1	6/2004	Strock et al.					707/751
2004/0203901	A1	10/2004	Wilson et al.	2013/0057765	A1	3/2013	Zeleznikar	
2004/0230484	A1	11/2004	Greenlee	2013/0103628	A1*	4/2013	Skelton	G06Q 30/02
2004/0244030	A1	12/2004	Boyce et al.					706/46
2005/0049858	A1	3/2005	Busayapongchai	2013/0125161	A1	5/2013	Herby et al.	
2005/0192000	A1	9/2005	Lloyd	2013/0297447	A1*	11/2013	Sakata	H04N 21/4826
2006/0031882	A1*	2/2006	Swix					705/26.7
2006/0041478	A1	2/2006	Zheng	2013/0322850	A1	12/2013	Chang et al.	
2006/0047678	A1*	3/2006	Miyazaki	2014/0019902	A1	1/2014	DeLuca et al.	
2006/0048184	A1	3/2006	Poslinski et al.	2014/0033240	A1*	1/2014	Card, II	G06Q 30/0242
2006/0143236	A1	6/2006	Wu					725/14
2006/0143653	A1	6/2006	Suh	2014/0046660	A1	2/2014	Kamdar	
2006/0149617	A1	7/2006	Yamashita et al.	2014/0123160	A1	5/2014	van Coppenolle et al.	
2006/0156329	A1	7/2006	Treese	2014/0130076	A1*	5/2014	Moore	H04N 21/25883
2006/0176398	A1	8/2006	Kang					725/19
2006/0225088	A1	10/2006	Gutta	2014/0132524	A1	5/2014	Lee	
2006/0277100	A1	12/2006	Parham	2014/0149424	A1*	5/2014	Kalmes	G06F 16/435
2007/0061863	A1	3/2007	Rajasekaran					707/748
2007/0192723	A1	8/2007	Anzelde et al.	2014/0215506	A1*	7/2014	Kalmes	H04N 21/25841
2007/0196795	A1	8/2007	Groff					725/14
2007/0207780	A1	9/2007	McLean	2014/0331260	A1	11/2014	Gratton	
2007/0294131	A1	12/2007	Roman et al.	2015/0003595	A1	1/2015	Yaghi et al.	
2008/0055272	A1	3/2008	Anzures et al.	2015/0012416	A1*	1/2015	Woods	G06Q 50/18
2008/0083001	A1	4/2008	Peacock et al.					705/39
2008/0177617	A1	7/2008	Gupta	2015/0066652	A1*	3/2015	Collins	G06Q 30/0269
2008/0209229	A1*	8/2008	Ramakrishnan ..					705/14.66
				2015/0089517	A1*	3/2015	Ruffini	H04N 21/25891
								725/9
2008/0243733	A1	10/2008	Black	2015/0121408	A1*	4/2015	Jacoby	H04N 21/6582
2008/0276273	A1	11/2008	Billmaier et al.					725/18
2008/0320139	A1	12/2008	Fukuda et al.	2015/0133164	A1*	5/2015	Song	G06Q 10/10
2009/0019375	A1	1/2009	Garofalo					455/456.3
2009/0083116	A1	3/2009	Svendsen	2015/0143394	A1*	5/2015	Hijikata	H04N 21/45457
2009/0083779	A1	3/2009	Shteyn et al.					725/14
2009/0089352	A1	4/2009	Davis et al.	2015/0148005	A1*	5/2015	Chau	H04M 1/72569
2009/0100463	A1	4/2009	St. John-Larkin					455/410
2009/0119294	A1	5/2009	Purdy et al.	2015/0169189	A1*	6/2015	Want	G06F 3/04842
2009/0132935	A1	5/2009	Van Zwol					715/740
2009/0144635	A1*	6/2009	Miyazaki	2015/0195621	A1*	7/2015	Harron	H04N 21/4668
								725/46
2009/0158326	A1	6/2009	Hunt et al.	2015/0199708	A1*	7/2015	Ying	G06Q 30/0241
2009/0172161	A1	7/2009	Singh					705/14.4
2009/0216577	A1	8/2009	Killebrew	2015/0287219	A1	10/2015	Liang et al.	
2009/0281888	A1	11/2009	Zai et al.					

(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0319468 A1* 11/2015 Park H04N 21/23418
725/19
2015/0350709 A1* 12/2015 Tomita H04N 21/26283
725/32
2016/0063998 A1 3/2016 Krishnamoorthy et al.

FOREIGN PATENT DOCUMENTS

WO 2007143562 A2 12/2007
WO 2011002572 A1 1/2011

OTHER PUBLICATIONS

Entertainment Fiend: Keep Track of Watched TV Show & Movies
and Plan What to Watch—Updated for 2011 Edition, dated Oct. 13,

2011, <http://entertainmentfiend.blogspot.com/2011/10/keeping-track-of-watched-tv-shows.html>, retrieved Jul. 31, 2014, 2 pages.

Alan Henry. How to Track All Your TV Shows So You Never Miss an Episode, Lifehacker, <http://lifehacker.com/how-to-track-all-your-tv-shows-so-you-never-miss-an-epi-1180239026>, 2013, 11 pages.

Thorin Klosowski. Netflix Profiles Ensure Roommates Won't Mess Up Your Recommendations, Lifehacker, <http://lifehacker.com/netflix-profiles-ensure-roommates-wont-mess-up-your-re-987927584>, dated Aug. 1, 2013, 11 pages.

European Office Action—EP Appl. 11166793.7—dated Oct. 8, 2015.

Canadian Office Action—CA Application No. 2740650—dated Feb. 28, 2017.

European Summons to Oral Proceedings—EP Appl. 11166793.7—dated Apr. 12, 2017.

Feb. 2, 2018—Canadian Office Action—CA 2,740,650.

EP 11166793.9-221 Search Report dated Aug. 5, 2011.

Feb. 21, 2019—Canadian Office Action—CA 2,740,650.

* cited by examiner




Fig. 1




FIG. 2




FIG. 3




FIG. 4

500




FIG. 5

DYNAMIC CONTENT RECOMMENDATIONS

BACKGROUND

Content providers have long sought to determine how to quickly produce accurate content recommendations for users. There is an ever-present need to accurately produce content recommendations that fit into a user's daily schedule, while maximizing the amount of time the user has available to access those content recommendations.

SUMMARY

The following summary is for illustrative purposes only, and is not intended to limit or constrain the detailed description.

One or more aspects of the disclosure provide for a method that may include determining, by a device and based on historical data associated with a first user, a first user profile comprising one or more content recommendation periods each associated with a time period and a content classification; and in response to detecting a user interaction, selecting a first content recommendation period of the one or more content recommendation periods. The method may also include determining one or more content candidates corresponding to the content classification from a plurality of content assets based on an amount of remaining time in the time period associated with the first content recommendation period and a correlation between the historical data associated with the first user and one or more contextual features associated with the plurality of content assets; and transmitting, to a client device, an indication of the one or more content candidates.

One or more aspects of the disclosure also provide for a method that may include determining, by a device and based on historical data associated with a first user and a second user, a first user profile and a second user profile each comprising one or more content recommendation periods associated with a time period and a content classification; and in response to detecting an interaction by the first user or the second user, assigning a first content recommendation period from one of the first user profile and the second user profile. The method may also include determining one or more content candidates corresponding to the content classification from a plurality of content assets based on an amount of remaining time in the time period associated with the first content recommendation period and a correlation between one or more contextual features associated with the plurality of content assets and the historical data associated with at least one of the first user and the second user; and transmitting, to a client device, an indication of the one or more content candidates.

One or more aspects of the disclosure also provide for a method that may include determining, by a device and based on a user interaction and historical data associated with a first user, one or more content recommendation periods; assigning one or more content candidates to the one or more content recommendation periods based on a correlation between the historical data associated with the first user and one or more contextual features associated with the one or more content candidates; and transmitting an indication associated with the one or more content candidates.

The summary here is not an exhaustive listing of the novel features described herein, and is not limiting of the claims. These and other features are described in greater detail below.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other features, aspects, and advantages of the present disclosure will become better understood with regard to the following description, claims, and drawings. The present disclosure is illustrated by way of example, and not limited by, the accompanying figures in which like numerals indicate similar elements.

FIG. 1 illustrates an example communication network on which various features described herein may be used.

FIG. 2 illustrates an example computing device that can be used to implement any of the methods, servers, entities, and computing devices described herein.

FIG. 3 illustrates an example system in accordance with aspects of the present disclosure.

FIG. 4 illustrates an example flow diagram of a method in accordance with aspects of the present disclosure.

FIG. 5 illustrates an example flow diagram of a method in accordance with aspects of the present disclosure.

DETAILED DESCRIPTION

As will be appreciated by one of skill in the art upon reading the following disclosure, various aspects described herein may be embodied as a method, a computer system, or a computer program product. Accordingly, those aspects may take the form of an entirely hardware embodiment, an entirely software embodiment or an embodiment combining software and hardware aspects. Furthermore, such aspects may take the form of a computer program product stored by one or more computer-readable storage media having computer-readable program code, or instructions, embodied in or on the storage media. Any suitable computer readable storage media may be utilized, including hard disks, CD-ROMs, optical storage devices, removable storage media, solid state memory, RAM, magnetic storage devices, and/or any combination thereof. In addition, the functionality may be embodied in whole or in part in firmware or hardware equivalents, such as integrated circuits, field programmable gate arrays (FPGAs), and the like. Various signals representing data or events as described herein may be transferred between a source and a destination in the form of electromagnetic waves traveling through signal-conducting media such as metal wires, optical fibers, and/or wireless transmission media (e.g., air and/or space).

FIG. 1 illustrates an example communication network **100** on which many of the various features described herein may be implemented. The network **100** may be any type of information distribution network, such as satellite, telephone, cellular, wireless, etc. One example may be an optical fiber network, a coaxial cable network, or a hybrid fiber/coax distribution network. Such networks **100** use a series of interconnected communication links **101** (e.g., coaxial cables, optical fibers, wireless, etc.) to connect multiple premises **102** (e.g., businesses, homes, consumer dwellings, etc.) to a local office or headend **103**. The local office **103** may transmit downstream information signals onto the links **101**, and each premises **102** may have a receiver used to receive and process those signals.

There may be one or more links **101** originating from the local office **103**, and it may be split a number of times to distribute the signal to the various premises **102** in the vicinity (which may be many miles) of the local office **103**. The links **101** may include components not illustrated, such as splitters, filters, amplifiers, etc. to help convey the signal clearly, but in general each split introduces a bit of signal degradation. Portions of the links **101** may also be imple-

mented with fiber-optic cable, while other portions may be implemented with coaxial cable, other lines, or wireless communication paths. By running fiber optic cable along some portions, for example, signal degradation may be significantly minimized, allowing a single the local office **103** to reach even farther with its network of the links **101** than before.

The local office **103** may include an interface **104**, such as a termination system (TS). More specifically, the interface **104** may be a cable modem termination system (CMTS), which may be a computing device configured to manage communications between devices on the network of the links **101** and backend devices such as the servers **105-107** (to be discussed further below). The interface **104** may be as specified in a standard, such as the Data Over Cable Service Interface Specification (DOCSIS) standard, published by Cable Television Laboratories, Inc. (a.k.a. CableLabs), or it may be a similar or modified device instead. The interface **104** may be configured to place data on one or more downstream frequencies to be received by modems at the various premises **102**, and to receive upstream communications from those modems on one or more upstream frequencies.

The local office **103** may also include one or more network interfaces **108**, which can permit the local office **103** to communicate with various other external networks **109**. These networks **109** may include, for example, networks of Internet devices, telephone networks, cellular telephone networks, fiber optic networks, local wireless networks (e.g., WiMAX), satellite networks, and any other desired network, and the network interface **108** may include the corresponding circuitry needed to communicate on the external networks **109**, and to other devices on the network such as a cellular telephone network and its corresponding cell phones.

As noted above, the local office **103** may include a variety of servers **105-107** that may be configured to perform various functions. For example, the local office **103** may include one or more push notification servers **105**. The push notification server **105** may generate push notifications to deliver data and/or commands to the various premises **102** in the network (or more specifically, to the devices in the premises **102** that are configured to detect such notifications).

The local office **103** may also include one or more content servers **106**. The content server **106** may be one or more computing devices that are configured to provide content to users at their premises. This content may be, for example, advertisements (such as commercials), video on demand movies, television programs, songs, text listings, etc. The content server **106** may include software to validate user identities and entitlements, to locate and retrieve requested content, to encrypt the content, and to initiate delivery (e.g., streaming or downloading) of the content to the requesting user(s) and/or device(s). The content server **106** may also be configured to generate advertising decisions and rules, and transmit them to a requesting user or device.

The local office **103** may also include one or more application servers **107**. An application server **107** may be a computing device configured to offer any desired service, and may run various languages and operating systems (e.g., servlets and JSP pages running on Tomcat/MySQL, OSX, BSD, Ubuntu, Redhat, HTML5, JavaScript, AJAX and COMET). For example, an application server may be responsible for collecting television program listings information and generating a data download for electronic program guide listings. As another example, the application

server or another server may be responsible for monitoring user viewing habits and collecting that information for use in selecting advertisements. As another example, the application server or another server may be responsible for formatting and inserting advertisements in, for example a video stream being transmitted to the premises **102**. Yet the application server or another application server may be responsible for associating interactive components into and with content and/or advertisements. Although shown separately, one of ordinary skill in the art will appreciate that the push server **105**, the content server **106**, and the application server **107** may be combined. Further, here the push server **105**, the content server **106**, and the application server **107** are shown generally, and it will be understood that they may each contain memory storing computer executable instructions to cause a processor to perform steps described herein and/or memory for storing data.

An example premises **102a**, such as a home, may include an interface **120**. The interface **120** can include any communication circuitry needed to allow a device to communicate on one or more links **101** with other devices in the network. For example, the interface **120** may include a modem **110**, which may include transmitters and receivers used to communicate on the links **101** and with the local office **103**. The modem **110** may be, for example, a coaxial cable modem (for coaxial cable lines **101**), a fiber interface node (for fiber optic lines **101**), twisted-pair telephone modem, cellular telephone transceiver, satellite transceiver, local Wi-Fi router or access point, or any other desired modem device. Also, although only one modem is shown in FIG. 1, a plurality of modems operating in parallel may be implemented within the interface **120**. Further, the interface **120** may include a gateway interface device **111**. The modem **110** may be connected to, or be a part of, the gateway interface device **111**. The gateway interface device **111**, such as a gateway, may be a computing device that communicates with the modem(s) **110** to allow one or more other devices in the premises **102a**, to communicate with the local office **103** and other devices beyond the local office **103**. The gateway interface device **111** may be a set-top box, digital video recorder (DVR), computer server, or any other desired computing device. The gateway interface device **111** may also include (not shown) local network interfaces to provide communication signals to requesting entities/devices in the premises **102a**, such as the display devices **112** (e.g., televisions), the additional set-top boxes or the DVRs **113**, the personal computers **114**, the laptop computers **115**, the wireless devices **116** (e.g., wireless routers, wireless laptops, notebooks, tablets and netbooks, cordless phones (e.g., Digital Enhanced Cordless Telephone—DECT phones), mobile phones, mobile televisions, personal digital assistants (PDA), etc.), the landline phones **117** (e.g. Voice over Internet Protocol—VoIP phones), and any other desired devices. Examples of the local network interfaces include Multimedia Over Coax Alliance (MoCA) interfaces, Ethernet interfaces, universal serial bus (USB) interfaces, wireless interfaces (e.g., IEEE 802.11, IEEE 802.15), analog twisted pair interfaces, Bluetooth interfaces, and others.

FIG. 2 illustrates general hardware elements that can be used to implement any of the various computing devices discussed herein. The computing device **200** may include one or more processors **201**, which may execute instructions of a computer program to perform any of the features described herein. The instructions may be stored in any type of computer-readable medium or memory, to configure the operation of the processor **201**. For example, instructions may be stored in a read-only memory (ROM) **202**, a random

access memory (RAM) **203**, a removable media **204**, such as a Universal Serial Bus (USB) drive, compact disk (CD) or digital versatile disk (DVD), floppy disk drive, or any other desired storage medium. Instructions may also be stored in an attached (or internal) storage **205**, such as a hard drive. The computing device **200** may include one or more output devices, such as a display **206** (e.g., an external television), and may include one or more output device controllers **207**, such as a video processor. There may also be one or more user input devices **208**, such as a remote control, keyboard, mouse, touch screen, microphone, etc. The computing device **200** may also include one or more network interfaces, such as a network input/output (I/O) circuit **209** (e.g., a network card) to communicate with an external network **210**. The network input/output circuit **209** may be a wired interface, wireless interface, or a combination of the two. In some embodiments, the network input/output circuit **209** may include a modem (e.g., a cable modem), and the external network **210** may include the communication links **101** discussed above, the external network **109**, an in-home network, a provider's wireless, coaxial, fiber, or hybrid fiber/coaxial distribution system (e.g., a DOCSIS network), or any other desired network. Additionally, the device may include a location-detecting device, such as a global positioning system (GPS) microprocessor **211**, which can be configured to receive and process global positioning signals and determine, with possible assistance from an external server and antenna, a geographic position of the device.

FIG. 2 shows an example hardware configuration. Modifications may be made to add, remove, combine, divide, etc., components as desired, and some or all of the elements may be implemented using software. Additionally, the components illustrated may be implemented using basic display devices and components, and the same components (e.g., the processor **201**, the ROM **202**, the display **206**, other input/output devices, etc.) may be used to implement any of the other display devices and components described herein. For example, the various components herein may be implemented using display devices having components such as a processor executing computer-executable instructions stored on a computer-readable medium (e.g., the storage **205**), as illustrated in FIG. 2.

Having described examples of network environments and content consumption devices that may be used in implementing various aspects of the disclosure, several examples will now be described in greater detail illustrating how a display device may monitor user actions during an advertisement, a display device may restrict a user's control of the display device during an advertisement, and efficacy file reports are created and used. The consumption device, which may be a user's tablet computer, personal computer, smartphone, DVR, or any other computing device as described herein, may monitor any client-side interaction with the user during an advertisement, such as detecting a change in audio level or order of display elements. In other examples, the display device may prohibit a user from muting an advertisement during play.

FIG. 3 illustrates an example system **300** in accordance with one or more disclosed features described herein. The system **300** may include the client device **316**. The client device **316** may comprise, be substantially similar to, and/or be the same as computing device **200**, as shown in FIG. 2. The client device **316** may comprise, for example, a set-top box **113**, personal computer **114**, laptop computer **115**, gateway **111**, modem **110**, display device **112**, landline phone **117**, wireless device **116**, a mobile device (smartphone, tablet, smartwatch, Bluetooth, etc.), digital video

recorder (DVR), digital video player, audio device, or any other device capable of providing or accessing media and/or content, or combinations thereof. The client device **316** may be operably connected to an input device **314**, which may comprise a remote control, keyboard, mouse, touch screen, microphone, or the like used to control and access features of the client device **316**. The input device **314** may comprise, be substantially similar to, and/or be the same as input device **208**, as shown in FIG. 2. One or more users, such as the user **308**, the user **310**, and the user **312**, may interact with the input device **314** and/or the client device **316**. The users **308**, **310**, and **312** may also interact and/or be associated with one or more computing devices, such as the computing devices **302**, **304**, and **306**. The computing devices **302**, **304**, and **306** may comprise, be substantially similar to, and/or be the same as computing device **200**, as shown in FIG. 2. The computing devices **302**, **304**, and **306** may comprise, for example, a set-top box **113**, personal computer **114**, laptop computer **115**, gateway **111**, modem **110**, display device **112**, landline phone **117**, wireless device **116**, a mobile device (smartphone, tablet, smartwatch, Bluetooth, etc.), digital video recorder (DVR), digital video player, audio device, or any other device capable of providing or accessing media and/or content, or combinations thereof.

The client device **316** may be operably connected to the local office **103** via a network **318**. The network **318** may comprise, be substantially similar to, and/or be the same as network **100**, link **101**, external network **109**, and/or external network **210** as shown in FIGS. 1 and 2. The network **318** may be, for example, a wireless network, a MoCA in-home coaxial cable network, a cellular network, an Ethernet network, a Wi-Fi network, and the like. The local office **103**, which may be associated with a head end, may provide content to the client device **316** via the network **318**. The local office **103** may include and/or be associated with one or more profiles, such as the user profile **322**, the user profile **324**, and the user profile **326**. Each user profile may be associated with the users **308**, **310**, or **312**. Each user profile may be associated with a user's historical data, such as the historical data **328**, the historical data **330**, and the historical data **332** (each of which may correspond to the users **308**, **310**, and **312**). It is noted that while the local office **103** is shown in FIG. 3 to include profiles **322**, **324**, and **326** along with the historical data **328**, **330**, and **332**, profiles **322**, **324**, and **326** and the historical data **328**, **330**, and **332** may be included in and/or associated with other components, such as the client device **316**. As previously shown in FIG. 1, the local office **103** may include one or more content servers **106**. The local office **103** (e.g., via the content server **106**) may also access and retrieve content from one or more content sources **334**, such as internet content sources, music content sources, or video content sources, for transmission to one or more devices, such as the client device **316**.

Each component of the system **300** may be operably connected to and/or interact with each other via a direct and/or indirect connection, such as via a network or hardware. Each component of the system **300** may be affiliated, operably connected to, and/or located at a service or content provider, such as the local office **103**.

FIG. 3 illustrates one client device **316**, however, any number of client devices, such as two, ten, or a hundred, may be included in the system **300** and/or in any of the embodiments disclosed herein. The client device **316** may be located at a location, such as premises **102a**. Additionally, client devices may be located at a same or similar location, such as premises **102a**, or may be located at different

locations. The client device **316** may provide and/or access content services, such as video/image content services, audio content services, internet content services, and the like. The client device **316** may access content services and other services via, for example, a video processor or audio processor (e.g., similar to device controller **207**) and may display content on a display (e.g., similar to display **206** as shown in FIG. 2). For example, the client device **316** may launch an application on the client device **316**, and access content via the launched application. The client device **316** may access content on any number of content platforms, which may include a linear content platform, media (video/audio) on-demand content platform, mobile content platform, a service provider-specific content platform, an online content platform, or other content platform that may be capable of providing content on the client device **316**, or combinations thereof. For example, the client device **316** may be a mobile device, and may provide content, such as a movie, through a mobile application. In such a scenario, the content may be provided through a mobile content platform. In another example, the client device **316** may be a set-top box, and may provide content, such as a television program or show, via linear content (e.g., live broadcast). In such a scenario, the content may be provided through a linear content platform. In yet another example, the client device **316** may be a set-top box, and may provide content, such as a song, using a media on-demand content platform, and/or may provide content, such as an internet video, using an online content platform. A service provider may provide content that may be specific for that service provider with the service provider's own content platform. For example, content provided on a service provider content platform may be customized by a service provider for a particular client device and/or user, such as providing a user's favorite part of a movie, recommended scene of a movie, and the like. Additionally, content provided on a service provider content platform may be a combination of various other platforms, such as combining online content with linear or video on-demand content.

Users **308**, **310**, and **312** may access content from the client device **316**. For example, the user **308** may request access to a movie on a set-top box, and subsequently watch the movie on a display connected to the set-top box. In this example, the user **308** may use an input device **314** (such as a remote control) to request access to the movie on the set-top box. According to some aspects, the local office **103** may then determine and/or access the historical data **328**, **330**, and **332** corresponding to each of the users **308**, **310**, and **312**. The historical data **328** may include the viewing patterns and/or behavior of the user **308**, as well as features of any viewed/accessed content, such as the content's metadata and/or contextual features (e.g., state of the content and the actual information embedded in the content). In addition, the historical data **328** may also include the relationship between metadata or contextual information from a show and how they affect the viewing patterns or behavior of the user **308**.

The historical data **328** (e.g., metadata and/or contextual features of content and/or behavior of a user) may include the time or date associated with an accessed content item (such as if a show comes on at 21:00), a particular day of the week associated with a content item (such as if a new episode of a show only comes on Tuesdays), whether there are any exciting moments or events in the content (such as the number of highlight plays in a football game), or other descriptive information for content (such as a score of a football game at any point during the football game). Other

information that may be included in the historical data **328** may include the name or description of the content item, the content item's platform or channel, content item's location (e.g., IP address), a category/type/classification for the content (such as kids, movie, sports, drama, sitcom, comedy, news, and the like), whether the content is broadcasted live, and the like. The historical data **328** may also include a DVR list of content for a user, which shows the user typically records, which shows the user typically watches live. The historical data **328** may also include which applications the user accesses (such as a news, traffic, weather, shopping, gaming, fantasy sports, or music application) and what time the user accesses those applications.

Contextual information may include any descriptive information regarding what is actually happening in a show or application. For example, if a user is watching a football game, contextual information may include that the user's favorite team is losing 49-7 and the game is in the second quarter. In such a situation, if the user then opts to change to another program, then the user's behavior may be determined to include changing the channel when the user's favorite team is losing 49-7 in the second quarter. The user's favorite team may be determined by any number of factors, such as a correlation between the location associated with a team and of the user, how many games the user has watched of a particular team, and whether the user has input the user's favorite team into the client device **316** and/or the local office **103**. It is noted that while the user **308** and the user **308**'s historical data **328** are used in the above examples, other users, such as the users **310** and **312**, and their historical data, such as the historical data **330** and **332**, may also be used in the examples and embodiments disclosed herein. In addition, the historical data **328** (e.g., information regarding the user **308**'s behavior) may also include whether the user **308** watched a show for the entire scheduled length of the show (or accessed a song for the entire length of the song), which portion of a show the user watched (e.g., beginning, middle, end), how much of a show a user watched (e.g., 20% or 50%), whether and at which point during the show the user stopped accessing the show and/or changed to another show. A user's historical data will be described below in more detail.

Using the historical data **328**, **330**, and **332**, the local office **103** may then create and/or store one or more user profiles **322**, **324**, and **326** which may correspond to each of the users **308**, **310**, and **312**. A user profile **322** may include a schedule describing when and/or at what times during a period of time (e.g., an hour, day, week, month, year, etc.) the user **308** accesses/watches content. For example, the user profile **322** may include a schedule detailing which parts of the day the user **308** tends to access or frequently accesses content (such as time periods during the day), and which types of content the user **308** tends to watch or frequently watches during those parts of the day (such as watching kids programming from 16:00 to 17:00). Tending to access content may describe a situation in which the user **308** accesses a content a larger part of the time (such as 20%, 50%, 70%, and 90% of the time and the like).

The user profile **322** may include different schedules for different time periods, such as a different schedule for each day of the week. For example, if the user **308** tends to watch professional football on Mondays from 19:00-22:00, Thursdays at 20:00-23:00, and Sundays at 19:00-22:00, then a schedule for Monday, Thursday, and Sunday may include professional football on Mondays from 19:00-22:00, Thursdays at 20:00-23:00, and Sundays at 19:00-22:00. Consequently, a schedule for Tuesday, Wednesday, Friday, and

Saturday may not include professional football, and may contain other content types beginning at 20:00 or 21:00 on those days. Additionally, some content items may only be accessible during particular times of the year, such as professional American football being available August through February. Thus, a profile may be updated to reflect any seasonal variation in content programming. Also, the local office **103** may create and maintain a profile for one or more devices associated with a user. For example, the local office **103** may create a profile for the user **308** for a set-top box, a separate profile for the user **308** for a smartphone, and a separate profile for the user **308** for a tablet. It is noted that while the user **308** and the user **308**'s profile **322** are used in the above examples, other users, such as users **310** and **312** and their corresponding profiles (e.g., profiles **324** and **326**) may also be used in the examples and embodiments disclosed herein. A user's profile will be described below in more detail.

FIG. 4 is an exemplary flow diagram illustrating an example process **400** in accordance with one or more disclosed features described herein. In one or more embodiments, the process illustrated in FIG. 4 and/or one or more steps thereof may be performed by one or more computing devices (e.g., the input device **314**, the client device **316**, computing devices, **302**, **304**, and **306**, the local office **103**, one or more content providers, and the like). In other embodiments, the process illustrated in FIG. 4 and/or one or more steps thereof may be embodied in computer-executable instructions that are stored in a computer-readable medium, such as a non-transitory computer-readable memory. The steps in this flow diagram need not all be performed in the order specified and some steps may be omitted and/or changed in order.

In the example provided, the process **400** may begin with step **402**, in which the local office **103** may receive and analyze one or more content assets to determine various types of metadata for those content assets. The metadata may include contextual features of the content, such as information that describes what is happening or what happened during a show, or what is happening or happens in an accessed application. For example, contextual features for a football game may include the number of highlight plays that happened during the game (such as if the ball advanced 20 yards, then it is a highlight play), the score at any particular point during the game, which teams are playing, which team is winning, whether there is a blowout score (which may be based on a threshold, such as over 21 points), whether it is raining or snowing, whether an unusual event happened during the game (such as an injury or fan running onto the field), whether the game lasted longer than an expected length of time, whether the game went into overtime, what time is left, which quarter the game is in, and the like. In another example, the user **308** may access a gaming application on the client device **316** and may play a video game with the gaming application. Thus, contextual features for the video game and/or gaming application may include whether the user did well or poorly in the video game (e.g., won or lost the game), the score in the video game, the game level of the video game, how many points a user obtained during a video session, and the like. It is noted that the analyzed content assets may include assets configured for any content platform, such as internet, linear, DVR, on-demand, music, and applications (e.g., traffic, weather, social media). Additional metadata may include whether an episode of a show is a new or repeated episode and a content classification (such as kids, sports, movie, drama, adult,

news, etc.). The metadata may also include the time and day the content asset may be broadcasted live by the local office **103**.

The contextual information may include whether a show deviated from how the show is expected to happen. For example, a children's television show, such as *SpongeBob Square Pants*, may not have a lot of contextual variance from episode to episode (e.g., follows the same general story with little to no deviation between episodes). Thus, contextual features may generally be the same from episode to episode. However, as in the above football example, one football game may be completely different than another football. For example, the teams may be different, the score may be different, the number and types (e.g., highlights, running plays, passing plays, etc.) of plays may be different, the games' weather may be different, and the like. Thus, there may be more contextual variance between the contextual features of different sporting events. Similarly, a drama, such as *Downton Abbey*, may generally follow a similar storyline with each episode, but, there may be some variation between different episodes of *Downton Abbey* (e.g., someone was killed in an episode, someone was married in an episode, a party happened in an episode, etc.).

At step **404**, the local office **103** may determine, gather, and/or analyze historical data (e.g., the historical data **328**) for a user (e.g., the user **308**). The historical data **328** may include the content viewing patterns and/or behavior of the user **308** regarding how the user **308** accesses content. For example, a user **308** may access a weather or traffic application on the client device **316** at the user's house (e.g., premises **102a**) every weekday morning at 07:00 before the user **308** leaves to go to work. Thus, the user **308**'s historical data **328** may include that the user accesses a weather or traffic application every weekday morning at 07:00. If the user **308** then accesses a news program such as the *Today Show* at 07:30 until the user **308** leaves for work at 08:00, the historical data **328** may reflect that the user typically watches a news program (which may specifically be the *Today Show*) from 07:30-08:00 on weekdays.

In some embodiments, the local office **103** may obtain other information from the user **308**, such as a location of the user. In one example, the local office **103** may obtain location information using a GPS device associated with the user **308** (such as found in the client device **316**, the computing device **302**, or a vehicle used by the user **308**). Thus, after the user **308** leaves for work at 08:00, the local office **103** may determine how long it takes the user **308** to arrive at a destination (e.g., an office building). All of this information (such as location information, timing information, user behavior, etc.) may be included in the historical data **328**. Additionally, the historical data **328** may also reflect whether the user accessed any content on the way to work.

In some embodiments, the local office **103** may determine historical data for a particular the client device **316**. In such cases, the historical data may not directly correspond with the particular viewing habits and behavior of a specific user **308**, but may correspond with one or more users' behavior regarding accessing content on that particular the client device **316**. For example, a family may include a dad (the user **308**), a mom (the user **310**), a child (the user **312**), and the family may own and access a set-top box (the client device **316**). The dad may access on the client device **316** a weather or traffic application at 07:00 every weekday, the mom and dad may access a news program (*The Today Show*) from 07:30-08:00 every weekday, the dad may pick up the child from school, come home, access a kids program

(SpongeBob) from 16:30-17:00 every weekday, the dad may access a gaming application from 17:00-18:00 every weekday, the mom and dad may access the evening local news from 18:00-19:00 every weekday, the dad may access a sporting event (football game) from 19:00-22:00, and the mom may access a drama or reality show (Downton Abbey or The Voice) from 22:00-23:00. Thus, the historical data for the client device 316 may reflect all of the above information.

In some embodiments, content may be accessed on different platforms, such as DVR, on-demand (music or video), linear, and the like. For example, the user 308 may watch SpongeBob at 16:30 using a video on-demand platform on weekdays. Thus, the historical data 328 may reflect that the user 308 tends to watch SpongeBob at 16:30 using a video on-demand platform on weekdays. In some embodiments, the local office 103 may gather historical information from scheduled and previously scheduled recordings found on a user's DVR. For example, the user 308 may record The Today Show from 08:00-09:00 using a DVR and watch the recorded segment from 17:00-18:00 every weekday. Thus, the historical data 328 may reflect that the user 308 tends to record the Today Show from 08:00-09:00 using a DVR and watch the recorded segment from 17:00-18:00 every weekday.

In some embodiments, the user 308 may vary the length of time the user 308 accesses a particular content item. For example, the user 308 may tend to watch a recording of the Today Show 17:00-18:00 every weekday. However, if there is a cooking segment during the recorded broadcast of the Today Show, the user may tend to stop accessing the recording (e.g., stopping the recording) when that cooking segment approaches or happens, and may tend to switch to a 24 hour news channel (e.g., MSNBC) until 18:00. At 18:00, the user 308 may then tend to watch the local evening news until 19:00. Thus, the historical data 328 may reflect that the user 308 tends to watch a recording of the Today Show 17:00-18:00 every weekday, but if there is a cooking segment during the recording, the user tends to switch from the recording and watch a 24 hour news channel (e.g., MSNBC) until 18:00, and then the local evening news from 18:00-19:00. The local office 103 may use contextual features of the recorded content item (e.g., the Today Show) to determine that the user 308 tends to stop watching the recording if there is a cooking segment. For example, the local office 103 may determine all of the times that the user 308 has stopped watching the recording of the Today Show. The local office 103 may then look to the contextual features of all of those recordings in which the user 308 stopped watching. The local office 103 may then determine that there are similarities between the episodes, such as all (or most) of the episodes contain a cooking segment. The local office 103 may also determine at which point during the playback of the recording the user 308 stop accessing a recording. The local office 103 may also determine which events happened immediately before and immediately after the point in which the user 308 stopped accessing the recording to assess any pattern or trend in the user's behavior. Thus, the local office 103 may determine, over the course of several recordings in which the user 308 stopped accessing, which contextual features (such as cooking segments) are most common in the recordings in which the user 308 stopped accessing.

In some embodiments, the user 308 may access applications on the client device 316. Such applications may include internet applications, weather or traffic applications, music applications, fitness applications, social media applications, picture sharing application, gaming application,

shopping applications, fantasy sports applications, and the like. In such situations, the local office 103 may include in the historical data 328 which applications the user 308 may have accessed, and when the user 308 accessed the applications. Also, the local office 103 may also determine contextual features of content from the applications. For example, the local office 103 may determine to which types of music the user 308 listens and at which times the user 308 listens to certain types of music. The local office 103 may determine at what point in a song a user changes to another application or song.

In some embodiments, external environmental factors, such as traffic and weather, may affect a user's behavior in regard to accessing content. For example, the local office 103 may determine (and store as the historical data 328) that after the user 308 checks a traffic application, if the traffic for the user 308's commute is good for that day, then the user 308 may listen to music, access an application, or access content for a longer period (e.g., longer than a scheduled time period) than the user 308 would if the traffic was not good for that day. In a similar example, the local office 103 may determine (and store as the historical data 328) that after the user 308 checks a weather application, if the weather is good for that day before the user 308 leaves for the user's commute to work, then the user 308 may listen to music, access an application, or access content for a longer period than the user 308 would if the weather was not good for that day.

In another example, the local office 103 may determine (and store as the historical data 328) that when the user 308 is accessing a gaming application on the client device 316, such as playing a video game, that if the user 308 is doing well in the video game (e.g., by examining contextual features, such as score, lives, etc. of the video game), then the user 308 tends to keep playing the video game and not access other content on the client device 316. Additionally, the local office 103 may determine that when the user 308 is doing poorly in the video game, then the user 308 tends to abandon the video game, and access other content on the client device 316. In another example, the local office 103 may determine (and store as the historical data 328) that when the user 308 is accessing a shopping application, the user tends to concurrently access content with little contextual variance from episode to episode (e.g., content that may follow the same general story with little to no deviation between episodes), such as SpongeBob Square Pants, instead of content with more contextual variance, such as a sporting event. The local office 103 may also determine that the user 308 tends to pause (or stop accessing) the concurrently accessed content (e.g., SpongeBob) when the user 308 desires to access, view, and/or buy an item using the shopping application.

At step 406, the local office 103 may use historical data obtained in step 404 to determine a user profile describing which types of content (e.g., sports, news, drama, movie, traffic, gaming, etc.) a user tends to access and which times and days/dates the user tends to access those types of content. The user profile (e.g., the user profile 322) may correspond to a user (e.g., the user 308) and/or a user's historical data (e.g., the historical data 328). Thus, the local office 103 may analyze and/or use the historical data 328 to determine and/or create a user profile 322 for the user 308. The user profile 322 may be composed of one or more content recommendation periods. Each content recommendation period may correspond to a time/time period and/or a content type/classification. Each content recommendation period may also correspond to a day or date.

For example, after analyzing the historical data **328**, the local office **103** may determine that the user **308** (or the client device **316**) tends to access on the client device **316** a traffic application at 07:00 every weekday, access a news program from 07:30-08:00 every weekday, access a kids program from 16:30-17:00 every weekday, access the evening local news from 18:00-19:00 every weekday, access a sporting event from 19:00-22:00 on Sundays, Mondays, and Thursdays, and access a drama from 22:00-23:00 every weekday. As shown in the above example, a content recommendation period may correspond to a particular day of the week (such as the sporting event being on Sundays, Mondays, and Thursdays). Also, a content recommendation period may correspond to a period of time (such as the kids program from 16:30-17:00) or a particular start time with no particular end time (such as the traffic application at 07:00).

FIG. 5 is an exemplary flow diagram illustrating an example process **500** detailing exemplary steps for determining a profile, as described in step **406** in FIG. 4. In one or more embodiments, the process illustrated in FIG. 5 and/or one or more steps thereof may be performed by one or more computing devices (e.g., the input device **314**, the client device **316**, computing devices, **302**, **304**, and **306**, the local office **103**, one or more content providers, and the like). In other embodiments, the process illustrated in FIG. 5 and/or one or more steps thereof may be embodied in computer-executable instructions that are stored in a computer-readable medium, such as a non-transitory computer-readable memory. The steps in this flow diagram need not all be performed in the order specified and some steps may be omitted and/or changed in order.

FIG. 5 may begin at step **502**, in which the local office **103**, using the historical data **328**, may create one or more content recommendation periods and determine for each content recommendation period a corresponding time period, which may, for example, be segments or portions of a day. The content recommendation periods may be of equal lengths (e.g., 30 minutes each) or of non-equal length (e.g., 15 minutes, 30 minutes, and 1 hour content recommendation periods). For example, the user **308** may tend to access content on the client device **316** at 07:00 every weekday, from 07:30-08:00 every weekday, from 16:30-17:00 every weekday, from 18:00-19:00 every weekday, from 19:00-22:00 on Sundays, Mondays, and Thursdays, and from 22:00-23:00 every weekday. Thus, using this historical data **328** of the user **308**, the local office **103** may determine that as part of the user profile **322** for the user **308**, content recommendation periods may be made for 07:00 every weekday, from 07:30-08:00 every weekday, from 16:30-17:00 every weekday, from 18:00-19:00 every weekday, from 19:00-22:00 on Sundays, Mondays, and Thursdays, and from 22:00-23:00 every weekday. In some embodiments, content recommendation period times may be made for particular days, such that content recommendation period times may be made for any day of the week, month, or year. In some embodiments, content recommendation period times may be of varying length.

According to some aspects, the local office **103** may dynamically change content recommendation period times as the local office **103** receives additional historical data **328**. For example, if the user **308** begins to watch a sports talk show some weekdays from 07:15-08:00 instead of watching a news program from 07:30-08:00, then the local office **103** may use this additional historical data (e.g., the user **308** watching a sports talk show some weekdays from 07:15-08:00) in determining whether to implement a content recommendation period time from 07:15-08:00 instead of

07:30-08:00 for those weekdays. Additionally, content recommendation periods may be seasonal. For example, the user **308** may watch professional football from 19:00-22:00 on Sundays, Monday, and Thursdays during the professional football season (e.g., from August-February), but may tend to only access movie content from 19:00-20:00 and 21:00-22:00 on Sundays, Monday, and Thursdays during the months of March-July. Thus, the local office **103** may assign content recommendation period times to reflect the change of content seasons (such as sports seasons, sitcom seasons, and the like).

At step **504**, the local office **103** may determine content types/classifications, such as for each determined content recommendation period time of the day. For example, the local office **103** may determine that the user **308** (or the client device **316**) tends to access on the client device **316** a traffic application at 07:00 every weekday, access a news program from 07:30-08:00 every weekday, access a kids program from 16:30-17:00 every weekday, access the evening local news from 18:00-19:00 every weekday, access a sporting event from 19:00-22:00 on Sundays, Mondays, and Thursdays, access a drama from 22:00-23:00 every weekday, and access a movie from 20:00-22:00 every Saturday. Thus, the local office **103** may assign content recommendation periods (e.g., content recommendation period times and content types) of a traffic application at 07:00 every weekday, a news program from 07:30-08:00 every weekday, a kids program from 16:30-17:00 every weekday, the evening local news from 18:00-19:00 every weekday, a sporting event from 19:00-22:00 on Sundays, Mondays, and Thursdays, a drama from 22:00-23:00 every weekday, and a movie from 20:00-22:00 every Saturday. In some embodiments, a content type may also include an application, such as traffic, music, fitness, gaming, shopping, or weather applications.

In some embodiments, the local office **103** may assign a particular content item (e.g., a particular show) to a content recommendation period time period. For example, if the user **308** tends to primarily access the Today Show from 07:30-08:00 every weekday (e.g., over 90% of the time), then the local office **103** may assign the Today Show to that content recommendation period time period instead of a general news content type.

At step **506**, the local office **103** may determine, using the historical data **328**, user behavior with regard to metadata and contextual features of content found in the user's history (e.g., the historical data **328**). As stated above, the historical data **328** may include the behavior of the user **308** regarding how the user **308** accesses and/or interacts with content. Thus, in some embodiments, the user **308** may vary the length of time the user **308** accesses a particular content item. As in the above example, the user **308** may tend to watch a recording of the Today Show 17:00-18:00 every weekday. However, the local office **103** may determine that the user **308** stops accessing or changes to another content item during some of the recordings. In other examples, the local office **103** may determine that the user **308** fast forwards, rewinds, pauses, records, changes volume, and the like while accessing a content item. Thus, the local office **103** may determine various behaviors the user **308** may make while accessing a content item.

The local office **103** may also determine metadata and contextual information of the content items found in the historical data **328**. These content items may be items previously accessed by the user **308**, and may be content items in which the user stopped accessing before the scheduled end of the content item. For example, the user **308** may tend to watch a recording of the Today Show 17:00-18:00

every weekday. Thus, the local office 103 may assign a content recommendation period time of 17:00-18:00 every weekday with a news (or Today Show) content type/classification. The local office 103 may then determine that the user 308 stops accessing some of the recordings (e.g., 5 stopping the recording) before the end of the content recommendation period time. Thus, the local office 103 may then access contextual information of the recordings in which the user 308 stopped accessing (or all of the recordings/content items).

In one example, the user 308 may stop accessing a recording (out of several recordings of the Today Show) when there is a cooking segment using beef. In another example, the user 308 may fast forward when there is a musical act. In another example, the user 308 may pause and 10 rewind when there is a weather segment. In another example, the user 308 may stop accessing a live, recorded, or on-demand sporting event when the user 308's favorite football team is losing by a lot of points, or when there are less than 20 highlight play sin a football game, or when 20 teams located far from the user's location are playing.

In some embodiments, the user 308 may access a content item for an entire content recommendation period time period or for even longer than the content recommendation 25 period time period. For example, professional football games are generally 3 hours in length. However, in some cases, a game may last longer than 3 hours (such as due to it going into overtime, a lot of injury timeouts, a lot of incomplete passes, an event scheduled before the game going over its scheduled time slot, etc.). Accordingly, in some cases, the user 308 may continue to watch a football game past a content recommendation period time period (such as past 22:00) and into another content recommenda- 30 tion period time period. Thus, contextual features from that game may be analyzed to determine whether any of those contextual features relate to the user's behavior (i.e., continuing to watch the game and/or not going to a recommended next content recommendation period). For example, 35 the user may continue to watch the game if the game is very close, if the user's favorite team is playing, or if it is a special game (such as a championship game).

In some embodiments, the user 308 may tend to always access (e.g., watch live, watch on-demand, or record) a content item if the content item is a new episode of a show. Thus, the local office 103 may analyze metadata of various 45 content items and determine whether there are any "new" episodes. Similarly, the user 308 may tend to never access a content item if the content item is not a new episode of a show. For example, the user 308 may always switch to and watch a linear transmission of a new episode of "Suits" 50 during a time slot of 21:00-22:00, but may not switch to and watch a linear transmission of a repeat episode of "Suits" during that time slot.

At step 508, the local office 103 may perform sensitivity analyses and machine learning techniques to determine the 55 metadata and contextual features relating and/or corresponding to a user's behavior and/or expected/predicted user behavior. Thus, there may be many contextual features in a content item. According to some aspects, the local office 103 may determine a correlation between contextual features of 60 applications (such as weather, gaming, shopping, or traffic, etc.) and a user's behavior. Such contextual features may include whether there is a cooking segment, whether there is a chase scene in a program, whether the score of a football game is 35-7, whether it is raining outside (e.g., derived 65 from a weather application), whether there was a world record set in an Olympic event such as speed skating, etc.

Accordingly, for a given content item, such as a football game, the local office 103 may determine which contextual features may mean more to a user's behavior (e.g., more likely to affect a user's behavior, such as switching chan- 5 nels). These contextual features may include which teams are playing, the score, the time remaining, and the like. For example, the local office 103 may determine that if the user 308's favorite team is playing, the user will tend to abandon the game less frequently than if the user 308's favorite team 10 was not playing. Also, the local office 103 may determine that when the user 308's favorite team is winning, the user 308 abandons the game even less frequently when the user 308's favorite team is just playing (i.e., when the team could be either winning, losing, or tied).

In one example, the user 308 may tend to stop accessing the Today Show when there is a cooking segment while 15 accessing the show on any platform (e.g., live, recorded, on-demand, etc.). Thus, the local office 103 may determine that the user 308 abandons some of the recordings of the Today Show. The local office 103 may then analyze and 20 determine contextual features of those recordings in which the user 308 stop accessing. These contextual features may include features such as the hosts of the Today Show hosting outside the studio during some of the recordings, a musician performing during some of the recordings, holiday decora- 25 tions, whether or not there is a weather segment, and the like. Some or all of these contextual features may or may not relate to and/or cause the user 308's behavior. To determine which contextual features relate to the user 308's behavior, 30 the local office 103 may determine which contextual features tend to frequently show up across the recordings of the Today Show. As in the above example, the local office 103 may determine that there may be similarities between the episodes in which the user 308 stops accessing, such as all 35 of the episodes contain a cooking segment. The local office 103 may determine when a contextual feature appears/occurs in a recording, and then may determine those contextual features having the highest number of appearances/ occurrences (e.g., ranking the contextual features based on 40 occurrence). Higher ranked contextual features may then be determined to be the contextual features that affect the user 308's behavior (e.g., abandoning the recording of the Today Show when there is a cooking segment).

In one example, out of 100 recordings of the Today Show, 45 the user 308 may have abandoned the show 40 times, and out of those 40 times, there has been a cooking segment 35 times, there has not been a weather segment 20 times, there has been a musical performance 4 times, the hosts have hosted outside 8 times, and the like. From these four contextual features, the local office 103 may determine that 50 the user tends to abandon when there is a cooking segment. In some embodiments, a user's behavior may be based on a combination of features. For example, if out of the 35 recordings in which a cooking segment aired, 20 of them did 55 not have a weather segment. Therefore, the local office 103 may determine that the user is even more likely to abandon when there a recording of the Today Show that contains a cooking segment and does not a weather segment than when there is only a cooking segment.

In some embodiments, the local office 103 may also determine at which point during the playback of the Today Show the user 308 stopped or abandoned the playback (e.g., 60 stopped accessing). The local office 103 may use this information in determining which contextual features affect the user 308's behavior. The local office 103 may determine what contextual features happened immediately before and 65 immediately after the point in which the user 308 stopped

accessing the recording to determine any pattern(s) in the user's behavior. Additionally, the point/time in the playback in which the user **308** abandoned (or other behavior such as fast forward, rewind, pause, record, modify volume, voice command, etc.) the content item may help in narrowing down a collection of many different contextual features. Also, the local office **103** may give a higher weight or preference to contextual features that are closer to an abandoning point than contextual features that are farther away from the abandoning point.

In some embodiments, the local office **103** may analyze contextual features of applications running on the client device **316**. For example, the local office **103** may determine from a weather application that the weather is good. In other situations, the local office **103** may obtain weather from other sources, such as from broadcasted content (e.g., from a weather channel), by having a user input the weather, and the like. In some situations, the local office **103** may obtain the weather via a weather station connected to a premises that contains (or otherwise associated with) the client device **316**. Such a weather station may be part of a home automation system that may be maintained and/or accessible by the local office **103**. Good weather may include situations in which a percentage of rain for the day may be less than 30%, the temperature may be around the average mark for that time of year or season of the year, and the like. In other embodiments, good weather may include situations in which a deviation from an expected weather condition satisfies a threshold. For example, in Chicago during winter, one may expect the weather to be cold and snowy. Thus, a good weather condition may be cold and snowy. However, in the summer, cold and snowy may be a bad weather condition. Again, using statistical techniques, the local office **103** may determine which types of weather may affect a user's behavior. For example, if the weather is good, then the user **308** may watch television longer than the user would if the weather was not good for that day. For example, it may take the user **308** a shorter time to get to work if the weather is good, thus giving him more time to consume/access content (e.g., watch television). Similarly, the local office **103** may determine other external environmental factors in a similar manner as weather. For example, the local office **103** may determine (e.g., via a traffic application or other method) that if the traffic for the user **308**'s commute is good for that day (e.g., traffic moving at substantially the speed limit and/or no accidents, and the like), then the user **308** may watch television longer than the user would if the traffic was not good for that day.

In another example, the local office **103** may determine using statistical techniques, the local office **103** may determine which types of video game outcome may influence a user's behavior from that the user **308** is doing poorly in a video game. For example, if the user **308** is accessing a gaming application running on the client device **316**, and the user **308** is doing poorly in a video game, the user **308** may abandon the gaming application and switch to an on-demand honor movie. Similarly, if the user **308** is doing great in a video game, the user **308** may continue playing the video game on the gaming application, and may not switch to other content on the client device **316**. In another example, the local office **103** may determine from a fantasy football sporting application that the user **308**'s fantasy football team is doing very well (e.g., scoring more points than any other team in the fantasy football league), and thus the user **308** may access a program corresponding to a mood of the user **308**, such as a comedy show. If the user **308**'s fantasy

football team is doing poorly, then the user **308** may access sadder content, such as a dark drama or honor program.

At step **510**, the local office **103** may determine the user profile and/or content recommendation period schedule based on the results of both step **506** (e.g., the user behavior with regard to metadata and contextual features of content found in the user's history, as well as metadata and contextual information of the content items found in the historical data **328**), and step **508** (e.g., the contextual features relating to a user's behavior and expected/predicted user behavior). Thus, each content recommendation period's content type/classification and/or time period may be specific to contextual features of content accessed by the user **308**, and/or specific to the behavior of the user **308** related those contextual features. Thus, for each content recommendation period, there may be several candidates for content type and several candidates for time period, which may be based on the contextual features of a content item, like a show. This will be further described below in more detail. The process **500** may then end at step **512**. According to some aspects, the process **500** may end after any of the steps in the process **500**. Any of the disclosed steps in FIG. **5** may be omitted, be performed in other than the recited order, repeated, and/or combined.

Returning to FIG. **4**, and after determining a profile for the user **308** (or for the client device **316**), the process **400** may continue to step **408**. At step **408**, the local office **103** may determine/recognize a user interaction with the client device **316**. A user interaction may be a situation in which a user, such as the user **308**, may interact with the client device **316** and/or may desire to access (e.g., watch) content using the client device **316**. For example, the user **308** may turn on a television and set-top box, and may watch a television program. In another example, the user **308** may access an application, such as weather, traffic, music, gaming, or internet applications.

In some embodiments, the user **308** may interact with the client device **316** using the input device **314**. For example, the user **308** may use a remote control to enter a command (e.g., make a content selection) into the client device **316**. The user **308** may do this by entering a number key, an operations key (e.g., "Enter," "Select," etc.), or any other key on the remote. Thus, the local office **103** may determine that the user has interacted with the client device **316** after the local office **103** receives a message from the client device **316** that includes which command the user **308** entered. In some embodiments, the local office **103** may then transmit content to the client device **316** in response to this user interaction (e.g., in response to the remote control command).

In some embodiments, the user **308** may interact with the client device **316** via a motion sensor, which may be the input device **314**, and may be operably connected to the client device **316**. In this situation, the motion sensor may detect a user's presence, a user's movement, when a user approaches the client device **316** or to the motion sensor, and the like. In some embodiments, there may be a threshold associated with the motion, such that the client device **316** or the input device **314** may detect a user interaction after the user **308** moves at a particular speed. In some situation, there may also be threshold proximity, such that the client device **316** or the input device **314** may detect a user interaction after the user **308** moves within a particular proximity of the client device **316** or the input device **314**. The client device **316** may then transmit a message to the local office **103** indicating this user interaction.

According to some aspects, the client device 316 may detect user interaction after a user may have moved the input device 314, such as by picking up a remote. According to some aspects, the client device 316 or the input device 314 may detect vibration as a user interaction, such as when a person walks, closes a door, or opens a door. In these situations, the input device 314 may comprise an accelerometer or other element configured to detect movement of the input device 314. The client device 316 may then transmit a message to the local office 103 indicating this user interaction.

According to some aspects, the client device 316 may detect user interaction after detecting a computing device and/or wireless device, such as a smartphone, laptop, tablet, smartwatch, or Bluetooth device (e.g., devices 302, 304, or 306). For example, the user 308 may be associated (e.g., own or possess) with a smartphone (the device 302), the user 310 may be associated with a Bluetooth device (the device 304), and the user 312 may be associated with a tablet (the device 306). The users 308, 310, and 312 may have previously registered their respective devices with the local office 103 (such as via a cable or internet account). Thus, after the client device 316 detects the device 302, the client device 316 may register a user interaction for the user 308. Similarly, after the client device 316 detects the device 304 and the device 306, the client device 316 may register a user interaction for the user 310 and the user 312. Detecting various users may trigger the client device 316 and/or the local office 103 to implement corresponding profiles (e.g., profiles 322, 324, and 326). In such situations, the client device 316 and/or the local office 103 may determine which profile to implement, or may implement more than one profile. This will be described below in more detail. In one example, the user 308 may drive the user 308's car into the user 308's garage, and the car may join (e.g., via a wireless connection) the network 318 and/or connect to the user 308's home automation system. The client device 316 may then detect the user 308's car and/or that the user 308's car has connected to the network 318 or the home automation system, and thus may register a user interaction for the user 308 based on the detection of the user 308's car.

According to some aspects, the user 308 and/or the device 304 may leave a proximity of the client device 316 (or some other means of not being detected by the local office 103 and/or the client device 316), and thus the client device 316 may no longer detect the user 308 and/or the device 304. In such situations, the client device 316 and/or the local office 103 may then optionally stop implementing a profile (e.g., the user profile 322) associated with the user 308, and may implement a profile (e.g., the user profile 324) associated with any other detected user (e.g., the user 310). Similarly, if the user 308 then returns to be within a close proximity (or otherwise be detected) to the client device 316, the local office 103 may optionally begin to implement the profile associated with the user 308 (e.g., the user profile 322). Such implementation may be based on a hierarchy associated with the profiles (which will be discussed later). Thus, the local office 103 may dynamically change the implementation of profiles.

According to some aspects, the client device 316 may detect user interaction via a prompt. For example, local office may display a on a display of the client device 316 asking whether a user is interacting with the client device 316 or whether a user would like to load a particular profile. In such situations, a user may select, using an input device 314 such as a remote, keyboard, mouse, touch screen, a

profile to load onto the client device 316. The profile may be specific to a user or client device, depending on the user's selection.

Other methods of interacting with the client device 316 include using a microphone or camera. With the microphone, the client device 316 and/or the local office 103 may perform speech recognition to detect a command and/or a particular user. For example, the user 308 may want to access a weather application or a weather related program, and may say "weather" into a microphone. The local office 103 may then provide content or a recommendation based on this command. In the case of a camera, the client device 316 may perform facial recognition to determine a particular user.

In some embodiments, the local office 103 may assign a profile form among a plurality of different profiles based on which type of user interaction the local office 103 and/or the client device 316 detected. For example, if the time is 07:00, and the user 308 says "weather" into a microphone (e.g., the input device 314), that user interaction may trigger a particular profile for the user 308. This profile may be, for example, a work day profile, because the local office 103 may determine that the user 308 tends to say "weather" into the microphone before going to work most days. The local office 103 may determine that the user 308 is going to work based on a GPS device or the user's viewing patterns (e.g., not accessing content on the client device 316 during work hours). In another example, a microphone (e.g., the input device 314) may detect other external environmental factors, such as a barking dog at the time of 15:00, because a mailman is approaching the user 308's house. Because mail may be delivered on particular days of the week (e.g., Monday-Friday or Monday-Saturday), a profile for those particular days may be implemented based on the detecting of the barking dog at the time of 15:00. The local office 103 may use other external environmental factors according to aspects disclosed herein.

Additionally, a profile may be selected based on contextual features of applications. For example, the local office 103 may determine that the user 308 tends to work from home on snowy days. The local office 103 may then assign a snowy day profile based on based on a weather application running on client 316 indicating it is snowing or going to snow. Thus, the snowy day profile may include content recommendation periods during the day at times in which the user 308 may usually be at work (such as on a non-snowy day). Additionally, a snowy day profile may contain content recommendation periods having content types/classifications corresponding to the contextual features obtained by the local office 103. For example, content types for a snowy day profile may include content associated snow, such as programs related to Christmas, winter, snowmen, hot chocolate, salt and ice melting, storm preparation, and the like. In another example, the local office 103 may determine that the user 308 tends to access content with little contextual variance (e.g., SpongeBob) while accessing a shopping application. The local office 103 may then assign a shopping profile (e.g., a profile with content having little contextual variance) when the user 308 accesses a shopping application.

At step 410, the local office 103 may, in response to detecting a user interaction, assign a content recommendation period based upon a selected profile (e.g., profiles 322, 324, or 326). Depending on which profile the local office 103 implements, the local office 103 may implement a content recommendation period from that selected profile. As stated above, a profile may be composed of different content

recommendation periods. Each content recommendation period may have a content recommendation period time (e.g., start time or time period) and/or an assigned content type/classification (e.g., news, kids, sports, weather application, etc.).

Thus, after the local office **103** detects a user interaction and assigns a profile, the local office **103** then may assign a content recommendation period having a content recommendation period time period that may include the current time. For example, if the current time is 16:06, and the selected profile (e.g., the user profile **322**) has a content recommendation period with a content type of kids and a content recommendation period time period of 16:00-16:30, then the local office **103** may assign this content recommendation period. Additionally, if the current time is 16:00, then the local office **103** may also assign this content recommendation period with a content recommendation period time period of 16:00-16:30.

In other cases, the local office **103** may assign a content recommendation period having a content recommendation period start time that is about to begin and/or approaching (e.g., in the future). For example, the user **308** may tend to not access content from the client device **316** between 23:00-07:00, but may have a content recommendation period for a weather application starting at 07:00. In this situation, if the client device **316** detects a user interaction at 06:55, then the local office **103** may assign the content recommendation period for the weather application because the content recommendation period time of 07:00 is approaching.

In some embodiments, the local office **103** may implement a plurality of profiles at step **408**, such as profiles **322**, **324**, and **326** corresponding to the users **308**, **310**, and **312**. Thus, at step **410**, the local office **103** may optionally assign a content recommendation period from one of these profiles. In some cases, a user may select (e.g., via a prompt provided by the client device **316**) one of the profiles **322**, **324**, and **326** to implement. In other situations, the local office **103** may determine a consensus content recommendation period that may satisfy all of the assigned profiles. The local office **103** may determine a consensus content recommendation period using a predetermined hierarchy, which may have been established by one or more users, or may be determined by the local office **103**. The local office **103** may determine the hierarchy based on a how frequent a profile is implemented on the client device **316**. For example, after selecting profiles **322**, **324**, and **326**, the local office **103** may select the user profile **322** if the user profile **322** has been implemented more frequently than either of profiles **324** and **326**. Additionally, after implementing the user profile **322**, the local office **103** may still recommend content items (such as later in the process **400**) using information from the user profile **322**'s content recommendation periods (e.g., timing and/or content types), but also accounting for historical data of other users, such as the historical data **330** and **332** corresponding to users **310** and **312**. This will be described below in more detail.

In some embodiments, the local office **103** may assign a particular content recommendation period based on the type of user interaction. For example, if the user **308** approaches client **316** or if client **316** detects a wireless device of the user **308** (e.g., the device **302**), then the user **308** may not necessarily desire to watch a video, and client **316** may assign an application content recommendation period (such as by displaying traffic, weather, social media, time, etc.). If, for example, the user uses a remote to access content, then the local office **103** may assign a programming content

recommendation period (such as news, movie, kids, etc.) instead of an application content recommendation period.

At step **412**, the local office **103** may determine the amount of time remaining in an assigned content recommendation period. For example, if the current time is 16:06, and the selected profile (e.g., the user profile **322**) has a content recommendation period with a content type of kids and a content recommendation period time period of 16:00-16:30, then the local office **103** may assign this content recommendation period and determine that there are 24 minutes left in this content recommendation period. Similarly, the local office **103** may also determine the amount of time until the next content recommendation period. For example, the user **308** may tend to not access content from the client device **316** between 23:00-07:00, but may have a content recommendation period for a weather application starting at 07:00. In this situation, if the client device **316** detects a user interaction at 06:55, then the local office **103** may determine that there is 5 minutes until the weather application content recommendation period. In such situations, the local office **103** may then assign the weather application content recommendation period at 06:55 or may wait until 07:00 to assign it. In some cases, local office may assign one content item for the 5 minutes, and then assign the weather application at 07:00.

At step **414**, after selecting a content recommendation period having a content recommendation period time and content type, and after determining the amount of time remaining in the selected content recommendation period, the local office **103** may analyze and retrieve prospect content assets whose content type may correspond to the assigned content recommendation period's content type and/or whose length may correspond to the time remaining in the content recommendation period. For example, if the current time is 16:06, and the selected profile (e.g., the user profile **322**) has a content recommendation period with a content type of "kids" and a content recommendation period time period of 16:00-16:30, then the local office **103** may assign this content recommendation period and determine that there are 24 minutes left in this content recommendation period. The local office **103** may then retrieve content assets, such as from content assets analyzed in step **402** or other content received from the content sources **334**, having a content type of "kids" and a length of approximately 24 minutes. In some cases, a selected content item's length may not exactly match a time remaining in a content recommendation period. In these situations, the local office **103** may retrieve content having length that is in the vicinity of the time remaining in the content recommendation period (e.g., substantially matches). In the above example, the local office **103** may retrieve content items having a length of 20-40 minutes. However, the local office **103** may give precedence to content items having a length that most closely matches the time available in a content recommendation period over other content items.

The analyzed content assets may include assets configured for any content platform, such as internet, linear, DVR, on-demand, music, and applications (e.g., traffic, weather, social media). In some embodiments, the content assets may be on-demand or DVR platform assets, and a user may have the ability to access these on-demand or DVR assets at any time. Thus, the local office **103** may be able to recommend on-demand or DVR assets for access by a user at any time during a profile's schedule. In some embodiments, the content assets maybe linear or live platform assets, and a use may only have the ability to access these assets during a live broadcast. Thus, the local office **103** may be able to recom-

mend linear assets for access by a user during a live broadcast of those linear assets. This will be discussed below in more detail with regard to the recommendations made by the local office 103.

At step 416, the local office 103 may then determine, assign weights to, and rank candidate content assets from the prospect content assets. The local office 103 may determine these candidate content assets by assigning weights to prospect content assets based on analyzing metadata and contextual features of the prospect content assets and determining the amount of correlation between the metadata and contextual features and a user's profile (e.g., the user profile 322), historical data (e.g., the historical data 328), and/or behavior. The local office 103 may have previously analyzed the metadata and contextual features of the prospect content assets in step 402, but may also analyze the metadata and contextual features of the prospect content assets here at step 416. The local office 103 may then rank the candidate content assets according to their assigned weight.

In one example of the local office 103 assigning weights based on metadata and contextual features, the user profile 322 and/or the historical data 328 may indicate that the user 308 tends to watch professional football on Mondays from 19:00-22:00, Thursdays at 20:00-23:00, and Sundays at 19:00-22:00. The user profile 322 may also indicate that the user tends to watch football games that include the user's favorite team, and tends keep watching games that include the user's favorite team until the end of the content recommendation period time. In this case, football games that include the user's team may be weighted higher than other football games.

Continuing with the previous example, the user profile 322 may also indicate that the user 308 tends to switch from the user's favorite team's football game if the user's favorite team is losing by 21 or more points, but may tend to watch any football game if both the score of the two teams is within 7 points and there has been at least 20 highlight plays in the game. Thus, if the local office 103 retrieves prospect content assets containing 1) a live football game having the user 308's favorite team losing by 28 points, and 2) a live football game not including the user 308's favorite team, but having a score of the two teams within 7 points and there has been 24 highlight plays in the game, then the local office 103 may give a higher weight to the second game with the score of the two teams within 8 points and having at 24 highlight plays in the game.

In another example, the local office 103 may determine that profile 322 and/or the historical data 328 may indicate that the user 308 tends to watch professional football on Mondays from 19:00-22:00, Thursdays at 20:00-23:00, and Sundays at 19:00-22:00, and access a drama from 22:00-23:00 every day of the week. Profile 322 and/or the historical data 328 may indicate that whenever there is a new episode of Downton Abbey on Sundays at 22:00, the user 308 almost always watches the whole episode of Downton Abbey for the entire length of the content recommendation period time of 22:00-23:00. However, professional football games sometimes go into overtime, and may last longer than an expected time (e.g., more than 3 hours). Thus, if the game has previously aired and the user is accessing it on DVR or on-demand, the local office 103 may analyze the metadata and contextual features of the football game and determine that the game lasted longer than three hours. The local office 103 may then provide the football game having a shorter length that fits into the content recommendation period's time period and/or ending at the end of the content recom-

mendation period's time period, and thus not interfering with the next content recommendation period of Downton Abbey at 22:00.

In some situations, the user 308 may interact with the client device 316 in the middle of the content recommendation period time of 19:00-22:00 for professional football on Sunday. In these situations, the local office 103 may retrieve a content asset (e.g., football game) matching the remaining time left in the content recommendation period. Alternatively, the local office 103 may retrieve a shortened version of the game (e.g., such as only showing scoring plays or highlights, only showing the user's favorite team's offensive possessions, and the like, which may be derived from the user 308's behavior in relation to contextual features of the content asset) to substantially match the available time left in the content recommendation period.

In another example, local device 103 may determine the user profile 322 indicating that the user 308 tends to watch a recording of the Today Show from 17:00-18:00 every weekday. The user profile 322 may also indicate that if there is a cooking segment during the recorded broadcast of the Today Show, the user tends to switch from the recording of the Today Show to a 24 hour news channel (e.g., MSNBC) until the end of that content recommendation period (18:00). At 18:00, the user 308 may then tend to watch the local evening news until 19:00. Thus, after the client device 316 records the Today Show, the local office 103 may analyze and determine the metadata and contextual features of that recording. These contextual features may include whether the hosts of the Today Show hosted outside the studio, whether a musician performed, whether there was a holiday theme, whether there was a mistake made by a host, whether or not there was a weather segment, and the like. In this case, the local office 103 may determine that there was a cooking segment during the episode. Thus, referring to the user profile 322 which indicates that the user 308 tends to switch to MSNBC when there is a cooking segment during the recording of the Today Show, the local office 103 may provide a higher weight to MSNBC than to the recording of the Today Show for that content recommendation period having the content recommendation period time of 17:00-18:00.

In another example, the local office 103 may weight prospect content items based on contextual features derived from applications running on the client device 316. For example, the local office 103 may determine from a weather application that the current weather is snowy. In this case, the local office 103 may provide a higher weight to content items associated with snow, such as movies or shows set in the winter or around Christmas.

In some cases, weights may be assigned to content based on the popularity of a program, such as by using ratings, relevancy rankings, or any other method of determining popularity. The popularity of content may also be based on users within a particular proximity to the user 308, across demographics (e.g., age, sex, income, location, etc.), and the like.

At step 418, the local office 103 may then transmit to the client device 316 an indication of one or more of the higher ranked candidate content assets. The local office 103 may make such an indication with a recommendation for a particular candidate content asset. For example, the client device 316 may provide a prompt on a display recommending to the user 308 one or higher ranked candidate content assets for an assigned content recommendation period. In other situations, the local office 103 may transmit to the client device 316 the one or more of the higher ranked

candidate content assets. In some cases, the local office **103** may indicate only a highest ranked candidate content asset. Additionally, the client device **316** may automatically access (e.g., play) one of the candidate content assets (such as a highest ranked candidate).

According to some embodiments, an indication and/or recommendation can be based on any data that may be available to local officer **103**, such as any information that may have been gathered and/or any event (or interaction) that has or is currently happening. For example, an indication and/or recommendation may be based on a portion of a profile, a portion of the content recommendation period, and the like.

In one example, local device **103** may determine the user profile **322** indicating that the user **308** tends to watch a recording of the Today Show 17:00-18:00 every weekday. The user profile **322** may also indicate that if there is a cooking segment during the recorded broadcast of the Today Show, the user tends to switch from the recording of the Today Show to watch a 24 hour news channel (e.g., MSNBC) until the end of that content recommendation period (18:00). In this case, the local office **103** may determine that there was a cooking segment during the episode. According, referring to the user profile **322** which indicates that the user tends to switch to MSNBC when there is a cooking segment during the recording of the Today Show, the local office **103** may provide a higher weight to MSNBC than to the recording of the Today Show. Thus, the local office **103** may recommend watching MSNBC during the content recommendation period from 17:00-18:00 instead of the Today Show. In this example, the content type of the Today Show (e.g., news) may match the content type of MSNBC (e.g., news). However, in another example, the user **308** may tend to switch to SpongeBob (e.g., kids content type) when the recording of the Today Show features a musical act. Thus, if the recording of the Today Show features a musical act, the local office **103** may recommend watching SpongeBob during the content recommendation period from 17:00-18:00 instead of the Today Show or MSNBC, because SpongeBob would be have a higher ranking or weight based on the local office **103**'s analysis of the Today Show's contextual features.

In another example, the local office **103** may analyze contextual features of applications running on the client device **316**. The local office **103** may determine using a weather application that the weather is good (e.g., not raining). The user profile **322** may indicate a content recommendation period for 07:30-08:00 for news programming. The user profile **322** may also indicate that if the weather is good, then the user **308** may watch television longer than the user would if the weather was not good for that day. Accordingly, after the local office **103** analyzes the weather and determines that the weather is good, then the local office **103** may recommend additional content for the user **308** to access, because, as indicated in the user profile **322**, the user **308** tends to watch more television when there is good weather. The additional content may also be based on the historical data **328**, which may indicate specific types of content the user tends to watch. In some cases, the local office **103** may assign the weather a value, such as from 1 to 10, with 1 being the worst weather and 10 being the best weather. In these circumstances, the amount of extra time available for the user **308** to watch television may correspond to the assigned weather value. For example, if the weather is assigned a 10, then the user may have an extra 30 minutes to watch television. If the weather is assigned a 7, the user may have an extra 5 minutes to watch television. If

the weather is assigned a 5, the user may not have any extra time to watch television, and may follow the content recommendation period time of 07:30-08:00. If the weather is assigned a 1, then the user may have to leave 15 minutes earlier, and may have 15 minutes less to watch television. In the situation where the weather is assigned a 10, the local office **103** may recommend a content asset to fill a one hour time period (e.g., from 07:30-08:30). Alternatively, the local office **103** may recommend a content asset for the original content recommendation period time of 07:30-08:00, and then pick one or more additional content assets to fill the remainder of the time. A similar approach may be used for when weather is assigned a 7 with 5 extra minutes. If the weather is assigned a 1, then the local office **103** may pick one or more content assets to fill the 15 minutes (e.g., from 07:30-07:45), which may be of the same content type as indicated in the content recommendation period.

In another example, the local office **103** may determine using a traffic application that the traffic is good (e.g., traffic moving at substantially the speed limit and/or no accidents). The user profile **322** may indicate a content recommendation period for 07:30-08:00 for news programming. The user profile **322** may also indicate that if the traffic is good, then the user **308** may watch television longer than the user would if the traffic was not good for that day. Accordingly, after the local office **103** analyzes the traffic and determines that the traffic is good, then the local office **103** may recommend additional content for the user **308** to access, because the user **308** tends to watch more television when the traffic is good. Additionally, as in the above weather example, the local office **103** may assign the traffic a value, such as from 1 to 10, with 1 being the worst weather and 10 being the best weather. The local office **103** may then base the amount of time available for extra content on this assigned value, and then determine corresponding content to recommend.

In another example, the user profile **322** may indicate that the user **308** tends to always watch a specific contextual feature, such as a hockey fight between four or more hockey players. Thus, the local office **103** may transmit a recommendation for (or automatically tune to) a content asset containing a hockey fight between four or more hockey players. In these situations, the recommended content may not match time period and/or content type of a currently assigned content recommendation period. However, the local office **103** may make this recommendation because of the very close correlation between the user **308**'s behavior (e.g., always watching a fight between four or more hockey players) and the contextual features of a content item (e.g., content having a fight between four or more hockey players).

According to some aspects, the local office **103** may examine a social media application on the client device **316** for contextual features that may relate to the user **308**'s behavior. For example, the local office **103** may analyze social media feeds or posts from friends of the user **308** or people unknown to the user **308** to determine contextual features in these feeds or posts. Such contextual features may include internet content, popular television shows or scenes from those shows, popular movies or scenes from those movies, popular sporting events or plays/acts from those events, and the like. From these contextual features, the local office **103** may then recommend content according to the user **308**'s behavior. For example, the user profile **322** may indicate that the user **308** tends to always watch a specific contextual feature, such as a hockey fight between four or more hockey players. If the local office **103** determines from the contextual features of a social media appli-

cation that a hockey fight between four or more hockey players is currently airing, then the local office 103 may transmit a recommendation for (or automatically tune to) the currently airing content asset containing a hockey fight between four or more hockey players. Alternatively, if the hockey fight is on a video-sharing website or on-demand platform, then the local office 103 may recommend content on those mediums and/or platforms to the user 308.

According to some aspects, the client device 316 may detect user interaction after detecting more than one user (e.g., the users 308 and 310), and thus may determine consensus content candidates. Detecting various users may trigger the client device 316 and/or the local office 103 to implement corresponding user profiles (e.g., profiles 322 and 324). In such a situation, a user may select (e.g., via a prompt provided by the client device 316) one of the profiles 322 or 324 to implement. In other situations, the local office 103 may determine a profile to implement using a hierarchy (discussed above). The local office 103 may further analyze the historical data 328 and 330 (corresponding to the users 308 and 310) to determine user behavior and/or viewing patterns of the users 308 and 310. After selecting a profile to implement (e.g., the user profile 322), the local office 103 may assign weights to prospect content assets based on the behavior and viewing patterns of both the users 308 and 310. Thus, the user profile 322 may indicate a content recommendation period with a content recommendation period time of 18:00-19:00 and a content type of local news, and may assign this content recommendation period based on the current time. However, the local office 103 also recognizes the user 310 and may weight content items differently than if the user 310 was not detected. Thus, the local office 103 may determine that the user 310 tends to primarily watch a sitcom from 18:00-19:00, and then may next tend to watch a sports program from 18:00-19:00 (e.g., the user 310 tends to watch a sitcom 75% of the time from 18:00-19:00, tends to watch a sports program 20% of the time from 18:00-19:00, and tends to watch other programs the other 5% of the time). The local office 103 may also determine that the user 308 tends to primarily watch the local news from 18:00-19:00, and then may next tend to watch a sports program from 18:00-19:00 (e.g., the user 308 tends to watch the local news 85% of the time from 18:00-19:00, tends to watch a sports program 10% of the time from 18:00-19:00, and tends to watch other programs the other 5% of the time). Thus, determining that each user's second option for watching television between 18:00-19:00 is the same, the local office 103 may provide greater weight to sports program content items, and subsequently, recommend a sports program content item. Additionally, the recommendation may further be refined if the particular sports program one user tended to watch matched the particular sports program the other user tended to watch.

At step 420, the local office 103 may then track and determine a user's viewing patterns and/or behavior associated with the content indication or recommendation made by the local office 103 in step 418. For example, the user 308 may not accept a recommendation/indication prompt from the local office 103, and may actually access other content. In these cases, the local office 103 may transmit additional recommendations/indications of content items which may be weighted less than candidate content item transmitted in an initial or previous recommendation/indication. In another example, the user 308 may accept/select a recommendation/indication prompt for a content asset transmitted by the local office 103, and local office 103 (or some other content provider) may then transmit content that may correspond to

the selected content asset (e.g., the selected program, application, etc.). Another example of user behavior may be that the user 308 did not stop accessing a recommended content item until the end of the content recommendation period (e.g., did not turn or switch to other content). Also, the user 308 may continue to watch a content item that runs over the scheduled content recommendation period. Additionally, the local office 103 may determine that the user 308 stopped accessing a content item (e.g., a content item transmitted by local office 103 selected from an indication/recommendation transmitted by local office 103, a content item that client device 302 automatically tuned to based on an indication/recommendation transmitted by local office 103, and the like), and at which point during the playback of a content item the user 308 stopped the playback. Any behavior or viewing pattern of a user may be determined in step 420.

The process 400 may then return to step 404, where the local office 103 may use the information determined and obtained in step 420 to update, determine, gather, and/or analyze historical data (e.g., the historical data 328) for a user (e.g., the user 308). The process 400 may then continue and may use the updated historical data. The process 400 may end after any of the steps in the process 400. Any of the disclosed steps in FIG. 4 may be omitted, be performed in other than the recited order, repeated, and/or combined.

Although example embodiments are described above, the various features and steps may be combined, divided, omitted, rearranged, revised and/or augmented in any desired manner, depending on the specific outcome and/or application. Various alterations, modifications, and improvements will readily occur to those skilled in art. Such alterations, modifications, and improvements as are made obvious by this disclosure are intended to be part of this description though not expressly stated herein, and are intended to be within the spirit and scope of the disclosure. Accordingly, the foregoing description is by way of example only, and not limiting. This patent is limited only as defined in the following claims and equivalents thereto.

What is claimed is:

1. A method comprising:

determining, by a computing device, a plurality of profiles associated with a plurality of users of a user device, wherein the plurality of profiles comprise a plurality of content recommendation periods each associated with a content classification;

receiving a request for a content recommendation;

determining, for each user of the plurality of users, a corresponding frequency of using the user device;

determining, based on the frequencies of using the user device, a hierarchy of the plurality of users;

determining, based on the request and on weights associated with the hierarchy, a first candidate content recommendation period of the plurality of content recommendation periods;

determining, based on a comparison of a first content classification, associated with the first candidate content recommendation period, to a plurality of content classifications of a plurality of content assets, one or more content candidates;

sending, to the user device, an indication of the one or more content candidates; and

causing display of the one or more content candidates.

2. The method of claim 1, wherein determining the one or more content candidates is further based on a current time of day.

3. The method of claim 1, wherein determining the first candidate content recommendation period comprises deter-

mining the first candidate content recommendation period based on a type of user interaction indicated by the request for the content recommendation.

4. The method of claim 1, further comprising ranking the one or more content candidates based on a correlation between historical data associated with a first user and one or more contextual features associated with the one or more content candidates.

5. The method of claim 4, wherein sending the indication of the one or more content candidates comprises sending the indication based on the ranking.

6. The method of claim 4, wherein ranking the one or more content candidates further comprises assigning a higher rank to one or more of the one or more content candidates having a time length that substantially corresponds to a remaining time in the first candidate content recommendation period.

7. The method of claim 1, wherein determining the first candidate content recommendation period is further based on one or more of a behavior of a first user or a location of the first user.

8. The method of claim 1, further comprising:
after receiving the request for the content recommendation, determining at least one environmental factor; and
adjusting, based on the at least one environmental factor, one or more of a start time of the first candidate content recommendation period or an end time of the first candidate content recommendation period.

9. The method of claim 8, wherein the at least one environmental factor comprises one or more of weather or traffic.

10. The method of claim 1, wherein the request for the content recommendation is based on one or more of detecting a movement of a remote control, detecting a wireless device, detecting one or more users in a vicinity of the user device, detecting a user movement, or detecting a voice.

11. The method of claim 1, further comprising updating, based on user behavior associated with the indication of the one or more content candidates, historical data that is associated with a first user and the plurality of content recommendation periods.

12. The method of claim 1, wherein the plurality of content recommendation periods are based on one or more of contextual features associated with:

content previously accessed by a first user; or
behavior associated with the first user.

13. The method of claim 1, further comprising:
after a first user stops playback of a content asset, adjusting one or more of a start time of the first candidate content recommendation period, an end time of the first candidate content recommendation period, or the first content classification associated with the first candidate content recommendation period.

14. The method of claim 1, wherein the sent indication of the one or more content candidates is configured to cause output of a program indicated by one of the one or more content candidates.

15. The method of claim 1, wherein determining the one or more content candidates comprises determining the one or more content candidates based on a remaining time in the first candidate content recommendation period.

16. The method of claim 1, wherein at least two content recommendation periods of the plurality of profiles correspond to a same time period.

17. The method of claim 1, wherein determining the hierarchy of the plurality of users comprises:

determining which user, among the plurality of users, has the highest frequency of using the user device.

18. The method of claim 1, wherein determining the hierarchy of the plurality of users comprises:

determining that a first user, among the plurality of users, has a higher frequency of using the user device than a second user among the plurality of users.

19. The method of claim 1, wherein determining the corresponding frequency of using the user device comprises:

determining a corresponding frequency of implementation, in the user device, of a corresponding profile of the plurality of profiles.

20. A method comprising:

determining, by a computing device, a plurality of profiles associated with a plurality of users of a user device, wherein each of the plurality of profiles comprises a plurality of content recommendation periods each associated with a content classification;

receiving a request for a content recommendation;

determining, for each user of the plurality of users, a corresponding frequency of using the user device;

selecting, based on determining which user, of the plurality of users, has used the user device the most, a profile of the plurality of profiles;

determining, based on the request, a first candidate content recommendation period of the plurality of content recommendation periods of the selected profile;

determining, based on a comparison of a first content classification, associated with the first candidate content recommendation period, to a plurality of content classifications of a plurality of content assets, one or more content candidates;

sending, to the user device, an indication associated with the one or more content candidates; and

causing display of the one or more content candidates.

21. The method of claim 1, wherein determining the first candidate content recommendation period comprises determining the first candidate content recommendation period based on receiving, from the user device, data indicating a state of an application running on the user device.

22. The method of claim 20, wherein determining the corresponding frequency of using the user device comprises:

determining a corresponding frequency of implementation, in the user device, of a corresponding profile of the plurality of profiles.

23. The method of claim 20, wherein selecting the profile of the plurality of profiles comprises selecting a profile associated with the highest frequency of using the user device.

24. A method comprising:

receiving an indication of a user interaction with a plurality of content assets;

determining, by a computing device and based on the indication of the user interaction, a plurality of profiles associated with a plurality of users of a user device, wherein each of the plurality of profiles comprises a plurality of content recommendation periods each associated with a content classification;

receiving a request for a content recommendation;

determining, for each of the plurality of profiles, a corresponding frequency of use on the user device;

selecting, based on the frequencies, a profile of the plurality of profiles;

determining, based on the request, a first candidate content recommendation period of the plurality of content recommendation periods of the selected profile;

determining, based on a content classification, associated
with the first candidate content recommendation
period, one or more content candidates;
sending, to a user device, an indication of the one or more
content candidates; and
causing display of the one or more content candidates.

5

25. The method of claim **24**, wherein determining the first
candidate content recommendation period comprises deter-
mining, based on data indicating a state of an application
running on the user device, the first candidate content
recommendation period.

10

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 10,776,414 B2
APPLICATION NO. : 14/310327
DATED : September 15, 2020
INVENTOR(S) : Des Jardins et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page:

The first or sole Notice should read --

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b)
by 262 days.

Signed and Sealed this
Thirty-first Day of August, 2021



Drew Hirshfeld
*Performing the Functions and Duties of the
Under Secretary of Commerce for Intellectual Property and
Director of the United States Patent and Trademark Office*

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 10,776,414 B2
APPLICATION NO. : 14/310327
DATED : September 15, 2020
INVENTOR(S) : Des Jardins et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification

Column 17, Detailed Description, Line 58:
Delete "honor" and insert --horror-- therefor

Column 18, Detailed Description, Line 2:
Delete "honor" and insert --horror-- therefor

Signed and Sealed this
Twenty-fourth Day of January, 2023



Katherine Kelly Vidal
Director of the United States Patent and Trademark Office