



US010776483B2

(12) **United States Patent**  
**Bagulho Monteiro Pereira**

(10) **Patent No.:** **US 10,776,483 B2**  
(45) **Date of Patent:** **\*Sep. 15, 2020**

(54) **SYSTEMS AND METHODS FOR REMOTE DETECTION OF SOFTWARE THROUGH BROWSER WEBINJECTS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **BitSight Technologies, Inc.**, Boston, MA (US)

5,867,799 A 2/1999 Lang et al.  
6,016,475 A 1/2000 Miller et al.  
(Continued)

(72) Inventor: **Tiago Bagulho Monteiro Pereira**, Lisbon (PT)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **BitSight Technologies, Inc.**, Boston, MA (US)

WO WO-2017/142694 A1 8/2017  
WO WO-2019/023045 A1 1/2019

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.  
  
This patent is subject to a terminal disclaimer.

OTHER PUBLICATIONS

U.S. Appl. No. 15/271,655 Published as: US2018/0083999, Self-Published Security Risk Management, filed Sep. 21, 2016.  
(Continued)

(21) Appl. No.: **16/688,647**

*Primary Examiner* — Aravind K Moorthy

(22) Filed: **Nov. 19, 2019**

(74) *Attorney, Agent, or Firm* — Goodwin Procter LLP

(65) **Prior Publication Data**

US 2020/0134174 A1 Apr. 30, 2020

**Related U.S. Application Data**

(63) Continuation of application No. 16/170,680, filed on Oct. 25, 2018, now Pat. No. 10,521,583.

(51) **Int. Cl.**

**G06F 21/54** (2013.01)  
**G06F 21/53** (2013.01)

(Continued)

(52) **U.S. Cl.**

CPC ..... **G06F 21/54** (2013.01); **G06F 21/53** (2013.01); **G06F 21/566** (2013.01); **G06F 40/14** (2020.01); **G06F 2221/2119** (2013.01)

(58) **Field of Classification Search**

CPC ..... G06F 21/54; G06F 40/14; G06F 21/53; G06F 21/566; G06F 2221/2119


See application file for complete search history.

(57) **ABSTRACT**

Computer-implemented methods and systems are provided for the detection of software presence remotely through the web browser by detecting the presence of webinjects in a web browser that visits a detection webpage. The methods can include delivering a detection webpage to a web browser, in which the detection webpage has detection code configured to detect a presence of the webinject in the detection webpage; and inspecting, by the detection code, rendering of content of the detection webpage in the browser to detect webinject content in the detection webpage by the webinject, the webinject content including one or more Hypertext Markup Language (HTML) components. The method can further include, if webinject content is detected, generating a fingerprint for each of the one or more HTML components; transmitting the one or more fingerprints to an external server; and classifying, by the external server, the webinject based on the one or more fingerprints.

**20 Claims, 4 Drawing Sheets**

100 ↘



(51) <b>Int. Cl.</b>			9,641,547 B2	5/2017	Yampolskiy et al.
<b>G06F 21/56</b>	(2013.01)		9,646,110 B2	5/2017	Byrne et al.
<b>G06F 40/14</b>	(2020.01)		D789,947 S	6/2017	Sun
			D789,957 S	6/2017	Wu et al.
			D791,153 S	7/2017	Rice et al.
			D791,834 S	7/2017	Eze et al.
(56) <b>References Cited</b>			D792,427 S	7/2017	Weaver et al.
			D795,891 S	8/2017	Kohan et al.
			D796,523 S	9/2017	Bhandari et al.
<b>U.S. PATENT DOCUMENTS</b>			D801,989 S	11/2017	Iketsuki et al.
6,792,401 B1	9/2004	Nigro et al.	D803,237 S	11/2017	Wu et al.
D525,264 S	7/2006	Chotai et al.	D804,528 S	12/2017	Martin et al.
D525,629 S	7/2006	Chotai et al.	D806,735 S	1/2018	Olsen et al.
7,100,195 B1	8/2006	Underwood	D806,737 S	1/2018	Chung et al.
7,194,769 B2	3/2007	Lippmann et al.	D809,523 S	2/2018	Lipka et al.
7,290,275 B2	10/2007	Baudoin et al.	D812,633 S	3/2018	Saneii
D604,740 S	11/2009	Matheny et al.	D814,483 S	4/2018	Gavaskar et al.
7,650,570 B2	1/2010	Torrens et al.	D815,119 S	4/2018	Chalker et al.
7,747,778 B1	6/2010	King et al.	D815,148 S	4/2018	Martin et al.
7,748,038 B2	6/2010	Olivier et al.	D816,105 S	4/2018	Rudick et al.
7,827,607 B2	11/2010	Sobel et al.	D816,116 S	4/2018	Selassie
D630,645 S	1/2011	Tokunaga et al.	9,954,893 B1 *	4/2018	Zhao ..... H04L 63/1491
7,971,252 B2	6/2011	Lippmann et al.	D817,970 S	5/2018	Chang et al.
D652,048 S	1/2012	Joseph	D817,977 S	5/2018	Kato et al.
D667,022 S	9/2012	LoBosco et al.	D819,687 S	6/2018	Yampolskiy et al.
8,370,933 B1	2/2013	Buckler	10,044,750 B2	8/2018	Livshits et al.
8,429,630 B2	4/2013	Nickolov et al.	10,079,854 B1	9/2018	Scott et al.
D682,287 S	5/2013	Cong et al.	10,142,364 B2	11/2018	Baukes et al.
D688,260 S	8/2013	Pearcy et al.	10,185,924 B1	1/2019	McClintock et al.
8,504,556 B1	8/2013	Rice et al.	10,217,071 B2	2/2019	Mo et al.
D691,164 S	10/2013	Lim et al.	10,230,753 B2	3/2019	Yampolskiy et al.
D694,252 S	11/2013	Helm	10,230,764 B2	3/2019	Ng et al.
D694,253 S	11/2013	Helm	10,235,524 B2	3/2019	Ford
8,621,621 B1 *	12/2013	Burns ..... H04L 63/1416 726/22	10,257,219 B1	4/2019	Geil et al.
			10,331,502 B1 *	6/2019	Hart ..... G06F 40/186
D700,616 S	3/2014	Chao	10,339,321 B2	7/2019	Tedeschi
8,677,481 B1	3/2014	Lee	10,339,484 B2	7/2019	Pai et al.
8,825,662 B1	9/2014	Kingman et al.	10,521,583 B1 *	12/2019	Bagulho Monteiro Pereira ..... G06F 40/14
D730,918 S	6/2015	Park et al.			
9,053,210 B2	6/2015	Elnikety et al.	2001/0044798 A1	11/2001	Nagrall et al.
9,075,990 B1 *	7/2015	Yang ..... H04L 63/105	2002/0083077 A1	6/2002	Vardi
D740,847 S	10/2015	Yampolskiy et al.	2002/0133365 A1	9/2002	Grey et al.
D740,848 S	10/2015	Bolts et al.	2002/0164983 A1	11/2002	Raviv et al.
D741,351 S	10/2015	Kito et al.	2003/0050862 A1	3/2003	Bleicken et al.
D746,832 S	1/2016	Pearcy et al.	2003/0123424 A1	7/2003	Jung
9,244,899 B1	1/2016	Greenbaum	2003/0187967 A1	10/2003	Walsh et al.
9,294,498 B1	3/2016	Yampolskiy et al.	2004/0003284 A1	1/2004	Campbell et al.
D754,690 S	4/2016	Park et al.	2004/0010709 A1	1/2004	Baudoin et al.
D754,696 S	4/2016	Follett et al.	2004/0024859 A1	2/2004	Bloch et al.
D756,371 S	5/2016	Bertnick et al.	2004/0098375 A1	5/2004	DeCarlo
D756,372 S	5/2016	Bertnick et al.	2004/0133561 A1	7/2004	Burke
D756,392 S	5/2016	Yun et al.	2004/0193907 A1	9/2004	Patanella
D759,084 S	6/2016	Yampolskiy et al.	2004/0193918 A1	9/2004	Green et al.
D759,689 S	6/2016	Olson et al.	2004/0199791 A1	10/2004	Poletto et al.
9,372,994 B1	6/2016	Yampolskiy et al.	2004/0199792 A1	10/2004	Tan et al.
D760,782 S	7/2016	Kendler et al.	2004/0221296 A1	11/2004	Ogielski et al.
9,384,206 B1	7/2016	Bono et al.	2004/0250122 A1	12/2004	Newton
9,407,658 B1 *	8/2016	Kuskov ..... G06F 16/958	2004/0250134 A1	12/2004	Kohler et al.
9,424,333 B1	8/2016	Bisignani et al.	2005/0071450 A1	3/2005	Allen et al.
D771,695 S	11/2016	Yampolskiy et al.	2005/0076245 A1	4/2005	Graham et al.
D772,276 S	11/2016	Yampolskiy et al.	2005/0080720 A1	4/2005	Betz et al.
9,501,647 B2	11/2016	Yampolskiy et al.	2005/0108415 A1	5/2005	Turk et al.
D773,507 S	12/2016	Sagrillo et al.	2005/0131830 A1	6/2005	Juarez et al.
D775,635 S	1/2017	Raji et al.	2005/0138413 A1	6/2005	Lippmann et al.
D776,136 S	1/2017	Chen et al.	2005/0160002 A1	7/2005	Roetter et al.
D776,153 S	1/2017	Yampolskiy et al.	2005/0278726 A1	12/2005	Cano et al.
D777,177 S	1/2017	Chen et al.	2006/0036335 A1	2/2006	Banter et al.
9,560,072 B1	1/2017	Xu	2006/0107226 A1	5/2006	Matthews et al.
D778,927 S	2/2017	Bertnick et al.	2006/0173992 A1	8/2006	Weber et al.
D778,928 S	2/2017	Bertnick et al.	2006/0212925 A1	9/2006	Shull et al.
D779,512 S	2/2017	Kimura et al.	2006/0253581 A1	11/2006	Dixon et al.
D779,514 S	2/2017	Baris et al.	2007/0016948 A1 *	1/2007	Dubrovsky ..... H04L 67/02 726/22
D779,531 S	2/2017	List et al.			
D780,770 S	3/2017	Sum et al.			
D785,009 S	4/2017	Lim et al.	2007/0067845 A1	3/2007	Wiemer et al.
D785,010 S	4/2017	Bachman et al.	2007/0143851 A1	6/2007	Nicodemus et al.
D785,016 S	4/2017	Berwick et al.	2007/0198275 A1	8/2007	Malden et al.
9,620,079 B2	4/2017	Curtis	2007/0282730 A1	12/2007	Carpenter et al.
D787,530 S	5/2017	Huang	2008/0033775 A1	2/2008	Dawson et al.
D788,128 S	5/2017	Wada	2008/0047018 A1	2/2008	Baudoin et al.



(56)

**References Cited**

## OTHER PUBLICATIONS

U.S. Appl. No. 15/239,063 U.S. Pat. No. 10,341,370 Published as: US2017/0093901, Security Risk Management, filed Aug. 17, 2016.

U.S. Appl. No. 16/405,121 Published as: US2019/0260791, Methods for Using Organizational Behavior for Risk Ratings, filed May 7, 2019.

U.S. Appl. No. 13/240,572 Published as: US2016/0205126, Information Technology Security Assessment System, filed Sep. 22, 2011.

U.S. Appl. No. 14/944,484 U.S. Pat. No. 9,973,524 Published as: US2016/0323308, Information Technology Security Assessment System, filed Nov. 18, 2015.

U.S. Appl. No. 15/142,677 U.S. Pat. No. 9,830,569 Published as: US2016/0239772, Security Assessment Using Service Provider Digital Asset Information, filed Apr. 29, 2016.

U.S. Appl. No. 15/134,845 U.S. Pat. No. 9,680,858, Annotation Platform for a Security Risk System, filed Apr. 21, 2016.

U.S. Appl. No. 15/044,952 Published as: US2017/0236077, Relationships Among Technology Assets and Services and the Entities Responsible for Them, filed Feb. 16, 2016.

U.S. Appl. No. 15/089,375 U.S. Pat. No. 10,176,445 Published as: US2017/0236079, Relationships Among Technology Assets and Services and the Entities Responsible for Them, filed Apr. 1, 2016.

U.S. Appl. No. 29/598,298 U.S. Pat. No. D. 835,631, Computer Display Screen with Graphical User Interface, filed Mar. 24, 2017.

U.S. Appl. No. 29/598,299 U.S. Pat. No. D. 818,475, Computer Display with Security Ratings Graphical User Interface, filed Mar. 24, 2017.

U.S. Appl. No. 29/599,622 U.S. Pat. No. D. 847,169, Computer Display with Security Ratings Graphical User Interface, filed Apr. 5, 2017.

U.S. Appl. No. 29/599,620 U.S. Pat. No. D. 846,562, Computer Display with Security Ratings Graphical User Interface, filed Apr. 5, 2017.

U.S. Appl. No. 16/015,686 U.S. Pat. No. 10,425,380 Published as: US2018/0375822, Methods for Mapping IP Addresses and Domains to Organizations Using User Activity Data, filed Jun. 22, 2018.

U.S. Appl. No. 16/543,075, Methods for Mapping IP Addresses and Domains to Organizations Using User Activity Data, filed Aug. 16, 2019.

U.S. Appl. No. 15/918,286 U.S. Pat. No. 10,257,219, Correlated Risk in Cybersecurity, filed Mar. 12, 2018.

U.S. Appl. No. 16/292,956 Patented as: US2019/0297106, Correlated Risk in Cybersecurity, filed Mar. 5, 2019.

U.S. Appl. No. 16/170,680, Systems and Methods for Remote Detection of Software Through Browser Webinjects, filed Oct. 25, 2018.

U.S. Appl. No. 15/954,921 Published as: US2019/0319979, Systems and Methods for External Detection of Misconfigured Systems, filed Apr. 17, 2018.

U.S. Appl. No. 16/549,764, Systems and Methods for Inferring Entity Relationships Via Network Communications of Users or User Devices, filed Aug. 23, 2019.

U.S. Appl. No. 16/583,991, Systems and Methods for Network Asset Discovery and Association Thereof With Entities, filed Sep. 26, 2019.

U.S. Appl. No. 29/666,942, Computer Display with Forecast Graphical User Interface, filed Oct. 17, 2018.

U.S. Appl. No. 16/360,641, Systems and Methods for Forecasting Cybersecurity Ratings Based on Event-Rate Scenarios, filed Mar. 21, 2019.

U.S. Appl. No. 16/514,771, Systems and Methods for Generating Security Improvement Plans for Entities, filed Jul. 17, 2019.

U.S. Appl. No. 29/677,306, Computer Display With Corporate Hierarchy Graphical User Interface, filed Jan. 18, 2019.

U.S. Appl. No. 15/271,655, the Office Actions dated Feb. 21, 2017 and Aug. 18, 2017.

U.S. Appl. No. 15/377,574, now U.S. Pat. No. 9,705,932, the Office Action dated Mar. 2, 2017 and the Notice of Allowance dated Jun. 1, 2017.

U.S. Appl. No. 14/021,585, now U.S. Pat. No. 9,438,615, the Office Action dated Mar. 11, 2016 and the Notice of Allowance dated Aug. 9, 2016.

U.S. Appl. No. 15/216,955, now U.S. Pat. No. 10,326,786, the Office Actions dated Nov. 4, 2016, Mar. 9, 2017, Jun. 6, 2017, Dec. 5, 2017, and Aug. 29, 2018, and the Notice of Allowance dated Feb. 6, 2019.

U.S. Appl. No. 15/239,063, now U.S. Pat. No. 10,341,370, the Office Action dated Mar. 21, 2018 and the Notice of Allowance dated Jan. 14, 2019.

U.S. Appl. No. 16/405,121, the Office Action dated Aug. 1, 2019.

U.S. Appl. No. 13/240,572, the Office Actions dated May 7, 2013, Nov. 21, 2013, Jun. 16, 2014, Feb. 27, 2015, Jun. 3, 2015, Oct. 26, 2015, Mar. 10, 2016, Feb. 13, 2017, and Examiner's Answer to Appeal Brief dated May 16, 2018.

U.S. Appl. No. 14/944,484, now U.S. Pat. No. 9,973,524, the Office Actions dated Mar. 11, 2016, Jul. 5, 2016, and Jan. 17, 2017 and the Notice of Allowance dated Oct. 20, 2017.

U.S. Appl. No. 15/142,677, now U.S. Pat. No. 9,830,569, the Office Actions dated Jul. 26, 2016, and Apr. 24, 2017 and the Notice of Allowance dated Oct. 11, 2017.

U.S. Appl. No. 15/134,845, now U.S. Patent No. 9,680,858, the Office Actions dated Jul. 19, 2019 and Jan. 26, 2017, and the Notices of Allowance dated Apr. 27, 2017 and May 9, 2017.

U.S. Appl. No. 15/044,952, the Office Action dated Jul. 8, 2019.

U.S. Appl. No. 15/089,375, now U.S. Pat. No. 10,176,445, the Office Actions dated Sep. 9, 2016, May 17, 2017, and Nov. 17, 2017 and the Notice of Allowance dated Aug. 9, 2018.

U.S. Appl. No. 29/598,298, now U.S. Pat. No. D. 835,631, the Notice of Allowance dated Aug. 15, 2018.

U.S. Appl. No. 29/598,299, now U.S. Pat. No. D. 818,475, the Notice of Allowance dated Jan. 2, 2018.

U.S. Appl. No. 29/599,622, now U.S. Pat. No. D. 847,169, the Notice of Allowance dated Dec. 11, 2018.

U.S. Appl. No. 29/599,620, now U.S. Pat. No. D. 846,562, the Office Action dated May 3, 2018, the Notice of Allowance dated Nov. 27, 2018.

U.S. Appl. No. 16/015,686, now U.S. Pat. No. 10,425,380, the Office Action dated Nov. 16, 2018 and the Notice of Allowance dated May 10, 2019.

U.S. Appl. No. 16/543,075, the Notice of Allowance dated Sep. 25, 2019.

U.S. Appl. No. 15/918,286, now U.S. Pat. No. 10,257,219, the Office Action dated Aug. 7, 2018 and the Notice of Allowance dated Nov. 29, 2018.

U.S. Appl. No. 16/292,956, the Office Action dated Jul. 10, 2019 and the Notice of Allowance dated Oct. 31, 2019.

U.S. Appl. No. 16/170,680, the Office Action dated Mar. 26, 2019 and the Notice of Allowance dated Aug. 27, 2019; and.

U.S. Appl. No. 15/954,921, the Office Actions dated Sep. 4, 2018, Jan. 3, 2019, and Aug. 19, 2019.

U.S. Appl. No. 15/360,641, the Office Actions dated Aug. 7, 2019. "About Neo4j," 1 page.

"Agreed Upon Procedures," Version 4.0, BITS, The Financial Institution Shared Assessments Program, Assessment Guide, Sep. 2008, 56 pages.

"Amazon Mechanical Turk," accessed on the internet at <https://www.mturk.com/>; 7 pages.

"An Executive View of IT Governance," IT Governance Institute, 2009, 32 pages.

"Assessing Risk in Turbulent Times," A Workshop for Information Security Executives, Glassmeyer/McNamee Center for Digital Strategies, Tuck School of Business at Dartmouth, Institute for Information Infrastructure Protection, 2009, 17 pages.

"Assuring a Trusted and Resilient Information and Communications Infrastructure," Cyberspace Policy Review, May 2009, 76 pages.

"Computer Network Graph," <http://www.opte.org>; 1 page.

"Creating Transparency with Palantir," accessed on the internet at <https://www.youtube.com/watch?8cbGChfagUA>; Jul. 5, 2012; 1 page.

"Gephi (gephi.org)," accessed on the internet at <https://web.archive.org/web/20151216223216/https://gephi.org/>; Dec. 16, 2015; 1 page.

(56)

## References Cited

## OTHER PUBLICATIONS

- "Master Security Criteria," Version 3.0, BITS Financial Services Security Laboratory, Oct. 2001, 47 pages.
- "Mile 2 CPTe Maltego Demo," accessed on the internet at <https://www.youtube.com/watch?v=2oNKOUzP0U>; Jul. 12, 2012; 1 page.
- "Neo4j (neo4j.com)," accessed on the internet at <https://web.archive.org/web/20151220150341/http://neo4j.com:80/developer/guide-data-visualization/>; Dec. 20, 2015; 1 page.
- "Palantir Cyber: Uncovering malicious behavior at petabyte scale," accessed on the internet at <https://www.youtube.com/watch?v=EhYezVO6EE>; Dec. 21, 2012; 1 page.
- "Palantir.com," accessed on the internet at <http://www.palantir.com/>; Dec. 2015; 2 pages.
- "Percentile-Based Approach to Forecasting Workload Growth Proceedings of CMG'15 Performance and Capacity International Conference by the Computer Measurement Group. No. 2015 (Year: 2015)."
- "Plugging the Right Holes," Lab Notes, MIT Lincoln Library, Posted Jul. 2008, retrieved Sep. 14, 2010 from <http://www.ll.mit.edu/publications/labnotes/pluggingtherightholes/>, 2 pages.
- "Rapid7 Nexpose Vulnerability Scanner," accessed on the internet at <https://www.rapid7.com/products/nexpose/download/>, 5 pages.
- "Report on Controls Placed in Operation and Test of Operating Effectiveness," EasCorp, Jan. 1 through Dec. 31, 2008, prepared by Crowe Horwath, 58 pages.
- "Shared Assessments: Getting Started," BITS, 2008, 4 pages.
- "Tenable Nessus Network Vulnerability Scanner," accessed on the internet at <https://www.tenable.com/products/nessus/nessus-professional>; 13 pages.
- "Twenty Critical Controls for Effective Cyber Defense: Consensus Audit," Version 2.3, Nov. 13, 2009, retrieved on Apr. 9, 2010 from <http://www.sans.org/critical-security-controls/print.php>, 52 pages.
- 2009 Data Breach Investigations Report, study conducted by Verizon Business RISK Team, 52 pages.
- Application as filed, pending claims of U.S. Appl. No. 13/240,572 dated Nov. 18, 2015, 45 pages.
- Artz, Michael Lyle, "NetSPA: A Network Security Planning Architecture," Massachusetts Institute of Technology, May 24, 2002, 97 pages.
- Bhilare et al., "Protecting Intellectual Property and Sensitive Information in Academic Campuses from Trusted Insiders: Leveraging Active Directory", SIGUCC, Oct. 2009, 5 pages.
- BitSight, "Cyber Security Myths Versus Reality: How Optimism Bias Contributes to Inaccurate Perceptions of Risk", Jun. 2015, Dimensional Research, pp. 1-9.
- Borgatti, et al., "On Social Network Analysis in a Supply Chain Context," *Journal of Supply Chain Management*; 45(2): 5-22; Apr. 2009, 18 pages.
- Boyer, Stephen, et al., Playing with Blocks: SCAP-Enable Higher-Level Analyses, MIT Lincoln Laboratory, 5th Annual IT Security Automation Conference, Oct. 26-29, 2009, 35 pages.
- Browne, Niall, et al., "Shared Assessments Program AUP and SAS70 Frequently Asked Questions," BITS, 4 pages.
- Buckshaw, Donald L., "Use of Decision Support Techniques for Information System Risk Management," submitted for publication in Wiley's Encyclopedia of Quantitative Risk Assessment in Jan. 2007, 11 pages.
- Buehler, Kevin S., et al., "Running with risk," *The McKinsey Quarterly*, No. 4, 2003, pp. 40-49.
- Carstens, et al., "Modeling Company Risk and Importance in Supply Graphs," European Semantic Web Conference 2017: The Semantic Web pp. 18-31.
- Chu, Matthew, et al., "Visualizing Attack Graphs, Reachability, and Trust Relationships with NAVIGATOR," MIT Lincoln Library, VizSEC '10, Ontario, Canada, Sep. 14, 2010, 12 pages.
- Chuvakin, "SIEM: Moving beyond compliance", RSA White Paper, 2010, 16 pages.
- Computer Network Graph-Bees, [http://bioteams.com/2007/04/30/visualizing\\_complex\\_networks.html](http://bioteams.com/2007/04/30/visualizing_complex_networks.html), date accessed Sep. 28, 2016, 2 pages.
- Computer Network Graph-Univ. of Michigan, <http://people.cst.cmich.edu/liao1q/research.shtml>, date accessed Sep. 28, 2016, 5 pages.
- Crowther, Kenneth G., et al., "Principles for Better Information Security through More Accurate, Transparent Risk Scoring," *Journal of Homeland Security and Emergency Management*, vol. 7, Issue 1, Article 37, 2010, 20 pages.
- Davis, Lois M., et al., "The National Computer Security Survey (NCSS) Final Methodology," Technical report prepared for the Bureau of Justice Statistics, Safety and Justice Program, RAND Infrastructure, Safety and Environment (ISE), 2008, 91 pages.
- Dillon-Merrill, PhD., Robin L., et al., "Logic Trees: Fault, Success, Attack, Event, Probability, and Decision Trees," *Wiley Handbook of Science and Technology for Homeland Security*, 13 pages.
- Dun & Bradstreet Corp. Stock Report, Standard & Poor's, Jun. 6, 2009, 8 pages.
- Dun & Bradstreet, The DUNSRight Quality Process: Power Behind Quality Information, 24 pages.
- Edmonds, Robert, "ISC Passive DNS Architecture", Internet Systems Consortium, Inc., Mar. 2012, 18 pages.
- Equifax Inc. Stock Report, Standard & Poor's, Jun. 6, 2009, 8 pages.
- Gundert, Levi, "Big Data in Security—Part III: Graph Analytics," accessed on the Internet at <https://blogs.cisco.com/security/big-data-in-security-part-iii-graph-analytics>; Cisco Blog, Dec. 2013, 8 pages.
- Hachem, Sara; Toninelli, Alessandra; Pathak, Animesh; Issany, Valerie. Policy-Based Access Control in Mobile Social Ecosystems. 2011 IEEE International Symposium on Policies for Distributed Systems and Networks (POLICY). <http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=5976796>, 8 pages.
- Hacking Exposed 6, S. McClure et al., copyright 2009, 37 pages.
- Ingols, Kyle, et al., "Modeling Modern Network Attacks and Countermeasures Using Attack Graphs," MIT Lincoln Laboratory, 16 pages.
- Ingols, Kyle, et al., "Practical Attack Graph Generation for Network Defense," MIT Lincoln Library, IEEE Computer Society, Proceedings of the 22nd Annual Computer Security Applications Conference (ACSAS'06), 2006, 10 pages.
- Ingols, Kyle, et al., "Practical Experiences Using SCAP to Aggregate CND Data," MIT Lincoln Library, Presentation to NIST SCAP Conference, Sep. 24, 2008, 59 pages.
- Jean, "Cyber Security: How to use graphs to do an attack analysis," accessed on the internet at <https://linkurio.us/blog/cyber-security-use-graphs-attack-analysis/>; Aug. 2014, 11 pages.
- Jin et al., "Identifying and tracking suspicious activities through IP gray space analysis", MineNet, Jun. 12, 2007, 6 pages.
- Johnson, Eric, et al., "Information Risk and the Evolution of the Security Rating Industry," Mar. 24, 2009, 27 pages.
- Joslyn, et al., "Massive Scale Cyber Traffic Analysis: A Driver for Graph Database Research," Proceedings of the First International Workshop on Graph Data Management Experience and Systems (GRADES 2013), 6 pages.
- KC Claffy, "Internet measurement and data analysis: topology, workload, performance and routing statistics," accessed on the Internet at <http://www.caida.org/publications/papers/1999/Nae/Nae.html>, NAE '99 workshop, 1999, 22 pages.
- Li et al., "Finding the Linchpins of the Dark Web: a Study on Topologically Dedicated Hosts on Malicious Web Infrastructures", IEEE, 2013, 15 pages.
- Lippmann, Rich, et al., NetSPA: a Network Security Planning Architecture, MIT Lincoln Laboratory, 11 pages.
- Lippmann, Richard, et al., "Validating and Restoring Defense in Depth Using Attack Graphs," MIT Lincoln Laboratory, 10 pages.
- Lippmann, RP., et al., "An Annotated Review of Papers on Attack Graphs," Project Report IA-1, Lincoln Laboratory, Massachusetts Institute of Technology, Mar. 31, 2005, 39 pages.
- Lippmann, RP., et al., "Evaluating and Strengthening Enterprise Network Security Using Attack Graphs," Project Report IA-2, MIT Lincoln Laboratory, Oct. 5, 2005, 96 pages.
- Maltego XL, accessed on the Internet at <https://www.paterva.com/web7/buy/maltego-clients/maltego-xl.php>, 5 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

Massimo Candela, "Real-time BGP Visualisation with BGPlay," accessed on the Internet at [https://labs.ripe.net/Members/massimo\\_candela/real-time-bgp-visualisation-with-bgplay](https://labs.ripe.net/Members/massimo_candela/real-time-bgp-visualisation-with-bgplay)), Sep. 30, 2015, 8 pages.

MaxMind, <https://www.maxmind.com/en/about-maxmind>, <https://www.maxmind.com/en/geoip2-isp-database>, date accessed Sep. 28, 2016, 3 pages.

McNab, "Network Security Assessment," copyright 2004, 55 pages. Method Documentation, CNSS Risk Assessment Tool Version 1.1, Mar. 31, 2009, 24 pages.

Moradi, et al., "Quantitative Models for Supply Chain Management," IGI Global, 2012, 29 pages.

Netcraft, [www.netcraft.com](http://www.netcraft.com), date accessed Sep. 28, 2016, 2 pages.

NetScanTools Pro, <http://www.netscantools.com/nstpromain.html>, date accessed Sep. 28, 2016, 2 pages.

Network Security Assessment, C. McNab, copyright 2004, 13 pages.

Noel, et al., "Big-Data Architecture for Cyber Attack Graphs, Representing Security Relationships in NoSQL Graph Databases," The MITRE Corporation, 2014, 6 pages.

Nye, John, "Avoiding Audit Overlap," Moody's Risk Services, Presentation, Source Boston, Mar. 14, 2008, 19 pages.

Pending claims for U.S. Appl. No. 14/021,585, filed Apr. 29, 2016, 2 pages.

Pending claims for U.S. Appl. No. 14/021,585, filed Nov. 18, 2015, 6 pages.

U.S. Appl. No. 13/240,572 and pending claims filed Mar. 22, 2016, 10 pages.

U.S. Appl. No. 13/240,572, filed Oct. 7, 2015, application as filed and pending claims, 45 pages.

U.S. Appl. No. 14/021,585 and pending claims filed Mar. 22, 2016, 2 pages.

U.S. Appl. No. 14/021,585, filed Oct. 7, 2015 and application as filed, 70 pages.

U.S. Appl. No. 14/944,484 and pending claims filed Mar. 22, 2016, 4 pages.

U.S. Appl. No. 61/386,156, filed Oct. 7, 2015, 2 pages.

Application as filed and pending claims for U.S. Appl. No. 13/240,572, filed Apr. 29, 2016, 46 pages.

Application as filed and pending claims for U.S. Appl. No. 14/944,484, filed Apr. 29, 2016, 4 pages.

Paxson, Vern, "How the Pursuit of Truth Led Me to Selling Viagra," EECS Department, University of California, International Computer Science Institute, Lawrence Berkeley National Laboratory, Aug. 13, 2009, 68 pages.

Proposal and Award Policies and Procedures Guide, Part I—Proposal Preparation & Submission Guidelines GPG, The National Science Foundation, Feb. 2009, 68 pages.

Provos et al., "The Ghost in the Browser Analysis of Web-based Malware", 2007, 9 pages.

Rare Events, Oct. 2009, JASON, The MITRE Corporation, Oct. 2009, 104 pages.

Report to the Congress on Credit Scoring and Its Effects on the Availability and Affordability of Credit, Board of Governors of the Federal Reserve System, Aug. 2007, 304 pages.

RFC 1834, <https://tools.ietf.org/html/rfc1834>, date accessed Sep. 28, 2016, 7 pages.

RFC 781, <https://tools.ietf.org/html/rfc781>, date accessed Sep. 28, 2016, 3 pages.

RFC 950, <https://tools.ietf.org/html/rfc950>, date accessed Sep. 28, 2016, 19 pages.

RFC 954, <https://tools.ietf.org/html/rfc954>, date accessed Sep. 28, 2016, 5 pages.

SamSpade Network Inquiry Utility, <https://www.sans.org/reading-room/whitepapers/tools/sam-spade-934>, date accessed Sep. 28, 2016, 19 pages.

SBIR Phase 1: Enterprise Cyber Security Scoring, CyberAnalytix, LLC, <http://www.nsf.gov/awardsearch/showAward.do?AwardNumber=I013603>, Apr. 28, 2010, 2 pages.

Security Warrior, Cyrus Peikari, Anton, Chapter 8: Reconnaissance, 6 pages.

Snort Intrusion Monitoring System, <http://archive.oreilly.com/pub/h/1393>, date accessed Sep. 28, 2016, 3 pages.

Srivastava, Divesh; Velegrakis, Yannis. Using Queries to Associate Metadata with Data. IEEE 23rd International Conference on Data Engineering. Pub. Date: 2007. <http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=4221823>, 3 pages.

Stone-Gross, Brett, et al., "FIRE: Finding Rogue Networks," 10 pages.

Taleb, Nassim N., et al., "The Six Mistakes Executives Make in Risk Management," Harvard Business Review, Oct. 2009, 5 pages.

The CIS Security Metrics v1.0.0, The Center for Internet Security, May 11, 2009, 90 pages.

The Fair Credit Reporting Act (FCRA) of the Federal Trade Commission (FTC), Jul. 30, 2004, 86 pages.

The Financial Institution Shared Assessments Program, Industry Positioning and Mapping Document, BITS, Oct. 2007, 44 pages.

Wagner, et al., "Assessing the vulnerability of supply chains using graph theory" Int. J. Production Economics 126 (2010) 121-129.

Wikipedia, <https://en.wikipedia.org/wiki/Crowdsourcing>, date accessed Sep. 28, 2016, 25 pages.

Williams, Leevar, et al., "An Interactive Attack Graph Cascade and Reachability Display," MIT Lincoln Laboratory, 17 pages.

Williams, Leevar, et al., "GARNET: A Graphical Attack Graph and Reachability Network Evaluation Tool," MIT Lincoln Library, VizSEC 2009, pp. 44-59.

\* cited by examiner




FIG. 1




FIG. 2A






FIG. 2B




FIG. 3

# SYSTEMS AND METHODS FOR REMOTE DETECTION OF SOFTWARE THROUGH BROWSER WEBINJECTS

## CROSS-REFERENCE TO RELATED APPLICATION

The present application is a continuation of U.S. patent application Ser. No. 16/170,680, filed Oct. 25, 2018 and titled "Systems and Methods for Remote Detection of Software Through Browser Webinjects," the entirety of which is incorporated herein by reference.

## TECHNICAL FIELD

The following disclosure is directed to methods and systems for the detection of software remotely through a web browser and, more specifically, methods and systems for detection of software remotely through a web browser by detecting the presence of webinjects in a web browser.

## BACKGROUND

Modern software often uses webinjects to change with a user's web browsing experience. Examples of such software include malware, adware, browser extensions, and anti-virus programs. Webinjects are pieces of foreign code, e.g., Hypertext Markup Language (HTML) or JavaScript elements, that can be locally injected into webpages visited by the user. These webinjects can be injected through several techniques, for example, through a browser extension application programming interface (API), browser process memory injection, or local network proxies. The webinjects can change the webpage to steal information (e.g., passwords, personal data, etc.), present additional content to the user (e.g., advertising), and/or improve the user's browsing experience (e.g., by blocking advertising, presenting useful information, improving functionality, etc.). Motives for inserting webinjects into webpages can range from stealing information to displaying advertising, or even improving the user's experience.

## SUMMARY

Disclosed herein are systems and methods to detect webinjects, and their sources, in webpages. Some approaches for detecting software presence remotely include (i) scanning the Internet for systems that publicly expose services and (ii) using a sinkhole to isolate a domain and receive software connections as the software reaches the sinkhole, which, in some instances requires the subject domain to be expired or otherwise available. Another approach uses crawlers in a peer-to-peer (P2P) configuration, where the crawler joins the P2P network and receives connections from other peers. However, this approach is limited to P2P-enabled software. This method, if deployed through advertising networks or other partners that can provide large amounts of traffic, can detect a considerable number of software installations by detecting the presence of webinjects in the browser. The exemplary methods and systems described herein can be used alone or complement any one or more of the above methods to detect webinjects.

In a first aspect, a computer-implemented method is provided for the detection of webinjects. The method includes delivering a detection webpage to a web browser. The detection webpage has detection code configured to detect a presence of the webinject in the detection webpage.

The method further includes inspecting, by the detection code, rendering of content of the detection webpage in the browser to detect webinject content inserted into the detection webpage by the webinject. The webinject content includes one or more Hypertext Markup Language (HTML) components. The method further includes, if webinject content is detected, generating, by the detection code, a fingerprint for each of the one or more HTML components; transmitting, by the detection code, the one or more fingerprints to an external server; and classifying, by the external server, the webinject based on the one or more fingerprints.

Embodiments of the method can include any one or more of the below features. The method can include transmitting to the external sever, by the detection code, one or more HTML components of the detected webinject content. The transmission can be on a portion of the executions of the detection code. The transmission can be on a small sample of the executions. For example, the transmission can be on 1% or less of the executions of the detection code. These HTML component(s) can be transmitted with their respective fingerprints. The method can include identifying the origin software of the HTML component(s) by (i) searching for the HTML component(s) in sandboxed executions of software and/or (ii) searching through privately- and/or publicly-available data sources. The sandboxed executions of software may be associated with, may be related to, or possibly be the origin software. The method can further include generating a database including (a) the fingerprint(s), (b) the name of the origin software, (c) one or more features of the detected webinject content, and/or (d) one or more capabilities (e.g., intercepting communication or changing form contents) of the detected webinject content. This database can be used to classify webinject(s) detected on remote systems.

Delivering the detection webpage having detection code can further include configuring the detection code such that at least one of a source domain, a path, or an HTML structure of the detection webpage is configured to trigger an injection of the webinject content by the webinject. The detection code can include JavaScript or Content Security Policy (CSP). The detection webpage can be inserted into an Hypertext Markup Language (HTML) inline frame. The method can further include generating a classification of the one or more webinjects. Classifying the webinject based on the one or more fingerprints can further include determining an originating software of the webinject based on the one or more fingerprints. Classifying the webinject based on the one or more fingerprints can further include mapping the one or more fingerprints to a feature set of the webinject. The detection webpage can be delivered by a traffic generating entity. Delivering a detection webpage to a web browser can further include embedding, by the traffic generating entity, the detection webpage into an external webpage. Delivering a detection webpage to a web browser can occur upon receiving an indication of a user interaction with the content of a webpage, wherein the webpage is separate from the detection webpage. The webinject content can include added or modified content by the webinject.

In a second aspect, a system is provided for detection of webinjects. The system includes one or more computer systems programmed to perform operations that include delivering a detection webpage to a web browser. The detection webpage has detection code configured to detect a presence of the webinject in the detection webpage. The operations further include inspecting, by the detection code, rendering of content of the detection webpage in the browser to detect webinject content inserted into the detection web-

page by the webinject. The webinject content includes one or more Hypertext Markup Language (HTML) components. The operations further include, if webinject content is detected, generating, by the detection code, a fingerprint for each of the one or more HTML components; transmitting, by the detection code, the one or more fingerprints to an external server; and classifying, by the external server, the webinject based on the one or more fingerprints.

Embodiments of the system can include any one or more of the below features. The operations can include transmitting to the external sever, by the detection code, one or more HTML components of the detected webinject content. The transmission can be on a portion of the executions of the detection code. The transmission can be on a small sample of the executions. For example, the transmission can be on 1% or less of the executions of the detection code. These HTML component(s) can be transmitted with their respective fingerprints. The operations can include identifying the origin software of the HTML component(s) by (i) searching for the HTML component(s) in sandboxed executions of software and/or (ii) searching through privately- and/or publicly-available data sources. The sandboxed executions of software may be associated with, may be related to, or possibly be the origin software. The operations can further include generating a database of (a) the fingerprint(s), (b) the name of the origin software, (c) one or more features of the detected webinject content, and/or (d) one or more capabilities (e.g. intercepting communication or changing form contents) of the detected webinject content. This database can be used to classify webinject(s) detected on remote systems.

Delivering the detection webpage having detection code can further include configuring the detection code such that at least one of a source domain, a path, or an HTML structure of the detection webpage is configured to trigger an injection of the webinject content by the webinject. The detection code can include JavaScript or Content Security Policy (CSP). The detection webpage is inserted into an Hypertext Markup Language (HTML) inline frame. The system can further include generating a classification of the one or more webinjects. Classifying the webinject based on the one or more fingerprints can further include determining an originating software of the webinject based on the one or more fingerprints. Classifying the webinject based on the one or more fingerprints can further include mapping the one or more fingerprints to a feature set of the webinject. The detection webpage can be delivered by a traffic generating entity. Delivering a detection webpage to a web browser can further include embedding, by the traffic generating entity, the detection webpage into an external webpage. Delivering a detection webpage to a web browser can occur upon receiving an indication of a user interaction with the content of a webpage, wherein the webpage is separate from the detection webpage. The webinject content can include added or modified content by the webinject.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a flowchart of an exemplary embodiment of a computer implemented method for the remote detection of webinjects.

FIGS. 2A-2B are diagrams of exemplary embodiments of systems for the remote detection of webinjects.

FIG. 3 is a block diagram of an example computer system that can be used in implementing the systems and methods described herein.

#### DETAILED DESCRIPTION

Disclosed herein are exemplary embodiments of systems and methods for the remote detection of software, specifically by the detection of webinjects in a web browser. The detection and classification of webinjects can be particularly useful in researching how to better secure and protect computer systems, especially those connected to the Internet. In some instances, the automatic classification of webinjects enabled by the systems and methods described herein provides significant increases in processing efficiencies over conventional techniques. Remote detection can be achieved without the use of installed detection software on a system. For example, instead of installed detection software, software can be remotely detected on any web browser that visits a detection webpage. For the purposes of clarity and conciseness, the methods and systems of FIGS. 1-3 are described together herein below.

FIG. 1 is a flowchart of an exemplary embodiment of a computer implemented method 100 for the remote detection of webinjects. FIGS. 2A-2B are diagrams of exemplary embodiments of systems 200 and 201, respectively, for the remote detection of webinjects.

In step 102 of the method 100, one or more detection webpages 204 are delivered to one or more web browser. In some embodiments, the one or more detection webpages 204 can be distributed by a third party traffic generating entity 206 with access to a high volume of web traffic (e.g., an advertising network, a website with a large number of daily visitors, etc.) that enables the one or more detection webpages 204 to reach a large number of browsers 208 across the Internet. In some embodiments, the system 200 may receive an indication of a user interaction with the content of a webpage in a browser. For example, the one or more detection webpages 204 can be delivered to a web browser 208 after a user clicks an advertisement in a webpage. The advertisement in the webpage can link to the detection webpage(s) 204 and may be acquired for the purpose of generating traffic to the detection webpage(s) 204. For instance, the advertisement can be configured such that, once a user clicks on an advertisement in the webpage, the browser is redirected to the detection webpage. In some embodiments, the one or more detection webpages 204 are not delivered directly as the main page of the web browser 208. Instead, the one or more webpages 204 can be embedded by a traffic generating entity 206 into an external main webpage 209 (e.g., a third-party webpage that is not part of the detection system), as one or more HTML inline frames (also referred to as an “iframe”). Iframes enable the embedding and/or displaying of a first HTML page into a second HTML page. One advantage of using iframes is that, because iframes can be made invisible to the user (and can be sandboxed and isolated from the external main webpage 209), there is minimal to zero impact to the user’s navigation experience and/or to the operation of the traffic generating entity.

While some webinjects are injected into as many webpages 209 as possible (and therefore, into every detection webpage 204 associated with the webpage), some software (“webinject originator” 216) may only inject its webinject(s) 212 when a specific website is visited (e.g., online banking websites, social media websites, etc.). To detect this webinject 212, one or more source domains, one or more paths, and/or an HTML structure of the detection webpage 204 is configured to match the webinject targets (i.e., the online

banking website, etc.). For example, the webinject **212** may only be injected by the originator **216** if the browser **208** is visiting the site:

webinjecttarget.com

Further, the originator **216** may be using a rule (e.g., a regular expression) to search for the target domain of a webpage while the browser **208** is loading the webpage. In many instances, this rule is not sufficiently specific to the term “webinjecttarget.com”. The uniform resource locator (URL) and/or content of the detection webpage(s) **204** can be configured such that, the detection webpage **204** can “bait” or trigger the webinject **212** to be injected into the detection webpage **204** itself. An example of such an URL of the detection webpage **204** used in an iframe inserted by a traffic generating entity **206** on an external webpage **209** is:

```
<iframe src="https://webinjecttarget.com.detectionsystem.com/webinjecttarget.com/login.aspx">
```

In step **104**, the detection code **202** is executed during and/or after the rendering of the detection webpage **204** in the browser **208**, to detect the webinject **212** content on the detection webpage **204** Document Object Model (DOM). The detection code can inspect the rendering of the detection webpage **204** by using JavaScript functions that are triggered on specific webpage rendering events. The webinject content can include one or more Hypertext Markup Language (HTML) components. The detection code inspects the rendering of the detection webpage **204** in the web browser **208**. This inspection can be done through the use of a JavaScript function that compares the content of the detection webpage **204** after the content is rendered with the content that were delivered, through monitoring specific JavaScript function calls that are commonly used by webinjects **212** or through using content security policy (CSP) rules that trigger an action on any change to the original delivered detection webpage **204**.

In step **106**, if detection code **202** detects webinject content in the detection webpage **204**, the detection code **202** generates a set of fingerprints based on the webinject content. These fingerprints are generated using an algorithm that selects one or more webinject blocks of code, and normalizes the one or more blocks of code. An example of a webinject block of code is an inline HTML script tag added to the webpage. There may be one or more blocks of code belonging to one or more webinjects. For example, normalization of the blocks include removing parts of the blocks that are specific to the browser instance (such as unique identifiers), normalizing character case, etc. The algorithm then creates a unique identifier of each block’s contents that can be smaller than the webinject content itself and that is unique for a particular content. This unique identifier, also referred to as fingerprint in this document, can be calculated using hashing functions or even simpler cyclic redundancy check (CRC) algorithms that produce a unique number for a given input content.

In step **108**, code **202** transmits the fingerprints to one or more server(s) **214** where they are stored and/or processed. Additionally, on a small sample of the executions of the detection code **202**, the detected webinject content is transmitted to an external server, along with the respective fingerprints. In an exemplary embodiment utilizing CSP, CSP reports are sent by browser **208** to server **214** if a webinject is detected, the fingerprint is then calculated by a method similar to the one described above but on the server **214** and using the contents of the CSP report.

The one or more fingerprints can be used to classify the webinject **212** and/or identify the originator **216** of the webinject **212**. Thus, in step **110**, server **214** classifies the

webinject **212** based on the received fingerprints. The server **214** can classify the detected webinject into a specific category, based on a database that maps each of the fingerprints to details about the webinject **212** and/or originator **216**. In some embodiments, method **100** can include generating a database including the fingerprint(s), the name of the origin software, and/or a list of features and/or capabilities of the detected webinject content. For example, features or capabilities can include intercepting communication or changing form contents. This database can be built manually and/or by automated processing of the webinject content blocks that are sent, along with the respective fingerprints, to the server **214** in step **108**. Once these samples are received in server **214**, they are used to identify the originator **216** of the webinject, by searching for the presence of the same blocks of webinject code in the sandboxed execution of the software and by searching other, open or commercially available data sources.

### Computer-Based Implementations

In some examples, some or all of the processing described above can be carried out on a personal computing device, on one or more centralized computing devices, or via cloud-based processing by one or more servers. In some examples, some types of processing occur on one device and other types of processing occur on another device. In some examples, some or all of the data described above can be stored on a personal computing device, in data storage hosted on one or more centralized computing devices, or via cloud-based storage. In some examples, some data are stored in one location and other data are stored in another location. In some examples, quantum computing can be used. In some examples, functional programming languages can be used. In some examples, electrical memory, such as flash-based memory, can be used.

FIG. **3** is a block diagram of an example computer system **300** that may be used in implementing the technology described in this disclosure. General-purpose computers, network appliances, mobile devices, or other electronic systems may also include at least portions of the system **300**. The system **300** includes a processor **310**, a memory **320**, a storage device **330**, and an input/output device **340**. Each of the components **310**, **320**, **330**, and **340** may be interconnected, for example, using a system bus **350**. The processor **310** is capable of processing instructions for execution within the system **300**. In some implementations, the processor **310** is a single-threaded processor. In some implementations, the processor **310** is a multi-threaded processor. The processor **310** is capable of processing instructions stored in the memory **320** or on the storage device **330**.

The memory **320** stores information within the system **300**. In some implementations, the memory **320** is a non-transitory computer-readable medium. In some implementations, the memory **320** is a volatile memory unit. In some implementations, the memory **320** is a non-volatile memory unit.

The storage device **330** is capable of providing mass storage for the system **300**. In some implementations, the storage device **330** is a non-transitory computer-readable medium. In various different implementations, the storage device **330** may include, for example, a hard disk device, an optical disk device, a solid-state drive, a flash drive, or some other large capacity storage device. For example, the storage device may store long-term data (e.g., database data, file system data, etc.). The input/output device **340** provides input/output operations for the system **300**. In some imple-

mentations, the input/output device **340** may include one or more of a network interface devices, e.g., an Ethernet card, a serial communication device, e.g., an RS-232 port, and/or a wireless interface device, e.g., an 802.11 card, a 3G wireless modem, or a 4G wireless modem. In some imple-  
 5 mentations, the input/output device may include driver devices configured to receive input data and send output data to other input/output devices, e.g., keyboard, printer and display devices **360**. In some examples, mobile computing devices, mobile communication devices, and other devices may be used.

In some implementations, at least a portion of the approaches described above may be realized by instructions that upon execution cause one or more processing devices to carry out the processes and functions described above. Such instructions may include, for example, interpreted instructions such as script instructions, or executable code, or other instructions stored in a non-transitory computer readable medium. The storage device **330** may be implemented in a distributed way over a network, such as a server farm or a set of widely distributed servers, or may be implemented in a single computing device.

Although an example processing system has been described in FIG. 3, embodiments of the subject matter, functional operations and processes described in this specification can be implemented in other types of digital electronic circuitry, in tangibly-embodied computer software or firmware, in computer hardware, including the structures disclosed in this specification and their structural equivalents, or in combinations of one or more of them. Embodiments of the subject matter described in this specification can be implemented as one or more computer programs, i.e., one or more modules of computer program instructions encoded on a tangible nonvolatile program carrier for execution by, or to control the operation of, data processing apparatus. Alternatively or in addition, the program instructions can be encoded on an artificially generated propagated signal, e.g., a machine-generated electrical, optical, or electromagnetic signal that is generated to encode information for transmission to suitable receiver apparatus for execution by a data processing apparatus. The computer storage medium can be a machine-readable storage device, a machine-readable storage substrate, a random or serial access memory device, or a combination of one or more of them.

The term “system” may encompass all kinds of apparatus, devices, and machines for processing data, including by way of example a programmable processor, a computer, or multiple processors or computers. A processing system may include special purpose logic circuitry, e.g., an FPGA (field programmable gate array) or an ASIC (application specific integrated circuit). A processing system may include, in addition to hardware, code that creates an execution environment for the computer program in question, e.g., code that constitutes processor firmware, a protocol stack, a database management system, an operating system, or a combination of one or more of them.

A computer program (which may also be referred to or described as a program, software, a software application, a module, a software module, a script, or code) can be written in any form of programming language, including compiled or interpreted languages, or declarative or procedural languages, and it can be deployed in any form, including as a standalone program or as a module, component, subroutine, or other unit suitable for use in a computing environment. A computer program may, but need not, correspond to a file in a file system. A program can be stored in a portion of a file

that holds other programs or data (e.g., one or more scripts stored in a markup language document), in a single file dedicated to the program in question, or in multiple coordinated files (e.g., files that store one or more modules, sub-  
 5 programs, or portions of code). A computer program can be deployed to be executed on one computer or on multiple computers that are located at one site or distributed across multiple sites and interconnected by a communication network.

The processes and logic flows described in this specification can be performed by one or more programmable computers executing one or more computer programs to perform functions by operating on input data and generating output. The processes and logic flows can also be performed by, and apparatus can also be implemented as, special purpose logic circuitry, e.g., an FPGA (field programmable gate array) or an ASIC (application specific integrated circuit).

Computers suitable for the execution of a computer program can include, by way of example, general or special purpose microprocessors or both, or any other kind of central processing unit. Generally, a central processing unit will receive instructions and data from a read-only memory or a random access memory or both. A computer generally includes a central processing unit for performing or executing instructions and one or more memory devices for storing instructions and data. Generally, a computer will also include, or be operatively coupled to receive data from or transfer data to, or both, one or more mass storage devices for storing data, e.g., magnetic, magneto optical disks, or optical disks. However, a computer need not have such devices. Moreover, a computer can be embedded in another device, e.g., a mobile telephone, a personal digital assistant (PDA), a mobile audio or video player, a game console, a Global Positioning System (GPS) receiver, or a portable storage device (e.g., a universal serial bus (USB) flash drive), to name just a few.

Computer readable media suitable for storing computer program instructions and data include all forms of nonvolatile memory, media and memory devices, including by way of example semiconductor memory devices, e.g., EPROM, EEPROM, and flash memory devices; magnetic disks, e.g., internal hard disks or removable disks; magneto optical disks; and CD-ROM and DVD-ROM disks. The processor and the memory can be supplemented by, or incorporated in, special purpose logic circuitry.

To provide for interaction with a user, embodiments of the subject matter described in this specification can be implemented on a computer having a display device, e.g., a CRT (cathode ray tube) or LCD (liquid crystal display) monitor, for displaying information to the user and a keyboard and a pointing device, e.g., a mouse or a trackball, by which the user can provide input to the computer. Other kinds of devices can be used to provide for interaction with a user as well; for example, feedback provided to the user can be any form of sensory feedback, e.g., visual feedback, auditory feedback, or tactile feedback; and input from the user can be received in any form, including acoustic, speech, or tactile input. In addition, a computer can interact with a user by sending documents to and receiving documents from a device that is used by the user; for example, by sending web pages to a web browser on a user's user device in response to requests received from the web browser.

Embodiments of the subject matter described in this specification can be implemented in a computing system that includes a back end component, e.g., as a data server, or that includes a middleware component, e.g., an application

server, or that includes a front end component, e.g., a client computer having a graphical user interface or a Web browser through which a user can interact with an implementation of the subject matter described in this specification, or any combination of one or more such back end, middleware, or front end components. The components of the system can be interconnected by any form or medium of digital data communication, e.g., a communication network. Examples of communication networks include a local area network (“LAN”) and a wide area network (“WAN”), e.g., the Internet.

The computing system can include clients and servers. A client and server are generally remote from each other and typically interact through a communication network. The relationship of client and server arises by virtue of computer programs running on the respective computers and having a client-server relationship to each other.

While this specification contains many specific implementation details, these should not be construed as limitations on the scope of what may be claimed, but rather as descriptions of features that may be specific to particular embodiments. Certain features that are described in this specification in the context of separate embodiments can also be implemented in combination in a single embodiment. Conversely, various features that are described in the context of a single embodiment can also be implemented in multiple embodiments separately or in any suitable sub-combination. Moreover, although features may be described above as acting in certain combinations and even initially claimed as such, one or more features from a claimed combination can in some cases be excised from the combination, and the claimed combination may be directed to a sub-combination or variation of a sub-combination.

Similarly, while operations are depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results. In certain circumstances, multitasking and parallel processing may be advantageous. Moreover, the separation of various system components in the embodiments described above should not be understood as requiring such separation in all embodiments, and it should be understood that the described program components and systems can generally be integrated together in a single software product or packaged into multiple software products.

Particular embodiments of the subject matter have been described. Other embodiments are within the scope of the following claims. For example, the actions recited in the claims can be performed in a different order and still achieve desirable results. As one example, the processes depicted in the accompanying figures do not necessarily require the particular order shown, or sequential order, to achieve desirable results. In certain implementations, multitasking and parallel processing may be advantageous. Other steps or stages may be provided, or steps or stages may be eliminated, from the described processes. Accordingly, other implementations are within the scope of the following claims.

#### Terminology

The phraseology and terminology used herein is for the purpose of description and should not be regarded as limiting.

The term “approximately”, the phrase “approximately equal to”, and other similar phrases, as used in the speci-

cation and the claims (e.g., “X has a value of approximately Y” or “X is approximately equal to Y”), should be understood to mean that one value (X) is within a predetermined range of another value (Y). The predetermined range may be plus or minus 20%, 10%, 5%, 3%, 1%, 0.1%, or less than 0.1%, unless otherwise indicated.

The indefinite articles “a” and “an,” as used in the specification and in the claims, unless clearly indicated to the contrary, should be understood to mean “at least one.” The phrase “and/or,” as used in the specification and in the claims, should be understood to mean “either or both” of the elements so conjoined, i.e., elements that are conjunctively present in some cases and disjunctively present in other cases. Multiple elements listed with “and/or” should be construed in the same fashion, i.e., “one or more” of the elements so conjoined. Other elements may optionally be present other than the elements specifically identified by the “and/or” clause, whether related or unrelated to those elements specifically identified. Thus, as a non-limiting example, a reference to “A and/or B”, when used in conjunction with open-ended language such as “comprising” can refer, in one embodiment, to A only (optionally including elements other than B); in another embodiment, to B only (optionally including elements other than A); in yet another embodiment, to both A and B (optionally including other elements); etc.

As used in the specification and in the claims, “or” should be understood to have the same meaning as “and/or” as defined above. For example, when separating items in a list, “or” or “and/or” shall be interpreted as being inclusive, i.e., the inclusion of at least one, but also including more than one, of a number or list of elements, and, optionally, additional unlisted items. Only terms clearly indicated to the contrary, such as “only one of or “exactly one of,” or, when used in the claims, “consisting of,” will refer to the inclusion of exactly one element of a number or list of elements. In general, the term “or” as used shall only be interpreted as indicating exclusive alternatives (i.e. “one or the other but not both”) when preceded by terms of exclusivity, such as “either,” “one of,” “only one of,” or “exactly one of” “Consisting essentially of,” when used in the claims, shall have its ordinary meaning as used in the field of patent law.

As used in the specification and in the claims, the phrase “at least one,” in reference to a list of one or more elements, should be understood to mean at least one element selected from any one or more of the elements in the list of elements, but not necessarily including at least one of each and every element specifically listed within the list of elements and not excluding any combinations of elements in the list of elements. This definition also allows that elements may optionally be present other than the elements specifically identified within the list of elements to which the phrase “at least one” refers, whether related or unrelated to those elements specifically identified. Thus, as a non-limiting example, “at least one of A and B” (or, equivalently, “at least one of A or B,” or, equivalently “at least one of A and/or B”) can refer, in one embodiment, to at least one, optionally including more than one, A, with no B present (and optionally including elements other than B); in another embodiment, to at least one, optionally including more than one, B, with no A present (and optionally including elements other than A); in yet another embodiment, to at least one, optionally including more than one, A, and at least one, optionally including more than one, B (and optionally including other elements); etc.

## 11

The use of “including,” “comprising,” “having,” “containing,” “involving,” and variations thereof, is meant to encompass the items listed thereafter and additional items.

Use of ordinal terms such as “first,” “second,” “third,” etc., in the claims to modify a claim element does not by itself connote any priority, precedence, or order of one claim element over another or the temporal order in which acts of a method are performed. Ordinal terms are used merely as labels to distinguish one claim element having a certain name from another element having a same name (but for use of the ordinal term), to distinguish the claim elements.

What is claimed is:

1. A computer-implemented method for detection of a webinject, the method comprising:

delivering a detection webpage to a web browser, the detection webpage having detection code configured to detect a presence of the webinject in the detection webpage;

inspecting, by the detection code, rendering of content of the detection webpage in the browser to detect webinject content in the detection webpage by the webinject, the webinject content including one or more Hypertext Markup Language (HTML) components;

if webinject content is detected, generating, by the detection code, a fingerprint for each of the one or more HTML components;

transmitting, by the detection code, the one or more fingerprints to an external server; and

classifying, by the external server, the webinject present on a remote browser based on the one or more known fingerprints.

2. The method of claim 1, further comprising:

transmitting to the external server, by the detection code, the one or more HTML components of the detected webinject content, the transmission performed by a portion of executions of the detection code;

identifying an origin software of the one or more HTML components by at least one of: (i) searching for the one or more HTML components in sandboxed executions of software or (ii) searching through privately- or publicly-available data sources; and

generating a database of (a) the one or more fingerprints, (b) a name of the origin software, (c) one or more features of the detected webinject content, and/or (d) one or more capabilities of the detected webinject content.

3. The method of claim 1, wherein delivering the detection webpage having detection code further comprises:

configuring the detection code such that at least one of: (i) a source domain, (ii) a path, or (iii) an HTML structure of the detection webpage is configured to trigger an injection of the webinject content by the webinject.

4. The method of claim 1, wherein the detection code comprises JavaScript or Content Security Policy (CSP).

5. The method of claim 1, wherein the detection webpage is inserted into an Hypertext Markup Language (HTML) inline frame.

6. The method of claim 1, wherein classifying the webinject based on the one or more fingerprints further comprises: determining an origin software of the webinject based on the one or more fingerprints.

7. The method of claim 1, wherein classifying the webinject based on the one or more fingerprints further comprises: mapping the one or more fingerprints to a feature set of the webinject.

8. The method of claim 1, wherein the detection webpage is delivered by a traffic generating entity.

## 12

9. The method of claim 8, wherein delivering the detection webpage to the web browser further comprises:

embedding, by the traffic generating entity, the detection webpage into an external webpage.

10. The method of claim 1, wherein delivering the detection webpage to the web browser occurs upon receiving an indication of a user interaction with the content of a webpage, the webpage separate from the detection webpage.

11. A system for detection of webinjects, the system comprising:

one or more computer systems programmed to perform operations comprising:

delivering a detection webpage to a web browser, the detection webpage having detection code configured to detect a presence of the webinject in the detection webpage;

inspecting, by the detection code, rendering of content of the detection webpage in the browser to detect webinject content in the detection webpage by the webinject, the webinject content including one or more Hypertext Markup Language (HTML) components;

if webinject content is detected, generating, by the detection code, a fingerprint for each of the one or more HTML components;

transmitting, by the detection code, the one or more fingerprints to an external server; and

classifying, by the external server, the webinject present on a remote browser based on the one or more known fingerprints.

12. The system of claim 11, wherein the operations further comprise:

transmitting to the external server, by the detection code, the one or more HTML components of the detected webinject content, the transmission performed by a portion of executions of the detection code;

identifying an origin software of the one or more HTML components by at least one of: (i) searching for the one or more HTML components in sandboxed executions of software or (ii) searching through privately- or publicly-available data sources; and

generating a database of (a) the one or more fingerprints, (b) a name of the origin software, (c) one or more features of the detected webinject content, and/or (d) one or more capabilities of the detected webinject content.

13. The system of claim 11, wherein delivering the detection webpage having detection code further comprises:

configuring the detection code such that at least one of: (i) a source domain, (ii) a path, or (iii) an HTML structure of the detection webpage is configured to trigger an injection of the webinject content by the webinject.

14. The system of claim 11, wherein the detection code comprises JavaScript or Content Security Policy (CSP).

15. The system of claim 11, wherein the detection webpage is inserted into an Hypertext Markup Language (HTML) inline frame.

16. The system of claim 11, wherein classifying the webinject based on the one or more fingerprints further comprises:

determining an origin software of the webinject based on the one or more fingerprints.

17. The system of claim 11, wherein classifying the webinject based on the one or more fingerprints further comprises:

mapping the one or more fingerprints to a feature set of the webinject.



18. The system of claim 11, wherein the detection webpage is delivered by a traffic generating entity.

19. The system of claim 18, wherein delivering the detection webpage to the web browser further comprises: embedding, by the traffic generating entity, the detection webpage into an external webpage. 5

20. The system of claim 11, wherein delivering the detection webpage to the web browser occurs upon receiving an indication of a user interaction with the content of a webpage, the webpage separate from the detection webpage. 10

\* \* \* \* \*