

US010963951B2

(12) **United States Patent**
MacLaurin et al.

(10) **Patent No.:** **US 10,963,951 B2**
(45) **Date of Patent:** **Mar. 30, 2021**

(54) **SHOPPING TRIP PLANNER**

(56) **References Cited**

(71) Applicant: **eBay Inc.**, San Jose, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Matthew Bret MacLaurin**, Santa Cruz, CA (US); **James Ross Skorupski**, San Jose, CA (US); **Healey Cypher**, San Francisco, CA (US); **Flynn Joffray**, Santa Cruz, CA (US); **Hsin-Yi Chien**, Cupertino, CA (US)

5,948,040 A 9/1999 DeLorme et al.
5,963,948 A * 10/1999 Shilcrat G06F 17/30855
340/995.19

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **eBay Inc.**, San Jose, CA (US)

AU 2014348748 B2 2/2017
CN 101743455 A 6/2010

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

(21) Appl. No.: **14/474,117**

Woodward, "Gap will try a variation of order online and pick up in store," Digital Commerce 360. Apr. 19, 2013 <https://www.digitalcommerce360.com/2013/04/19/gap-will-try-variation-order-online-and-pick-store/> (Year: 2013).*

(22) Filed: **Aug. 30, 2014**

(Continued)

(65) **Prior Publication Data**

US 2015/0134488 A1 May 14, 2015

Related U.S. Application Data

(60) Provisional application No. 61/904,449, filed on Nov. 14, 2013.

Primary Examiner — Michelle T Kringen

Assistant Examiner — Lance Y Cai

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(51) **Int. Cl.**

G06Q 30/06 (2012.01)

G06Q 10/08 (2012.01)

(52) **U.S. Cl.**

CPC **G06Q 30/0639** (2013.01); **G06Q 10/087** (2013.01); **G06Q 30/0625** (2013.01); **G06Q 30/0635** (2013.01)

(58) **Field of Classification Search**


CPC G06Q 30/02; G06Q 30/06; G06Q 30/0641; G06Q 30/0261; G06Q 30/0601;

(Continued)

(57) **ABSTRACT**

A system and method of an intelligent shopping infrastructure is provided. A data storage of current inventory from a plurality of merchants is maintained. User preferences that indicate an item affinity of a user are retrieved. Furthermore, a location of the user is detected. Using the detected location, available inventory, and item affinity, an available item from the current inventory of a merchant located within a predetermined distance to the location of the user that match the item affinity of the user is identified. The available item is presented on a user interface of a client device of the user.

17 Claims, 11 Drawing Sheets



(58) **Field of Classification Search**
CPC G06Q 30/0633; G06Q 30/0639; G06Q 30/0255; G06Q 30/0269; G06Q 30/0631; G01C 21/3617; G01C 21/3484; G01C 21/20; G01C 21/34; G01C 21/3492; G01C 21/3679; G01C 21/26; H04W 4/029; H04W 4/024; G06F 16/29; G06F 16/9537
USPC 705/26.1, 26.7, 27.1, 27.2
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
6,026,375 A 2/2000 Hall et al.
6,259,381 B1 7/2001 Small
6,263,278 B1* 7/2001 Nikiel G01C 21/3676 340/995.1
6,879,836 B2 4/2005 Nakamoto et al.
6,970,871 B1 11/2005 Rayburn
7,006,982 B2 2/2006 Sorensen
7,308,356 B2 12/2007 Melaku et al.
7,427,023 B2 9/2008 Suenbuel
7,600,034 B2 10/2009 Nasu et al.
7,698,062 B1 4/2010 McMullen et al.
7,756,757 B1* 7/2010 Oakes, III 705/26.1
7,797,267 B2 9/2010 Horvitz
7,848,765 B2 12/2010 Phillips et al.
7,933,395 B1 4/2011 Bailly et al.
7,933,797 B2 4/2011 Sorensen
7,974,873 B2 7/2011 Simmons et al.
8,069,120 B2 11/2011 Buehler et al.
8,115,656 B2 2/2012 Bevacqua et al.
8,195,519 B2 6/2012 Bonner et al.
8,249,807 B1 8/2012 Barbeau et al.
8,295,854 B2 10/2012 Osann, Jr.
8,538,686 B2 9/2013 Gruen et al.
8,600,659 B1 12/2013 Scherzinger
8,615,359 B2 12/2013 Alam et al.
8,630,897 B1 1/2014 Prada Gomez et al.
8,700,316 B2 4/2014 Su et al.
8,738,292 B1 5/2014 Faaborg et al.
8,874,366 B2 10/2014 Su et al.
9,129,332 B1 9/2015 Oakes, III
9,141,987 B2 9/2015 Perks et al.
9,141,988 B2 9/2015 Howard et al.
9,171,327 B2 10/2015 Nallu et al.
9,547,812 B2 1/2017 Oya
9,547,872 B2 1/2017 Howard et al.
9,581,463 B2 2/2017 Nallu et al.
9,679,325 B2 6/2017 Nallu et al.
9,852,460 B2 12/2017 Howard et al.
9,858,607 B2 1/2018 Nallu et al.
9,885,584 B2 2/2018 Nallu et al.
10,192,255 B2 1/2019 Nallu et al.
10,697,792 B2 6/2020 Nallu et al.
2001/0047315 A1 11/2001 Siegel
2002/0010625 A1* 1/2002 Smith et al. 705/14
2002/0026380 A1 2/2002 Su
2002/0130906 A1 9/2002 Miyaki
2002/0133411 A1 9/2002 Nakamoto et al.
2003/0229446 A1 12/2003 Boscamp et al.
2004/0011866 A1 1/2004 Saad
2004/0143386 A1 7/2004 Yoshihara et al.
2005/0154653 A1 7/2005 Jongbloed
2006/0010037 A1 1/2006 Angert et al.
2006/0025923 A1 2/2006 Dotan et al.
2006/0058948 A1 3/2006 Blass et al.
2006/0074763 A1* 4/2006 Schmid G06Q 30/06 705/26.8
2006/0227047 A1 10/2006 Rosenberg
2006/0287810 A1 12/2006 Sadri et al.
2007/0124066 A1 5/2007 Kikuchi et al.
2007/0150369 A1 6/2007 Zivin
2007/0174133 A1 7/2007 Hearn et al.
2007/0210938 A1 9/2007 Deurwaarder et al.
2007/0225902 A1* 9/2007 Gretton G01C 21/26 701/533
2007/0226082 A1 9/2007 Leal
2008/0005055 A1 1/2008 Horvitz
2008/0033633 A1 2/2008 Akiyoshi et al.
2008/0082424 A1 4/2008 Walton
2008/0086323 A1 4/2008 Petrie et al.
2008/0086368 A1 4/2008 Bauman et al.
2008/0086509 A1 4/2008 Wallace
2008/0126145 A1 5/2008 Rackley, III et al.
2008/0162032 A1 7/2008 Wuersch et al.
2008/0208446 A1 8/2008 Geelen et al.
2008/0248815 A1 10/2008 Busch
2008/0249870 A1 10/2008 Angell et al.
2008/0301102 A1* 12/2008 Liang 707/3
2009/0006194 A1 1/2009 Sridharan et al.
2009/0043665 A1* 2/2009 Tirumalareddy et al. 705/26
2009/0167553 A1 7/2009 Hong et al.
2009/0222438 A1 9/2009 Strandell et al.
2009/0240518 A1* 9/2009 Borom et al. 705/1
2010/0027527 A1 2/2010 Higgins et al.
2010/0036807 A1 2/2010 Lieske, Jr. et al.
2010/0179756 A1 7/2010 Higgins et al.
2010/0203901 A1 8/2010 Dinoff et al.
2010/0228574 A1 9/2010 Mundinger et al.
2010/0250673 A1 9/2010 Laroia et al.
2010/0286901 A1 11/2010 Geelen et al.
2010/0292921 A1 11/2010 Zachariah et al.
2010/0305984 A1 12/2010 Ben-yitschak et al.
2011/0066364 A1 3/2011 Hale
2011/0090078 A1 4/2011 Kim et al.
2011/0112762 A1 5/2011 Gruijters et al.
2011/0125794 A1 5/2011 Hutschemaekers
2011/0130956 A1 6/2011 Tracton et al.
2011/0136480 A1 6/2011 Osann
2011/0145093 A1 6/2011 Paradise et al.
2011/0145096 A1 6/2011 Jensen
2011/0160996 A1 6/2011 Terai et al.
2011/0167058 A1 7/2011 Van Os
2011/0172909 A1 7/2011 Kahn et al.
2011/0177845 A1 7/2011 Fasold
2011/0179018 A1 7/2011 Lazaridis et al.
2011/0218933 A1 9/2011 Hunsaker et al.
2011/0231334 A1 9/2011 Jindel
2011/0313880 A1 12/2011 Paul et al.
2011/0320318 A1 12/2011 Patel et al.
2012/0004841 A1 1/2012 Schunder
2012/0023034 A1* 1/2012 Lynch et al. 705/346
2012/0036014 A1 2/2012 Sunkada
2012/0101818 A1 4/2012 Scott et al.
2012/0116922 A1 5/2012 Ku
2012/0123673 A1 5/2012 Perks et al.
2012/0126998 A1 5/2012 Morgan et al.
2012/0130865 A1 5/2012 Rendler et al.
2012/0143489 A1 6/2012 Lee et al.
2012/0209749 A1* 8/2012 Hammad G06Q 30/06 705/27.1
2012/0253656 A1 10/2012 Brandt
2012/0253660 A1* 10/2012 Dillahunt G01C 21/3415 701/423
2012/0276928 A1 11/2012 Shutter
2012/0290383 A1 11/2012 Busch
2012/0299707 A1 11/2012 Centanni et al.
2012/0302258 A1 11/2012 Pai et al.
2012/0310527 A1 12/2012 Yariv et al.
2012/0316989 A1 12/2012 Wong et al.
2012/0323692 A1 12/2012 Shutter
2013/0036117 A1 2/2013 Fisher et al.
2013/0054135 A1 2/2013 Backsen, Jr.
2013/0082874 A1 4/2013 Zhang
2013/0097246 A1 4/2013 Zifroni et al.
2013/0185150 A1* 7/2013 Crum G06Q 30/02 705/14.49
2013/0198030 A1 8/2013 Linden et al.
2013/0198031 A1 8/2013 Mitchell et al.
2013/0218463 A1 8/2013 Howard et al.
2013/0218912 A1 8/2013 Howard et al.
2013/0226731 A1 8/2013 Macneille et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0253832	A1*	9/2013	Nallu	G01C 21/00
				701/537
2013/0282533	A1*	10/2013	Foran-Owens et al.	705/27.1
2013/0325667	A1	12/2013	Satyavolu et al.	
2014/0058886	A1*	2/2014	Gopalakrishnan	G06Q 30/02
				705/26.8
2014/0074743	A1*	3/2014	Rademaker	705/334
2014/0156410	A1	6/2014	Wuersch et al.	
2014/0172571	A1	6/2014	Fabrikant et al.	
2014/0188658	A1*	7/2014	Li	G06Q 30/0633
				705/26.8
2014/0207611	A1*	7/2014	Cleary et al.	705/26.8
2014/0336925	A1	11/2014	Akin	
2014/0358724	A1	12/2014	Nallu et al.	
2015/0039393	A1	2/2015	Jain	
2015/0066649	A1	3/2015	Kumar et al.	
2015/0073941	A1	3/2015	Burrows et al.	
2015/0330806	A1	11/2015	Nallu et al.	
2016/0003637	A1	1/2016	Andersen	
2016/0012509	A1	1/2016	Howard et al.	
2016/0041000	A1	2/2016	Nallu et al.	
2017/0122746	A1	5/2017	Howard et al.	
2017/0131113	A1	5/2017	Nallu et al.	
2018/0075509	A1	3/2018	Howard et al.	
2018/0106638	A1	4/2018	Nallu et al.	
2018/0150893	A1	5/2018	Nallu et al.	
2020/0264008	A1	8/2020	Nallu et al.	

FOREIGN PATENT DOCUMENTS

CN	104272333	A	1/2015
DE	212013000071		9/2014
EP	0510172	B1	7/1995
EP	1991827	A2	11/2008
EP	1991974	A2	11/2008
JP	2010-054389	A	3/2010
KR	10-2005-0009092	A	1/2005
KR	1020070093135	A	9/2007
KR	10-2009-0016101	A	2/2009
KR	1020110012122	A	2/2011
KR	1020110134938	A	12/2011
KR	1020130116091	A	10/2013
WO	2012/135143	A2	10/2012
WO	2013/095440	A1	6/2013
WO	WO-2013126763	A1	8/2013
WO	2014/085657	A1	6/2014
WO	WO-2015073567	A1	5/2015

OTHER PUBLICATIONS

"U.S. Appl. No. 14/369,991, Non Final Office Action dated Jul. 18, 2016", 16 pgs.
 "U.S. Appl. No. 14/809,543, Non Final Office Action dated Apr. 12, 2016", 14 pgs.
 "International Application Serial No. PCT/US2014/065279, International Preliminary Report on Patentability dated May 26, 2016", 9 pgs.
 "U.S. Appl. No. 13/725,669, Non Final Office Action dated Jun. 26, 2014", 9 pgs.
 "U.S. Appl. No. 14/369,991, Preliminary Amendment filed Jun. 30, 2014", 3 pgs.
 "International Application Serial No. PCT/US2013/027415, International Preliminary Report on Patentability dated Sep. 4, 2014", 8 pgs.
 "International Application Serial No. PCT/US2013/027415, International Search Report dated May 3, 2013", 2 pgs.
 "International Application Serial No. PCT/US2013/027415, Written Opinion dated May 3, 2013", 6 pgs.
 "Moovit-Real-time Transit Info.—Android Apps on Google Play", [Online]. Retrieved from the Internet: <URL: <https://play.google.com/store/apps/details?id=com.tranzmate&hl=en>>, (Accessed Jul. 24, 2013), 2 pgs.

"Wondering how TSO Mobile & GPS Tracking Benefit Passengers and the Public Transportation Industry?", [Online]. Retrieved from the Internet: <URL: <http://www.tsomobile.com/TSO-Public-Transportation.html>>, (Accessed Jul. 24, 2013), 2 pgs.
 "U.S. Appl. No. 14/369,991, Non Final Office Action dated Sep. 22, 2015", 14 pgs.
 "U.S. Appl. No. 14/369,991, Non Final Office Action dated Dec. 23, 2014", 13 pgs.
 "U.S. Appl. No. 14/369,991, Notice of Allowance dated Feb. 17, 2016", 5 pgs.
 "U.S. Appl. No. 14/369,991, Notice of Allowance dated Apr. 27, 2015", 8 pgs.
 "U.S. Appl. No. 14/369,991, Response filed Jan. 18, 2016 to Non Final Office Action dated Sep. 22, 2015", 13 pgs.
 "U.S. Appl. No. 14/369,991, Response filed Feb. 23, 2015 to Non Final Office Action dated Dec. 23, 2014", 15 pgs.
 "U.S. Appl. No. 14/809,543, Preliminary Amendment filed Aug. 6, 2015", 7 pgs.
 "International Application Serial No. PCT/US2014/065279, International Search Report dated Feb. 18, 2015", 2 pgs.
 "International Application Serial No. PCT/US2014/065279, Written Opinion dated Feb. 18, 2015", 7 pgs.
 "U.S. Appl. No. 14/369,991, Notice of Allowance dated Oct. 24, 2016", 5 pgs.
 "U.S. Appl. No. 14/369,991, Response filed Oct. 4, 2016 to Non Final Office Action dated Jul. 18, 2016", 15 pgs.
 "U.S. Appl. No. 14/809,543, Final Office Action dated Nov. 17, 2016", 15 pgs.
 "U.S. Appl. No. 14/809,543, Non Final Office Action dated Feb. 16, 2017", 16 pgs.
 "U.S. Appl. No. 14/809,543, Response filed Aug. 8, 2016 to Non Final Office Action dated Apr. 12, 2016", 13 pgs.
 "U.S. Appl. No. 14/809,543, Response filed Oct. 25, 2017 to Final Office Action dated Nov. 17, 2016", 10 pgs.
 "Australian Application Serial No. 2014348748, First Examiner Report dated Nov. 12, 2016", 3 pgs.
 "Australian Application Serial No. 2014348748, Response filed Feb. 1, 2017 to First Examiner Report dated Nov. 12, 2016", 26 pgs.
 "Canadian Application Serial No. 2,929,782, Office Action dated Feb. 21, 2017", 5 pgs.
 "Korean Application Serial No. 2016-7015678, Office Action dated Nov. 4, 2016", with English translation of claims, 15 pgs.
 "Korean Application Serial No. 2016-7015678, Response filed Feb. 6, 2017 to Office Action dated Nov. 4, 2016", (English Translation of Claims), 30 pgs.
 "U.S. Appl. No. 14/809,543, Final Office Action dated Jun. 6, 2017", 15 pgs.
 "U.S. Appl. No. 14/809,543, Response filed May 16, 2017 to Non Final Office Action dated Feb. 16, 2017", 12 pgs.
 "U.S. Appl. No. 14/809,543, Response filed Aug. 8, 2017 to Final Office Action dated Jun. 6, 2017", 10 pgs.
 "Korean Application Serial No. 2016-7015678, Office Action dated Jun. 16, 2017", 7 pgs.
 Applicant Initiated Interview Summary received for U.S. Appl. No. 13/957,745, dated Jul. 15, 2015, 3 pages.
 Response to Office Action filed on May 18, 2018 for Canadian Patent Application No. 2,929,782, dated Jan. 31, 2018, 17 pages.
 Response to Final Office Action filed on Jan. 25, 2017 for U.S. Appl. No. 14/809,543, dated Nov. 17, 2016, 10 pages.
 Allowed Claims U.S. Appl. No. 14/809,543 dated Aug. 24, 2017, 5 pages.
 Notice of Allowance Checklist U.S. Appl. No. 14/809,543 dated Aug. 24, 2017, 4 pages.
 U.S. Appl. No. 14/809,543, Issue Fee dated Nov. 24, 2017, 1 page.
 Korean Application Serial No. 2016-7015678, Final Office Action dated Apr. 9, 2018, 7 pages.
 Non-Final Office Action received for U.S. Appl. No. 14/922,327, dated Feb. 1, 2016, 13 pages.
 Notice of Allowance received for U.S. Appl. No. 14/922,327, dated Oct. 13, 2016, 5 pages.
 Response to Non-Final Office Action filed on May 31, 2016 for U.S. Appl. No. 14/922,327, dated Feb. 1, 2016, 14 pages.

(56)

References Cited

OTHER PUBLICATIONS

Response to Final Office Action filed on Sep. 19, 2016 for U.S. Appl. No. 14/922,327, dated Jun. 29, 2016, 10 pages.

Preliminary Amendment received for U.S. Appl. No. 15/406,283, dated Jun. 1, 2017, 7 pages.

Non-Final Office Action received for U.S. Appl. No. 15/414,772, dated Apr. 20, 2017, 7 pages.

Notice of Allowance received for U.S. Appl. No. 15/414,772, dated Sep. 28, 2017, 5 pages.

Response to Non-Final Office Action filed on Jul. 20, 2017 for U.S. Appl. No. 15/414,772, dated Apr. 20, 2017, 12 pages.

Preliminary Amendment received for U.S. Appl. No. 15/414,772, dated Apr. 14, 2017, 8 pages.

Preliminary Amendment received for U.S. Appl. No. 15/820,994, dated Nov. 30, 2017, 7 pages.

Preliminary Amendment received for U.S. Appl. No. 15/846,995, dated Jan. 8, 2018, 7 pages.

Office Action received for Australian Patent Application No. 2013222225, dated Apr. 14, 2015, 3 pages.

Subsequent Examiners Report for Australian Patent Application No. 2013222225, dated Nov. 3, 2015, 3 pages.

Response to Office Action filed on Sep. 30, 2015 for Australian Patent Application No. 2013222225, dated Apr. 14, 2015, 22 pages.

First Examination Report received for Australian Patent Application No. 2013352130, dated Mar. 11, 2016, 5 pages.

Subsequent Examiners Report for Australian Patent Application No. 2013352130, dated Sep. 23, 2016, 4 pages.

Response to First Examination Report filed on Aug. 26, 2016 for Australian Patent Application No. 2013352130, dated Mar. 11, 2016, 18 pages.

First Examination Report received for Australian Patent Application No. 2016202371, dated Jun. 29, 2017, 4 pages.

Response to First Examination Report filed on Sep. 22, 2017 for Australian Patent Application No. 2016202371, dated Jun. 29, 2017, 18 pages.

Subsequent Examiners Report received for Australian Patent Application No. 2016202371, dated Sep. 25, 2017, 4 pages.

Response to Subsequent Examiners Report filed on Nov. 30, 2017 for Australian Patent Application No. 2016202371, dated Sep. 25, 2017, 22 pages.

Office Action received for Canadian Patent Application No. 2,861,822, dated Apr. 20, 2017, 3 pages.

Office Action received for Canadian Patent Application No. 2,861,822, dated May 22, 2015, 5 pages.

Office Action received for Canadian Patent Application No. 2,861,822, dated May 31, 2016, 5 pages.

Response to Office Action filed on Sep. 13, 2017 for Canadian Patent Application No. 2,861,822, dated Apr. 20, 2017, 16 pages.

Response to Office Action filed on Nov. 20, 2015 for Canadian Patent Application No. 2,861,822, dated May 22, 2015, 24 pages.

Response to Office Action filed on Nov. 22, 2016 for Canadian Patent Application No. 2,861,822, dated May 31, 2016, 14 pages.

Office Action received for Canadian Patent Application No. 2,893,135, dated Aug. 11, 2016, 3 pages.

Office Action received for Canadian Patent Application No. 2,929,782, dated Jan. 31, 2018, 5 pages.

Response to Office Action filed on Aug. 8, 2017 for Canadian Patent Application No. 2,929,782, dated Feb. 21, 2017, 26 pages.

Office Action received for Chinese Patent Application No. 201380010168.4, dated Oct. 17, 2016, 19 pages.

Response to Office Action filed on Mar. 1, 2017 for Chinese Patent Application No. 201380010168.4, dated Oct. 17, 2016, 14 pages.

Office Action received for Chinese Patent Application No. 201380010168.4, dated Jun. 30, 2017, 19 pages.

Response to Office Action filed on Sep. 14, 2017 for Chinese Patent Application No. 201380010168.4, dated Jun. 30, 2017, 16 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/072339, dated Jun. 11, 2015, 7 pages.

International Search Report received for PCT Patent Application No. PCT/US2013/072339, dated Apr. 28, 2014, 5 pages.

Written Opinion received for PCT Patent Application No. PCT/US2013/072339, dated Apr. 28, 2014, 5 pages.

Invitation to Pay Additional Fees and Partial Search Report PCT Patent Application No. PCT/US2013/072339, dated Feb. 14, 2014, 2 pages.

Final Office Action received for Korean Patent Application 10-2014-7026159, dated Apr. 28, 2017, 5 pages.

Final Office Action received for Korean Patent Application 10-2014-7026159, dated Dec. 28, 2016, 5 pages.

Office Action received for Korean Patent Application 10-2014-7026159, dated Oct. 19, 2015, 10 pages.

Reasons for Rejection received for Korean Patent Application 10-2014-7026159, dated May 27, 2016, 10 pages.

Response to Office Action filed on Jan. 19, 2016 for Korean Patent Application 10-2014-7026159, dated Oct. 19, 2015, 23 pages.

Response to Reasons for Rejection filed on Aug. 26, 2016 for Korean Patent Application 10-2014-7026159, dated May 27, 2016, 21 pages.

Response to Final Office Action filed on Mar. 29, 2017 for Korean Patent Application 10-2014-7026159, dated Dec. 28, 2016, 22 pages.

Office Action received for Korean Patent Application 10-2016-7015678, dated Dec. 28, 2017, 3 pages.

Response to Office Action filed on Mar. 5, 2018 for Korean Patent Application 10-2016-7015678, dated Dec. 28, 2017, 32 pages.

Response to Office Action filed on Aug. 11, 2017 for Korean Patent Application No. 10-2016-7015678, dated Jun. 16, 2017, 17 pages.

Owen, "The Power of Where : Using IP Geo-location to Create Instant Local Connections Online", Sep. 25, 2012, 9 pages.

U.S. Appl. No. 13/725,766, Response filed Aug. 3, 2016 to Final Office Action dated May 3, 2016, 12 pages.

Notice of Allowance received for U.S. Appl. No. 15/820,994, dated Sep. 17, 2018, 6 pages.

Office Action received for Korean Patent Application No. 10-2018-7016579, dated Sep. 11, 2018, 15 pages (7 pages of English Translation and 8 pages of Official Copy).

Response to Office Action filed on Nov. 12, 2018 for Korean Patent Application No. 10-2018-7016579, dated Sep. 11, 2018, 31 pages (23 pages of English Translation of claims and 8 pages of Official Copy).

Canadian Application Serial No. 2,929,782, Office Action dated Oct. 24, 2018, 6 pages.

Response to Non-Final Office Action filed on May 28, 2019 for U.S. Appl. No. 15/406,283, dated Feb. 28, 2019, 12 pages.

Response to Office Action filed on May 23, 2019, for Canadian Patent Application No. 2,861,822, dated Nov. 30, 2018, 7 pages.

Non-Final Office Action received for U.S. Appl. No. 13/691,291, dated Dec. 23, 2014, 13 pages.

Notice of Allowance received for U.S. Appl. No. 13/691,291, dated Jun. 24, 2015, 11 pages.

Response to Non-Final Office Action filed on Feb. 23, 2015 for U.S. Appl. No. 13/691,291, dated Dec. 23, 2014, 14 pages.

Response to Non-Final Office Action filed on Mar. 31, 2017 for U.S. Appl. No. 14/859,601, dated Jan. 31, 2017, 13 pages.

Examiner Interview Summary received for U.S. Appl. No. 14/859,601, dated May 31, 2017, 3 pages.

Final Office Action received for U.S. Appl. No. 14/859,601, dated May 16, 2017, 12 pages.

First Action Interview—Office Action Summary received for U.S. Appl. No. 14/859,601, dated Jan. 31, 2017, 6 pages.

First Action Interview—Pre-Interview Communication received for U.S. Appl. No. 14/859,601, dated Oct. 14, 2016, 3 pages.

Notice of Allowance received for U.S. Appl. No. 14/859,601, dated Aug. 17, 2017, 8 pages.

Response to Final Office Action filed on May 31, 2017 for U.S. Appl. No. 14/859,601, dated May 16, 2017, 18 pages.

Examiner Interview Summary received for U.S. Appl. No. 13/691,390, dated Mar. 8, 2016, 3 pages.

Examiner Interview Summary received for U.S. Appl. No. 13/691,390, dated Oct. 19, 2015, 3 pages.

(56)

References Cited

OTHER PUBLICATIONS

Final Office Action received for U.S. Appl. No. 13/691,390, dated Nov. 6, 2015, 15 pages.

Non-Final Office Action received for U.S. Appl. No. 13/691,390, dated Jun. 9, 2016, 21 pages.

Non-Final Office Action received for U.S. Appl. No. 13/691,390, dated Jul. 10, 2015, 13 pages.

Response to Final Office Action filed on Mar. 7, 2016 for U.S. Appl. No. 13/691,390, dated Nov. 6, 2015, 11 pages.

Response to Restriction Requirement filed on May 26, 2015 for U.S. Appl. No. 13/691,390, dated Feb. 26, 2015, 10 pages.

Response to Non-Final Office Action filed on Oct. 13, 2015 for U.S. Appl. No. 13/691,390, dated Jul. 10, 2015, 12 pages.

Restriction Requirement received for U.S. Appl. No. 13/691,390, dated Feb. 26, 2015, 9 pages.

Examiner Interview Summary received for U.S. Patent Application No. dated Feb. 27, 2015, 3 pages.

Non-Final Office Action received for U.S. Appl. No. 13/725,669, dated Dec. 12, 2014, 10 pages.

Notice of Allowance received for U.S. Appl. No. 13/725,669, dated May 13, 2015, 9 pages.

Response to Non-Final Office Action filed on Mar. 12, 2015 for U.S. Appl. No. 13/725,669, dated Dec. 12, 2014, 12 pages.

Response to Non-Final Office Action filed on Oct. 27, 2014 for U.S. Appl. No. 13/725,669, dated Jun. 26, 2014, 12 pages.

Examiner Interview Summary received for U.S. Appl. No. 13/725,766, dated Dec. 11, 2015, 3 pages.

Corrected Notice of Allowance received for U.S. Appl. No. 13/725,766, dated Dec. 13, 2016, 2 pages.

Examiner Interview Summary received for U.S. Appl. No. 13/725,766, dated Apr. 29, 2015, 3 pages.

Examiner Interview Summary received for U.S. Appl. No. 13/725,766, dated Jun. 23, 2016, 3 pages.

Final Office Action received for U.S. Appl. No. 13/725,766, dated Apr. 1, 2015, 24 pages.

Final Office Action received for U.S. Appl. No. 13/725,766, dated May 3, 2016, 23 pages.

Non-Final Office Action received for U.S. Appl. No. 13/725,766, dated Oct. 29, 2015, 21 pages.

Non-Final Office Action received for U.S. Appl. No. 13/725,766, dated Nov. 20, 2014, 21 pages.

Notice of Allowance received for U.S. Appl. No. 13/725,766, dated Aug. 31, 2016, 10 pages.

Response to Non-Final Office Action filed on Jan. 29, 2016 for U.S. Appl. No. 13/725,766, dated Oct. 29, 2015, 18 pages.

Response to Non-Final Office Action filed on Feb. 20, 2015 for U.S. Appl. No. 13/725,766, dated Nov. 20, 2014, 25 pages.

Response to Final Office Action filed on Aug. 3, 2015 for U.S. Appl. No. 13/725,766, dated Apr. 1, 2015, 31 pages.

Response to Final Office Action filed on Aug. 3, 2016 for U.S. Appl. No. 13/725,766, dated May 3, 2016, 12 pages.

Decision on Pre-Appeal Brief Request received for U.S. Appl. No. 13/890,631, dated Nov. 17, 2015, 2 pages.

Final Office Action received for U.S. Appl. No. 13/890,631, dated Aug. 13, 2015, 9 pages.

Final Office Action received for U.S. Appl. No. 13/890,631, dated Sep. 22, 2016, 9 pages.

Non-Final Office Action received for U.S. Appl. No. 13/890,631, dated Feb. 25, 2016, 8 pages.

Non-Final Office Action received for U.S. Appl. No. 13/890,631, dated Dec. 18, 2014, 9 pages.

Pre-Appeal Brief Request or U.S. Appl. No. 13/890,631, dated Oct. 13, 2015, 5 pages.

Response to Non-Final Office Action filed on Apr. 17, 2015 for U.S. Appl. No. 13/890,631, dated Dec. 18, 2014, 12 pages.

Response to Non-Final Office Action filed on May 25, 2016 for U.S. Appl. No. 13/890,631, dated Feb. 25, 2016, 18 pages.

Final Office Action received for U.S. Appl. No. 13/957,745, dated Jan. 4, 2016, 18 pages.

Non-Final Office Action received for U.S. Appl. No. 13/957,745, dated Jun. 11, 2015, 17 pages.

Response to Non-Final Office Action filed on Sep. 28, 2015 for U.S. Appl. No. 13/957,745, dated Jun. 11, 2015, 38 pages.

Notice of Allowance received for U.S. Appl. No. 14/809,543, dated Aug. 24, 2017, 5 pages.

Final Office Action received for U.S. Appl. No. 14/922,327, dated Jun. 29, 2016, 14 pages.

U.S. Appl. No. 15/846,995, filed Dec. 19, 2017, Systems and Methods for In-Vehicle Navigated Shopping.

U.S. Appl. No. 15/820,994, filed Nov. 22, 2017, Systems and Methods for In-Vehicle Navigated Shopping.

Office Action received for Korean patent Application No. 10-2018-7016579, dated Jul. 3, 2019, 14 pages (7 pages of English Translation and 7 pages of Official copy).

Response to Office Action filed on Sep. 3, 2019, for Korean Patent Application No. 10-2018-7016579, dated Jul. 3, 2019, 33 Pages (10 pages of English Translation and 23 pages of Official copy).

Applicant Initiated Interview Summary received for U.S. Appl. No. 15/406,283, dated Aug. 12, 2019, 3 pages.

Final Office Action received for U.S. Appl. No. 15/406,283, dated Jul. 3, 2019, 16 pages.

Non-Final Office Action received for U.S. Appl. No. 15/406,283, dated Sep. 12, 2019, 17 pages.

Response to Final Office Action filed on Aug. 27, 2019, for U.S. Appl. No. 15/406,283, dated Jul. 3, 2019, 12 pages.

Office Action received for Canadian Patent Application No. 2,929,782, dated Aug. 1, 2019, 7 pages.

Dennis, "Google Maps with Hotel Pricing—Google Says What is the Fuss", Google map, PhocusWire, Jun. 16, 2010, 3 pages.

Response to Office Action filed on May 31, 2019, for Korean Patent Application No. 10-2018-7016579, dated Mar. 29, 2019, 21 pages (11 pages of English Translation and 10 pages of Official Copy).

Office Action received for Korean Patent Application No. 10-2018-7016579, dated Mar. 29, 2019, 7 pages (3 pages of English Translation and 4 pages of Official Copy).

Examiner Initiated Interview Summary received for U.S. Appl. No. 15/406,283, dated Mar. 5, 2019, 2 pages.

Non-Final Office Action received for U.S. Appl. No. 15/406,283, dated Feb. 28, 2019, 14 pages.

Office Action received for Canadian Patent Application No. 2,861,822, dated Nov. 30, 2018, 4 pages.

Response to Office Action filed on Feb. 21, 2019 for Canadian Patent Application No. 2,929,782, dated Oct. 24, 2018, 16 pages.

Office Action received for Korean Patent Application No. 10-2018-7016579, dated Jan. 31, 2020, 8 pages (6 pages of Official Copy and 2 pages of English translation).

Non-Final Office Action received for U.S. Appl. No. 15/815,358, dated Feb. 21, 2020, 12 pages.

Notice of Allowance received for U.S. Appl. No. 15/846,995, dated Feb. 6, 2020, 8 pages.

Office Action received for Canadian Patent Application No. 2,861,822, dated Dec. 23, 2019, 5 pages.

Response to Office Action filed on Mar. 23, 2020, for Canadian Patent Application No. 2,861,822, dated Dec. 23, 2019, 9 pages.

Response to Office Action filed on Jan. 24, 2020, for Canadian Patent Application No. 2,929,782, mailed on Aug. 1, 2019, 4 pages.

Frier, "Facebook Working on Location-Based Mobile-Ad Product", Retrieved from the Internet URL: <<http://www.bloomberg.com/news/2012-06-18/facebook-readying-location-based-mobile-ad-product.html>>, Jun. 19, 2012, 1 page.

<http://shoptroutter.com>, "I'm the ShopTrotter—Shopping can be fun, I promise", Retrieved from the Internet URL: <<https://shoptroutter.com/>>, Accessed on Mar. 25, 2020, 15 pages.

Advisory Action received for U.S. Appl. No. 15/815,358, dated Sep. 8, 2020, 2 pages.

Final Office Action received for U.S. Appl. No. 15/815,358, dated Jul. 9, 2020, 7 pages.

Response to Final Office Action filed on Aug. 25, 2020, for U.S. Appl. No. 15/815,358, dated Jul. 9, 2020, 10 pages.

Preliminary Amendment filed on Aug. 19, 2020, for U.S. Appl. No. 16/868,239, 6 pages.

(56)

References Cited

OTHER PUBLICATIONS

Office Action received for Canadian Patent Application No. 2,929,782, dated Sep. 14, 2020, 10 pages.

U.S. Appl. No. 16/868,239, filed May 6, 2020, Systems and Methods for In-Vehicle Navigated Shopping.

Response to Office Action filed on Mar. 31, 2020, for Korean Patent Application No. 10-2018-7016579, dated Jan. 31, 2020, 17 pages (11 pages of official copy and 6 pages of English translation of claims).

Applicant Initiated Interview Summary received for U.S. Appl. No. 15/815,358, dated Apr. 28, 2020, 3 pages.

Response to Non-Final Office Action filed on May 14, 2020, for U.S. Appl. No. 15/815,358, dated Feb. 21, 2020, 15 pages.

Preliminary Amendment filed on Jun. 18, 2020, for U.S. Appl. No. 16/868,239, 6 pages.

"Canadian Application Serial No. 2,929,782, Office Action dated Sep. 14, 2020", 10 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

1**SHOPPING TRIP PLANNER****CROSS REFERENCE TO RELATED APPLICATION**

The present application claims the priority benefit of U.S. Provisional Patent Application Ser. No. 61/904,449 filed on Nov. 14, 2013 and entitled "Shopping Trip Planner," which is incorporated herein by reference.

FIELD

The present disclosure relates generally to data analysis and, in a specific example embodiment, to providing an intelligent shopping infrastructure.

BACKGROUND

Typically, when a user wants items from more than one merchant, the user has to shop each of the merchants individually, maintain separate shopping carts that are processed separately, and arrange to pick up from each location of the merchants or have the items delivered in a plurality of packages. Additionally, the user may be hesitant to complete a transaction if the user cannot see, feel, or try on certain items. This leads to the user abandoning a shopping session or a shopping cart that has items in it.

BRIEF DESCRIPTION OF DRAWINGS

Various ones of the appended drawings merely illustrate example embodiments of the present invention and cannot be considered as limiting its scope.

FIG. 1 is a block diagram illustrating an example embodiment of a network architecture of a system used to provide an instant stylist.

FIG. 2 is a block diagram illustrating an example embodiment of a marketplace system.

FIG. 3 is a block diagram of an example user engine.

FIG. 4 is a block diagram of an example merchant engine.

FIG. 5 is a block diagram of an example collection engine.

FIG. 6 is a flow diagram of an example method for managing an order at a marketplace system.

FIG. 7 is a flow diagram of an example method for processing an order at a merchant.

FIG. 8 is a flow diagram of an example method for upselling to a user.

FIG. 9 is a flow diagram of an example method for processing an item collection order.

FIG. 10 is a flow diagram of an example method for providing a local shopping opportunity.

FIG. 11 is a flow diagram of an example method for providing shopping trip planning.

FIG. 12 is a flow diagram of an example method for providing shopping planning at a kiosk.

FIG. 13 is a simplified block diagram of a machine in an example form of a computing system within which a set of instructions for causing the machine to perform any one or more of the methodologies discussed herein may be executed.

DETAILED DESCRIPTION

The description that follows includes systems, methods, techniques, instruction sequences, and computing machine program products that embody illustrative embodiments of the present invention. In the following description, for

2

purposes of explanation, numerous specific details are set forth in order to provide an understanding of various embodiments of the inventive subject matter. It will be evident, however, to those skilled in the art that embodiments of the inventive subject matter may be practiced without these specific details. In general, well-known instruction instances, protocols, structures, and techniques have not been shown in detail.

Example embodiments described herein provide systems and methods for providing an intelligent shopping infrastructure. The intelligent shopping infrastructure takes advantage of a user device that allows transmission of information to and from a user interface of the user device with a networked system that can monitor user preferences and affinities, detect user location, maintain merchant inventory, and trigger transactions between the user and one or more merchants. In example embodiments, a data storage of current inventory from a plurality of merchants affiliated with a marketplace system is maintained. User preferences that indicate an item affinity of a user (e.g., brands, merchants, types of items) are accessed and retrieved. Additionally, a location of the user is detected. Using the detected location, available inventory, and item affinity, an available item from the current inventory of a merchant located within a predetermined distance to the location of the user that match the item affinity of the user is identified. The available item is presented on a user interface of a client device of the user.

With reference to FIG. 1, an example embodiment of a high-level client-server-based network architecture 100 to provide the intelligent shopping infrastructure is shown. A networked system 102, in an example form of a network-server-side functionality, is coupled via a communication network 104 (e.g., the Internet, wireless network, cellular network, or a Wide Area Network (WAN)) to a client device 106. The networked system 102 is also coupled via the communication network 104 to a plurality of merchant systems 108.

The client device 106 may comprise a mobile phone, desktop computer, laptop, or any other communication device that a user may utilize to access the networked system 102. In some embodiments, the client device 106 may comprise a display module (not shown) to display information (e.g., in the form of user interfaces). In further embodiments, the client device 106 may comprise one or more of a touch screen, accelerometer, camera, microphone, and Global Positioning System (GPS) device. The client device 106 may be a device of a user, which is used to search or browse for information (e.g., publications, news items, products for sale), provide user inputs, and receive results from the networked system 102. In one embodiment, the networked system 102 includes or is linked to a network-based marketplace that manages digital goods, publishes publications comprising product listings of products or items available on the network-based marketplace, and manages payments for these marketplace transactions.

FIG. 1 illustrates, for example, the client device 106 having a shopper application 110 executing thereon. The shopper application 110 enables the user device 106 to interface with the networked system 102 in order to search for, locate (e.g., on a map), purchase, or hold items of interest for the user. Accordingly, the shopper application 110 provides a plurality of user interfaces that allow the user to perform searches, receive results, receive recommendations and promotions, view maps or locations of items or merchants, place orders, place items on hold, or return items.

In a further embodiment, the networked system **102** may also be linked to a plurality of merchants via their respective merchant systems **108**. Each of the merchant systems **108** may comprise a merchant application **112**. The merchant application **112** may provide information (e.g., inventory, sales, promotions, purchases made by users) to the networked system **102**, which may be shared by the networked system **102** with a user of the client device **106** via the shopper application **110**. Additionally, the merchant application **112** may receive information (e.g., user shopping preferences, orders, item holds, recommendations for users) from the networked system **102**.

An Application Program Interface (API) server **114** and a web server **116** are coupled to, and provide programmatic and web interfaces respectively to, one or more application servers **118**. The application servers **118** host a marketplace system **120**, which may comprise one or more modules, applications, or engines, each of which may be embodied as hardware, software, firmware, or any combination thereof. The application servers **118** are, in turn, coupled to one or more database servers **124** facilitating access to one or more information storage repositories, data stores, or databases **126**. In one embodiment, the databases **126** are storage devices that store merchant data (e.g., inventory, location, promotions, sales), user data (e.g., profile, preferences, past shopping history, past browsing history), and transaction data (e.g., orders, item holds).

The marketplace system **120** provides an intelligent shopping infrastructure that leverages user location, preferences, and affinities (e.g., past transactions, past browsing history) with merchant information (e.g., current inventory, promotions) to facilitate a transaction. In example embodiments, the marketplace system **120** receives search parameters, performs searches for the items based on the search parameters, process orders and holds for items, manages delivery and returns, and provides recommendations based on location, affinities, and past histories, among other operations. The marketplace system **120** will be discussed in more detail in connection with FIG. **2** below.

Referring now to FIG. **2**, an example block diagram illustrating multiple components that, in one embodiment, are provided within the marketplace system **120** is shown. The marketplace system **120** performs operations that provide an intelligent shopping infrastructure. To enable these operations, the marketplace system **120** comprises a user engine **202**, a merchant engine **204**, a collections engine **206**, and a transaction engine **208**. The multiple components themselves are communicatively coupled (e.g., via appropriate interfaces), either directly or indirectly, to each other and to various data sources (e.g., the databases **126**), to allow information to be passed between the components or to allow the components to share and access common data. Thus, the marketplace system **120** is coupled to, and exchanges information with, the databases **126**.

The user engine **202** manages operations with respect to users (e.g., consumers) of the marketplace system **120**. In example embodiments, the user engine **202** monitors actions performed by the user via, for example, the shopper application **110** on their user device **106**. The actions may include browses and searches, purchases made, items saved to a wishlist or watchlist, and items saved to a cart but not purchased. The user engine **202** may also track a user's location via their client device **106**. The user engine **202** will be discussed in more detail in connection with FIG. **3** below.

The merchant engine **204** manages operations with respect to merchants that are affiliated with the marketplace system **120**. In example embodiments, merchants exchange

information with the marketplace system **120** in order to facilitate transactions with users. Accordingly, the merchant may transmit location and inventory information to the marketplace system **120** while receiving order and hold notifications as well as consumer upsell information. The merchant engine **204** will be discussed in more detail in connection with FIG. **4** below.

The collections engine **206** manages item collections at the marketplace system **120**. An item collection may comprise a plurality of items that are compatible and may be ideal to be purchased together (e.g., in order to complete a project or for a particular look/style). The collections engine **206** will be discussed in more detail in connection with FIG. **5** below.

The transaction engine **208** manages transactions initiated with the marketplace system **120**. Accordingly, the transaction engine **208** may process an order (e.g., collect payment and confirm delivery), and cause the merchant engine **204** to provide notification and to one or more merchants regarding the order (e.g., package and deliver items, hold items) along with managing payment to the one or more merchants. The transaction engine also provides transaction information to the user engine **202** to update preferences of the user (e.g., update purchase history).

Referring now to FIG. **3**, an example block diagram illustrating components that, in one embodiment, are provided within the user engine **202** is shown. The user engine **202** manages operations with respect to users (e.g., consumers) of the marketplace system **120**. To enable these operations, the user engine **202** comprises a profile module **302**, preference module **304**, and a location module **306**.

The profile module **302** manages a user profile for each user of the marketplace system **120**. In example embodiments, the user creates and maintains an account (e.g., via the use of the shopper application **110**) with the marketplace system **120**, whereby user information is stored to the user profile. The user profile may include, for example, a user's address, billing information (e.g., credit cards and billing addresses), credit worthiness, income, and financial information (e.g., bank accounts). User profile information may be stored in the databases **126** and be accessed, retrieved, or updated by the profile module **302**.

The preference module **304** monitors and analyzes user action to determine affinities for each user. Accordingly, the preference module **304** monitors actions performed by the user via their user device **106**. The actions may include, for example, browses and searches for items of interest, purchases made, items saved to a wishlist or watchlist, and items added to a cart but not purchased. These actions may be stored to the database **126** in association with an account or the user profile of the user. In example embodiments, the preference module **304** analyzes the stored actions to determine purchase habits, brand affinities, merchant affinities among other preferences. The preferences are also stored to the database **126** to be used later to provide recommendations to the user.

The location module **306** monitors a user's location via their client device **106**. In example embodiments a location device (e.g., global positioning system (GPS) device) in the client device **106** provides location information to the location module **306**. The location module **306**, in turn, may use or provide the location information to other engines in the marketplace system **120** in order to provide merchant and item results or recommendations that are located within a predetermined distance to the user. The predetermined distance may comprise, for example, a walking distance of the

user, a driving distance of the user, and a delivery distance to the user (e.g., continental U.S.).

Referring now to FIG. 4, an example block diagram illustrating multiple components that, in one embodiment, are provided within the merchant engine 204 is shown. The merchant engine 204 manages item searches, order processing, and delivery among other operations that are associated with merchants. As such, the merchant engine 204 comprises an inventory module 402, a shopping module 404, a notification module 406, a delivery module 408, a consumer module 410, and a map module 412.

The inventory module 402 manages inventory information for each merchant affiliated with the marketplace system 120. In example embodiments, the merchant application 112 shares with the marketplace system 120, or provides access to, inventory information. As a result, the marketplace system 120 is able to maintain a current inventory of available items for each merchant, and can track inventory in each store of a merchant.

The shopping module 404 manages searches by the user for items. Accordingly, the shopping module 404 receives search terms from the client device 106 and performs a search for items that match the search terms. Alternatively, the shopping module 404 receives browse instructions whereby the user navigates through categories and sub-categories to reach items of interest. Search or browse results (e.g., information on items of interest) are transmitted back by the shopping module 404 in response to a search or browse request from the client device 106. Search and browse inputs as well as results are also stored to the user preferences.

In some embodiments, the shopping module 404 automatically factors in the user's location, as determined by the location module 306, in determining search results to return to the client device 106. In other embodiments, the user's location triggers the shopping module 404 to provide search results to the user without any request by the user. The marketplace system 120 is aware of items that the user has expressed interest in via the preference module 304 (e.g., via saving to a wishlist, item viewed at an online store, item left in cart, items browsed or searched for in the past). Additionally, the marketplace system 120 is aware of the current location of the user. Accordingly, based on the user being in a particular location, the shopping module 404 can initiate a search for one or more of these items that the user had expressed interest in, and determine whether those items are available near the user. The shopping module 404 may also determine whether to present the item to the user based on whether the item is currently on sale or has a promotion.

For example, if the user was searching for a particular cable on eBay, but did not purchase the cable, and is now in a location that is near an electronic store where the same cable is on sale, the shopping module 404 can transmit item information (e.g., an offer to purchase) to the client device 106 informing the user of the item nearby. Additionally, since the marketplace system 102 is aware of the inventory at a location of the merchant, the shopping module 404 will not provide the item information if the nearby merchant is out of stock on the item. In one embodiment, the shopping module 404 may present the item information in a user interface that allows the user to place an order for the item, and have the item set aside for pickup.

In another example, a general feed of items that may be of interest based on the user's profile and preferences in a location of the user may be provided. The general feed may include information about the area (e.g., user is near a cool shopping district). Additionally, the shopping module 404

can recommend a store that may be interesting to the user based on profile and preference information (e.g., male, likes a particular kind of fashion, follows a particular brand) and surface that store to the user. Deals and sales from merchants in the local area may also be transmitted in the general feed to the user device 106.

The shopping module 404 also maintains a shopping cart where items selected by the user from one or more merchants may be placed until the user completes the transaction with the transaction engine 208. As such, the shopping module 404 receives a selection of the item of interest and places the item in the shopping cart. Because the marketplace system 120 comprises a plurality of affiliated merchants, the shopping module 404 has the ability to maintain a single shopping cart for multiple merchants.

The notification module 406 manages notifications to the merchants of completed orders or transactions. With an order where all items are from a single merchant, the notification module 406 sends a notification to the single merchant to package the items in the order for pickup or delivery. In the case where the order is from two or more merchants, the notification module 406 sends a notification to each of the merchants to package up the items. Additionally, the notification module 406 may indicate a central location to take the packaged items. For example, each merchant may be notified to place their items from an order in a particular locker or to take the items to one of the merchants involved in a multi-merchant order (e.g., a centrally located merchant). The locker may be at a mall or location that is accessible for long periods of time (e.g., 24 hours a day).

Further still, the order may include items that the user would like to try on. For example, the user may select several tops for purchase and indicate two different sizes for a pair of pants. The user pays for the tops and one pair of the pants in order to complete the transaction via the shopper application 110. In turn, the merchant is notified to set aside and hold the two different sized of the pants for the user to try on when the user comes into the store to pick up the tops. The user can then try on the two pairs of pants and take one of the pairs without having to initiate a separate transaction.

The delivery module 408 manages delivery of items that have been ordered. As discussed, the notification to a merchant may indicate a central location that the item(s) in an order should be deposited for pickup. For example, the central location may be a pickup locker. The delivery module 408 may indicate a particular locker to place the item(s). In some cases, the delivery module 408 may also provide an access code to both the merchant and the user (e.g., consumer) that allows access to the particular locker.

In example embodiments, the locker is also used to receive returns. Because the marketplace system 120 facilitates transactions across many merchants and stores purchase histories for these merchants, the marketplace system 120 can manage returns through the locker by use of the purchase histories. For example, the user can browse their purchase history and indicate one or more items they would like to return (e.g., not necessary from the same merchant). Instead of having to go to each individual merchant or store location to return the items, the user can simply place all the items into an assigned locker and indicate, using the shopper application 110 to the delivery module 408 that the items have been placed in the locker. The delivery module 408 then notifies the proper merchants of the return, and the merchant can access the locker to retrieve the items.

The consumer module 410 provides recommendations based on the user profile and affinities. As discussed with

respect to the user engine **202**, the marketplace system **120** stores information about user including, for example, credit worthiness, income, purchase habits, store affinity, and brand affinity. As the user comes into a store (e.g., checks in with the store or client device **106** is detected in the location of the store), the consumer module **410** can inform store personnel about the presence of the user. For example, an identity of the user along with recommendations for the user may be pushed to a device of an associate at the store. The recommendation may include a particular brand that the user likes that is available at the store (e.g. based on the inventory information maintained by the inventory module **402**). In another example, the recommendation may be based on the user having a child that is heading back to school (e.g., determined from user profile information), and may recommend school supplies that are on sale. Alternatively, the recommendations may be pushed to the client device **106** of the user. Further still, if the user is there to pick up an order that they had placed (e.g., via the shopper application **110**), the recommendation may include a discount if the user adds the item to their order. Accordingly, the consumer module **410** provides targeted offers that are highly contextual to users in the store.

The map module **412** manages shopping trip planning, and can transmit map information to a user interface of the client device **106**. In a local shopping embodiment, the user searches for items in a particular neighborhood or area. When an item of interest is found, the map module **412** places the item (or merchant location of the item) on a map that is transmitted to the user interface of the client device **106**. The user may add other items from other merchants, or the consumer module **410** may recommend items from other merchant locations based on proximity and user affinities. The map module **412** may indicate a path to all the items along with distances between the merchant locations and the user's location. The user may remove items or merchant locations (e.g., by selecting and deleting). The map module **412** determines an optimal route or path for the user. However, the user can rearrange the route. In some embodiments, the user can reserve the item(s) via the user interface on the client device **106**.

In another embodiment, the map module **412** provides in-store maps based on a search result. For example, the user may access a kiosk in a store or otherwise perform a search for an item within the store using their shopper application **110**. The kiosk or shopper application **110** knows the location of the user and thus knows the merchant or store that the user is at. The search module **404** may present a user interface that comprises a questionnaire and based on the answers, an item is recommended. The item may be displayed on a map of the store to the user. In the case of the kiosk, a code (e.g., QR code) may be scanned to upload the map to the client device **106**. Alternatively, the user may enter an identifier of the client device **106** (e.g., phone number of the smartphone) on the kiosk, and the map is transmitted to the client device **106** (e.g., text or email).

Referring now to FIG. 5, an example block diagram illustrating multiple components that, in one embodiment, are provided within the collection engine **206** is shown. The collection engine **206** manages item collections at the marketplace system **120**. An item collection may comprise a plurality of items that are compatible and may be ideal to be purchased together. Accordingly, the collection engine **206** comprises a curation module **502**, an option module **504**, and an instruction module **506**.

The curation module **502** manages organization of items into curated item collections. In some embodiments, the

item collection is based on preexisting content such as information licensed from shows (e.g., home improvement shows), material lists for construction, magazine layouts, or publications. The curation module **502** may automatically create item collections by processing material lists into shoppable collections. Further still, a combination of automated and manual process (e.g., via an operator interacting with the curation module **502**) may be used to generate the item collections. As a result, the user can shop for a complete project (e.g., item collection) instead of just one item within the project.

The option module **504** manages options that are available for item collections. In example embodiments, the search module **404** may return an item collection based on a search for a particular item in the item collection. The item collection will indicate the searched for item along with other items that go with the search for item for some reason. Some of the items may be required and are selected by default. However, options may be available for other items (e.g., different style, color, material). These options may be determined and presented by the option module **504** to the user interface of the client device **106**. The user may then select and deselect different options for the item collection. In some embodiments, the options are determined prior to the search performed by the user (e.g., at the time of curation of the item collection). In other embodiments, the options may be determined at the time of the search (e.g., on-the-fly).

The instruction module **506** manages instructions associated with item collections. In the case where the item collection involves a project, such as a home improvement project, the instruction module **506** provides access to instructions for completing the project. In some cases, the instructions (or access to the instructions) may be provided to the user via a user interface of the client device after the user purchases the item collection.

Although the various components of the marketplace system **120** and its engines have been defined in terms of a variety of individual modules, a skilled artisan will recognize that many of the components can be combined or organized in other ways and that not all modules or engines need to be present or implemented in accordance with example embodiments. Furthermore, not all components of the marketplace system **120** have been included or discussed. In general, components, protocols, structures, and techniques not directly related to functions of exemplary embodiments have not been shown or discussed in detail. The description given herein simply provides a variety of exemplary embodiments to aid the reader in an understanding of the systems and methods used herein.

FIG. 6 is a flow diagram of an example method **600** for managing an order at a marketplace system. The method **600** allows the user to shop for items using the shopper application **110**, select items to try on at a store, and complete the transaction. In operation **602**, search parameters are received by the search module **404** from the client device **106**. The search parameters may comprise search terms (e.g., keywords) or instructions to browse through categories and sub-categories to items of interest. For example, the user may shop for clothing via the shopper application **110**.

In operation **604**, results are determined and transmitted to the user device **106** for display on a user interface. Accordingly, the search module **404** performs a search for items that match the search terms or navigates through categories and sub-categories to reach the item of interest. The search or browse results (e.g., listing for the item, product page of the item) are transmitted back by the search module **404** to the client device **106**. For example, the user

may navigate or be directed to a webpage for an item of clothing based on the search parameters.

In operation **606**, a selection of the item of interest is received. Accordingly, the user may decide to purchase, hold, or try on the item and provide an indication or selection of the item. The search module **404** receives the selection.

In operation **608**, a determination is made, by the shopping module **404**, as to whether the selection includes an indication to try on the selected item. For example, the user may select a pair of pants and indicate two different sizes that the user would like to try on. If the selection includes the indication to try on the item, the selection is marked as a try on item in operation **610**, and added to the shopping cart in operation **612**. However, if the selection is not a try on item, then the selection may be directly added to the cart in operation **612** after selection in operation **606**.

In operation **614**, a determination is made as to whether another search and selection is made. For example, after adding the pair of pants to the shopping cart, the user may decide to search for shirts. If another search is determined, then the method **600** returns to operation **602**.

However, if the user is finished shopping, then the order is processed in operation **616**. Accordingly, the transaction engine **208** processes the order. The processing of the order may include one or more of receiving payment and billing information, indicating a location where the items will be delivered or pick-up from, and providing order confirmation information. In one embodiment, the user pays for the selections marked as try on items. For example, the user pays for one pair of the pants that is marked to be tried on at the merchant location even though two different sizes of the pants are in the shopping cart.

FIG. **7** is a flow diagram of an example method **700** for processing an order at a merchant. In response to the transaction engine **208** processing the order, a notification is sent by the notification module **406** to the merchant(s) having the items in the order to process the order at the merchant location in operation **702**. The notification may be received by the merchant application **112** at the merchant system **108**.

In response to receiving the notification, the merchant (e.g., an employee of the merchant) gathers the item(s) in the order in operation **704**. The merchant determines, in operation **706**, whether any of the items are try on items. If there are try on items, the try on items are set aside (e.g., held) for the user in operation **708**. For example, the try on items may be placed in a dressing room.

The remainder of the items (e.g., non-try on items) are packaged for pickup in operation **710**. In one embodiment, the packaged items may be delivered to a locker for user pickup. In an alternative embodiment, the packaged up items may be delivered to another central location indicated by the order (e.g., a store central to all the merchants involved in a multi-merchant order).

FIG. **8** is a flow diagram of an example method **800** for upselling to a user. The method **800** may occur after the methods **600** and **700**. In operation **802**, a check-in of the user is received. In example embodiments, the user may manually indicate they are in the area of the merchant (e.g., check-in), or the shopper application **110** on the client device **106** may automatically check-in the user when the user is within a particular distance to the merchant (e.g., determined by GPS). The indication or check-in is received by the location module **306**, and notification of the user's presence can be provided by the notification module **408** to the merchant application **112** at the merchant system **108**. Ide-

ally, the merchant will have the user's items packaged and any try on items ready for the user to try on.

In operation **804**, a determination is made as to whether the user is opted in to receive information from the merchant. Accordingly, the preference module **304** determines whether the user has indicated that they are willing to receiving promotions, sale, or other information from the merchant.

If the user has opted in to receive the information, then the preference module **304** instructs the consumer module **410** to transmit the information in operation **806**. As such, the consumer module **410** transmits information (e.g., promotions or recommendations) based on the user profile and user affinities. In one embodiment, the information is transmitted to store personnel. For example, information for the user is transmitted to a device (e.g., tablet that has a version of the merchant application **112**) of an associate at the store. Alternatively, the information may be transmitted directly to the client device **106** of the user while the user is in or near the store. The information may include, for example, a recommendation of a particular brand, item, or types of items that the user likes that is available at the store (e.g. based on the inventory information maintained by the inventory module **402**). Further still, the information may be related to items that the user has already purchased (e.g., that the user is there to pick up), related to an upcoming event (e.g., back to school), or related to individuals the user normally shops for (e.g., user's children).

In some embodiments, if the user is there to pick up an order that they had placed (e.g., via the shopper application **110**), the information may indicate a discount if the user adds the recommended item to their order. Accordingly, the consumer module **410** provides targeted offers that are highly contextual to user while the user is in the store.

A determination is made in operation **808** as to whether the user accepts any offers, promotions, or recommendations. If the user accepts, then the item may be added to their order in operation **810** assuming the user is there to pick up the order. Alternatively, if the user is not at the merchant location to pick up an order, a new order may be created for the user.

FIG. **9** is a flow diagram of an example method **900** for processing an item collection order. The various operations of the method **900** may be performed by the merchant engine **204** in association with the collection engine **206**. An item collection may comprise a plurality of items that are compatible and may be ideal to be purchased together, especially in order to complete a project. The item collection may also include accessory items that are needed to complete a project, but that may be often forgotten by the user (e.g., tools).

In operation **902**, search parameters are received by the shopping module **404**. For example, the user may search for a sink and provide search parameters for the sink. Additionally, the user may indicate that they would like to install a new sink as part of a home improvement project.

In operation **904**, an item collection and corresponding options are determined. Accordingly, the shopping module **404** determines one or more item collections that contains at least one item that matches the search parameters received from the user. For example, the item collection may include a particular sink that the user indicated with the search parameters. The item collections may also include options for companion items (e.g., different style, color, material) or optional items. For example, options of companion items for the sink may include three different compatible styles or colors of faucets. Optional items may include items that are

recommended but not necessary to complete the project. For example, particular tools needed to install a new sink are optional items. If the user already has these particular tools, the user can choose to not purchase these particular tools as part of the item collection.

Thus, in one embodiment, a user interface is presented to the user that illustrates the various items in the item collection along with selection fields (e.g., checkboxes). Items that are required or recommendation may be checked by default (e.g., sink, silicon tape, wrench). The user can uncheck any recommended items (e.g., optional items) that the user does not need (e.g., user already has wrench, so uncheck). Additionally, the user can select between different options for companion items (e.g., select one of the three compatible faucets). A determination is made in operation 908 as to whether selections of options (including optional items) are received. If selections are received, the (default) item collection is updated with the options in operation 910. The user interface can be updated to illustrate the updated item collection (e.g., checkboxes checked and unchecked).

In operation 912, a trigger is received to process the order. Thus, the shopping module 404 may receive the trigger. In some cases, a discount may be given if the user chooses to purchase a certain amount of items in the collection (e.g., a bundle deal).

In response, the transaction engine 208 processes the order. In one embodiment, a notification of the order is transmitted to the one or more merchants selling the items so that the merchant(s) can package up the order for pickup by the user (e.g., in store, via a locker, via a central merchant for a plurality of merchants). In an alternative embodiment, the items in the order may be shipped to the user.

In some embodiments, the user is provided access to instructions upon purchase of the item collection. In the case where the item collection involves a project, such as a home improvement project, the instruction module 506 provides access to instructions for completing the project via a user interface of the client device 106. The instructions may include a step-by-step tutorial on how to complete the project. In other embodiments, the user does not need to purchase the item collection in order to view the instructions.

FIG. 10 is a flow diagram of an example method 1000 for providing a local shopping opportunity. The method 1000 provides automated shopping opportunities based on a location of the user without any action by the user. In operation 1002, a location of the user is detected. For example, a GPS device in the client device 106 may provide location information to the location module 306.

User affinities are accessed in operation 1004. Accordingly, the preference module 304 accesses user preference information from the database 126. The user affinities are based on actions performed by the user such as browses and searches for items of interest, purchases made, items saved to a wishlist or watchlist, and items added to a cart but not purchased.

Shopping opportunities are identified in operation 1006. Based on the location of the user, user affinities, and inventory for merchants in the same location, the shopping module 404 in conjunction with the consumer module 410 initiates a search for one or more of items that the user had expressed interest in, and determine whether those items are available at one of the local merchants within a predetermined distance to the location of the user. The predetermined distance may be a default distance or be set by the user.

In operation 1008, the user is notified about the shopping opportunity. For example, if the user was searching for a particular item online, but did not purchase the item, and is now in a location within a predetermined distance to a nearby store that sells the same item, the shopping module 404 or consumer module 410 can transmit (or cause to be transmitted) a notification of the shopping opportunity (e.g., item information and an offer to purchase) to the client device 106. The notification may include price, promotions, inventory, location of the item, and distance to the merchant location. A map may also be provided to illustrate a path to the merchant location or item location.

In operation 1010, a determination is made as to whether an indication to purchase or hold the item is received from the user device 106. For example, the item information is presented in an order interface on the client device 106 that allows the user to place an order for the item or have the item set aside for pickup. The indication is received by the shopping module 404, and an order may be processed by the transaction engine 208.

If the user selected to purchase or hold the item, the merchant is notified in operation 1012. Accordingly, the notification module 406 transmits a notification to the merchant instructing the merchant to package the item up for pickup or to set the item aside as a hold or try on item.

FIG. 11 is a flow diagram of an example method 1100 for providing shopping trip planning. The method 1100 allows the user, via user interfaces provided to their client device 106, to plan a shopping trip for one or more items. In operation 1102, search parameters and a location of interest is received by the shopping module 404. For example, the user may be interested in shopping a particular neighborhood, and may indicate that interested to the shopping module 404. Alternatively, the location module 306 may detect a location that the user is currently at.

In operation 1104, local merchants within a predetermined distance to the user location (or user indicated location of interest) are identified by the shopping application 1104. The local merchants are merchants affiliated with the marketplace system 120 and have agreed to share information such as inventory with the marketplace system 120.

The shopping module 404 then determines results that match the search parameters. The results include items from the local merchants identified in operation 1104 that are currently available based on the inventory information shared with the marketplace system 120. The results are caused to be displayed on a user interface to the client device 106 (via the shopper application 110). The user interface may present the items along with a merchant location. In one embodiment, the items or merchant location are shown on a map on the user interface.

Based on the user selecting an item from the result, the selection is received in operation 1108 by the shopping module 404. In response, the shopping module 404 may cause the map module 412 to place the item (or merchant location of the item) on a shopping trip planning map that will be transmitted to the user interface of the client device 106.

A determination is made in operation 1110 as to whether another search is performed or a recommendation to be presented. In some embodiments, the shopper module 404 or consumer module 410 may provide recommendations based on user affinities or provide recommendations related to the selected item from operation 1108 (e.g., an accessory or companion item). If another search is performed or a recommendation to be presented, the method 1110 returns to operation 1106. The shopping trip planning map may be

13

continually updated with new selections and as the user device **106** changes location (e.g., as the user of the user device walks along a route on the shopping trip planning map).

Once the user has completed the search for items, the shopping trip planning map showing all selected items is caused to be presented on the client device **106** in operation **1112**. The shopping trip planning map may indicate a path to view or pick up all the items along with distances between the merchant locations and the user's location. In example embodiments, the map module **412** determines an optimal route or path for the user (e.g., based on distance, store hours, limited inventory), which the user can rearrange.

In operation **1114**, a determination is made as to whether the user rearranges the route. The user may remove items or merchant locations (e.g., by selecting and deleting nodes on the map representing the locations). The user may also move various nodes representing the locations to change a sequence of the route (e.g., go to Merchant B before Merchant A). If the user does rearrange the route, the map is updated and updated map is caused to be displayed in operation **1116**.

FIG. **12** is a flow diagram of an example **1200** method for providing shopping planning at a kiosk. The kiosk may comprise or be a part of the merchant system **108** or be a part of the marketplace place system **120**. Accordingly, the kiosk may include the merchant application **112** or one or more of the engines or modules of the marketplace system **120**. The kiosk may be located at a location of a particular merchant affiliated with the marketplace system **120**, and may be item or gift finder kiosk.

In some embodiments, the kiosk may be equipped with a camera to detect one or more individuals accessing the kiosk. If the kiosk detects that the individual is a child, the merchant application **112** may provide a game or other interface for the child. However, if the kiosk detects an adult, the kiosk may present a search interface that allows the adult user to find an item.

In operation **1202**, search parameters are received. The search parameters may be provided, for example, via a touchscreen on the kiosk. In one embodiment, the shopping module **404** may cause presentation of the search interface on the kiosk that comprises a questionnaire (e.g., gender, age, price range). The user provides answers to the questionnaire which, in turn, are the search parameters.

In operation **1204**, results are determined and caused to be displayed to the user. Accordingly, the shopping module **202** takes the location of the user (e.g., the store the user is in) along with the search parameters and determine available inventory in the store that match the search parameters. The results are then presented on the screen of the kiosk.

A selection of an item from the results is received in operation **1206**. For example, the user may select, via the touchscreen, an item that the user wants to buy. In response, an in-store map of a location of the item is displayed on the kiosk by the map module **412** in operation **1208**.

The user may desire to have the map and item location uploaded to their client device **106**. As such, the user requests the map in operation **1210**. For example, a code (e.g., QR code) may be displayed on the kiosk, and the user scans the code to upload the map to the client device **106**. Alternatively, the user may enter an identifier of the client device **106** (e.g., phone number of the smartphone) into the kiosk.

In operation **1212**, the map is transmitted to the client device **106**. In the case where the user provides an identifier

14

of the client device **106**, the map may be sent, for example, via text or e-mail to the client device **106**.

According to various example embodiments, one or more of the methodologies described herein may facilitate completion of a transaction for an item based on known merchant inventory, user affinities, and location of the user. As such, one or more of the methodologies described herein may obviate a need for certain efforts or resources that otherwise would be involved in searching for items. Computing resources used by one or more machines, databases, or devices (e.g., within the network environment **100**) may be reduced. Examples of such computing resources include processor cycles, network traffic, memory usage, data storage capacity, power consumption, and cooling capacity.

FIG. **13** is a block diagram illustrating components of a machine **1300**, according to some example embodiments, able to read instructions **1324** from a machine-readable medium **1322** (e.g., a non-transitory machine-readable medium, a machine-readable storage medium, a computer-readable storage medium, or any suitable combination thereof) and perform any one or more of the methodologies discussed herein, in whole or in part. Specifically, FIG. **13** shows the machine **1300** in the example form of a computer system (e.g., a computer) within which the instructions **1324** (e.g., software, a program, an application, an applet, an app, or other executable code) for causing the machine **1300** to perform any one or more of the methodologies discussed herein may be executed, in whole or in part.

In alternative embodiments, the machine **1300** operates as a standalone device or may be connected (e.g., networked) to other machines. In a networked deployment, the machine **1300** may operate in the capacity of a server machine or a client machine in a server-client network environment, or as a peer machine in a peer-to-peer (or distributed) network environment. The machine **1300** may be a server computer, a client computer, a personal computer (PC), a tablet computer, a laptop computer, a netbook, a set-top box (STB), a personal digital assistant (PDA), a cellular telephone, a smartphone, a web appliance, a network router, a network switch, a network bridge, or any machine capable of executing the instructions **1324**, sequentially or otherwise, that specify actions to be taken by that machine. Further, while only a single machine is illustrated, the term "machine" shall also be taken to include a collection of machines that individually or jointly execute the instructions **1324** to perform any one or more of the methodologies discussed herein.

The machine **1300** includes a processor **1302** (e.g., a central processing unit (CPU), a graphics processing unit (GPU), a digital signal processor (DSP), an application specific integrated circuit (ASIC), a radio-frequency integrated circuit (RFIC), or any suitable combination thereof), a main memory **1304**, and a static memory **1306**, which are configured to communicate with each other via a bus **1308**. The processor **1302** may contain microcircuits that are configurable, temporarily or permanently, by some or all of the instructions **1324** such that the processor **1302** is configurable to perform any one or more of the methodologies described herein, in whole or in part. For example, a set of one or more microcircuits of the processor **1302** may be configurable to execute one or more modules (e.g., software modules) described herein.

The machine **1300** may further include a graphics display **1310** (e.g., a plasma display panel (PDP), a light emitting diode (LED) display, a liquid crystal display (LCD), a projector, a cathode ray tube (CRT), or any other display capable of displaying graphics or video). The machine **1300**

may also include an input device **1312** (e.g., a keyboard or keypad), a cursor control device **1314** (e.g., a mouse, a touchpad, a trackball, a joystick, a motion sensor, an eye tracking device, or other pointing instrument), a storage unit **1316**, a signal generation device **1318** (e.g., a sound card, an amplifier, a speaker, a headphone jack, or any suitable combination thereof), and a network interface device **1320**.

The storage unit **1316** includes the machine-readable medium **1322** (e.g., a tangible and non-transitory machine-readable storage medium) on which are stored the instructions **1324** embodying any one or more of the methodologies or functions described herein. The instructions **1324** may also reside, completely or at least partially, within the main memory **1304**, within the processor **1302** (e.g., within the processor's cache memory), or both, before or during execution thereof by the machine **1300**. Accordingly, the main memory **1304** and the processor **1302** may be considered machine-readable media (e.g., tangible and non-transitory machine-readable media).

In some example embodiments, the machine **1300** may be a portable computing device, such as a smart phone or tablet computer, and have one or more additional input components (e.g., sensors or gauges). Examples of such input components include an image input component (e.g., one or more cameras), an audio input component (e.g., a microphone), a direction input component (e.g., a compass), a location input component (e.g., a global positioning system (GPS) receiver), an orientation component (e.g., a gyroscope), a motion detection component (e.g., one or more accelerometers), an altitude detection component (e.g., an altimeter), and a gas detection component (e.g., a gas sensor). Inputs harvested by any one or more of these input components may be accessible and available for use by any of the modules described herein.

As used herein, the term "memory" refers to a machine-readable medium able to store data temporarily or permanently and may be taken to include, but not be limited to, random-access memory (RAM), read-only memory (ROM), buffer memory, flash memory, and cache memory. While the machine-readable medium **1322** is shown in an example embodiment to be a single medium, the term "machine-readable medium" should be taken to include a single medium or multiple media (e.g., a centralized or distributed database, or associated caches and servers) able to store instructions. The term "machine-readable medium" shall also be taken to include any medium, or combination of multiple media, that is capable of storing instructions for execution by a machine (e.g., machine **1300**), such that the instructions, when executed by one or more processors of the machine (e.g., processor **1302**), cause the machine to perform any one or more of the methodologies described herein. Accordingly, a "machine-readable medium" refers to a single storage apparatus or device, as well as "cloud-based" storage systems or storage networks that include multiple storage apparatus or devices. The term "machine-readable medium" shall accordingly be taken to include, but not be limited to, one or more data repositories in the form of a solid-state memory, an optical medium, a magnetic medium, or any suitable combination thereof.

Furthermore, the tangible machine-readable medium is non-transitory in that it does not embody a propagating signal. However, labeling the tangible machine-readable medium as "non-transitory" should not be construed to mean that the medium is incapable of movement—the medium should be considered as being transportable from one physical location to another. Additionally, since the machine-

readable medium is tangible, the medium may be considered to be a machine-readable device.

The instructions **1324** may further be transmitted or received over a communications network **1326** using a transmission medium via the network interface device **1320** and utilizing any one of a number of well-known transfer protocols (e.g., HTTP). Examples of communication networks include a local area network (LAN), a wide area network (WAN), the Internet, mobile telephone networks, plain old telephone service (POTS) networks, and wireless data networks (e.g., WiFi, LTE, and WiMAX networks). The term "transmission medium" shall be taken to include any intangible medium that is capable of storing, encoding, or carrying instructions for execution by the machine, and includes digital or analog communications signals or other intangible medium to facilitate communication of such software.

Throughout this specification, plural instances may implement components, operations, or structures described as a single instance. Although individual operations of one or more methods are illustrated and described as separate operations, one or more of the individual operations may be performed concurrently, and nothing requires that the operations be performed in the order illustrated. Structures and functionality presented as separate components in example configurations may be implemented as a combined structure or component. Similarly, structures and functionality presented as a single component may be implemented as separate components. These and other variations, modifications, additions, and improvements fall within the scope of the subject matter herein.

Certain embodiments are described herein as including logic or a number of components, modules, or mechanisms. Modules may constitute either software modules (e.g., code embodied on a machine-readable medium or in a transmission signal) or hardware modules. A "hardware module" is a tangible unit capable of performing certain operations and may be configured or arranged in a certain physical manner. In various example embodiments, one or more computer systems (e.g., a standalone computer system, a client computer system, or a server computer system) or one or more hardware modules of a computer system (e.g., a processor or a group of processors) may be configured by software (e.g., an application or application portion) as a hardware module that operates to perform certain operations as described herein.

In some embodiments, a hardware module may be implemented mechanically, electronically, or any suitable combination thereof. For example, a hardware module may include dedicated circuitry or logic that is permanently configured to perform certain operations. For example, a hardware module may be a special-purpose processor, such as a field-programmable gate array (FPGA) or an ASIC. A hardware module may also include programmable logic or circuitry that is temporarily configured by software to perform certain operations. For example, a hardware module may include software encompassed within a general-purpose processor or other programmable processor. It will be appreciated that the decision to implement a hardware module mechanically, in dedicated and permanently configured circuitry, or in temporarily configured circuitry (e.g., configured by software) may be driven by cost and time considerations.

Accordingly, the phrase "hardware module" should be understood to encompass a tangible entity, be that an entity that is physically constructed, permanently configured (e.g., hardwired), or temporarily configured (e.g., programmed) to

operate in a certain manner or to perform certain operations described herein. As used herein, “hardware-implemented module” refers to a hardware module. Considering embodiments in which hardware modules are temporarily configured (e.g., programmed), each of the hardware modules need not be configured or instantiated at any one instance in time. For example, where a hardware module comprises a general-purpose processor configured by software to become a special-purpose processor, the general-purpose processor may be configured as respectively different special-purpose processors (e.g., comprising different hardware modules) at different times. Software may accordingly configure a processor, for example, to constitute a particular hardware module at one instance of time and to constitute a different hardware module at a different instance of time.

Hardware modules can provide information to, and receive information from, other hardware modules. Accordingly, the described hardware modules may be regarded as being communicatively coupled. Where multiple hardware modules exist contemporaneously, communications may be achieved through signal transmission (e.g., over appropriate circuits and buses) between or among two or more of the hardware modules. In embodiments in which multiple hardware modules are configured or instantiated at different times, communications between such hardware modules may be achieved, for example, through the storage and retrieval of information in memory structures to which the multiple hardware modules have access. For example, one hardware module may perform an operation and store the output of that operation in a memory device to which it is communicatively coupled. A further hardware module may then, at a later time, access the memory device to retrieve and process the stored output. Hardware modules may also initiate communications with input or output devices, and can operate on a resource (e.g., a collection of information).

The various operations of example methods described herein may be performed, at least partially, by one or more processors that are temporarily configured (e.g., by software) or permanently configured to perform the relevant operations. Whether temporarily or permanently configured, such processors may constitute processor-implemented modules that operate to perform one or more operations or functions described herein. As used herein, “processor-implemented module” refers to a hardware module implemented using one or more processors.

Similarly, the methods described herein may be at least partially processor-implemented, a processor being an example of hardware. For example, at least some of the operations of a method may be performed by one or more processors or processor-implemented modules. Moreover, the one or more processors may also operate to support performance of the relevant operations in a “cloud computing” environment or as a “software as a service” (SaaS). For example, at least some of the operations may be performed by a group of computers (as examples of machines including processors), with these operations being accessible via a network (e.g., the Internet) and via one or more appropriate interfaces (e.g., an application program interface (API)).

The performance of certain of the operations may be distributed among the one or more processors, not only residing within a single machine, but deployed across a number of machines. In some example embodiments, the one or more processors or processor-implemented modules may be located in a single geographic location (e.g., within a home environment, an office environment, or a server farm). In other example embodiments, the one or more

processors or processor-implemented modules may be distributed across a number of geographic locations.

Some portions of the subject matter discussed herein may be presented in terms of algorithms or symbolic representations of operations on data stored as bits or binary digital signals within a machine memory (e.g., a computer memory). Such algorithms or symbolic representations are examples of techniques used by those of ordinary skill in the data processing arts to convey the substance of their work to others skilled in the art. As used herein, an “algorithm” is a self-consistent sequence of operations or similar processing leading to a desired result. In this context, algorithms and operations involve physical manipulation of physical quantities. Typically, but not necessarily, such quantities may take the form of electrical, magnetic, or optical signals capable of being stored, accessed, transferred, combined, compared, or otherwise manipulated by a machine. It is convenient at times, principally for reasons of common usage, to refer to such signals using words such as “data,” “content,” “bits,” “values,” “elements,” “symbols,” “characters,” “terms,” “numbers,” “numerals,” or the like. These words, however, are merely convenient labels and are to be associated with appropriate physical quantities.

Unless specifically stated otherwise, discussions herein using words such as “processing,” “computing,” “calculating,” “determining,” “presenting,” “displaying,” or the like may refer to actions or processes of a machine (e.g., a computer) that manipulates or transforms data represented as physical (e.g., electronic, magnetic, or optical) quantities within one or more memories (e.g., volatile memory, non-volatile memory, or any suitable combination thereof), registers, or other machine components that receive, store, transmit, or display information. Furthermore, unless specifically stated otherwise, the terms “a” or “an” are herein used, as is common in patent documents, to include one or more than one instance. Finally, as used herein, the conjunction “or” refers to a non-exclusive “or,” unless specifically stated otherwise.

Although an overview of the inventive subject matter has been described with reference to specific example embodiments, various modifications and changes may be made to these embodiments without departing from the broader spirit and scope of embodiments of the present invention. Such embodiments of the inventive subject matter may be referred to herein, individually or collectively, by the term “invention” merely for convenience and without intending to voluntarily limit the scope of this application to any single invention or inventive concept if more than one is, in fact, disclosed.

The embodiments illustrated herein are described in sufficient detail to enable those skilled in the art to practice the teachings disclosed. Other embodiments may be used and derived therefrom, such that structural and logical substitutions and changes may be made without departing from the scope of this disclosure. The Detailed Description, therefore, is not to be taken in a limiting sense, and the scope of various embodiments is defined only by the appended claims, along with the full range of equivalents to which such claims are entitled.

As used herein, the term “or” may be construed in either an inclusive or exclusive sense. Moreover, plural instances may be provided for resources, operations, or structures described herein as a single instance. Additionally, boundaries between various resources, operations, modules, engines, and data stores are somewhat arbitrary, and particular operations are illustrated in a context of specific illustrative configurations. Other allocations of functionality

19

are envisioned and may fall within a scope of various embodiments of the present invention. In general, structures and functionality presented as separate resources in the example configurations may be implemented as a combined structure or resource. Similarly, structures and functionality presented as a single resource may be implemented as separate resources. These and other variations, modifications, additions, and improvements fall within a scope of embodiments of the present invention as represented by the appended claims. The specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

What is claimed is:

1. A method comprising:

monitoring, by an application server, actions performed by a user on an application of a client device;

automatically tracking, by the application server without user interaction, a location of the client device of the user;

using the tracked location, automatically identifying, by a hardware processor of the application server and without user interaction, a plurality of available items in a plurality of stores the user has previously expressed interest in based on the monitoring of actions, the plurality of available items being located within a predetermined distance to the tracked location of the client device,

electronically transmitting map information to the client device, the map information causing presentation, on a user interface of the client device, of a map showing nodes representing locations of each of the plurality of stores having at least one of the plurality of available items;

receiving, by the application server, user selection and movement of at least one of the nodes on the map displayed on the user interface to change a sequence of a route between the plurality of stores on the map, the user selection and movement of the at least one of the nodes causing an order of the plurality of stores along the route to be rearranged;

in response to receiving the user selection and movement of the at least one of the nodes, updating the map with the changed sequence of the route between the plurality of stores and causing display of the updated map on the client device;

receiving an indication to hold at least two versions of an available item of the plurality of available items;

processing a purchase transaction for an order comprising the at least two versions of the available item, the processing comprising charging the user for purchase of one of the at least two versions of the available item; and

in response to processing the purchase transaction, transmitting a notification to a merchant associated with a store of the plurality of stores with instructions to hold the at least two versions of the available item, the user to receive one of the at least two versions of the available item.

2. The method of claim 1, further comprising:

receiving an indication to hold a second available item of the plurality of available items; and

transmitting a second notification to a second merchant having the second available item with instructions to hold the second available item.

3. The method of claim 2, further comprising:

receiving an indication to purchase a second available item of the plurality of available items;

20

processing a purchase transaction for an order including the second available item; and

transmitting a second notification to a second merchant with instructions to package the second available item for user pick up.

4. The method of claim 3, wherein:

the order comprises a multi-merchant order, and a pick up location comprises a central location relative to the second merchant and other merchants having items in the multi-merchant order.

5. The method of claim 1, further comprising:

locating the merchant having the available item of the plurality of available items on the map.

6. The method of claim 5, further comprising:

locating other merchants having items of interest from the plurality of available items on the map;

wherein the route indicates distance between each location.

7. The method of claim 2, further comprising:

locating the available item of the plurality of available items on an in-store map; and

causing display of the in-store map to the user.

8. The method of claim 7, wherein the causing the display of the in-store map comprises transmitting the in-store map to the client device of the user in response to the client device scanning a code displayed on a touchscreen of a kiosk, the kiosk being an electronic terminal comprising the touchscreen.

9. The method of claim 7, wherein the causing the display of the in-store map comprises transmitting the in-store map to the client device of the user using an identifier of the client device.

10. The method of claim 1, wherein each of the plurality of available items comprises an item the user has previously expressed interest in by leaving the item in a cart without purchase.

11. The method of claim 1, further comprising:

storing the monitored actions to a database;

analyzing the stored actions to derive item affinities; and

storing the derived item affinities to the data storage.

12. The method of claim 1, further comprising:

receiving, via the client device, search parameters for an item of interest from the user;

performing a search using the search parameters for items available;

providing a result of the search to the user interface of the client device; and

receiving a selection of a further available item from the result.

13. The method of claim 12, wherein the available item is a recommendation provided in response to the selection of the further available item.

14. The method of claim 12, wherein the causing the presentation of the map comprises causing presentation of a discount to be applied to an order based on the user adding the available item to the order comprising the further available item.

15. The method of claim 1, further comprising:

maintaining a purchase history of the user;

retrieving a past transaction from the purchase history in response to a request from the client device;

causing presentation of the retrieved past transaction on the client device, the presentation including an option to return an item from the past transaction;

receiving a selection of the option to return the item, the item to be left at a central location; and

21

transmitting a notification to a merchant associated with the returned item to retrieve the returned item from the central location.

16. A machine-readable medium having no transitory signals and storing instructions which, when executed by the at least one processor of a machine, cause the machine to perform operations comprising:

monitoring actions performed by a user on an application of a client device;

automatically tracking, without user interaction, a location of the client device of the user;

using the tracked location, automatically identifying, without user interaction, a plurality of available items in a plurality of stores the user has previously expressed interest in based on the monitoring of actions, the plurality of available items being located within a predetermined distance to the tracked location of the client device;

electronically transmitting map information to the client device, the map information causing presentation, on a user interface of the client device, of a map showing nodes representing locations of each of the plurality of stores having at least one of the plurality of available items;

receiving user selection and movement of at least one of the nodes on the map displayed on the user interface to change a sequence of a route between the plurality of stores on the map, the user selection and movement of the at least one of the nodes causing an order of the plurality of stores along the route to be rearranged;

in response to receiving the user selection and movement of the at least one of the nodes, updating the map with the changed sequence of the route between the plurality of stores and causing display of the updated map on the client device;

receiving an indication to hold at least two versions of an available item of the plurality of available items;

processing a purchase transaction for an order comprising the at least two versions of the available item, the processing comprising charging the user for purchase of one of the at least two versions of the available item; and

in response to processing the purchase transaction, transmitting a notification to a merchant associated with a store of the plurality of stores with instructions to hold the at least two versions of the available item, the user to receive one of the at most two versions of the available item.

22

17. A system comprising:

one or more processors; and

a memory storing instructions that when executed by the one or more processors, causes the one or more processors to perform operations comprising:

monitoring actions performed by a user on an application of a client device;

automatically tracking, without user interaction, a location of the client device of the user;

using the tracked locations, automatically identifying, without using interaction a plurality of available items in a plurality of stores the user has previously expressed interest in based on the monitoring of actions, the plurality of available items being located within a predetermined distance to the tracked location of the client device;

electronically transmitting map information to the client device, the map information causing presentation, on a user interface of the client device, of a map showing nodes representing locations of each of the plurality of stores having at least one of the plurality of available items;

receiving user selection and movement of at least one of the nodes on the map displayed on the user interface to change a sequence of a route between the plurality of stores on the map, the user selection and movement of the at least one of the nodes causing an order of the plurality of stores along the route to be rearranged;

in response to receiving the user selection and movement of the at least one of the nodes, updating the map with the changed sequence of the route between the plurality of stores and causing display of the updated map on the client device;

receiving an indication to hold at least two versions of an available item of the plurality of available items;

processing a purchase transaction for an order comprising the at least two versions of the available item, the processing comprising charging the user for purchase of one of the at least two versions of the available item; and

in response to processing the purchase transaction, transmitting a notification to a merchant associated with a store of the plurality of stores with instructions to hold the at least two versions of the available item, the user to receive one of the at least two versions of the available item.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 10,963,951 B2
APPLICATION NO. : 14/474117
DATED : March 30, 2021
INVENTOR(S) : Matthew Bret MacLaurin et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (56), in Column 2, under "Other Publications", Line 3, delete
"digitalcommerce360.conn" and insert -- digitalcommerce360.com --, therefor.

In the Claims

In Column 19, Line 27, in Claim 1, delete "device," and insert --device; --, therefor.

In Column 19, Line 65, in Claim 3, delete "claim 2," and insert -- claim 1, --, therefor.

In Column 20, Line 20, in Claim 7, delete "claim 2," and insert -- claim 1, --, therefor.

In Column 20, Line 61, in Claim 15, delete "his" and insert -- history in --, therefor.

In Column 21, Line 47, in Claim 16, delete "mast" and insert -- least --, therefor.

In Column 22, Line 10, in Claim 17, delete "locations," and insert -- location, --, therefor.

In Column 22, Line 11, in Claim 17, delete "using interaction" and insert -- user interaction, --,
therefor.

Signed and Sealed this
Twenty-second Day of June, 2021



Drew Hirshfeld
*Performing the Functions and Duties of the
Under Secretary of Commerce for Intellectual Property and
Director of the United States Patent and Trademark Office*