



US011020526B2

(12) **United States Patent**
Dirac et al.

(10) **Patent No.:** **US 11,020,526 B2**
(45) **Date of Patent:** **Jun. 1, 2021**

(54) **SPRINKLER CANNULA**

(75) Inventors: **Holger Dirac**, Birkerød (DK); **John Myhre Frederiksen**, Borup (DK); **Søren Thorup**, Frederiksberg C (DK); **Bo L. Justesen**, Ringsted (DK)

(73) Assignee: **Unomedical A/S**, Birkerød (DK)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/823,236**

(22) PCT Filed: **Sep. 30, 2011**

(86) PCT No.: **PCT/EP2011/067066**

§ 371 (c)(1),
(2), (4) Date: **Jun. 10, 2013**

(87) PCT Pub. No.: **WO2012/045667**

PCT Pub. Date: **Apr. 12, 2012**

(65) **Prior Publication Data**

US 2013/0245555 A1 Sep. 19, 2013

Related U.S. Application Data

(60) Provisional application No. 61/389,595, filed on Oct. 4, 2010.

(30) **Foreign Application Priority Data**

Oct. 4, 2010 (EP) 10186437

(51) **Int. Cl.**

A61M 5/158 (2006.01)

A61M 5/32 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **A61M 5/158** (2013.01); **A61M 5/3291** (2013.01); **A61M 25/007** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC A61M 5/14; A61M 5/158; A61M 5/3291;
A61M 2025/0081; A61M 2025/0253

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,592,462 A 7/1926 MacGregor

2,047,010 A 7/1936 Dickinson

(Continued)

FOREIGN PATENT DOCUMENTS

DE 4 342 329 A1 6/1994

DE 196 31 921 A1 3/1997

(Continued)

OTHER PUBLICATIONS

International Search Report completed Jun. 27, 2012 for International Application No. PCT/EP2011/067066.

(Continued)

Primary Examiner — Manuel A Mendez


Assistant Examiner — Justin L Zamory

(74) *Attorney, Agent, or Firm* — Taft Stettinius & Hollister LLP; Ryan O. White; Derek B. Lavender

(57) **ABSTRACT**

An infusion device (50) incl. a preferably soft cannula (1) configured to be inserted by means of an insertion needle. The cannula has a tubular body member having a proximal end and a subcutaneously placed distal portion having a distal end where the distal portion is provided with an opening (2) allowing a portion of a drug conveyed through the tubular body member to discharge. The cannula further comprise, in the distal portion, a radial opening allowing a portion of a drug conveyed through the tubular body member to discharge.

14 Claims, 6 Drawing Sheets



(51)	Int. Cl.		4,850,996 A	7/1989	Cree
	<i>A61M 25/00</i>	(2006.01)	4,863,016 A	9/1989	Fong et al.
	<i>A61M 5/142</i>	(2006.01)	4,878,897 A	11/1989	Katzin
(52)	U.S. Cl.		4,890,608 A	1/1990	Steer
	CPC	<i>A61M 25/0015</i> (2013.01); <i>A61M</i>	4,894,054 A	1/1990	Miskinyar
		<i>2005/14252</i> (2013.01); <i>A61M 2005/1586</i>	4,895,570 A	1/1990	Larkin
		(2013.01)	4,917,669 A	4/1990	Bonaldo
(58)	Field of Classification Search		4,935,010 A	6/1990	Cox et al.
	USPC	604/117, 151, 174, 272	4,950,163 A	8/1990	Zimble
	See application file for complete search history.		4,950,252 A	8/1990	Luther et al.
			4,956,989 A	9/1990	Nakajima
			4,970,954 A	11/1990	Weir et al.
			4,978,338 A	12/1990	Melsky et al.
(56)	References Cited		4,982,842 A	1/1991	Hollister
	U.S. PATENT DOCUMENTS		4,986,817 A	1/1991	Code
			4,994,042 A	2/1991	Vadher
			4,994,045 A	2/1991	Ranford
			5,011,475 A	4/1991	Olson
	2,295,849 A	9/1942 Kayden	5,020,665 A	6/1991	Bruno
	2,690,529 A	9/1954 Lindblad	5,024,662 A	6/1991	Menes et al.
	2,972,779 A	2/1961 Cowley	5,067,496 A	11/1991	Eisele
	3,059,802 A	10/1962 Mitchell	5,092,853 A	3/1992	Couvertier, II
	3,074,541 A	1/1963 Roehr	5,098,389 A	3/1992	Cappucci
	3,149,186 A	9/1964 Coanda	5,112,313 A	5/1992	Sallee
	3,221,739 A	12/1965 Rosenthal	5,116,319 A	5/1992	Van den Haak
	3,221,740 A	12/1965 Rosenthal	5,116,325 A	5/1992	Paterson
	3,306,291 A	2/1967 Burke	5,121,751 A	6/1992	Panalletta
	3,485,352 A	12/1969 Pilger	5,129,884 A	7/1992	Dysarz
	3,509,879 A	5/1970 Bathish et al.	5,135,502 A	8/1992	Koenig, Jr. et al.
	3,519,158 A	7/1970 Anderson	5,137,516 A	8/1992	Rand et al.
	3,547,119 A	12/1970 Hall et al.	5,137,524 A	8/1992	Lynn et al.
	3,575,337 A	4/1971 Bernhardt	5,141,496 A	8/1992	Dalto et al.
	3,610,240 A	10/1971 Harautuneian	5,147,375 A	9/1992	Sullivan et al.
	3,615,039 A	10/1971 Ward	5,163,915 A	11/1992	Holleron
	3,670,727 A	6/1972 Reiterman	5,172,808 A	12/1992	Bruno
	3,783,895 A	1/1974 Weichselbaum	5,176,643 A	1/1993	Kramer et al.
	3,788,374 A	1/1974 Saijo	5,176,650 A	1/1993	Haining
	3,810,469 A	5/1974 Hurschman	5,176,662 A	1/1993	Bartholomew et al.
	3,835,862 A	9/1974 Villari	5,186,712 A	2/1993	Kelso et al.
	3,840,011 A	10/1974 Wright	5,188,611 A	2/1993	Orgain
	3,893,448 A	7/1975 Brantigan	RE34,223 E	4/1993	Bonaldo
	3,937,219 A	2/1976 Karakashian	5,205,820 A	4/1993	Kriesel
	3,986,507 A	10/1976 Watt	5,222,947 A	6/1993	D'Amico
	3,986,508 A	10/1976 Barrington	5,232,454 A	8/1993	Hollister
	3,995,518 A	12/1976 Spiroff	5,248,301 A	9/1993	Koenig et al.
	4,022,205 A	5/1977 Tenczar	5,256,149 A	10/1993	Banik et al.
	4,188,950 A	2/1980 Wardlaw	5,256,152 A	10/1993	Marks
	4,201,406 A	5/1980 Dennehey et al.	5,257,980 A	11/1993	Van Antwerp et al.
	4,227,528 A	10/1980 Wardlaw	5,267,963 A	12/1993	Bachynsky
	4,259,276 A	3/1981 Rawlings	5,267,979 A	12/1993	Appling et al.
	4,267,836 A	5/1981 Whitney et al.	5,269,799 A	12/1993	Daniel
	4,296,786 A	10/1981 Brignola	5,271,744 A	12/1993	Kramer et al.
	4,315,505 A	2/1982 Crandall et al.	5,279,579 A	1/1994	D'Amico
	4,333,455 A	6/1982 Bodicky	5,279,591 A	1/1994	Simon
	4,334,551 A	6/1982 Pfister	5,282,793 A	2/1994	Larson
	D267,199 S	12/1982 Koenig	5,300,030 A	4/1994	Crossman et al.
	4,378,015 A	3/1983 Wardlaw	5,312,359 A	5/1994	Wallace
	4,402,407 A	9/1983 Maly	5,312,369 A	5/1994	Arcusin et al.
	4,415,393 A	11/1983 Grimes	5,316,246 A	5/1994	Scott et al.
	4,417,886 A	11/1983 Frankhouser et al.	5,324,302 A	6/1994	Crouse
	4,464,178 A	8/1984 Dalton	5,342,319 A	8/1994	Watson et al.
	4,473,369 A	9/1984 Lueders et al.	5,342,324 A	8/1994	Tucker
	4,484,910 A	11/1984 Sarnoff et al.	5,344,007 A	9/1994	Nakamura et al.
	4,500,312 A	2/1985 McFarlane	5,350,392 A	9/1994	Purcell et al.
	4,508,367 A	4/1985 Oreopoulos et al.	5,354,280 A	10/1994	Haber et al.
	4,525,157 A	6/1985 Vaillancourt	5,354,337 A	10/1994	Hoy
	4,530,695 A	7/1985 Phillips et al.	5,366,469 A	11/1994	Steg et al.
	4,531,937 A	7/1985 Yates	5,372,592 A	12/1994	Gambale
	4,543,088 A	9/1985 Bootman et al.	5,372,787 A	12/1994	Ritter
	4,563,177 A	1/1986 Kamen	5,376,082 A	12/1994	Phelps
	4,610,469 A	9/1986 Wolff-Mooij	5,379,895 A	1/1995	Foslien
	4,617,019 A	10/1986 Fecht	5,380,307 A *	1/1995	Chee et al. 604/264
	4,713,059 A	12/1987 Bickelhaupt et al.	5,384,174 A	1/1995	Ward et al.
	4,734,092 A	3/1988 Millerd	5,387,197 A	2/1995	Smith et al.
	4,755,173 A	7/1988 Konopka et al.	5,390,669 A	2/1995	Stuart et al.
	4,817,603 A	4/1989 Turner et al.	5,391,151 A	2/1995	Wilmot
	RE32,922 E	5/1989 Levin et al.	5,403,288 A	4/1995	Stanners
	4,838,871 A	6/1989 Luther	5,405,332 A	4/1995	Opalek
	4,840,613 A	6/1989 Balbierz	5,425,715 A	6/1995	Dalling et al.
	4,850,974 A	7/1989 Bickelhaupt et al.			

(56)

References Cited

U.S. PATENT DOCUMENTS

5,429,607 A	7/1995	McPhee	5,954,643 A	9/1999	VanAntwerp et al.
5,429,613 A	7/1995	D'Amico	5,957,892 A	9/1999	Thorne
5,439,473 A	8/1995	Jorgensen	5,957,897 A	9/1999	Jeffrey
D362,718 S	9/1995	Deily et al.	5,968,011 A	10/1999	Larsen et al.
5,449,349 A	9/1995	Sallee et al.	5,971,966 A	10/1999	Lav
5,451,210 A	9/1995	Kramer et al.	5,975,120 A	11/1999	Novosel
5,478,316 A	12/1995	Bitdinger et al.	5,980,488 A	11/1999	Thorne
5,490,841 A	2/1996	Landis	5,980,506 A	11/1999	Mathiasen
5,501,675 A	3/1996	Erskine	5,984,224 A	11/1999	Yang
5,505,709 A	4/1996	Funderburk et al.	5,984,897 A	11/1999	Petersen et al.
5,507,730 A	4/1996	Haber et al.	D417,733 S	12/1999	Howell et al.
5,514,117 A	5/1996	Lynn	6,017,328 A	1/2000	Fischell et al.
5,520,654 A	5/1996	Wahlberg	6,017,598 A	1/2000	Kreisler et al.
5,522,803 A	6/1996	Teissen-Simony	D421,119 S	2/2000	Musgrave et al.
5,527,287 A	6/1996	Miskinyar et al.	6,024,727 A	2/2000	Thorne et al.
5,533,974 A	7/1996	Gaba	6,039,629 A	3/2000	Mitchell
5,540,709 A	7/1996	Ramel	6,042,570 A	3/2000	Bell et al.
5,545,143 A	8/1996	Fischell	6,045,533 A	4/2000	Kriesel et al.
5,545,152 A	8/1996	Funderburk et al.	6,045,534 A	4/2000	Jacobsen et al.
5,549,577 A	8/1996	Siegel et al.	6,050,976 A	4/2000	Thorne et al.
5,554,130 A	9/1996	McDonald et al.	6,053,893 A	4/2000	Bucher
5,558,650 A	9/1996	McPhee	6,053,930 A	4/2000	Ruppert
5,562,629 A	10/1996	Haughton et al.	6,056,718 A	5/2000	Funderburk et al.
5,562,636 A	10/1996	Utterberg	6,056,726 A	5/2000	Isaacson
5,573,510 A	11/1996	Isaacson	6,074,369 A	6/2000	Sage et al.
5,575,777 A	11/1996	Cover et al.	6,074,371 A	6/2000	Fischell
5,584,813 A	12/1996	Livingston et al.	6,077,244 A	6/2000	Botich et al.
5,586,553 A	12/1996	Halili et al.	6,079,432 A	6/2000	Paradis
5,591,188 A	1/1997	Waisman	6,086,008 A	7/2000	Gray et al.
5,599,309 A	2/1997	Marshall et al.	6,086,575 A	7/2000	Mejslov
5,599,315 A	2/1997	McPhee	6,090,068 A	7/2000	Chanut
5,599,318 A	2/1997	Sweeney et al.	6,093,172 A	7/2000	Funderburk et al.
5,628,765 A	5/1997	Morita	6,093,179 A	7/2000	O'Hara et al.
5,643,214 A	7/1997	Marshall	6,099,503 A	8/2000	Stradella
5,643,216 A	7/1997	White	6,105,218 A	8/2000	Reekie
5,643,220 A	7/1997	Cosme	6,106,498 A	8/2000	Friedli et al.
5,658,256 A	8/1997	Shields	6,120,482 A	9/2000	Szabo
5,662,617 A	9/1997	Odell et al.	6,123,690 A	9/2000	Mejslov
5,665,071 A	9/1997	Wyrick	6,132,755 A	10/2000	Eicher et al.
5,665,075 A	9/1997	Gyure et al.	6,139,534 A	10/2000	Niedospial, Jr.
5,676,156 A	10/1997	Yoon	6,159,181 A	12/2000	Crossman et al.
5,681,323 A	10/1997	Arick	6,183,464 B1	2/2001	Sharp et al.
5,695,476 A	12/1997	Harris	6,191,338 B1	2/2001	Haller
5,697,907 A	12/1997	Gaba	6,193,694 B1	2/2001	Bell et al.
5,700,250 A	12/1997	Erskine	6,210,420 B1	4/2001	Mauze et al.
5,702,371 A	12/1997	Bierman	6,219,574 B1	4/2001	Cormier et al.
5,704,920 A	1/1998	Gyure	6,221,058 B1	4/2001	Kao et al.
5,709,662 A	1/1998	Olive et al.	6,248,093 B1	6/2001	Moberg
5,714,225 A	2/1998	Hansen et al.	6,261,272 B1	7/2001	Gross et al.
5,738,641 A	4/1998	Watson et al.	6,280,434 B1 *	8/2001	Kinoshita A61M 25/0041 600/435
5,741,288 A	4/1998	Rife	6,293,925 B1	9/2001	Safabash et al.
5,752,923 A	5/1998	Terwilliger	6,302,866 B1	10/2001	Marggi
5,807,316 A	9/1998	Teepie	6,319,232 B1	11/2001	Kashmer
5,807,348 A	9/1998	Zinger et al.	6,322,535 B1	11/2001	Hitchins et al.
5,810,835 A	9/1998	Ryan et al.	6,322,808 B1	11/2001	Trautman et al.
5,817,058 A	10/1998	Shaw	6,334,856 B1	1/2002	Allen et al.
5,820,598 A	10/1998	Gazza et al.	6,355,021 B1	3/2002	Nielsen et al.
5,827,236 A	10/1998	Takahashi	6,364,113 B1	4/2002	Faasse et al.
5,833,666 A	11/1998	Davis et al.	6,378,218 B2	4/2002	Sigwart et al.
5,843,001 A	12/1998	Goldenberg	6,379,335 B1	4/2002	Rigon et al.
5,848,990 A	12/1998	Cirelli et al.	6,387,076 B1	5/2002	Van Landuyt
5,851,197 A	12/1998	Marano et al.	6,387,078 B1	5/2002	Gillespie, III
5,858,001 A	1/1999	Tsals et al.	6,405,876 B1	6/2002	Seshimoto et al.
5,865,806 A	2/1999	Howell	6,440,096 B1	8/2002	Lastovich et al.
5,899,886 A	5/1999	Cosme	6,447,482 B1	9/2002	Rønberg et al.
5,911,705 A	6/1999	Howell	6,450,992 B1	9/2002	Cassidy, Jr.
5,913,846 A	6/1999	Szabo	6,485,461 B1	11/2002	Mason et al.
5,916,199 A	6/1999	Miles	6,488,663 B1	12/2002	Steg
5,919,167 A	7/1999	Mulhauser et al.	6,503,222 B2	1/2003	Lo
5,919,170 A	7/1999	Woessner	6,517,517 B1	2/2003	Farrugia et al.
5,925,032 A	7/1999	Clements	6,517,521 B1	2/2003	Ly
5,935,109 A	8/1999	Donnan	6,520,938 B1	2/2003	Funderburk et al.
5,947,931 A	9/1999	Bierman	D472,316 S	3/2003	Douglas et al.
5,947,935 A	9/1999	Rhinehart et al.	6,533,763 B1 *	3/2003	Schneiter A61M 25/007 604/264
5,951,523 A	9/1999	Osterlind et al.	D472,630 S	4/2003	Douglas et al.
			6,572,586 B1	6/2003	Wojcik
			6,579,267 B2	6/2003	Lynch et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,582,397 B2	6/2003	Alesi et al.	7,322,473 B2	1/2008	Fux
6,595,962 B1	7/2003	Perthu	7,407,491 B2	8/2008	Fangrow, Jr.
6,607,509 B2	8/2003	Bobroff et al.	7,407,493 B2	8/2008	Cane'
6,607,511 B2	8/2003	Halseth et al.	7,431,876 B2	10/2008	Mejlhede et al.
6,613,064 B2	9/2003	Rutynowski et al.	7,441,655 B1	10/2008	Hoftman
6,620,133 B1	9/2003	Steck	7,569,262 B2	8/2009	Szabo et al.
6,620,136 B1	9/2003	Pressly, Sr. et al.	7,648,494 B2	1/2010	Kornerup et al.
6,620,140 B1	9/2003	Metzger	7,766,867 B2	8/2010	Lynch et al.
6,629,949 B1	10/2003	Douglas	7,846,132 B2	12/2010	Gravesen et al.
6,645,181 B1	11/2003	Lavi et al.	7,850,652 B2	12/2010	Liniger et al.
6,645,182 B1	11/2003	Szabo	8,012,126 B2	9/2011	Tipsmark et al.
6,659,982 B2	12/2003	Douglas et al.	8,087,333 B2	1/2012	Oishi
6,685,674 B2	2/2004	Douglas et al.	8,123,724 B2	2/2012	Gillespie, III
6,689,118 B2 *	2/2004	Alohas et al. 604/506	8,303,549 B2	11/2012	Mejlhede et al.
6,699,218 B2	3/2004	Flaherty et al.	8,323,250 B2	12/2012	Chong et al.
6,702,779 B2	3/2004	Connelly et al.	2001/0004970 A1	6/2001	Hollister et al.
6,726,649 B2	4/2004	Swenson et al.	2001/0016714 A1	8/2001	Bell et al.
6,736,797 B1	5/2004	Larsen et al.	2001/0021827 A1	9/2001	Ferguson et al.
6,743,203 B1	6/2004	Pickhard	2001/0039387 A1	11/2001	Rutynowski et al.
6,749,587 B2	6/2004	Flaherty	2001/0039401 A1	11/2001	Ferguson et al.
6,749,589 B1	6/2004	Douglas et al.	2001/0041875 A1	11/2001	Higuchi et al.
6,755,805 B1	6/2004	Reid	2001/0049496 A1	12/2001	Kirchhofer
6,776,775 B1	8/2004	Mohammad	2001/0053889 A1	12/2001	Marggi
6,790,199 B1	9/2004	Gianakos	2001/0056284 A1	12/2001	Purcell et al.
6,805,686 B1	10/2004	Fathallah et al.	2002/0022798 A1	2/2002	Connelly et al.
6,808,506 B2	10/2004	Lastovich et al.	2002/0022855 A1	2/2002	Bobroff et al.
6,811,545 B2	11/2004	Vaillancourt	2002/0026152 A1	2/2002	Bierman
6,814,720 B2	11/2004	Olsen et al.	2002/0055711 A1	5/2002	Lavi et al.
6,824,530 B2	11/2004	Wagner et al.	2002/0068904 A1	6/2002	Bierman et al.
6,824,531 B1	11/2004	Zecha, Jr. et al.	2002/0072720 A1	6/2002	Hague et al.
6,830,562 B2	12/2004	Mogensen et al.	2002/0074345 A1	6/2002	Schneider et al.
6,837,877 B2	1/2005	Zurcher	2002/0077599 A1	6/2002	Wojcik
6,837,878 B2	1/2005	Smutney et al.	2002/0082543 A1	6/2002	Park et al.
6,840,922 B2	1/2005	Nielsen et al.	2002/0095138 A1	7/2002	Lynch et al.
6,880,701 B2	4/2005	Bergeron et al.	2002/0107489 A1	8/2002	Lee
6,923,791 B2	8/2005	Douglas	2002/0111581 A1	8/2002	Sasso
6,926,694 B2	8/2005	Marano-Ford et al.	2002/0156424 A1	10/2002	Suzuki et al.
6,939,324 B2	9/2005	Gonnelli et al.	2002/0156427 A1	10/2002	Suzuki et al.
6,939,331 B2	9/2005	Ohshima	2002/0161322 A1	10/2002	Utterberg et al.
6,949,084 B2	9/2005	Marggi et al.	2002/0161332 A1	10/2002	Ramey
6,959,812 B2	11/2005	Reif et al.	2002/0161386 A1	10/2002	Halseth et al.
6,960,193 B2	11/2005	Rosenberg	2002/0165493 A1	11/2002	Bierman
6,979,316 B1	12/2005	Rubin et al.	2002/0169419 A1	11/2002	Steg
6,991,619 B2	1/2006	Marano-Ford et al.	2002/0173748 A1	11/2002	McConnell et al.
6,991,620 B2	1/2006	Marano-Ford et al.	2002/0173769 A1	11/2002	Gray et al.
6,994,213 B2	2/2006	Giard et al.	2002/0183688 A1	12/2002	Lastovich et al.
6,997,907 B2	2/2006	Safabash et al.	2002/0189688 A1	12/2002	Roorda
7,014,625 B2	3/2006	Bengtsson	2002/0193737 A1	12/2002	Popovsky
7,018,344 B2	3/2006	Bressler et al.	2002/0193744 A1	12/2002	Alesi et al.
7,022,108 B2	4/2006	Marano-Ford et al.	2003/0014018 A1	1/2003	Giambattista et al.
7,047,070 B2	5/2006	Wilkinson et al.	2003/0060781 A1	3/2003	Mogensen et al.
7,052,483 B2	5/2006	Wojcik	2003/0069548 A1	4/2003	Connelly et al.
7,055,713 B2	6/2006	Rea et al.	2003/0088238 A1	5/2003	Poulsen et al.
7,056,302 B2	6/2006	Douglas	2003/0105430 A1	6/2003	Lavi et al.
7,070,580 B2	7/2006	Nielsen	2003/0109829 A1	6/2003	Mogensen et al.
7,074,208 B2	7/2006	Pajunk et al.	2003/0125669 A1	7/2003	Safabash et al.
D526,409 S	8/2006	Nielsen et al.	2003/0125678 A1	7/2003	Swenson et al.
7,083,592 B2	8/2006	Lastovich et al.	2003/0130619 A1	7/2003	Safabash et al.
7,083,597 B2	8/2006	Lynch et al.	2003/0139704 A1	7/2003	Lin
7,097,631 B2	8/2006	Trautman et al.	2003/0158520 A1	8/2003	Safabash et al.
7,109,878 B2	9/2006	Mann et al.	2003/0176843 A1	9/2003	Wilkinson
7,115,108 B2	10/2006	Wilkinson et al.	2003/0176852 A1	9/2003	Lynch et al.
7,115,112 B2	10/2006	Mogensen et al.	2003/0181863 A1	9/2003	Ackley et al.
7,137,968 B1	11/2006	Burrell et al.	2003/0181868 A1	9/2003	Swenson
7,141,023 B2	11/2006	Diermann et al.	2003/0181873 A1	9/2003	Swenson
7,147,623 B2	12/2006	Mathiasen	2003/0181874 A1	9/2003	Bressler et al.
7,186,236 B2	3/2007	Gibson et al.	2003/0187394 A1	10/2003	Wilkinson et al.
7,211,068 B2	5/2007	Douglas	2003/0187395 A1	10/2003	Gabel
7,214,207 B2	5/2007	Lynch et al.	2003/0199823 A1	10/2003	Bobroff et al.
7,214,215 B2	5/2007	Heinzerling et al.	2003/0216686 A1	11/2003	Lynch et al.
7,250,037 B2	7/2007	Shermer et al.	2003/0220610 A1	11/2003	Lastovich et al.
7,258,680 B2	8/2007	Mogensen et al.	2003/0225373 A1	12/2003	Bobroff et al.
D554,253 S	10/2007	Kornerup	2003/0225374 A1	12/2003	Mathiasen
7,303,543 B1	12/2007	Maule et al.	2003/0229308 A1	12/2003	Tsals et al.
7,309,326 B2	12/2007	Fangrow, Jr.	2003/0229316 A1	12/2003	Hwang et al.
			2004/0002682 A1	1/2004	Kovelman et al.
			2004/0006316 A1	1/2004	Patton
			2004/0030220 A1 *	2/2004	Hamm 600/156
			2004/0044306 A1	3/2004	Lynch et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0049159 A1 3/2004 Barrus et al.
 2004/0055711 A1 3/2004 Martin et al.
 2004/0059316 A1 3/2004 Smedegaard
 2004/0068231 A1 4/2004 Blondeau
 2004/0069044 A1 4/2004 Lavi et al.
 2004/0087913 A1 5/2004 Rogers et al.
 2004/0092865 A1 5/2004 Flaherty et al.
 2004/0092875 A1 5/2004 Kochamba
 2004/0111068 A1 6/2004 Swenson
 2004/0112781 A1 6/2004 Hofverberg et al.
 2004/0116865 A1 6/2004 Bengtsson
 2004/0133164 A1 7/2004 Funderburk et al.
 2004/0138612 A1 7/2004 Shermer et al.
 2004/0138620 A1 7/2004 Douglas et al.
 2004/0143216 A1 7/2004 Douglas et al.
 2004/0143218 A1 7/2004 Das
 2004/0158202 A1 8/2004 Jensen
 2004/0158207 A1 8/2004 Hunn et al.
 2004/0162518 A1 8/2004 Connelly et al.
 2004/0162521 A1 8/2004 Bengtsson
 2004/0171989 A1 9/2004 Horner et al.
 2004/0178098 A1 9/2004 Swenson et al.
 2004/0186446 A1 9/2004 Ohshima
 2004/0193143 A1 9/2004 Sauer
 2004/0199123 A1 10/2004 Nielsen
 2004/0204673 A1 10/2004 Flaherty et al.
 2004/0204687 A1 10/2004 Mogensen et al.
 2004/0204690 A1 10/2004 Yashiro et al.
 2004/0215151 A1 10/2004 Marshall et al.
 2004/0220528 A1 11/2004 Garcia, Jr.
 2004/0236284 A1 11/2004 Hoste et al.
 2004/0238392 A1 12/2004 Peterson et al.
 2004/0243065 A1 12/2004 McConnell et al.
 2004/0254433 A1 12/2004 Bandis et al.
 2004/0260235 A1 12/2004 Douglas
 2004/0260250 A1 12/2004 Harris et al.
 2005/0035014 A1 2/2005 Cane
 2005/0038378 A1 2/2005 Lastovich et al.
 2005/0043687 A1 2/2005 Mogensen et al.
 2005/0049571 A1 3/2005 Lastovich et al.
 2005/0065466 A1 3/2005 Vedrine
 2005/0065472 A1 3/2005 Cindrlich et al.
 2005/0075606 A1 4/2005 Botich et al.
 2005/0080386 A1 4/2005 Reid
 2005/0101910 A1 5/2005 Bowman et al.
 2005/0101912 A1 5/2005 Faust et al.
 2005/0101932 A1 5/2005 Cote et al.
 2005/0101933 A1 5/2005 Marrs et al.
 2005/0107743 A1 5/2005 Fangrow, Jr.
 2005/0113761 A1 5/2005 Faust et al.
 2005/0119611 A1 6/2005 Marano-Ford et al.
 2005/0119619 A1 6/2005 Haining
 2005/0119637 A1 6/2005 Lundgren et al.
 2005/0124936 A1 6/2005 Mogensen et al.
 2005/0131347 A1 6/2005 Marano-Ford et al.
 2005/0159709 A1 7/2005 Wilkinson
 2005/0159714 A1 7/2005 Gibson
 2005/0165382 A1 7/2005 Fulford
 2005/0192560 A1 9/2005 Walls et al.
 2005/0203461 A1 9/2005 Flaherty et al.
 2005/0215979 A1 9/2005 Kornerup et al.
 2005/0240154 A1 10/2005 Mogensen et al.
 2005/0251098 A1 11/2005 Wyss et al.
 2005/0256456 A1 11/2005 Marano-Ford et al.
 2005/0261629 A1 11/2005 Marano-Ford et al.
 2005/0277892 A1 12/2005 Chen
 2005/0283114 A1 12/2005 Bresina et al.
 2006/0015063 A1 1/2006 Butikofer et al.
 2006/0015076 A1 1/2006 Heinzerling et al.
 2006/0030815 A1 2/2006 Csincsuru et al.
 2006/0036214 A1 2/2006 Mogensen et al.
 2006/0041224 A1 2/2006 Jensen
 2006/0069351 A9 3/2006 Safabash et al.
 2006/0069382 A1 3/2006 Pedersen
 2006/0069383 A1 3/2006 Bogaerts et al.

2006/0095003 A1 5/2006 Marano-Ford et al.
 2006/0095014 A1 5/2006 Ethelfeld
 2006/0106346 A1 5/2006 Sullivan et al.
 2006/0129123 A1 6/2006 Wojcik
 2006/0135908 A1 6/2006 Liniger et al.
 2006/0135913 A1 6/2006 Ethelfeld
 2006/0142698 A1 6/2006 Ethelfeld
 2006/0161108 A1 7/2006 Mogensen et al.
 2006/0173410 A1 8/2006 Moberg et al.
 2006/0173413 A1 8/2006 Fan
 2006/0184104 A1 8/2006 Cheney, II et al.
 2006/0184140 A1 8/2006 Okiyama
 2006/0200073 A1 9/2006 Radmer et al.
 2006/0241551 A1 10/2006 Lynch et al.
 2006/0247553 A1 11/2006 Diermann et al.
 2006/0247574 A1 11/2006 Maule et al.
 2006/0253085 A1 11/2006 Geismar et al.
 2006/0253086 A1 11/2006 Moberg et al.
 2006/0264835 A1 11/2006 Nielsen et al.
 2006/0264890 A1 11/2006 Moberg et al.
 2007/0005017 A1 1/2007 Alchas et al.
 2007/0016129 A1 1/2007 Liniger et al.
 2007/0016159 A1 1/2007 Sparholt et al.
 2007/0021729 A1 1/2007 Mogensen et al.
 2007/0049865 A1 3/2007 Radmer et al.
 2007/0049870 A1 3/2007 Gray et al.
 2007/0051784 A1 3/2007 Money et al.
 2007/0066955 A1 3/2007 Sparholt et al.
 2007/0066958 A1 3/2007 Wright
 2007/0088271 A1 4/2007 Richards et al.
 2007/0093754 A1 4/2007 Mogensen et al.
 2007/0104596 A1 5/2007 Preuthun et al.
 2007/0112301 A1 5/2007 Preuthun et al.
 2007/0112303 A1 5/2007 Liniger
 2007/0129688 A1 6/2007 Scheurer et al.
 2007/0129691 A1 6/2007 Sage, Jr. et al.
 2007/0173767 A1 7/2007 Lynch et al.
 2007/0191772 A1 8/2007 Wojcik
 2007/0191773 A1 8/2007 Wojcik
 2007/0203454 A1 8/2007 Shermer et al.
 2007/0185441 A1 9/2007 Fangrow, Jr.
 2007/0213673 A1 9/2007 Douglas
 2007/0179444 A1 10/2007 Causey et al.
 2007/0244448 A1 10/2007 Lastovich et al.
 2007/0282269 A1 12/2007 Carter et al.
 2007/0299409 A1 12/2007 Whitbourne et al.
 2008/0021375 A1* 1/2008 Burns A61M 5/31526
 604/27
 2008/0058692 A1 3/2008 Propp et al.
 2008/0119707 A1 5/2008 Stafford
 2008/0200897 A1 8/2008 Hoss et al.
 2008/0269687 A1 10/2008 Chong
 2008/0312601 A1 12/2008 Cane'
 2009/0062767 A1 3/2009 Van Antwerp et al.
 2009/0118592 A1 5/2009 Klitgaard
 2009/0326456 A1 12/2009 Cross et al.
 2010/0004597 A1 1/2010 Gyrn et al.
 2010/0022956 A1 1/2010 Tipsmark et al.
 2010/0137829 A1 6/2010 Nielsen et al.
 2010/0228226 A1 9/2010 Nielsen
 2010/0262078 A1 10/2010 Blomquist
 2011/0054399 A1 3/2011 Chong et al.
 2013/0024555 A1 1/2013 Bartfai-Walcott et al.

FOREIGN PATENT DOCUMENTS

DE 299 05 072 U1 9/1999
 DE 101 17 285 A1 11/2002
 DE 203 20 207 U1 11/2004
 EP 0117632 B1 9/1984
 EP 0239244 B1 2/1987
 EP 0272530 A2 6/1988
 EP 0451040 A1 10/1991
 EP 0544837 B1 6/1993
 EP 0615768 A2 9/1994
 EP 0651662 B1 5/1995
 EP 0652027 A1 5/1995
 EP 0657184 A1 6/1995
 EP 0688232 B1 12/1995

(56)

References Cited

FOREIGN PATENT DOCUMENTS

EP	0714631	B1	6/1996	WO	WO 02/068014	A2	9/2002
EP	0744183	A2	11/1996	WO	WO 02/081012	A2	10/2002
EP	0747006	A1	12/1996	WO	WO 02/081013	A2	10/2002
EP	0775501	B1	5/1997	WO	WO 02/083206	A2	10/2002
EP	0799626	A1	10/1997	WO	WO 02/083228	A2	10/2002
EP	0937475	A2	8/1999	WO	WO-02083228	A2	10/2002
EP	0956879	A1	11/1999	WO	WO 02/094352	A2	11/2002
EP	1086718	A1	3/2001	WO	WO 02/100457	A2	12/2002
EP	1125593	A1	8/2001	WO	WO 02/102442	A1	12/2002
EP	1329233	B1	7/2003	WO	WO 03/015860	A1	2/2003
EP	1350537	A1	10/2003	WO	WO 03/026728	A1	4/2003
EP	1360970	A1	11/2003	WO	WO 03/068305	A1	8/2003
EP	1380315	A1	1/2004	WO	WO 03/075980	A2	9/2003
EP	1407747	A1	4/2004	WO	WO 03/095003	A1	11/2003
EP	1407793	A1	4/2004	WO	WO 2004/012796	A1	2/2004
EP	1421968	A2	5/2004	WO	WO 2004/024219	A1	3/2004
EP	1177802	B1	9/2004	WO	WO-2004024219	A1	3/2004
EP	1475113	A1	11/2004	WO	WO 2004/026375	A1	4/2004
EP	1495775	A1	1/2005	WO	WO 2004/029457	A1	4/2004
EP	1502613	A1	2/2005	WO	WO 2004/030726	A1	4/2004
EP	1525873	A1	4/2005	WO	WO 2004/056412	A2	4/2004
EP	1527792	A1	5/2005	WO	WO 2004/037325	A1	5/2004
EP	1559442	A2	8/2005	WO	WO 2004/054644	A1	7/2004
EP	1616594	A1	1/2006	WO	WO 2004/064593	A2	8/2004
EP	1704889	A1	9/2006	WO	WO 2004/071308	A1	8/2004
EP	1719537	A2	11/2006	WO	WO 2004/087240	A1	10/2004
EP	1762259	A1	3/2007	WO	WO 2004/098683	A1	11/2004
EP	1764125	A1	3/2007	WO	WO 2004/101016	A1	11/2004
EP	1776980	A1	4/2007	WO	WO 2004/101071	A2	11/2004
EP	1970091	A1	9/2008	WO	WO 2004/110527	A1	12/2004
EP	2272559	A1	1/2011	WO	WO 2005/002649	A1	1/2005
FR	2725902	A1	10/1994	WO	WO 2005/004973	A1	1/2005
FR	2 752 164	A1	2/1998	WO	WO 2005/018703	A2	3/2005
GB	906574		9/1962	WO	WO 2005/037184	A2	4/2005
GB	2 088 215	A	6/1982	WO	WO 2005/037350	A2	4/2005
GB	2 230 702	A	10/1990	WO	WO 2005/039673	A2	5/2005
GB	2 423 267	A	8/2006	WO	WO 2005/046780	A1	5/2005
GB	2 450 872	A	7/2007	WO	WO 2005/065748	A1	7/2005
GB	2 459 101	A	10/2009	WO	WO 2005/068006	A1	7/2005
GB	2459101	A	10/2009	WO	WO 2005/072795	A2	8/2005
JP	10179734	A	8/1991	WO	WO 2005/092410	A1	10/2005
JP	7051251	A	11/1995	WO	WO 2005/094920	A1	10/2005
JP	8187286	A	7/1996	WO	WO 2005/112800	A2	12/2005
JP	03-191965	A	7/1998	WO	WO 2005/118055	A1	12/2005
JP	2002-028246	A	1/2002	WO	WO 2006/003130	A1	1/2006
RU	2 238 111	C2	12/2003	WO	WO 2006/015507	A2	2/2006
SU	933 100		6/1982	WO	WO 2006/015600	A2	2/2006
WO	WO 81/01795	A1	7/1981	WO	WO 2006/024650	A2	3/2006
WO	WO 82/03558	A1	10/1982	WO	WO 2006/032689	A1	3/2006
WO	WO 92/04062	A1	3/1992	WO	WO 2006/032692	A1	3/2006
WO	WO 93/05840	A2	4/1993	WO	WO 2006/061027	A2	6/2006
WO	WO 93/11709	A1	6/1993	WO	WO 2006/061354	A1	6/2006
WO	WO 94/20160	A1	9/1994	WO	WO 2006/062680	A1	6/2006
WO	WO 95/19194	A1	7/1995	WO	WO 2006/062912	A1	6/2006
WO	WO 96/20021	A1	7/1996	WO	WO 2006/075016	A1	7/2006
WO	WO 96/32981	A1	10/1996	WO	WO 2006/077262	A1	7/2006
WO	WO 98/26835	A1	6/1998	WO	WO 2006/077263	A1	7/2006
WO	WO 98/33549	A1	8/1998	WO	WO 2006/089958	A1	8/2006
WO	WO 98/58693	A1	12/1998	WO	WO 2006/097111	A2	9/2006
WO	WO 99/07435	A1	2/1999	WO	WO 2006/108775	A2	10/2006
WO	WO 99/22789	A1	5/1999	WO	WO 2006/120253	A2	11/2006
WO	WO 99/33504	A1	7/1999	WO	WO 2006/121921	A2	11/2006
WO	WO 00/02614	A1	1/2000	WO	WO 2006/122048	A1	11/2006
WO	WO 00/03757	A1	1/2000	WO	WO 2007/000162	A2	1/2007
WO	WO 00/44324	A1	8/2000	WO	WO 2007/002523	A2	1/2007
WO	WO 01/12746	A1	2/2001	WO	WO 2007/020090	A1	2/2007
WO	WO 01/30419	A2	5/2001	WO	WO 2007/065944	A1	6/2007
WO	WO 01/68180	A1	9/2001	WO	WO 2007/071255	A1	6/2007
WO	WO 01/72353	A2	10/2001	WO	WO 2007/071258	A1	6/2007
WO	WO 01/76684	A1	10/2001	WO	WO 2007/093051	A1	8/2007
WO	WO 01/93926	A2	12/2001	WO	WO 2007/093182	A2	8/2007
WO	WO 02/02165	A2	1/2002	WO	WO 2007/122207	A1	11/2007
WO	WO 02/07804	A1	1/2002	WO	WO 2007/140631	A1	12/2007
WO	WO 02/040083	A2	5/2002	WO	WO 2007/140783	A2	12/2007
WO	WO 02/053220	A2	7/2002	WO	WO 2007/140785	A1	12/2007
				WO	WO 2007/141210	A1	12/2007
				WO	WO 2007/14210	A1	12/2007
				WO	WO 2008/014791	A1	2/2008
				WO	WO 2008/014792	A1	2/2008
				WO	WO 2008/133702	A1	3/2008

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO WO 2008/048631 A1 4/2008
 WO WO 2008/052545 A1 5/2008
 WO WO 2008/065646 A1 6/2008
 WO WO 2008/092782 A1 8/2008
 WO WO 2008/092958 A2 8/2008
 WO WO 2008/092959 A1 8/2008
 WO WO 2008/135098 A1 11/2008
 WO WO 2008/147600 A1 12/2008
 WO WO 2008/148714 A1 12/2008
 WO WO 2008/155145 A1 12/2008
 WO WO 2008/155377 A1 12/2008
 WO WO 2009/004026 A1 1/2009
 WO WO 2009/007287 A1 1/2009
 WO WO 2009/010396 A1 1/2009
 WO WO 2009/010399 A1 1/2009
 WO WO 2009/016635 A2 2/2009
 WO WO 2009/033032 A1 3/2009
 WO WO 2009/039013 A1 3/2009
 WO WO 2009/098291 A1 8/2009
 WO WO 2009/098306 A1 8/2009
 WO WO 2009/101130 A1 8/2009
 WO WO 2009/101145 A1 8/2009
 WO WO 2009/103759 A1 8/2009
 WO WO 2009/106517 A1 9/2009

WO WO 2009/144272 A1 12/2009
 WO WO 2010/003885 A1 1/2010
 WO WO 2010/003886 A1 1/2010
 WO WO 2010/030602 A1 3/2010
 WO WO 2010/034830 A1 4/2010
 WO WO 2010/072664 A1 7/2010
 WO WO 2010/080715 A1 7/2010
 WO WO-2010080715 A1 7/2010
 WO WO 2010/112521 A1 10/2010
 WO WO 2011/012465 A1 2/2011
 WO WO 2011/015659 A1 2/2011
 WO WO 2011/121023 A1 10/2011
 WO WO 2012/041784 A1 4/2012
 WO WO 2012/041923 A2 4/2012
 WO WO 2012/045667 A2 4/2012
 WO WO 2012/107440 A1 8/2012

OTHER PUBLICATIONS

“Why inset®?” inset® infusion set product overview; downloaded from the internet at <http://web.archive.org/web/20040906102448/http://www.infusion-set.com/Default.asp?ID=108> on Jan. 1, 2008; two pages.
 International Application No. PCT/EP2011/067066 International Search Report and Written Opinion dated Jul. 6, 2012.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

SPRINKLER CANNULA

This application claims the benefit under 35 U.S.C. § 371 of International Application No. PCT/EP2011/067066, filed Sep. 30, 2011, which claims the benefit of U.S. Provisional Application Ser. No. 61/389,595, filed Oct. 4, 2010 and European Application No. 10186437.9, filed Oct. 4, 2010, which are incorporated by reference herein in their entirety.

The present invention relates to an infusion device configured for introduction of a fluid drug into the human body. Specifically, the present invention relates to an infusion including a cannula configured for this purpose.

According to one aspect, the present invention relates to an infusion device including a cannula having a tubular body member with a proximal end and a subcutaneously placed distal portion having a distal end. The distal portion is provided with a radial opening allowing a portion of a drug conveyed through the tubular body member to discharge.

In general terms, an infusion device inter alia comprises following sub components:

- a hub like part comprising a body of hard material fastened to a patients skin via a mounting pad,
- a pump, and
- a cannula.

The proximal portion of a cannula is in this specification defined as a portion placed above the skin surface of the patient during use, and the distal portion of a cannula is in this specification defined as the portion which, after mounting, is placed subcutaneously i.e. below the skin surface of the patient. The distal end opening will normally be open allowing fluid to discharge, however according to certain applications and embodiments, the opening may be closed thereby increasing the fluid pressure on the radial opening or openings.

BACKGROUND

Hypodermic cannulas or needles have been used to introduce fluid drugs to the body of human beings as well as animals for over a century.

The use of these cannulas for this purpose has long been the method of last resort, especially for the injection of medications because of the pain associated with the forcing of the needle into the body. Over the years, manufacturers of these cannulas learned that the smaller the diameter of the cannula, and the sharper the point of the introducing needle, the more comfortable the injection would be, and as a consequence, it is today common practise to inject drugs by means of very fine cannulas.

There is, however, a limit to the degree to which the diameter of these cannulas may be reduced. One limitation is established by the flow rate of fluid drug along the cannula which is related to the fourth power of the diameter of the conduit. As the diameter is reduced, the flow rate, at similar pressure, rapidly decreases. If a certain volume of fluid is to be injected and the diameter of the conduit to be reduced, either the pressure used to move the fluid along within the cannula, or the time allotted for introducing the fluid, will increase.

Fluids such as insulin for treatment of diabetes are usually injected in the home by the patient. Such individuals may be unable to exert sufficient pressure to inject their insulin in a satisfactorily short period of time if the diameter of the cannula is too small.

One way to increase the flow rate of a fluid passing through a cannula is to place openings along the side of the needle. Such needles, known as sprinkler needles, are

known in the art and are described, for example, by Gross in U.S. Pat. No. 6,261,272. The additional openings on the side of the needle provide additional access to the tissue creating a shorter fluid path to the tissue and also increasing the area of access to the tissue whereby the effective area of the outlet of the needle is increased. These advantages exist both in the delivery of the fluid to the tissue and in the extraction of fluid from the tissue.

A direct result of the sprinkler needle being able to deliver the fluid to a larger volume or area of tissue is a reduction of the pressure required to deliver the fluid. Further, and equally important, increasing the surface area of tissue exposed to the fluid enhances the absorption rate of the fluid by the body.

GB 2459101 A discloses a subcutaneous port and fenestrated catheter for the administration of fluids subcutaneously to be infused over a large volume of tissue. The port contains a subcutaneous chamber covered by a septum through which fluid is received from a hypodermic needle. The chamber has an exit hole with a nipple which connects to a catheter which has perforations. The port and catheter is implanted under the skin of the patient. According to the document, the port may have more than one exit hole connected to other catheters. GB 2459101 A is considered to represent relevant prior art with respect to the present invention because the reference is directed to frequent subcutaneous infusion of a medicament by means of a cannula or catheter comprising one or more radial openings such that the fluid administered are received by a large tissue area.

US 2007/0129691 A disclose a laminated sprinkler needle for introduction and extraction of liquids from an animal. The needle comprising a substrate, a micro machined photo resistive layer and a micro porous layer. The structure is of simple construction and fabrication and, according to the document, provides higher flow rates than standard hollow cannulas.

While sprinkler needles have a performance advantage over straight cannula needles, this performance advantage comes at a significantly higher manufacturing cost. The additional openings must be cut in the sides of the needle which requires more time for manufacturing as well as additional manufacturing setups, and further, the openings must further be deburred in order to make sure the pain of insertion is low.

US 2005/0107743 A disclose an infusion set comprising a base member, an introducer cap and an infusion cap. The base member comprises a soft cannula extending from a lower side of the base member and a port on an upper side thereof. The port is configured to be in fluid communication with the soft cannula. The port also comprises a septum adapted to seal the port against unwanted fluid flow. The introducer cap is adapted to be mounted to the base member and has a needle adapted to extend through the septum and said soft cannula in an assembled position. The infusion cap comprises a lumen adapted to receive a flexible tube. The infusion cap also comprises a hard cannula adapted to be inserted through the septum and to place said soft cannula in fluid communication with said lumen. The soft cannula according to US 2005/0107743 A give rise to two problems, one being that the soft cannula is disposed for kinking and the another is that the soft cannula according to US 2005/0107743 A suffers from similar delivery restrictions as already mentioned above.

WO 2002/083228 A2 discloses a fairly advanced syringe or catheter system capable of injecting, manually or automatically; precisely measured quantities of liquids into a

body. A plurality of needle designs is disclosed and according to the reference, the designs create advantageously shaped or diffused clouds, streams, or jets of medicament and the like. Generally, the reference seeks to set forth a syringe or catheter allowing for controlled injection of a medicament without substantial damage to tissue. According to the reference, the teachings of the reference may be applied to a relatively long and soft catheter or a rigid needle.

WO 2004/024219 A1 discloses a method and apparatus for epidermal or intradermal delivery of a medicament. A needle having at least one side port is used to penetrate the skin of a subject. The medicament is delivered through the side port and into the skin.

US 2010/0022956 A, by the applicant of the present invention, discloses an infusion set improvable by the teachings of the present application.

An infusion device comprising a cannula to be inserted by means of an insertion needle having following characteristics is much desired:

The cannula which is cheap and simple to manufacture,
The cannula which is user friendly and cause as little pain as possible to the end user, and

The cannula which is configured such that it will mitigate the effects of kinking.

BRIEF DESCRIPTION OF THE INVENTION

The present invention seeks generally to improve today's infusion devices such that the abovementioned insufficiencies and drawbacks of today's infusion devices are overcome.

Up to this day, prior art has failed to teach a simple and yet reliable and inexpensive infusion device which in a safe and reliable manner, without substantially increasing the cost of the device, is able to satisfy the abovementioned much desired characteristics of the mentioned infusion device.

According to the invention, there is provided an infusion device as per the introductory part of this specification, and in particular, upon configuring the infusion device such that the infusion device further comprise a hub part configured to be fastened onto an outside surface of a patients skin via a mounting pad, an infusion device resolving the abovementioned drawbacks are provided.

According to one embodiment, the infusion device may further include a pump configured to be in fluid connection with a reservoir configured to store or hold medication.

According to one embodiment, the subcutaneously placed distal portion may be made from soft material.

According to one embodiment, the cannula may be configured to be inserted by means of an insertion needle.

According to one embodiment the radial opening or openings may, when the cannula is inserted, be provided at least 1 millimeter below the skin surface.

According to one embodiment, the radial opening or openings may, when the cannula is inserted, be provided no more than 9 millimeter below the skin surface.

According to one embodiment, the radial opening may, when the cannula is inserted, be provided below the basal membrane.

According to one embodiment, the radial opening or openings may, when the cannula is inserted, be provided no more than 3 millimeter below the skin surface.

According to one embodiment, the cannula may further comprise a plurality of radial openings allowing a portion of a drug conveyed through the tubular body member to discharge.

According to one embodiment, the radial openings may be apportioned such that the radial openings extend only through one wall of the tubular body member. Further, the radial openings may or may not extend axially along a straight line along the tubular body member.

According to one embodiment, one or more radial openings may extend through the tubular body member in an angle lying approximately perpendicular to a longitudinal axis of the cannula.

According to one embodiment, one or more radial openings may extend through the tubular body member in at least one angle oriented different from an angle lying perpendicular to a longitudinal axis of the cannula.

According to one embodiment, the radial openings that may extend through the tubular body member may have substantially equal diameter.

According to one embodiment, the radial openings that may extend through the tubular body member may have varying diameter.

According to one embodiment, the radial openings which may have varying diameter may be arranged such that the opening having the largest diameter is arranged nearest the distal portion of the cannula.

According to one embodiment, the radial openings, which may have varying diameter, further may be arranged such that the radial opening having the smallest diameter is arranged nearest the proximal end of the cannula.

According to one embodiment, the length of the distal portion of the cannula may be less than 15 mm and the outer diameter of the distal portion may be less than 1.5 mm and the diameter of the one or more radial openings may be between 15 μ m and 0.3 mm.

According to one embodiment, the infusion device may be configured for subcutaneous infusion of drugs such as insulin and the like.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a plane view of an embodiment of a cannula applicable to the infusion device according to the present invention.

FIG. 2 is an infusion device according to the present invention.

FIG. 3 is a plane view of a cannula applicable to the infusion device according to the present invention, here shown together with a part of an insertion needle.

FIG. 4 is a plane view of an embodiment of a cannula applicable to the infusion device according to the present invention.

FIG. 5 is a plane view of an embodiment of a cannula applicable to the infusion device according to the present invention.

FIG. 6 is an end view of an embodiment of a cannula applicable to the infusion device according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION WITH REFERENCE TO THE FIGURES

FIG. 1 shows a plane view of one embodiment of a cannula 1 applicable to an infusion device according to the present invention.

5

The remaining parts and components of the infusion device is considered well known to those skilled in the relevant art, and therefore, such parts and components will only be briefly described in this specification, see FIG. 2.

As can be seen in FIG. 1 the cannula 1 is provided with a tubular body member 3 having a conduit shown by the dashed lines. The conduit interconnects the in this figure not shown infusion device with the openings 2 and 5. The cannula 1 includes a proximal end 10 configured for interconnection with the not shown infusion device as well as a distal portion 21 configured for subcutaneously placement by means of the insertion needle 70 shown in FIG. 3.

Numeral 5 refers to an outlet arranged in the distal portion 21, opposite the interconnection with the infusion device. The outlet 5 may or may not be considered the primary outlet for drugs 4. In addition to the outlet 5, the cannula 1 is provided with at least one further opening 2.

Although FIGS. 1-4 disclose the cannula 1 including a plurality of openings 2, the present invention is not in any way limited to embodiments of the cannula 1 comprising more than one opening 2, see FIG. 5.

The subcutaneously placed distal portion 21, alternatively the entire cannula 1, may be made from a soft material such as PTFE (Teflon), FEP, rubber, PE material or silicone base materials and the like.

At least one of the radial openings 2 may, when the cannula 1 is inserted, be provided at between 1 and 9 millimeter below the skin surface 55, see FIG. 2.

FIG. 2 illustrates schematically an infusion device according to the present invention. The infusion device 50 includes a cannula 1 having a tubular body member 3 with a proximal end 10 and a subcutaneously placed distal portion 21 having a distal end 20. The distal portion 21 of the cannula may be provided with a radial opening 2 allowing a portion of a drug 4 conveyed through the tubular body member 3 to discharge.

The infusion device according to FIG. 2 further include a hub part 51 configured to be fastened onto an outside surface of a patients skin 55 via a mounting pad 52. The mounting pad 52 may be provided with an adhesive layer, configured to adhere to a patient's skin, and a not shown removable release liner which covers the adhesive layer. The mounting pad 52 may be a dressing, a plaster, an adhesive pad or the like and the mounting pad may be configured in various shapes such as oval, circular, triangular rectangular etc.

According to one embodiment, the infusion device may include a hub part 51 having a main plane being essentially parallel to the skin of the patient, when the infusion set is attached to a patient. The hub part 51 may have a main surface 54 being closest to the skin of a patient, and the main surface may be provided with fastening means such as the mounting pad 52 for fastening the infusion device to the skin 55 of a patient.

In the embodiment according to FIG. 2, the cannula 1 extends from the hub part 51 through the fastening means or mounting pad 52. Alternatively the cannula 1 may extend from the hub part 51 of the infusion device essentially along an inclined axis of insertion (not shown).

As shown in FIG. 2, the hub part 51 may include a septum or barrier 53.

As can be seen in FIGS. 1-4, the cannula 1 may be provided with a plurality of radial openings 2 allowing the drug 4, conveyed through the tubular body member or hollow 3, to discharge. The openings 2 may be apportioned such that the openings 2 extend through one wall of the tubular body member 3 only, see FIG. 4. Further, the radial openings 2 may extend axially along a not shown straight line along the cannula 1. The radial openings 2 may, in other

6

embodiments, be placed on different quarters of the cannula 1 such that all the holes are not blocked when pressure is applied to one side of the cannula 1.

The opening or openings 2 may or may not extend through said tubular body member in an angle lying approximately perpendicular to a longitudinal axis of the cannula 1. Further, the opening or openings 2 may extend through the tubular body member in at least one angle oriented different from an angle lying perpendicular to the longitudinal axis 100 of the cannula 1, as shown in FIG. 4.

The angles may constitute any angle between 0° and 180° relative to the longitudinal axis 100; however angles lying in-between 30° and 150°, alternatively 60° and 120° or even 90° may be preferred.

The radial opening or openings 2 may have substantially equal diameter, although this is not in any way a requirement of the present invention. The opening or openings 2 may, according to certain embodiments, also have varying diameter.

It may be preferred to apply the radial opening or openings 2 as a spherical opening or openings; however other forms of opening or openings may equally be applied as long as the opening or openings do not adversely affect the strength and functionality of the cannula 1.

In case the cannula is provided with radial openings 2 having varying diameter, the openings 2 may be arranged such that the opening 2 having the largest diameter is arranged nearest the distal portion 21 of the cannula 1, whereby a substantially uniform outlet of fluid may be obtained over the length of the cannulas distal portion 21.

The length 30 of the distal portion 21 of the cannula 1 may be less than 30 mm, preferably 15 mm, and the outer diameter 35 of the distal portion 20 may be less than 2 mm, preferably less than 1.5 mm and the diameter of the opening or openings 2 may be between 10 μm and 0.5 mm, preferably between 25 μm and 0.3 mm.

The distal end 20 of the cannula 1 may or may not be tapered such as shown in FIG. 4. Providing the distal end 20 of the cannula 1 with a tapered end may facilitate insertion of the cannula 1. Although only the embodiment according to FIG. 4 is shown with a slant and tapered end, this may not in any way be considered limiting to other embodiments according to this specification.

The number of radial openings may, as already mentioned, vary from only one, such as shown in FIG. 5, to any number of openings, however according to one preferred embodiment, the cannula is provided with two radial openings, such as shown in the end view according to FIG. 6.

According to a well functioning embodiment, the cannula may be provided with two radial openings, or sprinkler holes, which are not located opposite each other, i.e. the openings are offset longitudinally as well as with respect to an angle seen from the end or circular cross section. A well functioning angle between the opening are considered to be 120 degree, see FIG. 6.

The opening or openings may be provided, by means of drilling, punching, cutting or equivalent, in any angle to the longitudinal axis 100 of the cannula 1.

Generally seen, the cannula for the infusion device according to the present invention allows a drug such as insulin to be absorbed faster in the blood of the patient than the "one-outlet" soft cannulas according to today's infusion devices comprising cannulas made from a soft material.

According to certain aspects of the present invention, it has been found that one or more radial openings reduce soft cannulas well known tendency to occlude, e.g. due to

kinking. Hence the cannula for the infusion device according to the present invention is less inclined to malfunction as a result of kinking.

The application and combination of features and solutions presented by the present invention is not limited to the presented embodiments. One or more features of one embodiment can and may be combined with one or more not disclosed features of other embodiments, whereby not described, but valid, embodiments of the present invention may be obtained. One example is that the cannula according to the present invention may form part of an infusion device provided with means for monitoring or asserting whether or not the cannula of the infusion set is inserted as intended. Such means could inter alia constitute means configured for measuring impedance, where one option of performing the measurement by means of measuring impedance could be by using a drug such as insulin present in the cannula as an electrode.

The term “comprises/comprising/comprised of” when used in this specification incl. claims is taken to specify the presence of stated features, integers, steps or components but does not preclude the presence or addition of one or more other features, integers, steps, components or groups thereof.

The invention claimed is:

1. An infusion device configured for subcutaneous placement by an insertion needle and infusion of a drug comprising:

a cannula having a tubular body member, defining a conduit, with a proximal end and a subcutaneously placed distal portion having a wall and a distal end, wherein said distal portion comprises a soft material, wherein the soft material comprises a material selected from PTFE, FEP, rubber, PE material or silicone base materials, and wherein said distal portion further comprises at least two radial openings along the wall of the distal portion and an outlet at the distal end allowing a portion of the drug conveyed through said tubular body member to discharge into subcutaneous tissue of a patient, wherein the at least two radial openings discharge the drug towards the distal end of the cannula, and wherein the at least two radial openings along the wall of the distal portion have a diameter between 10 μ m and 0.5 mm and the outlet at the distal end has an outer diameter of less than 1.5 mm, and wherein two of the at least two radial openings are not located opposite each other including where the two radial openings are offset from each other along a longitudinal axis, and with respect to an angle seen from the outlet;

wherein a length of said distal portion of said cannula is less than 15 mm and the length permits a portion of the insertion needle to extend past the outlet of the distal end during placement of the infusion device;

a hub part configured to be fastened onto an outside surface of a patient's skin via a mounting pad, wherein the at least two radial openings reduce occlusion due to kinking of the cannula;

wherein the outlet of said cannula is tapered to facilitate insertion of the cannula with the insertion needle and the angle between two of the at least two radial openings is substantially 120 degrees.

2. The infusion device according to claim 1, wherein said at least two radial openings are positioned at least 1 millimeter below the skin surface when said cannula is subcutaneously placed.

3. The infusion device according to claim 1, wherein said at least two radial openings are positioned no more than 9 millimeters below the skin surface when said cannula is subcutaneously placed.

4. The infusion device according to claim 1, wherein said at least two radial openings are positioned below the basal membrane when said cannula is subcutaneously placed.

5. The infusion device according to claim 1, wherein said at least two radial openings are positioned no more than 3 millimeters below the skin surface when said cannula is subcutaneously placed.

6. The infusion device according to claim 1, wherein said device further comprises a pump in fluid connection with a reservoir configured to store medication.

7. The infusion device according to claim 1, wherein said infusion device is configured for subcutaneous infusion of one or more drugs.

8. The infusion device according to claim 7, wherein said one or more drugs comprise insulin.

9. The infusion device according to claim 1 wherein the at least two radial openings include a first radial opening inclined with respect to the longitudinal axis and toward the outlet, a second radial opening substantially perpendicular to the longitudinal axis, and a third radial opening inclined with respect to the longitudinal axis and away from the outlet.

10. The infusion device according to claim 1, wherein the infusion device comprises three or more radial openings.

11. The infusion device according to claim 10, wherein said plurality of radial openings extending through said tubular body member have substantially equal diameter.

12. The infusion device according to claim 10, wherein said plurality of radial openings extending through said tubular body member have varying diameters.

13. The infusion device according to claim 12, wherein said plurality of radial openings having varying diameters are configured such that the radial opening having a smallest diameter is arranged nearest said distal portion of said cannula.

14. The infusion device according to claim 12, wherein said plurality of radial openings having varying diameters are configured such that the radial opening having a smallest diameter is arranged nearest said proximal end of said cannula.

* * * * *