



US011090183B2

(12) **United States Patent**  
**Sanchez et al.**

(10) **Patent No.:** **US 11,090,183 B2**  
(45) **Date of Patent:** **Aug. 17, 2021**

(54) **CONTAINER FOR COLLECTING LIQUID FOR TRANSPORT**

(71) Applicant: **PureWick Corporation**, El Cajon, CA (US)

(72) Inventors: **Robert A Sanchez**, Fallbrook, CA (US); **Raymond John Newton**, Bonsall, CA (US)

(73) Assignee: **PUREWICK CORPORATION**, El Cajon, CA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/952,591**

(22) Filed: **Nov. 25, 2015**

(65) **Prior Publication Data**

US 2017/0143534 A1 May 25, 2017  
US 2017/0252202 A9 Sep. 7, 2017

**Related U.S. Application Data**

(60) Provisional application No. 62/084,078, filed on Nov. 25, 2014.

(51) **Int. Cl.**  
*A61F 5/44* (2006.01)  
*A61M 1/00* (2006.01)

(52) **U.S. Cl.**  
CPC ..... *A61F 5/4404* (2013.01); *A61M 1/0001* (2013.01); *A61M 1/69* (2021.05); *A61M 2210/1092* (2013.01)

(58) **Field of Classification Search**  
CPC ..... A61M 1/0019; A61M 1/0001; A61M 2210/1092; A61F 5/4404

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,613,670 A 10/1952 Edward  
2,644,234 A 7/1953 Earl  
(Continued)

FOREIGN PATENT DOCUMENTS

CN 2269203 Y 12/1997  
CN 1533755 A 10/2004  
(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion for International Application No. PCT/US16/49274, dated Dec. 1, 2016, 12 pages.  
(Continued)


*Primary Examiner* — Andrew J Mensh

(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP

(57) **ABSTRACT**

A container for collecting liquid for transport, comprising: a web of flexible porous material defining at least a portion of a chamber in which liquid can be collected for transport. The chamber is configured to receive a tube in a position within the chamber that enables the tube to transport liquid from the chamber while the liquid collects within the chamber upon being drawn through the web when a partial vacuum is applied within the chamber via the tube. The porous material comprises a web of spun plastic fibers, such as spun polyester fibers. In one embodiment, the web of spun plastic fibers is configured to define an elongated portion of the chamber. In another embodiment, a backing of non-permeable material covers a portion of the web and is so combined with the web as to further define the chamber.

**18 Claims, 2 Drawing Sheets**



(58) **Field of Classification Search**  
 USPC ..... 604/319  
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,968,046 A 1/1961 Duke  
 3,087,938 A 4/1963 Hans et al.  
 3,198,994 A 8/1965 Hildebrandt et al.  
 3,312,981 A 4/1967 Mcguire et al.  
 3,349,768 A 10/1967 Keane  
 3,366,116 A 1/1968 Huck  
 3,400,717 A 9/1968 Bruce et al.  
 3,406,688 A 10/1968 Bruce  
 3,511,241 A 5/1970 Lee  
 3,512,185 A 5/1970 Ellis  
 3,520,300 A \* 7/1970 Guiles, Jr. .... A61M 1/008  
 604/269  
 3,613,123 A 10/1971 Langstrom  
 3,651,810 A 3/1972 Ormerod  
 3,726,277 A 4/1973 Hirschman  
 4,020,843 A 5/1977 Kanall  
 4,022,213 A 5/1977 Stein  
 4,200,102 A 4/1980 Duhamel et al.  
 4,202,058 A 5/1980 Anderson  
 4,233,025 A 11/1980 Larson et al.  
 4,246,901 A 1/1981 Frosch et al.  
 4,257,418 A 3/1981 Hessner  
 4,270,539 A 6/1981 Frosch et al.  
 4,352,356 A 10/1982 Tong  
 4,360,933 A 11/1982 Kimura et al.  
 4,365,363 A 12/1982 Windauer  
 4,387,726 A 6/1983 Denard  
 4,425,130 A 1/1984 Desmarais  
 4,453,938 A 6/1984 Brendling  
 4,457,314 A 7/1984 Knowles  
 4,526,688 A 7/1985 Schmidt, Jr. et al.  
 4,528,703 A 7/1985 Kraus  
 4,581,026 A 4/1986 Schneider  
 4,610,675 A 9/1986 Triunfol  
 4,627,846 A 12/1986 Ternstroem  
 4,631,061 A 12/1986 Martin  
 4,650,477 A 3/1987 Johnson  
 4,692,160 A 9/1987 Nussbaumer  
 4,713,066 A 12/1987 Komis  
 4,747,166 A \* 5/1988 Kuntz ..... A61F 5/455  
 4/144.1  
 4,752,944 A 6/1988 Conrads et al.  
 4,769,215 A 9/1988 Ehrenkranz  
 4,772,280 A 9/1988 Rooyackers  
 4,790,835 A 12/1988 Elias  
 4,791,686 A 12/1988 Taniguchi et al.  
 4,795,449 A 1/1989 Schneider et al.  
 4,799,928 A 1/1989 Crowley  
 4,804,377 A 2/1989 Hanifl et al.  
 4,820,297 A 4/1989 Kaufman et al.  
 4,846,909 A 7/1989 Klug et al.  
 4,882,794 A 11/1989 Stewart, III  
 4,883,465 A 11/1989 Brennan  
 4,886,508 A 12/1989 Washington  
 4,886,509 A 12/1989 Mattsson  
 4,889,533 A 12/1989 Beecher  
 4,905,692 A 3/1990 More  
 4,955,922 A 9/1990 Terauchi  
 4,965,460 A 10/1990 Tanaka et al.  
 5,002,541 A 3/1991 Conkling et al.  
 5,004,463 A 4/1991 Nigay  
 5,031,248 A 7/1991 Kemper  
 5,049,144 A 9/1991 Payton  
 5,071,347 A 12/1991 Mcguire  
 5,084,037 A 1/1992 Barnett  
 5,100,396 A 3/1992 Zamierowski  
 5,147,301 A 9/1992 Ruvio  
 5,195,997 A 3/1993 Carns  
 5,203,699 A 4/1993 Mcguire  
 5,244,458 A 9/1993 Takasu

5,294,983 A 3/1994 Ersoz et al.  
 5,295,983 A 3/1994 Kubo  
 5,300,052 A 4/1994 Kubo  
 5,382,244 A 1/1995 Telang  
 5,466,229 A 11/1995 Elson et al.  
 5,478,334 A 12/1995 Bernstein  
 5,499,977 A 3/1996 Marx  
 D373,928 S 9/1996 Green  
 5,618,277 A 4/1997 Goulter  
 5,628,735 A 5/1997 Skow  
 5,636,643 A 6/1997 Argenta et al.  
 5,674,212 A 10/1997 Osborn, III et al.  
 5,678,564 A 10/1997 Lawrence et al.  
 5,678,654 A 10/1997 Uzawa  
 5,687,429 A 11/1997 Rahlff  
 5,695,485 A 12/1997 Duperrret et al.  
 5,752,944 A 5/1998 Dann et al.  
 5,772,644 A 6/1998 Bark et al.  
 5,827,247 A 10/1998 Kay  
 5,827,250 A 10/1998 Fujioka et al.  
 5,827,257 A 10/1998 Fujioka et al.  
 D401,699 S 11/1998 Herchenbach et al.  
 5,865,378 A 2/1999 Hollinshead et al.  
 5,887,291 A 3/1999 Bellizzi  
 5,894,608 A 4/1999 Birbara  
 D409,303 S 5/1999 Oepping  
 5,911,222 A 6/1999 Lawrence et al.  
 5,957,904 A 9/1999 Holland  
 5,972,505 A 10/1999 Phillips et al.  
 6,059,762 A 5/2000 Boyer et al.  
 6,063,064 A 5/2000 Tuckey et al.  
 6,105,174 A 8/2000 Karlsten et al.  
 6,113,582 A 9/2000 Dwork  
 6,117,163 A 9/2000 Bierman  
 6,123,398 A 9/2000 Arai et al.  
 6,129,718 A 10/2000 Wada et al.  
 6,131,964 A 10/2000 Sareshwala  
 6,164,569 A 12/2000 Hollinshead et al.  
 6,177,606 B1 1/2001 Etheredge et al.  
 6,209,142 B1 4/2001 Mattsson et al.  
 6,248,096 B1 6/2001 Dwork et al.  
 6,311,339 B1 11/2001 Kraus  
 6,336,919 B1 1/2002 Davis et al.  
 6,338,729 B1 1/2002 Wada et al.  
 6,409,712 B1 6/2002 Dutari et al.  
 6,416,500 B1 7/2002 Wada et al.  
 6,475,198 B1 11/2002 Lipman et al.  
 6,479,726 B1 \* 11/2002 Cole ..... A61F 13/471  
 604/317  
 6,491,673 B1 12/2002 Palumbo et al.  
 6,508,794 B1 1/2003 Palumbo et al.  
 6,540,729 B1 4/2003 Wada et al.  
 6,547,771 B2 4/2003 Robertson et al.  
 6,569,133 B2 5/2003 Cheng et al.  
 6,592,560 B2 7/2003 Snyder et al.  
 6,620,142 B1 9/2003 Flueckiger  
 6,629,651 B1 10/2003 Male et al.  
 6,635,038 B2 10/2003 Scovel  
 6,685,684 B1 2/2004 Falconer  
 6,702,793 B1 3/2004 Sweetser et al.  
 6,706,027 B2 3/2004 Harvie et al.  
 6,732,384 B2 5/2004 Scott  
 6,740,066 B2 5/2004 Wolff et al.  
 6,783,519 B2 8/2004 Samuelsson  
 6,814,547 B2 11/2004 Childers et al.  
 6,849,065 B2 2/2005 Schmidt et al.  
 6,857,137 B2 2/2005 Otto  
 6,885,690 B2 4/2005 Aggerstam et al.  
 6,888,044 B2 5/2005 Fell et al.  
 6,912,737 B2 7/2005 Ernest et al.  
 6,918,899 B2 7/2005 Harvie  
 6,979,324 B2 12/2005 Bybordi et al.  
 7,018,366 B2 3/2006 Easter  
 7,066,411 B2 6/2006 Male et al.  
 7,125,399 B2 10/2006 Miskie  
 7,131,964 B2 11/2006 Harvie  
 7,135,012 B2 11/2006 Harvie  
 7,141,043 B2 11/2006 Harvie  
 7,171,699 B2 2/2007 Ernest et al.



(56)

References Cited

U.S. PATENT DOCUMENTS

7,171,871 B2	2/2007	Kozak	10,335,121 B2	7/2019	Desai
7,179,951 B2	2/2007	Krishnaswamy-mirle et al.	10,376,406 B2	8/2019	Newton
7,181,781 B1	2/2007	Trabold et al.	10,390,989 B2	8/2019	Sanchez et al.
7,186,245 B1	3/2007	Cheng et al.	10,478,356 B2	11/2019	Griffin
7,192,424 B2	3/2007	Cooper	2001/0054426 A1	12/2001	Knudson et al.
7,220,250 B2	5/2007	Suzuki et al.	2002/0019614 A1	2/2002	Woon
7,335,189 B2	2/2008	Harvie	2002/0026161 A1	2/2002	Grundke
7,358,282 B2	4/2008	Krueger et al.	2002/0087131 A1	7/2002	Wolff et al.
7,390,320 B2	6/2008	Machida et al.	2002/0189992 A1	12/2002	Schmidt et al.
7,488,310 B2	2/2009	Yang	2003/0004436 A1	1/2003	Schmidt et al.
D591,106 S	4/2009	Dominique et al.	2003/0120178 A1	6/2003	Heki
7,520,872 B2	4/2009	Biggie et al.	2003/0181880 A1	9/2003	Schwartz
D593,801 S	6/2009	Wilson et al.	2003/0195484 A1	10/2003	Harvie
7,588,560 B1	9/2009	Dunlop	2003/0233079 A1	12/2003	Parks et al.
7,682,347 B2	3/2010	Parks et al.	2004/0006321 A1	1/2004	Cheng et al.
7,695,459 B2	4/2010	Gilbert et al.	2004/0056122 A1	3/2004	Male et al.
7,695,460 B2	4/2010	Wada et al.	2004/0127872 A1*	7/2004	Petryk ..... A61F 13/51305 604/382
7,699,818 B2	4/2010	Gilbert	2004/0128749 A1	7/2004	Scott
7,699,831 B2	4/2010	Bengtson et al.	2004/0143229 A1	7/2004	Easter
7,722,584 B2	5/2010	Tanaka et al.	2004/0191919 A1	9/2004	Unger et al.
7,727,206 B2	6/2010	Gorres	2004/0207530 A1	10/2004	Nielsen
7,740,620 B2	6/2010	Gilbert et al.	2004/0236292 A1	11/2004	Tazoe et al.
7,749,205 B2	7/2010	Tazoe et al.	2004/0254547 A1	12/2004	Okabe et al.
7,755,497 B2	7/2010	Wada et al.	2005/0010182 A1	1/2005	Parks et al.
7,766,887 B2	8/2010	Burns, Jr. et al.	2005/0033248 A1	2/2005	Machida et al.
7,833,169 B2	11/2010	Hannon	2005/0070861 A1	3/2005	Okabe et al.
7,866,942 B2	1/2011	Harvie	2005/0070862 A1	3/2005	Tazoe et al.
7,871,385 B2	1/2011	Levinson et al.	2005/0097662 A1	5/2005	Leimkuhler et al.
7,875,010 B2	1/2011	Frazier et al.	2005/0101924 A1	5/2005	Elson et al.
7,901,389 B2*	3/2011	Mombrinie ..... A47L 7/0042 604/317	2005/0177070 A1	8/2005	Levinson et al.
7,927,320 B2	4/2011	Goldwasser et al.	2005/0197639 A1	9/2005	Mombrinie
7,927,321 B2	4/2011	Marland	2005/0197639 A1	12/2005	Chase et al.
7,931,634 B2	4/2011	Swiecicki et al.	2005/0277904 A1	12/2005	LeBlanc et al.
7,939,706 B2	5/2011	Okabe et al.	2005/0279359 A1	12/2005	LeBlanc et al.
7,947,025 B2	5/2011	Buglino et al.	2006/0004332 A1	1/2006	Marx
7,976,519 B2	7/2011	Bubb et al.	2006/0015080 A1	1/2006	Mahnensmith
7,993,318 B2	8/2011	Olsson et al.	2006/0015081 A1*	1/2006	Suzuki ..... A61F 5/451 604/329
8,028,460 B2	10/2011	Williams	2006/0155214 A1	7/2006	Wightman
8,128,608 B2	3/2012	Thevenin	2006/0200102 A1	9/2006	Cooper
8,181,651 B2	5/2012	Pinel	2006/0229576 A1	10/2006	Conway et al.
8,211,063 B2	7/2012	Bierman et al.	2006/0231648 A1	10/2006	Male et al.
8,221,369 B2	7/2012	Parks et al.	2006/0235359 A1	10/2006	Marland
8,241,262 B2	8/2012	Mahnensmith	2007/0006368 A1	1/2007	Key et al.
8,277,426 B2	10/2012	Wilcox et al.	2007/0038194 A1	2/2007	Wada et al.
8,287,508 B1*	10/2012	Sanchez ..... A61F 5/4404 604/317	2007/0117880 A1	5/2007	Elson et al.
8,303,554 B2	11/2012	Tsai et al.	2007/0135786 A1	6/2007	Schmidt et al.
8,337,477 B2	12/2012	Parks et al.	2007/0191804 A1	8/2007	Coley
D674,241 S	1/2013	Bickert et al.	2007/0214553 A1	9/2007	Carromba et al.
8,343,122 B2	1/2013	Gorres	2007/0266486 A1	11/2007	Ramirez
8,353,074 B2	1/2013	Krebs	2008/0004576 A1	1/2008	Tanaka et al.
D676,241 S	2/2013	Merrill	2008/0015527 A1	1/2008	House
8,388,588 B2	3/2013	Wada et al.	2008/0033386 A1	2/2008	Okabe et al.
8,425,482 B2	4/2013	Khoubnazar	2008/0091153 A1	4/2008	Harvie
8,546,639 B2	10/2013	Wada et al.	2008/0091158 A1	4/2008	Yang
8,551,075 B2	10/2013	Bengtson	2008/0234642 A1	9/2008	Patterson et al.
8,568,376 B2	10/2013	Delattre et al.	2008/0281282 A1	11/2008	Finger et al.
8,585,683 B2	11/2013	Bengtson et al.	2008/0287894 A1	11/2008	Van Den Heuvel et al.
D704,330 S	5/2014	Cicatelli	2009/0025717 A1	1/2009	Pinel
D704,510 S	5/2014	Mason et al.	2009/0056003 A1	3/2009	Ivie et al.
D705,423 S	5/2014	Walsh Cutler	2009/0192482 A1	7/2009	Dodge, II et al.
8,715,267 B2	5/2014	Bengtson et al.	2009/0234312 A1	9/2009	Otoole et al.
8,864,730 B2	10/2014	Conway et al.	2009/0251510 A1	10/2009	Noro et al.
8,936,585 B2	1/2015	Carson et al.	2009/0264840 A1	10/2009	Virginio
D729,581 S	5/2015	Boroski	2009/0270822 A1	10/2009	Medeiros
9,028,460 B2	5/2015	Medeiros	2009/0281510 A1	11/2009	Fisher
9,173,602 B2	11/2015	Gilbert	2010/0004612 A1	1/2010	Thevenin
9,173,799 B2	11/2015	Tanimoto et al.	2010/0121289 A1	5/2010	Parks et al.
9,248,058 B2	2/2016	Conway et al.	2010/0185168 A1	7/2010	Graauw et al.
9,480,595 B2	11/2016	Baham et al.	2010/0198172 A1	8/2010	Wada et al.
D777,941 S	1/2017	Piramoan	2010/0211032 A1	8/2010	Tsai et al.
D804,907 S	12/2017	Sandoval	2010/0241104 A1	9/2010	Gilbert
D814,239 S	4/2018	Arora	2010/0263113 A1	10/2010	Shelton et al.
10,226,376 B2	3/2019	Sanchez et al.	2010/0310845 A1	12/2010	Bond et al.
			2011/0028922 A1	2/2011	Kay et al.
			2011/0034889 A1	2/2011	Smith
			2011/0040267 A1	2/2011	Wada et al.
			2011/0040271 A1	2/2011	Rogers et al.
			2011/0054426 A1	3/2011	Stewart et al.



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0060300 A1 3/2011 Weig et al.  
 2011/0077495 A1 3/2011 Gilbert  
 2011/0172620 A1 7/2011 Khambatta  
 2011/0172625 A1 7/2011 Wada et al.  
 2011/0202024 A1 8/2011 Cozzens  
 2012/0035577 A1 2/2012 Tomes et al.  
 2012/0103347 A1 5/2012 Wheaton et al.  
 2012/0165768 A1 6/2012 Sekiyama et al.  
 2012/0165786 A1 6/2012 Chappa et al.  
 2012/0210503 A1 8/2012 Anzivino et al.  
 2012/0245542 A1 9/2012 Suzuki et al.  
 2012/0245547 A1 9/2012 Wilcox et al.  
 2012/0253303 A1 10/2012 Suzuki et al.  
 2012/0330256 A1 12/2012 Wilcox et al.  
 2013/0006206 A1 1/2013 Wada et al.  
 2013/0053804 A1 2/2013 Soerensen et al.  
 2013/0096523 A1 4/2013 Chang et al.  
 2014/0031774 A1 1/2014 Bengtson  
 2014/0157499 A1 6/2014 Suzuki et al.  
 2014/0182051 A1 7/2014 Tanimoto et al.  
 2014/0196189 A1 7/2014 Lee et al.  
 2014/0348139 A1 11/2014 Gomez Martinez  
 2014/0352050 A1 12/2014 Yao et al.  
 2014/0371628 A1 12/2014 Desai  
 2015/0047114 A1 2/2015 Ramirez  
 2015/0135423 A1 5/2015 Sharpe et al.  
 2015/0157300 A1 6/2015 Ealovega et al.  
 2015/0209194 A1 7/2015 Heyman  
 2015/0359660 A1 12/2015 Harvie  
 2015/0366699 A1 12/2015 Nelson  
 2016/0029998 A1 2/2016 Brister et al.  
 2016/0038356 A1 2/2016 Yao et al.  
 2016/0058322 A1 3/2016 Brister et al.  
 2016/0100976 A1 4/2016 Conway et al.  
 2016/0106604 A1 4/2016 Timm  
 2016/0278662 A1 9/2016 Brister et al.  
 2016/0366699 A1 12/2016 Zhang et al.  
 2016/0367226 A1 12/2016 Newton et al.  
 2016/0367411 A1 12/2016 Justiz et al.  
 2016/0374848 A1 12/2016 Sanchez et al.  
 2017/0007438 A1 1/2017 Harvie  
 2017/0143534 A1 5/2017 Sanchez  
 2017/0189225 A1 7/2017 Voorhees et al.  
 2017/0202692 A1 7/2017 Laniado  
 2017/0216081 A1 8/2017 Accosta  
 2017/0246026 A1 8/2017 Laniado  
 2017/0252202 A9 9/2017 Sanchez et al.  
 2017/0266031 A1 9/2017 Sanchez et al.  
 2017/0312116 A1 11/2017 Laniado  
 2017/0333244 A1 11/2017 Laniado  
 2017/0042748 A1 12/2017 Griffin  
 2017/0348139 A1 12/2017 Newton et al.  
 2018/0008451 A1 1/2018 Stroebech  
 2018/0008804 A1 1/2018 Laniado  
 2018/0028349 A1 2/2018 Newton et al.  
 2018/0049910 A1 2/2018 Newton  
 2018/0064572 A1 3/2018 Wiltshire  
 2018/0200101 A1 7/2018 Su  
 2018/0228642 A1 8/2018 Davis et al.  
 2019/0038451 A1 2/2019 Harvie  
 2019/0142624 A1 5/2019 Sanchez et al.  
 2019/0224036 A1 7/2019 Sanchez et al.  
 2019/0314190 A1 10/2019 Sanchez et al.  
 2020/0046544 A1 2/2020 Godinez et al.  
 2020/0085610 A1 3/2020 Cohn et al.  
 2021/0069008 A1 3/2021 Blabas et al.

FOREIGN PATENT DOCUMENTS

CN 1602825 A 4/2005  
 CN 1720888 A 1/2006  
 CN 101262836 A 9/2008  
 CN 1 0371 71 80 A 4/2014  
 CN 107847384 A 3/2018  
 DE 9407554.9 U1 5/1995

DE 4443710 A1 6/1995  
 DE 102011103783 A1 12/2012  
 DK 9600118 11/1996  
 EP 0032138 A2 7/1981  
 EP 0066070 B1 12/1982  
 EP 0119143 B1 11/1988  
 EP 0610638 A1 8/1994  
 EP 0613355 A1 9/1994  
 EP 0613355 B1 1/1997  
 EP 1382318 A1 1/2004  
 EP 1382318 B1 5/2006  
 EP 2180907 A1 5/2010  
 EP 2380532 A1 10/2011  
 EP 2879534 B1 3/2017  
 EP 3169292 B1 11/2019  
 GB 1467144 A 3/1977  
 GB 2106395 A 4/1983  
 GB 2148126 B 7/1987  
 GB 2191095 A 12/1987  
 GB 2199750 A 7/1988  
 GB 2260907 A 5/1993  
 GB 2469496 A 10/2010  
 JP S5410596 A 1/1979  
 JP S5410596 Y2 5/1979  
 JP H0267530 A 3/1990  
 JP H02103871 A 4/1990  
 JP H0460220 A 2/1992  
 JP H05123349 A 5/1993  
 JP H11113946 A 4/1999  
 JP H11290365 A 10/1999  
 JP 2000185068 A 7/2000  
 JP 3087938 B2 9/2000  
 JP 2001054531 2/2001  
 JP 2001054531 A 2/2001  
 JP 2001276107 A 10/2001  
 JP 2001276108 A 10/2001  
 JP 2004267530 A 9/2004  
 JP 2005066325 A 3/2005  
 JP 2006026108 A 2/2006  
 JP 3123547 B2 6/2006  
 JP 2006204868 A 8/2006  
 JP 3132659 B2 5/2007  
 JP 4039641 B2 11/2007  
 JP 4747166 B2 5/2011  
 JP 2011224070 A 11/2011  
 JP 2012523869 A 10/2012  
 JP 2015092945 A 5/2015  
 JP 3198994 B2 7/2015  
 WO 8101957 A1 7/1981  
 WO 8804558 A1 6/1988  
 WO 9104714 A2 4/1991  
 WO 9104714 A3 6/1991  
 WO 9220299 A3 2/1993  
 WO 9309736 A2 5/1993  
 WO 9309736 A3 6/1993  
 WO 9600096 A1 1/1996  
 WO 9830336 A1 7/1998  
 WO 0057784 A1 10/2000  
 WO 0145618 A1 6/2001  
 WO 0145621 A1 6/2001  
 WO 03071931 A2 9/2003  
 WO 03071931 A3 2/2004  
 WO 2004019836 A1 3/2004  
 WO 2005089687 A2 9/2005  
 WO 2005107661 A2 11/2005  
 WO 2007007845 A1 1/2007  
 WO 2007042823 A2 4/2007  
 WO 2007128156 A3 2/2008  
 WO 2008078117 A1 7/2008  
 WO 2008141471 A1 11/2008  
 WO 2009004368 A1 1/2009  
 WO 2009004369 A1 1/2009  
 WO 2009052496 A1 4/2009  
 WO 2009007702 A4 7/2009  
 WO 2009101738 A1 8/2009  
 WO 2010030122 A3 7/2010  
 WO 2011018132 A1 2/2011  
 WO 2011018133 A1 2/2011  
 WO 2011024864 A1 3/2011



(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

WO	2011054118	A1	5/2011
WO	2011107972	A1	9/2011
WO	2011132043	A1	10/2011
WO	2012012908	A1	2/2012
WO	2012065274	A1	5/2012
WO	2012097462	A1	7/2012
WO	2013103291	A2	7/2013
WO	2013131109	A1	9/2013
WO	2014041534	A1	3/2014
WO	2015023599	A1	2/2015
WO	2015169403	A1	11/2015
WO	2015170307	A1	11/2015
WO	2015197462	A1	12/2015
WO	2016051385	A1	4/2016
WO	2016055989	A1	4/2016
WO	2016071894	A1	5/2016
WO	2016103242	A1	6/2016
WO	2016116915	A1	7/2016
WO	2016200088	A1	12/2016
WO	2017205446	A1	11/2017
WO	2017209779	A1	12/2017
WO	2017210524	A1	12/2017
WO	2018022414	A1	2/2018
WO	2018056953	A1	3/2018
WO	2018138513	A1	8/2018
WO	2018152156	A1	8/2018
WO	2018235065	A1	12/2018
WO	2020038822	A1	2/2020
WO	2020120657	A1	6/2020
WO	2021094352	A1	5/2021

## OTHER PUBLICATIONS

Office Action for U.S. Appl. No. 14/947,759, dated Mar. 17, 2006. AMXDmax In-Flight Bladder Relief; Omni Medical 2015; Omni Medical Systems, Inc.

Final Office Action for U.S. Appl. No. 14/947,759, dated Apr. 8, 2016.

International Search Report and Written Opinion for International Patent Application No. PCT/US16/49274, dated Dec. 1, 2016 (11 pages).

International Search Report and Written Opinion of the International Searching Authority for International Patent Application No. PCT/US2017/035625, dated Aug. 15, 2017 (17 pages).

Non-Final Office Action for U.S. Appl. No. 14/947,759, dated Mar. 17, 2016.

U.S. Appl. No. 15/171,968, filed Jun. 2, 2016.

Parmar, "10 Finalists Chosen for Dare-to-Dream Medtech Design Challenge (PUreWick)," Design Services, Nov. 10, 2014 (3 pages).

Purewick, "Incontinence Relief for Women" Presentation, (7 pages), Sep. 23, 2015.

Pytlik, "Super Absorbent Polymers," University of Buffalo <http://www.courses.sens.buffalo.edu/ce435/Diapers/Diapers.html>, accessed on Feb. 17, 2017.

Non-Final Office Action for U.S. Appl. No. 15/171,968 dated Jun. 12, 2018.

Non-Final Office Action for U.S. Appl. No. 15/611,587 dated Dec. 29, 2017.

Corrected International Search Report and Written Opinion for International Application No. PCT/US2017/043025 dated Jan. 11, 2018.

International Search Report and Written Opinion for International Application No. PCT/US2017/043025 dated Oct. 18, 2017.

International Search Report and Written Opinion for International Application No. PCT/US2018/015968 dated Apr. 6, 2018.

Non-Final Office Action for U.S. Appl. No. 15/221,106 dated Jun. 5, 2018.

Non-Final Office Action for U.S. Appl. No. 15/238,427 dated Aug. 8, 2018.

Non-Final Office Action for U.S. Appl. No. 15/260,103 dated Sep. 26, 2018.

Non-Final Office Action for U.S. Appl. No. 15/611,587 dated Jul. 13, 2018.

U.S. Appl. No. 15/612,325, filed Jun. 2, 2017.

U.S. Appl. No. 62/665,297, filed May 1, 2018.

U.S. Appl. No. 62/665,302, filed May 1, 2018.

U.S. Appl. No. 62/665,317, filed May 1, 2018.

U.S. Appl. No. 62/665,321, filed May 1, 2018.

U.S. Appl. No. 62/665,331, filed May 1, 2018.

U.S. Appl. No. 62/665,335, filed May 1, 2018.

"Male Urinary Pouch External Collection Device", <http://www.hollister.com/en/products/Continence-Care-Products/Urine-Collectors/Urine-Collection-Accessories/Male-Urinary-Pouch-External-Collection-Device>, last accessed Feb. 8, 2018.

"Step by Step How Ur24 WorksHome", <http://medicalpatentur24.com>, last accessed Dec. 6, 2017, Aug 30, 2017, 4 pages.

Advisory Action for U.S. Appl. No. 15/238,427 dated Apr. 10, 2019.

Corrected Notice of Allowability for U.S. Appl. No. 15/221,106 dated Jul. 2, 2019.

Final Office Action for U.S. Appl. No. 15/171,968 dated Mar. 19, 2019.

Final Office Action for U.S. Appl. No. 15/221,106 dated Jan. 23, 2019.

Final Office Action for U.S. Appl. No. 15/238,427 dated Jan. 2, 2019.

Final Office Action for U.S. Appl. No. 15/260,103 dated Feb. 14, 2019.

Issue Notification for U.S. Appl. No. 15/611,587 dated Feb. 20, 2019.

Notice of Allowance for U.S. Appl. No. 15/221,106 dated May 1, 2019.

Notice of Allowance for U.S. Appl. No. 15/238,427 dated May 23, 2019.

Notice of Allowance for U.S. Appl. No. 15/260,103 dated Jun. 7, 2019.

Notice of Allowance for U.S. Appl. No. 15/611,587 dated Dec. 21, 2018.

U.S. Appl. No. 15/221,106, filed Jul. 27, 2016.

U.S. Appl. No. 16/369,676, filed Mar. 29, 2019.

U.S. Appl. No. 16/449,039, filed Jun. 21, 2019.

U.S. Appl. No. 16/452,145, filed Jun. 25, 2019.

U.S. Appl. No. 16/452,258, filed Jun. 25, 2019.

International Search Report and Written Opinion from International Application No. PCT/US2019/029608 dated Sep. 3, 2019.

International Search Report and Written Opinion from International Application No. PCT/US2019/029609 dated Sep. 3, 2019.

International Search Report and Written Opinion from International Application No. PCT/US2019/029610 dated Sep. 3, 2019.

International Search Report and Written Opinion from International Application No. PCT/US2019/029611 dated Jul. 3, 2019.

International Search Report and Written Opinion from International Application No. PCT/US2019/029613 dated Jul. 3, 2019.

International Search Report and Written Opinion from International Application No. PCT/US2019/029614 dated Sep. 26, 2019.

International Search Report and Written Opinion from International Application No. PCT/US2019/029616 dated Aug. 30, 2019.

Issue Notification for U.S. Appl. No. 15/221,106 dated Jul. 24, 2019.

Issue Notification for U.S. Appl. No. 15/238,427 dated Jul. 24, 2019.

Issue Notification for U.S. Appl. No. 15/260,103 dated Aug. 7, 2019.

Non-Final Office Action for U.S. Appl. No. 15/171,968 dated Aug. 20, 2019.

Defendant and Counterclaim Plaintiff Sage Products, LLC's Answer, Defenses, and Counterclaims to Plaintiff's Amended Complaint, Nov. 1, 2019.

Non-Final Office Action for U.S. Appl. No. 15/171,968 dated May 11, 2020.

Non-Final Office Action for U.S. Appl. No. 29/694,002 dated Jun. 24, 2020.

Notice of Allowance for U.S. Appl. No. 29/624,661 dated Jul. 10, 2020.



(56)

**References Cited**

## OTHER PUBLICATIONS

Notice of Allowance for U.S. Appl. No. 29/624,661 dated May 14, 2020.

U.S. Appl. No. 16/904,868, filed Jun. 18, 2020.

U.S. Appl. No. 16/905,400, filed Jun. 18, 2020.

PureWick's Response to Interrogatory No. 9 in *PureWick, LLC v. Sage Products, LLC*, Case No. 19-1508-MN, 2020, 6 pages.

"Underwear that absorbs your period", ThinX!, <https://www.shethinx.com/pages/thinx-it-works> last accessed Jun. 24, 2020, 7 pages.

Hollister, "Retracted Penis Pouch by Hollister", Vitality Medical.com, <https://www.vitalitymedical.com/hollister-retracted-penis-pouch.html> last accessed Jun. 24, 2020, 6 pages.

Newman, "Curriculum Vitae", Petition for Interparties Review, 2020, pp. 1-199.

Newman, et al., "The Urinary Incontinence Sourcebook", Petition for Interparties Review, 1997, 23 pages.

Advisory Action for U.S. Appl. No. 14/722,613 dated Mar. 4, 2019.

Final Office Action for U.S. Appl. No. 14/722,613 dated Nov. 29, 2018.

Final Office Action for U.S. Appl. No. 15/171,968 dated Feb. 14, 2020.

Final Office Action for U.S. Appl. No. 29/624,661 dated Feb. 18, 2020.

Non-Final Office Action for U.S. Appl. No. 14/722,613 dated Jun. 13, 2019.

Non-Final Office Action for U.S. Appl. No. 15/612,325 dated Mar. 19, 2020.

U.S. Appl. No. 15/260,103, filed Sep. 8, 2016.

U.S. Appl. No. 15/611,587, filed Jun. 1, 2017.

U.S. Appl. No. 16/433,773, filed Jun. 6, 2019.

U.S. Appl. No. 16/478,180, filed Jul. 16, 2019.

U.S. Appl. No. 62/452,437, filed Jan. 31, 2017.

U.S. Appl. No. 62/994,912, filed Mar. 26, 2020.

Final Office Action for U.S. Appl. No. 15/612,325 dated Sep. 17, 2020.

Non-Final Office Action for U.S. Appl. No. 16/899,956 dated Oct. 16, 2020.

Non-Final Office Action for U.S. Appl. No. 16/904,868 dated Nov. 25, 2020.

Non-Final Office Action for U.S. Appl. No. 16/905,400 dated Dec. 2, 2020.

Non-Final Office Action for U.S. Appl. No. 17/088,272 dated Jan. 25, 2021.

Notice of Allowance for U.S. Appl. No. 15/171,968 dated Nov. 6, 2020.

Notice of Allowance for U.S. Appl. No. 15/612,325 dated Jan. 21, 2021.

Notice of Allowance for U.S. Appl. No. 29/624,661 dated Sep. 29, 2020.

Notice of Allowance for U.S. Appl. No. 29/694,002 dated Oct. 16, 2020.

U.S. Appl. No. 17/051,550, filed Oct. 29, 2020.

U.S. Appl. No. 17/051,554, filed Oct. 29, 2020.

U.S. Appl. No. 17/051,585, filed Oct. 29, 2020.

U.S. Appl. No. 17/051,600, filed Oct. 29, 2020.

U.S. Appl. No. 17/088,272, filed Nov. 3, 2020.

U.S. Appl. No. 63/134,287, filed Jan. 6, 2021.

U.S. Appl. No. 63/134,632, filed Jan. 7, 2021.

Sage's Initial Invalidity Contentions Regarding U.S. Pat. No. 8,287,508; U.S. Pat. No. 10,226,375; and U.S. Pat. No. 10,390,989, May 29, 2020, 193 pages.

Sage's Supplemental and Initial Invalidity Contentions Regarding U.S. Pat. No. 8,287,508; U.S. Pat. No. 10,226,375; U.S. Pat. No. 10,390,989 and Initial Invalidity Contentions Regarding U.S. Pat. No. 10,376,407, Aug. 21, 2020, 277 pages.

Sage's Second Supplemental Invalidity Contentions Regarding U.S. Pat. No. 8,287,508, U.S. Pat. No. 10,226,375, U.S. Pat. No. 10,390,989, and U.S. Pat. No. 10,376,407, 292 pages.

Excerpts from the 508 (U.S. Pat. No. 8,278,508) Patent's Prosecution History, 2020, 99 pages.

Plaintiff's Opening Claim Construction Brief, Case No. 19-1508-MN, Oct. 16, 2020, 26 pages.

Plaintiff's Identification of Claim Terms and Proposed Constructions, Case No. 19-1508-MN, 3 pages.

Sage's Preliminary Identification of Claim Elements and Proposed Constructions for U.S. Pat. No. 8,287,508, U.S. Pat. No. 10,226,376, U.S. Pat. No. 10,390,989 and U.S. Pat. No. 10,376,407, Case No. 19-1508-MN, 7 pages.

Corrected Certificate of Service, Case No. IPR2020-01426, U.S. Pat. No. 8,287,508, 2020, 2 pages.

"3 Devices Take Top Honors in Dare-To-Dream Medtech Design Contest", R+D Digest, Nov. 2013, 1 page.

"Advanced Mission Extender Device (AMDX) Products", Omni Medical Systems, Inc., 15 pages.

"AMXD Control Starter Kit Brochure", <https://www.omnimedicalsys.com/index.php?page=products>, Omni Medical, 8 pages.

"AMXDX—Advanced Mission Extender Device Brochure", Omni Medical, Omni Brochure—<http://www.omnimedicalsys.com/uploads/AMXDFixedWing.pdf>, 2 pages.

"High Absorbancy Cellulose Acetate Electrospun Nanofibers for Feminine Hygiene Application", <https://www.sciencedirect.com/science/article/abs/pii/S2352940716300701?via%3Dihub>, Jul. 2016, 3 pages.

"How Period Panties Work", [www.shethinx.com/pages/thinx-itworks](http://www.shethinx.com/pages/thinx-itworks), 2020, 10 pages.

"Hydrogel properties of electrospun polyvinylpyrrolidone and polyvinylpyrrolidone/poly(acrylic acid) blend nanofibers", <https://pubs.rsc.org/en/content/articlelanding/2015/ra/c5ra07514a#!divAbstract>, 2015, 5 pages.

"In Flight Bladder Relief", Omni Medical, Omni Presentation [https://www.omnimedicalsys.com/uploads/AMXDmax\\_HSD.pdf](https://www.omnimedicalsys.com/uploads/AMXDmax_HSD.pdf), 14 pages.

"Making Women's Sanitary Products Safer and Cheaper", <https://www.elsevier.com/connect/making-womens-sanitary-products-safer-and-cheaper>, Sep. 2016, 10 pages.

"Novel Nanofibers Make Safe and Effective Absorbent for Sanitary Products", <https://www.materialstoday.com/nanomaterials/news/nanofibers-make-safe-and-effective-absorbent/>, Oct. 2016, 3 pages.

"Research and Development Work Relating to Assistive Technology Jun. 2005", British Department of Health, Nov. 2006, 40 pages.

"User & Maintenance Guide", Omni Medical, 2007, 16 pages.

"Winners Announced for Dare-to-Dream Medtech Design Challenge", <https://www.mddionline.com/design-engineering/winners-announced-dare-dream-medtech-design-challenge>, MD&DI, 2014, 4 pages.

Hollister, Female Urinary and Pouch and Male Urinary Pouch Brochure, 2011, 1 page.

MacAulay, et al., "A Noninvasive Continence Management System: Development and Evaluation of a Novel Toileting Device for Women", *The Wound, Ostomy and Continence Nurses Society*, vol. 34 No. 6, 2007, pp. 641-648.

Newton, et al., "Measuring Safety, Effectiveness and Ease of Use of PureWick in the Management of Urinary Incontinence in Bedbound Women: Case Studies", Jan. 8, 2016, 11 pages.

Sachtman, "New Relief for Pilots? It Depends", *Wired*, <https://www.wired.com/2008/05/pilot-relief/>, 2008, 2 pages.

Advisory Action for U.S. Appl. No. 16/905,400 dated Jun. 9, 2021.

Corrected Notice of Allowability for U.S. Appl. No. 15/612,325 dated Mar. 17, 2021.

Final Office Action for U.S. Appl. No. 16/899,956 dated Apr. 19, 2021.

Final Office Action for U.S. Appl. No. 16/904,868 dated Mar. 26, 2021.

Final Office Action for U.S. Appl. No. 16/905,400 dated Apr. 6, 2021.

Final Office Action for U.S. Appl. No. 17/088,272 dated May 25, 2021.

Issue Notification for U.S. Appl. No. 15/171,968 dated Mar. 3, 2021.

Issue Notification for U.S. Appl. No. 15/612,325 dated Mar. 24, 2021.

Notice of Allowance for U.S. Appl. No. 15/171,968 dated Feb. 16, 2021.

(56)

**References Cited**

OTHER PUBLICATIONS

Notice of Allowance for U.S. Appl. No. 15/612,325 dated Feb. 19, 2021.

Notice of Allowance for U.S. Appl. No. 29/624,661 dated Apr. 28, 2021.

Notice of Allowance for U.S. Appl. No. 29/694,002 dated Apr. 29, 2021.

Notice of Allowance for U.S. Appl. No. 29/694,002 dated Jan. 29, 2021.

Notice to File Missing Parts for U.S. Appl. No. 17/179,116 dated Mar. 3, 2021.

Restriction Requirement for U.S. Appl. No. 16/478,180 dated May 25, 2021.

U.S. Appl. No. 17/179,116, filed Feb. 18, 2021.

U.S. Appl. No. 17/330,657 dated May 26, 2021.

U.S. Appl. No. 63/148,723, filed Feb. 12, 2021.

Memorandum Order, Feb. 2021, 14 pgs.

BOEHRINGER CareDry System—Second Generation for Non-Invasive Urinary Management for Females, Mar. 2021, 3 pgs.

Decision Granting Institution of Inter Partes Review for patent No. 8,287,508, Case No. 2020-01426, Feb. 17, 2021, 39 pages.

\* cited by examiner




FIG. 3

FIG. 2

FIG. 1




FIG. 2A





FIG. 1A





## CONTAINER FOR COLLECTING LIQUID FOR TRANSPORT

### CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Patent Application No. 62/084,078 filed Nov. 25, 2014, the disclosure of which is herein incorporated by reference.

### BACKGROUND OF THE INVENTION

The invention generally pertains to a container for collecting liquid for transport and is particularly directed to a container that can be used to so collect a liquid, such as urine, from the body of a person or an animal that the liquid can be readily transported from the container as the liquid is being collected.

A container for collecting urine and transporting the collected urine voided from a person's body is described in U.S. Pat. No. 8,287,508 to Robert A. Sanchez. The container described in said patent is made of plastic or some other material and defines a chamber for collecting urine. The container is closed, except for having an array of openings through which urine can be drawn into the chamber for collection and at least one outlet port through which urine can be drawn away from the chamber by a transport tube inserted into the chamber. The exterior of the container is configured for enabling a moisture-wicking article to be secured over the array of openings and for enabling the secured moisture-wicking article to be disposed in contact with the region of a female body surrounding the urethral opening. A vacuum pump is attached to the transport tube in order to create a partial vacuum in the chamber in order to draw urine into the chamber for collection of the urine and in order to draw the collected urine away from the chamber.

### SUMMARY OF THE INVENTION

The invention provides a container for collecting liquid for transport, comprising: a web of flexible porous material defining at least a portion of a chamber in which liquid can be collected for transport; wherein the chamber is configured to receive a tube in a position within the chamber that enables said tube to transport liquid from the chamber while said liquid collects within the chamber upon being drawn through the web when a partial vacuum is applied within the chamber via said tube; wherein the porous material comprises a web of spun plastic fibers.

In one exemplary embodiment, the web of spun plastic fibers is configured to define an elongated portion of said chamber.

In another exemplary embodiment, a backing of non-permeable material covers a portion of the web and is so combined with the web as to further define the chamber.

The present invention is particularly useful for persons or animals during various circumstances. These circumstances include a condition such as incontinence or a disability that limits or impairs mobility. These circumstances also include restricted travel conditions, such as sometimes experienced by pilots, drivers, workers in hazardous areas, etc. These circumstances further include collection of urine for monitoring purposes or clinical testing.

Additional features of the present invention are described with reference to the detailed description.

## BRIEF DESCRIPTION OF THE DRAWING

FIG. 1 is a plan view of one exemplary embodiment of a container according to the invention, with an interior chamber being shown by dashed lines.

FIG. 1A is a sectional view of the container shown in FIG. 1, taken along line 1a-1a in FIG. 1.

FIG. 2 is a plan view of a variation of the one exemplary embodiment of a container according to the invention.

FIG. 2A is a sectional view of the container shown in FIG. 2, taken along line 2a-2a in FIG. 2.

FIG. 3 is a plan view of the one exemplary embodiment of a container according to the invention, as shown in FIGS. 2 and 3, with a moisture wicking material being wrapped around the container and a liquid transport tube inserted within the chamber of the container.

FIGS. 4A, 4B and 4C are respectively front, rear and side views of a first portion of another exemplary embodiment of a container according to the invention in combination with a liquid transport tube.

FIG. 5 illustrates the portion of the container shown in FIG. 4C in combination with a backing to further define a chamber within the container.

FIG. 6 illustrates the other exemplary embodiment, with a moisture wicking material being wrapped around the container shown in FIG. 5 and a liquid transport tube inserted within the chamber of the container.

### DETAILED DESCRIPTION

Referring to FIGS. 1 and 1A, one exemplary embodiment of a container 10 according to the present invention includes a web 12 of flexible porous material defining at least a portion of a chamber 14 in which liquid can be collected for transport. The web 12 of spun plastic fibers is configured to define an elongated portion of the chamber. Preferably, the container 10 is formed to have a tubular shape. The exterior shape of the container may be cylindrical or non-cylindrical.

The chamber 14 is configured to receive a tube in a position within the chamber 14 that enables the tube to transport from the chamber 14 liquid that is collected within the chamber 14 upon the liquid being drawn through the web 12.

FIGS. 2 and 2A show a variation of the one exemplary embodiment that is shown in FIGS. 1 and 1A. In this variation, a container 20 includes web 22 of spun plastic formed in a flexible sheet 23. The web 22 is then formed to have a tubular shape by flexing the sheet 23 so that opposite sides of the sheet 23 are held closely together, or meet as shown at 24, to define an elongated chamber 26. The opposite sides of the sheet 23 are held together by adhesive bands 28, or by other means, such as glue, or by compression created by a moisture-wicking article wrapped around the perimeter.

The container 20 is configured and sized to receive a moisture-wicking article over the flexed sheet 23 and to be able to dispose the received moisture-wicking article 20 in contact with a region of the body surrounding the urethral opening.

Referring further to FIG. 3, a moisture wicking material 30 is wrapped around the container 10, 20 and a liquid transport tube 32 is inserted within the chamber 14, 26 of the container 10, 20. In an alternative version related to the variation shown in FIGS. 2 and 2A, the moisture wicking material 30 is attached to or sprayed onto one side of the web 22 prior to the sheet 23 being flexed in order to define the elongated chamber 26.



The transport tube **32** is inserted through an outlet port at one end **34** of the container **10, 20** to a position within the chamber **14, 26** that enables the tube **32** to transport liquid collected within the chamber **14, 26** upon the liquid passing through the web **12, 22**.

The other end **36** of the container **10, 20** is closed. The transport tube **32** is coupled to a vacuum pump, which can be used to create a partial vacuum in the chamber **14, 26** of the container **10, 20** to enable the tube **32** to transport liquid from the chamber **14, 26** while the liquid collects within the chamber **14, 26** upon being drawn through the web **12, 22** when the partial vacuum is applied within the chamber **14, 26** via the tube **32**.

Referring to FIGS. **4A, 4B, 4C** and **5**, another exemplary embodiment of a container **40** according to the present invention includes a porous flexible web **42** of spun plastic fibers and a backing **43** (as shown in FIG. **5**) of non-permeable material covering a portion of the web **42**.

The transport tube **45** is secured to the web **42**, as shown in FIG. **4C**. In this embodiment, an adhesive tape **46** is used to secure the transport tube **45** to the web **42**. In other embodiments, the transport tube **45** is secured by other means.

The backing **43** is so combined with the web **42** as to define a portion of a chamber **44** in which liquid can be collected for transport, as shown in FIG. **5**. The chamber **44** is configured to receive a transport tube **45** in a position within the chamber **44** that enables the tube **45** to transport liquid collected within the chamber **44**.

The transport tube **45** is secured to the web **42**, as shown in FIG. **4C**. In this embodiment, an adhesive tape **46** is used to secure the transport tube **45** to the web **42**. In other embodiments, the transport tube **45** is secured by other means.

Referring further to FIG. **6**, the container **40** is configured and sized to receive a moisture-wicking article **47** over the web **42** and to be able to dispose the received moisture-wicking article **47** in contact with a region of the body surrounding the urethral opening.

The moisture-wicking material **47** is wrapped around the container **40**, which has the liquid transport tube extending from the chamber **44** of the container. The transport tube **45** extends through an outlet port at one end **48** of the container **40** to a position within the chamber **44** that enables the tube **45** to transport liquid collected within the chamber **44**. The other end **49** of the container **40** is closed. The transport tube **45** is coupled to a vacuum pump, which can be used to create a partial vacuum in the chamber **44** of the container **40** to enable the tube **45** to transport liquid from the chamber **44** while the liquid collects within the chamber **44** upon being drawn through the web **42** when the partial vacuum is applied within the chamber **44** via the tube **45**.

Preferably, the spun plastic fibers include, and may consist of, spun polyester fibers, such as contained in a scouring pad. Polyester fibers are preferred because of their characteristic of not retaining undesirable odors. In alternative embodiments, the web is made of some other type of fibers.

For a female, the secured moisture-wicking article **20** is placed between the legs or labia and held snugly against the external urethra by pressure or friction from the user's body, by the pressure of the legs or by such means as an undergarment, elastic strips and/or adhesive tape. For a male, the secured moisture-wicking article is secured around the penis.

Different embodiments of a container for a urine collection device according to the invention are configured for use by both females and males, for both adult and pediatric

applications, and for veterinary applications involving animals of different species and sizes.

The benefits specifically stated herein do not necessarily apply to every conceivable embodiment of the present invention. Further, such stated benefits of the present invention are only examples and should not be construed as the only benefits of the present invention.

While the above description contains many specificities, these specificities are not to be construed as limitations on the scope of the present invention, but rather as examples of the preferred embodiments described herein. Other variations are possible and the scope of the present invention should be determined not by the embodiments described herein but rather by the claims and their legal equivalents.

The invention claimed is:

**1.** A container for collecting liquid for transport, the container comprising:

a moisture-wicking material positioned to be disposed in contact with a body;

a web of flexible porous material positioned directly adjacent to at least a portion of the moisture-wicking material and at least partially defining at least one wall; a closed end;

a non-permeable material covering at least a portion of the web of flexible porous material; and

a chamber having a first portion and a second portion, the first portion configured to receive at least a portion of a tube in a position within the chamber that enables said tube to transport liquid from the second portion of the chamber while said liquid collects within the second portion of the chamber upon being drawn through the web of flexible porous material when a partial vacuum is applied within the chamber via said tube, the first portion of the chamber including an interior surface at least partially defined by the at least one wall of the web of flexible porous material, and the second portion of the chamber positioned at the closed end and defined at least partially by a portion of the non-permeable material that is spaced from both the web of flexible porous material and an end of the tube when at least the portion of the tube is received in the first portion of the chamber;

wherein the web of flexible porous material comprises a web of spun plastic fibers.

**2.** The container according to claim **1**, wherein the web of spun plastic fibers defines an elongated portion of said chamber.

**3.** The container according to claim **2**, wherein the web of spun plastic fibers is in a flexible sheet.

**4.** The container according to claim **1**, wherein the non-permeable material covers a portion of the web of flexible porous material.

**5.** The container according to claim **1**, wherein the web of spun plastic fibers includes spun polyester fibers.

**6.** The container according to claim **2**, wherein the web of spun plastic fibers includes spun polyester fibers.

**7.** The container according to claim **4**, wherein the web of spun plastic fibers includes spun polyester fibers.

**8.** The container according to claim **1**, wherein the at least one wall of the web of flexible porous material extends about at least a portion of the chamber.

**9.** The container according to claim **1**, wherein the moisture-wicking material is wrapped around at least a portion of a perimeter of the web of flexible porous material.

**10.** The container according to claim **1**, wherein the chamber is configured to receive the tube through an open end of the container.



## 5

11. The container according to claim 1, wherein:  
the moisture-wicking material is wrapped around at least  
a portion of a perimeter of the web of flexible porous  
material; and

the chamber is configured to receive the tube through an  
open end of the container. 5

12. The container according to claim 1, wherein the  
non-permeable material defines at least the first end of the  
chamber having the closed end.

13. The container according to claim 1, wherein the web  
of flexible porous material is absent from the second portion  
of the chamber at the closed end that is defined by the  
non-permeable material. 10

14. The container according to claim 1, wherein the  
second portion of the chamber at the closed end is defined  
at least partially on a first side by the non-permeable material  
and at least partially on a second side by the wall of the  
flexible porous material. 15

15. The container according to claim 13, wherein the  
second portion of the chamber at the closed end is adjacent  
to the portion of the non-permeable material defining the  
second portion of the chamber. 20

16. A container for collecting liquid for transport, the  
container comprising:

a moisture-wicking material positioned to be disposed in  
contact with a body;

## 6

a flexible porous material including spun plastic fibers  
positioned directly adjacent to at least a portion of the  
moisture-wicking material;

a non-permeable material, at least a portion of the non-  
permeable material covering a portion of the porous  
material;

a first end having an outlet port configured to receive a  
tube therethrough;

a closed second end distal to the first end; and

a chamber defined at least partially by a portion of the  
flexible porous material, at least a portion of the cham-  
ber being positioned at the closed second end and  
defined at least partially by a portion of the non-  
permeable material that is spaced from the flexible  
porous material.

17. The container according to claim 16, wherein the  
flexible porous material is absent from the portion of the  
chamber at the closed second end.

18. The container according to claim 16, wherein the  
portion of the chamber positioned at the closed second end  
is defined at least partially on a first side by the non-  
permeable material and at least partially on a second side by  
the flexible porous material.

\* \* \* \* \*