



US011170404B2

(12) **United States Patent**
Zises

(10) **Patent No.:** **US 11,170,404 B2**
(45) **Date of Patent:** **Nov. 9, 2021**

(54) **SYSTEMS AND METHODS FOR REAL TIME UPGRADES**

10,262,335 B2 4/2019 Zises
2001/0056482 A1 12/2001 Lewis et al.
2002/0186133 A1 12/2002 Loot
2003/0065805 A1* 4/2003 Barnes, Jr. G06Q 10/02
709/231

(71) Applicant: **StubHub, Inc.**, San Francisco, CA (US)

(Continued)

(72) Inventor: **Matthew Scott Zises**, San Jose, CA (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **StubHub, Inc.**, San Francisco, CA (US)

WO 2015126514 A1 8/2015

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

OTHER PUBLICATIONS

(21) Appl. No.: **16/376,181**

Addey, "iBeacons", daveaddey.com/?p=1252, Sep. 22, 2013, retrieved using the WayBack Machine (archive.org) (Year: 2013).*

(22) Filed: **Apr. 5, 2019**

(Continued)

(65) **Prior Publication Data**

Primary Examiner — Scott C Anderson

US 2019/0236644 A1 Aug. 1, 2019

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery LLP

Related U.S. Application Data

(63) Continuation of application No. 14/187,200, filed on Feb. 21, 2014, now Pat. No. 10,262,335.

(51) **Int. Cl.**

G06Q 30/00 (2012.01)

G06Q 30/02 (2012.01)

(52) **U.S. Cl.**

CPC **G06Q 30/0252** (2013.01)

(58) **Field of Classification Search**

CPC G06Q 30/0252

See application file for complete search history.

(57) **ABSTRACT**


A system can offer an enhanced event experience for users of the system by tracking the locations of the users during a purchased-access event such as a ticketed event and offering real time location-based upgrades to the users. The locations of users can be used to determine a demonstrated interest by the user for a particular location or product in the event venue and to offer upgrades tailored to that demonstrated interest. For example, a concert attendee with a ticket for a particular seat may be detected a location relatively far from the user's seat such as a location near a seat of a friend of the user. The system can detect the user's location, identify available seats near the user's location, and offer the user an upgrade to the identified available seats. Location-based upgrades can also be provided in airplanes, hotels, cruise ships, or other venues or events.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,752,876 A 6/1988 Couch et al.
7,162,454 B1* 1/2007 Donner G06Q 10/02
235/382

19 Claims, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0069789 A1* 4/2003 Gathman G06Q 30/02
705/14.64

2003/0187685 A1 10/2003 Bakker
2006/0015254 A1 1/2006 Smith
2006/0095344 A1† 5/2006 Nakfoor
2006/0173781 A1 8/2006 Donner
2006/0258368 A1* 11/2006 Granito G01C 21/00
455/456.1

2007/0124232 A1 5/2007 Brett
2007/0143185 A1 6/2007 Harmon et al.
2008/0086377 A1* 4/2008 Jain G06Q 30/02
705/14.1

2008/0091479 A1 4/2008 Mortimore
2008/0271072 A1 10/2008 Rothschild et al.
2008/0287142 A1 11/2008 Keighran
2009/0030741 A1 1/2009 Veitch
2009/0030748 A1† 1/2009 Halavais
2009/0055271 A1* 2/2009 Drefs G06Q 30/02
705/14.27

2009/0216702 A1 8/2009 Proctor et al.
2010/0057344 A1* 3/2010 Nezu G01C 21/20
701/533

2011/0105090 A1 5/2011 Shackleton
2011/0202889 A1* 8/2011 Ludwig G06F 3/04815
715/856

2012/0078667 A1† 3/2012 Denker
2012/0215637 A1 8/2012 Hermann
2012/0221466 A1* 8/2012 Look G06Q 20/20
705/39

2012/0230539 A1* 9/2012 Calman G06Q 10/06
382/103

2012/0323488 A1* 12/2012 Callaghan G06Q 10/02
701/454

2013/0059598 A1 3/2013 Miyagi et al.
2013/0124234 A1 5/2013 Nilsson et al.
2013/0182117 A1 7/2013 Arseneau et al.
2013/0275257 A1 10/2013 David
2014/0039945 A1 2/2014 Coady et al.
2014/0220883 A1* 8/2014 Emigh H04H 20/61
455/3.01

2014/0288980 A1* 9/2014 Lee G06Q 10/02
705/5

2015/0120504 A1* 4/2015 Todasco G06Q 20/322
705/26.61

2015/0154571 A1* 6/2015 Zamer G06Q 20/045
705/5

2015/0242888 A1 8/2015 Zises


OTHER PUBLICATIONS

Non-Final Office Action received for U.S. Appl. No. 14/187,200, dated May 6, 2015, 24 pgs.

Response to Non-Final Office Action filed Aug. 5, 2015, for U.S. Appl. No. 14/187,200, 12 pgs.
Final Office Action received for U.S. Appl. No. 14/187,200, dated Oct. 19, 2015, 26 pgs.
Applicant-Initiated Interview Summary received for U.S. Appl. No. 14/187,200, dated Nov. 27, 2015, 3 pgs.
Response to Final Office Action filed Dec. 21, 2015, for U.S. Appl. No. 14/187,200, 23 pgs.
Advisory Action received for U.S. Appl. No. 14/187,200, dated Jan. 27, 2016, 3 pgs.
Response to Advisory Action filed Feb. 12, 2016, received for U.S. Appl. No. 14/187,200, 23 pgs.
Non-Final Office Action received for U.S. Appl. No. 14/187,200, dated May 31, 2016, 37 pgs.
Applicant-Initiated Interview Summary received for U.S. Appl. No. 14/187,200, dated Aug. 23, 2016, 3 pgs.
Response to Non-Final Office Action filed Aug. 31, 2016, for U.S. Appl. No. 14/187,200, 22 pgs.
Final Office Action received for U.S. Appl. No. 14/187,200, dated Nov. 25, 2016, 8 pgs.
Response to Final Office Action filed Jan. 24, 2017, for U.S. Appl. No. 14/187,200, 18 pgs.
Advisory Action received for U.S. Appl. No. 14/187,200, dated Feb. 14, 2017, 3 pgs.
Response to Advisory Action filed Apr. 25, 2017, for U.S. Appl. No. 14/187,200, 14 pgs.
Non-Final Office Action received for U.S. Appl. No. 14/187,200, dated Jun. 19, 2017, 10 pgs.
Response to Non-Final Office Action filed Oct. 19, 2017, for U.S. Appl. No. 14/187,200, 18 pgs.
Final Office Action received for U.S. Appl. No. 14/187,200, dated Jan. 10, 2018, 11 pgs.
Response to Final Office Action filed Apr. 10, 2018, for U.S. Appl. No. 14/187,200, 16 pgs.
Non-Final Office Action received for U.S. Appl. No. 14/187,200, dated Jul. 6, 2018, 16 pgs.
Applicant-Initiated Interview Summary for U.S. Appl. No. 14/187,200, dated Aug. 23, 2018, 3 pgs.
Response to Non-Final Office Action filed Oct. 8, 2018, for U.S. Appl. No. 14/187,200, 17 pgs.
Notice of Allowance received for U.S. Appl. No. 14/187,200, dated Dec. 4, 2018, 8 pgs.
International Search Report and Written Opinion received for PCT Application No. PCT/US2014/070859, dated Mar. 19, 2015, 9 pgs.
International Preliminary Report Patentability received for PCT Patent Application No. PCT/US2014/070859, dated Sep. 1, 2016, 9 pgs.
Wi-Fi Based Real-Time Location Tracking: Solutions and Technology, Dec. 2006, 6 pgs.

* cited by examiner
† cited by third party

FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

1**SYSTEMS AND METHODS FOR REAL TIME
UPGRADES****CROSS-REFERENCE TO RELATED
APPLICATIONS**

This application is a continuation of U.S. patent application Ser. No. 14/187,200, filed on Feb. 21, 2014, now U.S. Pat. No. 10,262,335, issued on Apr. 16, 2019; the disclosure of which is incorporated by reference herein.

BACKGROUND**Technical Field**

The present disclosure relates generally to electronic commerce, and more particularly, to the buying and selling of real time upgrades during purchased-access events.

Related Art

Computer systems and networks have facilitated the tasks of buying, selling and transferring goods. For example, global computer networks, such as the Internet, have allowed purchasers to relatively quickly and efficiently seek and purchase goods online. Similarly, global computer networks provide an efficient and cost-effective medium for sellers to advertise, offer, provide, and sell their goods. Electronic commerce companies provide buyers and sellers with online services and the infrastructure to accept orders of goods from remote purchasers, to perform the financial transactions necessary to confirm and complete the sale of goods, to ship or distribute the goods to remote purchasers, and to perform other related logistics.

One example of a market for goods within the realm of electronic commerce is the online ticket market. Various online ticket sellers provide websites through which parties can buy and sell tickets online. These tickets can be obtained by a user to reserve seats and/or admission for a variety of events, such as sporting events, concerts, theater events, and other entertainment events. Typically, a buyer looks for available tickets on a ticket marketplace website or other online listing and decides which, if any, of the available tickets are of interest to the buyer for possible purchase.

When a ticket is purchased and the ticketholder attends the associated event, for various reasons, the user may not spend a significant amount of time in the seat for which they purchased the ticket. Currently there is no way for a user to legitimately remain in a location other than the user's seat and there is no way for event venues and owners to leverage the user's already demonstrated interest in the location for further sales.

It may therefore be desirable to provide systems and methods for providing real time upgrades for various purchased-access events such as ticketed events.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of an illustrative computing system that is adapted for implementing the selection and purchase of tickets and/or real time upgrades for ticketed events according to an embodiment.

FIG. 2 is a block diagram of an illustrative computer system suitable for implementing on one or more devices of the computing system in FIG. 1 according to an embodiment.

2

FIG. 3 is a block diagram of an illustrative system for facilitating real time upgrades for purchased-access events according to an embodiment.

FIG. 4 is a diagram of an illustrative event venue showing an event attendee location and various other locations in the venue according to an embodiment.

FIG. 5 is a diagram of an illustrative location-based upgrade offer that may be provided to a user on a mobile device according to an embodiment.

FIG. 6 is a diagram of an illustrative package upgrade offer that may be provided to a user on a mobile device according to an embodiment.

FIG. 7 is a diagram of an illustrative vehicle showing a passenger location and various other locations in the vehicle according to an embodiment.

FIG. 8 is a diagram of an illustrative hotel showing a guest location and various other locations in the hotel according to an embodiment.

FIG. 9 is a diagram of an illustrative cruise ship showing a passenger location and various other locations on the cruise ship according to an embodiment.

FIG. 10 is a flowchart showing an illustrative process that may be performed for offering real time upgrades to event attendees according to an embodiment.

FIG. 11 is a diagram of an illustrative location-based upgrade offer that is based on a location of an associate of the user and that may be provided to a user on a mobile device according to an embodiment.

DETAILED DESCRIPTION

Exemplary applications of apparatuses and methods according to the present invention are described in this section. These examples are being provided solely to add context and aid in the understanding of the invention. It will thus be apparent to one skilled in the art that the present invention may be practiced without some or all of these specific details. In other instances, well known process steps have not been described in detail in order to avoid unnecessarily obscuring the present invention. Other applications are possible, such that the following examples should not be taken as limiting.

In the following detailed description, references are made to the accompanying drawings, which form a part of the description and in which are shown, by way of illustration, specific embodiments of the present invention. Although these embodiments are described in sufficient detail to enable one skilled in the art to practice the invention, it is understood that these examples are not limiting, such that other embodiments may be used, and changes may be made without departing from the spirit and scope of the invention.

Devices, systems and methods are provided for performing activities related to the online sale, purchase, and resale of tickets to ticketed events. In various particular embodiments, the devices, systems or methods can involve one or more devices in communication over a network. Such devices, systems, and methods can facilitate real time upgrades for event attendees during a ticketed event. Real time upgrade activities may include location-based upgrades for an attendee of an event at a venue based on the detected or determined location of the attendee during the event.

In various embodiments, a system may determine a location of an event attendee during the event, determine, based at least in part on the determined location, an upgrade offer for the attendee, and provide the determined upgrade offer to the attendee. For example, an attendee of a sporting event may have a ticket for a seat in a particular section of a venue

and may have a detected location in another section of the venue (e.g., a section with a better view or a section in which the attendee's friends are located). The system may detect the location of the attendee as being different from the attendee's seat location, identify one or more unused seats near the attendee's determined location, and offer the attendee an upgrade to the unused seats so that attendee can legitimately remain in approximately their current location. In this way, the attendee's demonstrated interest in a particular portion of an event venue can be used to provide the attendee with an enhanced event experience while providing additional income for the venue. Location-based upgrade activities of this type can therefore help event attendees increase enjoyment of a ticketed event and may help increase sales for an event owner or venue owner during ticketed events.

While the various examples disclosed herein focus on particular aspects regarding the online sale and/or purchase of tickets, it will be understood that the various inventive principles and embodiments disclosed herein can be applied to other types of ticketed applications and arrangements as well. For example, a ticket purchase that is performed in person or on a closed or proprietary computing system may utilize one or more of the aspects and features found in the various systems and methods provided.

Reference throughout the specification to "various embodiments," "some embodiments," "one embodiment," "an embodiment," "various examples," "one example," "an example," or "some examples" means that a particular feature, structure, or characteristic described in connection with the embodiment or example is included in at least one embodiment. Thus, appearances of these are not necessarily all referring to the same embodiment. Furthermore, the particular features, structures or characteristics may be combined in any suitable manner in one or more embodiments.

According to an embodiment, a computer program product can comprise a non-transitory machine readable medium. The non-transitory machine readable medium can have computer readable and executable code for instructing one or more processors to perform any of the methods disclosed herein.

Beginning with FIG. 1, an exemplary embodiment of a computing system adapted for implementing the selection and purchase of tickets for ticketed events and/or location-based upgrades for ticketed events is illustrated in block diagram format. As shown, a computing system 100 may comprise or implement a plurality of servers and/or software components that operate to perform various methodologies in accordance with the described embodiments. Exemplary servers may include, for example, stand-alone and enterprise-class servers operating a server OS such as a MICROSOFT® OS, a UNIX® OS, a LINUX® OS, or other suitable server-based OS. It can be appreciated that the servers illustrated in FIG. 1 may be deployed in other ways and that the operations performed and/or the services provided by such servers may be combined or separated for a given implementation and may be performed by a greater number or fewer number of servers. One or more servers may be operated and/or maintained by the same or different entities.

Computing system 100 can include, among various devices, servers, databases and other elements, a client 102 that may comprise or employ one or more client devices 104, such as a laptop, a mobile computing device, a PC, and/or any other computing device having computing and/or communications capabilities in accordance with the described embodiments. In particular, it is specifically con-

templated that client devices 104 can include a cellular telephone or other similar mobile device that a user can carry on or about his or her person and access readily.

Client devices 104 generally may provide one or more client programs 106, such as system programs and application programs to perform various computing and/or communications operations. Exemplary system programs may include, without limitation, an operating system (e.g., MICROSOFT® OS, UNIX® OS, LINUX® OS, Symbian OS™, Embedix OS, Binary Run-time Environment for Wireless (BREW) OS, JavaOS, a Wireless Application Protocol (WAP) OS, and others), device drivers, programming tools, utility programs, software libraries, application programming interfaces (APIs), and so forth. Exemplary application programs may include, without limitation, a web browser application, messaging applications (e.g., e-mail, IM, SMS, MMS, telephone, voicemail, VoIP, video messaging), contacts application, calendar application, electronic document application, database application, media application (e.g., music, video, television), location-based services (LBS) application (e.g., GPS, mapping, directions, point-of-interest, locator), and so forth. One or more of client programs 106 may display various graphical user interfaces (GUIs) to present information to and/or receive information from one or more of client devices 104.

As shown, client 102 can be communicatively coupled via one or more networks 108 to a network-based system 110. Network-based system 110 may be structured, arranged, and/or configured to allow client 102 to establish one or more communications sessions with network-based system 110 using various computing devices 104 and/or client programs 106. Accordingly, a communications session between client 102 and network-based system 110 (e.g., a communications session for location-based upgrades for attendees of a purchased-access event such as a ticketed event) may involve the unidirectional and/or bidirectional exchange of information and may occur over one or more types of networks 108 depending on the mode of communication. While the embodiment of FIG. 1 illustrates a computing system 100 deployed in a client-server operating environment, it is to be understood that other suitable operating environments and/or architectures may be used in accordance with the described embodiments.

Data and/or voice communications between client 102 and the network-based system 110 may be sent and received over one or more networks 108 such as the Internet, a WAN, a WWAN, a WLAN, a mobile telephone network, a landline telephone network, a VoIP network, as well as other suitable networks. For example, client 102 may communicate with network-based system 110 over the Internet or other suitable WAN by sending and or receiving information via interaction with a web site, e-mail, IM session, and/or video messaging session. Any of a wide variety of suitable communication types between client 102 and system 110 can take place, as will be readily appreciated. In particular, wireless communications of any suitable form may take place between client 102 and system 110, such as that which often occurs in the case of mobile phones or other personal mobile devices.

In various embodiments, computing system 100 can include, among other elements, a third party 112, which may comprise or employ a third-party server 114 hosting a third-party application 116. In various implementations, third-party server 114 and/or third-party application 116 may host a web site associated with or employed by a third party 112. For example, third-party server 114 and/or third-party application 116 may enable network-based system 110 to

provide client **102** with additional services and/or information, such as additional ticket inventory. Third-party server **114** and/or third-party application **116** may provide system **110** and/or client **102** with email services and/or information, social networking services and/or information, travel services and/or information, purchase services and/or information, or other online services and/or information.

In one embodiment, third party server **112** may include a social networking server that hosts a user's social network account. In another embodiment, third party server **112** may include an email server that hosts a user's email account. In some embodiments, one or more of client programs **106** may be used to access network-based system **110** via third party **112**. For example, client **102** may use a web client to access and/or receive content from network-based system **110** after initially communicating with a third-party web site **112**.

Network-based system **110** may comprise one or more communications servers **120** to provide suitable interfaces that enable communication using various modes of communication and/or via one or more networks **108**. Communications servers **120** can include a web server **122**, an API server **124**, and/or a messaging server **126** to provide interfaces to one or more application servers **130**. Application servers **130** of network-based system **110** may be structured, arranged, and/or configured to provide various online marketplace, ticket fulfillment services, and/or location-based upgrade services to users that access network-based system **110**. In various embodiments, client **102** may communicate with applications servers **130** of network-based system **110** via one or more of a web interface provided by web server **122**, a programmatic interface provided by API server **124**, and/or a messaging interface provided by messaging server **126**. It can be appreciated that web server **122**, API server **124**, and messaging server **126** may be structured, arranged, and/or configured to communicate with various types of client devices **104** and/or client programs **106** and may interoperate with each other in some implementations.

Web server **122** may be arranged to communicate with web clients and/or applications such as a web browser, web browser toolbar, desktop widget, mobile widget, web-based application, web-based interpreter, virtual machine, and so forth. API server **124** may be arranged to communicate with various client programs **106** and/or a third-party application **116** comprising an implementation of API for network-based system **110**. Messaging server **126** may be arranged to communicate with various messaging clients and/or applications such as e-mail, IM, SMS, MMS, telephone, VoIP, video messaging, and so forth, and messaging server **126** may provide a messaging interface to enable access by client **102** and/or third party **112** to the various services and functions provided by application servers **130**.

When implemented as an online ticket marketplace, application servers **130** of network-based system **110** may provide various online marketplace and ticket fulfillment services including, for example, account services, buying services, selling services, listing catalog services, delivery services, payment services, gathering services, location-based upgrade services, and notification services. Application servers **130** may include an account server **132**, a selling server **134**, a buying server **136**, a listing catalog server **138**, a dynamic content management server **140**, a payment server **142**, a notification server **144**, and/or a delivery server **146** structured and arranged to provide such online marketplace and ticket fulfillment and/or redistribution services.

Application servers **130**, in turn, may be coupled to and capable of accessing one or more databases **150** including a subscriber database **152**, an active events database **154**,

and/or a transaction database **156**. Databases **150** generally may store and maintain various types of information for use by application servers **130** and may comprise or be implemented by various types of computer storage devices (e.g., servers, memory) and/or database structures (e.g., relational, object-oriented, hierarchical, dimensional, network) in accordance with the described embodiments.

Continuing with FIG. 2, an exemplary computer system **200** suitable for implementing on one or more devices of the computing system in FIG. 1 is depicted in block diagram format. In various implementations, a device that includes computer system **200** may comprise a personal computing device (e.g., a smart or mobile phone, a computing tablet, a personal computer, laptop, PDA, Bluetooth device, key FOB, badge, etc.) that is capable of communicating with a network. The ticket provider and/or a payment provider may utilize a network computing device (e.g., a network server) capable of communicating with the network. It should be appreciated that each of the devices utilized by users, ticket providers, and payment providers may be implemented as computer system **200** in a manner as follows.

Computer system **200** can include a bus **202** or other communication mechanism for communicating information data, signals, and information between various components of computer system **200**. Components include an input/output (I/O) component **204** that processes a user action, such as selecting keys from a keypad/keyboard, selecting one or more buttons or links, etc., and sends a corresponding signal to bus **202**. IO component **204** may also include an output component, such as a display **211** and a cursor control **213** (such as a keyboard, keypad, mouse, etc.). An optional audio input/output component **205** may also be included to allow a user to use voice for inputting information by converting audio signals. Audio IO component **205** may allow the user to hear audio. A transceiver or network interface **206** transmits and receives signals between computer system **200** and other devices, such as another user device, a merchant server, a venue server, an email server, a social networking server, other third-party servers, and/or a payment provider server via a network. In various embodiments, such as for many cellular telephone and other mobile device embodiments, this transmission can be wireless, although other transmission mediums and methods may also be suitable. A processor **212**, which can be a micro-controller, digital signal processor (DSP), or other processing component, processes these various signals, such as for display on computer system **200** or transmission to other devices over a network **260** via a communication link **218**. Again, communication link **218** can simply be a wireless communication form in some embodiments. Processor **212** may also control transmission of information, such as cookies or IP addresses, to other devices.

Components of computer system **200** also include a system memory component **214** (e.g., RAM), a static storage component **216** (e.g., ROM), and/or a disk drive **217**. Computer system **200** performs specific operations by processor **212** and other components by executing one or more sequences of instructions contained in system memory component **214**. Logic may be encoded in a computer readable medium, which may refer to any medium that participates in providing instructions to processor **212** for execution. Such a medium may take many forms, including but not limited to, non-volatile media, volatile media, and transmission media. In various implementations, non-volatile media includes optical or magnetic disks, volatile media includes dynamic memory, such as system memory component **214**, and transmission media includes coaxial cables, copper

wire, and fiber optics, including wires that comprise bus **202**. In one embodiment, the logic is encoded in non-transitory machine-readable medium. In one example, transmission media may take the form of acoustic or light waves, such as those generated during radio wave, optical, and infrared data communications.

Some common forms of computer readable media includes, for example, floppy disk, flexible disk, hard disk, magnetic tape, any other magnetic medium, CD-ROM, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, RAM, PROM, EPROM, FLASH-EPROM, any other memory chip or cartridge, or any other medium from which a computer is adapted to read.

In various embodiments of the present disclosure, execution of instruction sequences to practice the present disclosure may be performed by computer system **200**. In various other embodiments of the present disclosure, a plurality of computer systems **200** coupled by communication link **218** to the network (e.g., such as a LAN, WLAN, PTSN, and/or various other wired or wireless networks, including telecommunications, mobile, and cellular phone networks) may perform instruction sequences to practice the present disclosure in coordination with one another. Modules described herein can be embodied in one or more computer readable media or be in communication with one or more processors to execute or process the steps described herein.

A computer system may transmit and receive messages; data, information and instructions, including one or more programs (i.e., application code) through a communication link and a communication interface. Received program code may be executed by a processor as received and/or stored in a disk drive component or some other non-volatile storage component for execution.

Where applicable, various embodiments provided by the present disclosure may be implemented using hardware, software, or combinations of hardware and software. Also, where applicable, the various hardware components and/or software components set forth herein may be combined into composite components comprising software, hardware, and/or both without departing from the spirit of the present disclosure. Where applicable, the various hardware components and/or software components set forth herein may be separated into sub-components comprising software, hardware, or both without departing from the scope of the present disclosure. In addition, where applicable, it is contemplated that software components may be implemented as hardware components and vice-versa.

Software, in accordance with the present disclosure, such as program code and/or data, may be stored on one or more computer readable mediums. It is also contemplated that software identified herein may be implemented using one or more general purpose or specific purpose computers and/or computer systems, networked and/or otherwise. Such software may be stored and/or used at one or more locations along or throughout the system, at client **102**, network-based system **110**, or both. Where applicable, the ordering of various steps described herein may be changed, combined into composite steps, and/or separated into sub-steps to provide features described herein.

The foregoing networks, systems, devices, and numerous variations thereof can be used to implement a real time upgrade operation during a purchased-access event such as a location-based upgrade for seats or other items at events using detected locations of event attendees during the event.

FIG. **3** is a block diagram showing a ticket selection and purchase system that may be used to determine the location

of an event attendee during an event at a venue and, based on the determined location, take suitable upgrade action for the attendee, according to an embodiment. As shown in FIG. **3**, a ticket server **330** may be in communication with one or more user devices such as user device **320**, one or more venue devices such as venue device **310**, and one or more third-party servers such as a third-party server **350**.

In some embodiments, a venue device such as a venue server **310** (sometimes referred to herein as a venue device or a venue system) can be present at each of a plurality of different event venues (e.g., stadiums, theaters, arenas, amphitheaters, airplanes, cruise ships, hotels, or other venues at which ticketed events are held or for which access to restricted portions of the venue can be purchased for a period of time). Venue server **310** can provide information regarding events scheduled to occur at a particular venue and regarding seating and/or other accommodations (e.g., hotel rooms, cruise ship cabins, etc.) at that venue. In some embodiments, venue server **310** can provide the information to ticket server **330**. Ticket server **330** can obtain information regarding events scheduled to occur at various venues and information regarding seating and/or other accommodations at the various venues from one or more venue devices (servers) **310**, from other sources, or ticket server **330** may have a database of event information and venue information independent of any interaction with a venue device. Ticket server **330** may, for example, be an implementation of system **110** of FIG. **1**.

Venue server **310** can be a system that includes one or more computers, one or more servers, one or more computing tablets, one or more mobile devices, communications equipment, wireless transmitters or beacons and/or other suitable computing equipment, as examples. Venue device **310** can have processing circuitry such as a processor **312** and storage such as a memory **311**. Venue device **310** may, according to some embodiments include one or more wireless beacons such as beacon **314** and communications equipment such as communications module **316**.

Processor **312** can execute a software program stored in memory **311** for providing information regarding events scheduled to be at the venue, regarding seating at the venue, regarding user locations at the venue, or other information for each scheduled or ongoing event. Venue device **310** can provide the information to the ticket server and/or to a user device such as user device **320**.

A connection between user device **320** and wireless beacon **314** may be established with or without user input from a user. For example, wireless beacon **314** may broadcast a token, such as a universally unique identifier (UUID), for reception by user device **320**. User device **320** may receive the token from wireless beacon **314** (e.g., when user device **320** is in proximity to beacon **314**). If user device **320** acknowledges the UUID as identifying a known service or location, user device **320** may transmit an identifier corresponding to user device **320** back to wireless beacon **314**. User device **320** may communicate with wireless beacon **314** using, as examples, near field communications signals, Bluetooth signals, Bluetooth Low Energy signals, radio signals, infrared signals, or other wireless communications signals. The identifier from user device **320** may include, be transmitted with, concatenated with, or otherwise bundled with the identifier received from wireless beacon **314**.

Communication module **316** may include a DSL (e.g., Digital Subscriber Line) modem, a PSTN (Public Switched Telephone Network) modem, an Ethernet device, a broadband device, a satellite device and/or various other types of wired and/or wireless network communication devices

including microwave, radio frequency, infrared, Bluetooth, and near field communication devices. Wireless beacon **314** may utilize communications circuitry such as communication module **316** to communicate with ticket server **330** and/or user device **320**. In various embodiments, wireless beacon **314** may be operated by the venue, by a ticket server, or by another service such as a payment provider.

Venue device **310** can be disposed at the venue. However, this is merely illustrative. If desired, venue device **310** can be disposed at a location other than the venue. Each venue can have a dedicated venue device **310** or a plurality of different venues can share a common venue device **310**. For example, co-owned venues can share a common venue device **310**.

In some embodiments, venue device **310** can be omitted if ticket server **330** has the information needed for buying and selling of tickets and/or providing real time upgrades. For example, ticket server **330** may have a database of available tickets and information about the tickets and venues that enables ticket server **330** to provide the necessary information to a user for providing location-based upgrades at venues.

Third party servers such server **350** may include, for example, a social media server that hosts one or more social networking accounts (e.g., a social networking account for a user of user device **320**), an email server that hosts email services (e.g., an email account for the user), and/or a travel services server. A user may use user device **320** to access a social networking site that is hosted by one of servers **350**, to send, store, and receive emails or other electronic communications on an email account that is hosted by one of servers **350**, to research and/or purchase travel services, and/or other services on one of servers **350**. The user may also use user device **320** to access ticket server **330** to select and purchase tickets for ticketed events from ticket server **330**, to sell tickets for ticketed events, and/or to purchase upgrades at a venue (as examples).

Third party server **350** can be a computer, a server, a computing tablet, or a mobile device, as examples. Server **350** can have processing circuitry such as a processor **354** and storage such as a memory **352**.

A processor **354** on a server **350** can execute one or more software programs stored in memory **352** for publishing user photos, videos, comments, captions, or other data such that are posted by the user. A processor **354** on another server **350** can store (e.g., using memory **352**) and route emails or other communications for the user.

In one embodiment, servers **350** can be omitted if ticket server **330** has the information (e.g., seat information, location information, accommodations information) needed to generate and provide real time upgrades such as location-based upgrades. For example, ticket server **330** may have a database of purchases and/or user device information gathered from user device **320** that indicates the location and/or other interests of an attendee.

A user (e.g., an event attendee that is a potential upgrade purchaser) can use a device such as user device **320** to shop online for available tickets and/or real time upgrades associated with one or more events. User device **320** can be a mobile device such as a cellular telephone, a tablet computer, a laptop computer, or another portable computing device. User device **320** can be a non-mobile device such as a home (land line) telephone, a desktop computer, an interactive set top box, or the like. User device **320** can be any device or combination of devices that facilitate online ticket

and/or upgrade viewing, selection, and/or purchasing. User device **320** may, for example, be an implementation of client device **104** of FIG. 1.

User device **320** can have a processor **321**, a memory **322**, a global positioning system component (GPS) **323** and/or other suitable device components. Processor **321** can execute an application such as an app **325** that facilitates the ticket selection, purchase, and/or upgrade methods disclosed herein. App **325** can be stored in a memory **322**. App **325** can provide a graphical user interface (GUI) for the user when the user is selecting and purchasing tickets and/or upgrades online. If desired, app **325** can be a dedicated ticket purchasing app. However, this is merely illustrative. In some configurations, app **325** can be part of another app, such as a Paypal, Inc. payment provider app.

User device **320** can communicate with venue device **310**, third-party server **350**, and/or ticket server **330** via a network such as the Internet **340**. User device **320** can communicate with the Internet via either a wired connection or a wireless connection. App **325** may be configured to transmit to ticket server **330** location information of user device **320**. For example, ticket server **330** may have access to location information for a user based on location data from GPS **323**.

Ticket server **330** may be operated by an online ticket seller such as StubHub, Inc. Ticket server **330** can facilitate online ticket sales and/or real time upgrades. Ticket server **330** may include processing circuitry such as a processor **331** in communication with storage such as a memory **332**. Processor **331** can include one or more processors. Processor **331** can access accounts such as a user account **333** and/or a venue account **334** that are stored in memory **332**. User account **333** can include information regarding the user (e.g., identification information, preferences, account numbers, purchase history, social network contacts, email contacts, email account permissions, social media account permissions, purchased-ticket event information, attended event information, etc.). Venue account **334** can include information regarding the venue (e.g., information regarding events, seating, venue location, and other venue features). Memory **332** can be separate from the ticket server and can be used to store any number of user accounts **333** and venue accounts **334**. Memory **332** can be distributed, e.g., have portions thereof disposed at a plurality of different locations. Other accounts may also be accessible by processor **331**, such as accounts of users selling tickets that include ticket details, such as price, quantity, location, and event information, and financial information that enable funds to be deposited into seller accounts when their tickets are sold.

Ticket server **330** may include one or more servers located at one or more locations. Thus, the ticket server **330** can be geographically and operationally distributed if desired. Ticket server **330** can be part of another system, such as a payment provider system. Venue device **310** and/or third-party server **350** can communicate with ticket server **330** over a wired or wireless connection such as via a network such as Internet **340**. Venue device **310** and/or third-party server **350** can communicate with a plurality of different ticket servers **330**. Ticket server **330** can communicate with a plurality of different venue devices **310** and/or third-party servers **350**. A plurality of different ticket servers **330** can communicate among themselves and can be considered herein as being the same as a single ticket server **330**. The user can operate user device **320** to interact with ticket server **330** so that the user can select, purchase, and/or sell tickets and/or view and/or purchase upgrades online.

Ticket server **330** can communicate with venue device **310** to obtain information about the venue. For example,

11

ticket server **330** can communicate with venue device **310** to obtain information regarding the scheduling of events at the venue and regarding features of the venue. The features of the venue can be dependent upon the events of the venue, e.g., the features of the venue can vary from event to event. Generally, venue device **310**, mobile device **320**, third-party server **350**, and ticket server **330** can perform functions discussed herein. That is, at least to some extent, a function that is discussed herein as being performed via a particular one of these devices can be performed by a different one of these devices, by a combination of these devices, and/or by other devices.

Venue device **310**, user device **320**, third-party server **350**, other mobile devices, and server **330** can communicate with one another via a network, such as the Internet **340** or with one another via one or more networks, such as local area networks (LANs), wide area networks (WANs), cellular telephone networks, and the like. Venue device **310**, mobile devices such as user device **320**, third-party server **350**, server **330**, and other devices can communicate with one another, at least partially, via one or more near field communications (NFC) methods or other short range communications methods, such as infrared (IR), Bluetooth, WiFi, and WiMax.

When a user wishes to shop for tickets online, resell tickets online, check into a venue such as an event venue online, access electronic tickets online, provide location information online, and/or view and/or purchase real time upgrades online (as examples), the user can open an online ticket seller's website or can access the ticket seller using an application such as app **325**. The user can open the ticket seller's website using user device **320**, for example. The ticket seller's website can be hosted on ticket server **330**, venue device **310**, or on any other server or device.

An event venue may be any venue for which an attendee can purchase access (e.g., ticketed access) to particular locations or portions within the venue for a period of time. Without being limiting examples of event venues may include a stadium, a theater, an arena, an amphitheater, an airplane, a train, a hotel, or any another venue into which an attendee can purchase access.

FIG. **4** is a diagram of an event venue **400** in accordance with an embodiment. In the example of FIG. **4**, a venue **400** may be a stadium, a theater, an arena, an amphitheater, a fairground, or another indoor or outdoor venue for events such as sporting events, concerts, plays, performances, competitions, races, or other entertainment events.

As shown in FIG. **4**, venue **400** may include an attraction area **402** and various locations for which a ticketholder can have purchased access such as seats **404**, or other restricted access sections of venue **400** such as a general admission section, a standing room only section, a floor section, or the like. Attraction area **402** may be a court, a field, a stage, a track, a rink, or any other suitable portion of a venue at which events can be conducted. Venue **400** may include one or more concession areas such as concession stands **406** (e.g., a food-service stand, a team memorabilia store, a drink stand, or other vendor stand). Concession stands **406** may be located in an aisle **405** or elsewhere in venue **400**.

Venue **400** may include one or more communications systems such as a system of one or more wireless beacons **314**. Beacons **314** may be disposed at any suitable location within venue **400**. For example, a beacon may be located near concession stand **406**, within or adjacent to each section of venue **400**, within or adjacent to groups of sections within venue **400**, or on or within each seat within venue **400**.

12

A user of a system of the type described in connection with, for example, FIGS. **1** and/or **3** (e.g., an attendee of an event at venue **400**) may have a ticket for a particular seat such as seat **410**. However, the system may determine that the attendee is at a location such as user location **412** (sometimes referred to herein as an attendee location) that is different from the location of the user's seat **410** at any particular time during an event. User location **412** may be a current location of the event attendee or a time-averaged location of the event attendee (as examples).

The system may, in some embodiments, determine the locations of one or more associates (e.g., friends, family members, coworkers, team members, social media contacts, email contacts, or other associated people) of the user. For example location **413** may be an associate location of an associate of the user. Associates of a particular user may be determined and/or discovered before or during an event based on user account information, email scraping and/or social media account scraping information, communications between a user device of the user and a user device of another user before or during an event, communications between a user device of a previously determined associate of the user and user devices of one or more other users before or during an event, or other public or user-provided information regarding people that the user knows or otherwise associates with.

Attendee location **412** and/or associate location **413** may be determined based on location information (e.g., GPS information, WiFi information, NFC information, etc.) from a user device of the attendee and/or communication between the user device and one or more of wireless beacons **314**. For example, when a user device of the user is in communication with a particular one of beacons **314** for a period of time, the user location **412** and/or the associate location **413** may be determined to be in proximity to that beacon **314**. Communications between a user's device and one or more beacons **314** may be used to determine an amount of time that a user spends in a particular location (e.g., a location that is different from the location of the user's seat). In one embodiment, a determined amount of time that a user has spent in a particular location may be compared with a threshold time and, when the amount of time the user has spent in that location exceeds the threshold time, an upgrade offer for the user may be triggered.

Location **412** and/or location **413** may be determined to within an area corresponding to a section of venue **400**, a group of seats of venue **400** (e.g., within 8 rows of seats, or within 25 seats), a single seat **404**, or smaller than a single seat **404**. The system may determine (e.g., by tracking user location **412**) that the user is primarily spending time at a location other than their seat and generate an upgrade offer based on the user's location. For example, the user may be spending time near friends sitting in other seats **404**, enjoying the event in other sections of venue **400** (e.g., sections relatively closer to attraction area **402**), or the user may be particularly interested in a product that is available at a particular concession stand **406**. For example, the system may determine that a particular attendee is making multiple trips to a beer stand during an event.

In response to detecting an attendee location other than the attendee's seat location, the system may identify one or more available seats such as seat **414** near the user's determined location and offer the user an upgrade to the available seat **414** (e.g., at an additional cost). For example, a seat near the user's location may be a seat that is relatively closer to the user's location and/or, if desired, relatively

closer to the attraction area or a concession stand than the user's seat is to that location.

In response to detecting the locations of one or more associates of the user that are attending the same event as the user (e.g., in a location **413** such as a premium section of the venue), the system may identify one or more available seats near the associate location and offer the user an upgrade to that available seat. For example, a seat near the associate location may be a seat that is relatively closer to the associate location than the user's seat is to that location.

The user may be provided with an upgrade offer on the user's mobile device by an application such as app **325** of FIG. **3** running on the mobile device. FIGS. **5** and **6** show examples of upgrade offers that may be provided to a system user such as an event attendee using a user device of the attendee.

As shown in FIG. **5**, an upgrade offer may be provided to a user on a user device such as mobile device **500**. An upgrade offer such as upgrade offer **504** may be provided in a window such as upgrade offer window **502** on a display of mobile device **500**. For example, window **502** may be a pop up window generated by an application such as app **325** (see, e.g., FIG. **3**) running on device **500**. However, this is merely illustrative. If desired, window **502** may be a portion of a ticket seller website that the user has logged into or may be otherwise generated on a display of mobile device **500** as would be understood by one skilled in the art.

Upgrade offer **504** may include text stating (for example) "THERE ARE SEATS AVAILABLE NEAR YOUR CURRENT LOCATION. WOULD YOU LIKE TO UPGRADE YOUR TICKET TO SEAT A IN SECTION B FOR \$50?". In the example of FIG. **5**, an upgrade price **508** (e.g., \$50) is included in the upgrade offer. However, this is merely illustrative. In another example, the price of the upgrade may be provided to the user when the user selects the upgrade offer or a venue may offer upgrades at no cost in order to fill sections of the venue, facilitate providing of advertisements to the user, or to enhance the user experience, thereby developing and encouraging repeat business with the user.

Upgrade offer window **502** may include an upgrade acceptance icon such as a virtual UPGRADE button **506**. UPGRADE button **506** may be selected by a user by selecting the UPGRADE button (e.g., using a finger or other instrument on a touch screen or using a mouse-controlled or touchpad-controlled cursor). UPGRADE button **506** may cause a ticket server or an application running on mobile device **500** to open an additional window into which payment information can be entered for a selected upgrade or UPGRADE button **506** may be a one-click upgrade button that, when clicked or tapped, fully completes an upgrade transaction including providing an upgrade ticket to the user and transferring any funds associated with the upgrade from an account of the user to, for example, an account associated with the venue, the event, and/or a ticket server. In some embodiments, multiple upgrade offers may be presented to a user in a particular upgrade offer window **502** thereby allowing the user to choose between various upgrade options (e.g., at various corresponding upgrade prices). Upgrade offers such as upgrade offer **504** may be generated based on the location of the user. The price of a particular upgrade may be determined based on the length of time the user has spent in a particular location, a remaining time in the event, event popularity, or other suitable information. In this way, an event attendee may be provided with an enhanced event experience though the opportunity to remain legitimately in a new location in the venue and the venue or event owner

may be provided with the ability to make an additional profit using the attendee's demonstrated interest in a particular location in the venue.

Upgrade offers for event attendees may be based on the user's location and/or other information such as purchases of the user and/or the locations of one or more associates of the user. In the example in which it is determined that a particular user is making frequent trips to a beer stand, the system may also identify one or more purchases (e.g., beer purchases, food purchases, etc.) by the user during the event (e.g., by using payment information associated with the one or more purchases and detected by the system) and offer an upgrade that includes products associated with the identified purchases. In some embodiments, the system may also or alternatively identify one or more purchases made by the attendee prior to the event (e.g., a purchase history of the attendee) and offer an upgrade that includes products associated with those identified purchases.

FIG. **6** shows examples of upgrade offers that may be made to an event attendee based on the user's proximity to, and/or purchases from, a concession stand. As shown in FIG. **6**, an upgrade offer **602** may include product related information **601** in, for example, upgrade offer text such as "IT'S A LONG WAY FROM YOUR SEAT TO THE BEER STAND. WOULD YOU LIKE TO UPGRADE TO A SEAT NEARBY FOR \$25?".

In some embodiments, an upgrade offer may include a package upgrade offer that includes products the user has expressed interest in (e.g., based on the user's location, purchase history, or other information). In the example of FIG. **6**, window **502** also includes a package upgrade offer **604** (e.g., text prompting the user to determine whether they would like to add one or more products such as a concession package to an upgrade such as "ADD THREE BEERS FOR \$10 MORE"). The price (e.g., \$10) of a packaged product addition (e.g., three beers) may be determined based on the user's interest in the product, the selling price of the product or other factors). Window **502** may include a package upgrade acceptance icon such as, a virtual PACKAGE UPGRADE button **608**. PACKAGE UPGRADE button **608** may be selected by a user by selecting the PACKAGE UPGRADE button (e.g., using a finger or other instrument on a touch screen or using a mouse-controlled or touchpad-controlled cursor). PACKAGE UPGRADE button **608** may cause a ticket server or an application running on mobile device **500** to open an additional window into which payment information can be entered for a selected package upgrade or PACKAGE UPGRADE button **608** may be a one-click upgrade button that, when clicked or tapped, fully completes a package upgrade transaction including providing an upgrade ticket to the user, providing the packaged product or an electronic voucher for the packaged product, and transferring any funds associated with the package upgrade from an account of the user to, for example, an account associated with the venue, event, and/or a ticket server. A package upgrade offer may be presented to an event attendee as an addition to upgrade offer **602** or upgrade offer **602** and package upgrade offer **604** may be presented in a single, combined upgrade offer for one or more upgraded seats and one or more products such as concession packages.

Real time upgrades such as location-based upgrades of the type described herein may be performed during events other than sporting or performance events such as airplane flights, hotel stays, cruises, or other events.

FIG. **7** shows a portion of an airplane **700** having seats **702** according to an embodiment. A passenger on airplane

700 (e.g., a flight event attendee) may have a purchased ticket for one of seats 702 such as seat 704. During the flight, it may be determined (e.g., by a ticket server system, an airline system, a payment system or other system as described herein) that the passenger has a location 706 other than the location of seat 704. For example, location 706 may be determined using one or more wireless beacons 314 located on the airplane and in communication with a user device of the passenger and/or using GPS coordinates or other location information from a user device of the passenger. In response to determining that the user is located at a location 706 currently or for a period of time, the system may identify one or more available seats such as seat 708 near location 706 and offer one or more upgrades to the user for one or more of the identified seats for an upgrade price as described herein. If desired, other items such as food items, future flight discounts, or other travel related items can be included in a package with the upgrade offer as described herein.

FIG. 8 shows a portion of a hotel 800 according to an embodiment. For example, hotel 800 may have rooms 802 located on a side such as side 804 of hotel 800 and rooms 808 located on another side such as side 806 of hotel 800. Hotel 800 may be located near an attraction such as a body of water (e.g., an ocean, a lake, a pond, a swimming pool), a cityscape, a park or other area that creates a desired view for a hotel guest (e.g., a hotel attendee). Depending on the location and orientation of the hotel, rooms 808 on one side such as side 806 of hotel 800 may be preferred with respect to rooms 802 on another side such as side 804 of hotel 800. For example, rooms 808 on side 806 may have a preferred view.

A guest of hotel 800 may have purchased access to one of rooms 802. During a stay at the hotel, the locations of various guests may be tracked. For example, a particular guest may be determined to be spending significant amounts of time at a location 812 near the window of a room on side 804. For example, location 812 may be determined using one or more wireless beacons 314 located in or near the hotel and in communication with a user device of the guest and/or using GPS coordinates from a user device of the guest. The system may determine that that particular guest has demonstrated an interest in a view and may offer that guest an upgrade to a room 808 on side 806 of hotel 800. Some rooms such as rooms 808 may also have outdoor balconies 810. An upgrade offer may include an offer for a room with a balcony 810. Location-based hotel upgrade offers may be provided to a user of a system on a mobile device of the user as, for example, described herein. If desired, other items such as food items, future hotel discounts, or other travel related items can be included in a package with the upgrade offer as described herein.

FIG. 9 shows a portion of a cruise ship having guest cabins such as user cabin 902, available cabins 904 and 906, and a cabin 912 of a friend of a user according to an embodiment. A passenger on cruise ship 900 (e.g., a cruise event attendee) may have a purchased ticket for one cabin 902. During the cruise, it may be determined (e.g., by a ticket server system, a ship system, a payment system or other system as described herein) that the passenger is spending a significant amount of time at a location 910 that is relatively far from user cabin 902 and relatively closer to one or more of available cabins such as cabins 904 and/or 906. For example, the passenger may prefer to spend time near a particular swimming pool 908, a particular restaurant (not shown), or other particular ship amenities. For example, location 910 may be determined using one or more wireless

beacons 314 located on the cruise ship and in communication with a user device of the passenger and/or using GPS coordinates from a user device of the passenger.

In one example scenario, a passenger having friends in cabin 912 near a particular pool 908 may traverse a portion of the ship to spend time near that pool 908. In response to determining that the user is located at a location 910 near the pool currently or for a period of time, the system may identify one or more available cabins such as available cabin 906 near location 910 and offer one or more upgrades to the user for one or more of the identified cabins for an upgrade price as described herein. If desired, other items such as food items, future cruise discounts, or other cruise or other travel related items can be included in a package with the upgrade offer as described herein.

Illustrative steps that may be performed by, for example, a system of the type described herein, for generating a providing real time upgrades such as location-based upgrades to attendees of events at venues are shown in FIG. 10.

At step 1000, an attendee location such as a current location or a time-averaged location of the attendee may be determined by the system during an event (e.g., a sporting event, a concert event, a performance event, a competitive event, a fair, an airplane flight event, a train trip event, a hotel stay event, a cruise event, or other event for which a user of a system of the type described herein can purchase access such as ticketed access). Determining the attendee location may include determining an amount of time that the attendee has spent in a particular location (e.g., using one or more wireless beacons) and, if desired, comparing the determined amount of time with a threshold time. In some embodiments, the locations of other attendees such as associates of the attendee that are also attending the event may be determined.

At step 1002, one or more location-based upgrades based on the determined attendee location may be determined for the attendee. The location-based upgrades may include upgrade options for upgrading to nearby available seats, rooms, cabins, etc., seat and concession packages, preferred view hotel rooms, available cruise ship cabins or other upgrade options associated with the location of the attendee. Determining the location-based upgrades may include identifying one or more purchases made by the attendee during or before the event and including a concession package or other additional items based on the identified purchases in the upgrade offer. Determining the location-based upgrades may include identifying an available seat near the determined attendee location and/or near a determined associate location.

At step 1004, the determined location-based upgrade options may be offered to the attendee (e.g., on the user's mobile device as described herein).

At step 1006, a selection of one or more of the offered location-based upgrades may be received from the attendee (e.g., when the attendee selects an upgrade or package upgrade virtual button as described herein). The system may facilitate payment for the selected upgrade from the attendee (e.g., by transferring funds from an account of the attendee, by charging a credit card of the attendee, or otherwise facilitating payment).

At step 1008, the system may provide an electronic upgrade receipt (e.g., an upgrade ticket, a concession voucher, or other proof of purchase and/or access voucher with which the user can obtain the purchased upgrade) to the attendee.

At step 1010, the system may optionally offer the attendee's former seat for upgrade to additional attendees based on the determined locations of those attendees (e.g., responsive to determining that one or more of the additional attendees is located near the attendee's former seat).

One or more of the processes and steps described in connection with FIG. 10 may be performed in any suitable order, omitted, and/or repeated any suitable number of times until, for example, the event has ended.

FIG. 11 shows examples of an upgrade offer that may be made to an event attendee based on the determined location of one or more associates of the attendee that are also attending the same event. As shown in FIG. 11, an upgrade offer 1102 may include associate location information 1104 in, for example, upgrade offer text such as "SOMEONE YOU KNOW IS SITTING IN SECTION AA. WOULD YOU LIKE TO UPGRADE YOUR TICKET TO SEAT Q IN SECTION AA FOR \$35?". A location-based upgrade offer such as offer 1102 that is based on the location of one or more associates of an event attendee may be generated by identifying one or more associates of the attendee (e.g., using account information of the attendee, email information of the attendee, social media information of the attendee, and/or communications between one or more devices of the attendee and/or other event attendees), determining that the identified associates are attending the event (e.g., using purchase information, social media information, email information, and/or check-in information of the identified associates and/or communications during the event between one or more devices of the attendee and the associates), determining the location(s) of the identified associates that are attending the event, identifying one or more available seats near the associate location(s), determining an upgrade price 1108 for the upgrade, and providing the upgrade offer to the attendee. In this way, in one embodiment, an upgrade offer that is based on the location of one attendee of an event (e.g., the associate location) may be provided to another attendee of the event.

Although the examples of real time upgrades such as location-based upgrades described herein have been generally described as upgrades for a single attendee of an event, it should be appreciated that real time upgrades such as location-based upgrades can be provided to groups of attendees that are attending an event together and/or seated together. For example, when an upgrade is determined for a particular attendee, related upgrades may also be determined for other members of the attendee's group. For example, a family of four may be attending a sporting event at a venue, and it may be determined that some or all of the family members have spent an amount of time at a location that is different from the location of the family's four seats (e.g., the kids may be spending time near a mascot or a fan game or the mother may be making multiple trips to a hot dog stand), four available seats may be identified near the location, and an upgrade offer for all four members of the family for the four available seats may be provided to the family members.

In some embodiments, upgrade offers for groups of attendees may be partially individualized for each member of the group. For example, when a family of four is offered an upgrade for four upgrade seats, package upgrade offers may also be included that are individualized (e.g., the parents may be offered a beer package and the children may be offered discounted team apparel). An offer for a location-based upgrade for a group of attendees may be provided to some or all of the members of the group.

Although the foregoing invention has been described in detail by way of illustration and example for purposes of

clarity and understanding, it will be recognized that the above described invention may be embodied in numerous other specific variations and embodiments without departing from the spirit or essential characteristics of the invention. Various changes and modifications may be practiced, and it is understood that the invention is not to be limited by the foregoing details, but rather is to be defined by the scope of the claims.

What is claimed is:

1. A method, comprising:

causing a communications module in a communications server to establish a first communication session between a mobile device of an attendee to an event at a venue and a one or more wireless beacons in the venue;

electronically tracking an attendee location of an attendee as the attendee moves through the venue at the event, the electronically tracking being performed by determining a position of the mobile device of the attendee, the position of the mobile device of the attendee being determined based on the first communication session between the mobile device of the attendee and the one or more wireless beacons in the venue, wherein the first communication session between the mobile device and the one or more wireless beacons in the venue includes a unique broadcast token wirelessly transmitted from a specific wireless beacon of the one or more wireless beacons and wirelessly received by the mobile device and a response to the unique broadcast token wirelessly transmitted from the specific wireless beacon, broadcast by the mobile device;

based on a location of the specific wireless beacon in the venue, determining that the attendee is at a location at the venue at the event which is different from a seat the attendee purchased at the venue for the event;

determining an amount of time that the attendee is at the location at the venue at the event which is different from the seat the attendee purchased at the venue for the event;

comparing the amount of time to a threshold time;

in response to the determination that the amount of time the attendee is at the location at the venue which is different from the seat the attendee purchased at the venue for the event is greater than the threshold time, electronically accessing over a network a ticket database and selecting a vacant location in the venue from the ticket database based on the attendee location;

causing the communications module in the communications server to establish a second communication session to provide the mobile device of the attendee an offer transmission, the offer transmission being configured to cause an application of the mobile device of the attendee to generate a pop up window and cause a graphical user interface of the mobile device to display an offer to upgrade to the vacant location; and

receiving from the communication server, an acceptance of the offer to upgrade to the vacant location based on an input detected at the graphical user interface of the mobile device.

2. The method of claim 1, wherein the pop up window runs on the mobile device and the pop up window displays a description of the vacant location on the graphical user interface of the mobile device.

3. The method of claim 1, wherein the venue comprises an attraction area,

19

wherein the selecting the vacant location comprises determining that the vacant location is closer to the attraction area than the attendee location, and
 wherein the pop up window further indicates the vacant location is closer to the attraction area than the attendee location. 5

4. The method of claim 1, wherein the venue comprises a concession stand,
 wherein selecting the vacant location comprises determining that the vacant location is closer to the concession stand than the attendee location, and 10
 wherein the pop up window further indicates the vacant location is closer to the concession stand than the attendee location.

5. The method of claim 1, further comprising: 15
 determining a second communication from an associate of the attendee; and
 identifying a second location that corresponds to the associate of the attendee,
 wherein selecting the vacant location comprises determining that the vacant location is closer to the second location that corresponds to the associate than the attendee location. 20

6. The method of claim 5, wherein the pop up window further indicates that the vacant location is closer to the associate of the attendee than the attendee location. 25

7. The method of claim 1, wherein the venue is selected from the group consisting of: an airplane, a hotel, and a cruise ship.

8. A system, comprising: 30
 a non-transitory memory; and
 one or more hardware processors coupled to the non-transitory memory and configured to execute instructions from the non-transitory memory to cause the system to perform operations comprising:
 causing a communications module in a communications server to establish a first communication session between a mobile device of an attendee to an event at a venue and a one or more wireless beacons in the venue; 35
 electronically tracking an attendee location of an attendee as the attendee moves through the venue at the event, the electronically tracking being performed by determining a position of the mobile device of the attendee, the position of the mobile device of the attendee being determined based on the first communication session between the mobile device of the attendee and the one or more wireless beacons in the venue, wherein the first communication session between the mobile device and the one or more wireless beacons in the venue includes a unique broadcast token wirelessly transmitted from a specific wireless beacon of the one or more wireless beacons and wirelessly received by the mobile device, and a response to the unique broadcast token wirelessly transmitted from the specific wireless beacon, broadcast by the mobile device; 40
 based on a location of the specific wireless beacon in the venue, determining that the attendee is at a location at the venue at the event which is different from a seat the attendee purchased at the venue for the event; 45
 determining an amount of time that the attendee is at the location at the venue at the event which is different from the seat the attendee purchased at the venue for the event;
 comparing the amount of time to a threshold time; 50
 in response to the determination that the amount of time the attendee is at the location at the venue which is 55

20

different from the seat the attendee purchased at the venue for the event is greater than the threshold time, electronically accessing over a network a ticket database and selecting a vacant location in the venue from the ticket database based on the attendee location;
 causing the communications module in the communications server to establish a second communication session to provide the mobile device of the attendee an offer transmission, the offer transmission being configured to cause an application of the mobile device of the attendee to generate a pop up window and cause a graphical user interface of the mobile device to display an offer to upgrade to the vacant location; and
 receiving from the communication server, an acceptance of the offer to upgrade to the vacant location based on an input detected at the graphical user interface of the mobile device.

9. The system of claim 8, wherein the operations further comprise:
 receiving an attendee selection of a given seat from the vacant location, wherein the acceptance of the offer to upgrade is further based on a transaction for the given seat selected; and
 providing an electronic upgrade receipt to the mobile device of the attendee based at least on the transaction for the given seat.

10. The system of claim 8, wherein the upgrade comprises a package upgrade that includes the upgrade to the vacant location and a concession package.

11. The system of claim 8, wherein the venue comprises an airplane and wherein the upgrade to the vacant location comprises a vacant airplane seat.

12. The system of claim 8, wherein the attendee location comprises a location of a reserved seat of the attendee with a first view of an attraction area in the venue, and
 wherein the upgrade corresponds to a vacant seat identified from the vacant location with a second view of the attraction area that is closer to the attraction area than the first view.

13. The system of claim 8, wherein the vacant location in the venue is a vacant seat.

14. The system of claim 8, wherein the operations further comprise:
 designating the seat as being a vacant seat in the ticket database responsive to determining the acceptance of the offer to upgrade; and
 offering the seat to a second attendee based on a location of the second attendee in the venue.

15. The system of claim 8, wherein the offer to upgrade to the vacant location is displayed via the graphical user interface of the mobile device during the event in the venue, wherein the vacant location is associated with the event.

16. A non-transitory machine-readable medium having stored thereon machine-readable instructions executable to cause a machine to perform operations comprising:
 causing a communications module in a communications server to establish a first communication session between a mobile device of an attendee to an event at a venue and a one or more wireless beacons in the venue;
 tracking an attendee location as an attendee moves through the venue at the event based at least on a communication of the mobile device with the one or more wireless beacons in the venue, wherein the first communication session with the mobile device is established with a broadcast token received by the mobile device from the one or more wireless beacons, wherein

21

each of the one or more wireless beacons transmits a unique broadcast token and has a predetermined location in the venue, and wherein tracking the attendee location at the venue comprises determining a position of the mobile device with respect to the one or more wireless beacons in the venue by receiving a response from the mobile device indicating the unique broadcast token of a specific wireless beacon in proximity to and in communication with the mobile device;

determining that the attendee is at a location at the venue at the event which is different from a seat the attendee purchased at the venue for the event based on the predetermined location of the specific wireless beacon in communication with the mobile device in the venue;

determining an amount of time that the attendee is at the location at the venue at the event which is different from the seat the attendee purchased at the venue for the event;

comparing the amount of time to a threshold time;

in response to the determination that the amount of time the attendee is at the location at the venue which is different from the seat the attendee purchased at the venue for the event is greater than the threshold time, electronically accessing over a network a ticket database and selecting a vacant location in the venue from the ticket database based on the attendee location;

causing the communications module in the communications server to establish a second communication session to provide the mobile device of the attendee an offer transmission, the offer transmission being config-

22

ured to cause an application of the mobile device to generate a pop up window and cause a graphical user interface of the mobile device to display an offer to upgrade to the vacant location; and

receiving from the communication server, an acceptance of the offer to upgrade to the vacant location based on an input detected at the graphical user interface of the mobile device.

17. The non-transitory machine-readable medium of claim 16, wherein the operations further comprise:

identifying a purchase made by the attendee during the event; and

generating the offer to upgrade to the vacant location based on the purchase made by the attendee during the event.

18. The non-transitory machine-readable medium of claim 17, wherein the identifying the purchase made by the attendee during the event comprises identifying a venue location associated with a sale of a product.

19. The non-transitory machine-readable medium of claim 16, wherein the operations further comprise:

determining a second communication from an associate of the attendee; and

identifying a second location that corresponds to the associate of the attendee,

wherein selecting the vacant location comprises determining that the vacant location is closer to the second location that corresponds to the associate than the attendee location.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 11,170,404 B2
APPLICATION NO. : 16/376181
DATED : November 9, 2021
INVENTOR(S) : Matthew Scott Zises

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification

At Column 6, Line 26: Please delete “(I/O)” after “...output...”, and add --(I/O)--

At Column 6, Line 29: Please delete “IO” after “...signal to bus 202.”, and add --I/O--

At Column 6, Line 34: Please delete “IO” after “...converting audio signals. Audio.”, and add --I/O--

Signed and Sealed this
Twenty-sixth Day of July, 2022
Katherine Kelly Vidal

Katherine Kelly Vidal
Director of the United States Patent and Trademark Office