

US011599615B2

(12) **United States Patent**  
**Larimer et al.**

(10) **Patent No.:** **US 11,599,615 B2**  
(45) **Date of Patent:** **\*Mar. 7, 2023**

(54) **SYSTEMS AND METHODS FOR CREATING A VERIFIED DIGITAL ASSOCIATION**

(71) Applicant: **block.one**, Grand Cayman (KY)

(72) Inventors: **Daniel J. Larimer**, Christianburg, VA (US); **Richard B. Whitner**, Blacksburg, VA (US); **Thomas C. Hallgren**, Blacksburg, VA (US); **Todd B. Fleming**, Blacksburg, VA (US)

(73) Assignee: **BULLISH GLOBAL**, Grand Cayman (KY)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 124 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/200,537**

(22) Filed: **Mar. 12, 2021**

(65) **Prior Publication Data**

US 2021/0200848 A1 Jul. 1, 2021

**Related U.S. Application Data**

(63) Continuation of application No. 16/562,317, filed on Sep. 5, 2019, now Pat. No. 10,949,518, which is a (Continued)

(51) **Int. Cl.**

**H04L 29/06** (2006.01)

**G06F 21/32** (2013.01)

(Continued)

(52) **U.S. Cl.**

CPC ..... **G06F 21/32** (2013.01); **G06F 16/182** (2019.01); **G06F 21/45** (2013.01); **H04L 9/3231** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC ..... **G06F 21/32**; **G06F 21/45**; **H04L 9/3231**; **H04L 9/3247**; **H04L 63/083**; **H04L 63/12**

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

9,106,490 B2 \* 8/2015 Venkitaraman ..... H04L 67/51  
9,298,806 B1 \* 3/2016 Vessenes ..... G06Q 20/065

(Continued)

**OTHER PUBLICATIONS**

Cao, et al., "Blockchain-based Identity Management with Mobile Device", CryBlock'18. Jun. 15, 2018 [Retrieved on Jan. 29, 2020], Entire document. Retrieved from internet: <URL:https://dl.acm.org/doi/10.1145/3211933.3211945> Entire document.

(Continued)


*Primary Examiner* — Longbit Chai

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery LLP

(57) **ABSTRACT**

Methods and systems for creating a digital association are provided. The method includes obtaining a first user-generated item comprising identifiable features of a first user and a second user. The method also includes obtaining a second user-generated item comprising the identifiable features of the first user and the second user. The method also includes cross-confirming that the first and second user-generated items are valid to verify the digital association.

**20 Claims, 6 Drawing Sheets**



**Related U.S. Application Data**

continuation of application No. 16/216,956, filed on Dec. 11, 2018, now Pat. No. 10,452,828.

(51) **Int. Cl.**

*G06F 21/45* (2013.01)  
*H04L 9/32* (2006.01)  
*H04L 9/40* (2022.01)  
*G06F 16/182* (2019.01)

(52) **U.S. Cl.**

CPC ..... *H04L 9/3247* (2013.01); *H04L 63/083* (2013.01); *H04L 63/12* (2013.01); *G06F 2221/2101* (2013.01)

(58) **Field of Classification Search**

USPC ..... 726/7  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,022,613 B2 \* 7/2018 Tran ..... G06Q 20/321  
2003/0033528 A1 \* 2/2003 Ozog ..... G06F 21/33  
713/170

2006/0075222 A1\* 4/2006 Moloney ..... H04L 63/0823  
713/173  
2016/0162897 A1 6/2016 Feeney  
2017/0005804 A1\* 1/2017 Zinder ..... G06F 21/6254  
2017/0222814 A1 8/2017 Oberhauser et al.  
2018/0026970 A1 1/2018 Votaw et al.  
2018/0255038 A1 9/2018 Smith et al.

OTHER PUBLICATIONS

USPTO—Notification of Transmittal of the International Search Report and the Written Opinion of the International Searching Authority for related International Application No. PCT/US2019/065769, dated Feb. 19, 2020, 7 pages.

\* cited by examiner




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4




FIG. 5




FIG. 6



## SYSTEMS AND METHODS FOR CREATING A VERIFIED DIGITAL ASSOCIATION

### CROSS-REFERENCE TO RELATED APPLICATION

This present application claims the benefit of priority under 35 U.S.C. § 120 as a continuation of U.S. patent application Ser. No. 16/562,317, filed Sep. 5, 2019, now allowed, which is a continuation of U.S. Pat. No. 10,452,828, issued Oct. 22, 2019, the disclosures of which are hereby incorporated by reference in their entirety for all purposes.

### TECHNICAL FIELD

The present disclosure generally relates to identity verification, and more specifically relates to creation of a verified digital association.

### BACKGROUND

The ability for a system of governance to uniquely identify individuals is fundamental to a functioning society. As a result, it is desirable to uniquely identify individuals with a low probability that the individuals are fake and also with a low probability of deception. It is also desirable to allow identified individuals the ability to make provable statements with a low probability of forgery.

Current techniques for verifying an individual's identity are based on tying the individual's identity to a government issued document, such as a driver's license, passport, birth certificate, social security card, etc. These forms of identity verification require government support, and with some effort can be falsified. Private identity systems that currently exist are also based on government created documents, and so are also susceptible to the same flaws of having counterfeits. Fake identities are problematic because they allow individuals to subvert traditional channels of responsibility. Identity theft is also problematic because it causes innocent people to be harmed by the actions of bad actors. As a result, there is a need for improved identity verification to overcome these issues.

### SUMMARY

The present disclosure provides for systems and methods for creating a secure and verifiable digital association.

According to one embodiment of the present disclosure, a computer-implemented method for creating a digital association is provided. The method includes obtaining a first user-generated item comprising identifiable features of a first user and a second user. The method also includes obtaining a second user-generated item comprising the identifiable features of the first user and the second user. The method also includes cross-confirming that the first and second user-generated items are valid to verify the digital association.

According to one embodiment of the present disclosure, a system is provided that includes means for storing instructions, and means for executing the stored instructions that, when executed by the means, cause the means to perform a method for creating a digital association. The method includes obtaining a first user-generated item comprising identifiable features of a first user and a second user. The method also includes obtaining a second user-generated item comprising the identifiable features of the first user and the

second user. The method also includes cross-confirming that the first and second user-generated items are valid to verify the digital association.

According to one embodiment of the present disclosure, a system is provided for creating a verifiable digital identity including a memory storing sequences of instructions, and a processor configured to execute the sequences of instructions, which when executed, causes the processor to perform obtaining a first user-generated item generated through a first certified device, the first user-generated item comprising identifiable features of a first user and a second user. The execution of the sequences of instructions also causes the processor to perform obtaining a second user-generated item generated through a second certified device, the second user-generated item comprising the identifiable features of the first user and the second user. The execution of the sequences of instructions also causes the processor to perform cross-confirming, through the first certified device and the second certified device, that the first user-generated item and the second user-generated item are valid to verify the digital association of the first user and the second user.

It is understood that other configurations of the subject technology will become readily apparent to those skilled in the art from the following detailed description, wherein various configurations of the subject technology are shown and described by way of illustration. As will be realized, the subject technology is capable of other and different configurations and its several details are capable of modification in various other respects, all without departing from the scope of the subject technology. Accordingly, the drawings and detailed description are to be regarded as illustrative in nature and not as restrictive.

### BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are included to provide further understanding and are incorporated in and constitute a part of this specification, illustrate aspects of the subject technology, and together with the description serve to explain the principles of the subject technology. In the drawings:

FIG. 1 illustrates an example blockchain system for practicing some implementations of the disclosure.

FIG. 2A illustrates an example system for creating a secure digital identity, according to certain aspects of the disclosure.

FIG. 2B illustrates an example system for creating a verified digital association, according to certain aspects of the disclosure.

FIG. 3 is a block diagram illustrating an example device through which a verified digital association can be created, according to certain aspects of the disclosure.

FIG. 4 illustrates an example architecture for creating a verified digital association, according to certain aspects of the disclosure.

FIG. 5 illustrates an example flow diagram for creating a verified digital association, according to certain aspects of the disclosure.

FIG. 6 is a block diagram illustrating an example computer system with which aspects of the subject technology can be implemented.

In one or more implementations, not all of the depicted components in each figure may be required, and one or more implementations may include additional components not shown in a figure. Variations in the arrangement and type of the components may be made without departing from the scope of the subject disclosure. Additional components,

different components, or fewer components may be utilized within the scope of the subject disclosure.

#### DETAILED DESCRIPTION

The detailed description set forth below is intended as a description of various implementations and is not intended to represent the only implementations in which the subject technology may be practiced. As those skilled in the art would realize, the described implementations may be modified in various different ways, all without departing from the scope of the present disclosure. Accordingly, the drawings and description are to be regarded as illustrative in nature and not restrictive.

##### General Overview

In today's highly connected digital world, digital identities are used by individuals to communicate with others (e.g., phone number, email), access applications (e.g., social media, games, financial institutions), execute transactions (e.g., financial transactions, sign legal documents), and more. An identity, in this context, is some form of digital signature that can be used to authorize an individual to perform activities online. To use an identity, one must authenticate that they are, in fact, the person to whom the digital signature belongs.

Digital identities, while useful for enabling access to online goods and services, are also inherently insecure and unverifiable. They are subject to problems such as having one's identity stolen (i.e., identity theft) in which the thief claims the identity of another person and performs activities on behalf of that person. Access granted by the identity can be used to steal, misrepresent, or perform other fraudulent activities. Furthermore, individuals may also commit identity falsification, where one establishes an identity containing facts about his or herself that are not true (e.g., name, age, nationality) in order to gain access to goods, services, and other things for which their own identity would not otherwise have access (e.g., a separate identity enabling one to vote multiple times in an election).

The system described herein does not require any existing documentation on who people are. Rather, individuals acquire a device, such as a smartphone, and that device includes a private key. The private key is kept in the hardware of the device, such that the private key is inextricably tied to the device. By combining a private key on a device with an operating system on the device, applications executed on the device are able to be run in a secure environment. For example, all inputs to the device, whether through a GPS sensor, a camera, a microphone, etc., can be certified by both the application developer and the operating system on the device. The operating system provides security by only allowing applications that are associated with trusted and certified developers to be executed on the device.

According to another aspect of the present disclosure, the operating system could be in the device hardware itself and therefore immutable. As a result, the hardware device includes fixed software that cannot be modified, which eliminates the threat of any security issues. For example, such a device would include a private key that is tied to the device's hardware, and would be unable to create or otherwise upload digital images without taking an original digital photograph.

According to an aspect of the present disclosure, a secure and verifiable digital identity may be created by a user who owns a device, such as a smartphone. The user takes a picture of themselves, which establishes a visual identity of the user. Then, to further build on that visual identity, the

user can take a picture of themselves with someone else at the same time using their device. This establishes the visual identities of two people, and further confirms the visual identity of the user. For example, these two people both have a unique device and a key that cannot be copied. Both devices take the photograph at the same time and place, and both devices certify that the face recognition of the two people in the photograph is the same person as before. Additional verifications can be built into the device, such as biometric verifications (e.g., fingerprint) to verify that the people are the same. As the user takes more photographs of themselves, either alone or with other people, their digital identity associated with their device becomes more established and secure. This is because the relationships a person has in their lives is what makes them unique. A person can only be in one place at one time, and the device with the private key can also only be in one place at one time. As a result, the location of the device and any other devices/users it is associated with becomes a unique and difficult to forge identity.

In order to forge fake identities under the disclosed system, a bad actor would need to purchase multiple devices. The bad actor would then need to make connections with many other devices. The other devices would also need to be integrated into a social web of real people. As a result, it would be very difficult and expensive for bad actors to forge a fake identity.

According to a further aspect of the present disclosure, the photographs including sensor data that was collected at the time the photograph was taken (e.g., a short video containing audio and other information) is uploaded to a blockchain. The blockchain time stamps the photograph and logs all relationships the user has with other people through the photograph. In this way, the blockchain allows everyone in the world to verify the uniqueness of individuals and to audit the relationships to identify clusters and other information that would clearly stand out as fraudulent. For example, when a user identifies suspicious activity, they can access the photographs, look at the people involved, and hold those people accountable for any fraud. Thus, the entire world can verify the user identities without having to rely on a single centralized issuer.

The disclosed system addresses a problem in traditional digital identity verification systems, namely the technical problem of creating a verifiable digital identity that cannot be stolen or falsified. As described above, conventional digital identity verification techniques are susceptible to the same issues of falsification and identity theft that also plague traditional forms of government-issued identification. The disclosed system solves this technical problem by providing a solution also rooted in computer technology, namely, by creating a verifiable digital identity that is stored in a blockchain.

The disclosed subject technology further provides improvements to the functioning of the computer itself because it improves the security of the computer and reduces the cost of resources for validating identities. Specifically, a private key is immutably tied to the hardware of a device. This overcomes shortcomings associated with current solutions, which are monetarily costly and involve greater system resources.

As used herein, the term "blockchain" refers generally to an open and distributed public ledger comprising a growing list of records, which are linked using cryptography. By design, the blockchain is resistant to modification of the data. The blockchain can include an auditable database that provides a distributed, replicated ledger of cryptographically

certified artifacts whose contents are extremely difficult to tamper with without detection, and therefore, are with very high probability, true copies of the intended content, and whose content are open for inspection via a suitable query interface.

As used herein, the term “block” generally refers to a record that is kept in a blockchain. For example, each block contains a cryptographic hash of the previous block, a timestamp, and transaction data, which can generally be represented as a merkle tree root hash.

#### Example System Architecture

FIG. 1 illustrates a blockchain system **100** that can be utilized for creating and verifying a digital identity. As shown, the blockchain system **100** includes several blocks **110**. For simplicity, three blocks **110** are shown. Each block **110** includes a previous hash **102**, a transaction root **104**, a timestamp **106**, and a nonce **108**.

The previous hash **102** is the value obtained by hashing a previous block **110** in the blockchain system **100**. For example, if block **110b** is the Nth block in the blockchain system **100**, then the previous hash **102b** is the value of the hash of block N-1, which in this case would be block **110a**. Similarly, the previous hash **102c** is the value of the hash of block **110b**.

The transaction root **104** is the root hash value of a hash tree **120** (e.g., a merkle tree) over all transactions to be added to the block **110**. For example, transactions **112a**, **112b**, **112c**, and **112d** are to be added to block **110b**. According to an aspect of the present disclosure, transactions **112a-112d** may be any type of transaction, and may include any type of data of any length such as photographs, videos, sound recordings, etc. In order to add transactions **112a-112d** to the blockchain system **100**, each transaction **112a-112d** is hashed to obtain hashed transactions **114a**, **114b**, **114c**, and **114d**. For example, hashing transaction **112a** yields hashed transaction **114a**, hashing transaction **112b** yields hashed transaction **114b**, and so on.

The hashed transactions **114a-114d** are then hashed with each other to obtain hashes **116a** and **116b**. For example, hashed transaction **114a** is hashed with hashed transaction **114b** to obtain hash **116a**, and hashed transaction **114c** is hashed with hashed transaction **114d** to obtain hash **116b**. Finally, hash **116a** is hashed with hash **116b** to obtain the transaction root **104b**. It will be appreciated that although the hash tree **120** for block **110b** is shown, it is understood that all transaction roots **104** of all blocks **110** in the blockchain system **100** include a corresponding hash tree **120**. As a result, each block **110** added to the blockchain system **100** is a confirmation of all the transactions that occurred before, making the blockchain system **100** effectively permanent and immutable. This is because it would be computationally impractical/impossible to modify the blocks **110** of the blockchain system **100** by any bad actors.

According to an aspect of the present disclosure, hashing can be accomplished using cryptographic hash functions such as, including, but not limited to, Secure Hash Algorithm (SHA) 0, SHA-1, SHA-2, SHA-3, . . . , SHA-256, etc., or Digital Signature Hash Algorithm (DSA).

In operation, rewards may be issued to users who add blocks **110** to the blockchain system **100**. The rewards may include monetary fees or other incentives that may be spent either within or outside of the blockchain system **100**. In order to maintain fairness of reward distribution and to ensure the integrity of the blockchain system **100**, users must compete with each other to add each block **110**. For example, users competing to add block **110b** to the blockchain system **100** must include a proof-of-work to be

considered valid. This proof-of-work is tied to the nonce **108** and is verified by other users (e.g., nodes) each time a block **110** is added. According to an aspect of the present disclosure, the nonce **108** is a 32-bit field whose value may be adjusted to either speed up or slow down the addition of new blocks **110**. Although a proof-of-work system has been described, it is understood that the implementations also apply to other types of systems regardless of distributed consensus protocol, including but not limited to, distributed proof-of-stake.

According to an aspect of the present disclosure, the blockchain system **100** can include publicly distributed block headers, which is a technology known to meet the requirements of storing replicated artifacts in publicly available distributed storage facilities that cannot be tampered with, and that are readily available for inspection. According to an aspect, the blockchain system **100** is a public blockchain.

#### Example System for Creating and a Digital Identity

FIG. 2A illustrates an example system **200** for creating a secure digital identity **220**, according to certain aspects of the disclosure. The system **200** includes a user **202** (e.g., a first user), a certified device **204** (e.g., a first certified device), certified data **206**, and a blockchain **208**. The certified device **204** includes a private key **210** (e.g., a first private key) that is tied to hardware of the certified device **204**. For example, the private key **210** may include an International Mobile Equipment Identity (IMEI) number, or other such unique identifier of the certified device **204**. The certified device **204** can include a smartphone, tablet computer, laptop computer, personal digital assistant (PDA) or any other such device.

According to an aspect of the present disclosure, the user **202** first certifies himself/herself to the certified device **204** by entering certification information, such as a passcode, password, biometric input, etc. For example, the user **202** may use a fingerprint or other biometric input to unlock the certified device **204**.

According to an aspect of the present disclosure, the user **202** uses the certified device **204** to obtain the certified data **206** (e.g., a user-generated item). For example, the user **202** may install a certified application **212** (e.g., a first certified application) that uses the private key **210** to generate the certified data **206**. The certified application **212** may be accessed by verifying a biometric of the user **202**, such as a fingerprint, voice, iris, face, etc. The certified application **212** may be configured to only execute on the certified device **204**, and may utilize the private key **210** to certify that the generated certified data **206** is from the user **202**. This is because the certified device **204** can only be in one place at a time, and the user **202** can also only be in one place at a time. Therefore, the generated certified data **206** is certain to be from the user **202**. For example, the user **202** utilizes the certified device **204** to take a photograph of himself/herself. The photograph is certified by the certified device **204** to generate the certified data **206**. The certified data **206** is then uploaded to the blockchain **208**. For example, the blockchain **208** may be substantially similar to the blockchain system **100** described above. Once on the blockchain **208**, the photograph of the user **202** is validated through facial recognition software, and becomes a digital identity **220** of the user **202**. As the user **202** takes and uploads additional photographs of himself/herself, the digital identity **220** of the user **202** becomes more established and secure.

According to an additional aspect, the certified data **206** may include various types of data. For example, the certified

data **206** may include a live photograph of the user **202**. The live photograph (e.g., a short video) can include additional information captured simultaneously at the time the photograph was taken. The live photograph can include several frames of the user **202** captured in sequence over a short period of time (e.g., one second), as opposed to a single frame photograph. Such additional information can include location information such as GPS data, environmental sounds, a timestamp, or any other such sensor data. The inclusion of this additional information adds to the security of the certified data **206** by further certifying it is the user **202** taking the photograph, and makes it even more difficult for a bad actor to spoof.

According to another aspect of the present disclosure, an operating system of the certified device **204** can be in the device hardware itself and therefore immutable. As a result, the certified device **204** includes fixed software that cannot be modified, which eliminates the threat of any security issues. For example, the certified device **204** can include the private key **210** that is tied to the device's hardware. Thus, the certified device **204** would be unable to create or otherwise upload digital images without taking an original digital photograph.

According to an aspect of the present disclosure, to further build on the visual digital identity **220**, the user **202** can take a picture of themselves with someone else using another certified device **204** at the same time. This establishes the visual identities of two people, and further confirms the visual identity of the user **202**. For example, these two people both can have a unique device **204** and a private key **210** that cannot be copied. Both devices **204** take the photograph (e.g., the certified data **206**) at the same time and place, and both devices **204** certify that the face recognition of the two people in the photograph is the same person as before. Additional verifications can be built into the device **204**, such as biometric verifications (e.g., fingerprint) to verify that the people are the same. As the user **202** takes more photographs of themselves, either alone or with other people, their digital identity **220** associated with their device **204** becomes more established and secure. This is because the relationships a person has in their lives is what makes them unique. A person can only be in one place at one time, and the device **204** with the private key **210** can also only be in one place at one time. As a result, the location of the device **204** and any other devices/users it is associated with becomes a unique and difficult to forge identity **220**.

According to an additional aspect of the present disclosure, the user **202** may be designated as a trustworthy source. For example, once the user **202** has uploaded a threshold amount of certified data **206**, has been active for a defined period without issues, or otherwise, the user **202** may become designated as a trustworthy source. Once designated as a trustworthy source, whenever the user **202** interacts with another user (e.g., takes a photo of or with another person), the interaction can be given higher credence. Furthermore, it can be incentivized to have two trustworthy sources interact with each other to form stronger verifications for the digital identity **220**. In this way, anomalies may be detected quicker as well, because if trustworthy sources suddenly interact with random strangers, which are outside their circle of trust, then it can be inferred that an attempted breach has occurred.

According to a further aspect of the present disclosure, the photographs (e.g., the certified data **206**) including sensor data that was collected at the time the photograph was taken (e.g., a short video containing audio and other information) is uploaded to the blockchain **208**. The blockchain **208** time stamps the photograph and logs all relationships the user **202**

has with other people through the photograph. In this way, the blockchain **208** allows everyone in the world to verify the uniqueness of individuals and to audit the relationships to identify clusters and other information that clearly stand out as fraudulent. For example, when a user **202** identifies suspicious activity, the user **202** can access the photographs, look at the people involved, and hold those people accountable for any fraud. Thus, the entire world can verify the user's digital identity **220** without having to rely on a single centralized issuer. This saves on resources such as time and money.

Another advantage is that this allows a person to use his/her own face as his/her own proof of identity. Conventional forms of identification have avoided using solely a person's visual or biometric features (e.g., fingerprint, iris, voice, face) because these features may easily be spoofed. For example, a person's face is public for everyone to see, and could be spoofed by creating a mask of the person's face. However, in the implementations described herein, it is not just the visual representation of the person that creates the digital identity **220**, but it is also the relationships the person has with other people that are not easily faked, in addition to their face, that secures their digital identity **220**.

According to another aspect of the present disclosure, the digital identity **220** includes a cryptographically signed digital artifact that is created by the device **204**, which can be used authoritatively to represent an individual. For example, the digital identity **220** can contain identifying information, such as a photo, fingerprint, audio recording, other sensor data, GPS location, etc.

According to aspects of the present disclosure, the digital identity **220** can include certified representations of the certified data **206** and/or the certified data **206** itself, which are stored on the blockchain **208**.

As described herein, the system **200** creates verifiable digital identities when people capture certified data **206** using their certified devices and log the certified data **206** to the blockchain as the digital identity **220**.

FIG. 2B illustrates an example system **250** for creating a verified digital association **270**, according to certain aspects of the disclosure. The digital association system **250** includes all the features described above, in relation to the digital identity system **200**, and further includes a user **252** (e.g., a second user), a certified device **254** (e.g., a second certified device), association data **256**, and a digital association **270**. The certified device **204** includes a private key **260** (e.g., a second private key) that is tied to hardware of the certified device **204**.

Similar to FIG. 2A above, each user (e.g., user **202** and user **252**) creates their own digital identity and stores it on the blockchain **208**. For example, user **202** creates digital identity **220** (e.g., a first digital identity) and user **252** creates digital identity **222** (e.g., a second digital identity) according to the steps outlined above in FIG. 2A.

To create the digital association **270**, user **202** and user **252** can create association data **256** together using their respective certified devices (e.g., certified device **204** and certified device **254**). For example, the users can each take a photograph that includes both users together. The photograph can be taken at or around the same time, and/or at or around the same location. For example, facial recognition and other biometric analysis of sensor input combined with geolocation data enable local validation of the association data **256**. The certified devices validate and certify the association data **256** to generate the digital association **270**. For example, each certified device can sign off on the association data **256** after checks are made by each certified

device to ensure the association data **256** has not been tampered. The digital association **270** can include a certified representation of the association data **256**. The digital association **270** is stored on the blockchain **208**. Using this process, individuals can establish and verify the uniqueness of their identities.

An advantage of creating the digital association **270** is that the digital association **270** verifies the digital identities (e.g., digital identity **220** and digital identity **222**) of the users. This is because the use of multiple devices provides the ability to perform additional checks to further verify the validity of the association data **256** and the corresponding digital association **270**. It is understood that although two certified devices are described, three or more certified devices may similarly act together to create the digital association **270**.

According to an aspect of the present disclosure, a certified application **262** (e.g., a second certified application) can be installed on the second device **254**. The second certified application **254** can be the same or different from the first certified application **212**. The certified applications on each device can coordinate with each other to manage the recording activity on both certified devices. For example, both certified devices can be held in place to take the photograph of both individuals. When each certified device detects suitable content (e.g., both individuals' faces are recognizable in the photograph), both certified devices simultaneously take a photograph.

According to an aspect of the present disclosure, each device creates association data **256**. The association data **256** is checked by the device that created it for tampering, and is then sent to the other device for a comparison. For example, first certified device **204** can take a first photograph and verify that the photograph has not been tampered. The first certified device **204** digitally signs the photograph and sends the digitally signed photograph to the second certified device **254** for another round of validations. Similarly, the second certified device **254** can take a second photograph that is substantially similar to the first photograph. The second device **254** verifies the validity of the second photograph, digitally signs the second photograph, and send the digitally signed photograph to the first certified device **204** for further validation. According to an aspect, on receipt, each certified device can perform a comparison of both photographs, including surroundings, by comparing audio signals and other signals (e.g., WiFi and other radio signals) in the area. These are examples of techniques that can be used to determine that the photographs taken on each certified device represent the same digital signature and/or digital signing occasion.

According to a further aspect, each certified device can add its signature to the photograph received from the other, then sends the signed copy back to the other device, where each certified device can compare its originals with the doubly-signed copy. At completion of this process, each certified device will have two photographs of the same event, such that both photographs are signed by both parties. Each certified device can then register the signing transaction with both multi-signed photographs as part of the digital association **270** with the blockchain **208**.

According to an aspect of the present disclosure, the digital association **270** can include a cryptographically signed digital artifact created by two or more certified devices in close proximity. The digital association **270** can be used to authoritatively represent a relationship between two unique digital identities (e.g., first digital identity **220** and second digital identity **222**) to establish a verified

relationship. For example, the verified relationship can be a certified relationship between two individuals that establishes a mutually auditable verification of each other.

According to an aspect of the present disclosure, the association data **256** can contain a photograph of two or more people. The photograph can be a live photo captured as several frames in sequence over a short period of time (e.g., one second), as opposed to a single frame photograph. The association data **256** can also contain GPS location and use communication latency to establish proof of presence (i.e., to certify the people in the photograph were actually in the same location), and can also contain other sensor information recorded by the certified devices that can be used to establish the context of the association data **256**, including, but not limited to, background audio, WiFi transmissions, and other radio frequencies and recordable characteristics of the environment.

According to aspects of the present disclosure, the digital association **270** can include certified representations of the association data **256** and the digital identities (e.g., first digital identity **220** and/or the second digital identity **222**) and/or the association data **256** and the digital identities themselves, which are stored on the blockchain **208**.

As described herein, the system **250** creates verifiable identities when people capture association data **256** using their certified devices and log the association data **256** to the blockchain as the digital association **270**.

FIG. 3 is a block diagram illustrating an example device **300** through which a digital identity can be created, according to certain aspects of the disclosure. The device **300** can be any electronic device, including, but not limited to, a smartphone, laptop, tablet computer, PDA etc. According to an aspect, the device **300** includes a central processing unit (CPU) **302** (e.g., an Advanced RISC Machines (ARM) processor), a camera **304**, a microphone **306**, a Global Positioning System (GPS) **308**, a T3 microprocessor chip **310**, a secure identification element **312** (e.g., fingerprint, facial identification, other biometric input, password, passcode, etc.), and a network connectivity module **330** (e.g., antenna configured for wireless communications, Bluetooth, WiFi, etc.). The T3 microprocessor chip **310** and the secure identification element **312** can be included in a secure enclave **320**. For example, the secure enclave **320** is where secure elements are separately housed in the device **300** to resist/prevent tampering.

According to an aspect of the present disclosure, the CPU **302** is communicatively coupled with each of the camera **304**, the microphone **306**, the GPS **308**, and the secure enclave **320**. Furthermore, the T3 microprocessor chip **310** is communicatively coupled to the secure identification element **312**. It is understood that the device **300** can include additional elements that are not illustrated, such as elements that are included in standard mobile electronic devices such as smartphones.

According to further aspects, the device **300** can include a smartphone configured produce certified artifacts, such as the digital identities and verifications described herein. The device **300** can utilize integrated hardware and an operating system with secure capability that restricts access to and use of protected information to only their intended purposes. The device **300**, in a cryptographically secure way, can authenticate and certify data and calculations using sensor inputs on the device **300** (e.g., collect a fingerprint, perform facial recognition, retinal scan, record an audio signature, etc.). The device **300** can further be configured to take a photo, record location, and can also record other types of data, such as, including but not limited to, an audio signa-

## 11

ture, radio transmissions, WiFi activity. The device **300** can further be configured to digitally certify any resulting content as only belonging to the authenticated individual. The device **300** can be utilized by that individual to generate a digital signature to authorize activity, such as certifying the individual's approval of transactions of various kinds.

According to an aspect of the present disclosure, the device **300** includes a smartphone (e.g., an iPhone) with various sensor inputs and a secure enclave processor that is configured to run a secure operating system (e.g., iOS, Android, etc.) and run an application that utilizes the smartphone's capabilities in accordance with the systems and methods described herein.

FIG. 4 illustrates an example architecture **400** for creating a verified digital association, according to certain aspects of the disclosure. The architecture **400** includes a first device **402**, a second device **404**, an optional certifier **406** (e.g., a third-party certifier), content addressable storage (CAS) **408**, a memory bank **410** (e.g., cloud storage), and a blockchain **412** (e.g., the blockchain system **100** of FIG. 1).

According to an aspect of the present disclosure, the first device **402** and the second device **404** take a photo **420** together. The photo **420** can be five megabytes in size, or any other size. For example, the first device, which belongs to a first person, takes the photo **420** of the first person with a second person. The second device **404**, which belongs to the second person, takes the same or similar photo **420** of the first person with the second person at or around the same time. The first device **402** and the second device **404** communicate the photo **420** to each other. The first device **402** and the second device **404** both verify that the photo **420** contains the face of the person that they are expecting (i.e., faces of the first person and the second person). The first device **402** and the second device **404** both digitally sign the photo **420**, confirming that the photo **420** is authentic. The first device **402** and the second device **404** each upload the photo **420** to the CAS **408**. For example, the CAS **408** can be storage where the photo **420** can be hashed and stored under a file name. A copy of the photo **420** and its hash is also uploaded from the CAS **408** to the memory bank **410**. This way, when the photo **420** is later downloaded, it can be verified against its copy.

According to an aspect of the present disclosure, the first device **402** and the second device **404** also upload the digitally signed photo **420** to the blockchain **412**. For example, a link of the photo **420** can be uploaded to the blockchain **412**. It can be later verified that the first device **402** and the second device **404** took the photo **420** by comparing data of the photo **420** and its hash that is stored in the blockchain **412** with the copy of the photo **420** and its hash stored through the CAS and the memory bank **410**.

According to an additional aspect of the present disclosure, the optional certifier **406** co-signs the upload photo **420** in order for it to be valid. The optional certifier **406** may be a trusted third-party, and thus further protects against tampering of the photo **420**. The optional certifier **406** can certify the photo **420** by confirming that the faces in the photo **420** are the faces of the first person and the second person. For example, the optional certifier **406** has access to a database where it can verify the faces of the first person and the second person.

According to certain aspects, an individual establishes his/her device-specific identity and authentication with his/her respective device (e.g., creates a password, provides a fingerprint). For example, an individual has an application (e.g., the certified application **212** from FIG. 2A) installed on their device (e.g., a certified device). According to an

## 12

aspect, the individual manually downloads and installs the application, or it can be pre-installed on the device.

According to certain aspects, after an individual has established his/her identity by taking a photo of his/herself and registering the identity creation transaction and related certified photo data (e.g., the certified data **206** of FIG. 2A) with the auditable storage (e.g., the blockchain system **100** of FIG. 1), to establish a personal identity, the collaborative, social identity creation and verification process can begin. For example, two individuals with suitable devices use the application on one of the devices to take a joint photo (e.g., photo **420**) of the two individuals together. The joint photo captures several frames in sequence over a short period of time (e.g., one second), and also captures sound and possibly other signals in the proximity (e.g., WiFi network availability, radio waves, etc.), and the geolocation of the individuals.

According to an aspect, the use of the application may or may not be evident to the user. For example, an individual can explicitly start the application (e.g., touch the application icon) and then select the option to create a new joint photo. As another example, the device can have the application pre-installed and associated with the device's camera application, in which case when the user takes a picture, the application is activated and can determine whether the individual is attempting to take a joint picture with another individual. For example, similar capability exists in cameras that can detect QR codes.

After the two individuals take their joint photo together, the application on each device taking the photo uses recognition techniques, such as 3D-facial recognition, to verify that two individuals are in the photo, and that the authenticated individual of the device is one of those two. When the application has confirmed those conditions, the application signs the joint photo with the device's digital signature capability, then sends a copy of the photo to the other individual's device.

In another example, an individual can share his or her identifying features that allow the application on the other individual's device to identify both faces simultaneously. When a device receives the signed photo from the other individual's device, it uses recognition techniques, such as facial recognition, to verify that two individuals are in the photo, and that the authenticated user of the device is one of those two. When the application has confirmed those conditions, the application signs the joint photo with the device's digital signature capability. The device recognizes that the photo has already been signed by another individual. The device presents a human readable form of the identity of the other individual (e.g., the individual's name) and asks for confirmation that this is, indeed, a valid photo of the two individuals together. Additional checks can be made to determine that the individuals are in close proximity, such as using geo-location information, time of day, latency of communication between the two devices, etc.

The device sends a copy of the photo signed by both individuals to the original device (i.e., the one taking the photo). The application on the device confirms that the photo is signed by both individuals, performs a comparison of the photo with the original to ensure the photo has not been tampered with, and updates its photo with the copy signed by both individuals. Each device sends a digitally signed statement to the auditable database registering the transaction. This statement can include the multi-signed photo or some other suitable representation of the photo, such as a digital hash of the photo.

Each device uploads its digitally signed copy of the photograph to a content storage server (e.g., CAS **408**). The

content storage server can handle the photo in several ways. For example, the content storage server can detect duplicate copies of the photo and store only one copy, annotating that it received a copy from each device. The content storage server can also choose to store the copy of the photo from each device, noting which device the phot came from. According to an aspect, the content storage server can retain previous copies of a joint photo from the same individuals, or it can choose to replace previous copies with the most recent. The content storage server can also store some number of copies, such as the most recent three, or any other user-defined limit.

On completion of this process, the identities that each individual in the joint photo has established on his or her device is now verifiably registered in the auditable database. The individuals become mutually auditable verifiers of the other individual. An individual repeating the process with the same individual over time, and performing the process with many other individuals further strengthens that individual's identity, and provides avenues for auditing identities and detecting fraudulent use or abuse of the individual's identity.

The techniques described herein may be implemented as method(s) that are performed by physical computing device (s), as one or more non-transitory computer-readable storage media storing instructions (e.g., stored sequences of instructions) which, when executed by computing device(s), cause performance of the method(s), or, as physical computing device(s) that are specially configured with a combination of hardware and software that causes performance of the method(s).

FIG. 5 illustrates an example process flow diagram 500 for a computer-implemented method for creating a digital association, according to certain aspects of the disclosure. For explanatory purposes, the example process 500 is described herein with reference to the blockchain system 100 of FIG. 1 and the digital association system 250 of FIG. 2B. Further for explanatory purposes, the blocks of the example process 500 are described herein as occurring in serial, or linearly. However, multiple blocks of the example process 500 may occur in parallel. In addition, the blocks of the example process 500 need not be performed in the order shown and/or one or more of the blocks of the example process 500 need not be performed. For purposes of explanation of the subject technology, the process 500 will be discussed in reference to FIGS. 1 and 2B.

At block 502, a first user-generated item generated through a first certified device is obtained. The first user-generated item includes a first user identifiable feature of a first user (e.g., a first identifiable feature) and a second user identifiable feature of a second user (e.g., a second identifiable feature). The identifiable features may be the same or different. For example, the first user identifiable feature and second user identifiable feature may be the faces of the first user and the second user, or the first user identifiable feature may be the mouth of the first user and the second user identifiable feature may be the eyes of the second user. It is understood that other identifiable features may be included.

At block 504, a second user-generated item generated through a second certified device is obtained. The second user-generated item includes the first user identifiable feature of the first user and the second user identifiable feature of the second user.

At block 506, the first certified device and the second certified device cross-confirm that the first user-generated item and the second user-generated item are valid to verify the digital association of the first user and the second user.

At block 508, the first user-generated item is digitally signed with the first certified device to generate a first secure digital artifact,

At block 510, the second user-generated item is digitally signed with the second certified device to generate a second secure digital artifact, and

At block 512, the first secure digital artifact and the second secure digital artifact are uploaded to an auditable chain of a public ledger, the public ledger comprising a database.

At block 514, the digital association of the first user and the second user is verified by auditing the auditable chain.

According to an aspect of the present disclosure, the process 500 further includes verifying the first certified device belongs to the first user, and verifying the second certified device belongs to the second user.

According to an aspect of the present disclosure, verifying the first certified device includes establishing a first form of authentication for the first certified device, the first form of authentication comprising at least one of a password, an audio signature, or a biometric input, the biometric input comprising a fingerprint or facial recognition.

According to an aspect of the present disclosure, verifying the second certified device includes establishing a second form of authentication for the second certified device, the second form of authentication comprising at least one of a password, an audio signature, or a biometric input, the biometric input comprising a fingerprint or facial recognition.

According to an aspect of the present disclosure, the process 500 further includes tying the first certified device to a first private key, the first private key located on the first certified device, and tying the second certified device to a second private key, the second private key located on the second certified device.

According to an aspect of the present disclosure, the process 500 further includes digitally signing the second user-generated item with the first certified device to generate the second secure digital artifact, and digitally signing the first user-generated item with the second certified device to generate the first secure digital artifact.

According to an aspect of the present disclosure, the process 500 further includes digitally signing the first user-generated item with a third-party certifier to generate the first secure digital artifact, and digitally signing the second user-generated item with the third-party certifier to generate the second secure digital artifact.

According to an aspect of the present disclosure, the process 500 further includes obtaining first sensor data associated with the first user-generated item, and obtaining second sensor data associated with the second user-generated item.

According to an aspect of the present disclosure, the cross-confirming includes comparing the first user identifiable feature from the first user-generated item with the first user identifiable feature from the second user-generated item, and verifying the digital association when the comparing is within a threshold.

#### Hardware Overview

FIG. 6 is a block diagram illustrating an example computer system 600 with which the blockchain system 100 of FIG. 1 and the digital association system 250 of FIG. 2B can be implemented. In certain aspects, the computer system 600 may be implemented using hardware or a combination of software and hardware, either in a dedicated server, or integrated into another entity, or distributed across multiple entities.

Computer system **600** (e.g., blockchain system **100** and digital identity system **200**) includes a bus **608** or other communication mechanism for communicating information, and a processor **602** coupled with bus **608** for processing information. According to one aspect, the computer system **600** can be a cloud computing server of an IaaS that is able to support PaaS and SaaS services. According to one aspect, the computer system **600** is implemented as one or more special-purpose computing devices. The special-purpose computing device may be hard-wired to perform the disclosed techniques, or may include digital electronic devices such as one or more application-specific integrated circuits (ASICs) or field programmable gate arrays (FPGAs) that are persistently programmed to perform the techniques, or may include one or more general purpose hardware processors programmed to perform the techniques pursuant to program instructions in firmware, memory, other storage, or a combination. Such special-purpose computing devices may also combine custom hard-wired logic, ASICs, or FPGAs with custom programming to accomplish the techniques. The special-purpose computing devices may be desktop computer systems, portable computer systems, handheld devices, networking devices, or any other device that incorporates hard-wired and/or program logic to implement the techniques. By way of example, the computer system **600** may be implemented with one or more processors **602**. Processor **602** may be a general-purpose microprocessor, a microcontroller, a Digital Signal Processor (DSP), an ASIC, an FPGA, a Programmable Logic Device (PLD), a controller, a state machine, gated logic, discrete hardware components, or any other suitable entity that can perform calculations or other manipulations of information.

Computer system **600** can include, in addition to hardware, code that creates an execution environment for the computer program in question, e.g., code that constitutes processor firmware, a protocol stack, a database management system, an operating system, or a combination of one or more of them stored in an included memory **604**, such as a Random Access Memory (RAM), a flash memory, a Read Only Memory (ROM), a Programmable Read-Only Memory (PROM), an Erasable PROM (EPROM), registers, a hard disk, a removable disk, a CD-ROM, a DVD, or any other suitable storage device, coupled to bus **608** for storing information and instructions to be executed by processor **602**. The processor **602** and the memory **604** can be supplemented by, or incorporated in, special purpose logic circuitry. Expansion memory may also be provided and connected to computer system **600** through input/output module **610**, which may include, for example, a SIMM (Single In Line Memory Module) card interface. Such expansion memory may provide extra storage space for computer system **600**, or may also store applications or other information for computer system **600**. Specifically, expansion memory may include instructions to carry out or supplement the processes described above, and may include secure information also. Thus, for example, expansion memory may be provided as a security module for computer system **600**, and may be programmed with instructions that permit secure use of computer system **600**. In addition, secure applications may be provided via the SIMM cards, along with additional information, such as placing identifying information on the SIMM card in a non-hackable manner.

The instructions may be stored in the memory **604** and implemented in one or more computer program products, e.g., one or more modules of computer program instructions encoded on a computer readable medium for execution by, or to control the operation of, the computer system **600**, and

according to any method well known to those of skill in the art, including, but not limited to, computer languages such as data-oriented languages (e.g., SQL, dBase), system languages (e.g., C, Objective-C, C++, Assembly), architectural languages (e.g., Java, .NET), and application languages (e.g., PHP, Ruby, Perl, Python). Instructions may also be implemented in computer languages such as array languages, aspect-oriented languages, assembly languages, authoring languages, command line interface languages, compiled languages, concurrent languages, curly-bracket languages, dataflow languages, data-structured languages, declarative languages, esoteric languages, extension languages, fourth-generation languages, functional languages, interactive mode languages, interpreted languages, iterative languages, list-based languages, little languages, logic-based languages, machine languages, macro languages, metaprogramming languages, multiparadigm languages, numerical analysis, non-English-based languages, object-oriented class-based languages, object-oriented prototype-based languages, off-side rule languages, procedural languages, reflective languages, rule-based languages, scripting languages, stack-based languages, synchronous languages, syntax handling languages, visual languages, with languages, embeddable languages, and xml-based languages. Memory **604** may also be used for storing temporary variable or other intermediate information during execution of instructions to be executed by processor **602**.

A computer program as discussed herein does not necessarily correspond to a file in a file system. A program can be stored in a portion of a file that holds other programs or data (e.g., one or more scripts stored in a markup language document), in a single file dedicated to the program in question, or in multiple coordinated files (e.g., files that store one or more modules, subprograms, or portions of code). A computer program can be deployed to be executed on one computer or on multiple computers that are located at one site or distributed across multiple sites and interconnected by a communication network, such as in a cloud-computing environment. The processes and logic flows described in this specification can be performed by one or more programmable processors executing one or more computer programs to perform functions by operating on input data and generating output.

Computer system **600** further includes a data storage device **606** such as a magnetic disk or optical disk, coupled to bus **608** for storing information and instructions. Computer system **600** may be coupled via input/output module **610** to various devices. The input/output module **610** can be any input/output module. Example input/output modules **610** include data ports such as USB ports. In addition, input/output module **610** may be provided in communication with processor **602**, so as to enable near area communication of computer system **600** with other devices. The input/output module **610** may provide, for example, wired communication in some implementations, or wireless communication in other implementations, and multiple interfaces may also be used. The input/output module **610** is configured to connect to a communications module **612**. Example communications modules **612** include networking interface cards, such as Ethernet cards and modems.

The components of the system can be interconnected by any form or medium of digital data communication (e.g., a communication network). The communication network can include, for example, any one or more of a personal area network (PAN), a local area network (LAN), a campus area network (CAN), a metropolitan area network (MAN), a wide area network (WAN), a broadband network (BBN), the



Internet, and the like. Further, the communication network can include, but is not limited to, for example, any one or more of the following network topologies, including a bus network, a star network, a ring network, a mesh network, a star-bus network, tree or hierarchical network, or the like. The communications modules can be, for example, modems or Ethernet cards.

For example, in certain aspects, communications module **612** can provide a two-way data communication coupling to a network link that is connected to a local network. Wireless links and wireless communication may also be implemented. Wireless communication may be provided under various modes or protocols, such as GSM (Global System for Mobile Communications), Short Message Service (SMS), Enhanced Messaging Service (EMS), or Multimedia Messaging Service (MMS) messaging, CDMA (Code Division Multiple Access), Time Division Multiple Access (TDMA), Personal Digital Cellular (PDC), Wideband CDMA, General Packet Radio Service (GPRS), or LTE (Long-Term Evolution), among others. Such communication may occur, for example, through a radio-frequency transceiver. In addition, short-range communication may occur, such as using a BLUETOOTH, WI-FI, or other such transceiver.

In any such implementation, communications module **612** sends and receives electrical, electromagnetic, or optical signals that carry digital data streams representing various types of information. The network link typically provides data communication through one or more networks to other data devices. For example, the network link of the communications module **612** may provide a connection through local network to a host computer or to data equipment operated by an Internet Service Provider (ISP). The ISP in turn provides data communication services through the world wide packet data communication network now commonly referred to as the "Internet." The local network and Internet both use electrical, electromagnetic, or optical signals that carry digital data streams. The signals through the various networks and the signals on the network link and through communications module **612**, which carry the digital data to and from computer system **600**, are example forms of transmission media.

Computer system **600** can send messages and receive data, including program code, through the network(s), the network link, and communications module **612**. In the Internet example, a server might transmit a requested code for an application program through the Internet, the ISP, the local network, and communications module **612**. The received code may be executed by processor **602** as it is received, and/or stored in data storage **606** for later execution.

In certain aspects, the input/output module **610** is configured to connect to a plurality of devices, such as an input device **614** and/or an output device **616**. Example input devices **614** include a keyboard and a pointing device, e.g., a mouse or a trackball, by which a user can provide input to the computer system **600**. Other kinds of input devices **614** can be used to provide for interaction with a user as well, such as a tactile input device, visual input device, audio input device, or brain-computer interface device. For example, feedback provided to the user can be any form of sensory feedback, e.g., visual feedback, auditory feedback, or tactile feedback, and input from the user can be received in any form, including acoustic, speech, tactile, or brain wave input. Example output devices **616** include display devices, such as an LED (light emitting diode), CRT (cathode ray tube), LCD (liquid crystal display) screen, a TFT

LCD (Thin-Film-Transistor Liquid Crystal Display), or an OLED (Organic Light Emitting Diode) display, for displaying information to the user. The output device **616** may comprise appropriate circuitry for driving the output device **616** to present graphical and other information to a user.

According to one aspect of the present disclosure, the blockchain system **100** and/or the digital identity system **200** can be implemented using a computer system **600** in response to processor **602** executing one or more sequences of one or more instructions contained in memory **604**. Such instructions may be read into memory **604** from another machine-readable medium, such as data storage device **606**. Execution of the sequences of instructions contained in main memory **604** causes processor **602** to perform the process steps described herein. One or more processors in a multi-processing arrangement may also be employed to execute the sequences of instructions contained in memory **604**. Processor **602** may process the executable instructions and/or data structures by remotely accessing the computer program product, for example by downloading the executable instructions and/or data structures from a remote server through communications module **612** (e.g., as in a cloud-computing environment). In alternative aspects, hard-wired circuitry may be used in place of or in combination with software instructions to implement various aspects of the present disclosure. Thus, aspects of the present disclosure are not limited to any specific combination of hardware circuitry and software.

Various aspects of the subject matter described in this specification can be implemented in a computing system that includes a back end component, e.g., a data server, or that includes a middleware component, e.g., an application server, or that includes a front end component, e.g., a client computer having a graphical user interface or a Web browser through which a user can interact with an implementation of the subject matter described in this specification, or any combination of one or more such back end, middleware, or front end components. For example, some aspects of the subject matter described in this specification may be performed on a cloud-computing environment. Accordingly, in certain aspects, a user of systems and methods as disclosed herein may perform at least some of the steps by accessing a cloud server through a network connection. Further, data files, circuit diagrams, performance specifications, and the like resulting from the disclosure may be stored in a database server in the cloud-computing environment, or may be downloaded to a private storage device from the cloud-computing environment.

Computing system **600** can include clients and servers. A client and server are generally remote from each other and typically interact through a communication network. The relationship of client and server arises by virtue of computer programs running on the respective computers and having a client-server relationship to each other. Computer system **600** can be, for example, and without limitation, a desktop computer, laptop computer, or tablet computer. Computer system **600** can also be embedded in another device, for example, and without limitation, a mobile telephone, a personal digital assistant (PDA), a mobile audio player, a Global Positioning System (GPS) receiver, and/or a television set top box.

The term "machine-readable storage medium" or "computer-readable medium" as used herein refers to any medium or media that is provided including instructions or data to processor **602** for execution. The term "storage medium" as used herein refers to any non-transitory computer readable storage medium that stores data and/or

instructions that cause a machine to operate in a specific fashion. Such a medium may take many forms, including, but not limited to, non-volatile media, volatile media, and transmission media. Non-volatile media include, for example, optical disks, magnetic disks, or flash memory, such as data storage device **606**. Volatile media include dynamic memory, such as memory **604**. Transmission media include coaxial cables, copper wire, and fiber optics, including the wires that comprise bus **608**. Common forms of machine-readable media include, for example, a floppy disk, a flexible disk, a hard disk, magnetic tape, any other magnetic medium, a CD-ROM, a DVD, any other optical medium, punch cards, paper tape, any other physical medium with patterns of holes, a RAM, a PROM, an EPROM, a FLASH EPROM, any other memory chip or cartridge, or any other medium from which a computer can read. The machine-readable storage medium can be a machine-readable storage device, a machine-readable storage substrate, a memory device, a composition of matter effecting a machine-readable propagated signal, or a combination of one or more of them.

As used in this specification of this application, the terms “computer-readable storage medium” and “computer-readable media” are entirely restricted to tangible, physical objects that store information in a form that is readable by a computer. These terms exclude any wireless signals, wired download signals, and any other ephemeral signals. Storage media is distinct from but may be used in conjunction with transmission media. Transmission media participates in transferring information between storage media. For example, transmission media includes coaxial cables, copper wire, and fiber optics, including the wires that comprise bus **608**. Transmission media can also take the form of acoustic or light waves, such as those generated during radio-wave and infra-red data communications. Furthermore, as used in this specification of this application, the terms “computer,” “server,” “processor,” and “memory” all refer to electronic or other technological devices. These terms exclude people or groups of people. For the purposes of the specification, the terms display or displaying means displaying on an electronic device.

In one aspect, a method may be an operation, an instruction, or a function and vice versa. In one aspect, a clause or a claim may be amended to include some or all of the words (e.g., instructions, operations, functions, or components) recited in other one or more clauses, one or more words, one or more sentences, one or more phrases, one or more paragraphs, and/or one or more claims.

To illustrate the interchangeability of hardware and software, items such as the various illustrative blocks, modules, components, methods, operations, instructions, and algorithms have been described generally in terms of their functionality. Whether such functionality is implemented as hardware, software, or a combination of hardware and software depends upon the particular application and design constraints imposed on the overall system. Skilled artisans may implement the described functionality in varying ways for each particular application.

The word “exemplary” is used herein to mean “serving as an example, instance, or illustration.” Any embodiment described herein as “exemplary” is not necessarily to be construed as preferred or advantageous over other embodiments. Phrases such as an aspect, the aspect, another aspect, some aspects, one or more aspects, an implementation, the implementation, another implementation, some implementations, one or more implementations, an embodiment, the embodiment, another embodiment, some embodiments, one

or more embodiments, a configuration, the configuration, another configuration, some configurations, one or more configurations, the subject technology, the disclosure, the present disclosure, other variations thereof and alike are for convenience and do not imply that a disclosure relating to such phrase(s) is essential to the subject technology or that such disclosure applies to all configurations of the subject technology. A disclosure relating to such phrase(s) may apply to all configurations, or one or more configurations. A disclosure relating to such phrase(s) may provide one or more examples. A phrase such as an aspect or some aspects may refer to one or more aspects and vice versa, and this applies similarly to other foregoing phrases.

A reference to an element in the singular is not intended to mean “one and only one” unless specifically stated, but rather “one or more.” Pronouns in the masculine (e.g., his) include the feminine and neuter gender (e.g., her and its) and vice versa. The term “some” refers to one or more. Underlined and/or italicized headings and subheadings are used for convenience only, do not limit the subject technology, and are not referred to in connection with the interpretation of the description of the subject technology. Relational terms such as first, second, and the like may be used to distinguish one entity or action from another without necessarily requiring or implying any actual such relationship or order between such entities or actions. All structural and functional equivalents to the elements of the various configurations described throughout this disclosure that are known or later come to be known to those of ordinary skill in the art are expressly incorporated herein by reference and intended to be encompassed by the subject technology. Moreover, nothing disclosed herein is intended to be dedicated to the public, regardless of whether such disclosure is explicitly recited in the above description. No claim element is to be construed under the provisions of 35 U.S.C. § 112, sixth paragraph, unless the element is expressly recited using the phrase “means for” or, in the case of a method claim, the element is recited using the phrase “step for.”

While this specification contains many specifics, these should not be construed as limitations on the scope of what may be claimed, but rather as descriptions of particular implementations of the subject matter. Certain features that are described in this specification in the context of separate embodiments can also be implemented in combination in a single embodiment. Conversely, various features that are described in the context of a single embodiment can also be implemented in multiple embodiments separately, or in any suitable subcombination. Moreover, although features may be described above as acting in certain combinations and even initially claimed as such, one or more features from a claimed combination can in some cases be excised from the combination, and the claimed combination may be directed to a subcombination or variation of a subcombination.

The subject matter of this specification has been described in terms of particular aspects, but other aspects can be implemented and are within the scope of the following claims. For example, while operations are depicted in the drawings in a particular order, this should not be understood as requiring that such operations be performed in the particular order shown or in sequential order, or that all illustrated operations be performed, to achieve desirable results. The actions recited in the claims can be performed in a different order and still achieve desirable results. As one example, the processes depicted in the accompanying figures do not necessarily require the particular order shown, or sequential order, to achieve desirable results. In certain circumstances, multitasking and parallel processing may be

advantageous. Moreover, the separation of various system components in the aspects described above should not be understood as requiring such separation in all aspects, and it should be understood that the described program components and systems can generally be integrated together in a single software product or packaged into multiple software products.

The title, background, brief description of the drawings, abstract, and drawings are hereby incorporated into the disclosure and are provided as illustrative examples of the disclosure, not as restrictive descriptions. It is submitted with the understanding that they will not be used to limit the scope or meaning of the claims. In addition, in the detailed description, it can be seen that the description provides illustrative examples and the various features are grouped together in various implementations for the purpose of streamlining the disclosure. The method of disclosure is not to be interpreted as reflecting an intention that the claimed subject matter requires more features than are expressly recited in each claim. Rather, as the claims reflect, inventive subject matter lies in less than all features of a single disclosed configuration or operation. The claims are hereby incorporated into the detailed description, with each claim standing on its own as a separately claimed subject matter.

The claims are not intended to be limited to the aspects described herein, but are to be accorded the full scope consistent with the language claims and to encompass all legal equivalents. Notwithstanding, none of the claims are intended to embrace subject matter that fails to satisfy the requirements of the applicable patent law, nor should they be interpreted in such a way.

What is claimed is:

**1.** A computer-implemented method for creating a digital association, comprising:

receiving association data comprising identifiable features of a first user and a different second user, the association data created through at least a first certified device of the first user and a different second certified device of the second user;

cross-confirming by validating, through both the first certified device and the second certified device, whether the association data is valid to verify the digital association of identifiable features of the first and second users;

in response to the validating, generating the digital association between the first user and the second user by digitally signing the identifiable features when the association data is determined to be valid; and

storing the digital association on a public ledger comprising a database.

**2.** The computer-implemented method of claim **1**, wherein the first user is different from the second user, and the first certified device is different from the second certified device.

**3.** The computer-implemented method of claim **1**, wherein the association data comprises at least a photograph of both the first user and the second user together.

**4.** The computer-implemented method of claim **1**, wherein the validating further comprises:

cross-confirming, through the first certified device and the second certified device, that the association data has not been tampered.

**5.** The computer-implemented method of claim **1**, further comprising:

receiving a first user-generated item generated through the first certified device, the first user-generated item comprising the identifiable features of the first user and the second user; and

receiving a second user-generated item generated through the second certified device, the second user-generated item comprising the identifiable features of the first user and the second user.

**6.** The computer-implemented method of claim **5**, wherein the first certified device digitally is configured to sign the first user-generated item to generate a first digital identity, and the second certified device is configured to digitally sign the second user-generated item to generate a second digital identity.

**7.** The computer-implemented method of claim **1**, further comprising:

verifying the first certified device belongs to the first user; and

verifying the second certified device belongs to the second user.

**8.** The computer-implemented method of claim **1**, wherein the digital association comprises a cryptographically signed digital artifact created by both the first certified device and the second certified device.

**9.** A system for creating a digital association, comprising: a memory storing multiple sequences of instructions; and a computer hardware processor configured to execute the sequences of instructions which, when executed, causes the computer hardware processor to perform: receiving association data comprising identifiable features of a first user and a different second user, the association data created through at least a first certified device of the first user and a different second certified device of the second user;

cross-confirming by validating, through both the first certified device and the second certified device, whether the association data is valid to verify the digital association of identifiable features of the first and second users;

in response to the validating, generating the digital association between the first user and the second user by digitally signing the identifiable features when the association data is determined to be valid; and

storing the digital association on a public ledger comprising a database.

**10.** The system of claim **9**, wherein the first user is different from the second user, and the first certified device is different from the second certified device.

**11.** The system of claim **9**, wherein the association data comprises at least a photograph of both the first user and the second user together.

**12.** The system of claim **9**, wherein the validating further comprises:

cross-confirming, through the first certified device and the second certified device, that the association data has not been tampered.

**13.** The system of claim **9**, further comprising stored sequences of instructions, which when executed by the computer processor, cause the computer processor to perform:

receiving a first user-generated item generated through the first certified device, the first user-generated item comprising the identifiable features of the first user and the second user; and

## 23

receiving a second user-generated item generated through the second certified device, the second user-generated item comprising the identifiable features of the first user and the second user.

14. The system of claim 13, wherein the first certified device digitally is configured to sign the first user-generated item to generate a first digital identity, and the second certified device is configured to digitally sign the second user-generated item to generate a second digital identity.

15. The system of claim 9, further comprising stored sequences of instructions, which when executed by the computer processor, cause the computer processor to perform:

verifying the first certified device belongs to the first user;  
and  
verifying the second certified device belongs to the second user.

16. The system of claim 9, wherein the digital association comprises a cryptographically signed digital artifact created by both the first certified device and the second certified device.

17. A non-transitory computer readable storage medium is provided including instructions that, when executed by a computer hardware processor, cause the computer hardware processor to perform a method for creating a digital association, the method comprising:

receiving association data comprising identifiable features of a first user and a different second user, the associa-

## 24

tion data created through at least a first certified device of the first user and a different second certified device of the second user;

cross-confirming by validating, through both the first certified device and the second certified device, whether the association data is valid to verify the digital association of identifiable features of the first and second users;

in response to the validating, generating the digital association between the first user and the second user by digitally signing the identifiable features when the association data is determined to be valid; and  
storing the digital association on a public ledger comprising a database.

18. The non-transitory computer readable storage medium of claim 17, wherein the first user is different from the second user, and the first certified device is different from the second certified device.

19. The non-transitory computer readable storage medium of claim 17, wherein the association data comprises at least a photograph of both the first user and the second user together.

20. The non-transitory computer readable storage medium of claim 17, wherein the validating further comprises:

cross-confirming, through the first certified device and the second certified device, that the association data has not been tampered.

\* \* \* \* \*