



US011636654B2

(12) **United States Patent**
Berger et al.

(10) **Patent No.:** **US 11,636,654 B2**
(45) **Date of Patent:** **Apr. 25, 2023**

(54) **AR-BASED CONNECTED PORTAL SHOPPING**

(56) **References Cited**

(71) Applicant: **Snap Inc.**, Santa Monica, CA (US)
(72) Inventors: **Itamar Berger**, Hod Hasharon (IL);
Amar Boghani, Los Angeles, CA (US);
Maria Jose Garcia Sopo, London (GB);
Isac Andreas Müller Sandvik, London (GB);
Qi Pan, London (GB);
Matan Zohar, Rishon LeZion (IL)

U.S. PATENT DOCUMENTS

5,604,843 A 2/1997 Shaw et al.
5,689,559 A 11/1997 Park
(Continued)

FOREIGN PATENT DOCUMENTS

CN 109863532 A 6/2019
CN 110168478 A 8/2019
(Continued)

(73) Assignee: **Snap Inc.**, Santa Monica, CA (US)

OTHER PUBLICATIONS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

Wang, Chao, et al. "ARShop: a cloud-based augmented reality system for shopping." Proceedings of the VLDB Endowment 10.12 (2017): 1845-1848. (Year: 2017).*

(Continued)

(21) Appl. No.: **17/324,344**

Primary Examiner — Ryan M Gray

(22) Filed: **May 19, 2021**

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(65) **Prior Publication Data**

US 2022/0375169 A1 Nov. 24, 2022

(51) **Int. Cl.**

G06T 19/00 (2011.01)
H04L 67/131 (2022.01)

(Continued)

(52) **U.S. Cl.**

CPC **G06T 19/006** (2013.01); **G06K 7/1413** (2013.01); **G06Q 10/087** (2013.01);

(Continued)

(58) **Field of Classification Search**

None


See application file for complete search history.

(57)

ABSTRACT

Aspects of the present disclosure involve a system comprising a computer-readable storage medium storing a program and a method for performing operations comprising: receiving a request from a client device of a first user to engage in a shared augmented reality (AR) shopping experience with a second user; generating, for display on respective client devices of the first and second users, the shared AR shopping experience comprising a plurality of AR items that represent real-world products overlaid on a shared real-world environment of the first and second users; determining that the second user is interacting with a first AR item of the plurality of AR items; and in response to detecting that the second user is depicted in an image captured by the client device of the first user, overlaying the first AR item on the second user in the image.

20 Claims, 13 Drawing Sheets



(51)	Int. Cl.		8,839,327 B2	9/2014	Amento et al.
	<i>G06K 7/14</i>	(2006.01)	8,890,926 B2	11/2014	Tandon et al.
	<i>G06Q 10/08</i>	(2012.01)	8,892,999 B2	11/2014	Nims et al.
	<i>G06Q 30/06</i>	(2012.01)	8,924,250 B2	12/2014	Bates et al.
	<i>G06Q 50/00</i>	(2012.01)	8,963,926 B2	2/2015	Brown et al.
	<i>H04L 51/046</i>	(2022.01)	8,989,786 B2	3/2015	Feghali
	<i>G06Q 20/12</i>	(2012.01)	9,086,776 B2	7/2015	Ye et al.
	<i>G06Q 10/087</i>	(2023.01)	9,105,014 B2	8/2015	Collet et al.
	<i>G06Q 30/0601</i>	(2023.01)	9,241,184 B2	1/2016	Weerasinghe
(52)	U.S. Cl.		9,256,860 B2	2/2016	Herger et al.
	CPC		9,298,257 B2	3/2016	Hwang et al.
	<i>G06Q 30/0623</i> (2013.01); <i>G06Q 30/0643</i>		9,314,692 B2	4/2016	Konoplev et al.
	(2013.01); <i>G06Q 50/01</i> (2013.01); <i>H04L</i>		9,330,483 B2	5/2016	Du et al.
	<i>51/046</i> (2013.01); <i>H04L 67/131</i> (2022.05);		9,357,174 B2	5/2016	Li et al.
	<i>G06Q 20/1235</i> (2013.01); <i>G06Q 30/0633</i>		9,361,510 B2	6/2016	Yao et al.
	(2013.01)		9,378,576 B2	6/2016	Bouaziz et al.
(56)	References Cited		9,402,057 B2	7/2016	Kaytaz et al.
	U.S. PATENT DOCUMENTS		9,412,192 B2	8/2016	Mandel et al.
	5,880,731 A	3/1999	9,460,541 B2	10/2016	Li et al.
	6,023,270 A	2/2000	9,489,760 B2	11/2016	Li et al.
	RE36,919 E	10/2000	9,503,845 B2	11/2016	Vincent
	RE37,052 E	2/2001	9,508,197 B2	11/2016	Quinn et al.
	6,223,165 B1	4/2001	9,532,364 B2	12/2016	Fujito
	6,650,793 B1	11/2003	9,544,257 B2	1/2017	Ogundokun et al.
	6,772,195 B1	8/2004	9,576,400 B2	2/2017	Van Os et al.
	6,804,417 B1	10/2004	9,589,357 B2	3/2017	Li et al.
	6,842,779 B1	1/2005	9,592,449 B2	3/2017	Barbalet et al.
	7,342,587 B2	3/2008	9,648,376 B2	5/2017	Chang et al.
	7,468,729 B1	12/2008	9,697,635 B2	7/2017	Quinn et al.
	7,636,755 B2	12/2009	9,706,040 B2	7/2017	Kadirvel et al.
	7,639,251 B2	12/2009	9,744,466 B2	8/2017	Fujioka
	7,720,687 B2	5/2010	9,746,990 B2	8/2017	Anderson et al.
	7,775,885 B2	8/2010	9,749,270 B2	8/2017	Collet et al.
	7,859,551 B2	12/2010	9,792,714 B2	10/2017	Li et al.
	7,885,931 B2	2/2011	9,839,844 B2	12/2017	Dunstan et al.
	7,925,703 B2	4/2011	9,883,838 B2	2/2018	Kaleal, III et al.
	8,088,044 B2	1/2012	9,898,849 B2	2/2018	Du et al.
	8,095,878 B2	1/2012	9,911,073 B1	3/2018	Spiegel et al.
	8,108,774 B2	1/2012	9,936,165 B2	4/2018	Li et al.
	8,117,281 B2	2/2012	9,959,037 B2	5/2018	Chaudhri et al.
	8,130,219 B2	3/2012	9,980,100 B1	5/2018	Charlton et al.
	8,146,005 B2	3/2012	9,990,373 B2	6/2018	Fortkort
	8,151,191 B2	4/2012	10,039,988 B2	8/2018	Lobb et al.
	8,326,704 B2	12/2012	10,097,492 B2	10/2018	Tsuda et al.
	RE43,993 E	2/2013	10,116,598 B2	10/2018	Tucker et al.
	8,384,719 B2	2/2013	10,155,168 B2	12/2018	Blackstock et al.
	RE44,054 E	3/2013	10,158,589 B2	12/2018	Collet et al.
	RE44,068 E	3/2013	10,242,477 B1	3/2019	Charlton et al.
	RE44,106 E	3/2013	10,242,503 B2	3/2019	McPhee et al.
	8,396,708 B2	3/2013	10,262,250 B1	4/2019	Spiegel et al.
	RE44,121 E	4/2013	10,304,227 B2*	5/2019	Colbert G06T 11/00
	8,425,322 B2	4/2013	10,348,662 B2	7/2019	Baldwin et al.
	8,458,601 B2	6/2013	10,362,219 B2	7/2019	Wilson et al.
	8,462,198 B2	6/2013	10,432,559 B2	10/2019	Baldwin et al.
	8,484,158 B2	7/2013	10,454,857 B1	10/2019	Blackstock et al.
	8,495,503 B2	7/2013	10,475,225 B2	11/2019	Park et al.
	8,495,505 B2	7/2013	10,504,266 B2	12/2019	Blattner et al.
	8,504,926 B2	8/2013	10,573,048 B2	2/2020	Ni et al.
	8,559,980 B2	10/2013	10,656,797 B1	5/2020	Alvi et al.
	8,564,621 B2	10/2013	10,657,695 B2	5/2020	Chand et al.
	8,564,710 B2	10/2013	10,657,701 B2	5/2020	Osman et al.
	8,581,911 B2	11/2013	10,762,174 B2	9/2020	Denton et al.
	8,597,121 B2	12/2013	10,805,248 B2	10/2020	Luo et al.
	8,601,051 B2	12/2013	10,872,451 B2	12/2020	Sheth et al.
	8,601,379 B2	12/2013	10,880,246 B2	12/2020	Baldwin et al.
	8,632,408 B2	1/2014	10,895,964 B1	1/2021	Grantham et al.
	8,648,865 B2	2/2014	10,896,534 B1	1/2021	Smith et al.
	8,659,548 B2	2/2014	10,933,311 B2	3/2021	Brody et al.
	8,683,354 B2	3/2014	10,938,758 B2	3/2021	Allen et al.
	8,692,830 B2	4/2014	10,964,082 B2	3/2021	Amitay et al.
	8,810,513 B2	8/2014	10,979,752 B1	4/2021	Brody et al.
	8,812,171 B2	8/2014	10,984,575 B2	4/2021	Assouline et al.
	8,832,201 B2	9/2014	10,992,619 B2	4/2021	Antmen et al.
	8,832,552 B2	9/2014	11,010,022 B2	5/2021	Alvi et al.
			11,030,789 B2	6/2021	Chand et al.
			11,036,781 B1	6/2021	Baril et al.
			11,063,891 B2	7/2021	Voss
			11,069,103 B1	7/2021	Blackstock et al.
			11,080,917 B2	8/2021	Monroy-hernández et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

11,128,586 B2 9/2021 Al Majid et al.
 11,188,190 B2 11/2021 Blackstock et al.
 11,189,070 B2 11/2021 Jahangiri et al.
 11,199,957 B1 12/2021 Alvi et al.
 11,218,433 B2 1/2022 Baldwin et al.
 11,229,849 B2 1/2022 Blackstock et al.
 11,245,658 B2 2/2022 Grantham et al.
 11,249,614 B2 2/2022 Brody
 11,263,254 B2 3/2022 Baril et al.
 11,270,491 B2 3/2022 Monroy-Hernández et al.
 11,284,144 B2 3/2022 Kotsopoulos et al.
 11,405,435 B1* 8/2022 Morales G06F 16/9536
 2002/0067362 A1 6/2002 Agostino Nocera et al.
 2002/0169644 A1 11/2002 Greene
 2004/0044589 A1* 3/2004 Inoue G06Q 30/0635
 705/27.2
 2005/0162419 A1 7/2005 Kim et al.
 2005/0020661 A1 9/2005 Cordelli
 2006/0294465 A1 12/2006 Ronen et al.
 2007/0100705 A1 5/2007 Chen
 2007/0113181 A1 5/2007 Blattner et al.
 2007/0168863 A1 7/2007 Blattner et al.
 2007/0176921 A1 8/2007 Iwasaki et al.
 2008/0158222 A1 7/2008 Li et al.
 2009/0016617 A1 1/2009 Bregman-amitai et al.
 2009/0055484 A1 2/2009 Vuong et al.
 2009/0070688 A1 3/2009 Gyorfí et al.
 2009/0099925 A1 4/2009 Mehta et al.
 2009/0106672 A1 4/2009 Burstrom
 2009/0158170 A1 6/2009 Narayanan et al.
 2009/0177976 A1 7/2009 Bokor et al.
 2009/0202114 A1 8/2009 Morin et al.
 2009/0265604 A1 10/2009 Howard et al.
 2009/0300525 A1 12/2009 Jolliff et al.
 2009/0303984 A1 12/2009 Clark et al.
 2010/0011422 A1 1/2010 Mason et al.
 2010/0023885 A1 1/2010 Reville et al.
 2010/0030660 A1 2/2010 Edwards
 2010/0115426 A1 5/2010 Liu et al.
 2010/0149093 A1 6/2010 Edwards
 2010/0162149 A1 6/2010 Sheleheda et al.
 2010/0203968 A1 8/2010 Gill et al.
 2010/0227682 A1 9/2010 Reville et al.
 2011/0078052 A1 3/2011 Ciptawilangga
 2011/0093780 A1 4/2011 Dunn
 2011/0115798 A1 5/2011 Nayar et al.
 2011/0148864 A1 6/2011 Lee et al.
 2011/0239136 A1 9/2011 Goldman et al.
 2012/0113106 A1 5/2012 Choi et al.
 2012/0124458 A1 5/2012 Cruzada
 2012/0130717 A1 5/2012 Xu et al.
 2013/0103760 A1 4/2013 Golding et al.
 2013/0010691 A1 5/2013 Sacco et al.
 2013/0201187 A1 8/2013 Tong et al.
 2013/0215116 A1* 8/2013 Siddique G06Q 20/40
 705/26.7
 2013/0249948 A1 9/2013 Reitan
 2013/0257877 A1 10/2013 Davis
 2014/0043329 A1 2/2014 Wang et al.
 2014/0055554 A1 2/2014 Du et al.
 2014/0100997 A1* 4/2014 Mayerle G06T 19/006
 705/27.2
 2014/0125678 A1 5/2014 Wang et al.
 2014/0129343 A1 5/2014 Finster et al.
 2014/0129393 A1* 5/2014 Soon-Shiong G06Q 10/087
 705/27.2
 2014/0214629 A1 7/2014 Azam et al.
 2014/0222627 A1 8/2014 Kukreja et al.
 2015/0206349 A1 7/2015 Rosenthal et al.
 2016/0134840 A1 5/2016 McCulloch
 2016/0189431 A1* 6/2016 Ueda G06Q 30/0631
 705/26.8
 2016/0210602 A1 7/2016 Siddique et al.
 2016/0234149 A1 8/2016 Tsuda et al.

2016/0300387 A1 10/2016 Ziman
 2017/0018024 A1* 1/2017 Xu G06V 40/10
 2017/0080346 A1 3/2017 Abbas
 2017/0087473 A1 3/2017 Siegel et al.
 2017/0113140 A1 4/2017 Blackstock et al.
 2017/0118145 A1 4/2017 Aittoniemi et al.
 2017/0199855 A1 7/2017 Fishbeck
 2017/0235848 A1 8/2017 Van Deusen et al.
 2017/0310934 A1 10/2017 Du et al.
 2017/0312634 A1 11/2017 Ledoux et al.
 2018/0047200 A1 2/2018 O'hara et al.
 2018/0113587 A1 4/2018 Allen et al.
 2018/0115503 A1 4/2018 Baldwin et al.
 2018/0182024 A1* 6/2018 Nickerson G06Q 30/0601
 2018/0198743 A1 7/2018 Blackstock et al.
 2018/0315076 A1 11/2018 Andreou
 2018/0315133 A1 11/2018 Brody et al.
 2018/0315134 A1 11/2018 Amitay et al.
 2019/0001223 A1 1/2019 Blackstock et al.
 2019/0019242 A1* 1/2019 Bajpai G06Q 30/0603
 2019/0057616 A1 2/2019 Cohen et al.
 2019/0097958 A1 3/2019 Collet et al.
 2019/0108578 A1* 4/2019 Spivack G09B 5/065
 2019/0130649 A1* 5/2019 O'Brien G06T 15/005
 2019/0188920 A1 6/2019 Mcphee et al.
 2019/0280997 A1 9/2019 Baldwin et al.
 2020/0306637 A1 10/2020 Baldwin et al.
 2020/0372127 A1 11/2020 Denton et al.
 2020/0410575 A1 12/2020 Grantham et al.
 2021/0074047 A1 3/2021 Sheth et al.
 2021/0089179 A1 3/2021 Grantham et al.
 2021/0104087 A1 4/2021 Smith et al.
 2021/0168108 A1 6/2021 Antmen et al.
 2021/0170270 A1 6/2021 Brody et al.
 2021/0192823 A1 6/2021 Amitay et al.
 2021/0209825 A1 7/2021 Assouline et al.
 2021/0225058 A1 7/2021 Chand et al.
 2021/0240315 A1 8/2021 Alvi et al.
 2021/0243482 A1 8/2021 Baril et al.
 2021/0243503 A1 8/2021 Kotsopoulos et al.
 2021/0248338 A1* 8/2021 Spivack G06K 7/10831
 2021/0266277 A1 8/2021 Allen et al.
 2021/0279695 A1* 9/2021 Rice G06F 3/0488
 2021/0281897 A1 9/2021 Brody et al.
 2021/0285774 A1 9/2021 Collins et al.
 2021/0306290 A1 9/2021 Voss
 2021/0306451 A1 9/2021 Heikkinen et al.
 2021/0385180 A1 12/2021 Al Majid et al.
 2021/0405831 A1 12/2021 Mourkogiannis et al.
 2021/0409535 A1 12/2021 Mourkogiannis et al.
 2022/0012929 A1 1/2022 Blackstock et al.
 2022/0028108 A1* 1/2022 Haapoja G06T 19/006
 2022/0261881 A1* 8/2022 Aslam G06Q 20/36
 2022/0261882 A1* 8/2022 Youb H04L 9/0643
 2022/0374968 A1 11/2022 Berger et al.
 2022/0374969 A1 11/2022 Berger et al.

FOREIGN PATENT DOCUMENTS

EP 2184092 A2 5/2010
 JP 2001230801 A 8/2001
 JP 5497931 B2 3/2014
 KR 101445263 B1 9/2014
 WO WO-2003094072 A1 11/2003
 WO WO-2004095308 A1 11/2004
 WO WO-2006107182 A1 10/2006
 WO WO-2007134402 A1 11/2007
 WO WO-2012139276 A1 10/2012
 WO WO-2013027893 A1 2/2013
 WO WO-2013152454 A1 10/2013
 WO WO-2013166588 A1 11/2013
 WO WO-2014031899 A1 2/2014
 WO WO-2014194439 A1 12/2014
 WO WO-2016090605 A1 6/2016
 WO WO-2016191685 A1 12/2016
 WO WO-2018081013 A1 5/2018
 WO WO-2018102562 A1 6/2018
 WO WO-2018129531 A1 7/2018
 WO WO-2019089613 A1 5/2019

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO-2020092900	A2	5/2020
WO	WO-2022246422	A1	11/2022
WO	WO-2022246425	A1	11/2022
WO	WO-2022246426	A1	11/2022

OTHER PUBLICATIONS

U.S. Appl. No. 17/324,332, filed May 19, 2021, VR-Based Connected Portal Shopping.

U.S. Appl. No. 17/324,350, filed May 19, 2021, Customized Virtual Store.

“U.S. Appl. No. 17/324,350, Notice of Allowance dated Jun. 30, 2022”, 8 pgs.

“U.S. Appl. No. 17/324,350, Notice of Allowance dated Oct. 18, 2022”, 8 pgs.

“Bitmoji”, Snapchat Support, [Online] Retrieved from the Internet: <URL: <https://web.archive.org/web/20190503063620/https://support.snapchat.com/en-US/a/bitmoji>>, (captured May 3, 2019), 2 pgs.

“Bitmoji Chrome Extension”, [Online] Retrieved from the Internet: <URL: <https://web.archive.org/web/20200919024925/https://support.bitmoji.com/hc/en-us/articles/360001494066>>, (Sep. 19, 2020), 5 pgs.

“Bitmoji Customize text”, [Online] Retrieved from the Internet: <URL: <https://web.archive.org/web/20210225200456/https://support.bitmoji.com/hc/en-us/articles/360034632291-Customize-Text-on-Bitmoji-Stickers>>, (captured Feb. 25, 2021), 3 pgs.

“Bitmoji Family”, Snapchat Support, [Online] Retrieved from the Internet: <URL: <https://web.archive.org/web/20190503063620/https://support.snapchat.com/en-us/article/bitmoji-family>>, (captured May 3, 2019), 4 pgs.

“Instant Comics Starring You & Your Friends”, Bitstrips Inc, [Online] Retrieved from the Internet: <URL: <https://web.archive.org/web/20150206000940/http://company.bitstrips.com/bitstrips-app.html>>, (captured Feb. 6, 2015), 3 pgs.

“International Application Serial No. PCT/US2022/072402, International Search Report dated Sep. 6, 2022”, 4 pgs.

“International Application Serial No. PCT/US2022/072402, Written Opinion dated Sep. 6, 2022”, 6 pgs.

“International Application Serial No. PCT/US2022/072405, International Search Report dated Sep. 6, 2022”, 4 pgs.

“International Application Serial No. PCT/US2022/072405, Written Opinion dated Sep. 6, 2022”, 6 pgs.

“International Application Serial No. PCT/US2022/072406, International Search Report dated Sep. 9, 2022”, 4 pgs.

“International Application Serial No. PCT/US2022/072406, Written Opinion dated Sep. 9, 2022”, 7 pgs.

“Manage Your Bitmoji”, Snapchat Support, [Online] Retrieved from the Internet: <URL: <https://web.archive.org/web/20190503063620/https://support.snapchat.com/en-us/a/manage-bitmoji>>, (captured May 3, 2019), 3 pgs.

“Your Own Personal Emoji”, Bitstrips Inc, [Online] Retrieved from the Internet: <URL: <https://web.archive.org/web/20150205232004/http://bitmoji.com/>>, (captured Feb. 5, 2015), 3 pgs.

Carnahan, Daniel, “Snap is Offering Personalized Video Content Through Bitmoji TV”, Business Insider, [Online] Retrieved from the Internet: <URL: <https://www.businessinsider.com/snap-offers-personalized-video-content-through-bitmoji-tv-2019-12>>, (2019), 10 pgs.

Constine, Josh, “Snapchat launches Bitmoji merch and comic strips starring your avatar”, TechCrunch, [Online] Retrieved from the Internet: <URL: <https://techcrunch.com/2018/11/13/bitmoji-store/>>, (Nov. 13, 2018), 16 pgs.

Constine, Josh, “Snapchat Launches Bitmoji TV: Zany 4-min Cartoons of Your Avatar”, TechCrunch, [Online] Retrieved from the Internet: <URL: <https://techcrunch.com/2020/01/30/bitmoji-tv/>>, (Jan. 30, 2020), 13 pgs.

Macmillan, Douglas, “Snapchat Buys Bitmoji App for More Than \$100 Million”, The Wallstreet Journal, [Online] Retrieved from the Internet: <URL: <https://www.wsj.com/articles/snapchat-buys-bitmoji-app-for-more-than-100-million-1458876017>>, (Mar. 25, 2016), 5 pgs.

Newton, Casey, “Your Snapchat friendships now have their own profiles—and merchandise”, The Verge, [Online] Retrieved from the Internet: <URL: <https://www.theverge.com/2018/11/13/18088772/snapchat-friendship-profiles-bitmoji-merchandise-comics>>, (Nov. 13, 2018), 5 pgs.

Ong, Thuy, “Snapchat takes Bitmoji deluxe with hundreds of new customization options”, The Verge, [Online] Retrieved from the Internet on Nov. 2, 2018: <URL: <https://www.theverge.com/2018/1/30/16949402/bitmoji-deluxe-snapchat-customization>>, (Jan. 30, 2018), 2 pgs.

Reign, Ashley, “How To Add My Friend’s Bitmoji To My Snapchat”, Women.com, [Online] Retrieved from the Internet: <URL: <https://www.women.com/ashleyreign/lists/how-to-add-my-friends-bitmoji-to-my-snapchat>>, (Jun. 30, 2017), 7 pgs.

Tumbokon, Karen, “Snapchat Update: How To Add Bitmoji To Customizable Geofilters”, International Business Times, [Online] Retrieved from the Internet: <URL: <https://www.ibtimes.com/snapchat-update-how-add-bitmoji-customizable-geofilters-2448152>>, (Nov. 18, 2016), 6 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

500




FIG. 5

600 →




FIG. 6

700




FIG. 7A

701 →




FIG. 7B

800




FIG. 8

900 →




FIG. 9

1000




FIG. 10




FIG. 11




FIG. 12

AR-BASED CONNECTED PORTAL SHOPPING

TECHNICAL FIELD

The present disclosure relates generally to providing augmented reality (AR)/virtual reality (VR) experiences using a messaging application.

BACKGROUND

Augmented-Reality is a modification of a virtual environment. For example, in Virtual Reality, a user is completely immersed in a virtual world, whereas in AR, the user is immersed in a world where virtual objects are combined or superimposed on the real world. An AR system aims to generate and present virtual objects that interact realistically with a real-world environment and with each other. Examples of AR applications can include single or multiple player video games, instant messaging systems, and the like.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

In the drawings, which are not necessarily drawn to scale, like numerals may describe similar components in different views. To easily identify the discussion of any particular element or act, the most significant digit or digits in a reference number refer to the figure number in which that element is first introduced. Some nonlimiting examples are illustrated in the figures of the accompanying drawings in which:

FIG. 1 is a diagrammatic representation of a networked environment in which the present disclosure may be deployed, in accordance with some examples.

FIG. 2 is a diagrammatic representation of a messaging client application, in accordance with some examples.

FIG. 3 is a diagrammatic representation of a data structure as maintained in a database, in accordance with some examples.

FIG. 4 is a diagrammatic representation of a message, in accordance with some examples.

FIGS. 5, 6, 7A, 7B, 8 and 9 are diagrammatic representations of outputs of the shared shopping experience system, in accordance with some examples.

FIG. 10 is a flowchart illustrating example operations of the messaging application server, according to examples.

FIG. 11 is a diagrammatic representation of a machine in the form of a computer system within which a set of instructions may be executed for causing the machine to perform any one or more of the methodologies discussed herein, in accordance with some examples.

FIG. 12 is a block diagram showing a software architecture within which examples may be implemented.

DETAILED DESCRIPTION

The description that follows includes systems, methods, techniques, instruction sequences, and computing machine program products that embody illustrative examples of the disclosure. In the following description, for the purposes of explanation, numerous specific details are set forth in order to provide an understanding of various examples. It will be evident, however, to those skilled in the art, that examples may be practiced without these specific details. In general, well-known instruction instances, protocols, structures, and techniques are not necessarily shown in detail.

Typically, virtual reality (VR) and augmented reality (AR) shopping systems allow users to browse virtual products in the comfort of their own home. These systems allow a user to preview how a physical item looks on the user which simplifies the purchasing process. Such systems, though, are individual user-based and do not provide a way for users to share the shopping experiences virtually. In order to get feedback from the user's friends on products of interest, the user has to navigate the virtual store by themselves, select an item of interest and then send that item to their friends for feedback. Such feedback may take time to receive, and the lack of real time communications about the items being browsed typically causes purchase opportunities to be missed. While these systems generally work well, the manual and individual nature of the shopping experiences they provide takes away from the overall appeal. Specifically, the user of these systems has to spend a great deal of effort searching through and navigating multiple user interfaces and pages of information to identify an item of interest and then has to share that item with their friend which takes even more time. These tasks can be daunting and time consuming which detracts from the overall interest of using these systems and results in wasted resources.

The disclosed techniques improve the efficiency of using an electronic device which implements or otherwise accesses an AR/VR system by providing a shared AR/VR shopping experience in which multiple users can interact with each other in a virtual world to shop for products, such as for the users to purchase corresponding physical or electronically consumable items (e.g., clothing, accessories, makeup, toys, video items, music items, or video game items). Because the users interact with each other in the shared AR/VR shopping experience, they can receive and provide real-time feedback and improve the overall shopping experience. This avoids missed shopping and purchase opportunities and increases the overall appeal of online shopping.

Specifically, the disclosed techniques receive a request from a first user to engage in a shared augmented reality (AR) shopping experience with a second user. The disclosed embodiments generate, for display on respective client devices of the first and second users, the shared AR shopping experience in which a plurality of AR items that represent real-world products are overlaid on a shared real-world environment of the first and second users. The disclosed embodiments determine that the second user is interacting with a first AR item of the plurality of AR items and, in response to determining that the second user is depicted in an image captured by the client device of the first user, overlay the first AR item on the second user in the image. This improves the overall experience of the user in using the electronic device and reduces the overall amount of system resources needed to accomplish a task.

Networked Computing Environment

FIG. 1 is a block diagram showing an example messaging system 100 for exchanging data (e.g., messages and associated content) over a network. The messaging system 100 includes multiple instances of a client device 102, each of which hosts a number of applications, including a messaging client 104 and other external applications 109 (e.g., third-party applications). Each messaging client 104 is communicatively coupled to other instances of the messaging client 104 (e.g., hosted on respective other client devices 102), a messaging server system 108 and external app(s) servers 110 via a network 112 (e.g., the Internet). A messaging client 104 can also communicate with locally-hosted third-party (also

referred to as “external”) applications **109** using Applications Program Interfaces (APIs).

A messaging client **104** is able to communicate and exchange data with other messaging clients **104** and with the messaging server system **108** via the network **112**. The data exchanged between messaging clients **104**, and between a messaging client **104** and the messaging server system **108**, includes functions (e.g., commands to invoke functions) as well as payload data (e.g., text, audio, video or other multimedia data).

The messaging server system **108** provides server-side functionality via the network **112** to a particular messaging client **104**. While certain functions of the messaging system **100** are described herein as being performed by either a messaging client **104** or by the messaging server system **108**, the location of certain functionality either within the messaging client **104** or the messaging server system **108** may be a design choice. For example, it may be technically preferable to initially deploy certain technology and functionality within the messaging server system **108** but to later migrate this technology and functionality to the messaging client **104** where a client device **102** has sufficient processing capacity.

The messaging server system **108** supports various services and operations that are provided to the messaging client **104**. Such operations include transmitting data to, receiving data from, and processing data generated by the messaging client **104**. This data may include message content, client device information, geolocation information, media augmentation and overlays, message content persistence conditions, social network information, and live event information, as examples. Data exchanges within the messaging system **100** are invoked and controlled through functions available via user interfaces (UIs) of the messaging client **104**.

Turning now specifically to the messaging server system **108**, an Application Program Interface (API) server **116** is coupled to, and provides a programmatic interface to, application servers **114**. The application servers **114** are communicatively coupled to a database server **120**, which facilitates access to a database **126** that stores data associated with messages processed by the application servers **114**. Similarly, a web server **128** is coupled to the application servers **114**, and provides web-based interfaces to the application servers **114**. To this end, the web server **128** processes incoming network requests over the Hypertext Transfer Protocol (HTTP) and several other related protocols.

The API server **116** receives and transmits message data (e.g., commands and message payloads) between the client device **102** and the application servers **114**. Specifically, the API server **116** provides a set of interfaces (e.g., routines and protocols) that can be called or queried by the messaging client **104** in order to invoke functionality of the application servers **114**. The API server **116** exposes various functions supported by the application servers **114**, including account registration, login functionality, the sending of messages, via the application servers **114**, from a particular messaging client **104** to another messaging client **104**, the sending of media files (e.g., images or video) from a messaging client **104** to a messaging server **118**, and for possible access by another messaging client **104**, the settings of a collection of media data (e.g., story), the retrieval of a list of friends of a user of a client device **102**, the retrieval of such collections, the retrieval of messages and content, the addition and deletion of entities (e.g., friends) to an entity graph (e.g., a

social graph), the location of friends within a social graph, and opening an application event (e.g., relating to the messaging client **104**).

The application servers **114** host a number of server applications and subsystems, including for example a messaging server **118**, an image processing server **122**, and a social network server **124**. The messaging server **118** implements a number of message processing technologies and functions, particularly related to the aggregation and other processing of content (e.g., textual and multimedia content) included in messages received from multiple instances of the messaging client **104**. As will be described in further detail, the text and media content from multiple sources may be aggregated into collections of content (e.g., called stories or galleries). These collections are then made available to the messaging client **104**. Other processor- and memory-intensive processing of data may also be performed server-side by the messaging server **118**, in view of the hardware requirements for such processing.

The application servers **114** also include an image processing server **122** that is dedicated to performing various image processing operations, typically with respect to images or video within the payload of a message sent from or received at the messaging server **118**.

Image processing server **122** is used to implement scan functionality of the augmentation system **208** (FIG. 2). Scan functionality includes activating and providing one or more augmented-reality experiences on a client device **102** when an image is captured by the client device **102**. Specifically, the messaging client **104** on the client device **102** can be used to activate a camera. The camera displays one or more real-time images or a video to a user along with one or more icons or identifiers of one or more augmented reality experiences. The user can select a given one of the identifiers to launch the corresponding augmented reality experience or perform a desired image modification (e.g., launching a shared shopping experience with one or more friends/users, as discussed in connection with FIGS. 5-10 below).

In some examples, a client device **102** of a first user can generate and display a barcode associated with the shared shopping experience. One or more other users or friends of the first user can join in and engage in the shared shopping experience with the first user by using their respective client devices **102** to capture or scan the image of the barcode that is displayed on the client device **102** of the first user. In some examples, the barcode can be placed physically on a surface of a real-world object (e.g., such as a store shelf, a store entrance, a hidden location, a wall, a ceiling, a floor, or other physical location), such as in a store or other real-world environment. Different users or friends can join in and engage in the shared shopping experience together by using their respective client devices **102** to capture or scan the image of the barcode that is physically placed on the surface of the real-world object. In some examples, the barcode can be privatized or associated with a password, login credentials, or a specified group of users. Namely, the client device **102** of a first user can generate a barcode and associate some restrictions with the barcode, such as a preselected group of friends or users who are allowed to engage in the shared shopping experience with the first user. After generating the barcode, the client device **102** can store the barcode along with the restrictions locally or on a remote server.

When the barcode is scanned by a client device **102** of another user, a link associated with the barcode is retrieved and accessed by the client device **102** of the other user. The client device **102** of the other user also provides a user identifier to the server associated with the link. The server

determines that the user identifier matches or satisfies the restrictions associated with the barcode (e.g., the user identifier matches a user identifier associated with the barcode specified by the first user). In response, the server authorizes the client device **102** of the other user to join in on the same AR session of the shopping experience of the first user. In this way, the first user and the other user can interact with each other virtually and in AR to browse a virtual store, such as to try on different AR items (e.g., AR clothing or makeup). In response to determining that the user identifier fails to match or satisfy the restrictions associated with the barcode, the server prevents the client device **102** of the other user from accessing or joining the same AR session of the shopping experience of the first user.

The social network server **124** supports various social networking functions and services and makes these functions and services available to the messaging server **118**. To this end, the social network server **124** maintains and accesses an entity graph **308** (as shown in FIG. 3) within the database **126**. Examples of functions and services supported by the social network server **124** include the identification of other users of the messaging system **100** with which a particular user has relationships or is “following,” and also the identification of other entities and interests of a particular user.

Returning to the messaging client **104**, features and functions of an external resource (e.g., a third-party application **109** or applet) are made available to a user via an interface of the messaging client **104**. The messaging client **104** receives a user selection of an option to launch or access features of an external resource (e.g., a third-party resource), such as external apps **109**. The external resource may be a third-party application (external apps **109**) installed on the client device **102** (e.g., a “native app”), or a small-scale version of the third-party application (e.g., an “applet”) that is hosted on the client device **102** or remote of the client device **102** (e.g., on third-party servers **110**). The small-scale version of the third-party application includes a subset of features and functions of the third-party application (e.g., the full-scale, native version of the third-party standalone application) and is implemented using a markup-language document. In one example, the small-scale version of the third-party application (e.g., an “applet”) is a web-based, markup-language version of the third-party application and is embedded in the messaging client **104**. In addition to using markup-language documents (e.g., a *.ml file), an applet may incorporate a scripting language (e.g., a *.js file or a .json file) and a style sheet (e.g., a *.ss file).

In response to receiving a user selection of the option to launch or access features of the external resource (external app **109**), the messaging client **104** determines whether the selected external resource is a web-based external resource or a locally-installed external application. In some cases, external applications **109** that are locally installed on the client device **102** can be launched independently of and separately from the messaging client **104**, such as by selecting an icon, corresponding to the external application **109**, on a home screen of the client device **102**. Small-scale versions of such external applications can be launched or accessed via the messaging client **104** and, in some examples, no or limited portions of the small-scale external application can be accessed outside of the messaging client **104**. The small-scale external application can be launched by the messaging client **104** receiving, from an external app(s) server **110**, a markup-language document associated with the small-scale external application and processing such a document.

In response to determining that the external resource is a locally-installed external application **109**, the messaging client **104** instructs the client device **102** to launch the external application **109** by executing locally-stored code corresponding to the external application **109**. In response to determining that the external resource is a web-based resource, the messaging client **104** communicates with the external app(s) servers **110** to obtain a markup-language document corresponding to the selected resource. The messaging client **104** then processes the obtained markup-language document to present the web-based external resource within a user interface of the messaging client **104**.

The messaging client **104** can notify a user of the client device **102**, or other users related to such a user (e.g., “friends”), of activity taking place in one or more external resources. For example, the messaging client **104** can provide participants in a conversation (e.g., a chat session) in the messaging client **104** with notifications relating to the current or recent use of an external resource by one or more members of a group of users. One or more users can be invited to join in an active external resource or to launch a recently-used but currently inactive (in the group of friends) external resource. The external resource can provide participants in a conversation, each using a respective messaging client **104**, with the ability to share an item, status, state, or location in an external resource with one or more members of a group of users into a chat session. The shared item may be an interactive chat card with which members of the chat can interact, for example, to launch the corresponding external resource, view specific information within the external resource, or take the member of the chat to a specific location or state within the external resource. Within a given external resource, response messages can be sent to users on the messaging client **104**. The external resource can selectively include different media items in the responses, based on a current context of the external resource.

The messaging client **104** can present a list of the available external resources (e.g., third-party or external applications **109** or applets) to a user to launch or access a given external resource. This list can be presented in a context-sensitive menu. For example, the icons representing different ones of the external application **109** (or applets) can vary based on how the menu is launched by the user (e.g., from a conversation interface or from a non-conversation interface).

System Architecture

FIG. 2 is a block diagram illustrating further details regarding the messaging system **100**, according to some examples. Specifically, the messaging system **100** is shown to comprise the messaging client **104** and the application servers **114**. The messaging system **100** embodies a number of subsystems, which are supported on the client side by the messaging client **104** and on the sever side by the application servers **114**. These subsystems include, for example, an ephemeral timer system **202**, a collection management system **204**, an augmentation system **208**, a map system **210**, a game system **212**, and an external resource system **220**.

The ephemeral timer system **202** is responsible for enforcing the temporary or time-limited access to content by the messaging client **104** and the messaging server **118**. The ephemeral timer system **202** incorporates a number of timers that, based on duration and display parameters associated with a message, or collection of messages (e.g., a story), selectively enable access (e.g., for presentation and display) to messages and associated content via the messaging client **104**. Further details regarding the operation of the ephemeral timer system **202** are provided below.

The collection management system **204** is responsible for managing sets or collections of media (e.g., collections of text, image video, and audio data). A collection of content (e.g., messages, including images, video, text, and audio) may be organized into an “event gallery” or an “event story.” Such a collection may be made available for a specified time period, such as the duration of an event to which the content relates. For example, content relating to a music concert may be made available as a “story” for the duration of that music concert. The collection management system **204** may also be responsible for publishing an icon that provides notification of the existence of a particular collection to the user interface of the messaging client **104**.

The collection management system **204** furthermore includes a curation interface **206** that allows a collection manager to manage and curate a particular collection of content. For example, the curation interface **206** enables an event organizer to curate a collection of content relating to a specific event (e.g., delete inappropriate content or redundant messages). Additionally, the collection management system **204** employs machine vision (or image recognition technology) and content rules to automatically curate a content collection. In certain examples, compensation may be paid to a user for the inclusion of user-generated content into a collection. In such cases, the collection management system **204** operates to automatically make payments to such users for the use of their content.

The augmentation system **208** provides various functions that enable a user to augment (e.g., annotate or otherwise modify or edit) media content associated with a message. For example, the augmentation system **208** provides functions related to the generation and publishing of media overlays for messages processed by the messaging system **100**. The augmentation system **208** operatively supplies a media overlay or augmentation (e.g., an image filter) to the messaging client **104** based on a geolocation of the client device **102**. In another example, the augmentation system **208** operatively supplies a media overlay to the messaging client **104** based on other information, such as social network information of the user of the client device **102**. A media overlay may include audio and visual content and visual effects. Examples of audio and visual content include pictures, texts, logos, animations, and sound effects. An example of a visual effect includes color overlaying. The audio and visual content or the visual effects can be applied to a media content item (e.g., a photo) at the client device **102**. For example, the media overlay may include text, a graphical element, or image that can be overlaid on top of a photograph taken by the client device **102**. In another example, the media overlay includes an identification of a location overlay (e.g., Venice beach), a name of a live event, or a name of a merchant overlay (e.g., Beach Coffee House). In another example, the augmentation system **208** uses the geolocation of the client device **102** to identify a media overlay that includes the name of a merchant at the geolocation of the client device **102**. The media overlay may include other indicia associated with the merchant. The media overlays may be stored in the database **126** and accessed through the database server **120**.

In some examples, the augmentation system **208** provides a user-based publication platform that enables users to select a geolocation on a map and upload content associated with the selected geolocation. The user may also specify circumstances under which a particular media overlay should be offered to other users. The augmentation system **208** gen-

erates a media overlay that includes the uploaded content and associates the uploaded content with the selected geolocation.

In other examples, the augmentation system **208** provides a merchant-based publication platform that enables merchants to select a particular media overlay associated with a geolocation via a bidding process. For example, the augmentation system **208** associates the media overlay of the highest bidding merchant with a corresponding geolocation for a predefined amount of time. The augmentation system **208** communicates with the image processing server **122** to obtain augmented reality experiences and presents identifiers of such experiences in one or more user interfaces (e.g., as icons over a real-time image or video or as thumbnails or icons in interfaces dedicated for presented identifiers of augmented reality experiences). Once an augmented reality experience is selected, one or more images, videos, or augmented reality graphical elements are retrieved and presented as an overlay on top of the images or video captured by the client device **102**. In some cases, the camera is switched to a front-facing view (e.g., the front-facing camera of the client device **102** is activated in response to activation of a particular augmented reality experience) and the images from the front-facing camera of the client device **102** start being displayed on the client device **102** instead of the rear-facing camera of the client device **102**. The one or more images, videos, or augmented reality graphical elements are retrieved and presented as an overlay on top of the images that are captured and displayed by the front-facing camera of the client device **102**.

In other examples, the augmentation system **208** is able to communicate and exchange data with another augmentation system **208** on another client device **102** and with the server via the network **112**. The data exchanged can include a session identifier that identifies the shared AR session, a transformation between a first client device **102** and a second client device **102** (e.g., a plurality of client devices **102** include the first and second devices) that is used to align the shared AR session to a common point of origin, a common coordinate frame, functions (e.g., commands to invoke functions) as well as other payload data (e.g., text, audio, video or other multimedia data).

The augmentation system **208** sends the transformation to the second client device **102** so that the second client device **102** can adjust the AR coordinate system based on the transformation. In this way, the first and second client devices **102** synch up their coordinate systems and frames for displaying content in the AR session, such as in a shared AR shopping experience. Specifically, the augmentation system **208** computes the point of origin of the second client device **102** in the coordinate system of the first client device **102**. The augmentation system **208** can then determine an offset in the coordinate system of the second client device **102** based on the position of the point of origin from the perspective of the second client device **102** in the coordinate system of the second client device **102**. This offset is used to generate the transformation so that the second client device **102** generates AR content according to a common coordinate system or frame as the first client device **102**.

The augmentation system **208** can communicate with the client device **102** and/or the shared shopping experience system **224** to establish individual or shared AR/VR sessions. The augmentation system **208** can also be coupled to the messaging server **118** to establish an electronic group communication session (e.g., group chat, instant messaging) for the client devices **102** in a shared AR session. The electronic group communication session can be associated

with a session identifier provided by the client devices **102** to gain access to the electronic group communication session and to the shared AR/VR session. In one example, the client devices **102** first gain access to the electronic group communication session and then obtain the session identifier in the electronic group communication session that allows the client devices **102** to access to the shared AR/VR session. In some examples, the client devices **102** are able to access the shared AR/VR session without aid or communication with the augmentation system **208** in the application servers **114**.

The map system **210** provides various geographic location functions, and supports the presentation of map-based media content and messages by the messaging client **104**. For example, the map system **210** enables the display of user icons or avatars (e.g., stored in profile data **316**) on a map to indicate a current or past location of “friends” of a user, as well as media content (e.g., collections of messages including photographs and videos) generated by such friends, within the context of a map. For example, a message posted by a user to the messaging system **100** from a specific geographic location may be displayed within the context of a map at that particular location to “friends” of a specific user on a map interface of the messaging client **104**. A user can furthermore share his or her location and status information (e.g., using an appropriate status avatar) with other users of the messaging system **100** via the messaging client **104**, with this location and status information being similarly displayed within the context of a map interface of the messaging client **104** to selected users.

The game system **212** provides various gaming functions within the context of the messaging client **104**. The messaging client **104** provides a game interface providing a list of available games (e.g., web-based games or web-based applications) that can be launched by a user within the context of the messaging client **104**, and played with other users of the messaging system **100**. The messaging system **100** further enables a particular user to invite other users to participate in the play of a specific game, by issuing invitations to such other users from the messaging client **104**. The messaging client **104** also supports both voice and text messaging (e.g., chats) within the context of gameplay, provides a leaderboard for the games, and also supports the provision of in-game rewards (e.g., coins and items).

The external resource system **220** provides an interface for the messaging client **104** to communicate with external app(s) servers **110** to launch or access external resources. Each external resource (apps) server **110** hosts, for example, a markup language (e.g., HTML5) based application or small-scale version of an external application (e.g., game, utility, payment, or ride-sharing application that is external to the messaging client **104**). The messaging client **104** may launch a web-based resource (e.g., application) by accessing the HTML5 file from the external resource (apps) servers **110** associated with the web-based resource. In certain examples, applications hosted by external resource (apps) servers **110** are programmed in JavaScript leveraging a Software Development Kit (SDK) provided by the messaging server **118**. The SDK includes Application Programming Interfaces (APIs) with functions that can be called or invoked by the web-based application. In certain examples, the messaging server **118** includes a JavaScript library that provides a given third-party resource access to certain user data of the messaging client **104**. HTML5 is used as an example technology for programming games, but applications and resources programmed based on other technologies can be used.

In order to integrate the functions of the SDK into the web-based resource, the SDK is downloaded by an external resource (apps) server **110** from the messaging server **118** or is otherwise received by the external resource (apps) server **110**. Once downloaded or received, the SDK is included as part of the application code of a web-based external resource. The code of the web-based resource can then call or invoke certain functions of the SDK to integrate features of the messaging client **104** into the web-based resource.

The SDK stored on the messaging server **118** effectively provides the bridge between an external resource (e.g., third-party or external applications **109** or applets and the messaging client **104**). This provides the user with a seamless experience of communicating with other users on the messaging client **104**, while also preserving the look and feel of the messaging client **104**. To bridge communications between an external resource and a messaging client **104**, in certain examples, the SDK facilitates communication between external resource servers **110** and the messaging client **104**. In certain examples, a WebViewJavaScriptBridge running on a client device **102** establishes two one-way communication channels between an external resource and the messaging client **104**. Messages are sent between the external resource and the messaging client **104** via these communication channels asynchronously. Each SDK function invocation is sent as a message and callback. Each SDK function is implemented by constructing a unique callback identifier and sending a message with that callback identifier.

By using the SDK, not all information from the messaging client **104** is shared with external resource servers **110**. The SDK limits which information is shared based on the needs of the external resource. In certain examples, each external resource server **110** provides an HTML5 file corresponding to the web-based external resource to the messaging server **118**. The messaging server **118** can add a visual representation (such as a box art or other graphic) of the web-based external resource in the messaging client **104**. Once the user selects the visual representation or instructs the messaging client **104** through a GUI of the messaging client **104** to access features of the web-based external resource, the messaging client **104** obtains the HTML5 file and instantiates the resources necessary to access the features of the web-based external resource.

The messaging client **104** presents a graphical user interface (e.g., a landing page or title screen) for an external resource. During, before, or after presenting the landing page or title screen, the messaging client **104** determines whether the launched external resource has been previously authorized to access user data of the messaging client **104**. In response to determining that the launched external resource has been previously authorized to access user data of the messaging client **104**, the messaging client **104** presents another graphical user interface of the external resource that includes functions and features of the external resource. In response to determining that the launched external resource has not been previously authorized to access user data of the messaging client **104**, after a threshold period of time (e.g., 3 seconds) of displaying the landing page or title screen of the external resource, the messaging client **104** slides up (e.g., animates a menu as surfacing from a bottom of the screen to a middle or other portion of the screen) a menu for authorizing the external resource to access the user data. The menu identifies the type of user data that the external resource will be authorized to use. In response to receiving a user selection of an accept option, the messaging client **104** adds the external resource to a list

of authorized external resources and allows the external resource to access user data from the messaging client 104. In some examples, the external resource is authorized by the messaging client 104 to access the user data in accordance with an OAuth 2 framework.

The messaging client 104 controls the type of user data that is shared with external resources based on the type of external resource being authorized. For example, external resources that include full-scale external applications (e.g., a third-party or external application 109) are provided with access to a first type of user data (e.g., only two-dimensional avatars of users with or without different avatar characteristics). As another example, external resources that include small-scale versions of external applications (e.g., web-based versions of third-party applications) are provided with access to a second type of user data (e.g., payment information, two-dimensional avatars of users, three-dimensional avatars of users, and avatars with various avatar characteristics). Avatar characteristics include different ways to customize a look and feel of an avatar, such as different poses, facial features, clothing, and so forth.

The shared shopping experience system 224 provides a virtual AR storefront for multiple users to browse and shop for products virtually in AR together. In particular, the shared shopping experience system 224 can provide a shared shopping experience associated with a particular merchant or store. The shared shopping experience system 224 generates an option for a user to join or engage in a shared shopping experience. In response to receiving a user selection of the option from a client device 102, the shared shopping experience system 224 presents a screen that allows the user to invite one or more friends to join the user in the shared shopping experience. Input can be received from the client device 102 of the user that identifies one or more other users or friends of the user on the messaging client 104. In response, the shared shopping experience system 224 transmits a communication to the identified friends allowing the friends to launch and join the shared shopping experience with the user.

In some examples, in response to receiving a user selection of the option from a client device 102 to engage in the shared shopping experience, the shared shopping experience system 224 presents a screen that allows the user to select the types of AR items to include in the shared shopping experience. For example, the shared shopping experience system 224 can identify one or more real-world objects in a camera feed of the client device 102 of the user. The shared shopping experience system 224 identifies a list of different types of real-world products that are compatible and that can be displayed over the one or more real-world objects. The shared shopping experience system 224 generates a list of the different types of real-world products (e.g., makeup, pants, shirts, jewelry, and so forth). The shared shopping experience system 224 receives a user selection of one or more of the different types of real-world products and generates a plurality of AR items representing the selected one or more of the different types of real-world products. The generated plurality of AR items are overlaid on different one or more real-world objects depicted in the camera feed of the client device 102 of the user and the client devices 102 of other users who are invited to join the user in the shared shopping experience.

After the users join or launch the shared shopping experience, each user is presented on their own client device 102 an instance of the virtual shared shopping experience of the particular merchant or store. While the shared shopping experience system 224 provides AR displays or the VR store

to the users, other users can join and leave the shared shopping experience in real time. The shared shopping experience system 224 presents on displays of the client device 102 of the users virtual AR items that represent products offered for sale by the merchant or store. The virtual shopping experience provides a virtual store that looks like the physical store of the merchant. Namely, the client devices 102 of the users display virtual AR items overlaid on real-world objects depicted in a camera feed of the respective client devices 102. For example, a first client device 102 of a first user can capture an image of a first portion of the real-world environment and display one or more AR items on the first portion of the real-world environment. A second client device 102 of a second user can capture an image of a second portion of the real-world environment and display one or more AR items on the second portion of the real-world environment. The first client device 102 can be physically moved in 3D space and point towards the second portion of the real-world environment such that at least a portion of the image displayed by the first client device 102 includes the same real-world object that is depicted in an image displayed by the second client device 102. In such cases, both the first and second client devices 102 display or overlay the same set of AR items on the same real-world object that is depicted on the images displayed by the respective client devices 102. In this way, the shopping experience is synchronized across a plurality of client devices 102 that are within a threshold proximity of each other. The threshold proximity can be predetermined (e.g., 50 foot proximity threshold) or can be dynamic and dependent on the physical environment that can be captured by the different client devices 102. For example, the client devices 102 can be more than 50 feet away from each other but can both be able to capture an image of the same physical real-world object. In such cases, the AR items are displayed in respectively different scales on the same physical real-world object depicted on the respective client devices 102.

The users can individually and independently navigate and browse the virtual AR items in the virtual AR store. For example, a first user can navigate the virtual store on the client device 102 of the first user by walking around the shared real-world environment (e.g., the shared room in a home, the shared real-world store or outdoor public space). Namely, as the first user walks along a particular path in three dimensions (3D), the shared shopping experience system 224 can determine the trajectory of the user and update the display of the virtual AR store presented to the first user to move the user along the determined trajectory. As the first user turns the client device 102 to the right or in a given direction in 3D, the shared shopping experience system 224 changes the view of the virtual AR store to show the user AR contents of the virtual store that appear on the right or in the given direction in 3D.

A second user can similarly navigate through the virtual store independently of the first user. Namely, the second user can be browsing virtual items that are in a first room of the virtual store and a display of the first room may be provided to the second user on a client device 102 of the second user. While the display of the first room is provided to the client device 102 of the second user, the first user can be browsing AR items in a second room of the virtual AR store and accordingly a display of the second room can be presented to the client device 102 of the first user. The shared shopping experience system 224 maintains virtual 3D positions or coordinates of each user that is currently engaged in the shared shopping experience system 224. Specifically, the

shared shopping experience system **224** can assign a first coordinate that represents the current 3D position of the first user in the virtual store (e.g., a first 3D position in the second room) and can assign a second coordinate that represents the current 3D position of the second user in the virtual store (e.g., a 3D second position in the first room).

In some cases, the shared shopping experience system **224** can present indicators on respective displays of the users who are currently engaged in the shared shopping experience that identify which users are engaged in the shared shopping experience and their current 3D positions. The indicators can be conditionally displayed on the basis of whether a client device **102** of a given user points towards a direction in 3D of another user. For example, a client device **102** of a first user can be capturing a video feed that includes images corresponding to a first portion of the shared real-world environment while a second user is physically located in a second portion of the shared real-world environment that is 180 degrees away from the first portion. As a result, the second user is not initially within the field of view corresponding to the first portion (e.g., the second user is not within a camera feed being captured by the client device **102** of the first user). In such cases, the indicator of the second user is presented or overlaid on the camera feed captured and displayed by the client device **102** of the first user to indicate the 3D position of the second user. For example, the indicator can identify the second user (e.g., can be an avatar of the second user) and can be oriented or include an arrow identifying where the second user is physically relative to the first user. As input is received from the client device **102** of the first user indicating that the client device **102** of the first user has been moved (e.g., turned 180 degrees) such that the camera feed now includes a depiction of the second portion of the real-world environment, the field of view of the client device **102** of the first user is updated to depict the second portion. As a result, the client device **102** of the first user is now pointing towards a direction of the physical location of the second user and the second user appears in the video feed captured by the client device **102** of the first user. In response, the shared shopping experience system **224** removes display of the indicator that uniquely identifies the second user within a display of the virtual store on the client device **102** of the first user. In some cases, the indicator can only be displayed when the second user is depicted within a camera feed of the client device **102** of the first user. In these circumstances, the indicators can represent the current activity being performed by the second user associated with the indicator.

In some cases, the indicators of the physical locations of the other users within the virtual store include pins. In some cases, the indicators of the physical locations of the other users include avatars of the other users. The pins or avatars can include a name of the respective user represented by the indicator. The pins or avatars can also include information about the current activity being performed by the other users, such as whether the other user associated with the indicator is accessing detailed information on a given product, is virtually trying on a product, is checking out and purchasing a product, has picked up a product or is performing some other action.

In some embodiments, the shared shopping experience system **224** presents a list of AR items corresponding to real-world products in a field of view of a client device **102** of a first user, such as on one or more real-world objects depicted within a camera feed of the client device **102** of the first user. The list of AR items can represent different types of real-world products, such as shirts, shoes and pants. The

shared shopping experience system **224** can update the display attributes of the list of virtual reality items that is presented on the client device **102** of the first user based on action types performed by a second user operating another client device **102**. For example, the shared shopping experience system **224** can detect that the second user has selected a given AR item to try on or to view more details. In response, the shared shopping experience system **224** can modify the display attribute in a first manner to present a visual indicator (e.g., highlight region) on one of the AR items in the list of AR items to indicate that the given AR item is being acted upon or interacted by another user. For example, if the shared shopping experience system **224** detects that the second user has selected to try on virtual reality pants, the shared shopping experience system **224** can modify the display attribute in a first manner, such as by displaying a blue border around a first of the AR items corresponding to the pants physical product.

As an example, the shared shopping experience system **224** can present a first stack of AR items corresponding to pants and a second stack of AR items corresponding to shirts. If the second user selects to try on the pants, the shared shopping experience system **224** can modify the display attribute in a first manner to display a blue border around the first stack of AR items presented on the client device **102** of the first user to indicate that the second user has performed an action type to try on the pants. If the second user selects to purchase the pants, the shared shopping experience system **224** can modify the display attribute in a second manner to display a red border around the first stack of AR items presented on the client device **102** of the first user to indicate that the second user has performed an action type to purchase the pants. If the second user selects to try on the shirts, the shared shopping experience system **224** can modify the display attribute in a third manner to display a blue border around the second stack of AR items presented on the client device **102** of the first user to indicate that the second user has performed an action type to try on the shirts. If the second user selects to purchase the shirts, the shared shopping experience system **224** can modify the display attribute in a fourth manner to display a red border around the first stack of AR items presented on the client device **102** of the first user to indicate that the second user has performed an action type to purchase the shirts.

In some cases, the shared shopping experience system **224** can reduce a quantity of AR items that are in the list presented on the client device **102** of the first user in response to detecting that the second user has selected to try on or view more details about the AR item. For example, the shared shopping experience system **224** can present a first stack of AR items corresponding to pants that appears to include 5 pants and a second stack of AR items corresponding to shirts that appears to include 7 shirts. If the second user selects to try on the pants, the shared shopping experience system **224** can reduce the quantity of pants included in the first stack of AR items presented on the client device **102** from 5 to 4. If the second user selects to try on the shirts, the shared shopping experience system **224** can reduce the quantity of shirts included in the second stack of AR items presented on the client device **102** of the first user from 7 to 6. The shared shopping experience system **224** can detect that the second user elected to not purchase the shirts that has been tried on. In response, the shared shopping experience system **224** can increase the quantity of shirts included in the second stack of AR items presented on the client device **102** of the first user from 6 to 7.

In some embodiments, the shared shopping experience system 224 can access an inventory of the store associated with the virtual store. The shared shopping experience system 224 can select how many AR items to present based on the inventory of the store. For example, the shared shopping experience system 224 can determine that there are 30 pants available in the store inventory. In response, the shared shopping experience system 224 can display up to a maximum of 7 AR items corresponding to pants in a first stack of AR items. As another example, the shared shopping experience system 224 can determine that there are 6 shirts available in the store inventory. In response, the shared shopping experience system 224 can display 6 or some other quantity less than the total available shirts as in a second stack of AR items corresponding to the shirts. As another example, the shared shopping experience system 224 can determine that there is one dress available in the store inventory. In response, the shared shopping experience system 224 can display one AR item corresponding to the dress. The shared shopping experience system 224 can detect input from a client device 102 indicating selection of the AR item corresponding to the dress. The shared shopping experience system 224 can determine that the selected AR item corresponds to a last dress that is available. In response, the shared shopping experience system 224 removes the AR item from being presented to any other user who is engaged in the virtual store. Namely, the shared shopping experience system 224 can associate a non-fungible token (NFT) with each real-world physical item available in the inventory of the store. The shared shopping experience system 224 can generate a unique AR item corresponding to each of the real-world physical items using the NFT associated with each of the real-world physical items. In this way, each AR item that is presented in the virtual storefront to the users of the shared shopping experience is uniquely representative of the real-world product available in the store inventory.

In some embodiments, the shared shopping experience system 224 presents a virtual or real-world mannequin in the virtual store. Two or more users that are engaged in the shared shopping experience system 224 can access a field of view that includes the virtual or real-world mannequin. For example, the two or more users can each be capturing images on respective client devices 102 that depict the real-world mannequin. As another example, the two or more users can each be capturing images on respective client devices 102 that depict a real-world object over which a virtual AR mannequin is displayed. The shared shopping experience system 224 can receive input from a client device 102 of a first user to add an article of clothing to the virtual or real-world mannequin, such as an AR hat. In response, the shared shopping experience system 224 modifies the virtual or real-world mannequin depicted in the images displayed on the respective client devices 102 of the two or more users to include the AR hat selected by the first user. The shared shopping experience system 224 can receive input from a client device 102 of a second user to add another article of clothing to the virtual or real-world mannequin, such as an AR shirt. In response, the shared shopping experience system 224 modifies the virtual or real-world mannequin depicted in the images displayed on the respective client devices 102 to include the AR hat selected by the first user and the AR shirt selected by the second user. In this way, each user can uniquely modify components of the virtual store in a way that is represented to other users that are engaged in the virtual store.

The shared shopping experience system 224 can also allow the users engaged in the virtual shared shopping

experience to exchange messages. For example, the shared shopping experience system 224 can allow a first user to type a message. The shared shopping experience system 224 can then present that message as an overlay of the virtual store presented to each of the users who are engaged in the shared shopping experience. Namely, the contents of the messages can be overlaid on AR items of the virtual store presented to each of the users who are browsing the virtual store. As another example, the contents of the messages can be overlaid on a real-world environment depicted in images captured and displayed on respective client devices 102 of the users who are browsing the virtual store. The shared shopping experience system 224 can receive responses from the users via their respective client devices 102 and can update the list of messages to include the responses.

In some examples, the shared shopping experience system 224 can receive input from a client device 102 of the second user who is engaged in the shared shopping experience requesting to virtually try on a given AR item. For example, the client device 102 of the second user can receive a tap on a screen of the client device at a position in which the given AR item is overlaid on the camera feed. In response, a set of options including an option to virtually try on the given AR item are displayed. In response to receiving a selection of the option to virtually try on the given AR item, the shared shopping experience system 224 activates a front-facing camera of the client device 102 and captures one or more images of the second user. The shared shopping experience system 224 overlays the given AR item on the second user depicted in the one or more images. The shared shopping experience system 224 can detect that a client device 102 of a first user is pointing towards the second user. For example, the shared shopping experience system 224 can determine that the client device 102 of the first user is capturing a video feed that depicts the second user. In response, the shared shopping experience system 224 also displays the given AR item overlaid on the second user in the camera feed displayed by the client device 102 of the first user.

The shared shopping experience system 224 can receive input from the first user to add another AR item to the second user or to replace the given AR item with a different AR item. In response, the shared shopping experience system 224 adds the other AR item to the depiction of the second user in the camera feeds of the client devices of the first and second users. In this way, the second user appears to be wearing the given AR item selected by the second user together with the other AR item selected by the first user. If the input from the first user selects to replace the given AR item, the shared shopping experience system 224 replaces the display of the given AR item on the second user with the other AR item in the depiction of the second user in the camera feeds of the client devices of the first and second users. This allows the two users to interact in AR to virtually try on different AR items and provide feedback to each other by exchanging one or more messages.

In some examples, the shared shopping experience system 224 can detect an outside person within a camera feed of one or more of the client devices 102 of the users who are engaged in the shared shopping experience. The outside person may be a person or object who has not been invited to join the shared shopping experience of the users. For example, the shared shopping experience system 224 can process images received from a given client device 102 of the users who are engaged in the shared shopping experience. The shared shopping experience system 224 can perform object recognition and face detection on the image to extract features (e.g., an identity) of the face of the person

depicted in the images. The shared shopping experience system **224** can also include a set of facial features or other identifying attributes (or identities) of each user who is engaged in the shared shopping experience. The shared shopping experience system **224** can determine that the facial features (identity) of the person who is depicted in the images fail to match the facial features or identifying attributes (identities) of the users who are engaged in the shared shopping experience and may determine that such a person is an outside person. In response, the shared shopping experience system **224** can perform an occlusion process to remove or occlude the outside person from the camera feed of the client device **102** in which the person is depicted. As an example, the shared shopping experience system **224** can perform body tracking using one or more machine learning techniques (e.g., one or more trained neural networks) to segment the entire body of the outside person in the images. The shared shopping experience system **224** can then blend each pixel that is within the segmented entire body of the outside person with a background of the shared shopping experience. In another example, the shared shopping experience system **224** can replace the portion of the image that includes the segmented entire body of the outside person with another virtual object (e.g., a cartoon or other AR item available for purchase or mannequin).

The shared shopping experience system **224** is a component that can be accessed by an AR/VR application implemented on the client device **102**. The AR/VR application uses an RGB camera to capture an image of a room in a home. The AR/VR application applies various trained machine learning techniques on the captured image of the room to generate a virtual or augmented reality storefront that includes various virtual items representing products associated with the store.

Data Architecture

FIG. **3** is a schematic diagram illustrating data structures **300**, which may be stored in the database **126** of the messaging server system **108**, according to certain examples. While the content of the database **126** is shown to comprise a number of tables, it will be appreciated that the data could be stored in other types of data structures (e.g., as an object-oriented database).

The database **126** includes message data stored within a message table **302**. This message data includes, for any particular one message, at least message sender data, message recipient (or receiver) data, and a payload. Further details regarding information that may be included in a message, and included within the message data stored in the message table **302**, is described below with reference to FIG. **4**.

An entity table **306** stores entity data, and is linked (e.g., referentially) to an entity graph **308** and profile data **316**. Entities for which records are maintained within the entity table **306** may include individuals, corporate entities, organizations, objects, places, events, and so forth. Regardless of entity type, any entity regarding which the messaging server system **108** stores data may be a recognized entity. Each entity is provided with a unique identifier, as well as an entity type identifier (not shown).

The entity graph **308** stores information regarding relationships and associations between entities. Such relationships may be social, professional (e.g., work at a common corporation or organization) interested-based or activity-based, merely for example.

The profile data **316** stores multiple types of profile data about a particular entity. The profile data **316** may be selectively used and presented to other users of the messag-

ing system **100**, based on privacy settings specified by a particular entity. Where the entity is an individual, the profile data **316** includes, for example, a user name, telephone number, address, settings (e.g., notification and privacy settings), as well as a user-selected avatar representation (or collection of such avatar representations). A particular user may then selectively include one or more of these avatar representations within the content of messages communicated via the messaging system **100**, and on map interfaces displayed by messaging clients **104** to other users. The collection of avatar representations may include “status avatars,” which present a graphical representation of a status or activity that the user may select to communicate at a particular time. The profile data **316** can include facial features or other identifying attributes of users who are engaged in a shared shopping experience.

Where the entity is a group, the profile data **316** for the group may similarly include one or more avatar representations associated with the group, in addition to the group name, members, and various settings (e.g., notifications) for the relevant group.

The database **126** also stores augmentation data, such as overlays or filters, in an augmentation table **310**. The augmentation data is associated with and applied to videos (for which data is stored in a video table **304**) and images (for which data is stored in an image table **312**).

The database **126** can also store data pertaining to individual and shared AR sessions. This data can include data communicated between an AR session client controller of a first client device **102** and another AR session client controller of a second client device **102**, and data communicated between the AR session client controller and the augmentation system **208**. Data can include data used to establish the common coordinate frame of the shared AR scene, the transformation between the devices, the session identifier, images depicting a body, skeletal joint positions, wrist joint positions, feet, and so forth.

Filters, in one example, are overlays that are displayed as overlaid on an image or video during presentation to a recipient user. Filters may be of various types, including user-selected filters from a set of filters presented to a sending user by the messaging client **104** when the sending user is composing a message. Other types of filters include geolocation filters (also known as geo-filters), which may be presented to a sending user based on geographic location. For example, geolocation filters specific to a neighborhood or special location may be presented within a user interface by the messaging client **104**, based on geolocation information determined by a Global Positioning System (GPS) unit of the client device **102**.

Another type of filter is a data filter, which may be selectively presented to a sending user by the messaging client **104**, based on other inputs or information gathered by the client device **102** during the message creation process. Examples of data filters include current temperature at a specific location, a current speed at which a sending user is traveling, battery life for a client device **102**, or the current time.

Other augmentation data that may be stored within the image table **312** includes augmented reality content items (e.g., corresponding to applying augmented reality experiences). An augmented reality content item or augmented reality item may be a real-time special effect and sound that may be added to an image or a video.

As described above, augmentation data includes augmented reality content items, overlays, image transformations, AR images, and similar terms that refer to modifica-

tions that may be applied to image data (e.g., videos or images). This includes real-time modifications, which modify an image as it is captured using device sensors (e.g., one or multiple cameras) of a client device **102** and then displayed on a screen of the client device **102** with the modifications. This also includes modifications to stored content, such as video clips in a gallery that may be modified. For example, in a client device **102** with access to multiple augmented reality content items, a user can use a single video clip with multiple augmented reality content items to see how the different augmented reality content items will modify the stored clip. For example, multiple augmented reality content items that apply different pseudorandom movement models can be applied to the same content by selecting different augmented reality content items for the content. Similarly, real-time video capture may be used with an illustrated modification to show how video images currently being captured by sensors of a client device **102** would modify the captured data. Such data may simply be displayed on the screen and not stored in memory, or the content captured by the device sensors may be recorded and stored in memory with or without the modifications (or both). In some systems, a preview feature can show how different augmented reality content items will look within different windows in a display at the same time. This can, for example, enable multiple windows with different pseudorandom animations to be viewed on a display at the same time.

Data and various systems using augmented reality content items or other such transform systems to modify content using this data can thus involve detection of objects (e.g., faces, hands, bodies, cats, dogs, surfaces, objects, etc.), tracking of such objects as they leave, enter, and move around the field of view in video frames, and the modification or transformation of such objects as they are tracked. In various examples, different methods for achieving such transformations may be used. Some examples may involve generating a three-dimensional mesh model of the object or objects, and using transformations and animated textures of the model within the video to achieve the transformation. In other examples, tracking of points on an object may be used to place an image or texture (which may be two dimensional or three dimensional) at the tracked position. In still further examples, neural network analysis of video frames may be used to place images, models, or textures in content (e.g., images or frames of video). Augmented reality content items thus refer both to the images, models, and textures used to create transformations in content, as well as to additional modeling and analysis information needed to achieve such transformations with object detection, tracking, and placement.

Real-time video processing can be performed with any kind of video data (e.g., video streams, video files, etc.) saved in a memory of a computerized system of any kind. For example, a user can load video files and save them in a memory of a device, or can generate a video stream using sensors of the device. Additionally, any objects can be processed using a computer animation model, such as a human's face and parts of a human body, animals, or non-living things such as chairs, cars, or other objects.

In some examples, when a particular modification is selected along with content to be transformed, elements to be transformed are identified by the computing device, and then detected and tracked if they are present in the frames of the video. The elements of the object are modified according to the request for modification, thus transforming the frames of the video stream. Transformation of frames of a video

stream can be performed by different methods for different kinds of transformation. For example, for transformations of frames mostly referring to changing forms of an object's elements, characteristic points for each element of the object are calculated (e.g., using an Active Shape Model (ASM) or other known methods). Then, a mesh based on the characteristic points is generated for each of the at least one element of the object. This mesh is used in the following stage of tracking the elements of the object in the video stream. In the process of tracking, the mentioned mesh for each element is aligned with a position of each element. Then, additional points are generated on the mesh. A first set of first points is generated for each element based on a request for modification, and a set of second points is generated for each element based on the set of first points and the request for modification. Then, the frames of the video stream can be transformed by modifying the elements of the object on the basis of the sets of first and second points and the mesh. In such method, a background of the modified object can be changed or distorted as well by tracking and modifying the background.

In some examples, transformations changing some areas of an object using its elements can be performed by calculating characteristic points for each element of an object and generating a mesh based on the calculated characteristic points. Points are generated on the mesh, and then various areas based on the points are generated. The elements of the object are then tracked by aligning the area for each element with a position for each of the at least one element, and properties of the areas can be modified based on the request for modification, thus transforming the frames of the video stream. Depending on the specific request for modification, properties of the mentioned areas can be transformed in different ways. Such modifications may involve changing color of areas; removing at least some part of areas from the frames of the video stream; including one or more new objects into areas which are based on a request for modification; and modifying or distorting the elements of an area or object. In various examples, any combination of such modifications or other similar modifications may be used. For certain models to be animated, some characteristic points can be selected as control points to be used in determining the entire state-space of options for the model animation.

In some examples of a computer animation model to transform image data using face detection, the face is detected on an image with use of a specific face detection algorithm (e.g., Viola-Jones). Then, an Active Shape Model (ASM) algorithm is applied to the face region of an image to detect facial feature reference points.

Other methods and algorithms suitable for face detection can be used. For example, in some examples, features are located using a landmark, which represents a distinguishable point present in most of the images under consideration. For facial landmarks, for example, the location of the left eye pupil may be used. If an initial landmark is not identifiable (e.g., if a person has an eyepatch), secondary landmarks may be used. Such landmark identification procedures may be used for any such objects. In some examples, a set of landmarks forms a shape. Shapes can be represented as vectors using the coordinates of the points in the shape. One shape is aligned to another with a similarity transform (allowing translation, scaling, and rotation) that minimizes the average Euclidean distance between shape points. The mean shape is the mean of the aligned training shapes.

In some examples, a search for landmarks from the mean shape aligned to the position and size of the face determined

by a global face detector is started. Such a search then repeats the steps of suggesting a tentative shape by adjusting the locations of shape points by template matching of the image texture around each point and then conforming the tentative shape to a global shape model until convergence occurs. In some systems, individual template matches are unreliable, and the shape model pools the results of the weak template matches to form a stronger overall classifier. The entire search is repeated at each level in an image pyramid, from coarse to fine resolution.

A transformation system can capture an image or video stream on a client device (e.g., the client device **102**) and perform complex image manipulations locally on the client device **102** while maintaining a suitable user experience, computation time, and power consumption. The complex image manipulations may include size and shape changes, emotion transfers (e.g., changing a face from a frown to a smile), state transfers (e.g., aging a subject, reducing apparent age, changing gender), style transfers, graphical element application, and any other suitable image or video manipulation implemented by a convolutional neural network that has been configured to execute efficiently on the client device **102**.

In some examples, a computer animation model to transform image data can be used by a system where a user may capture an image or video stream of the user (e.g., a selfie) using a client device **102** having a neural network operating as part of a messaging client **104** operating on the client device **102**. The transformation system operating within the messaging client **104** determines the presence of a face within the image or video stream and provides modification icons associated with a computer animation model to transform image data, or the computer animation model can be present as associated with an interface described herein. The modification icons include changes that may be the basis for modifying the user's face within the image or video stream as part of the modification operation. Once a modification icon is selected, the transformation system initiates a process to convert the image of the user to reflect the selected modification icon (e.g., generate a smiling face on the user). A modified image or video stream may be presented in a graphical user interface displayed on the client device **102** as soon as the image or video stream is captured, and a specified modification is selected. The transformation system may implement a complex convolutional neural network on a portion of the image or video stream to generate and apply the selected modification. That is, the user may capture the image or video stream and be presented with a modified result in real-time or near real-time once a modification icon has been selected. Further, the modification may be persistent while the video stream is being captured, and the selected modification icon remains toggled. Machine-taught neural networks may be used to enable such modifications.

The graphical user interface, presenting the modification performed by the transformation system, may supply the user with additional interaction options. Such options may be based on the interface used to initiate the content capture and selection of a particular computer animation model (e.g., initiation from a content creator user interface). In various examples, a modification may be persistent after an initial selection of a modification icon. The user may toggle the modification on or off by tapping or otherwise selecting the face being modified by the transformation system and store it for later viewing or browse to other areas of the imaging application. Where multiple faces are modified by the transformation system, the user may toggle the modifi-

cation on or off globally by tapping or selecting a single face modified and displayed within a graphical user interface. In some examples, individual faces, among a group of multiple faces, may be individually modified, or such modifications may be individually toggled by tapping or selecting the individual face or a series of individual faces displayed within the graphical user interface.

A story table **314** stores data regarding collections of messages and associated image, video, or audio data, which are compiled into a collection (e.g., a story or a gallery). The creation of a particular collection may be initiated by a particular user (e.g., each user for which a record is maintained in the entity table **306**). A user may create a "personal story" in the form of a collection of content that has been created and sent/broadcast by that user. To this end, the user interface of the messaging client **104** may include an icon that is user-selectable to enable a sending user to add specific content to his or her personal story.

A collection may also constitute a "live story," which is a collection of content from multiple users that is created manually, automatically, or using a combination of manual and automatic techniques. For example, a "live story" may constitute a curated stream of user-submitted content from various locations and events. Users whose client devices have location services enabled and are at a common location event at a particular time may, for example, be presented with an option, via a user interface of the messaging client **104**, to contribute content to a particular live story. The live story may be identified to the user by the messaging client **104**, based on his or her location. The end result is a "live story" told from a community perspective.

A further type of content collection is known as a "location story," which enables a user whose client device **102** is located within a specific geographic location (e.g., on a college or university campus) to contribute to a particular collection. In some examples, a contribution to a location story may require a second degree of authentication to verify that the end user belongs to a specific organization or other entity (e.g., is a student on the university campus).

As mentioned above, the video table **304** stores video data that, in one example, is associated with messages for which records are maintained within the message table **302**. Similarly, the image table **312** stores image data associated with messages for which message data is stored in the entity table **306**. The entity table **306** may associate various augmentations from the augmentation table **310** with various images and videos stored in the image table **312** and the video table **304**.

Data Communications Architecture

FIG. **4** is a schematic diagram illustrating a structure of a message **400**, according to some examples, generated by a messaging client **104** for communication to a further messaging client **104** or the messaging server **118**. The content of a particular message **400** is used to populate the message table **302** stored within the database **126**, accessible by the messaging server **118**. Similarly, the content of a message **400** is stored in memory as "in-transit" or "in-flight" data of the client device **102** or the application servers **114**. A message **400** is shown to include the following example components:

message identifier **402**: a unique identifier that identifies the message **400**.

message text payload **404**: text, to be generated by a user via a user interface of the client device **102**, and that is included in the message **400**.

message image payload **406**: image data, captured by a camera component of a client device **102** or retrieved

from a memory component of a client device **102**, and that is included in the message **400**. Image data for a sent or received message **400** may be stored in the image table **312**.

message video payload **408**: video data, captured by a camera component or retrieved from a memory component of the client device **102**, and that is included in the message **400**. Video data for a sent or received message **400** may be stored in the video table **304**.

message audio payload **410**: audio data, captured by a microphone or retrieved from a memory component of the client device **102**, and that is included in the message **400**.

message augmentation data **412**: augmentation data (e.g., filters, stickers, or other annotations or enhancements) that represents augmentations to be applied to message image payload **406**, message video payload **408**, or message audio payload **410** of the message **400**. Augmentation data for a sent or received message **400** may be stored in the augmentation table **310**.

message duration parameter **414**: parameter value indicating, in seconds, the amount of time for which content of the message (e.g., the message image payload **406**, message video payload **408**, message audio payload **410**) is to be presented or made accessible to a user via the messaging client **104**.

message geolocation parameter **416**: geolocation data (e.g., latitudinal and longitudinal coordinates) associated with the content payload of the message. Multiple message geolocation parameter **416** values may be included in the payload, each of these parameter values being associated with respect to content items included in the content (e.g., a specific image within the message image payload **406**, or a specific video in the message video payload **408**).

message story identifier **418**: identifies values identifying one or more content collections (e.g., “stories” identified in the story table **314**) with which a particular content item in the message image payload **406** of the message **400** is associated. For example, multiple images within the message image payload **406** may each be associated with multiple content collections using identifier values.

message tag **420**: each message **400** may be tagged with multiple tags, each of which is indicative of the subject matter of content included in the message payload. For example, where a particular image included in the message image payload **406** depicts an animal (e.g., a lion), a tag value may be included within the message tag **420** that is indicative of the relevant animal. Tag values may be generated manually, based on user input, or may be automatically generated using, for example, image recognition.

message sender identifier **422**: an identifier (e.g., a messaging system identifier, email address, or device identifier) indicative of a user of the client device **102** on which the message **400** was generated and from which the message **400** was sent.

message receiver identifier **424**: an identifier (e.g., a messaging system identifier, email address, or device identifier) indicative of a user of the client device **102** to which the message **400** is addressed.

The contents (e.g., values) of the various components of message **400** may be pointers to locations in tables within which content data values are stored. For example, an image value in the message image payload **406** may be a pointer to (or address of) a location within an image table **312**.

Similarly, values within the message video payload **408** may point to data stored within a video table **304**, values stored within the message augmentation data **412** may point to data stored in an augmentation table **310**, values stored within the message story identifier **418** may point to data stored in a story table **314**, and values stored within the message sender identifier **422** and the message receiver identifier **424** may point to user records stored within an entity table **306**.

FIGS. **5**, **6**, **7A**, **7B**, **8** and **9** are diagrammatic representations of outputs of the shared shopping experience system **224**, in accordance with some examples. For example, as shown in FIG. **5**, a user interface **500** is provided on client device **102** of a first user. The user interface **500** includes a portal page that identifies a merchant or store by name **510**. The user interface **500** includes a first option **520** to browse in AR the virtual store of the identified merchant or store alone. The user interface **500** includes a second option **530** to browse in AR the virtual store of the identified merchant or store with one or more other users.

In response to receiving input from the client device **102** indicating selection of the first option **520**, the shared shopping experience system **224** launches an AR version of the store. The AR version of the store includes a plurality of virtual items corresponding to real-world items (e.g., physical items) sold by the merchant or store. The shared shopping experience system **224** allows the user to individually browse contents of the store, try on AR items, access additional information for the AR items, and purchase the real-world products corresponding to the AR items being browsed. As discussed above, in response to receiving input indicating selection of the first option **520**, the shared shopping experience system **224** presents a screen that allows a user to select the types of real-world products the user is interested in browsing. The types of real-world products included in the screen can be determined based on one or more attributes of a real-world object depicted in a camera feed of the client device **102** of the user. After the user selects one or more types of the real-world products, the shared shopping experience system **224** generates AR items corresponding to the selected one or more types of the real-world products and overlays the AR items on the real-world objects depicted in the camera feed.

In response to receiving input from the client device **102** indicating selection of the second option **530**, the shared shopping experience system **224** presents a user interface to the client device **102** of the first user for inviting one or more friends to the virtual store. The shared shopping experience system **224** can search for friends of the user on the messaging client **104** who are determined to be within a threshold proximity to the user. For example, the shared shopping experience system **224** can access location information (if shared) by the client devices **102** of the friends of the user. The shared shopping experience system **224** can compare the accessed location information to the location of the client device **102** of the user to compute a distance between the locations of the client devices **102** of the friends to the client device **102** of the user. If the distance between a given client device **102** of the friend and the client device **102** of the user is determined to be less than the threshold proximity (e.g., less than 50 feet), the shared shopping experience system **224** includes an identifier of the corresponding friend in the screen allowing the user to invite the friend to join the user in the shared shopping experience. If the distance between a given client device **102** of the friend and the client device **102** of the user is determined to be greater than or equal to the threshold proximity (e.g., more than or equal to 50 feet), the shared shopping experience

system 224 excludes an identifier of the corresponding friend in the screen preventing the user from inviting the friend to join the user in the shared shopping experience.

The shared shopping experience system 224 can receive input from the user that selects one or more friends from the user interface. As discussed above, the user interface presented in response to receiving input indicating selection of the second option 530 can also include options that allow the user to select the types of real-world products the user is interested in browsing. The types of real-world products included in the screen can be determined based on one or more attributes of a real-world object depicted in a camera feed of the client device 102 of the user. After the user selects one or more types of the real-world products, the shared shopping experience system 224 generates AR items corresponding to the selected one or more types of the real-world products and overlays the AR items on the real-world objects depicted in the camera feed.

The shared shopping experience system 224 can send messages to the selected one or more friends on their respective client device 102. The messages can identify the types of real-world products selected by the user that are represented in the shared shopping experience. The messages may inform the one or more friends that the first user would like to engage in a shared shopping experience with the one or more friends and include an option to join the shared shopping experience. In some cases, the second option 530 can be provided within a communication session engaged in a group chat interface. In response to receiving a user selection of the second option 530 within the group chat interface, the shared shopping experience system 224 invites all of the members in the group chat who are within a threshold proximity of each other to join the shared shopping experience together.

After the users and friends select to join the shared shopping experience, an AR storefront is presented to the users on their respective client devices 102. The AR storefront includes one or more AR items that are overlaid on real-world objects depicted in the camera feed of the client device 102 of the first user. For example, as shown in FIG. 6, the user interface 600 is presented on the client device 102 of a first user in which one or more AR items that are overlaid on real-world objects depicted in the camera feed of the client device 102 of the first user. A second user may interface with a client device 102 of the second user and request to join the first user in the shared shopping experience. In response, the shared shopping experience system 224 displays one or more AR items of the same AR storefront on the real-world objects depicted in the camera feed of the client device 102 of the second user.

The shared shopping experience system 224 can present a message or prompt 610 on the display of the client device 102 of the first user indicating that the second user has joined and/or identifying all the users who are currently engaged in the shared shopping experience. The message or prompt 610 may include avatars or identifiers 614 of all the users who are currently in the AR store and engaged in the virtual shopping experience. The message or prompt 610 may also include a unique identifier 612 of the merchant or store associated with the virtual shopping experience, such as the source of the real-world items being represented by the AR items in the virtual store shown to the users engaged in the shared shopping experience. The message or prompt 610 may continuously or periodically provide status updates of actions being performed by each of the users in the virtual shopping experience. For example, if a second user is detected to be trying on virtually an AR item, the message

or prompt 610 may be provided to all other users who are engaged in the shared shopping experience identifying the second user and the action being performed (e.g., virtually trying on an item). The shared shopping experience system 224 can receive input from a given user that selects the message or prompt 610 and in response, the shared shopping experience system 224 can inform the user about how to navigate in the real-world environment to reach the real-world location of the second user in order to begin capturing a camera feed that depicts the second user performing the action (e.g., trying on virtually an AR item).

The shared shopping experience system 224 can present presence indicators 620. The presence indicators 620 identify all the users who are currently engaged in the shared shopping experience, such as using avatars. A given presence indicator 620 can be selected to send a message to or otherwise communicate with a user associated with the given presence indicator 620.

A virtual or AR mannequin 630 may be presented to two or more users who are capturing a camera feed of a real-world portion associated with display of the virtual or AR mannequin 630. The shared shopping experience system 224 can receive input from a client device 102 of a first user to add an article of clothing to the virtual or AR mannequin 630, such as an AR hat. In response, the shared shopping experience system 224 modifies the virtual or AR mannequin 630 to include the AR hat selected by the first user. The shared shopping experience system 224 can receive input from a client device 102 of a second user to add another article of clothing to the virtual or AR mannequin 630, such as an AR shirt. In response, the shared shopping experience system 224 modifies the virtual or AR mannequin 630 to include the AR hat selected by the first user and the AR shirt selected by the second user. In this way, each user can uniquely modify components of the AR (virtual) store in a way that is represented to other users that are engaged in the virtual store.

In some embodiments, the shared shopping experience system 224 can present indicators on respective displays of the users who are currently engaged in the shared shopping experience that identify which users are engaged in the shared shopping experience and their current real-world 3D positions or coordinates. The indicators can be conditionally displayed on the basis of whether a client device 102 of a given user points towards a direction in 3D of another user. For example, as shown in FIG. 6, a client device 102 of a first user can be pointed to capture a camera feed corresponding to a first portion of the virtual store in which a first collection of virtual items is displayed while a second user is physically located in a second portion of the virtual store in which a second collection of virtual items is displayed that is 180 degrees away from the first portion. The physical location of the second user is not initially within the camera feed corresponding to the first portion. As input is received from the client device 102 of the first user that the client device 102 of the first user has been moved (e.g., turned 180 degrees), the camera feed of the client device 102 of the first user is updated to depict the second portion, as shown in FIG. 7A. As a result, user interface 700 (FIG. 7A) is presented on the client device 102 of the first user who is now capturing a camera feed that depicts the second user 720 and excludes an indicator from being displayed.

The user interface 700 presented on the client device 102 of the first user includes a first real-world object 790. The first real-world object 790 may include real-world shelves. The shared shopping experience system 224 selects one or more AR items 722 that match the real-world shelves and

displays the one or more AR items **722** on the depiction of the first real-world object **790** included in the camera feed captured by the client device **102** of the first user. The user interface **700** presented on the client device **102** of the first user includes a second real-world object **794**. The second real-world object **794** may include a real-world ceiling. The shared shopping experience system **224** selects one or more AR items **792** that match the real-world ceiling and displays the one or more AR items **792** on the depiction of the second real-world object **794** included in the camera feed captured by the client device **102** of the first user. The one or more AR items **792** may correspond to decorative aspects of the virtual store that do not relate to real-world products sold by the store. For example, the one or more AR items **792** can include one or more AR spotlights. The one or more AR items **792** can generate virtual light that is projected on one or more other real-world objects depicted in the camera feed and/or one or more other AR items overlaid on the real-world objects depicted in the camera feed.

The shared shopping experience system **224** can determine that the second user is currently trying on an AR item **722** on the client device **102** of the second user. In response, the shared shopping experience system **224** presents the AR item **722** on the depiction of the second user **720** presented on the client device **102** of the first user. The shared shopping experience system **224** can receive input from the client device **102** of the first user that adds more AR items to the depiction of the second user **720** and/or replaces the AR item **722** with a different AR item. Any modifications performed by the first user are reflected and presented to the second user on the client device **102** of the second user. Namely, the client device **102** of the second user can update the AR item being overlaid on the camera feed depicting the second user with the new AR items selected by the first user.

The user interface **700** includes an indicator **710** that uniquely identifies a third user within a display of the virtual store on the client device **102** of the first user. Namely, the shared shopping experience system **224** can determine that the third user is not within a camera feed being captured by the client device **102** of the first user and may in response display the indicator **710** of the third user. The indicator **710** may identify the real-world location or coordinates of the third user. The indicator **710** can be used to provide instructions to the first user on how to navigate the real-world environment to reach the third user and to begin capturing a camera feed that depicts the third user.

In some embodiments, the shared shopping experience system **224** presents a user interface **701** (FIG. 7B) that allows the user to exchange one or more messages **740** with one another. The messages **740** may identify the user who sent the message by the name of the user. The messages **740** may be overlaid or displayed on top of the respective user interfaces of the shared shopping experience (virtual stores) on their respective client devices **102**. As discussed above, a virtual mannequin may be presented to two or more users on their respective client devices **102** in response to the client devices **102** capturing a camera feed of real-world objects over which the virtual or AR mannequin is displayed. The shared shopping experience system **224** can receive input from a client device **102** of a first user to add an article of clothing to the virtual or AR mannequin, such as an AR shirt **750**. In response, the shared shopping experience system **224** modifies the virtual or AR mannequin to include the AR shirt **750** selected by the first user. The shared shopping experience system **224** can receive input from a client device **102** of a second user to add another article of clothing to the virtual or AR mannequin,

such as AR shorts **752**. In response, the shared shopping experience system **224** modifies the virtual or AR mannequin to include the AR shirt **750** selected by the first user and the AR shorts **752** selected by the second user. In this way, each user can uniquely modify components of the virtual store in AR in a way that is represented to other users that are engaged in the virtual store.

In some embodiments, the shared shopping experience system **224** can receive input from the client device **102** of the second user indicating selection of a given AR item **722**, such as one that corresponds to real-world shirts. The selection may correspond to an action to view additional information about the AR item **722**. In response, the shared shopping experience system **224** presents a full screen view of the selected AR item **722** on the client device **102** of the second user. For example, as shown in FIG. 8, the shared shopping experience system **224** displays a full screen user interface **800** that depicts the selected AR item **722**. The full screen user interface **800** displays the selected AR item **722** as a 3D image of the first real-world product corresponding to the AR item **722** in a second size larger than a first size in which the selected AR item **722** is displayed to the other users. For example, an AR shirt corresponding to the virtual reality item **722** is displayed in a first size in a stack of AR items, as shown in FIG. 7A. After receiving input that requests additional information for the AR item **722**, the shared shopping experience system **224** displays a full screen view of the AR item **820** (e.g., the AR shirt) in a second size that is larger than the first size.

The full screen user interface **800** is presented to the second user while other users, such as the first user, continue to be presented on their respective client device **102** a view of the AR store, such as AR items. The full screen user interface **800** includes a navigation region **810**. The shared shopping experience system **224** can receive input from the second user that navigates the navigation region **810**. The navigation region **810** can include options to modify aspects or visual attributes of the selected AR item **722**. For example, the navigation region **810** allows the user to select alternate sizes, colors or styles for the selected AR item **722**. In response, the shared shopping experience system **224** updates the view of the AR item **820** in accordance with the selection from the navigation region **810**. The modifications to the selected AR item **722** are presented to any client device **102** that is capturing a camera feed that depicts the second user. The shared shopping experience system **224** can display a try on option **822**.

In response to receiving a selection of the try on option **822**, the shared shopping experience system **224** can allow the second user to virtually try on the AR item **820**. Namely, the shared shopping experience system **224** can activate a front-facing camera of the client device **102** of the second user. The shared shopping experience system **224** can capture a video of the full body of the second user and present the video of the full body on the display of the client device **102** of the second user. The shared shopping experience system **224** can overlay or augment the full body in the video with the selected AR item **820** to allow the user to see how the AR item looks on the user. In some cases, the AR item **820** corresponds to a piece of furniture. In such cases, the shared shopping experience system **224** can activate a rear-facing camera of the client device **102** of the second user. The shared shopping experience system **224** can capture a video of the real-world environment of the second user and present the video of the real-world environment on the display of the client device **102** of the second user. The shared shopping experience system **224** can overlay or

augment the real-world environment in the video with the selected AR item **820** to allow the user to see how the AR item looks in the real-world environment. Any modifications to the selected AR item **722** performed by the second user are presented to any client device **102** that is capturing a camera feed that depicts the second user or a portion of the real-world environment over which the second user has requested to display the AR item (e.g., an AR furniture item).

In response to receiving a selection of the try on option **822**, the shopping experience system **224** can update the prompt **610** presented on other client devices **102** to indicate that the second user is trying on an AR item. The shopping experience system **224** can also update a display attribute of the AR item **722** in the display of the AR item **722** provided on the client device **102** of the first user and other users to indicate the action type being performed by the second user in association with the AR item **722**. For example, as shown in FIG. **9**, the user interface **900** includes a depiction of the AR item **722** with a blue border **910** to indicate that another user, such as the second user, is trying on the AR item **722**. Namely, the shared shopping experience system **224** modifies a display attribute of the AR item **722** presented to a first user in a first manner to indicate that the second user is performing a first action type, such as trying on the AR item **722**. The shared shopping experience system **224** can also update the quantity of AR items included in the stack of AR items shown to the users in response to detecting that a given user has selected the AR item and/or based on an inventory of the store. For example, referring back to FIG. **7A**, multiple stacks of AR items are depicted. Each stack can include a different quantity of items. The quantities of items presented to the users in the virtual store are increased or decreased based on actions of other users, such as whether the other users have selected the items, are browsing the items, are purchasing the items, have added the items to their shopping carts, or are virtually trying on the items.

FIG. **10** is a flowchart of a process **1000**, in accordance with some examples. Although the flowchart can describe the operations as a sequential process, many of the operations can be performed in parallel or concurrently. In addition, the order of the operations may be re-arranged. A process is terminated when its operations are completed. A process may correspond to a method, a procedure, and the like. The steps of methods may be performed in whole or in part, may be performed in conjunction with some or all of the steps in other methods, and may be performed by any number of different systems or any portion thereof, such as a processor included in any of the systems.

At operation **1001**, the shared shopping experience system **224** receives a request from a first user to engage in a shared AR shopping experience with a second user, as discussed above.

At operation **1002**, the shared shopping experience system **224** generates, for display on respective client devices of the first and second users, the shared AR shopping experience comprising a plurality of AR items that represent real-world products overlaid on a shared real-world environment of the first and second users, as discussed above.

At operation **1003**, the shared shopping experience system **224** determines that the second user is interacting with a first AR item of the plurality of AR items, as discussed above. For example, the shared shopping experience system **224** determines that the second user is trying on virtually the first AR item (e.g., virtually trying on a hat, shirt, pants, or makeup).

At operation **1004**, the shared shopping experience system **224**, in response to detecting that the second user is

depicted in an image captured by the client device of the first user, overlays the first AR item on the second user in the image, as discussed above.

Machine Architecture

FIG. **11** is a diagrammatic representation of a machine **1100** within which instructions **1108** (e.g., software, a program, an application, an applet, an app, or other executable code) for causing the machine **1100** to perform any one or more of the methodologies discussed herein may be executed. For example, the instructions **1108** may cause the machine **1100** to execute any one or more of the methods described herein. The instructions **1108** transform the general, non-programmed machine **1100** into a particular machine **1100** programmed to carry out the described and illustrated functions in the manner described. The machine **1100** may operate as a standalone device or may be coupled (e.g., networked) to other machines. In a networked deployment, the machine **1100** may operate in the capacity of a server machine or a client machine in a server-client network environment, or as a peer machine in a peer-to-peer (or distributed) network environment. The machine **1100** may comprise, but not be limited to, a server computer, a client computer, a personal computer (PC), a tablet computer, a laptop computer, a netbook, a set-top box (STB), a personal digital assistant (PDA), an entertainment media system, a cellular telephone, a smartphone, a mobile device, a wearable device (e.g., a smartwatch), a smart home device (e.g., a smart appliance), other smart devices, a web appliance, a network router, a network switch, a network bridge, or any machine capable of executing the instructions **1108**, sequentially or otherwise, that specify actions to be taken by the machine **1100**. Further, while only a single machine **1100** is illustrated, the term “machine” shall also be taken to include a collection of machines that individually or jointly execute the instructions **1108** to perform any one or more of the methodologies discussed herein. The machine **1100**, for example, may comprise the client device **102** or any one of a number of server devices forming part of the messaging server system **108**. In some examples, the machine **1100** may also comprise both client and server systems, with certain operations of a particular method or algorithm being performed on the server-side and with certain operations of the particular method or algorithm being performed on the client-side.

The machine **1100** may include processors **1102**, memory **1104**, and input/output (I/O) components **1138**, which may be configured to communicate with each other via a bus **1140**. In an example, the processors **1102** (e.g., a Central Processing Unit (CPU), a Reduced Instruction Set Computing (RISC) Processor, a Complex Instruction Set Computing (CISC) Processor, a Graphics Processing Unit (GPU), a Digital Signal Processor (DSP), an Application Specific Integrated Circuit (ASIC), a Radio-Frequency Integrated Circuit (RFIC), another processor, or any suitable combination thereof) may include, for example, a processor **1106** and a processor **1110** that execute the instructions **1108**. The term “processor” is intended to include multi-core processors that may comprise two or more independent processors (sometimes referred to as “cores”) that may execute instructions contemporaneously. Although FIG. **11** shows multiple processors **1102**, the machine **1100** may include a single processor with a single-core, a single processor with multiple cores (e.g., a multi-core processor), multiple processors with a single core, multiple processors with multiples cores, or any combination thereof.

The memory **1104** includes a main memory **1112**, a static memory **1114**, and a storage unit **1116**, all accessible to the

processors **1102** via the bus **1140**. The main memory **1112**, the static memory **1114**, and the storage unit **1116** store the instructions **1108** embodying any one or more of the methodologies or functions described herein. The instructions **1108** may also reside, completely or partially, within the main memory **1112**, within the static memory **1114**, within machine-readable medium within the storage unit **1116**, within at least one of the processors **1102** (e.g., within the processor's cache memory), or any suitable combination thereof, during execution thereof by the machine **1100**.

The I/O components **1138** may include a wide variety of components to receive input, provide output, produce output, transmit information, exchange information, capture measurements, and so on. The specific I/O components **1138** that are included in a particular machine will depend on the type of machine. For example, portable machines such as mobile phones may include a touch input device or other such input mechanisms, while a headless server machine will likely not include such a touch input device. It will be appreciated that the I/O components **1138** may include many other components that are not shown in FIG. **11**. In various examples, the I/O components **1138** may include user output components **1124** and user input components **1126**. The user output components **1124** may include visual components (e.g., a display such as a plasma display panel (PDP), a light-emitting diode (LED) display, a liquid crystal display (LCD), a projector, or a cathode ray tube (CRT)), acoustic components (e.g., speakers), haptic components (e.g., a vibratory motor, resistance mechanisms), other signal generators, and so forth. The user input components **1126** may include alphanumeric input components (e.g., a keyboard, a touch screen configured to receive alphanumeric input, a photo-optical keyboard, or other alphanumeric input components), point-based input components (e.g., a mouse, a touchpad, a trackball, a joystick, a motion sensor, or another pointing instrument), tactile input components (e.g., a physical button, a touch screen that provides location and force of touches or touch gestures, or other tactile input components), audio input components (e.g., a microphone), and the like.

In further examples, the I/O components **1138** may include biometric components **1128**, motion components **1130**, environmental components **1132**, or position components **1134**, among a wide array of other components. For example, the biometric components **1128** include components to detect expressions (e.g., hand expressions, facial expressions, vocal expressions, body gestures, or eye-tracking), measure biosignals (e.g., blood pressure, heart rate, body temperature, perspiration, or brain waves), identify a person (e.g., voice identification, retinal identification, facial identification, fingerprint identification, or electroencephalogram-based identification), and the like. The motion components **1130** include acceleration sensor components (e.g., accelerometer), gravitation sensor components, rotation sensor components (e.g., gyroscope).

The environmental components **1132** include, for example, one or more cameras (with still image/photograph and video capabilities), illumination sensor components (e.g., photometer), temperature sensor components (e.g., one or more thermometers that detect ambient temperature), humidity sensor components, pressure sensor components (e.g., barometer), acoustic sensor components (e.g., one or more microphones that detect background noise), proximity sensor components (e.g., infrared sensors that detect nearby objects), gas sensors (e.g., gas detection sensors to detection concentrations of hazardous gases for safety or to measure pollutants in the atmosphere), or other components that may

provide indications, measurements, or signals corresponding to a surrounding physical environment.

With respect to cameras, the client device **102** may have a camera system comprising, for example, front cameras on a front surface of the client device **102** and rear cameras on a rear surface of the client device **102**. The front cameras may, for example, be used to capture still images and video of a user of the client device **102** (e.g., "selfies"), which may then be augmented with augmentation data (e.g., filters) described above. The rear cameras may, for example, be used to capture still images and videos in a more traditional camera mode, with these images similarly being augmented with augmentation data. In addition to front and rear cameras, the client device **102** may also include a 360° camera for capturing 360° photographs and videos.

Further, the camera system of a client device **102** may include dual rear cameras (e.g., a primary camera as well as a depth-sensing camera), or even triple, quad or penta rear camera configurations on the front and rear sides of the client device **102**. These multiple cameras systems may include a wide camera, an ultra-wide camera, a telephoto camera, a macro camera, and a depth sensor, for example.

The position components **1134** include location sensor components (e.g., a GPS receiver component), altitude sensor components (e.g., altimeters or barometers that detect air pressure from which altitude may be derived), orientation sensor components (e.g., magnetometers), and the like.

Communication may be implemented using a wide variety of technologies. The I/O components **1138** further include communication components **1136** operable to couple the machine **1100** to a network **1120** or devices **1122** via respective coupling or connections. For example, the communication components **1136** may include a network interface component or another suitable device to interface with the network **1120**. In further examples, the communication components **1136** may include wired communication components, wireless communication components, cellular communication components, Near Field Communication (NFC) components, Bluetooth® components (e.g., Bluetooth® Low Energy), Wi-Fi® components, and other communication components to provide communication via other modalities. The devices **1122** may be another machine or any of a wide variety of peripheral devices (e.g., a peripheral device coupled via a USB).

Moreover, the communication components **1136** may detect identifiers or include components operable to detect identifiers. For example, the communication components **1136** may include Radio Frequency Identification (RFID) tag reader components, NFC smart tag detection components, optical reader components (e.g., an optical sensor to detect one-dimensional bar codes such as Universal Product Code (UPC) bar code, multi-dimensional bar codes such as Quick Response (QR) code, Aztec code, Data Matrix, Dataglyph, MaxiCode, PDF417, Ultra Code, UCC RSS-2D bar code, and other optical codes), or acoustic detection components (e.g., microphones to identify tagged audio signals). In addition, a variety of information may be derived via the communication components **1136**, such as location via Internet Protocol (IP) geolocation, location via Wi-Fi® signal triangulation, location via detecting an NFC beacon signal that may indicate a particular location, and so forth.

The various memories (e.g., main memory **1112**, static memory **1114**, and memory of the processors **1102**) and storage unit **1116** may store one or more sets of instructions and data structures (e.g., software) embodying or used by any one or more of the methodologies or functions described herein. These instructions (e.g., the instructions **1108**), when

executed by processors 1102, cause various operations to implement the disclosed examples.

The instructions 1108 may be transmitted or received over the network 1120, using a transmission medium, via a network interface device (e.g., a network interface component included in the communication components 1136) and using any one of several well-known transfer protocols (e.g., hypertext transfer protocol (HTTP)). Similarly, the instructions 1108 may be transmitted or received using a transmission medium via a coupling (e.g., a peer-to-peer coupling) to the devices 1122.

Software Architecture

FIG. 12 is a block diagram 1200 illustrating a software architecture 1204, which can be installed on any one or more of the devices described herein. The software architecture 1204 is supported by hardware such as a machine 1202 that includes processors 1220, memory 1226, and I/O components 1238. In this example, the software architecture 1204 can be conceptualized as a stack of layers, where each layer provides a particular functionality. The software architecture 1204 includes layers such as an operating system 1212, libraries 1210, frameworks 1208, and applications 1206. Operationally, the applications 1206 invoke API calls 1250 through the software stack and receive messages 1252 in response to the API calls 1250.

The operating system 1212 manages hardware resources and provides common services. The operating system 1212 includes, for example, a kernel 1214, services 1216, and drivers 1222. The kernel 1214 acts as an abstraction layer between the hardware and the other software layers. For example, the kernel 1214 provides memory management, processor management (e.g., scheduling), component management, networking, and security settings, among other functionality. The services 1216 can provide other common services for the other software layers. The drivers 1222 are responsible for controlling or interfacing with the underlying hardware. For instance, the drivers 1222 can include display drivers, camera drivers, BLUETOOTH® or BLUETOOTH® Low Energy drivers, flash memory drivers, serial communication drivers (e.g., USB drivers), WI-FI® drivers, audio drivers, power management drivers, and so forth.

The libraries 1210 provide a common low-level infrastructure used by the applications 1206. The libraries 1210 can include system libraries 1218 (e.g., C standard library) that provide functions such as memory allocation functions, string manipulation functions, mathematic functions, and the like. In addition, the libraries 1210 can include API libraries 1224 such as media libraries (e.g., libraries to support presentation and manipulation of various media formats such as Moving Picture Experts Group-4 (MPEG4), Advanced Video Coding (H.264 or AVC), Moving Picture Experts Group Layer-3 (MP3), Advanced Audio Coding (AAC), Adaptive Multi-Rate (AMR) audio codec, Joint Photographic Experts Group (JPEG or JPG), or Portable Network Graphics (PNG)), graphics libraries (e.g., an OpenGL framework used to render in two dimensions (2D) and three dimensions (3D) in a graphic content on a display), database libraries (e.g., SQLite to provide various relational database functions), web libraries (e.g., WebKit to provide web browsing functionality), and the like. The libraries 1210 can also include a wide variety of other libraries 1228 to provide many other APIs to the applications 1206.

The frameworks 1208 provide a common high-level infrastructure that is used by the applications 1206. For example, the frameworks 1208 provide various graphical user interface (GUI) functions, high-level resource management, and

high-level location services. The frameworks 1208 can provide a broad spectrum of other APIs that can be used by the applications 1206, some of which may be specific to a particular operating system or platform.

In an example, the applications 1206 may include a home application 1236, a contacts application 1230, a browser application 1232, a book reader application 1234, a location application 1242, a media application 1244, a messaging application 1246, a game application 1248, and a broad assortment of other applications such as an external application 1240. The applications 1206 are programs that execute functions defined in the programs. Various programming languages can be employed to create one or more of the applications 1206, structured in a variety of manners, such as object-oriented programming languages (e.g., Objective-C, Java, or C++) or procedural programming languages (e.g., C or assembly language). In a specific example, the external application 1240 (e.g., an application developed using the ANDROID™ or IOS™ software development kit (SDK) by an entity other than the vendor of the particular platform) may be mobile software running on a mobile operating system such as IOS™, ANDROID™, WINDOWS® Phone, or another mobile operating system. In this example, the external application 1240 can invoke the API calls 1250 provided by the operating system 1212 to facilitate functionality described herein.

Glossary

“Carrier signal” refers to any intangible medium that is capable of storing, encoding, or carrying instructions for execution by the machine, and includes digital or analog communications signals or other intangible media to facilitate communication of such instructions. Instructions may be transmitted or received over a network using a transmission medium via a network interface device.

“Client device” refers to any machine that interfaces to a communications network to obtain resources from one or more server systems or other client devices. A client device may be, but is not limited to, a mobile phone, desktop computer, laptop, portable digital assistants (PDAs), smartphones, tablets, ultrabooks, netbooks, laptops, multi-processor systems, microprocessor-based or programmable consumer electronics, game consoles, set-top boxes, or any other communication device that a user may use to access a network.

“Communication network” refers to one or more portions of a network that may be an ad hoc network, an intranet, an extranet, a virtual private network (VPN), a local area network (LAN), a wireless LAN (WLAN), a wide area network (WAN), a wireless WAN (WWAN), a metropolitan area network (MAN), the Internet, a portion of the Internet, a portion of the Public Switched Telephone Network (PSTN), a plain old telephone service (POTS) network, a cellular telephone network, a wireless network, a Wi-Fi® network, another type of network, or a combination of two or more such networks. For example, a network or a portion of a network may include a wireless or cellular network and the coupling may be a Code Division Multiple Access (CDMA) connection, a Global System for Mobile communications (GSM) connection, or other types of cellular or wireless coupling. In this example, the coupling may implement any of a variety of types of data transfer technology, such as Single Carrier Radio Transmission Technology (1×RTT), Evolution-Data Optimized (EVDO) technology, General Packet Radio Service (GPRS) technology, Enhanced Data rates for GSM Evolution (EDGE) technol-

ogy, third Generation Partnership Project (3GPP) including 3G, fourth generation wireless (4G) networks, Universal Mobile Telecommunications System (UMTS), High Speed Packet Access (HSPA), Worldwide Interoperability for Microwave Access (WiMAX), Long Term Evolution (LTE) standard, others defined by various standard-setting organizations, other long-range protocols, or other data transfer technology.

“Component” refers to a device, physical entity, or logic having boundaries defined by function or subroutine calls, branch points, APIs, or other technologies that provide for the partitioning or modularization of particular processing or control functions. Components may be combined via their interfaces with other components to carry out a machine process. A component may be a packaged functional hardware unit designed for use with other components and a part of a program that usually performs a particular function of related functions.

Components may constitute either software components (e.g., code embodied on a machine-readable medium) or hardware components. A “hardware component” is a tangible unit capable of performing certain operations and may be configured or arranged in a certain physical manner. In various examples, one or more computer systems (e.g., a standalone computer system, a client computer system, or a server computer system) or one or more hardware components of a computer system (e.g., a processor or a group of processors) may be configured by software (e.g., an application or application portion) as a hardware component that operates to perform certain operations as described herein.

A hardware component may also be implemented mechanically, electronically, or any suitable combination thereof. For example, a hardware component may include dedicated circuitry or logic that is permanently configured to perform certain operations. A hardware component may be a special-purpose processor, such as a field-programmable gate array (FPGA) or an application specific integrated circuit (ASIC). A hardware component may also include programmable logic or circuitry that is temporarily configured by software to perform certain operations. For example, a hardware component may include software executed by a general-purpose processor or other programmable processor. Once configured by such software, hardware components become specific machines (or specific components of a machine) uniquely tailored to perform the configured functions and are no longer general-purpose processors. It will be appreciated that the decision to implement a hardware component mechanically, in dedicated and permanently configured circuitry, or in temporarily configured circuitry (e.g., configured by software), may be driven by cost and time considerations. Accordingly, the phrase “hardware component” (or “hardware-implemented component”) should be understood to encompass a tangible entity, be that an entity that is physically constructed, permanently configured (e.g., hardwired), or temporarily configured (e.g., programmed) to operate in a certain manner or to perform certain operations described herein.

Considering examples in which hardware components are temporarily configured (e.g., programmed), each of the hardware components need not be configured or instantiated at any one instance in time. For example, where a hardware component comprises a general-purpose processor configured by software to become a special-purpose processor, the general-purpose processor may be configured as respectively different special-purpose processors (e.g., comprising different hardware components) at different times. Software accordingly configures a particular processor or processors,

for example, to constitute a particular hardware component at one instance of time and to constitute a different hardware component at a different instance of time.

Hardware components can provide information to, and receive information from, other hardware components. Accordingly, the described hardware components may be regarded as being communicatively coupled. Where multiple hardware components exist contemporaneously, communications may be achieved through signal transmission (e.g., over appropriate circuits and buses) between or among two or more of the hardware components. In examples in which multiple hardware components are configured or instantiated at different times, communications between such hardware components may be achieved, for example, through the storage and retrieval of information in memory structures to which the multiple hardware components have access. For example, one hardware component may perform an operation and store the output of that operation in a memory device to which it is communicatively coupled. A further hardware component may then, at a later time, access the memory device to retrieve and process the stored output. Hardware components may also initiate communications with input or output devices, and can operate on a resource (e.g., a collection of information).

The various operations of example methods described herein may be performed, at least partially, by one or more processors that are temporarily configured (e.g., by software) or permanently configured to perform the relevant operations. Whether temporarily or permanently configured, such processors may constitute processor-implemented components that operate to perform one or more operations or functions described herein. As used herein, “processor-implemented component” refers to a hardware component implemented using one or more processors. Similarly, the methods described herein may be at least partially processor-implemented, with a particular processor or processors being an example of hardware. For example, at least some of the operations of a method may be performed by one or more processors **1102** or processor-implemented components. Moreover, the one or more processors may also operate to support performance of the relevant operations in a “cloud computing” environment or as a “software as a service” (SaaS). For example, at least some of the operations may be performed by a group of computers (as examples of machines including processors), with these operations being accessible via a network (e.g., the Internet) and via one or more appropriate interfaces (e.g., an API). The performance of certain of the operations may be distributed among the processors, not only residing within a single machine, but deployed across a number of machines. In some examples, the processors or processor-implemented components may be located in a single geographic location (e.g., within a home environment, an office environment, or a server farm). In other examples, the processors or processor-implemented components may be distributed across a number of geographic locations.

“Computer-readable storage medium” refers to both machine-storage media and transmission media. Thus, the terms include both storage devices/media and carrier waves/modulated data signals. The terms “machine-readable medium,” “computer-readable medium” and “device-readable medium” mean the same thing and may be used interchangeably in this disclosure.

“Ephemeral message” refers to a message that is accessible for a time-limited duration. An ephemeral message may be a text, an image, a video and the like. The access time for the ephemeral message may be set by the message

sender. Alternatively, the access time may be a default setting or a setting specified by the recipient. Regardless of the setting technique, the message is transitory.

“Machine storage medium” refers to a single or multiple storage devices and media (e.g., a centralized or distributed database, and associated caches and servers) that store executable instructions, routines and data. The term shall accordingly be taken to include, but not be limited to, solid-state memories, and optical and magnetic media, including memory internal or external to processors. Specific examples of machine-storage media, computer-storage media and device-storage media include non-volatile memory, including by way of example semiconductor memory devices, e.g., erasable programmable read-only memory (EPROM), electrically erasable programmable read-only memory (EEPROM), FPGA, and flash memory devices; magnetic disks such as internal hard disks and removable disks; magneto-optical disks; and CD-ROM and DVD-ROM disks. The terms “machine-storage medium,” “device-storage medium,” “computer-storage medium” mean the same thing and may be used interchangeably in this disclosure. The terms “machine-storage media,” “computer-storage media,” and “device-storage media” specifically exclude carrier waves, modulated data signals, and other such media, at least some of which are covered under the term “signal medium.”

“Non-transitory computer-readable storage medium” refers to a tangible medium that is capable of storing, encoding, or carrying the instructions for execution by a machine.

“Signal medium” refers to any intangible medium that is capable of storing, encoding, or carrying the instructions for execution by a machine and includes digital or analog communications signals or other intangible media to facilitate communication of software or data. The term “signal medium” shall be taken to include any form of a modulated data signal, carrier wave, and so forth. The term “modulated data signal” means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. The terms “transmission medium” and “signal medium” mean the same thing and may be used interchangeably in this disclosure.

Changes and modifications may be made to the disclosed examples without departing from the scope of the present disclosure. These and other changes or modifications are intended to be included within the scope of the present disclosure, as expressed in the following claims.

What is claimed is:

1. A method comprising:

Generating, for display on a client device of a first user, a portal page that represents a store, the portal page comprising a first option to access a shared augmented reality (AR) shopping experience alone and a second option to access the shared AR shopping experience with a set of users associated with the first user;

in response to a user selection of the second option, receiving, by one or more processors, a request from the client device of the first user to engage in the shared AR shopping experience with a second user of the set of users;

generating, for display on respective client devices of the first and second users, the shared AR shopping experience comprising a plurality of AR items that represent real-world products overlaid on a shared real-world environment of the first and second users;

determining, by the one or more processors, that the second user is interacting with a first AR item of the plurality of AR items; and

in response to detecting that the second user is depicted in an image captured by the client device of the first user, overlaying the first AR item on the second user in the image.

2. The method of claim 1, further comprising: generating for display, within the shared AR shopping experience on the client devices of the first and second users, a list of messages exchanged between the first and second users.

3. The method of claim 1, further comprising: generating for display within the display of the shared AR shopping experience on the client device of the first user an indicator of a location of the second user.

4. The method of claim 1, further comprising: determining that one or more images captured by the client device of the second user includes a depiction of a person;

determining that an identity of the person fails to match any of a plurality of identities of users engaged in the shared AR shopping experience; and

in response to determining that the identity of the person fails to match any of the plurality of identities of the users engaged in the shared AR shopping experience, occluding the depiction of the person in the one or more images displayed on the client device of the second user.

5. The method of claim 1, wherein determining that the second user is interacting with the first AR item of the plurality of AR items comprises:

receiving input from the client device of the second user requesting to virtually try on the first AR item;

activating a camera of the client device of the second user; and

overlaying the first AR item on an image of the second user captured by the camera of the client device of the second user.

6. The method of claim 5, further comprising: receiving input from the client device of the first user that selects a second AR item; and

in response to receiving input from the client device of the first user that selects the second AR item:

causing the second AR item to be overlaid together with the first AR item on the image of the second user captured by the camera of the client device of the second user; and

overlaying the first and second AR items on the image of the second user captured by the camera of the client device of the first user.

7. The method of claim 1, further comprising: determining that the second user requested more information about a first real-world product associated with the first AR item; and

in response to determining that the second user requested more information, generating for display on the client device of the second user a full-screen view of the real-world product, wherein the client device of the first user continues to display the shared AR shopping experience while the full-screen view is presented to the second user.

8. The method of claim 1, further comprising: determining that the client devices of the first and second users are within a threshold proximity of each other; and

39

in response to determining that the client devices of the first and second users are within the threshold proximity of each other, generating, for display on the respective client devices of the first and second users, the shared AR shopping experience.

9. The method of claim 1, further comprising:

generating for display, within the shared AR shopping experience on the client devices of the first and second users, a virtual mannequin;

applying a first article of clothing to the virtual mannequin based on a first input that is received from the client device of the first user that selects a second AR item; and

applying a second article of clothing to the virtual mannequin based on a second input that is received from the client device of the second user that selects a third AR item, the first and second articles of clothing being presented on the mannequin together.

10. The method of claim 1, further comprising:

reducing a quantity of the plurality of AR items displayed on the client device of the first user in response to receiving selection of the first AR item from the client device of the second user.

11. The method of claim 10, further comprising:

accessing an inventory of a store represented by the shared AR shopping experience;

determining that a first real-world item associated with the first AR item is a last item available in the inventory of the store; and

removing a representation of the first AR item from the display of the shared AR shopping experience on the client device of the first user in response to determining that the first real-world item is the last item available in the inventory of the store.

12. The method of claim 1, further comprising:

accessing an inventory of a store represented by the shared AR shopping experience; and

modifying a quantity of the plurality of AR items represented in the display of the shared AR shopping experience based on the inventory of the store.

13. The method of claim 12, further comprising:

associating a non-fungible token (NFT) with each of the plurality of AR items to track availability of the real-world products represented by the plurality of AR items.

14. The method of claim 1, wherein receiving the request from the first user to engage in the shared AR shopping experience with the second user comprises capturing an image of a barcode that is associated with the shared AR shopping experience.

15. The method of claim 1, wherein each of the set of users is determined to be within a threshold proximity to the first user.

16. The method of claim 1, further comprising:

generating, for display on the client device of the first user, a message that identifies the set of users comprising the second user that are currently using the shared AR shopping experience, wherein the message includes avatars of the set of users and an identifier of a store associated with the real-world products.

17. The method of claim 1, wherein generating the shared AR shopping experience for display on respective client devices of the first and second users comprises:

receiving one or more images of the shared real-world environment from the client device of the first user;

40

identifying a real-world object in the one or more images; and

selecting a given AR item from the plurality of AR items for display on the identified real-world object.

18. The method of claim 17, further comprising:

receiving input from the client device of the first user that selects the given AR item from the plurality of AR items; and

causing the given AR item to be displayed on the identified real-world object depicted in an image of the real-world object depicted on the client devices of the first and second users.

19. A system comprising:

a processor configured to perform operations comprising: generating for display on a client device of a first user a portal page that represents a store, the portal page comprising a first option to access a shared augmented reality (AR) shopping experience alone and a second option to access the shared AR shopping experience with a set of users associated with the first user;

in response to a user selection of the second option, receiving, by one or more processors, a request from the client device of the first user to engage in the shared AR shopping experience with a second user of the set of users;

generating, for display on respective client devices of the first and second users, the shared AR shopping experience comprising a plurality of AR items that represent real-world products overlaid on a shared real-world environment of the first and second users;

determining that the second user is interacting with a first AR item of the plurality of AR items; and

in response to detecting that the second user is depicted in an image captured by the client device of the first user, overlaying the first AR item on the second user in the image.

20. A non-transitory machine-readable storage medium that includes instructions that, when executed by one or more processors of a machine, cause the machine to perform operations comprising:

generating for display on a client device of a first user a portal page that represents a store, the portal page comprising a first option to access a shared augmented reality (AR) shopping experience alone and a second option to access the shared AR shopping experience with a set of users associated with the first user;

in response to a user selection of the second option, receiving, by one or more processors, a request from the client device of the first user to engage in the shared AR shopping experience with a second user of the set of users;

generating, for display on respective client devices of the first and second users, the shared AR shopping experience comprising a plurality of AR items that represent real-world products overlaid on a shared real-world environment of the first and second users;

determining that the second user is interacting with a first AR item of the plurality of AR items; and

in response to detecting that the second user is depicted in an image captured by the client device of the first user, overlaying the first AR item on the second user in the image.