

US011653800B2

(12) **United States Patent**  
**Horvath et al.**

(10) **Patent No.:** **US 11,653,800 B2**  
(45) **Date of Patent:** **\*May 23, 2023**

(54) **HANDHELD VACUUM CLEANER**  
(71) Applicant: **Techtronic Industries Co. Ltd.**, Tsuen Wan (HK)  
(72) Inventors: **Jamie Horvath**, Twinsburg, OH (US); **Kevin L. Thomas**, Indian Trail, NC (US); **Ambreese Hill**, Cleveland Heights, OH (US); **Joseph Saunders**, Wadsworth, OH (US); **Justin C. Andrikanich**, Concord, NC (US); **William Nabors**, Huntersville, NC (US)

(73) Assignee: **Techtronic Industries Co. Ltd.**, Tsuen Wan (HK)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 85 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/234,567**

(22) Filed: **Apr. 19, 2021**

(65) **Prior Publication Data**  
US 2021/0235945 A1 Aug. 5, 2021

**Related U.S. Application Data**  
(63) Continuation of application No. 16/177,739, filed on Nov. 1, 2018, now Pat. No. 10,980,379, which is a (Continued)

(51) **Int. Cl.**  
*A47L 9/16* (2006.01)  
*A47L 5/24* (2006.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... *A47L 5/24* (2013.01); *A47L 5/26* (2013.01); *A47L 9/12* (2013.01); *A47L 9/165* (2013.01);  
(Continued)

(58) **Field of Classification Search**  
CPC ..... *A47L 5/24*; *A47L 5/36*; *A47L 9/16*; *A47L 9/1683*  
See application file for complete search history.

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
2,657,417 A 11/1953 Howard  
2,986,765 A 6/1961 Ernofl et al.  
(Continued)


**FOREIGN PATENT DOCUMENTS**  
CA 2599303 2/2009  
CN 101061932 A 10/2007  
(Continued)

**OTHER PUBLICATIONS**  
European Patent Office Action for Application No. 15787858.8 dated Nov. 24, 2021 (4 pages).  
(Continued)

*Primary Examiner* — Michael D Jennings  
(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **ABSTRACT**  
A handheld vacuum cleaner including a housing having a front end, a back end, a first side, and a second side, the housing further including a handle along a handle axis. A suction nozzle is along a suction nozzle axis that extends in a direction from the front end toward the back end. The handheld vacuum further includes a suction source operable to generate an airflow through the vacuum cleaner from the suction nozzle through a cyclonic separator to a clean air exhaust. A battery that supplies power to the suction source and the battery is coupled to the housing adjacent an end of the handle. The handle extends between the battery and the cyclonic separator.

**23 Claims, 5 Drawing Sheets**



**Related U.S. Application Data**

continuation of application No. 14/920,170, filed on Oct. 22, 2015, now Pat. No. 10,117,551.

(60) Provisional application No. 62/067,308, filed on Oct. 22, 2014.

(51) **Int. Cl.**  
*A47L 5/26* (2006.01)  
*A47L 9/12* (2006.01)  
*A47L 9/28* (2006.01)

(52) **U.S. Cl.**  
 CPC ..... *A47L 9/1608* (2013.01); *A47L 9/1658* (2013.01); *A47L 9/1683* (2013.01); *A47L 9/1691* (2013.01); *A47L 9/2884* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,268,288	A	5/1981	Coombs
4,403,372	A	9/1983	Keane et al.
4,789,476	A	12/1988	Schulz
4,853,008	A	8/1989	Dyson
5,350,432	A	9/1994	Lee
5,779,745	A	7/1998	Kilstrom
5,935,279	A	8/1999	Kilstrom
5,950,274	A	9/1999	Kilstrom
6,003,196	A	12/1999	Wright et al.
6,129,775	A	10/2000	Conrad et al.
6,141,826	A	11/2000	Conrad et al.
6,168,641	B1	1/2001	Tuvin et al.
6,168,716	B1	1/2001	Conrad et al.
6,173,474	B1	1/2001	Conrad
6,195,835	B1 *	3/2001	Song ..... A47L 9/1683 15/352
6,221,134	B1	4/2001	Conrad et al.
6,228,151	B1	5/2001	Conrad et al.
6,228,260	B1	5/2001	Conrad et al.
6,231,645	B1	5/2001	Conrad et al.
6,251,296	B1	6/2001	Conrad et al.
6,277,278	B1	8/2001	Conrad et al.
6,306,199	B1	10/2001	Gustafson et al.
6,312,594	B1	11/2001	Conrad et al.
6,334,234	B1	1/2002	Conrad et al.
6,344,064	B1	2/2002	Conrad
6,350,292	B1	2/2002	Lee et al.
6,391,095	B1	5/2002	Conrad et al.
6,398,834	B2	6/2002	Oh
6,406,505	B1	6/2002	Oh et al.
6,419,719	B2	7/2002	Conrad et al.
6,432,154	B2	8/2002	Oh et al.
6,440,197	B1	8/2002	Conrad et al.
6,482,246	B1	11/2002	Dyson et al.
6,485,536	B1	11/2002	Masters
6,502,277	B1	1/2003	Petersson et al.
6,502,278	B2 *	1/2003	Oh ..... A47L 9/1633 15/352
6,519,804	B1 *	2/2003	Vujik ..... A47L 9/1633 15/353
6,532,620	B2 *	3/2003	Oh ..... A47L 9/1658 15/352
6,533,834	B2	3/2003	Conrad et al.
6,536,073	B2	3/2003	Uratani et al.
6,546,593	B2 *	4/2003	Oh ..... B04C 5/10 55/459.1
6,553,612	B1	4/2003	Dyson et al.
6,553,613	B2	4/2003	Onishi et al.
6,558,453	B2	5/2003	Sepke et al.
6,562,093	B2	5/2003	Oh
6,572,668	B1	6/2003	An et al.
6,578,230	B2	6/2003	Park et al.
6,579,334	B2	6/2003	Oh et al.
6,582,489	B2	6/2003	Conrad
6,588,051	B2	7/2003	Hashizume et al.

6,589,309	B2	7/2003	Oh et al.
6,596,045	B2	7/2003	Qian
6,596,046	B2	7/2003	Conrad et al.
6,596,047	B2	7/2003	Oh
6,599,338	B2	7/2003	Oh et al.
6,599,339	B2	7/2003	Oh
6,599,340	B2	7/2003	Conrad et al.
6,607,572	B2	8/2003	Gammack et al.
6,607,575	B2	8/2003	Oh et al.
6,613,116	B2	9/2003	Oh
6,613,129	B2	9/2003	Gen
6,616,721	B2	9/2003	Oh
6,623,539	B2	9/2003	Lee et al.
6,625,845	B2	9/2003	Matsumoto et al.
6,640,385	B2 *	11/2003	Oh ..... A47L 9/1683 15/352
6,648,934	B2	11/2003	Choi et al.
6,660,053	B2	12/2003	Oh et al.
6,662,403	B2	12/2003	Oh
6,679,930	B1	1/2004	An et al.
6,702,868	B2	3/2004	Oh et al.
6,706,095	B2	3/2004	Morgan
6,709,495	B1	3/2004	Storer
6,712,868	B2	3/2004	Murphy et al.
6,732,405	B2	5/2004	Oh
6,732,406	B2	5/2004	Oh
6,735,816	B2	5/2004	Oh et al.
6,736,873	B2	5/2004	Conrad et al.
6,746,500	B1	6/2004	Park et al.
6,757,933	B2	7/2004	Oh et al.
6,766,557	B2	7/2004	Park et al.
6,766,558	B1	7/2004	Matsumoto et al.
6,782,583	B2	8/2004	Oh
6,782,585	B1	8/2004	Conrad et al.
6,810,557	B2	11/2004	Hansen et al.
6,810,558	B2	11/2004	Lee
6,811,584	B2	11/2004	Oh
6,818,033	B2	11/2004	North
6,818,036	B1	11/2004	Seaman
6,824,580	B2	11/2004	Oh
6,833,015	B2	12/2004	Oh et al.
6,835,222	B2	12/2004	Gammack
6,840,972	B1	1/2005	Kim
6,857,165	B2	2/2005	Oh
6,868,578	B1	3/2005	Kasper et al.
6,874,197	B1	4/2005	Conrad et al.
6,896,711	B2	5/2005	Oh
6,901,626	B2	6/2005	Bair et al.
6,902,596	B2	6/2005	Conrad et al.
6,916,351	B2	7/2005	Oh
6,925,680	B2	8/2005	Oh
6,928,692	B2	8/2005	Oh et al.
6,948,212	B2	9/2005	Oh et al.
6,951,045	B2	10/2005	Thur et al.
6,968,596	B2	11/2005	Oh et al.
6,974,488	B2	12/2005	Dyson
6,977,003	B2	12/2005	Lim et al.
6,989,039	B2	1/2006	Vujik
6,991,666	B2	1/2006	Organ
6,994,740	B2	2/2006	Gammack et al.
7,014,671	B2	3/2006	Oh
7,022,154	B2	4/2006	Oh
7,065,826	B1	6/2006	Arnold
7,074,248	B2	7/2006	Jin et al.
7,086,119	B2	8/2006	Go et al.
7,097,680	B2	8/2006	Oh
7,105,034	B2	9/2006	Jung et al.
7,105,035	B2	9/2006	Oh et al.
7,114,216	B2	10/2006	Stephens et al.
7,128,770	B2	10/2006	Oh et al.
7,140,068	B1	11/2006	Vander Baan et al.
7,152,276	B2	12/2006	Jin et al.
7,152,277	B2	12/2006	Jung et al.
7,160,346	B2	1/2007	Park
7,162,770	B2	1/2007	Davidshofer
7,163,568	B2	1/2007	Sepke et al.
7,169,201	B2	1/2007	Oh et al.
7,171,725	B2	2/2007	Sjoberg et al.
7,188,388	B2	3/2007	Best et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,210,192 B2	5/2007	Ito et al.	7,559,964 B2	7/2009	Oh et al.
7,228,592 B2	6/2007	Hawkins et al.	7,559,965 B2	7/2009	Oh et al.
7,247,181 B2	7/2007	Hansen et al.	7,563,296 B2	7/2009	Ni
7,261,754 B2	8/2007	Oh et al.	7,563,297 B2	7/2009	Kim
7,273,506 B2	9/2007	Oh et al.	7,563,298 B2	7/2009	Oh
7,276,099 B2	10/2007	Hayashi et al.	7,565,853 B2	7/2009	Arnold et al.
7,288,129 B2	10/2007	Oh et al.	7,582,128 B2	9/2009	Hwang et al.
7,291,190 B2	11/2007	Dummelow	7,582,129 B2	9/2009	Kim et al.
7,291,193 B2	11/2007	Oh et al.	7,594,943 B2	9/2009	Oh et al.
7,293,326 B2	11/2007	Hawkins et al.	7,594,944 B2	9/2009	Oh
7,294,159 B2	11/2007	Oh et al.	7,594,945 B2	9/2009	Kim et al.
7,297,172 B2	11/2007	Lee	7,597,730 B2	10/2009	Yoo et al.
7,309,368 B2	12/2007	Oh et al.	7,604,674 B2	10/2009	Han et al.
7,326,268 B2	2/2008	Oh et al.	7,604,675 B2	10/2009	Makarov et al.
7,329,295 B2	2/2008	Greene et al.	7,611,558 B2	11/2009	Oh et al.
7,331,084 B2	2/2008	Oh	7,615,089 B2	11/2009	Oh
7,332,008 B2	2/2008	Oh et al.	7,618,470 B2	11/2009	Eddington et al.
7,334,290 B2	2/2008	Hawkins et al.	7,628,831 B2	12/2009	Gomiciaga-Pereda et al.
7,335,241 B2	2/2008	Oh et al.	7,628,832 B2	12/2009	Sepke et al.
7,335,242 B2	2/2008	Oh	7,628,833 B2	12/2009	Oh
7,341,611 B2	3/2008	Greene et al.	7,632,324 B2	12/2009	Makarov et al.
7,343,643 B2	3/2008	Kondo	7,632,327 B2	12/2009	Yoo
7,354,468 B2	4/2008	Arnold et al.	7,635,400 B2	12/2009	Yoo
7,361,200 B2	4/2008	Oh et al.	7,637,973 B2	12/2009	Oh et al.
7,377,007 B2	5/2008	Best	7,637,991 B2	12/2009	Eddington et al.
7,377,953 B2	5/2008	Oh	7,645,311 B2	1/2010	Oh et al.
7,381,233 B2	6/2008	Oh et al.	7,651,544 B1	1/2010	Fester et al.
7,381,234 B2	6/2008	Oh	7,662,201 B2	2/2010	Lee
7,381,236 B2	6/2008	Lee et al.	7,662,202 B2	2/2010	Oh et al.
7,381,247 B2	6/2008	Han et al.	7,678,166 B2	3/2010	Yoo et al.
7,381,248 B2	6/2008	Kim et al.	7,682,412 B2	3/2010	Oh
7,395,579 B2	7/2008	Oh	7,686,858 B2	3/2010	Oh
7,398,578 B2	7/2008	Lee	7,686,861 B2	3/2010	Oh
7,404,231 B2	7/2008	Kang	7,691,161 B2	4/2010	Oh et al.
7,407,524 B2	8/2008	Han et al.	7,704,290 B2	4/2010	Oh
7,409,744 B2	8/2008	Go et al.	7,708,789 B2	5/2010	Fester
7,410,517 B2	8/2008	Han et al.	7,708,791 B2	5/2010	Oh et al.
7,410,535 B2	8/2008	Song et al.	7,708,808 B1	5/2010	Heumann
7,416,575 B2	8/2008	Oh et al.	7,717,973 B2	5/2010	Oh et al.
7,419,521 B2	9/2008	Oh et al.	7,722,693 B2	5/2010	Yoo et al.
7,419,522 B2	9/2008	Arnold	7,731,770 B2	6/2010	Strutt et al.
7,419,523 B2	9/2008	Sjöberg et al.	7,740,675 B2	6/2010	Conrad
7,422,614 B2	9/2008	Sepke et al.	7,743,461 B2	6/2010	Carr et al.
7,422,615 B2	9/2008	Kim	7,744,667 B2	6/2010	Oh et al.
7,429,284 B2	9/2008	Oh et al.	7,744,668 B2	6/2010	Oh et al.
7,438,737 B2	10/2008	Song et al.	7,748,079 B2	7/2010	McDowell et al.
7,448,146 B2	11/2008	Cho et al.	7,749,293 B2	7/2010	Conrad
7,449,039 B2	11/2008	Hong et al.	7,749,296 B2	7/2010	Han et al.
7,449,040 B2	11/2008	Conrad et al.	7,763,090 B2	7/2010	Gomiciaga-Pereda et al.
7,455,708 B2	11/2008	Conrad et al.	7,770,256 B1	8/2010	Fester
7,462,212 B2	12/2008	Han et al.	7,771,499 B2	8/2010	Oh et al.
7,470,299 B2	12/2008	Han et al.	7,776,115 B2	8/2010	Oh et al.
7,473,289 B2	1/2009	Oh et al.	7,776,116 B2	8/2010	Oh et al.
7,475,449 B2	1/2009	Lee	7,776,120 B2	8/2010	Conrad
7,479,172 B2	1/2009	Ivarsson	7,776,121 B2	8/2010	Yun et al.
7,479,173 B2	1/2009	Ivarsson et al.	7,780,752 B2	8/2010	Cha et al.
7,481,860 B2	1/2009	Ivarsson	7,785,381 B2	8/2010	Oh et al.
7,485,164 B2	2/2009	Jeong et al.	7,785,383 B2	8/2010	Oh et al.
7,491,255 B2	2/2009	Jung	7,789,922 B1	9/2010	Wai
7,494,523 B2	2/2009	Oh et al.	7,789,923 B2	9/2010	Oh et al.
7,497,899 B2	3/2009	Han et al.	7,794,515 B2	9/2010	Oh et al.
7,501,002 B2	3/2009	Han et al.	7,803,205 B2	9/2010	Oh et al.
7,513,924 B2	4/2009	French et al.	7,803,207 B2	9/2010	Conrad
7,534,279 B2	5/2009	Oh et al.	7,806,950 B2	10/2010	Han et al.
7,537,625 B2	5/2009	Han et al.	7,811,345 B2	10/2010	Conrad
7,544,224 B2	6/2009	Tanner et al.	7,811,349 B2	10/2010	Nguyen
7,544,226 B2	6/2009	Oh	7,819,933 B2	10/2010	Moon et al.
7,547,336 B2	6/2009	Fester et al.	7,828,866 B2	11/2010	Courtney et al.
7,547,337 B2	6/2009	Oh et al.	7,841,477 B2	11/2010	Hansen
7,547,338 B2	6/2009	Kim et al.	7,854,779 B2	12/2010	Oh
7,547,351 B2	6/2009	Oh et al.	7,854,782 B2	12/2010	Oh et al.
7,555,808 B2	7/2009	Oh et al.	7,862,637 B2	1/2011	Han et al.
7,556,661 B2	7/2009	Jeong et al.	7,867,306 B2	1/2011	Courtney et al.
7,556,662 B2	7/2009	Lee et al.	7,867,307 B2	1/2011	Bates et al.
7,559,963 B2	7/2009	Oh et al.	7,867,308 B2	1/2011	Conrad
			7,874,040 B2	1/2011	Follows et al.
			7,879,120 B2	2/2011	Seo et al.
			7,879,121 B2	2/2011	Oh
			7,879,142 B2	2/2011	Han et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,882,592 B2	2/2011	Hwang et al.	8,528,164 B2	9/2013	Conrad
7,882,593 B2	2/2011	Beskow et al.	8,533,903 B2	9/2013	Muhlenkamp et al.
7,887,612 B2	2/2011	Conrad	8,533,904 B2	9/2013	Conrad
7,887,613 B2	2/2011	Ruben	8,561,257 B2	10/2013	Conrad
7,907,680 B2	3/2011	Tsai et al.	8,562,705 B2	10/2013	Courtney et al.
7,908,706 B2	3/2011	Hawkins et al.	8,567,005 B2	10/2013	Conrad
7,914,609 B2	3/2011	Sullivan et al.	8,567,006 B2	10/2013	Conrad
7,918,909 B2	4/2011	McDowell	8,567,008 B2	10/2013	Conrad
7,922,794 B2	4/2011	Morphey	8,568,500 B2	10/2013	Han et al.
7,931,717 B2	4/2011	Conrad	8,572,789 B2	11/2013	Horne
7,931,722 B2	4/2011	Sepke et al.	8,578,550 B2	11/2013	Conrad
7,938,872 B2	5/2011	Blossey et al.	8,578,553 B2	11/2013	Conrad
7,941,895 B2	5/2011	Conrad	8,578,555 B2	11/2013	Conrad
7,951,216 B2	5/2011	Ha et al.	8,590,102 B2	11/2013	Conrad
7,951,218 B2	5/2011	Oh	8,601,641 B2	12/2013	Conrad
7,966,692 B2	6/2011	Kim	8,607,406 B2	12/2013	Miefalk et al.
7,967,884 B2	6/2011	Sepke et al.	8,607,407 B2 *	12/2013	Conrad ..... A47L 9/106 15/347
7,981,181 B2	7/2011	Yoo	8,613,125 B2	12/2013	Jeong et al.
7,992,252 B2	8/2011	Park et al.	8,621,709 B2	1/2014	Conrad
7,996,956 B2	8/2011	Wood et al.	8,631,538 B2	1/2014	Huffman
7,996,957 B2	8/2011	Kah, Jr.	8,640,303 B2	2/2014	Conrad
7,998,260 B2	8/2011	Ni	8,640,304 B2	2/2014	Conrad
8,015,659 B2	9/2011	Conrad et al.	8,646,146 B2	2/2014	Conrad
8,020,707 B2	9/2011	Kim et al.	8,646,147 B2	2/2014	Conrad
8,021,453 B2	9/2011	Howes	8,646,148 B2	2/2014	Sunderland et al.
8,034,140 B2	10/2011	Conrad	8,646,149 B2	2/2014	Conrad
8,048,180 B2	11/2011	Oh et al.	8,646,849 B2	2/2014	Crawford et al.
8,048,183 B2	11/2011	Conrad	8,657,903 B2	2/2014	Menssen
8,062,398 B2	11/2011	Luo et al.	8,659,184 B2	2/2014	Conrad
8,097,057 B2	1/2012	Arnold	8,661,607 B2	3/2014	Hwang et al.
8,100,999 B2	1/2012	Ashbee et al.	8,661,611 B2	3/2014	Oh
8,146,201 B2	4/2012	Conrad	8,667,640 B2	3/2014	Conrad
8,151,407 B2	4/2012	Conrad	8,677,554 B2	3/2014	Conrad
8,152,877 B2	4/2012	Greene	8,677,558 B2	3/2014	Conrad
8,152,878 B2	4/2012	McLeod	8,683,644 B2	4/2014	Conrad
8,152,883 B2	4/2012	Lee	8,689,395 B2	4/2014	Conrad
8,161,597 B2	4/2012	Witter et al.	8,689,401 B2	4/2014	Makarov et al.
8,161,599 B2	4/2012	Griffith et al.	8,695,157 B2	4/2014	Beskow et al.
8,167,964 B2	5/2012	Wai	8,713,751 B2	5/2014	Conrad
8,176,597 B2	5/2012	Stein et al.	8,713,754 B2	5/2014	Conrad
8,182,563 B2	5/2012	Horne et al.	8,739,357 B2	6/2014	Conrad
8,186,006 B2	5/2012	Hyun et al.	8,739,359 B2	6/2014	Conrad
8,192,515 B2	6/2012	Conrad	8,752,239 B2	6/2014	Conrad
8,209,815 B2	7/2012	Makarov et al.	8,763,202 B2	7/2014	Conrad
8,236,077 B2 *	8/2012	Gomiciaga-Pereda .....	8,769,767 B2 *	7/2014	Conrad ..... A47L 5/36 15/327.2
		B04C 5/103	8,776,309 B2	7/2014	Conrad
		55/447	8,813,305 B2	8/2014	Conrad
			8,869,344 B2	10/2014	Conrad
			9,775,483 B2 *	10/2017	Rukavina ..... A47L 9/16
8,250,702 B2	8/2012	Conrad	2002/0011050 A1	1/2002	Hansen et al.
8,252,096 B2	8/2012	Horne	2002/0134059 A1	9/2002	Oh
8,268,029 B2	9/2012	Yoo	2003/0159235 A1	8/2003	Oh
8,282,697 B2	10/2012	Oh	2003/0159411 A1	8/2003	Hansen et al.
8,292,979 B2	10/2012	Conrad	2003/0200734 A1	10/2003	Conrad
8,302,250 B2	11/2012	Dyson et al.	2004/0098827 A1	5/2004	Oh
8,302,252 B2	11/2012	Hyun et al.	2004/0098828 A1	5/2004	Oh
8,302,253 B2	11/2012	Ni	2004/0107530 A1	6/2004	Lee
8,316,507 B2	11/2012	Hyun et al.	2004/0134025 A1	7/2004	Murphy et al.
8,348,605 B2	1/2013	de Broqueville	2004/0163206 A1	8/2004	Oh
8,349,428 B2	1/2013	Conrad	2004/0194250 A1	10/2004	Conrad et al.
8,361,179 B2	1/2013	Guerry et al.	2004/0231093 A1	11/2004	Oh
8,375,509 B2	2/2013	Bates et al.	2005/0066469 A1	3/2005	Oh et al.
8,387,204 B2 *	3/2013	Dyson ..... A47L 9/322 15/327.2	2005/0125940 A1	6/2005	McDowell
			2005/0177974 A1	8/2005	Conrad et al.
			2005/0198769 A1	9/2005	Lee et al.
8,409,335 B2	4/2013	Dyson et al.	2005/0262658 A1	12/2005	Conrad et al.
8,419,835 B2	4/2013	Krishnamurthy et al.	2006/0075727 A1	4/2006	Kim et al.
8,425,642 B2	4/2013	Worker et al.	2006/0090290 A1	5/2006	Lau
8,448,291 B2	5/2013	Conrad	2006/0102005 A1	5/2006	Oh
8,448,292 B2	5/2013	Miefalk et al.	2006/0117721 A1	6/2006	Lee
8,479,358 B2	7/2013	Conrad	2006/0117723 A1	6/2006	Yoo
8,484,799 B2	7/2013	Conrad	2006/0130265 A1	6/2006	Oh et al.
8,486,170 B2	7/2013	Conrad et al.	2006/0130447 A1	6/2006	Seo et al.
8,495,789 B2	7/2013	Nicolaou et al.	2006/0130448 A1	6/2006	Han et al.
8,499,411 B2	8/2013	Tran et al.	2006/0130449 A1	6/2006	Han
8,510,907 B2	8/2013	Conrad	2006/0137310 A1	6/2006	Conrad et al.
8,528,160 B2	9/2013	Conrad	2006/0230722 A1	10/2006	Oh et al.
8,528,163 B2	9/2013	Park et al.			

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0254226 A1 11/2006 Jeon  
 2006/0272299 A1 12/2006 Choi  
 2006/0288671 A1 12/2006 Oh et al.  
 2007/0039292 A1 2/2007 Oh  
 2007/0079584 A1 4/2007 Kim  
 2007/0079586 A1 4/2007 Kim  
 2007/0084159 A1 4/2007 Oh et al.  
 2007/0084160 A1 4/2007 Kim  
 2007/0119129 A1 5/2007 Jeon  
 2007/0144116 A1 6/2007 Hong et al.  
 2007/0175185 A1 8/2007 Kim et al.  
 2007/0209334 A1 9/2007 Conrad  
 2007/0214754 A1 9/2007 Kim  
 2007/0234687 A1 10/2007 Ni  
 2007/0234691 A1 10/2007 Han et al.  
 2008/0196194 A1 8/2008 Conrad  
 2008/0263813 A1 10/2008 Han et al.  
 2008/0263815 A1 10/2008 Oh  
 2008/0264014 A1 10/2008 Oh et al.  
 2008/0289139 A1 11/2008 Makarov et al.  
 2008/0289140 A1 11/2008 Courtney et al.  
 2008/0289306 A1 11/2008 Han et al.  
 2009/0144932 A1 6/2009 Yoo  
 2009/0193613 A1 8/2009 Ruben et al.  
 2009/0205161 A1 8/2009 Conrad  
 2009/0229071 A1 9/2009 Fester et al.  
 2009/0229074 A1 9/2009 Oh  
 2009/0235482 A1 9/2009 Tanner et al.  
 2009/0300871 A1 12/2009 Seo et al.  
 2009/0313958 A1 12/2009 Gomiciaga-Pereda et al.  
 2010/0043170 A1 2/2010 Ni  
 2010/0115727 A1 5/2010 Oh  
 2010/0162517 A1 7/2010 Han et al.  
 2010/0175217 A1 7/2010 Conrad  
 2010/0192776 A1 8/2010 Oh et al.  
 2010/0223752 A1 9/2010 Conrad  
 2010/0229323 A1 9/2010 Conrad  
 2010/0229325 A1 9/2010 Conrad  
 2010/0229328 A1 9/2010 Conrad  
 2010/0229330 A1 9/2010 Park et al.  
 2010/0229334 A1 9/2010 Conrad  
 2010/0251506 A1 10/2010 Conrad  
 2010/0269289 A1 10/2010 Ruben  
 2010/0299865 A1 12/2010 Conrad  
 2010/0299866 A1 12/2010 Conrad  
 2011/0146024 A1 6/2011 Conrad  
 2011/0214247 A1 9/2011 Stephens et al.  
 2011/0219576 A1 9/2011 Conrad  
 2011/0219577 A1 9/2011 Conrad  
 2011/0240526 A1 10/2011 Tammera et al.  
 2011/0289720 A1 12/2011 Han et al.  
 2011/0296648 A1 12/2011 Kah, Jr.  
 2011/0314631 A1 12/2011 Conrad  
 2012/0047682 A1 3/2012 Makarov et al.  
 2012/0117753 A1 5/2012 Kim et al.  
 2012/0216368 A1 8/2012 Maeda et al.  
 2012/0222232 A1 9/2012 Conrad  
 2012/0222238 A1 9/2012 Conrad

2012/0222240 A1 9/2012 Conrad  
 2012/0222243 A1 9/2012 Conrad  
 2012/0222247 A1 9/2012 Conrad  
 2012/0222248 A1 9/2012 Conrad  
 2012/0222252 A1 9/2012 Conrad  
 2012/0222253 A1 9/2012 Conrad  
 2012/0222255 A1 9/2012 Conrad  
 2012/0222257 A1 9/2012 Conrad  
 2012/0222258 A1 9/2012 Conrad  
 2012/0222262 A1 9/2012 Conrad  
 2012/0311814 A1 12/2012 Kah, Jr.  
 2013/0008140 A1 1/2013 Pike et al.  
 2013/0145575 A1 6/2013 Conrad  
 2013/0185893 A1 7/2013 Conrad  
 2014/0013538 A1 1/2014 Dyson et al.  
 2014/0013540 A1 1/2014 Erko et al.  
 2014/0020203 A1 1/2014 Miefalk et al.  
 2014/0026356 A1 1/2014 Miefalk et al.  
 2014/0053367 A1 2/2014 Conrad  
 2014/0059797 A1 3/2014 Kim et al.  
 2014/0059799 A1 3/2014 Kim et al.  
 2014/0082883 A1\* 3/2014 Tran ..... A47L 9/20  
 15/353  
 2015/0000072 A1 1/2015 Conrad  
 2015/0000073 A1 1/2015 Conrad  
 2015/0000074 A1 1/2015 Conrad  
 2015/0000075 A1 1/2015 Conrad  
 2015/0000076 A1 1/2015 Conrad  
 2015/0000077 A1 1/2015 Conrad  
 2015/0000078 A1 1/2015 Conrad  
 2015/0000079 A1 1/2015 Conrad  
 2015/0230677 A1\* 8/2015 Andrikanish ..... A47L 9/102  
 15/353  
 2016/0113461 A1\* 4/2016 Rukavina ..... A47L 9/16  
 15/353

FOREIGN PATENT DOCUMENTS

DE 19630286 1/1998  
 DE 102005056924 5/2007  
 EP 1690487 8/2006  
 JP 2002085297 3/2002  
 JP 2002143052 5/2002  
 JP 2004024887 1/2004  
 JP 2004089241 3/2004  
 JP 2004313249 11/2004  
 JP 2004351234 12/2004  
 JP 2005270312 10/2005  
 WO WO 2014/044541 4/2010

OTHER PUBLICATIONS

International Search Report and Written Opinion for Application No. PCT/US2015/056922 dated Feb. 5, 2016 (13 pages).  
 Chinese Patent Office Action for Application No. 201580057603.8 dated Dec. 5, 2018 (14 pages, English translation included).  
 Examination Report issued by the European Patent Office for Application No. 15787858.8 dated Apr. 9, 2021 (6 pages).

\* cited by examiner





FIG. 1



**FIG. 2**







FIG. 3







**FIG. 6**

**1****HANDHELD VACUUM CLEANER****CROSS-REFERENCE TO RELATED APPLICATIONS**

This application is a continuation of U.S. patent application Ser. No. 16/177,739, filed Nov. 1, 2018, which issued as U.S. Pat. No. 10,980,379 on Apr. 20, 2021, which is a continuation of U.S. patent application Ser. No. 14/920,170, filed Oct. 22, 2015, which issued as U.S. Pat. No. 10,117,551 on Nov. 6, 2018, which claims priority to U.S. Provisional Patent Application No. 62/067,308, filed on Oct. 22, 2014, the entire contents all of which are hereby incorporated by reference.

**BACKGROUND**

The present invention relates to handheld vacuum cleaners, and more particularly, to cyclonic handheld vacuum cleaners.

**SUMMARY**

In one embodiment, the invention provides a handheld vacuum cleaner including a housing having a front end, a back end, a first side, and a second side, a suction nozzle, and a suction source operable to generate an airflow through vacuum cleaner from the suction nozzle through a cyclonic separator to a clean air exhaust. The cyclonic separator is operable to separate debris from the airflow. The cyclonic separator is located within the housing. The cyclonic separator includes a cylindrical wall having a first end and a second end, a first end wall located at the first end of the cylindrical wall, a dirty air inlet, a clean air outlet, a debris outlet adjacent the second end of the cylindrical wall, and a longitudinal axis along the cylindrical wall and the longitudinal axis of the cyclonic separator extends in a direction toward the first and second sides of the housing. The vacuum further includes a debris collection chamber located within the housing and in fluid communication with the debris outlet of the cyclonic separator. The housing further includes an aperture that extends through the first side. The first end wall of the cyclonic separator is removable through the aperture of the first side of the housing.

In another embodiment, the invention provides a handheld vacuum cleaner including a housing with a handle and a suction source operable to generate an airflow through the handheld vacuum cleaner from a suction nozzle through a cyclonic separator to a clean air exhaust. The cyclonic separator includes a cylindrical wall having a first end and a second end, a first end wall located at the first end of the cylindrical wall, a dirty air inlet, and a clean air outlet in the first end wall. The cyclonic separator is in a horizontal orientation, and the first end wall of the cyclonic separator is openable.

Other aspects of the invention will become apparent by consideration of the detailed description and accompanying drawings.

**BRIEF DESCRIPTION OF THE DRAWINGS**

FIG. 1 is a perspective view of a handheld vacuum cleaner according to an embodiment of the invention.

FIG. 2 is an alternative perspective view of the vacuum cleaner of FIG. 1.

FIG. 3 is a cross-sectional view of the vacuum cleaner of FIG. 1 taken along lines 3-3 shown in FIG. 1.

**2**

FIG. 4 is a perspective view of a cyclonic separator of the vacuum cleaner of FIG. 1.

FIG. 5 is an alternative cross-sectional view of the vacuum cleaner of FIG. 1 taken along lines 5-5 shown in FIG. 1.

FIG. 6 is a cross-sectional view of a cyclonic separator of the vacuum cleaner.

Before any embodiments of the invention are explained in detail, it is to be understood that the invention is not limited in its application to the details of construction and the arrangement of components set forth in the following description or illustrated in the following drawings. The invention is capable of other embodiments and of being practiced or of being carried out in various ways.

**DETAILED DESCRIPTION**

FIGS. 1 and 2 illustrate a handheld vacuum cleaner 10. The vacuum cleaner 10 includes a housing 12, a handle 14, and a suction nozzle 16. The housing 12 includes a front end 18, a back end 20, a first side 22, and a second side 24. The suction nozzle 16 is located at the front end 18 of the housing 12. The handle 14 may be located at the top of the housing 12, and in some embodiments, the handle 14 defines a longitudinal axis 26 that extends generally in a front-to-back direction along the housing 12. Other handle arrangements may be configured as desired for the application.

Referring to FIGS. 3-5, the vacuum cleaner 10 further includes a suction source 28, a cyclonic separator 30, and a dirt collection chamber 32. The suction source 28 is located in the housing 12 and includes a motor 34 and a fan 36 operable to generate a suction airflow through the vacuum cleaner that is drawn from the suction nozzle 16 through the cyclonic separator 30 to a clean air exhaust 82. The motor 34 includes a motor axis 38 (FIG. 3) and the motor 34 is operable to rotate the fan 36 about the motor axis 38. In the illustrated embodiment, the motor 34 and the fan 36 are orientated such that the motor axis 38 extends in a direction toward the first and second sides 22, 24 of the housing 12 and therefore, the motor axis 38 is generally horizontal when the vacuum 10 is in use. Alternatively, the motor axis may extend in a generally front-to-back direction along the housing. A premotor filter 40 is also located in the housing 12 in a filter chamber on or adjacent the first side of the housing and the filter 40 filters the airflow before traveling through the motor 34 and fan 36. The illustrated vacuum 10 includes a battery 42 that supplies power to the suction source 28 to operate the motor 34. Alternatively or additionally, the vacuum may include a power cord for supplying power from a household electrical outlet (not shown).

The cyclonic separator 30 includes a cylindrical wall 44, a first end wall 46, and a second end wall 48. The cylindrical wall 44 includes a first end 50 and a second end 52. The first end wall 46 is located at the first end 50 of the cylindrical wall 44. In one embodiment, the first end wall 46 is removably coupled to the cylindrical wall 44 so that the cyclonic separator 30 can be cleaned, which will be discussed in more detail below. The second end wall 48 is located at the second end 52 of the cylindrical wall 44. As shown in the illustrated embodiment, the second end wall 48 is formed by a portion 54 of the second side 24 of the housing 12. Optionally, an access door may be provided on the second side 24 of the housing for access to the inside of the cyclone. The cyclonic separator 30 includes a longitudinal axis 58 (FIG. 3) that is along or surrounded by the cylindrical wall 44. The axis 58 extends in a direction toward the first and second sides 22, 24 of the housing 12. In the

illustrated embodiment, the longitudinal axis **58** of the cyclonic separator **30** is approximately parallel to the motor axis **38** and therefore, the cyclonic separator **50** is also in a generally horizontal orientation.

As used in the present description and claims, a generally horizontal orientation means an orientation that is tilted over such that it is not vertical or upright. The generally horizontal orientation includes in various embodiments that are approximately parallel to the ground or floor, as well as orientations that are not parallel to the ground or floor but being generally more laying over than upright, i.e. being tilted more than about 45 degrees. In the illustrated embodiment, the suction source is adjacent the cyclonic separator in generally a side-by-side arrangement. In other embodiments (not shown), the motor axis may extend in a generally front-to-back direction along the housing such that the motor axis is generally perpendicular to the longitudinal axis of the cyclonic separator.

The cyclonic separator **30** further includes a dirty air inlet **60**, a clean air outlet **62**, and a debris outlet **64**. The dirty air inlet **60** is adjacent the first end **50** of the cylindrical wall **44** and extends through the cylindrical wall **44**. The clean air outlet **62** is also adjacent the first end **50** of the cylindrical wall **44**. More specifically, in the illustrated embodiment, the clean air outlet **62** is formed in the first end wall **46**. The illustrated cyclonic separator **30** includes a perforated tube **66** located within the cylindrical wall **44** that forms the clean air outlet **62**. The perforated tube **66** extends from the first end wall **46**. The perforated tube **70** may be perforated using holes, slots, screen, mesh, or other perforation. In the illustrated embodiment, an airflow passageway **80** (i.e., duct) (FIG. **3**) is positioned along the first side **22** of the housing **12** from the clean air outlet **62** to the filter chamber. In other words, the passageway **80** fluidly communicates the clean air outlet **62** with the premotor filter **40**. The debris outlet **64** is adjacent the second end **52** of the cylindrical wall **44** between the second end **52** of the wall **44** and the second end wall **48**. In the illustrated embodiment, the wall **44** includes a notch **68** that partially defines the debris outlet **64**.

The vacuum cleaner **10** further includes the dirt collection chamber **32** located within the housing **12** and in fluid communication with the debris outlet **64** of the cyclonic separator **30**. The dirt collection chamber **32** is generally located adjacent the cyclonic separator **30** and may be in front of the suction source **28**. In the illustrated embodiment, the dirt collection chamber **32** is adjacent the suction source, and may be positioned so that the dirt collection chamber **32** does not extend between the first end wall **46** and the first side **22**. Additionally, in the embodiment shown in FIG. **5**, the cyclone separator is positioned in the housing such that the debris collection chamber is bounded by the separator so that air does not circulate around the outside diameter of the cyclone. A dirt collector door **72** is removably coupled to the housing to facilitate emptying the debris collection chamber **32**.

Referring to the embodiment in FIGS. **2** and **3**, the housing **12** may further include an aperture **74** located on the first side **22** of the housing **12**. A door **76** is coupled to the first side **22** of the housing **12** to cover the aperture **74**. The door **76** can be opened by the user to permit access to the suction source **28** and premotor filter **40**. Optionally, the door **76** can be opened to permit access the cyclonic separator **30**. In other embodiments, a first door may be provided to access the premotor filter **40** and a second door may be provided to permit access to the cyclonic separator **30** and the aperture **74**. In the illustrated embodiment, at least a portion of the door **76** defines the duct **80** that provides fluid

communication between the cyclonic separator **30** and the filter chamber and the suction source **28**.

In one embodiment, referring to FIGS. **4-6**, the housing **12** includes an inlet aperture **84** through the housing wall and the dirty air inlet **60** includes a passageway **86** between the inlet aperture **84** and the cylindrical wall **44** (FIG. **6**). The cyclonic separator **30** has a seal **88** positioned between the passageway **86** and the housing **12** around the inlet aperture **84** on an inside surface of the housing **12**. The seal **88** may be attached to the cyclonic separator **30** or the seal **88** may be attached to the wall of the housing **12**. In another embodiment, the seal **88** seals the interface between the passageway **86** and an inlet duct **78** that is between the suction nozzle **16** and the passageway **86**.

In operation, the power cord or battery **42** provides power to the motor **34** to rotate the fan **36** to generate a suction airflow that is drawn through the suction nozzle **16** along with debris. The airflow, entrained with debris, travels along the inlet duct **78** to the dirty air inlet **60** of the cyclonic separator **30**. The airflow and debris travel into the cylindrical wall **44** where the airflow and debris rotate about the longitudinal axis **58**. Rotation of the airflow and debris causes the debris to separate from the airflow and the debris is discharged over the cylindrical wall **44** through debris outlet **64**. The separated debris falls into the debris collection chamber **32**. The clean air travels through the perforated tube **66** forming the clean air outlet **62** of the cyclonic separator **30**. The clean airflow then travels through the duct **80** formed by the door **76** to the suction source **28**. The airflow travels through the premotor filter **40** before traveling through the suction source **28**. After traveling through the suction source **28**, the airflow is exhausted from the vacuum cleaner **10** through exhaust openings **82** in the second side **24** of the housing **12**.

After using the vacuum **10**, the user can open the dirt collector door **72** to empty the debris collection chamber **32**. After several uses, debris may collect on the perforated tube **66** and within the cylindrical wall **44**. If so, the user can open the door **76** and remove the first end wall **46** and perforated tube **66** from the cylindrical wall **44** through the aperture **74**. This allows the user to clean the perforated tube **66** and inside the wall **44**. Opening the door **76** also provides the user access to the premotor filter **40** and the passageway **80**, such that the user can clean or replace the premotor filter **40**.

Various features and advantages of the invention are set forth in the following claims.

What is claimed is:

1. A handheld vacuum cleaner comprising:
  - a housing having a front end, a back end, a top side, a bottom side, a first side, and a second side;
  - a handle, the handle including an end and a longitudinal axis that extends through the end of the handle;
  - a suction nozzle located at the front end of the housing, the suction nozzle extends in a direction from the front end toward the back end;
  - a cyclonic separator having a longitudinal axis;
  - a clean air exhaust;
  - a suction source located in the housing, the suction source including a motor and a fan, the motor operable to rotate the fan about a motor axis that extends in a direction from the first side toward the second side, the suction source operable to generate an airflow through the vacuum cleaner from the suction nozzle through the cyclonic separator to rotate the airflow about the longitudinal axis of the cyclonic separator and to the clean air exhaust; and

## 5

a battery that supplies power to the suction source, the battery located adjacent the end of the handle; and wherein the battery extends between the end of the handle and the suction source.

2. The handheld vacuum cleaner of claim 1, wherein the handle extends between the battery and the cyclonic separator.

3. The handheld vacuum cleaner of claim 1, further comprising a handle aperture at least partially defined by the handle and the housing.

4. The handheld vacuum cleaner of claim 3, wherein the handle aperture is between the handle and the suction source.

5. The handheld vacuum cleaner of claim 3, wherein the suction source is between the aperture and the bottom side of the housing.

6. The handheld vacuum cleaner of claim 1, wherein the cyclonic separator is between the suction nozzle at the front end and the suction source.

7. The handheld vacuum cleaner of claim 1, wherein the battery is removably coupled to the housing.

8. The handheld vacuum cleaner of claim 1, wherein the cyclonic separator is adjacent to the motor in a generally side-by-side arrangement.

9. The handheld vacuum cleaner of claim 1, wherein the cyclonic separator includes a longitudinal axis that extends in a direction from the first side toward the second side.

10. The handheld vacuum cleaner of claim 1, wherein the handle extends from the battery to the cyclonic separator around the suction source to define a handle aperture between the handle and the suction source.

11. The handheld vacuum cleaner of claim 1, wherein the suction nozzle extends in a direction from the front end toward the back end that intersects the longitudinal axis of the handle.

12. A handheld vacuum cleaner comprising:

a housing having a front end, a back end, a top side, a bottom side, a first side, and a second side;

a handle, the handle including an end and a longitudinal axis that extends through the end of the handle;

a suction nozzle located at the front end of the housing, the suction nozzle extends in a direction from the front end toward the back end;

a cyclonic separator having a longitudinal axis;

a clean air exhaust;

a suction source located in the housing, the suction source including a motor and a fan, the motor operable to rotate the fan about a motor axis that extends in a

## 6

direction from the first side toward the second side, the suction source operable to generate an airflow through the vacuum cleaner from the suction nozzle through the cyclonic separator to rotate the airflow about the longitudinal axis of the cyclonic separator and to the clean air exhaust;

a battery that supplies power to the suction source, the battery located adjacent the end of the handle; and a handle aperture at least partially defined by the handle and the housing including the suction source.

13. The handheld vacuum cleaner of claim 12, wherein the handle aperture is between the cyclonic separator and the battery.

14. The handheld vacuum cleaner of claim 13, wherein the handle extends from the battery to the cyclonic separator around the suction source to define a handle aperture between the handle and the suction source.

15. The handheld vacuum cleaner of claim 13, wherein the suction nozzle extends in a direction from the front end toward the back end that intersects the longitudinal axis of the handle.

16. The handheld vacuum cleaner of claim 13, wherein the battery is removably coupled to the housing.

17. The handheld vacuum cleaner of claim 12, wherein the handle aperture is between the handle and the suction source.

18. The handheld vacuum cleaner of claim 12, wherein the suction source is between the handle aperture and the bottom side of the housing.

19. The handheld vacuum cleaner of claim 12, wherein the cyclonic separator is between the suction nozzle at the front end and the suction source.

20. The handheld vacuum cleaner of claim 12, wherein the suction source is between the handle aperture and the bottom side of the housing and adjacent the cyclonic separator and the battery.

21. The handheld vacuum cleaner of claim 12, wherein the cyclonic separator is adjacent to the motor in a generally side-by-side arrangement.

22. The handheld vacuum cleaner of claim 12, wherein the cyclonic separator includes a longitudinal axis that extends in a direction from the first side toward the second side.

23. The handheld vacuum cleaner of claim 12, wherein the handle extends between the battery and the cyclonic separator.

\* \* \* \* \*