



US011782977B2

(12) **United States Patent**
Lin et al.

(10) **Patent No.:** **US 11,782,977 B2**
(45) **Date of Patent:** **Oct. 10, 2023**

(54) **WEBPAGE MEDIA PLAYBACK**
(71) Applicant: **Sonos, Inc.**, Santa Barbara, CA (US)
(72) Inventors: **Ted M. Lin**, Ayer, MA (US); **Eric M. Bass**, Leominster, MA (US)
(73) Assignee: **Sonos, Inc.**, Santa Barbara, CA (US)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 93 days.

(56) **References Cited**
U.S. PATENT DOCUMENTS
4,296,278 A 10/1981 Cullison et al.
4,816,989 A 3/1989 Finn et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 1818901 A 8/2006
CN 101410773 A 4/2009
(Continued)

(21) Appl. No.: **17/006,972**

OTHER PUBLICATIONS

(22) Filed: **Aug. 31, 2020**

Advisory Action dated Feb. 1, 2017, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 6 pages.
(Continued)

(65) **Prior Publication Data**
US 2021/0224317 A1 Jul. 22, 2021

Primary Examiner — William L Bashore
Assistant Examiner — Gregory A Distefano
(74) *Attorney, Agent, or Firm* — Fortem IP LLP; Benjamin Urban

Related U.S. Application Data

(63) Continuation of application No. 15/612,126, filed on Jun. 2, 2017, now Pat. No. 10,762,129, which is a
(Continued)


(57) **ABSTRACT**

Examples described herein involve facilitating playback of media content via a webpage. An example implementation involves a computing device: identifying one or more playback zones including at least one respective playback device; transmitting, via a web browser, a webpage request; receiving a webpage that includes a link to a media item; modifying the received webpage to include a representation associated with the link; causing, via the web browser, display of the modified webpage; responsive to a selection of the representation, causing display of the option; and responsive to a selection of the option, causing display of a list of the one or more playback zones, wherein at least one playback zone of the one or more playback zones is selectable to cause the media item to be added to the playback queue associated with the at least one playback zone.

(51) **Int. Cl.**
G06F 16/638 (2019.01)
G06F 3/0481 (2022.01)
(Continued)
(52) **U.S. Cl.**
CPC **G06F 16/638** (2019.01); **G06F 3/0481** (2013.01); **G06F 3/0482** (2013.01);
(Continued)
(58) **Field of Classification Search**
CPC G06F 17/30056; G06F 17/30772; G06F 17/3005; G06F 17/30769; H04N 21/43615

See application file for complete search history.

20 Claims, 6 Drawing Sheets



Related U.S. Application Data

continuation of application No. 14/197,403, filed on Mar. 5, 2014, now Pat. No. 9,679,054.

- (51) **Int. Cl.**
G06F 3/0482 (2013.01)
G06F 16/438 (2019.01)
H04N 21/436 (2011.01)
- (52) **U.S. Cl.**
 CPC *G06F 16/438* (2019.01); *G06F 16/4393* (2019.01); *G06F 16/639* (2019.01); *H04N 21/43615* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,182,552 A 1/1993 Paynting
 5,239,458 A 8/1993 Suzuki
 5,299,266 A 3/1994 Lumsden
 5,406,634 A 4/1995 Anderson et al.
 5,440,644 A 8/1995 Farinelli et al.
 5,467,342 A 11/1995 Logston et al.
 5,491,839 A 2/1996 Schotz
 5,553,222 A 9/1996 Milne et al.
 5,563,946 A 10/1996 Cooper et al.
 5,668,884 A 9/1997 Clair, Jr. et al.
 5,673,323 A 9/1997 Schotz et al.
 5,751,819 A 5/1998 Dorrough
 5,761,320 A 6/1998 Farinelli et al.
 5,774,666 A 6/1998 Portuesi
 5,808,662 A 9/1998 Kinney et al.
 5,815,689 A 9/1998 Shaw et al.
 5,856,827 A 1/1999 Sudo
 5,867,691 A 2/1999 Shiraishi
 5,875,354 A 2/1999 Charlton et al.
 5,887,143 A 3/1999 Saito et al.
 5,923,902 A 7/1999 Nagaki
 5,946,343 A 8/1999 Schotz et al.
 5,956,088 A 9/1999 Shen et al.
 6,002,862 A 12/1999 Takaike
 6,009,457 A 12/1999 Moller
 6,026,150 A 2/2000 Frank et al.
 6,031,818 A 2/2000 Lo et al.
 6,032,202 A 2/2000 Lea et al.
 6,108,686 A 8/2000 Williams, Jr.
 6,128,318 A 10/2000 Sato
 6,157,957 A 12/2000 Berthaud
 6,175,872 B1 1/2001 Neumann et al.
 6,181,316 B1 1/2001 Little et al.
 6,185,737 B1 2/2001 Northcutt et al.
 6,195,436 B1 2/2001 Scibora et al.
 6,199,169 B1 3/2001 Voth
 6,255,961 B1 7/2001 Van Ryzin et al.
 6,256,554 B1 7/2001 DiLorenzo
 6,308,207 B1 10/2001 Tseng et al.
 6,324,586 B1 11/2001 Johnson
 6,332,147 B1 12/2001 Moran et al.
 6,349,339 B1 2/2002 Williams
 6,351,821 B1 2/2002 Voth
 6,404,811 B1 6/2002 Cvetko et al.
 6,430,353 B1 8/2002 Honda et al.
 6,469,633 B1 10/2002 Wachter et al.
 6,487,296 B1 11/2002 Allen et al.
 6,522,886 B1 2/2003 Youngs et al.
 6,526,325 B1 2/2003 Sussman et al.
 6,587,127 B1 7/2003 Leeke et al.
 6,594,691 B1 7/2003 McCollum et al.
 6,598,172 B1 7/2003 Vandeusen et al.
 6,611,537 B1 8/2003 Edens et al.
 6,631,410 B1 10/2003 Kowalski et al.
 6,674,803 B1 1/2004 Kesselring
 6,728,531 B1 4/2004 Lee et al.
 6,732,155 B2 5/2004 Meek
 6,757,517 B2 6/2004 Chang
 6,778,869 B2 8/2004 Champion

6,826,283 B1 11/2004 Wheeler et al.
 6,836,788 B2 12/2004 Kim et al.
 6,898,642 B2 5/2005 Chaffle et al.
 6,912,610 B2 6/2005 Spencer
 6,920,373 B2 7/2005 Xi et al.
 6,934,766 B1 8/2005 Russell
 6,985,694 B1 1/2006 De Bonet et al.
 7,007,106 B1 2/2006 Flood et al.
 7,017,118 B1 3/2006 Carroll
 7,020,048 B2 3/2006 McComas
 7,020,791 B1 3/2006 Aweya et al.
 7,043,651 B2 5/2006 Aweya et al.
 7,047,308 B2 5/2006 Deshpande
 7,113,833 B1 9/2006 Brown et al.
 7,113,999 B2 9/2006 Pestoni et al.
 7,115,017 B1 10/2006 Laursen et al.
 7,117,451 B2 10/2006 Sielken
 7,124,125 B2 10/2006 Cook et al.
 7,130,608 B2 10/2006 Hollstrom et al.
 7,130,616 B2 10/2006 Janik
 7,143,141 B1 11/2006 Morgan et al.
 7,143,939 B2 12/2006 Henzerling
 7,162,315 B2 1/2007 Gilbert
 7,185,090 B2 2/2007 Kowalski et al.
 7,187,947 B1 3/2007 White et al.
 7,206,367 B1 4/2007 Moore
 7,209,795 B2 4/2007 Sullivan et al.
 7,218,708 B2 5/2007 Berezowski et al.
 7,236,739 B2 6/2007 Chang
 7,236,773 B2 6/2007 Thomas
 7,281,034 B1 10/2007 Eyal
 7,293,060 B2 11/2007 Komsu
 7,295,548 B2 11/2007 Blank et al.
 7,302,468 B2 11/2007 Wijeratne
 7,312,785 B2 12/2007 Tsuk et al.
 7,324,857 B2 1/2008 Goddard
 7,333,519 B2 2/2008 Sullivan et al.
 7,358,960 B2 4/2008 Mak
 7,372,846 B2 5/2008 Zwack
 7,391,791 B2 6/2008 Balassanian et al.
 7,392,102 B2 6/2008 Sullivan et al.
 7,483,538 B2 1/2009 McCarty et al.
 7,483,958 B1 1/2009 Elabbady et al.
 7,496,623 B2 2/2009 Szeto et al.
 7,496,633 B2 2/2009 Szeto et al.
 7,571,014 B1 8/2009 Lambourne et al.
 7,574,274 B2 8/2009 Holmes
 7,599,685 B2 10/2009 Goldberg et al.
 7,630,501 B2 12/2009 Blank et al.
 7,643,894 B2 1/2010 Braithwaite et al.
 7,657,224 B2 2/2010 Goldberg et al.
 7,657,644 B1 2/2010 Zheng
 7,657,910 B1 2/2010 McAulay et al.
 7,668,990 B2 2/2010 Krzyzanowski et al.
 7,669,219 B2 2/2010 Scott et al.
 7,675,943 B2 3/2010 Mosig et al.
 7,676,142 B1 3/2010 Hung
 7,702,279 B2 4/2010 Ko et al.
 7,720,096 B2 5/2010 Klemets
 7,725,533 B2 5/2010 Szeto et al.
 7,725,551 B2 5/2010 Szeto et al.
 7,739,271 B2 6/2010 Cook et al.
 7,742,740 B2 6/2010 Goldberg et al.
 7,788,138 B2 8/2010 Viehmann et al.
 7,805,682 B1 9/2010 Lambourne
 7,835,689 B2 11/2010 Goldberg et al.
 7,853,341 B2 12/2010 McCarty et al.
 7,865,137 B2 1/2011 Goldberg et al.
 7,885,622 B2 2/2011 Krampf et al.
 7,916,877 B2 3/2011 Goldberg et al.
 7,917,082 B2 3/2011 Goldberg et al.
 7,921,369 B2 4/2011 Bill
 7,934,239 B1 4/2011 Dagman
 7,987,294 B2 7/2011 Bryce et al.
 7,996,566 B1 8/2011 Sylvain et al.
 8,014,423 B2 9/2011 Thaler et al.
 8,023,663 B2 9/2011 Goldberg
 8,028,038 B2 9/2011 Weel
 8,028,323 B2 9/2011 Weel

(56)

References Cited

U.S. PATENT DOCUMENTS

8,045,952 B2	10/2011	Qureshey et al.	2002/0056117 A1	5/2002	Hasegawa et al.
8,050,652 B2	11/2011	Qureshey et al.	2002/0065926 A1	5/2002	Hackney et al.
8,074,253 B1	12/2011	Nathan	2002/0072816 A1	6/2002	Shdema et al.
8,086,752 B2	12/2011	Millington et al.	2002/0073228 A1	6/2002	Cognet et al.
8,103,009 B2	1/2012	McCarty et al.	2002/0090914 A1	7/2002	Kang et al.
8,112,032 B2	2/2012	Ko et al.	2002/0093478 A1	7/2002	Yeh
8,131,390 B2	3/2012	Braithwaite et al.	2002/0109710 A1	8/2002	Holtz et al.
8,169,938 B2	5/2012	Duchscher et al.	2002/0112244 A1	8/2002	Liou et al.
8,200,602 B2	6/2012	Farrelly	2002/0116476 A1	8/2002	Eyal et al.
8,214,873 B2	7/2012	Weel	2002/0124097 A1	9/2002	Isely et al.
8,230,099 B2	7/2012	Weel	2002/0129156 A1	9/2002	Yoshikawa
8,234,395 B2	7/2012	Millington	2002/0143998 A1	10/2002	Rajagopal et al.
8,271,115 B2	9/2012	Yoshida	2002/0163361 A1	11/2002	Parkin
8,290,603 B1	10/2012	Ambourne	2002/0165921 A1	11/2002	Sapieyevski
8,315,555 B2	11/2012	Ko et al.	2002/0178191 A1	11/2002	Sielken
8,370,678 B2	2/2013	Millington et al.	2002/0188762 A1	12/2002	Tomassetti et al.
8,423,659 B2	4/2013	Millington	2003/0002609 A1	1/2003	Faller et al.
8,483,853 B1	7/2013	Ambourne	2003/0020763 A1	1/2003	Mayer et al.
8,521,316 B2	8/2013	Louboutin	2003/0023741 A1	1/2003	Tomassetti et al.
8,588,949 B2	11/2013	Ambourne et al.	2003/0035444 A1	2/2003	Zwack
8,613,385 B1	12/2013	Hulet et al.	2003/0041173 A1	2/2003	Hoyle
8,666,826 B2	3/2014	Narayanan et al.	2003/0041174 A1	2/2003	Wen et al.
8,775,546 B2	7/2014	Millington	2003/0043924 A1	3/2003	Haddad et al.
8,826,135 B1	9/2014	Durham et al.	2003/0066094 A1	4/2003	Van Der Schaar et al.
8,843,500 B2	9/2014	Nogues et al.	2003/0088875 A1	5/2003	Gay et al.
8,892,648 B1	11/2014	Durham et al.	2003/0099212 A1	5/2003	Anjum et al.
8,910,265 B2	12/2014	Lang et al.	2003/0099221 A1	5/2003	Rhee
8,942,252 B2	1/2015	Balassanian et al.	2003/0105820 A1	6/2003	Haims et al.
8,990,701 B2	3/2015	Olofsson	2003/0126211 A1	7/2003	Anttila et al.
9,052,810 B2	6/2015	Reimann et al.	2003/0157951 A1	8/2003	Hasty
9,137,564 B2	9/2015	Reimann	2003/0195964 A1	10/2003	Mane
9,165,255 B1	10/2015	Shetty et al.	2003/0198257 A1	10/2003	Sullivan et al.
9,229,938 B1	1/2016	Jaini et al.	2003/0210796 A1	11/2003	McCarty et al.
9,246,866 B1	1/2016	Sanders	2003/0220973 A1	11/2003	Zhu et al.
9,247,363 B2	1/2016	Triplett et al.	2003/0231871 A1	12/2003	Ushimaru
9,286,384 B2	3/2016	Kuper et al.	2003/0235304 A1	12/2003	Evans et al.
9,344,292 B2	5/2016	Griffiths et al.	2004/0001484 A1	1/2004	Ozguner
9,374,607 B2	6/2016	Bates et al.	2004/0001591 A1	1/2004	Mani et al.
9,411,809 B1	8/2016	Sabbavarapu et al.	2004/0008852 A1	1/2004	Also et al.
9,478,247 B2	10/2016	Chen et al.	2004/0010727 A1	1/2004	Fujinami
9,489,383 B2	11/2016	Hyman et al.	2004/0015252 A1	1/2004	Aiso et al.
9,510,055 B2	11/2016	Kuper et al.	2004/0024478 A1	2/2004	Hans et al.
9,524,338 B2	12/2016	Van Der Heide et al.	2004/0024925 A1	2/2004	Cypher et al.
9,654,821 B2	5/2017	Coburn, IV et al.	2004/0025185 A1	2/2004	Goci et al.
9,665,339 B2	5/2017	Reimann et al.	2004/0027166 A1	2/2004	Mangum et al.
9,674,587 B2	6/2017	Triplett et al.	2004/0032348 A1	2/2004	Lai et al.
9,680,960 B2	6/2017	Chen et al.	2004/0066736 A1	4/2004	Kroeger
9,696,874 B2	7/2017	Kulick et al.	2004/0075767 A1	4/2004	Neuman et al.
9,703,521 B2	7/2017	Kumar et al.	2004/0078383 A1	4/2004	Mercer et al.
9,715,500 B2	7/2017	Cue et al.	2004/0078812 A1	4/2004	Calvert
9,727,219 B2	8/2017	Kumar et al.	2004/0088328 A1	5/2004	Cook et al.
9,756,092 B2	9/2017	Zhang et al.	2004/0131192 A1	7/2004	Metcalf
9,892,118 B2	2/2018	Kumar et al.	2004/0170383 A1	9/2004	Mazur
9,942,335 B2	4/2018	Schneider et al.	2004/0203378 A1	10/2004	Powers
9,977,561 B2	5/2018	Bates et al.	2004/0215611 A1	10/2004	Jawa et al.
10,032,233 B2	7/2018	Papakipos et al.	2004/0249965 A1	12/2004	Huggins et al.
10,129,599 B2	11/2018	Van Der Heide	2004/0249982 A1	12/2004	Arnold et al.
10,157,033 B2	12/2018	Millington	2004/0252400 A1	12/2004	Blank et al.
10,275,135 B2	4/2019	Coburn, IV et al.	2004/0261040 A1	12/2004	Radcliffe et al.
10,296,884 B2	5/2019	Lang et al.	2005/0010691 A1	1/2005	Oyadomari et al.
10,469,897 B2	11/2019	Reimann et al.	2005/0013394 A1	1/2005	Rausch et al.
10,683,352 B1	6/2020	Kahvejian et al.	2005/0021590 A1	1/2005	Debique et al.
2001/0009604 A1	7/2001	Ando et al.	2005/0047605 A1	3/2005	Lee et al.
2001/0022823 A1	9/2001	Renaud	2005/0055716 A1*	3/2005	Louie H04N 21/41265 725/63
2001/0032188 A1	10/2001	Miyabe et al.	2005/0058149 A1	3/2005	Howe
2001/0042107 A1	11/2001	Palm	2005/0081213 A1	4/2005	Suzuoki et al.
2002/0002039 A1	1/2002	Qureshey et al.	2005/0108320 A1	5/2005	Lord et al.
2002/0002562 A1	1/2002	Moran et al.	2005/0114538 A1	5/2005	Rose
2002/0003548 A1	1/2002	Krusche et al.	2005/0125357 A1	6/2005	Saadat et al.
2002/0022453 A1	2/2002	Balog et al.	2005/0155072 A1	7/2005	Kaczowka et al.
2002/0026442 A1	2/2002	Lipscomb et al.	2005/0166157 A1	7/2005	Ollis et al.
2002/0034374 A1	3/2002	Barton	2005/0166258 A1	7/2005	Vasilevsky et al.
2002/0042844 A1	4/2002	Chiazese	2005/0177643 A1	8/2005	Xu
2002/0049843 A1	4/2002	Barone et al.	2005/0181348 A1	8/2005	Carey et al.
2002/0054134 A1	5/2002	Kelts et al.	2005/0195205 A1	9/2005	Abrams, Jr.
			2005/0201254 A1	9/2005	Looney et al.
			2005/0234875 A1	10/2005	Auerbach et al.
			2005/0281255 A1	12/2005	Davies et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0283820	A1	12/2005	Richards et al.	2010/0017366	A1	1/2010	Robertson et al.
2005/0288805	A1	12/2005	Moore et al.	2010/0017714	A1	1/2010	Agarwal et al.
2005/0289224	A1	12/2005	Deslippe et al.	2010/0023578	A1	1/2010	Brant et al.
2006/0095516	A1	5/2006	Wijeratne	2010/0031366	A1	2/2010	Knight et al.
2006/0107237	A1	5/2006	Kim	2010/0036950	A1	2/2010	Bae et al.
2006/0119497	A1	6/2006	Miller et al.	2010/0049835	A1	2/2010	Ko et al.
2006/0143236	A1	6/2006	Wu	2010/0054275	A1	3/2010	Noonan et al.
2006/0168340	A1	7/2006	Heller et al.	2010/0082731	A1	4/2010	Haughay et al.
2006/0195462	A1	8/2006	Rogers	2010/0094834	A1	4/2010	Svendsen et al.
2006/0195479	A1	8/2006	Spiegelman et al.	2010/0095332	A1	4/2010	Gran et al.
2006/0195480	A1	8/2006	Spiegelman et al.	2010/0131567	A1	5/2010	Dorogusker et al.
2006/0248557	A1*	11/2006	Stark H04N 21/4858 725/74	2010/0162324	A1	6/2010	Mehta et al.
2006/0253436	A1	11/2006	Cook et al.	2010/0205222	A1	8/2010	Gajdos et al.
2006/0253782	A1	11/2006	Stark et al.	2010/0228740	A1	9/2010	Cannistraro et al.
2006/0294074	A1	12/2006	Chang	2010/0235520	A1	9/2010	Attanasio et al.
2007/0033402	A1	2/2007	Williams et al.	2010/0262909	A1	10/2010	Hsieh
2007/0038999	A1	2/2007	Millington	2010/0284389	A1	11/2010	Ramsay et al.
2007/0043847	A1	2/2007	Carter et al.	2010/0299391	A1	11/2010	Demarta et al.
2007/0048713	A1	3/2007	Plastina et al.	2010/0299639	A1	11/2010	Ramsay et al.
2007/0049256	A1	3/2007	Wassingbo	2010/0318917	A1	12/2010	Holladay et al.
2007/0054680	A1	3/2007	Mo et al.	2010/0325218	A1	12/2010	Castro et al.
2007/0088747	A1	4/2007	Cheng et al.	2010/0332326	A1	12/2010	Ishai
2007/0136778	A1	6/2007	Birger et al.	2011/0004330	A1	1/2011	Rothkopf et al.
2007/0142022	A1	6/2007	Madonna et al.	2011/0041080	A1	2/2011	Fleischman et al.
2007/0142944	A1	6/2007	Goldberg et al.	2011/0066941	A1	3/2011	Chipchase et al.
2007/0143493	A1	6/2007	Mullig et al.	2011/0066943	A1	3/2011	Brillon et al.
2007/0156883	A1	7/2007	Thompson et al.	2011/0087842	A1	4/2011	Lu et al.
2007/0169115	A1	7/2007	Ko et al.	2011/0119706	A1	5/2011	Scott et al.
2007/0180137	A1	8/2007	Rajapakse	2011/0154173	A1	6/2011	Herlein
2007/0214182	A1	9/2007	Rosenberg	2011/0196888	A1	8/2011	Hanson et al.
2007/0224937	A1	9/2007	Jung et al.	2011/0202430	A1	8/2011	Narayanan et al.
2007/0271232	A1	11/2007	Mattox et al.	2011/0202842	A1	8/2011	Weatherly et al.
2007/0271388	A1	11/2007	Bowra et al.	2011/0211534	A1	9/2011	Schmidt et al.
2007/0288470	A1	12/2007	Kauniskangas et al.	2011/0225417	A1	9/2011	Maharajh et al.
2007/0294131	A1	12/2007	Roman et al.	2011/0238755	A1	9/2011	Khan et al.
2007/0299778	A1	12/2007	Haveson et al.	2011/0246383	A1	10/2011	Gibson et al.
2008/0005690	A1	1/2008	Van Vugt	2011/0264732	A1	10/2011	Robbin et al.
2008/0016465	A1	1/2008	Foxenland	2011/0314388	A1	12/2011	Wheatley
2008/0022320	A1	1/2008	Ver Steeg	2012/0029671	A1	2/2012	Millington et al.
2008/0052371	A1	2/2008	Partovi et al.	2012/0030366	A1	2/2012	Collart et al.
2008/0059510	A1	3/2008	Cardamore et al.	2012/0054278	A1	3/2012	Taleb et al.
2008/0077261	A1	3/2008	Baudino et al.	2012/0059495	A1	3/2012	Weiss et al.
2008/0086368	A1	4/2008	Bauman et al.	2012/0060046	A1	3/2012	Millington
2008/0086379	A1*	4/2008	Dion G06Q 30/0235 705/14.1	2012/0071996	A1	3/2012	Svendsen
2008/0091771	A1	4/2008	Allen et al.	2012/0096526	A1	4/2012	Brahmanapalli et al.
2008/0109529	A1	5/2008	Story	2012/0112986	A1	5/2012	McCoy et al.
2008/0120429	A1	5/2008	Millington et al.	2012/0117168	A1	5/2012	Sugiyama et al.
2008/0144861	A1	6/2008	Melanson et al.	2012/0117185	A1	5/2012	Cassidy
2008/0152165	A1	6/2008	Zacchi	2012/0117586	A1	5/2012	McCoy et al.
2008/0154959	A1	6/2008	Dunko	2012/0124176	A1	5/2012	Curtis et al.
2008/0194276	A1	8/2008	Lin et al.	2012/0129446	A1	5/2012	Ko et al.
2008/0301280	A1	12/2008	Chasen et al.	2012/0151320	A1	6/2012	McClements, IV
2008/0319833	A1	12/2008	Svendsen	2012/0158531	A1	6/2012	Dion et al.
2009/0005893	A1	1/2009	Sugii et al.	2012/0159393	A1	6/2012	Sethi et al.
2009/0031336	A1	1/2009	Chavez et al.	2012/0206623	A1	8/2012	Nakama
2009/0041423	A1	2/2009	Weber et al.	2012/0210205	A1	8/2012	Sherwood et al.
2009/0063414	A1	3/2009	White et al.	2012/0210377	A1	8/2012	Wong et al.
2009/0076881	A1	3/2009	Svendsen	2012/0221951	A1	8/2012	Kidron
2009/0076917	A1	3/2009	Jablokov et al.	2012/0233067	A1	9/2012	Matthew et al.
2009/0083117	A1	3/2009	Svendsen et al.	2012/0233639	A1	9/2012	Zott et al.
2009/0133069	A1	5/2009	Conness et al.	2012/0272156	A1	10/2012	Kerger et al.
2009/0150806	A1	6/2009	Evje et al.	2012/0284423	A1	11/2012	Weel et al.
2009/0157905	A1	6/2009	Davis	2012/0311635	A1	12/2012	Mushkatblat et al.
2009/0175429	A1	7/2009	Cohen et al.	2012/0315884	A1	12/2012	Forutanpour et al.
2009/0179867	A1	7/2009	Shim et al.	2012/0331386	A1	12/2012	Hicken et al.
2009/0216855	A1	8/2009	Lang et al.	2013/0007617	A1	1/2013	Mackenzie et al.
2009/0222115	A1	9/2009	Malcolm et al.	2013/0024880	A1	1/2013	Moloney-Egnatios et al.
2009/0228919	A1	9/2009	Zott et al.	2013/0031162	A1	1/2013	Willis et al.
2009/0249222	A1	10/2009	Schmidt et al.	2013/0061296	A1	3/2013	Reddy et al.
2009/0265426	A1	10/2009	Svendsen et al.	2013/0070093	A1	3/2013	Rivera et al.
2009/0307062	A1	12/2009	Lutnick et al.	2013/0073584	A1	3/2013	Kuper et al.
2009/0313369	A1	12/2009	Wormington et al.	2013/0073979	A1	3/2013	Shepherd et al.
2010/0010648	A1	1/2010	Bull et al.	2013/0080599	A1	3/2013	Ko et al.
				2013/0080955	A1	3/2013	Reimann et al.
				2013/0081110	A1	3/2013	McGowan
				2013/0128038	A1	5/2013	Cok et al.
				2013/0129232	A1	5/2013	Cok et al.
				2013/0130729	A1	5/2013	Cok et al.
				2013/0159858	A1	6/2013	Joffray et al.

(56)

References Cited

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS

2013/0166649 A1 6/2013 Atzmon et al.
 2013/0173531 A1 7/2013 Rinearson et al.
 2013/0173794 A1 7/2013 Agerbak et al.
 2013/0174204 A1 7/2013 Coburn, IV et al.
 2013/0191454 A1 7/2013 Oliver et al.
 2013/0198633 A1 8/2013 Hyman
 2013/0221951 A1 8/2013 Anderson et al.
 2013/0246522 A1 9/2013 Bilinski et al.
 2013/0275611 A1* 10/2013 Somekh H04N 21/251
 709/231
 2013/0297686 A1 11/2013 Bilinski et al.
 2013/0310316 A1 11/2013 Hellstrom et al.
 2013/0339397 A1 12/2013 Herasymchuk
 2013/0339589 A1 12/2013 Qawami et al.
 2013/0343567 A1 12/2013 Triplett et al.
 2013/0346859 A1 12/2013 Bates et al.
 2014/0006483 A1 1/2014 Garmark et al.
 2014/0006947 A1* 1/2014 Garmark G06F 3/0484
 715/716
 2014/0025688 A1 1/2014 Andler et al.
 2014/0047074 A1 2/2014 Chung et al.
 2014/0052770 A1 2/2014 Gran et al.
 2014/0059431 A1 2/2014 Svendsen et al.
 2014/0067828 A1 3/2014 Archibong et al.
 2014/0067998 A1 3/2014 Garcia et al.
 2014/0075308 A1 3/2014 Sanders et al.
 2014/0075316 A1 3/2014 Li
 2014/0081796 A1 3/2014 Cohen
 2014/0093219 A1 4/2014 Trivedi
 2014/0108528 A1 4/2014 Papakipos et al.
 2014/0115061 A1 4/2014 Reddy et al.
 2014/0122590 A1 5/2014 Svendsen
 2014/0146982 A1 5/2014 Pelosi
 2014/0157300 A1* 6/2014 Childs H04N 21/4227
 725/116
 2014/0201197 A1 7/2014 Kumar et al.
 2014/0201632 A1 7/2014 Kunigita et al.
 2014/0204076 A1 7/2014 Kuper et al.
 2014/0208205 A1 7/2014 Bartholomew
 2014/0222830 A1 8/2014 Ringer et al.
 2014/0223099 A1 8/2014 Kidron
 2014/0237361 A1 8/2014 Martin et al.
 2014/0244863 A1 8/2014 Bradley et al.
 2014/0310058 A1 10/2014 Aral et al.
 2014/0310779 A1 10/2014 Lof et al.
 2014/0330951 A1 11/2014 Sukoff et al.
 2014/0337959 A1 11/2014 Garmark et al.
 2014/0341528 A1 11/2014 Mahate et al.
 2014/0359680 A1 12/2014 Shivadas et al.
 2015/0039620 A1 2/2015 Ning
 2015/0046458 A1 2/2015 Hu
 2015/0066892 A1 3/2015 Astore
 2015/0067054 A1 3/2015 Yoo et al.
 2015/0067871 A1 3/2015 Commons et al.
 2015/0074534 A1 3/2015 Didomenico et al.
 2015/0095680 A1 4/2015 Gossain et al.
 2015/0113058 A1 4/2015 Zhang et al.
 2015/0121220 A1 4/2015 Lee et al.
 2015/0128162 A1 5/2015 Ionescu et al.
 2015/0185599 A1 7/2015 Mullins
 2015/0186110 A1 7/2015 Kannan
 2015/0220498 A1 8/2015 Munoz et al.
 2015/0286360 A1 10/2015 Wachter
 2015/0331940 A1 11/2015 Manning
 2016/0063011 A1 3/2016 Wehbi et al.
 2016/0077710 A1 3/2016 Lewis et al.
 2016/0082348 A1 3/2016 Kehoe et al.
 2016/0147501 A1 5/2016 Gilbert
 2016/0180248 A1 6/2016 Regan
 2016/0253145 A1 9/2016 Lee et al.
 2017/0093943 A1 3/2017 Alsina et al.
 2017/0161119 A1 6/2017 Boyle et al.
 2017/0169522 A1 6/2017 Hyman et al.
 2017/0236512 A1 8/2017 Williams et al.

CN 101427316 A 5/2009
 CN 101714156 A 5/2010
 CN 101910992 A 12/2010
 CN 102450032 A 5/2012
 CN 102656898 A 9/2012
 CN 102947827 A 2/2013
 CN 104126309 A 10/2014
 EP 0251584 A2 1/1988
 EP 0672985 A1 9/1995
 EP 1111527 A2 6/2001
 EP 1389853 A1 2/2004
 JP 2004354721 A 12/2004
 JP 2007520808 A 7/2007
 JP 2009540638 A 11/2009
 JP 2010141748 A 6/2010
 JP 2011128957 6/2011
 JP 2011223124 A 11/2011
 KR 20010090215 10/2001
 KR 20050051785 6/2005
 KR 1020070040592 4/2007
 KR 20070048922 5/2007
 KR 100890993 3/2009
 KR 20100060498 A 6/2010
 KR 20100071724 6/2010
 KR 20100134164 12/2010
 KR 20110064635 6/2011
 KR 20130083012 A 7/2013
 NO 2005013047 A2 2/2005
 WO 199525313 9/1995
 WO 199961985 12/1999
 WO 200147248 6/2001
 WO 200153994 7/2001
 WO 02052540 A1 7/2002
 WO 2002052540 7/2002
 WO 2003093950 A2 11/2003
 WO 2005079071 A1 8/2005
 WO 2007023120 A1 3/2007
 WO 2010018429 A1 2/2010
 WO 2011100264 A3 11/2011
 WO 2011157891 A1 12/2011
 WO 2012050927 A2 4/2012
 WO 2012056326 A2 5/2012
 WO 2012106269 8/2012
 WO 2012170205 A1 12/2012
 WO 2013139239 A1 9/2013
 WO 2014004181 1/2014
 WO 2014116693 A1 7/2014
 WO 2014145746 9/2014

OTHER PUBLICATIONS

Advisory Action dated Feb. 3, 2017, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 5 pages.
 Advisory Action dated Sep. 11, 2019, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 3 pages.
 Advisory Action dated Jul. 12, 2016, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 5 pages.
 Advisory Action dated Mar. 19, 2019, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 3 pages.
 Advisory Action dated Oct. 21, 2019, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 4 pages.
 Advisory Action dated Aug. 22, 2017, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 4 pages.
 Advisory Action dated Nov. 25, 2019, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 5 pages.
 Advisory Action dated Oct. 25, 2019, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 4 pages.
 Advisory Action dated May 29, 2020, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 2 pages.
 Advisory Action dated Mar. 8, 2021, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 3 pages.
 Akyildiz et al., "Multimedia Group Synchronization Protocols for Integrated Services Networks," IEEE Journal on Selected Areas in Communications, 1996 pp. 162-173, vol. 14, No. 1.

(56)

References Cited

OTHER PUBLICATIONS

Anonymous: "Email Parser Tool—customizable email parsing software by ITG," May 17, 2014, [online] Retrieved from the Internet on Nov. 5, 2019: (URL:<https://web.archive.org/web/20140517050139://emailparser.net/>).

AudioTron Quick Start Guide, Version 1.0, Mar. 2001, 24 pages.

AudioTron Reference Manual, Version 3.0, May 2002, 70 pages.

AudioTron Setup Guide, Version 3.0, May 2002, 38 pages.

Benslimane Abderrahim, "A Multimedia Synchronization Protocol for Multicast Groups," Proceedings of the 26th Euromicro Conference, 2000, pp. 456-463, vol. 1.

Biersack et al., "Intra- and Inter-Stream Synchronization for Stored Multimedia Streams," IEEE International Conference on Multimedia Computing and Systems, 1996, pp. 372-381.

Bluetooth. "Specification of the Bluetooth System: The ad hoc SCATTERNET for affordable and highly functional wireless connectivity," Core, Version 1.0 A, Jul. 26, 1999, 1068 pages.

Bluetooth. "Specification of the Bluetooth System: Wireless connections made easy," Core, Version 1.0 B, Dec. 1, 1999, 1076 pages.

Bretl W.E., et al., MPEG2 Tutorial [online], 2000 [retrieved on Jan. 13, 2009] Retrieved from the Internet:(<http://www.bretl.com/mpeghtml/MPEGindex.htm>), pp. 1-23.

Chinese Patent Office, First Office Action and Translation dated Feb. 2, 2019, issued in connection with Chinese Application No. 201580011640.5, 12 pages.

Chinese Patent Office, First Office Action and Translation dated Aug. 26, 2020, issued in connection with Chinese Application No. 201910608857.4, 17 pages.

Chinese Patent Office, First Office Action dated Feb. 27, 2019, issued in connection with Chinese Application No. 201580007534.X, 9 pages.

Chinese Patent Office, First Office Action dated Sep. 4, 2017, issued in connection with Chinese Application No. 2014800172148.0, 16 pages.

Chinese Patent Office, Second Office Action dated Apr. 11, 2018, issued in connection with Chinese Application No. 201480017214.8, 7 pages.

Chinese Patent Office, Third Office Action dated Oct. 18, 2018, issued in connection with Chinese Application No. 2014800172148, 8 pages.

Corrected Notice of Allowability dated Jan. 19, 2017, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 2 pages.

Dell, Inc. "Dell Digital Audio Receiver: Reference Guide," Jun. 2000, 70 pages.

Dell, Inc. "Start Here," Jun. 2000, 2 pages.

"Denon 2003-2004 Product Catalog," Denon, 2003-2004, 44 pages.

European Patent Office, Decision to Refuse EP Application dated Oct. 16, 2018, issued in connection with European Application No. 157758970, 48 pages.

European Patent Office, Decision to Refuse EP Application dated Sep. 27, 2018, issued in connection with European Application No. 15781794.1, 54 pages.

European Patent Office, Ep Supplemental Search dated Dec. 19, 2017, issued in connection with EP Application No. 15829058.5, 12 pages.

European Patent Office, European Extended Search Report dated Feb. 5, 2018, issued in connection with EP Application No. 15803430.6, 8 pages.

European Patent Office, European Office Action dated Nov. 13, 2019, issued in connection with European Application No. 15829058.5, 8 pages.

European Patent Office, European Office Action dated Jan. 2, 2019, issued in connection with European Application No. 15829058.5, 4 pages.

European Patent Office, European Office Action dated Aug. 3, 2017, issued in connection with EP Application No. 15781794.1, 6 pages.

European Patent Office, European Supplemental Search Report dated Sep. 18, 2017, issued in connection with EP Application No. 15829058.5, 13 pages.

European Patent Office, European Supplemental Search Report dated Jan. 27, 2016, issued in connection with European Application No. 14743335.3, 8 pages.

European Patent Office, Examination Report dated Feb. 3, 2017, issued in connection with European Patent Application No. 14743335.3, 5 pages.

European Patent Office, Extended European Search Report dated Mar. 15, 2017, issued in connection with European Application No. 15758460.8, 9 pages.

European Patent Office, Extended European Search Report dated Dec. 23, 2016, issued in connection with European Application No. 15746781.2, 10 pages.

European Patent Office, Office Action dated Mar. 2, 2017, issued in connection with European Application No. 15775566.1, 7 pages.

European Patent Office, Office Action dated Apr. 4, 2017, issued in connection with European Application No. 15775897.0, 6 pages.

European Patent Office, Office Action dated Jan. 13, 2017, issued in connection with European Application No. 15781794.1, 8 pages.

European Patent Office, Office Action dated Mar. 13, 2017, issued in connection with European Application No. 15781200.9, 5 pages.

European Patent Office, Summons to Attend Oral Proceedings dated Jun. 11, 2019, issued in connection with European Application No. 14743335.3, 10 pages.

European Patent Office, Summons to Attend Oral Proceedings mailed on Nov. 20, 2020, issued in connection with European Application No. 15829058.5, 7 pages.

European Patent Office, Summons to Attend Oral Proceedings mailed on Mar. 27, 2018, issued in connection with European Patent Application No. 15781794.1, 11 pages.

Final Office Action dated Nov. 2, 2017, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 20 pages.

Final Office Action dated Oct. 2, 2019, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 47 pages.

Final Office Action dated Nov. 3, 2016, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 16 pages.

Final Office Action dated Oct. 3, 2019, issued in connection with U.S. Appl. No. 16/174,703, filed Oct. 30, 2018, 17 pages.

Final Office Action dated Apr. 6, 2016, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 20 pages.

Final Office Action dated Feb. 7, 2017, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 22 pages.

Final Office Action dated Oct. 7, 2016, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 16 pages.

Final Office Action dated Nov. 8, 2016, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 14 pages.

Final Office Action dated Feb. 10, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 21 pages.

Final Office Action dated Feb. 11, 2020, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 15 pages.

Final Office Action dated Feb. 16, 2017, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 15 pages.

Final Office Action dated Sep. 16, 2016, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 19 pages.

Final Office Action dated Jan. 19, 2018, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 32 pages.

Final Office Action dated Jan. 2, 2019, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 14 pages.

Final Office Action dated Aug. 20, 2019, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 19 pages.

Final Office Action dated Oct. 20, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2016, 17 pages.

Final Office Action dated Mar. 28, 2018, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 21 pages.

Final Office Action dated Oct. 29, 2018, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 17 pages.

Final Office Action dated Sep. 3, 2020, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 24 pages.

Final Office Action dated Sep. 30, 2016, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 34 pages.

Final Office Action dated Dec. 31, 2020, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 26 pages.

Final Office Action dated Jul. 31, 2019, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 16 pages.

(56)

References Cited

OTHER PUBLICATIONS

Final Office Action dated May 31, 2017, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 22 pages.

Final Office Action dated May 31, 2017, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 16 pages.

Final Office Action dated Jul. 5, 2019, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 16 pages.

Final Office Action dated Jul. 5, 2019, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 16 pages.

Final Office Action dated Jun. 7, 2021, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 14 pages.

First Action Interview Office Action dated Apr. 4, 2016, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 8 pages.

First Action Interview Office Action dated Jul. 7, 2016, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 6 pages.

First Action Interview Office Action dated Jul. 11, 2016, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 8 pages.

First Action Interview Office Action dated Jul. 13, 2016, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 10 pages.

First Action Interview Office Action dated Oct. 13, 2016, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 8 pages.

First Action Interview Office Action dated Dec. 14, 2016, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 10 pages.

First Action Interview Office Action dated Nov. 14, 2019, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 14 pages.

First Action Interview Office Action dated Jan. 17, 2020, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 14 pages.

First Action Interview Office Action dated Jul. 22, 2016, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 8 pages.

First Action Interview Pilot Program Pre-Interview Communication dated Oct. 28, 2015, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 4 pages.

First Action Interview Pilot Program Pre-Interview Communication dated Apr. 3, 2017, issued in connection with U.S. Appl. No. 14/495,590, filed Sep. 24, 2014, 5 pages.

Huang C.M., et al., "A Synchronization Infrastructure for Multicast Multimedia at the Presentation Layer," IEEE Transactions on Consumer Electronics, 1997, pp. 370-380, vol. 43, No. 3.

International Bureau, International Preliminary Report on Patentability dated Jan. 30, 2014, issued in connection with International Application No. PCT/US2012/047620, filed on Jul. 20, 2012, 7 pages.

International Bureau, International Preliminary Report on Patentability dated Apr. 3, 2014, issued in connection with International Application No. PCT/US2012/056467, filed on Sep. 21, 2011, 11 pages.

International Bureau, International Preliminary Report on Patentability, dated Aug. 6, 2015, issued in connection with International Application No. PCT/US2014/012534, filed on Jan. 22, 2014, 6 pages.

International Bureau, International Preliminary Report on Patentability dated Dec. 15, 2016, issued in connection with International Application No. PCT/US2015/031934, filed on May 21, 2015, 11 pages.

International Bureau, International Preliminary Report on Patentability dated Aug. 18, 2016, issued in connection with International Application No. PCT/US2015/014156, filed on Feb. 3, 2015, 10 pages.

International Bureau, International Preliminary Report on Patentability dated Sep. 15, 2016, issued in connection with International Application No. PCT/US2015/018850, filed on Mar. 5, 2015, 10 pages.

International Searching Authority, International Preliminary Report on Patentability dated Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051968 filed on Sep. 24, 2015, 10 pages.

International Searching Authority, International Preliminary Report on Patentability dated Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051975 filed on Sep. 24, 2015, 9 pages.

International Searching Authority, International Preliminary Report on Patentability dated Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051983 filed on Sep. 24, 2015, 7 pages.

International Searching Authority, International Preliminary Report on Patentability dated Feb. 23, 2017, issued in connection with International Application No. PCT/US2015/044218, filed on Aug. 7, 2015, 10 pages.

International Searching Authority, International Search Report and Written Opinion dated Nov. 6, 2015, issued in connection with International Application No. PCT/US2015/051993, filed on 24 Sep. 2015, 10 pages.

Non-Final Office Action dated Dec. 27, 2018, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 37 pages.

Non-Final Office Action dated Apr. 28, 2020, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 34 pages.

Non-Final Office Action dated Nov. 28, 2017, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 17 pages.

Non-Final Office Action dated Sep. 30, 2020, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 18 pages.

Non-Final Office Action dated Jul. 31, 2019, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 14 pages.

Non-Final Office Action dated Apr. 4, 2019, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 9 pages.

Non-Final Office Action dated Aug. 4, 2020, issued in connection with U.S. Appl. No. 16/812,638, filed Mar. 9, 2020, 13 pages.

Non-Final Office Action dated Dec. 6, 2018, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 15 pages.

Non-Final Office Action dated May 7, 2021, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 22 pages.

North American MPEG-2 Information, "The MPEG-2 Transport Stream," Retrieved from the Internet: URL: <http://www.coolstf.com/mpeg/#ts>, 2006, pp. 1-5.

Notice of Allowance dated May 4, 2016, issued in connection with U.S. Appl. No. 13/748,357, filed Jan. 23, 2013, 11 pages.

Notice of Allowance dated Apr. 10, 2020, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 10 pages.

Notice of Allowance dated Feb. 11, 2019, issued in connection with U.S. Appl. No. 15/692,090, filed Aug. 31, 2017, 8 pages.

Notice of Allowance dated Feb. 11, 2019, issued in connection with U.S. Appl. No. 16/143,301, filed Sep. 26, 2018, 15 pages.

Notice of Allowance dated Jan. 12, 2017, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 5 pages.

Notice of Allowance dated Dec. 17, 2019, issued in connection with U.S. Appl. No. 16/174,703, filed Oct. 30, 2018, 11 pages.

Notice of Allowance dated Jan. 17, 2020, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 5 pages.

Notice of Allowance dated Jul. 18, 2018, issued in connection with U.S. Appl. No. 15/227,074, filed Aug. 3, 2016, 8 pages.

Notice of Allowance dated Sep. 19, 2017, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 12 pages.

Notice of Allowance dated Aug. 20, 2020, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 8 pages.

Notice of Allowance dated Jul. 21, 2020, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 11 pages.

Notice of Allowance dated Aug. 24, 2017, issued in connection with U.S. Appl. No. 14/495,590, filed Sep. 24, 2014, 10 pages.

Notice of Allowance dated Aug. 24, 2020, issued in connection with U.S. Appl. No. 16/516,767, filed Jul. 19, 2019, 9 pages.

Notice of Allowance dated Jan. 26, 2017, issued in connection with U.S. Appl. No. 14/495,706, filed Sep. 24, 2014, 8 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Notice of Allowance dated Dec. 27, 2017, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 6 pages.
- Notice of Allowance dated Dec. 27, 2019, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 7 pages.
- Notice of Allowance dated Apr. 28, 2020, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 5 pages.
- Notice of Allowance dated Dec. 29, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 5 pages.
- Notice of Allowance dated Aug. 30, 2018, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2015, 10 pages.
- Notice of Allowance dated Oct. 30, 2019, issued in connection with U.S. Appl. No. 16/458,453, filed Jul. 1, 2019, 7 pages.
- Notice of Allowance dated May 31, 2017, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 5 pages.
- Notice of Allowance dated Feb. 4, 2021, issued in connection with U.S. Appl. No. 16/812,638, filed Mar. 9, 2020, 7 pages.
- Notice of Allowance dated Aug. 5, 2019, issued in connection with U.S. Appl. No. 15/612,126, filed Jun. 2, 2017, 5 pages.
- Notice of Allowance dated Aug. 5, 2020, issued in connection with U.S. Appl. No. 16/188,186, filed Nov. 12, 2018, 11 pages.
- Notice of Allowance dated May 5, 2021, issued in connection with U.S. Appl. No. 15/595,519, filed May 15, 2017, 7 pages.
- Palm, Inc., "Handbook for the Palm VII Handheld," May 2000, 311 pages.
- Park et al., "Group Synchronization in MultiCast Media Communications," Proceedings of the 5th Research on Multicast Technology Workshop, 2003, 5 pages.
- Polycom Conference Composer User Guide, copyright 2001, 29 pages.
- Pre-Brief Conference Decision mailed on Sep. 7, 2018, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 2 pages.
- Preinterview First Office Action dated May 4, 2016, issued in connection with U.S. Appl. No. 14/455,651, filed Aug. 8, 2014, 7 pages.
- Preinterview First Office Action dated May 4, 2016, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 6 pages.
- Preinterview First Office Action dated May 5, 2016, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 6 pages.
- Preinterview First Office Action dated May 16, 2016, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 6 pages.
- Preinterview First Office Action dated Oct. 19, 2016, issued in connection with U.S. Appl. No. 14/821,513, filed Aug. 7, 2016, 5 pages.
- Preinterview First Office Action dated May 23, 2016, issued in connection with U.S. Appl. No. 14/495,684, filed Sep. 24, 2014, 6 pages.
- Presentations at WinHEC 2000, May 2000, 138 pages.
- PRISMIQ, Inc., "PRISMIQ Media Player User Guide," 2003, 44 pages.
- Rothermel et al., "An Adaptive Stream Synchronization Protocol," 5th International Workshop on Network and Operating System Support for Digital Audio and Video, 1995, 13 pages.
- Schulzrinne H., et al., "RTP: A Transport Protocol for Real-Time Applications, RFC 3550," Network Working Group, 2003, pp. 1-89.
- United States Patent and Trademark Office, U.S. Appl. No. 60/490,768, filed Jul. 28, 2003, entitled "Method for synchronizing audio playback between multiple networked devices," 13 pages.
- United States Patent and Trademark Office, U.S. Appl. No. 60/825,407, filed Sep. 12, 2006, entitled "Controlling and manipulating groupings in a multi-zone music or media system," 82 pages.
- UPnP; "Universal Plug and Play Device Architecture," Jun. 8, 2000; version 1.0; Microsoft Corporation; pp. 1-54.
- U.S. Appl. No. 12/070,933, filed Feb. 22, 2008. "System, Method, and Computer Program for Remotely Managing a Digital Device" Inventor: Jonathan Lang, et al.
- U.S. Appl. No. 13/533,105, filed Jun. 26, 2012. "Systems, Methods, Apparatus, and Articles of Manufacture to Provide a Crowd-Sourced Playlist with Guess Access" Inventor: Paul Bates, et al.
- U.S. Appl. No. 13/533,785, filed Jun. 26, 2012. "Networked Music Playback Including Remote Discovery and Add to Queue" Inventor: Mark Triplett, et al.
- U.S. Appl. No. 13/748,357, filed Jan. 23, 2013. "System and Method for a Media Experience Social Interface" Inventor: Ron Kuper, et al.
- U.S. Appl. No. 13/871,785, filed Apr. 26, 2013. "Systems, Methods, Apparatus, and Articles of Manufacture to Provide Guest Access" Inventor: Paul Bates, et al.
- U.S. Appl. No. 13/871,795, filed Jun. 20, 2013. "Systems, Methods, Apparatus, and Articles of Manufacture to Provide Guest Access" Inventor: Paul Bates, et al.
- U.S. Appl. No. 14/173,253, filed Feb. 5, 2014. "Remote Creation of a Playback Queue for a Future Event" Inventor: Jaime Munoz, et al.
- Van Buskirk, Eliot, "Music Needs 'Connective Tissue' and Facebook Wants to Build It," E <http://evolver.fm/2011/09/01/music-needs-connective-tissue-and-facebook-wants-to-build-it>, 2011, 6 pages.
- Yamaha DME 32 manual; copyright 2001.
- Yamaha DME 64 Owner's Manual; copyright 2004, 80 pages.
- Yamaha DME Designer 3.0 Owner's Manual; Copyright 2008, 501 pages.
- Yamaha DME Designer 3.5 setup manual guide; copyright 2004, 16 pages.
- Yamaha DME Designer 3.5 User Manual; Copyright 2004, 507 pages.
- European Patent Office, Decision to Refuse mailed on Aug. 2, 2021, issued in connection with European Application No. 15829058.5, 13 pages.
- European Patent Office, Summons to Oral Proceedings mailed on Apr. 11, 2022, issued in connection with European Application No. 15781794.1, 2 pages.
- Final Office Action dated Oct. 19, 2022, issued in connection with U.S. Appl. No. 17/536,408, filed Nov. 29, 2021, 8 pages.
- International Searching Authority, International Preliminary Report on Patentability dated Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051989 filed on Sep. 24, 2015, 7 pages.
- International Searching Authority, International Preliminary Report on Patentability dated Apr. 6, 2017, issued in connection with International Application No. PCT/US2015/051993 filed on Sep. 24, 2015, 8 pages.
- Non-Final Office Action dated Oct. 14, 2022, issued in connection with U.S. Appl. No. 17/101,549, filed Nov. 23, 2020, 18 pages.
- Non-Final Office Action dated Sep. 20, 2021, issued in connection with U.S. Appl. No. 17/131,001, filed Dec. 22, 2020, 14 pages.
- Non-Final Office Action dated Jul. 22, 2022, issued in connection with U.S. Appl. No. 17/536,408, filed Nov. 29, 2021, 9 pages.
- Non-Final Office Action dated Sep. 24, 2021, issued in connection with U.S. Appl. No. 17/121,027, filed Dec. 14, 2020, 11 pages.
- Non-Final Office Action dated Oct. 27, 2021, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 14 pages.
- Notice of Allowance dated Jul. 9, 2021, issued in connection with U.S. Appl. No. 16/952,217, filed Nov. 19, 2020, 8 pages.
- Notice of Allowance dated Nov. 4, 2022, issued in connection with U.S. Appl. No. 17/569,008, filed Jan. 5, 2022, 8 pages.
- Notice of Allowance dated Oct. 1, 2021, issued in connection with U.S. Appl. No. 16/846,620, filed Apr. 13, 2020, 11 pages.
- Notice of Allowance dated May 11, 2022, issued in connection with U.S. Appl. No. 17/340,370, filed Jun. 7, 2021, 12 pages.
- Notice of Allowance dated Apr. 13, 2022, issued in connection with U.S. Appl. No. 17/131,001, filed Dec. 22, 2020, 8 pages.
- Notice of Allowance dated Sep. 20, 2021, issued in connection with U.S. Appl. No. 17/129,060, filed Dec. 21, 2020, 9 pages.
- Notice of Allowance dated Oct. 27, 2021, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 7 pages.
- Notice of Allowance dated Feb. 4, 2022, issued in connection with U.S. Appl. No. 17/121,027, filed Dec. 14, 2020, 9 pages.
- Notice of Allowance dated May 4, 2017, issued in connection with U.S. Appl. No. 14/495,595, filed Sep. 24, 2014, 5 pages.

(56)

References Cited

OTHER PUBLICATIONS

Notice of Allowance dated May 4, 2022, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 8 pages.

Notice of Allowance dated Apr. 6, 2017, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 5 pages.

International Searching Authority, International Search Report and Written Opinion dated Dec. 7, 2015, issued in connection with International Application No. PCT/US2015/051968, filed on Sep. 24, 2015, 14 pages.

International Searching Authority, International Search Report and Written Opinion dated Dec. 16, 2015, issued in connection with International Application No. PCT/US2015/051989 filed on Sep. 24, 2015, 11 pages.

International Searching Authority, International Search Report and Written Opinion dated Dec. 21, 2015, issued in connection with International Application No. PCT/US2015/051983 filed on Sep. 24, 2015, 11 pages.

International Searching Authority, International Search Report and Written Opinion dated Nov. 23, 2015, issued in connection with International Application No. PCT/US2015/051975, filed on Sep. 24, 2015, 14 pages.

International Searching Authority, International Search Report and Written Opinion dated Apr. 24, 2015, issued in connection with International Application No. PCT/US2015/014156, filed on Feb. 3, 2015, 13 pages.

International Searching Authority, International Search Report and Written Opinion dated Aug. 27, 2015, issued in connection with International Application No. PCT/US2015/031934, filed on May 21, 2015, 14 pages.

International Searching Authority, International Search Report and Written Opinion dated Nov. 27, 2015, issued in connection with International Application No. PCT/US2015/044218, filed on Aug. 7, 2015, 13 pages.

International Searching Authority, International Search Report and Written Opinion dated May 29, 2015, issued in connection with International Application No. PCT/US2015/018850, filed on Mar. 5, 2015, 13 pages.

International Searching Authority, International Search Report dated May 8, 2014, issued in connection with International Application No. PCT/US2014/012534, filed on Jan. 24, 2014, 3 pages.

International Searching Authority, International Search Report dated Dec. 27, 2012, issued in connection with International Application No. PCT/US2012/047620, filed on Jul. 20, 2011, 3 pages.

International Searching Authority, Written Opinion dated Dec. 27, 2012, issued in connection with International Application No. PCT/US2012/047620, filed on Jul. 20, 2011, 5 pages.

International Searching Authority, International Search Report and Written Opinion dated Feb. 28, 2013, issued in connection with International Application No. PCT/US2012/056467, filed on Sep. 21, 2012, 12 pages.

Ishibashi et al., "A Group Synchronization Mechanism for Live Media in Multicast Communications," IEEE Global Telecommunications Conference, 1997, pp. 746-752, vol. 2.

Ishibashi et al., "A Group Synchronization Mechanism for Stored Media in Multicast Communications," IEEE Information Revolution and Communications, 1997, pp. 692-700, vol. 2.

Japanese Patent Office, Full English Translation of Office Action dated Nov. 28, 2017, issued in connection with Japanese Patent Application No. 2016-555529, 2 pages.

Japanese Patent Office, Notice of Rejection dated Nov. 8, 2016, issued in connection with Japanese Patent Application No. 2015-555237, 6 pages.

Japanese Patent Office, Office Action dated Nov. 28, 2017, issued in connection with Japanese Patent Application No. 2016-555529, 5 pages.

Japanese Patent Office, Office Action dated Nov. 7, 2017, issued in connection with Japanese Patent Application No. 2016-550231, 5 pages.

Jo et al., "Synchronized One-to-many Media Streaming with Adaptive Playout Control," Proceedings of SPIE, 2002, pp. 71-82, vol. 4861.

Jones, Stephen, "Dell Digital Audio Receiver: Digital upgrade for your analog stereo," Analog Stereo, Jun. 24, 2000 <http://www.reviewsonline.com/articles/961906864.htm> retrieved Jun. 18, 2014, 2 pages.

Louderback, Jim, "Affordable Audio Receiver Furnishes Homes With MP3," TechTV Vault. Jun. 28, 2000 retrieved Jul. 10, 2014, 2 pages.

Mills David L., "Network Time Protocol (Version 3) Specification, Implementation and Analysis," Network Working Group, Mar. 1992, 7 pages.

Mills, David L., "Precision Synchronization of Computer Network Clocks," ACM SIGCOMM Computer Communication Review, 1994, pp. 28-43, vol. 24, No. 2.

Motorola, "Simplefi, Wireless Digital Audio Receiver, Installation and User Guide," Dec. 31, 2001, 111 pages.

Nilsson, M., "ID3 Tag Version 2," Mar. 26, 1998, 28 pages.

Non-Final Office Action dated Nov. 1, 2016, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 21 pages.

Non-Final Office Action dated Oct. 1, 2015, issued in connection with U.S. Appl. No. 13/748,357, filed Jan. 23, 2013, 18 pages.

Non-Final Office Action dated Oct. 3, 2017, issued in connection with U.S. Appl. No. 14/495,633, filed Sep. 24, 2014, 18 pages.

Non-Final Office Action dated Apr. 6, 2016, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 26 pages.

Non-Final Office Action dated May 6, 2015, issued in connection with U.S. Appl. No. 13/748,357, filed Jan. 23, 2013, 17 pages.

Non-Final Office Action dated Jul. 10, 2017, issued in connection with U.S. Appl. No. 14/297,193, filed Jun. 5, 2014, 33 pages.

Non-Final Office Action dated Sep. 10, 2015, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 16 pages.

Non-Final Office Action dated Jan. 12, 2017, issued in connection with U.S. Appl. No. 14/275,112, filed May 12, 2014, 25 pages.

Non-Final Office Action dated Jan. 12, 2021, issued in connection with U.S. Appl. No. 16/952,217, filed Nov. 19, 2020, 8 pages.

Non-Final Office Action dated May 12, 2020, issued in connection with U.S. Appl. No. 16/516,767, filed Jul. 19, 2019, 12 pages.

Non-Final Office Action dated Mar. 13, 2020, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 20 pages.

Non-Final Office Action dated Nov. 13, 2018, issued in connection with U.S. Appl. No. 16/143,301, filed Sep. 26, 2018, 27 pages.

Non-Final Office Action dated Jan. 14, 2020, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 16 pages.

Non-Final Office Action dated Jun. 14, 2017, issued in connection with U.S. Appl. No. 14/495,659, filed Sep. 24, 2014, 15 pages.

Non-Final Office Action dated Feb. 16, 2021, issued in connection with U.S. Appl. No. 16/866,159, filed May 4, 2020, 10 pages.

Non-Final Office Action dated Jan. 16, 2019, issued in connection with U.S. Appl. No. 15/664,634, filed Jul. 31, 2017, 17 pages.

Non-Final Office Action dated Dec. 17, 2015, issued in connection with U.S. Appl. No. 14/173,253, filed Feb. 5, 2014, 18 pages.

Non-Final Office Action dated Jun. 17, 2016, issued in connection with U.S. Appl. No. 14/495,706, filed Sep. 24, 2014, 19 pages.

Non-Final Office Action dated May 18, 2016, issued in connection with U.S. Appl. No. 14/197,403, filed Mar. 5, 2014, 21 pages.

Non-Final Office Action dated Feb. 19, 2019, issued in connection with U.S. Appl. No. 15/966,337, filed Apr. 30, 2018, 14 pages.

Non-Final Office Action dated Mar. 19, 2019, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 18 pages.

Non-Final Office Action dated Jun. 21, 2018, issued in connection with U.S. Appl. No. 15/692,090, filed Aug. 31, 2017, 20 pages.

Non-Final Office Action dated Jan. 22, 2019, issued in connection with U.S. Appl. No. 16/174,703, filed Oct. 30, 2018, 15 pages.

Non-Final Office Action dated Mar. 23, 2018, issued in connection with U.S. Appl. No. 15/227,074, filed Aug. 3, 2016, 11 pages.

Non-Final Office Action dated Jan. 24, 2018, issued in connection with U.S. Appl. No. 15/607,267, filed May 26, 2017, 17 pages.

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6A




FIGURE 6B




FIGURE 6C




FIGURE 6D

WEBPAGE MEDIA PLAYBACK**CROSS REFERENCE TO RELATED APPLICATIONS**

This application claims priority under 35 U.S.C. § 120 to, and is a continuation of, U.S. non-provisional patent application Ser. No. 15/612,126, filed on Jun. 2, 2017, entitled “Webpage Media Playback,” which is incorporated herein by reference in its entirety.

U.S. non-provisional patent application Ser. No. 15/612,126 claims priority under 35 U.S.C. § 120 to, and is a continuation of, U.S. non-provisional patent application Ser. No. 14/197,403, filed on Mar. 5, 2014, entitled “Webpage Media Playback,” and issued as U.S. Pat. No. 9,679,054 on Jun. 13, 2017, which is incorporated herein by reference in its entirety.

FIELD OF THE DISCLOSURE

The disclosure is related to consumer goods and, more particularly, to methods, systems, products, features, services, and other elements directed to media playback or some aspect thereof.

BACKGROUND

Options for accessing and listening to digital audio in an out-loud setting were severely limited until in 2003, when SONOS, Inc. filed for one of its first patent applications, entitled “Method for Synchronizing Audio Playback between Multiple Networked Devices,” and began offering a media playback system for sale in 2005. The Sonos Wireless HiFi System enables people to experience music from virtually unlimited sources via one or more networked playback devices. Through a software control application installed on a smartphone, tablet, or computer, one can play what he or she wants in any room that has a networked playback device. Additionally, using the controller, for example, different songs can be streamed to each room with a playback device, rooms can be grouped together for synchronous playback, or the same song can be heard in all rooms synchronously.

Given the ever growing interest in digital media, there continues to be a need to develop consumer-accessible technologies to further enhance the listening experience.

BRIEF DESCRIPTION OF THE DRAWINGS

Features, aspects, and advantages of the presently disclosed technology may be better understood with regard to the following description, appended claims, and accompanying drawings where:

FIG. 1 shows an example media playback system configuration in which certain embodiments may be practiced;

FIG. 2 shows a functional block diagram of an example playback device;

FIG. 3 shows a functional block diagram of an example control device;

FIG. 4 shows an example controller interface;

FIG. 5 shows an example flow diagram for facilitating playback of media items on a webpage by a playback zone of a media playback system; and

FIGS. 6A, 6B, 6C, and 6D show example webpage representations with playable media items.

The drawings are for the purpose of illustrating example embodiments, but it is understood that the inventions are not limited to the arrangements and instrumentality shown in the drawings.

DETAILED DESCRIPTION**I. Overview**

Embodiments described herein involve the playback of media items from a webpage by a playback zone of a media playback system. In one embodiment, playback zones in a media playback system are identified when a web-browsing interface is launched. When a webpage is displayed on the web-browsing interface, one or more links to playable media items on the webpage are identified, and the webpage is modified such that one or more representations corresponding to the one or more links are selectable to cause the respective playback media items to be played by one or more of the identified playback zones.

In one example, a selection of a representation will prompt a display of the identified playback zones from which the user can choose a playback zone to play the corresponding media item. In another example, the media item may be added to a playback queue associated with the selected playback zone in addition to, or instead of being immediately played by the selected playback zone.

As indicated above, the present application involves facilitating playback of media items on a webpage by a playback zone of a media playback system. In one aspect, a method is provided. The method involves identifying one or more playback zones of a media playback system upon opening a web-browsing interface, identifying on a webpage, a link to a playable media item, and modifying the webpage such that a representation associated with the link is selectable to cause the media item to be played in the one or more playback zones.

In another aspect, a device is provided. The device includes a processor, and memory having stored thereon instructions executable by the processor to cause the device to perform functions. The functions include identifying one or more playback zones of a media playback system upon opening a web-browsing interface, identifying on a webpage, a link to a playable media item, and modifying the webpage such that a representation associated with the link is selectable to cause the media item to be played in the one or more playback zones.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include identifying one or more playback zones of a media playback system upon opening a web-browsing interface, identifying on a webpage, a link to a playable media item, and modifying the webpage such that a representation associated with the link is selectable to cause the media item to be played in the one or more playback zones.

The present application further involves playing media items on a webpage in a playback zone of a media playback system. In one aspect, a method is provided. The method involves displaying on a web-browsing interface, a representation associated with a link to a media item, and responsive to a first input indicating a selection of the representation, displaying a list of one or more playback zones in a media playback system. The one or more playback zones are identified upon, or subsequent to a launching

of the web-browsing interface. The method also involves causing the particular playback zone to play the media item responsive to a second input indicating a selection of a particular playback zone in the list of one or more playback zones.

In another aspect, a device is provided. The device includes a processor, and memory having stored thereon instructions executable by the processor to cause the device to perform functions. The functions include displaying on a web-browsing interface, a representation associated with a link to a media item, and responsive to a first input indicating a selection of the representation, displaying a list of one or more playback zones in a media playback system. The one or more playback zones are identified upon, or subsequent to a launching of the web-browsing interface. The functions also include causing the particular playback zone to play the media item responsive to a second input indicating a selection of a particular playback zone in the list of one or more playback zones.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include displaying on a web-browsing interface, a representation associated with a link to a media item, and responsive to a first input indicating a selection of the representation, displaying a list of one or more playback zones in a media playback system. The one or more playback zones are identified upon, or subsequent to a launching of the web-browsing interface. The functions also include causing the particular playback zone to play the media item responsive to a second input indicating a selection of a particular playback zone in the list of one or more playback zones.

It will be understood by one of ordinary skill in the art that this disclosure includes numerous other embodiments.

II. Example Operating Environment

FIG. 1 shows an example configuration of a media playback system 100 in which one or more embodiments disclosed herein may be practiced or implemented. The media playback system 100 as shown is associated with an example home environment having several rooms and spaces, such as for example, a master bedroom, an office, a dining room, and a living room. As shown in the example of FIG. 1, the media playback system 100 includes playback devices 102-124, control devices 126 and 128, and a wired or wireless network router 130.

Further discussions relating to the different components of the example media playback system 100 and how the different components may interact to provide a user with a media experience may be found in the following sections. While discussions herein may generally refer to the example media playback system 100, technologies described herein are not limited to applications within, among other things, the home environment as shown in FIG. 1. For instance, the technologies described herein may be useful in environments where multi-zone audio may be desired, such as, for example, a commercial setting like a restaurant, mall or airport, a vehicle like a sports utility vehicle (SUV), bus or car, a ship or boat, an airplane, and so on.

a. Example Playback Devices

FIG. 2 shows a functional block diagram of an example playback device 200 that may be configured to be one or more of the playback devices 102-124 of the media playback system 100 of FIG. 1. The playback device 200 may include

a processor 202, software components 204, memory 206, audio processing components 208, audio amplifier(s) 210, speaker(s) 212, and a network interface 214 including wireless interface(s) 216 and wired interface(s) 218. In one case, the playback device 200 may not include the speaker(s) 212, but rather a speaker interface for connecting the playback device 200 to external speakers. In another case, the playback device 200 may include neither the speaker(s) 212 nor the audio amplifier(s) 210, but rather an audio interface for connecting the playback device 200 to an external audio amplifier or audio-visual receiver.

In one example, the processor 202 may be a clock-driven computing component configured to process input data according to instructions stored in the memory 206. The memory 206 may be a tangible computer-readable medium configured to store instructions executable by the processor 202. For instance, the memory 206 may be data storage that can be loaded with one or more of the software components 204 executable by the processor 202 to achieve certain functions. In one example, the functions may involve the playback device 200 retrieving audio data from an audio source or another playback device. In another example, the functions may involve the playback device 200 sending audio data to another device or playback device on a network. In yet another example, the functions may involve pairing of the playback device 200 with one or more playback devices to create a multi-channel audio environment.

Certain functions may involve the playback device 200 synchronizing playback of audio content with one or more other playback devices. During synchronous playback, a listener will preferably not be able to perceive time-delay differences between playback of the audio content by the playback device 200 and the one or more other playback devices. U.S. Pat. No. 8,234,395 entitled, "System and method for synchronizing operations among a plurality of independently clocked digital data processing devices," which is hereby incorporated by reference, provides in more detail some examples for audio playback synchronization among playback devices.

The memory 206 may further be configured to store data associated with the playback device 200, such as one or more zones and/or zone groups the playback device 200 is a part of, audio sources accessible by the playback device 200, or a playback queue that the playback device 200 (or some other playback device) may be associated with. The data may be stored as one or more state variables that are periodically updated and used to describe the state of the playback device 200. The memory 206 may also include the data associated with the state of the other devices of the media system, and shared from time to time among the devices so that one or more of the devices have the most recent data associated with the system. Other embodiments are also possible.

The audio processing components 208 may include one or more digital-to-analog converters (DAC), an audio preprocessing component, an audio enhancement component or a digital signal processor (DSP), and so on. In one embodiment, one or more of the audio processing components 208 may be a subcomponent of the processor 202. In one example, audio content may be processed and/or intentionally altered by the audio processing components 208 to produce audio signals. The produced audio signals may then be provided to the audio amplifier(s) 210 for amplification and playback through speaker(s) 212. Particularly, the audio amplifier(s) 210 may include devices configured to amplify audio signals to a level for driving one or more of the

speakers **212**. The speaker(s) **212** may include an individual transducer (e.g., a “driver”) or a complete speaker system involving an enclosure with one or more drivers. A particular driver of the speaker(s) **212** may include, for example, a subwoofer (e.g., for low frequencies), a mid-range driver (e.g., for middle frequencies), and/or a tweeter (e.g., for high frequencies). In some cases, each transducer in the one or more speakers **212** may be driven by an individual corresponding audio amplifier of the audio amplifier(s) **210**. In addition to producing analog signals for playback by the playback device **200**, the audio processing components **208** may be configured to process audio content to be sent to one or more other playback devices for playback.

Audio content to be processed and/or played back by the playback device **200** may be received from an external source, such as via an audio line-in input connection (e.g., an auto-detecting 3.5 mm audio line-in connection) or the network interface **214**.

The network interface **214** may be configured to facilitate a data flow between the playback device **200** and one or more other devices on a data network. As such, the playback device **200** may be configured to receive audio content over the data network from one or more other playback devices in communication with the playback device **200**, network devices within a local area network, or audio content sources over a wide area network such as the Internet. In one example, the audio content and other signals transmitted and received by the playback device **200** may be transmitted in the form of digital packet data containing an Internet Protocol (IP)-based source address and IP-based destination addresses. In such a case, the network interface **214** may be configured to parse the digital packet data such that the data destined for the playback device **200** is properly received and processed by the playback device **200**.

As shown, the network interface **214** may include wireless interface(s) **216** and wired interface(s) **218**. The wireless interface(s) **216** may provide network interface functions for the playback device **200** to wirelessly communicate with other devices (e.g., other playback device(s), speaker(s), receiver(s), network device(s), control device(s) within a data network the playback device **200** is associated with) in accordance with a communication protocol (e.g., any wireless standard including IEEE 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.15, 4G mobile communication standard, and so on). The wired interface(s) **218** may provide network interface functions for the playback device **200** to communicate over a wired connection with other devices in accordance with a communication protocol (e.g., IEEE 802.3). While the network interface **214** shown in FIG. 2 includes both wireless interface(s) **216** and wired interface(s) **218**, the network interface **214** may in some embodiments include only wireless interface(s) or only wired interface(s).

In one example, the playback device **200** and one other playback device may be paired to play two separate audio components of audio content. For instance, playback device **200** may be configured to play a left channel audio component, while the other playback device may be configured to play a right channel audio component, thereby producing or enhancing a stereo effect of the audio content. The paired playback devices (also referred to as “bonded playback devices”) may further play audio content in synchrony with other playback devices.

In another example, the playback device **200** may be sonically consolidated with one or more other playback devices to form a single, consolidated playback device. A consolidated playback device may be configured to process

and reproduce sound differently than an unconsolidated playback device or playback devices that are paired, because a consolidated playback device may have additional speaker drivers through which audio content may be rendered. For instance, if the playback device **200** is a playback device designed to render low frequency range audio content (i.e. a subwoofer), the playback device **200** may be consolidated with a playback device designed to render full frequency range audio content. In such a case, the full frequency range playback device, when consolidated with the low frequency playback device **200**, may be configured to render only the mid and high frequency components of audio content, while the low frequency range playback device **200** renders the low frequency component of the audio content. The consolidated playback device may further be paired with a single playback device or yet another consolidated playback device.

By way of illustration, SONOS, Inc. presently offers (or has offered) for sale certain playback devices including a “PLAY:1,” “PLAY:3,” “PLAY:5,” “PLAYBAR,” “CONNECT:AMP,” “CONNECT,” and “SUB.” Any other past, present, and/or future playback devices may additionally or alternatively be used to implement the playback devices of example embodiments disclosed herein. Additionally, it is understood that a playback device is not limited to the example illustrated in FIG. 2 or to the SONOS product offerings. For example, a playback device may include a wired or wireless headphone. In another example, a playback device may include or interact with a docking station for personal mobile media playback devices. In yet another example, a playback device may be integral to another device or component such as a television, a lighting fixture, or some other device for indoor or outdoor use.

b. Example Playback Zone Configurations

Referring back to the media playback system **100** of FIG. 1, the environment may have one or more playback zones, each with one or more playback devices. The media playback system **100** may be established with one or more playback zones, after which one or more zones may be added, or removed to arrive at the example configuration shown in FIG. 1. Each zone may be given a name according to a different room or space such as an office, bathroom, master bedroom, bedroom, kitchen, dining room, living room, and/or balcony. In one case, a single playback zone may include multiple rooms or spaces. In another case, a single room or space may include multiple playback zones.

As shown in FIG. 1, the balcony, dining room, kitchen, bathroom, office, and bedroom zones each have one playback device, while the living room and master bedroom zones each have multiple playback devices. In the living room zone, playback devices **104**, **106**, **108**, and **110** may be configured to play audio content in synchrony as individual playback devices, as one or more bonded playback devices, as one or more consolidated playback devices, or any combination thereof. Similarly, in the case of the master bedroom, playback devices **122** and **124** may be configured to play audio content in synchrony as individual playback devices, as a bonded playback device, or as a consolidated playback device.

In one example, one or more playback zones in the environment of FIG. 1 may each be playing different audio content. For instance, the user may be grilling in the balcony zone and listening to hip hop music being played by the playback device **102** while another user may be preparing food in the kitchen zone and listening to classical music being played by the playback device **114**. In another example, a playback zone may play the same audio content

in synchrony with another playback zone. For instance, the user may be in the office zone where the playback device **118** is playing the same rock music that is being playing by playback device **102** in the balcony zone. In such a case, playback devices **102** and **118** may be playing the rock music in synchrony such that the user may seamlessly (or at least substantially seamlessly) enjoy the audio content that is being played out-loud while moving between different playback zones. Synchronization among playback zones may be achieved in a manner similar to that of synchronization among playback devices, as described in previously referenced U.S. Pat. No. 8,234,395.

As suggested above, the zone configurations of the media playback system **100** may be dynamically modified, and in some embodiments, the media playback system **100** supports numerous configurations. For instance, if a user physically moves one or more playback devices to or from a zone, the media playback system **100** may be reconfigured to accommodate the change(s). For instance, if the user physically moves the playback device **102** from the balcony zone to the office zone, the office zone may now include both the playback device **118** and the playback device **102**. The playback device **102** may be paired or grouped with the office zone and/or renamed if so desired via a control device such as the control devices **126** and **128**. On the other hand, if the one or more playback devices are moved to a particular area in the home environment that is not already a playback zone, a new playback zone may be created for the particular area.

Further, different playback zones of the media playback system **100** may be dynamically combined into zone groups or split up into individual playback zones. For instance, the dining room zone and the kitchen zone **114** may be combined into a zone group for a dinner party such that playback devices **112** and **114** may render audio content in synchrony. On the other hand, the living room zone may be split into a television zone including playback device **104**, and a listening zone including playback devices **106**, **108**, and **110**, if the user wishes to listen to music in the living room space while another user wishes to watch television.

c. Example Control Devices

FIG. **3** shows a functional block diagram of an example control device **300** that may be configured to be one or both of the control devices **126** and **128** of the media playback system **100**. As shown, the control device **300** may include a processor **302**, memory **304**, a network interface **306**, and a user interface **308**. In one example, the control device **300** may be a dedicated controller for the media playback system **100**. In another example, the control device **300** may be a network device on which media playback system controller application software may be installed, such as for example, an iPhone™ iPad™ or any other smart phone, tablet or network device (e.g., a networked computer such as a PC or Mac™).

The processor **302** may be configured to perform functions relevant to facilitating user access, control, and configuration of the media playback system **100**. The memory **304** may be configured to store instructions executable by the processor **302** to perform those functions. The memory **304** may also be configured to store the media playback system controller application software and other data associated with the media playback system **100** and the user.

In one example, the network interface **306** may be based on an industry standard (e.g., infrared, radio, wired standards including IEEE 802.3, wireless standards including IEEE 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac, 802.15, 4G mobile communication standard, and so on). The

network interface **306** may provide a means for the control device **300** to communicate with other devices in the media playback system **100**. In one example, data and information (e.g., such as a state variable) may be communicated between control device **300** and other devices via the network interface **306**. For instance, playback zone and zone group configurations in the media playback system **100** may be received by the control device **300** from a playback device or another network device, or transmitted by the control device **300** to another playback device or network device via the network interface **306**. In some cases, the other network device may be another control device.

Playback device control commands such as volume control and audio playback control may also be communicated from the control device **300** to a playback device via the network interface **306**. As suggested above, changes to configurations of the media playback system **100** may also be performed by a user using the control device **300**. The configuration changes may include adding/removing one or more playback devices to/from a zone, adding/removing one or more zones to/from a zone group, forming a bonded or consolidated player, separating one or more playback devices from a bonded or consolidated player, among others. Accordingly, the control device **300** may sometimes be referred to as a controller, whether the control device **300** is a dedicated controller or a network device on which media playback system controller application software is installed.

The user interface **308** of the control device **300** may be configured to facilitate user access and control of the media playback system **100**, by providing a controller interface such as the controller interface **400** shown in FIG. **4**. The controller interface **400** includes a playback control region **410**, a playback zone region **420**, a playback status region **430**, a playback queue region **440**, and an audio content sources region **450**. The user interface **400** as shown is just one example of a user interface that may be provided on a network device such as the control device **300** of FIG. **3** (and/or the control devices **126** and **128** of FIG. **1**) and accessed by users to control a media playback system such as the media playback system **100**. Other user interfaces of varying formats, styles, and interactive sequences may alternatively be implemented on one or more network devices to provide comparable control access to a media playback system.

The playback control region **410** may include selectable (e.g., by way of touch or by using a cursor) icons to cause playback devices in a selected playback zone or zone group to play or pause, fast forward, rewind, skip to next, skip to previous, enter/exit shuffle mode, enter/exit repeat mode, enter/exit cross fade mode. The playback control region **410** may also include selectable icons to modify equalization settings, and playback volume, among other possibilities.

The playback zone region **420** may include representations of playback zones within the media playback system **100**. In some embodiments, the graphical representations of playback zones may be selectable to bring up additional selectable icons to manage or configure the playback zones in the media playback system, such as a creation of bonded zones, creation of zone groups, separation of zone groups, and renaming of zone groups, among other possibilities.

For example, as shown, a “group” icon may be provided within each of the graphical representations of playback zones. The “group” icon provided within a graphical representation of a particular zone may be selectable to bring up options to select one or more other zones in the media playback system to be grouped with the particular zone. Once grouped, playback devices in the zones that have been

grouped with the particular zone will be configured to play audio content in synchrony with the playback device(s) in the particular zone. Analogously, a “group” icon may be provided within a graphical representation of a zone group. In this case, the “group” icon may be selectable to bring up options to deselect one or more zones in the zone group to be removed from the zone group. Other interactions and implementations for grouping and ungrouping zones via a user interface such as the user interface **400** are also possible. The representations of playback zones in the playback zone region **420** may be dynamically updated as playback zone or zone group configurations are modified.

The playback status region **430** may include graphical representations of audio content that is presently being played, previously played, or scheduled to play next in the selected playback zone or zone group. The selected playback zone or zone group may be visually distinguished on the user interface, such as within the playback zone region **420** and/or the playback status region **430**. The graphical representations may include track title, artist name, album name, album year, track length, and other relevant information that may be useful for the user to know when controlling the media playback system via the user interface **400**.

The playback queue region **440** may include graphical representations of audio content in a playback queue associated with the selected playback zone or zone group. In some embodiments, each playback zone or zone group may be associated with a playback queue containing information corresponding to zero or more audio items for playback by the playback zone or zone group. For instance, each audio item in the playback queue may comprise a uniform resource identifier (URI), a uniform resource locator (URL) or some other identifier that may be used by a playback device in the playback zone or zone group to find and/or retrieve the audio item from a local audio content source or a networked audio content source, possibly for playback by the playback device.

In one example, a playlist may be added to a playback queue, in which case information corresponding to each audio item in the playlist may be added to the playback queue. In another example, audio items in a playback queue may be saved as a playlist. In a further example, a playback queue may be empty, or populated but “not in use” when the playback zone or zone group is playing continuously streaming audio content, such as Internet radio that may continue to play until otherwise stopped, rather than discrete audio items that have playback durations. In an alternative embodiment, a playback queue can include Internet radio and/or other streaming audio content items and be “in use” when the playback zone or zone group is playing those items. Other examples are also possible.

When playback zones or zone groups are “grouped” or “ungrouped,” playback queues associated with the affected playback zones or zone groups may be cleared or re-associated. For example, if a first playback zone including a first playback queue is grouped with a second playback zone including a second playback queue, the established zone group may have an associated playback queue that is initially empty, that contains audio items from the first playback queue (such as if the second playback zone was added to the first playback zone), that contains audio items from the second playback queue (such as if the first playback zone was added to the second playback zone), or a combination of audio items from both the first and second playback queues. Subsequently, if the established zone group is ungrouped, the resulting first playback zone may be re-associated with the previous first playback queue, or be

associated with a new playback queue that is empty or contains audio items from the playback queue associated with the established zone group before the established zone group was ungrouped. Similarly, the resulting second playback zone may be re-associated with the previous second playback queue, or be associated with a new playback queue that is empty, or contains audio items from the playback queue associated with the established zone group before the established zone group was ungrouped. Other examples are also possible.

Referring back to the user interface **400** of FIG. **4**, the graphical representations of audio content in the playback queue region **440** may include track titles, artist names, track lengths, and other relevant information associated with the audio content in the playback queue. In one example, graphical representations of audio content may be selectable to bring up additional selectable icons to manage and/or manipulate the playback queue and/or audio content represented in the playback queue. For instance, a represented audio content may be removed from the playback queue, moved to a different position within the playback queue, or selected to be played immediately, or after any currently playing audio content, among other possibilities. A playback queue associated with a playback zone or zone group may be stored in a memory on one or more playback devices in the playback zone or zone group, on a playback device that is not in the playback zone or zone group, and/or some other designated device.

The audio content sources region **450** may include graphical representations of selectable audio content sources from which audio content may be retrieved and played by the selected playback zone or zone group. Discussions pertaining to audio content sources may be found in the following section.

d. Example Audio Content Sources

As indicated previously, one or more playback devices in a zone or zone group may be configured to retrieve for playback audio content (e.g. according to a corresponding URI or URL for the audio content) from a variety of available audio content sources. In one example, audio content may be retrieved by a playback device directly from a corresponding audio content source (e.g., a line-in connection). In another example, audio content may be provided to a playback device over a network via one or more other playback devices or network devices.

Example audio content sources may include a memory of one or more playback devices in a media playback system such as the media playback system **100** of FIG. **1**, local music libraries on one or more network devices (such as a control device, a network-enabled personal computer, or a networked-attached storage (NAS), for example), streaming audio services providing audio content via the Internet (e.g., the cloud), or audio sources connected to the media playback system via a line-in input connection on a playback device or network device, among other possibilities.

In some embodiments, audio content sources may be regularly added or removed from a media playback system such as the media playback system **100** of FIG. **1**. In one example, an indexing of audio items may be performed whenever one or more audio content sources are added, removed or updated. Indexing of audio items may involve scanning for identifiable audio items in all folders/directory shared over a network accessible by playback devices in the media playback system, and generating or updating an audio content database containing metadata (e.g., title, artist, album, track length, among others) and other associated information, such as a URI or URL for each identifiable

audio item found. Other examples for managing and maintaining audio content sources may also be possible.

The above discussions relating to playback devices, controller devices, playback zone configurations, and media content sources provide only some examples of operating environments within which functions and methods described below may be implemented. Other operating environments and configurations of media playback systems, playback devices, and network devices not explicitly described herein may also be applicable and suitable for implementation of the functions and methods.

III. Example Methods for Playback of Media Items on a Webpage by a Playback Zone

As discussed above, embodiments described herein involve playback of media items from a webpage by a playback zone of a media playback system. Method **500** shown in FIG. **5** presents an embodiment of a method for facilitating such a playback of media items. The method **500** may be implemented within an operating environment involving, for example, the media playback system **100** of FIG. **1**, one or more of the playback device **200** of FIG. **2**, and one or more of the control device **300** of FIG. **3**. Method **500** may include one or more operations, functions, or actions as illustrated by one or more of blocks **502-510**. Although the blocks are illustrated in sequential order, these blocks may also be performed in parallel, and/or in a different order than those described herein. Also, the various blocks may be combined into fewer blocks, divided into additional blocks, and/or removed based upon the desired implementation.

In addition, for the method **500** and other processes and methods disclosed herein, the flowchart shows functionality and operation of a possible implementation of present embodiments. In this regard, each block may represent a module, a segment, or a portion of program code, which includes one or more instructions executable by a processor for implementing specific logical functions or steps in the process. The program code may be stored on any type of computer readable medium, for example, such as a storage device including a disk or hard drive. The computer readable medium may include non-transitory computer readable medium, for example, such as computer-readable media that stores data for short periods of time like register memory, processor cache and Random Access Memory (RAM). The computer readable medium may also include non-transitory media, such as secondary or persistent long term storage, like read only memory (ROM), optical or magnetic disks, compact-disc read only memory (CD-ROM), for example. The computer readable media may also be any other volatile or non-volatile storage systems. The computer readable medium may be considered a computer readable storage medium, for example, or a tangible storage device. In addition, for the method **500** and other processes and methods disclosed herein, each block in FIG. **5** may represent circuitry that is wired to perform the specific logical functions in the process.

At block **502**, the method **500** involves identifying one or more playback zones of a media playback system. In one example, the identification of the one or more playback zones may be performed upon opening or launching a web-browsing interface on a device, such as a computer or mobile device. As described above in section II, each playback zone in the media playback system may include one or more playback devices. In other example, the identification of the one or more playback zones may be per-

formed at some time subsequent to launching the web-browsing interface. For instance, identification may occur upon selecting a media item link, or upon loading a webpage by the web-browsing interface.

In one example, each of the playback devices in the media playback system may be connected to a local area network (LAN) according to a Universal Plug and Play (UPnP) network protocol. As such, each of the playback devices in the media playback system may be discovered by other devices, including the device providing the web-browsing interface, that are also connected to the LAN according to the UPnP network protocol. The one or more playback zones in the media playback system may be identified based on the identified playback devices.

In some cases, other UPnP capable devices, such as printers, NAS devices, and televisions, among others, that are not part of the media playback system may also be discovered according to the UPnP protocol. In such cases, the process of identifying playback zones in the media playback system may further involve filtering out devices that are not part of the media playback system. For instance, devices in the media playback system may each have a device name (or device identification) that is based on a particular naming convention, and discernable from names of devices that are not part of the media playback system. As such, filtering out devices that are not part of the media playback system may involve a search for devices having device names fitting the particular naming convention of devices in the media playback system.

In another example, identification of the one or more playback zones may involve a user account of the user. For instance, the media playback system may be associated with an email address that the user provided when registering the media playback system. As such, if a user logs into the email account or otherwise provides the email address to the web-browsing interface, the media playback system associated with the email address may be identified, and accordingly, playback zones of the media playback system may also be identified. In this embodiment, the device providing the web-browsing interface may not need to be on the same network as the media playback system in order to identify the playback zones in the media playback system. Rather, the web-browsing interface device may need to have access via a wide area network (WAN) for example, to a server where account information associated with the media playback system is stored. In another case, if a controller software application for the media playback system is installed and/or launched on the device providing the web-browsing interface, identifying the playback zones of the media playback system may involve retrieving playback zone information from the controller software application.

In yet another example, identification of the one or more playback zones may involve retrieving previously stored data indicating the one or more playback zones in the media playback system. In one case, during a previous launching of the web-browsing interface, the playback zones of the media playback system were identified as described above, and data indicating the identified playback zones was stored. In one instance, the data indicating the identified playback zones may be stored in a cloud server. In another instance, the data may be stored locally on the web-browsing interface device. In a further instance, the data stored locally on the web-browsing interface device may be stored in association with the controller software application for the media playback system, as discussed above. In another case, a discovery of the playback zones, such as described above, may be performed periodically, and data indicating the identified

5 playback zones may be stored and/or updated. In these cases, the stored data may be retrieved when the web-browsing interface is launched again. Other examples, including variations and combinations of those described above are also possible.

At block 504 in FIG. 5, the method 500 involves identifying on a webpage, a link to a playable media item. In one example, the user may access a webpage by sending a request according to a Hypertext Transfer Protocol (HTTP) by entering a URL into the web-browsing interface. In response to the request, the web-browsing interface may receive a Hypertext Markup Language (HTML) file indicating the webpage.

Identifying a link to a playable media item on the webpage may involve searching the received HTML file for references to playable media items. For instance, if the playback devices of the media playback system are capable of playing files with file extensions .wav, .m4a, and .mp3, then a search may be performed in the received HTML file for references to files having file extensions .wav, .m4a, or .mp3. One having ordinary skill in the art will understand that .wav, .m4a, and .mp3 are only example file extensions, and will appreciate that other file formats for audio and/or visual files may also be playable by devices in the media playback system and accordingly searched for when identifying links to playable media items on the webpage.

When the web-browsing interface displays the website, the link to the media item may be provided in the form of a selectable graphical or textual link representation, among others. In discussions herein, a selection of the link representation or any representation associated with a link may involve one or more mouse-clicks, finger taps or other user interactions on the representation. Other examples are also possible.

In one case, a selection of the link representation may cause media playback software to be launched to play the media item. In another case, a selection of the link representation may cause the web-browsing interface to prompt the user to indicate what the user wishes to do with the media item. For instance, a list of options may be provided for the user to select, including saving the media item, playing the media item with a particular certain media playback software, and opening the media item within the web-browsing interface using some web-browsing interface plug-in application, among other examples.

At block 506, the method involves modifying the webpage such that a representation associated with the link is selectable to cause the media item to be played in the one or more playback zones. Modifying the webpage may involve modifying the received HTML file. In one example, the webpage may be modified before the web-browsing interface displays the webpage. In other words, the web-browsing interface displays only the modified webpage and not the originally received webpage. In another example, the originally received webpage may be initially displayed by the web-browsing interface until modification of the webpage is complete, at which point the web-browsing interface may be updated with the modified webpage. Other examples are also possible.

In some embodiments, causing the media item to be played in the one or more playback zones may involve adding the media content to a playback queue associated with the one or more playback zones. For instance, the media item may be added to the playback queue prior to playback of the media item. As such, in discussions herein, a selection of the representation to cause the media item to be played in the one or more playback zones may cause the

media item to be played immediately, cause the media item to be added to the playback queue, or both.

FIGS. 6A-6D shows example modified webpages 600 and 650 with representations associated with links to media items that are selectable to cause the media items to be played in one or more identified playback zones. As shown in FIG. 6A, webpage 600 includes content 602. The content 602 may include representations 606 and 608 that are selectable to cause media items corresponding to the respective representations 606 and 608 to be played in the one or more playback zones. In this example, the respective representations 606 and 608 may be in form of buttons. The representations 606 and 608 may not be visually different from link representations to the media items on the originally received webpage.

As shown, a selection of the representation 608 may cause the web-browsing interface to prompt the user to indicate what the user wishes to do with the media item by providing a list of executable options 610. The options 610 in this example may include "Open Link in New Tab," "Open Link in New Window," and "Copy Link Address" that may have also been available when selecting link representations on the originally received webpage. In this case, however, the options 610 also include "Play to Media System" and "Queue to Media System" which were not available when selecting link representations on the originally received webpage. As previously indicated, selecting "Play to Media System" may cause the media item corresponding to representation 608 to be played by the one or more playback zones in the media playback system, while selecting "Queue to Media System" may cause the media item corresponding to representation 608 to be added to a playback queue associated with the one or more playback zones in the media playback system. Other options that are not shown or discussed may also be in the executable options 610. Further, one having ordinary skill in the art will appreciate that while the displayed position of the options 610 appears to be proximal to the selected representation, display of the options 610 may alternatively be displayed anywhere on the web-browsing interface.

FIG. 6B shows a webpage 650 that includes textual content 652. For illustration purposes, in this example, the textual content 652 includes imbedded textual representations 656 and 658 as opposed to the button type graphical representations 606 and 608 of FIG. 6A. Nevertheless, the textual representations 656 and 658 are also selectable to cause media items corresponding to the respective textual representations 656 and 658 to be played in the one or more playback zones. Further, the representations 656 and 658 may also not be visually different from link representations to the media items on the originally received webpage, and a selection of the textual representation 656 or 658, as shown, may also cause the web-browsing interface to prompt the user to indicate what the user wishes to do with the corresponding media item by providing the list of executable options 610.

In another example, the representation associated with the link may replace the link representation on the originally received webpage to indicate that the media item can be played in the one or more playback zones. FIG. 6C shows the webpage 600 with content 602 similar to that shown in FIG. 6A. In this example, however, the representations 606' and 608' are visually different from the representations 606 and 608 of FIG. 6A, and accordingly different from the link representations to the media items on the originally received webpage. In other words, in this example, the representations 606' and 608' replace the link representations on the

15

originally received webpage. As shown, the representations **606'** and **608'** may be in the form of buttons with text "Play to Media System" (instead of "Play Now," as was the case with representations **606** and **608** and/or the link representations on the originally received webpage) to imply that a selection of the representations may cause the corresponding media items to be played by one or more playback zones in the media playback system.

In yet another example, the representation associated with the link may be in the form of a representative icon proximal to the link representation on the originally received webpage indicating the option to cause the media item to be played in the one or more playback zones. FIG. 6D shows the webpage **600** with content **602** similar to that shown in FIGS. 6A and 6C. In this example, however, representation **606** and **608** may still be displayed on the website **600**, and the content **602** may further include representative icons **632** and **634**. In this example, icon **632** may be associated with representation **606** and icon **634** may be associated with representation **608**. In one case, the icon **632** and icon **634** may be merely informative, indicating that selections of the representation **606** and representation **608**, respectively, may cause media items corresponding to the respective representations **606** and **608** to be played in the one or more playback zones. In another case, selections of the representations **606** and **608** may cause actions (such as launching media playback software to play the corresponding media items) similar to that if the same associated link representations were selected in the originally receive webpage. However, in this case, the icons **632** and **634** may be selectable to cause the corresponding media items to be played in the one or more playback zones of the media playback system. Other examples that are not shown or discussed are also possible.

Referring back to method **500** in FIG. 5, block **508** involves displaying a list of the one or more playback zones of the media playback system in response to a first input. The one or more playback zones of the media playback system are the one or more playback zones identified at block **502**. In the examples shown in FIGS. 6A and 6B, the first input may be a selection of "Play to Media System" or "Queue to Media System" in the options **610**. In the example shown in FIG. 6C, the first input may be a selection of the representation **606'** or **608'**, and in the example shown in FIG. 6D, the first input may be a selection of the representative icons **632** or **634**. In each of the above examples, a playback zones list **612** may be displayed in response to the first input.

As shown, the playback zones list **612** may include "Playback Zone 1," "Playback Zone 3," and "Playback Zone 4." In one example, the playback zones in the list **612** may be ordered according to alphabetical order of the zone names. In another example, the playback zones in the list **612** may be ordered chronologically according to when each playback zone was created or when each playback zone most recently played media content. In yet another example, the playback zones in the list **612** may be ordered according to physical proximities between the computing device providing the web-browsing interface and the respective one or more playback zones. For instance, if a user is using the web-browsing interface on a tablet or personal computer in "Playback Zone 3", then "Playback Zone 3" may be listed first. In a further example, if the one or more playback zones were identified based on information retrieved from the controller software application for the media playback system, a playback zone that is currently being accessed via the

16

controller software application running on the web-browsing interface device may be listed first. Other examples are also possible.

In addition, the playback zones in the list **612** may be listed or ordered according to playback states of the playback zones. For instance, playback zones that are not currently playing any media content may be listed first. Along the same lines, an icon or some other graphical effect may be provided in the playback zones list **612** to indicate that certain playback zones are currently playing media content, and other playback zones are not. In some cases, playback zones that are currently playing media content may not be available to play media items from the webpage **600** or **650**. In one case, the unavailable playback zone may be grayed out and/or non-selectable. In another case, the unavailable playback zone may not be included in the list **612** at all. In addition to those described and/or suggested above, other selectable representations may be provided while maintaining the same or similar functionalities of playing the corresponding media item or prompting for additional input from the user are also possible.

At block **510** in FIG. 5, the method **550** involves causing a particular playback zone of the media playback system to play the playable media item in response to a second input. In one example, the second input may involve a selection of the particular playback zone from the list of the one or more playback zones. Upon the selection of the particular playback zone, the link to the media item corresponding to the representation selected as part of the first input at block **506** may be sent to the media playback system to be played in the particular playback zone. In one example, the link may be sent to a playback device in the particular playback zone.

As indicated above, the media item may be added to a playback queue associated with the particular playback zone, in addition to, or instead of causing the playback zone to play the media item immediately. In particular, if "Queue to Media System" in options **610** was selected in the examples shown in FIGS. 6A and 6B, the media item is first added to the associated playback queue before the media item may be subsequently played by the particular playback zone. Other examples are also possible.

IV. Conclusion

The description above discloses, among other things, various example systems, methods, apparatus, and articles of manufacture including, among other components, firmware and/or software executed on hardware. It is understood that such examples are merely illustrative and should not be considered as limiting. For example, it is contemplated that any or all of the firmware, hardware, and/or software aspects or components can be embodied exclusively in hardware, exclusively in software, exclusively in firmware, or in any combination of hardware, software, and/or firmware. Accordingly, the examples provided are not the only way(s) to implement such systems, methods, apparatus, and/or articles of manufacture.

As indicated above, the present application involves facilitating playback of media items on a webpage by a playback zone of a media playback system. In one aspect, a method is provided. The method involves identifying one or more playback zones of a media playback system upon opening a web-browsing interface, identifying on a webpage, a link to a playable media item, and modifying the webpage such that a representation associated with the link is selectable to cause the media item to be played in the one or more playback zones.

In another aspect, a device is provided. The device includes a processor, and memory having stored thereon instructions executable by the processor to cause the device to perform functions. The functions include identifying one or more playback zones of a media playback system upon opening a web-browsing interface, identifying on a webpage, a link to a playable media item, and modifying the webpage such that a representation associated with the link is selectable to cause the media item to be played in the one or more playback zones.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include identifying one or more playback zones of a media playback system upon opening a web-browsing interface, identifying on a webpage, a link to a playable media item, and modifying the webpage such that a representation associated with the link is selectable to cause the media item to be played in the one or more playback zones.

The present application further involves playing media items on a webpage in a playback zone of a media playback system. In one aspect, a method is provided. The method involves displaying on a web-browsing interface, a representation associated with a link to a media item, and responsive to a first input indicating a selection of the representation, displaying a list of one or more playback zones in a media playback system. The one or more playback zones are identified upon, or subsequent to a launching of the web-browsing interface. The method also involves causing the particular playback zone to play the media item responsive to a second input indicating a selection of a particular playback zone in the list of one or more playback zones.

In another aspect, a device is provided. The device includes a processor, and memory having stored thereon instructions executable by the processor to cause the device to perform functions. The functions include displaying on a web-browsing interface, a representation associated with a link to a media item, and responsive to a first input indicating a selection of the representation, displaying a list of one or more playback zones in a media playback system. The one or more playback zones are identified upon, or subsequent to a launching of the web-browsing interface. The functions also include causing the particular playback zone to play the media item responsive to a second input indicating a selection of a particular playback zone in the list of one or more playback zones.

In yet another aspect, a non-transitory computer readable memory is provided. The non-transitory computer readable memory has stored thereon instructions executable by a computing device to cause the computing device to perform functions. The functions include displaying on a web-browsing interface, a representation associated with a link to a media item, and responsive to a first input indicating a selection of the representation, displaying a list of one or more playback zones in a media playback system. The one or more playback zones are identified upon, or subsequent to a launching of the web-browsing interface. The functions also include causing the particular playback zone to play the media item responsive to a second input indicating a selection of a particular playback zone in the list of one or more playback zones.

Additionally, references herein to “embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment can be included in at

least one example embodiment of an invention. The appearances of this phrase in various places in the specification are not necessarily all referring to the same embodiment, nor are separate or alternative embodiments mutually exclusive of other embodiments. As such, the embodiments described herein, explicitly and implicitly understood by one skilled in the art, can be combined with other embodiments.

The specification is presented largely in terms of illustrative environments, systems, procedures, steps, logic blocks, processing, and other symbolic representations that directly or indirectly resemble the operations of data processing devices coupled to networks. These process descriptions and representations are typically used by those skilled in the art to most effectively convey the substance of their work to others skilled in the art. Numerous specific details are set forth to provide a thorough understanding of the present disclosure. However, it is understood to those skilled in the art that certain embodiments of the present disclosure can be practiced without certain, specific details. In other instances, well known methods, procedures, components, and circuitry have not been described in detail to avoid unnecessarily obscuring aspects of the embodiments. Accordingly, the scope of the present disclosure is defined by the appended claims rather than the forgoing description of embodiments.

When any of the appended claims are read to cover a purely software and/or firmware implementation, at least one of the elements in at least one example is hereby expressly defined to include a tangible, non-transitory medium such as a memory, DVD, CD, Blu-ray, and so on, storing the software and/or firmware.

The invention claimed is:

1. A system comprising:

a network interface;

at least one processor;

at least one tangible, non-transitory computer-readable medium; and

program instructions stored on the at least one tangible, non-transitory computer-readable medium that, when executed by the at least one processor, cause the system to perform functions comprising:

causing a web browser on a computing device to display one or more first elements, the first elements configured to receive account credentials;

receiving, via the web browser, data representing a particular set of account credentials for a first cloud service;

determining that the particular set of account credentials corresponds to a particular media playback system from among a plurality of media playback systems corresponding to respective account credentials, wherein the particular media playback system comprises one or more playback devices that are connected via a first local area network, and wherein the plurality of media playback systems comprise respective playback devices that are connected via respective second local area networks, wherein multiple media playback systems of the plurality of media playback comprise multiple respective playback devices, and wherein each media playback system corresponds to one or more respective sets of account credentials;

causing the web browser to display one or more second elements, the second elements comprising representations of playable audio items of a second cloud service, wherein the playable audio items comprise at least one of (i) audio tracks or (ii) playlists of audio tracks, and wherein the particular media play-

19

- back system is authenticated with the second cloud service via a particular set of credentials for the second cloud service; and
 adding, via the network interface, the playable audio items to a playback queue corresponding to at least one playback device in the particular media playback system.
2. The system of claim 1, wherein the functions further comprise:
 causing, via the network interface, the at least one playback device to play back at least a portion of the playback queue, wherein the at least one playback device streams audio items from the portion of the playback queue from respective network locations corresponding to each audio item.
3. The system of claim 1, wherein adding the playable audio items to the playback queue corresponding to at least one playback device in the particular media playback system comprises sending, via the network interface, instructions to add at least a portion of the playback queue to a representation of the playback queue stored in data storage of a group coordinator of the at least one playback device.
4. The system of claim 1, wherein the functions further comprise:
 causing the web browser to display one or more third elements, the third elements comprising representations of playback devices in the particular media playback system, wherein the playback devices in the particular media playback system are connected to a given local area network; and
 receiving, via the web browser, data representing a selection of multiple playback devices from among the playback devices of the particular media playback system, wherein adding the playable audio items to the playback queue corresponding to the at least one playback device in the particular media playback system comprises adding the playable audio items to a playback queue corresponding to the multiple playback devices based on receiving the data representing the selection of the multiple playback devices.
5. The system of claim 1, wherein the functions further comprise:
 receiving, via the web browser on the computing device, a request for a particular web page, wherein the particular web page comprising the one or more first elements, and wherein causing the web browser on the computing device to display one or more first elements comprises causing the web browser on the computing device to display one or more first elements based on receiving the request for the particular web page.
6. The system of claim 1, wherein the functions further comprise:
 identifying the playable audio items from streaming audio services added to the particular media playback system.
7. The system of claim 1, wherein causing the web browser to display the one or more second elements comprises causing the web browser to display a first web page comprising the one or more second elements, and wherein the functions further comprise:
 after adding the playable audio items to the playback queue, updating the first web page to indicate that the playable audio items are queued in the playback queue.
8. The system of claim 1, wherein the functions further comprise:
 causing an additional web browser on an additional computing device to display the one or more first elements;

20

- receiving, via the web browser, data representing an additional set of account credentials;
 determining that the additional set of account credentials corresponds to another media playback system from among the plurality of media playback systems corresponding to respective account credentials, wherein the another media playback system comprises one or more additional playback devices;
 causing the additional web browser to display the one or more second elements, the second elements comprising additional representations of additional playable audio items; and
 adding, via the network interface, the additional playable audio items to an additional playback queue corresponding to at least one additional playback device in the another media playback system.
9. A method to be performed by a computing system, the method comprising:
 causing a web browser on a computing device to display one or more first elements, the first elements configured to receive account credentials;
 receiving, via the web browser, data representing a particular set of account credentials for a first cloud service;
 determining that the particular set of account credentials corresponds to a particular media playback system from among a plurality of media playback systems corresponding to respective account credentials, wherein the particular media playback system comprises one or more playback devices that are connected via a first local area network, and wherein the plurality of media playback systems comprise respective playback devices that are connected via respective second local area networks, wherein multiple media playback systems of the plurality of media playback comprise multiple respective playback devices, and wherein each media playback system corresponds to one or more respective sets of account credentials;
 causing the web browser to display one or more second elements, the second elements comprising representations of playable audio items of a second cloud service, wherein the playable audio items comprise at least one of (i) audio tracks or (ii) playlists of audio tracks, and wherein the particular media playback system is authenticated with the second cloud service via a particular set of credentials for the second cloud service; and
 adding, via a network interface, the playable audio items to a playback queue corresponding to at least one playback device in the particular media playback system.
10. The method of claim 9, further comprising:
 causing, via the network interface, the at least one playback device to play back at least a portion of the playback queue, wherein the at least one playback device streams audio items from the portion of the playback queue from respective network locations corresponding to each audio item.
11. The method of claim 9, wherein adding the playable audio items to the playback queue corresponding to at least one playback device in the particular media playback system comprises sending, via the network interface, instructions to add at least a portion of the playback queue to a representation of the playback queue stored in data storage of a group coordinator of the at least one playback device.

12. The method of claim 9, further comprising:
causing the web browser to display one or more third
elements, the third elements comprising representa-
tions of playback devices in the particular media play-
back system, wherein the playback devices in the
particular media playback system are connected to a
given local area network; and
receiving, via the web browser, data representing a selec-
tion of multiple playback devices from among the
playback devices of the particular media playback
system, wherein adding the playable audio items to the
playback queue corresponding to the at least one play-
back device in the particular media playback system
comprises adding the playable audio items to a play-
back queue corresponding to the multiple playback
devices based on receiving the data representing the
selection of the multiple playback devices.
13. The method of claim 9, further comprising:
receiving, via the web browser on the computing device,
a request for a particular web page, wherein the par-
ticular web page comprising the one or more first
elements, and wherein causing the web browser on the
computing device to display one or more first elements
comprises causing the web browser on the computing
device to display one or more first elements based on
receiving the request for the particular web page.
14. The method of claim 9, further comprising:
identifying the playable audio items from streaming audio
services added to the particular media playback system.
15. The method of claim 9, wherein causing the web
browser to display the one or more second elements com-
prises causing the web browser to display a first web page
comprising the one or more second elements, and wherein
the method further comprise:
after adding the playable audio items to the playback
queue, updating the first web page to indicate that the
playable audio items are queued in the playback queue.
16. The method of claim 9, further comprising:
causing an additional web browser on an additional
computing device to display the one or more first
elements;
receiving, via the web browser, data representing an
additional set of account credentials;
determining that the additional set of account credentials
corresponds to another media playback system from
among the plurality of media playback systems corre-
sponding to respective account credentials, wherein the
another media playback system comprises one or more
additional playback devices;
causing the additional web browser to display the one or
more second elements, the second elements comprising
additional representations of additional playable audio
items; and
adding, via the network interface, the additional playable
audio items to an additional playback queue corre-
sponding to at least one additional playback device in
the another media playback system.
17. A method to be performed by a computing device, the
method comprising:
displaying, via a web browser, one or more first elements,
the first elements configured to receive account creden-
tials;

- receiving, via the web browser, data representing a par-
ticular set of account credentials for a first cloud
service;
determining that the particular set of account credentials
corresponds to a particular media playback system
from among a plurality of media playback systems
corresponding to respective account credentials,
wherein the particular media playback system com-
prises one or more playback devices that are connected
via a first local area network, and wherein the plurality
of media playback systems comprise respective play-
back devices that are connected via respective second
local area networks, wherein multiple media playback
systems of the plurality of media playback comprise
multiple respective playback devices, and wherein each
media playback system corresponds to one or more
respective sets of account credentials;
displaying, via the web browser, one or more second
elements, the second elements comprising representa-
tions of playable audio items of a second cloud service,
wherein the playable audio items comprise at least one
of (i) audio tracks or (ii) playlists of audio tracks,
wherein the particular media playback system is
authenticated with the second cloud service via a
particular set of credentials for the second cloud ser-
vice; and
adding, via a network interface, the playable audio items
to a playback queue corresponding to at least one
playback device in the particular media playback sys-
tem.
18. The method of claim 17, further comprising:
causing, via the network interface, the at least one play-
back device to play back at least a portion of the
playback queue, wherein the at least one playback
device streams audio items from the portion of the
playback queue from respective network locations cor-
responding to each audio item.
19. The method of claim 17, wherein adding the playable
audio items to the playback queue corresponding to at least
one playback device in the particular media playback system
comprises sending, via the network interface, instructions to
add at least a portion of the playback queue to a represen-
tation of the playback queue stored in data storage of a group
coordinator of the at least one playback device.
20. The method of claim 17, further comprising
causing the web browser to display one or more third
elements, the third elements comprising representa-
tions of playback devices in the particular media play-
back system, wherein the playback devices in the
particular media playback system are connected to a
given local area network; and
receiving, via the web browser, data representing a selec-
tion of multiple playback devices from among the
playback devices of the particular media playback
system, wherein adding the playable audio items to the
playback queue corresponding to the at least one play-
back device in the particular media playback system
comprises adding the playable audio items to a play-
back queue corresponding to the multiple playback
devices based on receiving the data representing the
selection of the multiple playback devices.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : 11,782,977 B2
APPLICATION NO. : 17/006972
DATED : October 10, 2023
INVENTOR(S) : Ted M. Lin et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims

In Column 22, in Claim 20, Line 45, after “comprising” insert -- : --.

Signed and Sealed this
Twenty-first Day of November, 2023

Katherine Kelly Vidal
Director of the United States Patent and Trademark Office