
## J. M. TOBIN. NASAL NOZZLE. APPLICATION FILED APR. 1, 1918.

1,298,422.

Patented Mar. 25, 1919.



## UNITED STATES PATENT OFFICE.

JOHN M. TOBIN, OF NEW YORK, N. Y.

## NASAL NOZZLE.

1,298,422.

Specification of Letters Patent.

Patented Mar. 25, 1919.

Application filed April 1, 1918. Serial No. 225,922.

To all whom it may concern:

Be it known that I, John M. Tobin, a citizen of the United States, residing at New York, in the county of New York and 5 State of New York, have invented new and useful Improvements in Nasal Nozzles, of which the following is a specification.

My present invention pertains to means for applying salves, medicated semi-liquids

10 and ointments to the nasal passages.

The object of the invention is the provision of an administering nozzle that is adapted to occupy the vestibule of a nasal passage and dilate the passage without con-15 tacting with and injuring the mucous membrane so as to place medicated ointment or the like well up the nasal passage, and is also adapted to be held firmly by the vestibule of a nasal passage so that the adminis-20 tration of the medicine can be made with one hand and this in such manner that the user is not subjected to discomfort or the liability to injury in the event of a sudden movement, the nozzle being entirely free of 25 any feature calculated to injure the lining or other part of the nose.

The invention in all of its details will be fully understood from the following description and claim when the same are read 30 in connection with the drawings, accompanying and forming part of this specifica-

tion, in which:

Figure 1 is an enlarged elevation showing a nozzle constructed according to my inven-35 tion as applied to a collapsible tube or container.

Fig. 2 is a similar view with the nozzle in

diametrical section.

Fig. 3 is a transverse section, taken in the 40 plane indicated by the line 3-3 of Fig. 1.

Similar numerals of reference designate corresponding parts in all the views of the

drawings.

45 its reduced and threaded portion 2 are not, of course, of my invention, and are merely shown herein as part of a practical and desirable embodiment.

My improved nozzle 3 may be formed of 50 metal, hard-rubber or other material compatible with its purpose, and may be provided with a longitudinal-central bore 4, of even diameter throughout, as shown, or may be made hollow or chambered in the discre-55 tion of the manufacturer. At its upper end

the said nozzle is interiorly threaded, as indicated by 5, for the reception of the threaded shank 6 of a closure screw 7 the head of which is preferably roughened on its perimeter as illustrated.

The nozzle 3 may exteriorly be of any suitable shape in cross-section, and it is peculiar and advantageous in that its upper portion is exteriorly tapered toward its upper or outer end and is slightly convex in 65 the direction of its length. It is within the purview of my invention to make the nozzle 3 integral with the container on which it is used, though I prefer to have the nozzle detachable as shown, this because it permits of 70 the nozzle being made of material other than that of the container and also permits of the repeated use of the nozzle on many containers.

The upper or outer longitudinally tapered 75 exterior portion of the nozzle is numbered 3×, and by virtue of the same it will be appreciated that the nozzle is adapted to dilate a nasal passage while hermetically sealing the vestibule of the passage; also, that while 80 effecting the said dilation and thereby assuring the application of medicated semiliquid or other substance well up the nasal passage, the nozzle does not contact with and therefore is not liable to injure the mucous 85 lining of the passage, this being due in a

measure to the convexity of the portion 3×. Moreover it will be understood that by reason of the shape of the nozzle portion 3x, the nozzle is adapted to retain itself in the ves- 90 tibule of the nasal passage so that the medicine or cream may be conveniently administered with one hand and without liability

of injuring the user.

The nozzle closure employed manifestly 95 leaves the outer side of the nozzle perfectly smooth so that there is nothing about my novel nozzle that is liable to injure the nose The collapsible tube or container 1 and in the event of the user being caused to suddenly move incidental to the administration 100 of medicine through the medium of the nozzle.

Having described my invention, what I claim and desire to secure by Letters Patent, is:

A collapsible container provided with a detachable nasal nozzle having a vertical passage therethrough and interiorly screw threaded at each end portion thereof, the smooth outer surface of said nozzle being 110

105

tapered longitudinally from its central portion to its upper end and also tapered longitudinally from its center to the extreme lower threaded end portion thereof, thereby forming a convex outer surface throughout its entire length, in combination with a closure screw-adapted to be fitted to the upper interiorly threaded portion of the nozzle and provided with a head adapted to be

seated against the upper surface of said 10 nozzle.

In testimony whereof I have hereunto set my hand in presence of two subscribing witnesses:

JOHN M. TOBIN.

Witnesses:

HARMON SMITH, FRANCES C. THORNER.

Copies of this patent may be obtained for five cents each, by addressing the "Commissioner of Patents," Washington, D. C."