
## G. F. HOGAN

ENVELOPE



## UNITED STATES PATENT OFFICE.

GEORGE FRANCIS HOGAN, OF CHICAGO, ILLINOIS. ENVELOPE

Application filed September 27, 1927. Serial No. 222,230.

This invention relates to envelopes for 7 is considerably deeper than that of the wall having two separate pockets. The envelope as hereinafter described may be used with · advantage for insurance policies and accompanying receipt books in which the payment of premiums is recorded. It may, however, provide an enclosure for various other papers.

the payment of the premium in a receipt book ly in the pocket between the walls 6 and 7 and the agent or collector is often obliged to wait while the missing book is hunted.

It is the object of the present invention to provide an envelope or receptacle in which both the policy and the receipt book may be placed conveniently so that both are readily available.

struction having two pockets, each of which advantages thereof. is readily accessible.

Other objects and advantages of the invention will be apparent as it is better under-30 stood by reference to the following specification and accompanying drawing, in which

Fig. 1 is a plan view of an envelope embodying the invention; and

Fig. 2 is a plan view of the blank from

which the envelope is formed.

Referring to the drawing, the envelope comprises a rear wall 5 and intermediate and front walls 6 and 7 formed by the respective flaps indicated by the same numerals in Fig. 2 of the drawing. The flaps 6 and 7 are folded as indicated and the free edge of the both the front and intermediate walls. As will be observed by reference to Fig. 1,

permit easy access to the contents of the separate pockets. The thumb-cutting of the wall

documents and more especially to envelopes 6 to facilitate the intended use of the en velope.

> The wall 5 may conveniently have a tab 10 with an opening 11 therein. This permits an hanging of the envelope on a hook or nail in an accesible place where the contents will be

available when needed.

In utilizing the envelope for insurance In so-called "industrial" insurance where- purposes the insurance policy may be dis- 65 in the premiums are collected weekly by an posed in the pocket between the walls 5 and agent or collector, it is customary to note 6 and the receipt book may be placed similarwhich is furnished with the policy. Much Both may be exposed by the thumb-cutting difficulty is experienced because the receipt so that either or both may be withdrawn 70 book is frequently mislaid by the insured readily for examination or for the entry of data concerning the payment of premiums.

The envelope may be used for the storage of other related or unrelated documents and affords a simple and safe storage receptacle 78 for such papers. The shape and proportions as well as the details of construction of the envelope may be varied within the scope of A further object of the invention is the the accompanying claims without departing 25 provision of a strong envelope of simple con- from the invention or sacrificing any of the 80

I claim:—

1. An envelope having two separate pockets formed by a rear wall and intermediate and front walls consisting of overlapping lat- 85 eral flaps each substantially the width of the rear wall, the free lateral edge of the intermediate wall being unattached to the other walls, the free lateral edge of the front wall being gummed at the lateral edge of the en- 90 velope and a flap closing the bottom of the envelope, the lower edge of the front wall being cut away to expose a portion of the intermediate wall to the bottom-closing flap and the bottom-closing flap being gummed to 95

flap 7 is secured by gum to the underlying 2. An envelope having two separate pockportion of the flap 6 adjacent the fold. Two ets formed by a rear wall and intermediate pockets are thus formed between the walls and front walls consisting of overlapping 5, 6 and 7 and are completed by folding a lateral flaps each substantially the width of 100 flap 8 at the bottom of the envelope so that the rear wall, the free lateral edge of the it overlies the walls 6 and 7. The flap 8 is front wall being gummed at the lateral edge secured by gum. Preferably the lower edge of the envelope and a flap closing the botof the wall 7 is cut diagonally as indicated tom of the envelope, the lower edge of the at 9 so that the gum adheres to both the walls front wall being cut away to expose a portion 105 6 and 7 to hold the former securely in place. of the intermediate wall to the bottom-closing flap and the bottom-closing flap being the walls 6 and 7 are thumb-cut to expose and gummed to both the front and intermediate walls.

3. An envelope having two separate pock. 110

.

.

.

•

ets formed by a rear wall and intermediate and front walls consisting of overlapping lateral flaps thumb cut at their upper edges and each substantially the width of the rear wall, the free lateral edge of the front wall being gummed at the lateral edge of the envelope and a flap closing the bottom of the servelope, the lower edge of the front wall to the bottom-closing flap and the bottom-closing flap being gummed to both the front and intermediate walls.

In testimony whereof I affix my signature.

GEORGE FRANCIS HOGAN.