US 20210295384A1

(19) **United States**

(12) **Patent Application Publication**

Tofte et al.

(10) **Pub. No.: US 2021/0295384 A1**

(43) **Pub. Date: Sep. 23, 2021**

(54) **SYSTEMS AND METHODS FOR ENVIRONMENTAL ANALYSIS BASED UPON VEHICLE SENSOR DATA**

(71) Applicant: **State Farm Mutual Automobile Insurance Company**, Bloomington, IL (US)

(72) Inventors: **Nathan Tofte**, Bloomington, IL (US); **Cole Nave**, Bloomington, IL (US)

(21) Appl. No.: **15/486,025**

(22) Filed: **Apr. 12, 2017**

Related U.S. Application Data

(60) Provisional application No. 62/353,762, filed on Jun. 23, 2016, provisional application No. 62/363,945, filed on Jul. 19, 2016.

Publication Classification

(51) **Int. Cl.**

G06Q 30/02	(2006.01)
H04Q 9/00	(2006.01)
G06Q 40/08	(2006.01)

(52) **U.S. Cl.**

CPC ***G06Q 30/0261*** (2013.01); *H04Q 2209/40* (2013.01); ***G06Q 40/08*** (2013.01); ***H04Q 9/00*** (2013.01)

(57) **ABSTRACT**

A system for analyzing the environment of a vehicle (i) receives a plurality of data from at least one sensor associated with a vehicle, such that the plurality of data includes at least one environmental condition; (ii) analyzes the plurality of data to determine the at least one environmental condition; (iii) determines at least one actionable item based upon the at least one environmental condition; (iv) determines at least one provider based upon the actionable item; and (v) transmits a message to the at least one provider, such that the message includes the at least one actionable item. As a result, the speed and accuracy of providers learning about potential actionable items is increased.




100
105
SENSORS
115
DRIVER
120
PASSENGER
MOBILE DEVICE 125
VEHICLE CONTROLLER 110
120
PASSENGER
120
PASSENGER
105
SENSORS

FIG. 1


200
Vehicle Controller 110
Database 202
Environment Monitoring Computer Device 204
3rd Party Provider 206
In-transit 208
Continuous environmental scanning 210
Vehicle transmits data 212
Store all data scanned 214
Feed data through comparative algorithm containing historical data 216
Actionable change in environment? 218
No
Yes
Log the change(s) 220
Determine 3rd Party to notify of actionable change 222
Perform action based on Actionable Change 224
Refine algorithm 226
Repeat
End

FIG. 2


300
305
RECEIVE A PLURALITY OF DATA FROM AT LEAST ONE SENSOR ASSOCIATED WITH A VEHICLE, WHEREIN THE PLURALITY OF DATA INCLUDES AT LEAST ONE ENVIRONMENTAL CONDITION
310
ANALYZE THE PLURALITY OF DATA TO DETERMINE THE AT LEAST ONE ENVIRONMENTAL CONDITION
315
DETERMINE AT LEAST ONE ACTIONABLE ITEM BASED ON THE AT LEAST ONE ENVIRONMENTAL CONDITION
320
DETERMINE AT LEAST ONE PROVIDER BASED ON THE ACTIONABLE ITEM
325
TRANSMIT A MESSAGE TO THE AT LEAST ONE PROVIDER, WHEREIN THE MESSAGE INCLUDES THE AT LEAST ONE ACTIONABLE ITEM

FIG. 3


202
DATABASE
400
110
SENSOR
105
VEHICLE
COMPUTER DEVICE
DATABASE
SERVER
410
204
ENVIRONMENT
MONITORING SERVER
405
USER
COMPUTER
DEVICE
USER
COMPUTER
DEVICE
405

FIG. 4


TO/FROM REMOTE DEVICE
USER COMPUTER DEVICE
COMM. INTERFACE
525
PROCESSOR
505
MEMORY
510
INPUT
520
MEDIA OUTPUT
515
502
USER
501

FIG. 5


634
STORAGE DEVICE
SERVER COMPUTER DEVICE
620
STORAGE INTERFACE
605
PROCESSOR
610
MEMORY
615
COMM. INTERFACE
601
TO/FROM REMOTE DEVICE

FIG. 6

FIG. 7


700
705
RECEIVE DATA FROM AT LEAST ONE SENSOR
710
DETERMINE THAT A POTENTIAL VEHICULAR CRASH IS IMMINENT BASED ON THE RECEIVED DATA
715
PERFORM AT LEAST ONE ACTION TO REDUCE A SEVERITY OF THE POTENTIAL VEHICULAR CRASH


800
810
Computing Device
820
Database
822
3rd Party Providers
824
Sensor Data
826
Environmental Conditions
828
Actionable Items
Data Storage Devices
830
Communication Component
840
Analyzing Component
850
Determining Component
860
Processing Component
870

FIG. 8


900
905
RECEIVE A PLURALITY OF DATA FROM AT LEAST ONE SENSOR ASSOCIATED WITH A VEHICLE, WHEREIN THE PLURALITY OF DATA INCLUDES AT LEAST ONE ENVIRONMENTAL CONDITION
910
ANALYZE THE PLURALITY OF DATA TO DETERMINE THE AT LEAST ONE ENVIRONMENTAL CONDITION
915
DETERMINE AT LEAST ONE ACTIONABLE ITEM BASED ON THE AT LEAST ONE ENVIRONMENTAL CONDITION
920
DETERMINE AN INSURANCE ACCOUNT ASSOCIATED WITH THE AT LEAST ONE ACTIONABLE ITEM
925
GENERATE A VIRTUAL INSURANCE CLAIM BASED ON THE AT LEAST ONE ACTIONABLE ITEM
930
TRANSMIT THE VIRTUAL INSURANCE CLAIM TO AN INSURANCE PROVIDER ASSOCIATED WITH THE INSURANCE

FIG. 9


1000
1005
RECEIVE A PLURALITY OF DATA FROM AT LEAST ONE SENSOR ASSOCIATED WITH A VEHICLE, WHEREIN THE PLURALITY OF DATA INCLUDES AT LEAST ONE ENVIRONMENTAL CONDITION AT A LOCATION
1010
ANALYZE THE PLURALITY OF DATA TO DETERMINE THE AT LEAST ONE ENVIRONMENTAL CONDITION AT THE LOCATION
1015
DETERMINE A CONDITION OF A BUILDING AT THE LOCATION BASED ON THE AT LEAST ONE ENVIRONMENTAL CONDITION
1020
DETERMINE AN INSURANCE PRODUCT FOR THE BUILDING BASED ON THE DETERMINED CONDITION ASSOCIATED WITH THE BUILDING
1025
GENERATE AN INSURANCE QUOTE FOR THE INSURANCE PRODUCT

FIG. 10

SYSTEMS AND METHODS FOR ENVIRONMENTAL ANALYSIS BASED UPON VEHICLE SENSOR DATA

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application relates to U.S. Provisional Patent Application Ser. No. 62/353,762, filed Jun. 23, 2016, and U.S. Provisional Patent Application Ser. No. 62/363,945, filed Jul. 19, 2016, the contents of which are hereby incorporated by reference, in their entirety and for all purposes, herein.

FIELD OF THE INVENTION

[0002] The present disclosure relates to using vehicle sensor data for environmental analysis, and a network-based system and method for analyzing the environment of a vehicle, and determining business opportunities based upon the analysis.

BACKGROUND

[0003] In many cases, advertising is low value because there is no indication that the product or service is needed. Frequent ads on the Internet, cold calls, and door-to-door sales serve as the initial contact with hopes of a future sale, but the likelihood of completing a sale is low based upon the blind initial contact. Ads on the Internet may be triggered when an individual searches, clicks, or otherwise indicates a need.

[0004] However, there are cases, where the individual may not even know that he has a need. For instance, if a tree in an individual's front yard has insect damage, but the individual may not notice or recognize the significance. In this instance, the individual may not be aware that his property is in need of maintenance and/or who would perform that maintenance. Additionally, no Internet ads are triggered to address that need.

BRIEF SUMMARY

[0005] The present embodiments may relate to systems and methods for analyzing the environment of a vehicle. An environment monitoring system, as described herein, may include an environment monitoring ("EM") computer device that is in communication with a mobile computer device associated with a user. The EM computer device may be configured to (i) receive a plurality of data from at least one sensor associated with a vehicle, where the plurality of data includes at least one environmental condition that is proximate to the vehicle during at least one point in time and includes at least one of: a condition of a building, a condition of vegetation, a condition of a public thoroughfare, a weather condition, and a vehicular accident that the vehicle was not involved in. The plurality of data may include a plurality of location data and a plurality of sensor readings. Each sensor reading may be associated with a location of the plurality of locations. The EM computer device may be further configured to (ii) determine a location associated with the at least one environmental condition based upon the plurality of data; (iii) determine a user account associated with the determined location; (iv) determine the at least one environmental condition by comparing data associated with a plurality of separate points in time, where the environmental condition is proximate to the vehicle at the plurality of separate points in time; (v) store a plurality of historical sensor data; (vi) compare the plurality of data to the historical data to determine the at least one environmental condition; (vii) analyze the plurality of data to determine the at least one environmental condition; (viii) determine at least one actionable item based upon the at least one environmental condition; (ix) determine at least one provider based upon the actionable item; and/or (x) transmit a message to the at least one provider, such that the message includes the at least one actionable item and where the provider is configured to (a) transmit a message to the user account or (b) transmit an advertisement associated with the at least one actionable item. The EM computing device may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0006] At least one advantage of this system is that it provides more accurate leads to businesses based upon the actual needs of potential customers. This reduces the need for blind sales calls. Furthermore, the use of sensor data allows for providing additional information about changes to an environment overtime including potential actionable items, without requiring constant manual inspection. Another advantage of the system is to provide additional information about vehicular crashes to improve modeling of the scenario of the vehicular crash. Another advantage of the system is reducing potential injuries in a vehicular accident by inducing passengers to reposition and/or change direction of facing. A further advantage is reducing damage to at least one of a vehicle and/or passengers by repositioning the vehicle prior to impact.

[0007] In one aspect, a computer system for analyzing the environment of a vehicle, and/or improving the functioning of a computer, may be provided. The computer system may include at least one processor (and/or associated transceiver) in communication with at least one memory device. The at least one processor (and/or associated transceiver) may be configured or programmed to: (1) receive a plurality of data from at least one sensor associated with a vehicle, wherein the plurality of data includes at least one environmental condition; (2) analyze the plurality of data to determine the at least one environmental condition; (3) determine at least one actionable item based upon the at least one environmental condition; (4) determine at least one provider based upon the actionable item; and/or (5) transmit a message to the at least one provider or to a provide computing, such as via wireless communication or data transmission over one or more radio links or wireless communication channels, wherein the message includes the at least one actionable item to facilitate communication to providers about potential actionable items. The computer system may have additional, less, or alternate functionality, including that discussed elsewhere herein.

[0008] In another aspect, a computer-based method for analyzing the environment of a vehicle, and/or improving the functioning of a computer, may be provided. The method may be implemented on an environment monitoring ("EM") server that includes at least one processor (and/or associated transceiver) in communication with at least one memory device. The method may include: (1) receiving, at the EM server (such as via wireless communication or data transmission over one or more radio links or wireless communication channels), a plurality of data from at least one sensor (and/or transceivers) associated with a vehicle, wherein the plurality of data includes at least one environ-

mental condition; (2) analyzing, by the EM server, the plurality of data to determine the at least one environmental condition; (3) determining, by the EM server, at least one actionable item based upon the at least one environmental condition; (4) determining, by the EM server, at least one provider based upon the actionable item; and/or (5) transmitting a message to the at least one provider or provider computing device (such as via wireless communication or data transmission over one or more radio links or wireless communication channels), wherein the message includes the at least one actionable item to facilitate communication to providers about potential actionable items. The computer system may have additional, less, or alternate functionality, including that discussed elsewhere herein.

[0009] In yet another aspect, at least one non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When executed by at least one processor, the computer-executable instructions cause the processor (and/or an associated transceiver) to: (1) receive a plurality of data from at least one sensor associated with a vehicle, wherein the plurality of data includes at least one environmental condition; (2) analyze the plurality of data to determine the at least one environmental condition; (3) determine at least one actionable item based upon the at least one environmental condition; (4) determine at least one provider based upon the actionable item; and/or (5) transmit a message to the at least one provider, wherein the message includes the at least one actionable item to facilitate communication to providers about potential actionable items. The computer system may have additional, less, or alternate functionality, including that discussed elsewhere herein.

[0010] In still another aspect, a computer system for detecting a vehicular crash may be provided. The computer system may include at least one processor, sensor, and/or transceiver in communication with at least one memory device, the at least one processor, sensor, and/or transceiver. The at least one processor may be programmed to (1) (locally or remotely) receive data from the at least one sensor (such as via wired or wireless communication); (2) determine that a potential vehicular crash is imminent based upon the received data; and/or (3) perform at least one action to reduce a severity of the potential vehicular crash prior to impact. The computer system may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0011] In a different aspect, a computer-based method for detecting a vehicular crash may be provided. The method may include (1) receiving data from at least one sensor of a vehicle; (2) determining, at the EM server, that a potential vehicular crash is imminent based upon the received data; and/or (3) performing at least one action to reduce a severity of the potential vehicular crash prior to impact. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0012] In still another aspect, at least one non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When executed by at least one processor, the computer-executable instructions cause the processor (and/or an associated transceiver) to: (1) receive data from at least one sensor of a vehicle; (2) determine that a potential vehicular crash is imminent based upon the received data; and/or (3) perform at least one action to reduce a severity of the potential vehicular crash prior to impact. The storage media may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0013] In yet another aspect, a computer system for analyzing the environment of a vehicle may be provided. The computer system may include at least one processor in communication with at least one memory device. The at least one processor is programmed to receive a plurality of data from at least one sensor associated with a vehicle. The plurality of data includes at least one environmental condition. The at least one processor is also programmed to analyze the plurality of data to determine the at least one environmental condition, determine at least one actionable item based upon the at least one environmental condition, determine an insurance policy associated with the at least one actionable item, generate a virtual insurance claim based upon the at least one actionable item, and/or transmit the virtual insurance claim to an insurance provider associated with the insurance policy to facilitate proactive action on filing insurance claims. The computer system may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0014] In still another aspect, a computer-based method for analyzing the environment of a vehicle may be provided. The method may be implemented on an environment monitoring ("EM") server including at least one processor in communication with at least one memory device. The method may include receiving, at the EM server, a plurality of data from at least one sensor associated with a vehicle. The plurality of data includes at least one environmental condition. The method may also include analyzing, by the EM server, the plurality of data to determine the at least one environmental condition, determining, by the EM server, at least one actionable item based upon the at least one environmental condition, determining, by the EM server, an insurance policy associated with the at least one actionable item, generating a virtual insurance claim based upon the at least one actionable item, and/or transmitting the virtual insurance claim to an insurance provider associated with the insurance policy to facilitate proactive action on filing insurance claims. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0015] In still another aspect, at least one non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When executed by at least one processor, the computer-executable instructions cause the processor (and/or an associated transceiver) to receive a plurality of data from at least one sensor associated with a vehicle. The plurality of data includes at least one environmental condition. The computer-executable instructions may cause the processor (and/or an associated transceiver) to analyze the plurality of data to determine the at least one environmental condition, determine at least one actionable item based upon the at least one environmental condition, determine an insurance policy associated with the at least one actionable item, generate a virtual insurance claim based upon the at least one actionable item, and/or transmit the virtual insurance claim to an insurance provider associated with the insurance policy to facilitate proactive action on filing insurance claims. The storage media may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0016] In yet another aspect, a computer system for analyzing the environment of a vehicle may be provided. The computer system may include at least one processor in communication with at least one memory device. The at least one processor is programmed to receive a plurality of data from at least one sensor associated with a vehicle. The plurality of data includes at least one environmental condition at a location. The at least one processor may also be programmed to analyze the plurality of data to determine the at least one environmental condition at the location, determine a condition of a building at the location based upon the at least one environmental condition, determine an insurance product for the building based upon the determined condition associated with the building, and/or generate an insurance quote for the insurance product. The computer system may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0017] In still another aspect, a computer-based method for analyzing the environment of a vehicle may be provided. The method may be implemented on an environment monitoring ("EM") server including at least one processor in communication with at least one memory device. The method includes receiving, at the EM server, a plurality of data from at least one sensor associated with a vehicle. The plurality of data includes at least one environmental condition at a location. The method may also include analyzing, by the EM server, the plurality of data to determine the at least one environmental condition at the location, determining, by the EM server, a condition of a building at the location based upon the at least one environmental condition, determining, by the EM server, an insurance product for the building based upon the determined condition associated with the building, and/or generating an insurance quote for the insurance product. The method may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0018] In still another aspect, at least one non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When executed by at least one processor, the computer-executable instructions cause the processor (and/or an associated transceiver) to receive a plurality of data from at least one sensor associated with a vehicle. The plurality of data includes at least one environmental condition at a location. The computer-executable instructions may also cause the processor (and/or an associated transceiver) to analyze the plurality of data to determine the at least one environmental condition at the location, determine a condition of a building at the location based upon the at least one environmental condition, determine an insurance product for the building based upon the determined condition associated with the building, and/or generate an insurance quote for the insurance product. The storage media may include additional, less, or alternate actions, including those discussed elsewhere herein.

[0019] Advantages will become more apparent to those skilled in the art from the following description of the preferred embodiments which have been shown and described by way of illustration. As will be realized, the present embodiments may be capable of other and different embodiments, and their details are capable of modification in various respects. Accordingly, the drawings and description are to be regarded as illustrative in nature and not as restrictive.

BRIEF DESCRIPTION OF THE DRAWINGS

[0020] The Figures described below depict various aspects of the systems and methods disclosed therein. It should be understood that each Figure depicts an embodiment of a particular aspect of the disclosed systems and methods, and that each of the Figures is intended to accord with a possible embodiment thereof. Further, wherever possible, the following description refers to the reference numerals included in the following Figures, in which features depicted in multiple Figures are designated with consistent reference numerals.

[0021] There are shown in the drawings arrangements which are presently discussed, it being understood, however, that the present embodiments are not limited to the precise arrangements and are instrumentalities shown, wherein:

[0022] FIG. **1** illustrates a schematic diagram of an exemplary vehicle.

[0023] FIG. **2** illustrates a flow chart of an exemplary process of analyzing the environment of a vehicle, such as of the vehicle shown in FIG. **1**.

[0024] FIG. **3** illustrates a flow chart of an exemplary computer-implemented process for analyzing the environment of a vehicle shown in FIG. **2**.

[0025] FIG. **4** illustrates a simplified block diagram of an exemplary computer system for implementing the process shown in FIG. **1**.

[0026] FIG. **5** illustrates an exemplary configuration of a client computer device shown in FIG. **4**, in accordance with one embodiment of the present disclosure.

[0027] FIG. **6** illustrates an exemplary configuration of a server shown in FIG. **4**, in accordance with one embodiment of the present disclosure.

[0028] FIG. **7** illustrates a flow chart of an exemplary computer-implemented process of detecting a vehicular crash using the system shown in FIG. **4**.

[0029] FIG. **8** illustrates a diagram of components of one or more exemplary computing devices that may be used in the system shown in FIG. **4**.

[0030] FIG. **9** illustrates a flow chart of another exemplary computer-implemented process for analyzing the environment of a vehicle shown in FIG. **2**.

[0031] FIG. **10** illustrates a flow chart of a further exemplary computer-implemented process for analyzing the environment of a vehicle shown in FIG. **2**.

[0032] The Figures depict preferred embodiments for purposes of illustration only. One skilled in the art will readily recognize from the following discussion that alternative embodiments of the systems and methods illustrated herein may be employed without departing from the principles of the invention described herein.

DETAILED DESCRIPTION OF THE DRAWINGS

[0033] The present embodiments may relate to, inter alia, systems and methods for analyzing the environment of a vehicle and determining at least one business opportunities based upon the environment. In an exemplary embodiment, the process is performed by an environment monitoring ("EM") computer device, also known as an environment monitoring ("EM") server.

[0034] In the exemplary embodiment, a vehicle includes a vehicle computer device and a plurality of sensors. A process begins with the vehicle computer device in-transit from one location. While in-transit, the plurality of sensors may continuously scan the environment around the vehicle. For

example, the sensors may take images of buildings, plants, and other vehicles as a part of normal operation while the vehicle is in-transit. These images may be in the visible spectrum, infrared spectrum, high-contrast, and/or three-dimensional (3D) images. In the exemplary embodiment, the vehicle controller is in communication with a database and an environment monitoring ("EM") computer device, also known as an EM server. The EM server is also in communication with one or more 3rd Party providers, such as via wireless communication or data transmission over one or more radio links or wireless communication channels. The vehicle computer device and EM server may include software that allows them to function as is described herein.

[0035] The vehicle computer device may transmit the sensor data to the database. In some embodiments, the vehicle computer device may transmit the data continuously to the database. In other embodiments, the vehicle computer device may transmit the data when the vehicle is stopped, such as at a stoplight.

[0036] In still other embodiments, the vehicle computer device may transmit the data to the database when the vehicle is connected to a network through a wired connection, such as at a recharging station. Alternatively, the vehicle may be connected to a wireless communication network through a wireless connection, such as at a wireless or other recharging station. Transmitting the data may occur at a convenient processing or data transmission time(s) based upon prioritization methods such as data transmission costs (e.g., cellular vs. free Wi-Fi) or computational costs (e.g., vehicle busy processing autonomous or accident avoidance so that may delay processing until the vehicle is parked, or until vehicle processing load has decreased.

[0037] In the exemplary embodiment, the database stores all of the data received from the sensors. In some embodiments, the database may store the raw data feeds. In other embodiments, the database may store a sub-set of the data from the sensors. In some embodiments, the database may store sensor data from a plurality of vehicles. The database stores the data that allows the EM server to function as is described herein.

[0038] In the exemplary embodiment, the EM server feeds the received sensor data through a comparative algorithm that contains historical data. In some embodiments, the EM server compares the received sensor data to historical sensor data from the same vehicle. In other embodiments, the EM server compares the sensor data to historical sensor data from other vehicles.

[0039] In the exemplary embodiment, the EM server determines if there is an actionable change in the environment of the vehicle. In a first example, sensor data may contain images of a house that the vehicle drives past. In the exemplary embodiment, sensor data may include location data, such as from a GPS unit. Based upon the location of the vehicle at the time that sensor data was taken, the EM server may determine the address of the house. The EM server may compare the received images of the house to historical images of the house. Based upon the comparison, the EM server may determine that there is damage to the house that has occurred since the last time the house was sensed. The EM server may compare the sensor data of the house to sensor data of other houses and determine a potentially hazardous or dangerous condition of the house based upon the comparison. In these examples, the EM server determines that there is an actionable change, such as repairs that need to be made to the house, or preventive or mitigating actions that should be taken.

[0040] In a second example, sensor data may contain images of a plant, such as a tree. The EM server may compare the sensor data of the tree to sensor data from other trees of the same type and determine that the tree has a disease or requires trimming to reduce various risks (such as theft or wildfire). In this example, the EM server determines that there is an actionable change, such as actions that need to be taken to improve the health of the tree. In a third example, sensor data may contain images of a public thoroughfare, such as a road or sidewalk. The EM server may determine that the public thoroughfare requires repair. In some embodiments, the EM server may determine a priority or severity of any needed repair or actionable item.

[0041] In the exemplary embodiment, if the EM server determines that there are no actionable changes, the system continues scanning and analyzing the environment of vehicle. If the EM server determines that there is an actionable change, the EM server logs the change in the database. The EM server determines a 3rd Party to notify about the actionable change and transmits the actionable change to the 3rd Party. The 3rd Party may perform an action based upon the actionable item or changes. The EM server may refine one or more algorithms based upon the sensor data and the determined actionable item.

[0042] In the exemplary embodiment, the 3rd Party may be a subscriber to a service that monitors for potential actionable items. For example, the 3rd Party may be a landlord that owns a plurality of rental buildings. The EM server may determine that one of the landlord's buildings is in need of repairs, that one of the trees in his yard has a disease, that one of the walkways near his building has a dangerous condition, and/or that one of his tenants is failing to perform proper maintenance, e.g., mow the lawn. The notification of the actionable item may inform the landlord of a previously unknown issue that requires action on his or her part. The 3rd Party may also be a homeowner's association and actionable items may include lawn maintenance, building changes, and other issues potentially related to the homeowner's charter.

[0043] In other examples, the 3rd Party is a service provider, such as a tree trimmer, a roofer, or other construction company. In these examples, the 3rd Party may transmit one or more advertisements to a person associated with the actionable item, such as the homeowner. For example, the EM server may determine that there is damage to the siding of the house, determine one or more 3rd Parties that may repair the issue, and/or notify those 3rd Parties.

[0044] In still other examples, the 3rd Party may be a municipal service provider, such as a road repair crew or a building inspector. In the example of road repair crew, the actionable item may be one or more potholes or other potential hazards. In some embodiments, the hazard may be a broken water pipe and/or flooding on the road. In the example of a building inspector, the EM server may determine that a new addition or out building was added to a property and notify the building inspector that there may be a permitting issue. In another example, the EM server may compare the timing of traffic lights to determine if there is an issue, or if the timing of one or more lights may need to be adjusted.

[0045] In still further examples, the sensors may observe a vehicular accident and the EM server may use sensor data

to recreate the accident and provide the accident information to the police or the appropriate insurance companies. In this example, the vehicle may not be involved in the vehicular accident.

[0046] In yet another example, the sensors may observe weather conditions. For example during a hail storm, the sensors may measure the size of hail through images and the rate of hail based upon the sound of the hail hitting the vehicle or the ground. The EM server may receive sensor data about the hail from multiple vehicles in multiple locations to determine where the hail fell and how serious it was in different areas. Then the EM server may determine one or more construction companies that would be interested in this information for lead generation purposes.

[0047] At least one of the technical problems addressed by this system may include: (i) discovering potential business opportunities; (ii) accurately monitoring conditions of one or more structures for users; (iii) improving the speed and accuracy of reconstructing a vehicular accident scenario; (iv) determining that a vehicular accident is occurring or may be occurring; and/or (v) reducing the severity of a vehicular accident.

[0048] The technical effect achieved by this system may be at least one of: (i) automated discovery of potential business opportunities; (ii) automated warning of condition changes at one or more structures; (iii) automated detection of vehicular accidents as they are occurring; and/or (iv) automatically reacting to a vehicular accident reduce the severity of the vehicular accident.

[0049] The methods and systems described herein may be implemented using computer programming or engineering techniques including computer software, firmware, hardware, or any combination or subset thereof, wherein the technical effects may be achieved by performing at least one of the following steps: (a) receiving, at an environment monitoring ("EM") server, a plurality of data from at least one sensor associated with a vehicle, where the plurality of data includes at least one environmental condition; (b) analyzing, by the EM server, the plurality of data to determine the at least one environmental condition; (c) determining, by the EM server, at least one actionable item based upon the at least one environmental condition; (d) determining, by the EM server, at least one provider based upon the actionable item; and (e) transmitting a message to the at least one provider, wherein the message includes the at least one actionable item to facilitate communication to providers about potential actionable items.

[0050] Additional technical effects may be achieved by performing at least one of the following steps: (a) receiving data from a sensor; (b) determining that a potential vehicular crash is imminent based upon the received data; and/or (c) performing at least one action to reduce a severity of the potential vehicular crash prior to impact to facilitate reducing injuries and/or damage caused by the vehicular crash.

Exemplary Vehicle

[0051] FIG. **1** depicts a view of an exemplary vehicle **100**. In some embodiments, vehicle **100** may be an autonomous vehicle capable of fulfilling the transportation capabilities of a traditional automobile or other vehicle. In these embodiments, vehicle **100** may be capable of sensing its environment and navigating without human input. In other embodiments, vehicle **100** is a manual vehicle, such as a traditional automobile that is directly controlled by a driver **115**.

[0052] Vehicle **100** may include a plurality of sensors **105** and a vehicle computer device **110**, also known as a vehicle controller **110**. The plurality of sensors **105** may detect the current surroundings and location of vehicle **100**. Plurality of sensors **105** may include, but are not limited to, radar, LIDAR, Global Positioning System (GPS), video devices, imaging devices, cameras, audio recorders, and computer vision. Plurality of sensors **105** may also include sensors that detect conditions of vehicle **100**, such as velocity, acceleration, gear, braking, and other conditions related to the operation of vehicle **100**. In some embodiments, plurality of sensors **105** may detect the presence of driver **115** and one or more passengers **120** in vehicle **100**. In these embodiments, plurality of sensors **105** may detect the presence of fastened seatbelts, the weight in each seat in vehicle **100**, heat signatures, or any other method of detecting information about driver **115** and passengers **120** in vehicle **100**.

[0053] Vehicle computer device **110** may interpret the sensory information to identify appropriate navigation paths, detect threats, and react to conditions. In some embodiments, vehicle computer device **110** may be able to communicate with one or more remote computer devices, such as mobile device **125**. In the example embodiment, mobile device **125** is associated with driver **115** and includes one or more internal sensors, such as an accelerometer. Mobile device **125** may be capable of communicating with vehicle computer device **110** wirelessly. In addition, vehicle computer device **110** and mobile device **125** may be configured to communicate with computer devices located remotely from vehicle **100**.

[0054] While vehicle **100** may be an automobile in the exemplary embodiment, in other embodiments, vehicle **100** may be, but is not limited to, other types of ground craft, aircraft, and watercraft vehicles.

Exemplary Process for Analyzing Vehicle Environment

[0055] FIG. **2** illustrates a flow chart of an exemplary process **200** of analyzing the environment of a vehicle, such as of vehicle **100** shown in FIG. **1**. In the exemplary embodiment, vehicle controller **110** may be in communication with a database **202** and an environment monitoring ("EM") computer device **204**, also known as an EM server **204**. EM server **204** may also be in communication with one or more 3^{rd} Party providers **206**. Vehicle computer device **110** and EM server **204** may include software that allows them to function as is described herein.

[0056] In the exemplary embodiment, vehicle **100** (shown in FIG. **1**) includes vehicle computer device **110** and a plurality of sensors **105** (shown in FIG. **1**). Process **200** begins with vehicle computer device **110** in-transit **208** from one location. While in-transit **208**, the plurality of sensors **105** may continually scan **210** the environment around vehicle **100**. For example, sensors **105** may take images of buildings, plants, and other vehicles as a part of normal operation while vehicle **100** is in-transit. These images may be in the visible spectrum, infrared spectrum, high-contrast, and/or three-dimensional (3D) images.

[0057] Vehicle computer device **110** may transmit **212** the sensor data to database **202**. In some embodiments, vehicle computer device **110** may transmit **212** the data continuously to database **202**. In other embodiments, vehicle computer device **110** may transmit **212** the data when vehicle **100** is stopped, such as at a stoplight. In still other embodiments,

vehicle computer device **110** may transmit **212** the data to database **202** when vehicle **100** is connected to a network through a wired connection, such as at a recharging station.

[0058] In the exemplary embodiment, database **202** stores **214** all of the data received from sensors **105**. In some embodiments, database **202** may store **214** the raw data feeds. In other embodiments, database **202** may store **214** a sub-set of the data from sensors **105**. In some embodiments, database **202** may store sensor data from a plurality of vehicles **100**. Database **202** stores the data that allows EM server **204** to function as is described herein.

[0059] In the exemplary embodiment, EM server **204** feeds **216** the received sensor data through a comparative algorithm containing historical data. In some embodiments, EM server **204** compares the received sensor data to historical sensor data from the same vehicle **100**. In other embodiments, EM server **204** compares the sensor data to historical sensor data from other vehicles.

[0060] In the exemplary embodiment, EM server **204** determines **218** if there is an actionable change in the environment of vehicle **100**. In a first example, sensor data may contain images of a house that vehicle **100** drives past. In the exemplary embodiment, sensor data may include location data, such as from a GPS. Based upon the location of vehicle **100** at the time that sensor data was taken, EM server **204** may determine the address of the house. EM server **204** may compare the received images of the house to historical images of the house. Based upon the comparison, EM server **204** may determine that there is damage to the house that has occurred since the last time the house was sensed. EM server **204** may compare the sensor data of the house to sensor data of other houses and determine a potentially hazardous or dangerous condition of the house based upon the comparison. In these examples, EM server **204** determines that there is an actionable change, for example repairs that need to be made to the house.

[0061] In a second example, sensor data may contain images of a plant, such as a tree. EM server **204** may compare the sensor data of the tree to sensor data from other trees of the same type and determine that the tree has a disease or requires trimming. In this example, EM server **204** determines that there is an actionable change, such as actions that need to be taken to improve the health of the tree.

[0062] In a third example, sensor data may contain images of a public thoroughfare, such as a road or sidewalk. EM server **204** may determine that the public thoroughfare requires repair. In some embodiments, EM server **204** may determine a priority or severity of any needed repairs or actionable items.

[0063] In the exemplary embodiment, if EM server **204** determines **218** that there are no actionable changes, system **200** continues scanning and analyzing the environment of vehicle **100**. If EM server **204** determines **218** that there is an actionable change, EM server **204** logs **220** the change in database **202**. EM server **204** determines **222** a 3^{rd} Party **206** to notify about the actionable change and transmits the actionable change to the 3^{rd} Party **206**. 3^{rd} Party **206** may perform **224** an action based upon the actionable item or changes. EM server **204** may refine **226** one or more algorithms based upon the sensor data and the determined actionable item.

[0064] In the exemplary embodiment, 3^{rd} Party **206** is a subscriber to a service that monitors for potential actionable items. For example, 3^{rd} Party **206** may be a landlord that owns a plurality of rental buildings. EM server **204** may determine **222** that one of the landlord's buildings is in need of repairs, that one of the trees in his yard has a disease, that one of the walkways near his building has a dangerous condition, and/or that one of his tenants is failing to perform proper maintenance, e.g., mow the lawn or perform repairs to the premises. The notification of the actionable item may inform the landlord of a previously unknown issue that requires action on his part. 3^{rd} Party **206** may also be a homeowner's association and actionable items may include lawn maintenance, building changes, and/or other issues potentially related to the homeowner's charter.

[0065] In other examples, 3^{rd} Party **206** may be a service provider, such as a tree trimmer, a roofer, or other construction company. In these examples, 3^{rd} Party **206** may transmit one or more advertisements to a person associated with the actionable item, such as the homeowner. For example, EM server **204** may determine **218** that there is damage to the siding of the house, determine **222** one or more 3^{rd} Parties **206** that may repair the issue, and notify those 3^{rd} Parties **206**.

[0066] In still other examples, 3^{rd} Party **206** may be a municipal service provider, such as a road repair crew or a building inspector. In the example of road repair crew, the actionable item may be one or more potholes or other potential hazards. In some embodiments, the hazard may be a broken water pipe and/or flooding on the road. In the example of a building inspector, EM server **204** may determine **218** that a new addition or out building was added to a property and notify the building inspector that there may be a permitting issue. In another example, EM server **204** may compare the timing of traffic lights to determine if there is an issue or if the timing of one or more lights may need to be adjusted.

[0067] In still further examples, sensors **105** may observe a vehicular accident and EM server **204** may use sensor data to recreate the accident and provide the accident information to the police or the appropriate insurance companies. In this example, vehicle **100** may not be involved in the vehicular accident.

[0068] In yet another example, sensors **105** may observe weather conditions. For example during a hail storm, sensors **105** may measure the size of hail through images and the rate of hail based upon the sound of the hail hitting vehicle **100** or the ground. EM server **204** may receive sensor data about the hail from multiple vehicles **100** in multiple locations to determine where the hail fell and how serious it was in different areas. Then EM server **204** may determine **222** one or more construction companies that would be interested in this information for lead generation purposes.

[0069] In other examples, 3^{rd} Party **206** may be an insurance provider. The EM server **204** may analyze the vehicle sensor data, and/or other data, received, such as discussed elsewhere herein, such as using pattern recognition or machine learning techniques. The EM server **204** may determine preventive or mitigation recommendations. For instance, image data acquired via vehicle sensors may reveal shrubbery to close to an insured home, or trees with large limbs over handing a roof of the insured home. Virtual recommendations may be generated by the EM server **204**, such as recommendations to trim vegetation surrounding the insured home, and transmitted to a customer's mobile device. If the customer verifies that the recommendations

have been taken, then a homeowners insurance discount may be generated and applied to their insurance policy.

[0070] Additionally or alternatively, the EM server **204** may determine that (i) the shingles on a roof of an insured home should be replaced; (ii) siding should be repaired or replaced; (iii) windows or storm windows should be upgraded; (iv) doors or garage doors should be upgraded; (v) trees are infected by insects and should be treated (such as via analysis of images of leaves); (vi) observed structural insulation efficiency; etc. Recommendations may be transmitted to the customer's mobile device for their review via wireless data transmission over one or more radio links or wireless communication channels. If the customer performs the suggested upgrade(s) to their home, an insurance discount may be generated and applied to their policy.

[0071] After insurance-related event, such as one that causes damage to an insured vehicle or an insured home, vehicle sensor data and/or other data may be analyzed to estimate an extent of damage to the insured vehicle or home, respectively. A virtual proposed insurance claim may be generated using the damage estimate, and transmitted to the customer's mobile device for their review and/or approval. In case of a vehicle collision, if damage is severe, the insured vehicle may be deemed a "total loss" for insurance purposes and the total loss claim handling process may commence. In the case that a current insurance-related event, such as a home fire or vehicle collision, is anticipated or has happened, emergency personnel may be requested to arrive at the scene to render aid.

Exemplary Method for Analyzing Vehicle Environment

[0072] FIG. **3** illustrates a flow chart of an exemplary computer-implemented process **300** for analyzing the environment of a vehicle as shown in FIG. **2**. Process **300** may be implemented by a computing device, for example EM server **204** (shown in FIG. **2**). In the exemplary embodiment, EM server **204** may be in communication with vehicle computer device **110** (shown in FIG. **1**) through a wireless communications network, such as a cellular network. In some embodiments, database **202** (shown in FIG. **2**) and EM server **204** are both part of vehicle computer device **110** and included in vehicle **100** (shown in FIG. **1**).

[0073] In the exemplary embodiment, EM server **204** may receive **305** a plurality of data from at least one sensor **105** (shown in FIG. **1**) associated with vehicle **100**. In the exemplary embodiment, the plurality of data may include at least one environmental condition. Examples of an environmental condition include, but are not limited to, a condition of a building, a condition of vegetation, a condition of a public thoroughfare, a weather condition, and a vehicular accident that vehicle **100** was not involved in. Other examples of environmental conditions are listed above. In the exemplary embodiment, vehicle **100** includes a plurality of sensors **105** that provide data to vehicle controller **110**. Vehicle controller **110** transmits the sensor data to EM server **204** for analysis.

[0074] In the exemplary embodiment, EM server **204** may analyze **310** the plurality of data to determine the at least one environmental condition. In some embodiments, EM server **204** may compare the received plurality of data to historical sensor data to determine the environmental condition. In other embodiments, EM server **204** may use algorithms of potential issues and known examples of environmental conditions to determine if one of the known examples is in the received sensor data.

[0075] In the exemplary embodiment, EM server **204** may determine **315** at least one actionable item based upon the determined at least one environmental condition. EM server **204** may determine **320** at least one provider or 3rd Party **206** (shown in FIG. **3**) based upon the actionable item. In some embodiments, the 3rd Party **206** is a user, who set up a user account to receive information about the determined environmental condition or actionable items. Examples of 3rd Parties **206** may include municipal agencies, landlords, and advertisers. For example, EM server **204** may determine **320** a landlord for the actionable item based upon the location of vehicle **100** at the time that the sensor data was taken. Using the GPS location information, EM server **204** may determine the address of the building being imaged and determine the landlord for that building, who has set-up an account to receive notifications.

[0076] In the scenario where the 3rd Party **206** is an insurance provider, the actionable item may be to generate a quote and/or a discount for homeowners or auto insurance based upon EM server **204** analysis of the vehicle sensor data collected. For instance, features and status of a home or vehicle may be determined from processor analysis (such as performing pattern recognition or machine learning techniques on image data), and risk, or lack thereof, may be assessed or estimated by the processor.

[0077] Additionally or alternatively, after an insurance-related event, such as a tornado or wind storm for an insured home or a vehicle collision for an insured vehicle, the amount and/or level of severity of damage to the insured asset may be estimated from the sensor data received. For instance, a vehicle with extensive damage of a high percentage of pre-collision vehicle value may be deemed a total loss for insurance purposes.

[0078] Referring back to FIG. **3**, EM server **204** may then transmit **325** a message to the determined 3rd Party provider **206**. The message may include the actionable item, the environmental condition, sensor data, and/or any other information required and/or requested by the 3rd Party. In some embodiments, EM server **204** may collect sensor data from a plurality of vehicles **100** and use that sensor data to determine **315** a plurality of actionable items. In these embodiments, EM server **204** may transmit a batch message to 3rd Party **206** with actionable items associated with 3rd Party's interests.

Exemplary Computer Network

[0079] FIG. **4** depicts a simplified block diagram of an exemplary system **400** for implementing process **200** shown in FIG. **2**. In the exemplary embodiment, system **400** may be used for analyzing the environment of a vehicle based upon sensor data, determining one or more actionable items based upon the environment, and communicating with providers to perform those actionable items. As described below in more detail, environment monitoring ("EM") server **204** may be configured to receive a plurality of data from at least one sensor **105** associated with vehicle **100** (both shown in FIG. **1**). The plurality of data includes at least one environmental condition. EM server **204** may also be configured to analyze the plurality of data to determine the at least one environmental condition, determine at least one actionable item based upon the at least one environmental condition, deter-

mine at least one provider **206** (shown in FIG. **2**) based upon the actionable item, and transmit a message to the at least one provider **206**. The message includes the at least one actionable item to facilitate communication to providers about potential actionable items.

[0080] In the exemplary embodiment, user computer devices **405** are computers that include a web browser or a software application, which enables user computer devices **405** to access EM server **204** using the Internet or other network. More specifically, user computer devices **405** are communicatively coupled to the Internet through many interfaces including, but not limited to, at least one of a network, such as the Internet, a local area network (LAN), a wide area network (WAN), or an integrated services digital network (ISDN), a dial-up-connection, a digital subscriber line (DSL), a cellular phone connection, and a cable modem. User computer devices **405** may be any device capable of accessing the Internet including, but not limited to, a desktop computer, a laptop computer, a personal digital assistant (PDA), a cellular phone, a smartphone, a tablet, a phablet, wearable electronics, smart watch, or other web-based connectable equipment or mobile devices. In some embodiments, user computer device **405** is associated with the policyholder of an account associated with vehicle **100**. In other embodiments, user computer device **405** is associated with a third party, such as 3^{rd} Party Provider **206**.

[0081] A database server **410** may be communicatively coupled to a database **202** that stores data. In one embodiment, database **202** may include 3^{rd} Party providers, sensor data, historical data, environmental conditions, and/or actionable items. In the exemplary embodiment, database **202** may be stored remotely from EM server **204**. In some embodiments, database **202** may be decentralized. In the exemplary embodiment, a user may access database **202** via user computer devices **405** by logging onto EM server **204**, as described herein.

[0082] EM server **204** may be communicatively coupled with the user computer devices **405**. In some embodiments, EM server **204** may be associated with, or is part of a computer network associated with a manufacturer of vehicle **100**, or in communication with the manufacturer's computer network (not shown). In other embodiments, EM server **204** may be associated with a third party. In some embodiments, vehicle controller **110** may include EM server **204**. In other embodiments, EM server **204** may be remote from vehicle computer device **110** and may communicate with vehicle computer device **110** via a wireless connection, such as a cellular connection. In some embodiments, EM server **204** may be associated with, or is part of a computer network associated with an insurance provider, or in communication with the insurance provider's computer network (not shown). In other embodiments, EM server **204** may be associated with a third party and is merely in communication with the insurance provider's computer network.

[0083] One or more vehicle computer devices **110** may be communicatively coupled with EM server **204** through the Internet or a cellular network. In the exemplary embodiment, vehicle computer devices **110** are computers included in vehicles **100** that include a software application, which enables vehicle computer devices **110** to access EM server **204** using the Internet or other network. More specifically, vehicle computer devices **110** are communicatively coupled to the Internet through many interfaces including, but not limited to, at least one of a network, such as the Internet, a local area network (LAN), a wide area network (WAN), or an integrated services digital network (ISDN), a dial-up-connection, a digital subscriber line (DSL), a cellular phone connection, and a cable modem. In some embodiments, vehicle computer device **110** may be capable of communicating with EM server **204** while in transit. In other embodiments, vehicle computer device **110** may be capable of communicating with EM server **204** while vehicle **100** is at rest, such as at a stoplight. In still other embodiments, vehicle computer device **110** may be capable of communicating with EM server **204** while vehicle **100** is parked, such as at a recharging station (not shown).

[0084] Vehicle computer device **110** may also include one or more sensors **105**. Vehicle computer device **110** may be configured to receive data from sensors **105** and transmit sensor data to EM server **204**.

[0085] In the exemplary embodiment, sensor **105** may be a configured to detect one or more conditions of the environment around vehicle **100**. In other embodiments, sensor **105** may be configured to detect one or more conditions of one or more occupants of vehicle **100**, such as driver **115** and/or passengers **120** (both shown in FIG. **1**).

Exemplary Client Device

[0086] FIG. **5** depicts an exemplary configuration of user computer device **405** shown in FIG. **4**, in accordance with one embodiment of the present disclosure. User computer device **502** may be operated by a user **501**. User computer device **502** may include, but is not limited to, user computer devices **405** (shown in FIG. **4**), vehicle controller **110** (shown in FIG. **1**), and mobile device **125** (shown in FIG. **1**). User computer device **502** may include a processor **505** for executing instructions. In some embodiments, executable instructions are stored in a memory area **510**. Processor **505** may include one or more processing units (e.g., in a multi-core configuration). Memory area **510** may be any device allowing information such as executable instructions and/or transaction data to be stored and retrieved. Memory area **510** may include one or more computer readable media.

[0087] User computer device **502** may also include at least one media output component **515** for presenting information to user **501**. Media output component **515** may be any component capable of conveying information to user **501**. In some embodiments, media output component **515** may include an output adapter (not shown) such as a video adapter and/or an audio adapter. An output adapter may be operatively coupled to processor **505** and operatively coupleable to an output device such as a display device (e.g., a cathode ray tube (CRT), liquid crystal display (LCD), light emitting diode (LED) display, or "electronic ink" display) or an audio output device (e.g., a speaker or headphones).

[0088] In some embodiments, media output component **515** may be configured to present a graphical user interface (e.g., a web browser and/or a client application) to user **501**. A graphical user interface may include, for example, an online store interface for viewing and/or purchasing items, and/or a wallet application for managing payment information. In some embodiments, user computer device **502** may include an input device **520** for receiving input from user **501**. User **501** may use input device **520** to, without limitation, select and/or enter one or more items to purchase and/or a purchase request, or to access credential information, and/or payment information.

[0089] Input device **520** may include, for example, a keyboard, a pointing device, a mouse, a stylus, a touch sensitive panel (e.g., a touch pad or a touch screen), a gyroscope, an accelerometer, a position detector, a biometric input device, and/or an audio input device. A single component such as a touch screen may function as both an output device of media output component **515** and input device **520**.

[0090] User computer device **502** may also include a communication interface **525**, communicatively coupled to a remote device such as EM server **204** (shown in FIG. **2**). Communication interface **525** may include, for example, a wired or wireless network adapter and/or a wireless data transceiver for use with a mobile telecommunications network.

[0091] Stored in memory area **510** are, for example, computer readable instructions for providing a user interface to user **501** via media output component **515** and, optionally, receiving and processing input from input device **520**. A user interface may include, among other possibilities, a web browser and/or a client application. Web browsers enable users, such as user **501**, to display and interact with media and other information typically embedded on a web page or a website from EM server **204**. A client application allows user **501** to interact with, for example, EM server **204**. For example, instructions may be stored by a cloud service, and the output of the execution of the instructions sent to the media output component **515**.

[0092] Processor **505** executes computer-executable instructions for implementing aspects of the disclosure. In some embodiments, the processor **505** is transformed into a special purpose microprocessor by executing computer-executable instructions or by otherwise being programmed. For example, the processor **505** may be programmed with the instruction such as illustrated in FIG. **7**.

[0093] In some embodiments, user computer device **502** may include, or be in communication with, one or more sensors, such as sensor **105** (shown in FIG. **1**). User computer device **502** may be configured to receive data from the one or more sensors and store the received data in memory area **510**. Furthermore, user computer device **502** may be configured to transmit the sensor data to a remote computer device, such as EM server **204**, through communication interface **525**.

Exemplary Server Device

[0094] FIG. **6** depicts an exemplary configuration of server **204** shown in FIG. **4**, in accordance with one embodiment of the present disclosure. Server computer device **601** may include, but is not limited to, database server **410** (shown in FIG. **4**), EM server **204** (shown in FIG. **2**), and vehicle controller **110** (shown in FIG. **1**). Server computer device **601** may also include a processor **605** for executing instructions. Instructions may be stored in a memory area **610**. Processor **605** may include one or more processing units (e.g., in a multi-core configuration).

[0095] Processor **605** may be operatively coupled to a communication interface **615** such that server computer device **601** is capable of communicating with a remote device such as another server computer device **601**, mobile device **125** (shown in FIG. **1**), vehicle computer device **110** (shown in FIG. **1**), user computer device **405** (shown in FIG. **4**), and EM server **204**. For example, communication interface **615** may receive requests from user computer devices **405** via the Internet, as illustrated in FIG. **4**.

[0096] Processor **605** may also be operatively coupled to a storage device **634**. Storage device **634** may be any computer-operated hardware suitable for storing and/or retrieving data, such as, but not limited to, data associated with database **202** (shown in FIG. **2**). In some embodiments, storage device **634** may be integrated in server computer device **601**. For example, server computer device **601** may include one or more hard disk drives as storage device **634**.

[0097] In other embodiments, storage device **634** may be external to server computer device **601** and may be accessed by a plurality of server computer devices **601**. For example, storage device **634** may include a storage area network (SAN), a network attached storage (NAS) system, and/or multiple storage units such as hard disks and/or solid state disks in a redundant array of inexpensive disks (RAID) configuration.

[0098] In some embodiments, processor **605** may be operatively coupled to storage device **634** via a storage interface **620**. Storage interface **620** may be any component capable of providing processor **605** with access to storage device **634**. Storage interface **620** may include, for example, an Advanced Technology Attachment (ATA) adapter, a Serial ATA (SATA) adapter, a Small Computer System Interface (SCSI) adapter, a RAID controller, a SAN adapter, a network adapter, and/or any component providing processor **605** with access to storage device **634**.

[0099] Processor **605** may execute computer-executable instructions for implementing aspects of the disclosure. In some embodiments, the processor **605** may be transformed into a special purpose microprocessor by executing computer-executable instructions or by otherwise being programmed. For example, the processor **605** may be programmed with the instruction such as illustrated in FIG. **3**.

Exemplary Vehicular Crash Detection

[0100] FIG. **7** illustrates a flow chart of an exemplary computer-implemented process **700** for detecting a vehicular crash using system **400** shown in FIG. **4**. Process **700** may be implemented by a computing device, for example vehicle computer device **110** (shown in FIG. **4**). In some embodiments, process **700** may be implemented by EM server **204** (shown in FIG. **2**). In the exemplary embodiment, vehicle computer device **110** may be in communication with EM server **204**.

[0101] In the exemplary embodiment, vehicle computer device **110** receives **705** data from at least one sensor **105** (shown in FIG. **1**). In the exemplary embodiment, at least one sensor **105** may be one or more of plurality of sensors **105** (shown in FIG. **1**) in vehicle **100**.

[0102] Vehicle computer device **110** determines **710** that a potential vehicular crash is imminent based upon the received sensor data. For example, in the exemplary embodiment, sensor **105** is an external sensor and may show that another vehicle is about to collide with vehicle **100**. Or sensor **105** may be an impact sensor or any other sensor that allows vehicle computer device **110** to work as described herein.

[0103] In some embodiments, vehicle computer device **110** generates a scenario model of the potential vehicular crash based upon the received sensor data. Scenario models may predict damage to vehicle **100** and injuries that may be experiences by driver **115** and passengers **120** (both shown

in FIG. **1**) of vehicle **100**. In the exemplary embodiment, vehicle computer device **110** accesses a database, such as database **202** (shown in FIG. **2**). Database **202** may contain a plurality of crash scenarios and the sensor data associated with these crash scenarios. The scenarios may be based upon information from vehicle crash testing facilities, from past crashes that EM server **204** has analyzed, and/or from other sources that allow vehicle computer device **110** to operate as described here. Vehicle computer device **110** compares the received sensor data with the different stored crash scenarios to generate a scenario model that is the most likely match for the imminent vehicular crash. In some further embodiments, vehicle computer device **110** may communicate the sensor data to EM server **204**, where EM server **204** may generate the scenario model.

[0104] In some embodiments, vehicle computer device **110** generates a plurality of scenario models that may fit the sensor data received. Vehicle computer device **110** may then rank the generated scenarios based upon the likelihood or degree of certainty that the scenario is correct. In some further embodiments, vehicle computer device **110** may compare the degree of certainty to a predetermined threshold.

[0105] In the exemplary embodiment, vehicle computer device **110** performs **715** at least one action to reduce the severity of the potential vehicular crash prior to impact. In some embodiments, the action that vehicle computer device **110** performs **715** may be to adjust the position or situation of vehicle **100** at the point of impact. In these embodiments, vehicle computer device **110** may determine a position of vehicle **100** to reduce damage to at least one of one or more occupants of the vehicle and the vehicle based upon the scenario model. Vehicle computer device **110** may instruct vehicle **100** to adjust its position to the determined position to lessen the impact. For example, vehicle computer device **110** may instruct vehicle **100** to turn one or more wheels to readjust vehicle's position. In other examples, vehicle **100** may include hydraulics or some other component that allows vehicle **100** to raise or lower portions of itself.

[0106] In these examples, vehicle computer device **110** may instruct vehicle **100** to raise or lower a portion of itself to redirect how forces may impact the vehicle during impact. In some further examples, vehicle **100** may have one or more inflatable external components that vehicle computer device **110** may be able to instruct vehicle **100** to inflate prior to impact to cause forces in the impact to be redirected.

[0107] In another embodiment, vehicle computer device **110** may receive data from sensors **105** about driver **115** and passengers **120** of vehicle **100**. In this embodiment, vehicle computer device **110** may be able to use that sensor data to determine a position and a direction of facing of at least one occupant of the vehicle. Then using the scenario model, vehicle computer device **110** may be able to determine an advantageous direction of facing for the at least one occupant. Vehicle computer device **110** may then generate a sound through the audio system of vehicle **100**, such a horn or alarm sound. The sound would be generated to cause the at least one occupant to change to the advantageous direction of facing. For example, vehicle computer device **110** may generate a honking sound to cause the passenger to turn around to prevent or reduce potential injuries during the imminent vehicular crash.

Exemplary Computer Device

[0108] FIG. **8** depicts a diagram **800** of components of one or more exemplary computing devices **810** that may be used in system **400** shown in FIG. **4**. In some embodiments, computing device **810** may be similar to EM server **204** (shown in FIG. **2**). Database **820** may be coupled with several separate components within computing device **810**, which perform specific tasks. In this embodiment, database **820** may include 3rd Party providers **822**, sensor data **824**, environmental conditions **826**, and/or actionable items **828**. In some embodiments, database **820** is similar to database **202** (shown in FIG. **2**).

[0109] Computing device **810** may include the database **820**, as well as data storage devices **830**. Computing device **810** may also include a communication component **840** for receiving **305** a plurality of data and transmitting **325** a message (both shown in FIG. **3**), such as via wireless communication or data transmission via radio links or wireless communication channels. Computing device **810** may further include an analyzing component **850** for analyzing **310** the plurality of data (shown in FIG. **3**). Moreover, computing device **810** may include a determining component **860** for determining **315** at least one actionable item and determining **320** at least one provider (both shown in FIG. **3**). A processing component **870** may assist with execution of computer-executable instructions associated with the system.

Exemplary Vehicle Environment Analysis

[0110] FIG. **9** illustrates a flow chart of another exemplary computer-implemented process for analyzing the environment of a vehicle shown in FIG. **2**. Process **900** may be implemented by a computing device, for example EM server **204** (shown in FIG. **2**). In the exemplary embodiment, EM server **204** may be in communication with vehicle computer device **110** (shown in FIG. **1**) through a wireless communications network, such as a cellular network, and/or over one or more radio links or wireless communication channels. In some embodiments, database **202** (shown in FIG. **2**) and EM server **204** are both part of vehicle computer device **110** and included in vehicle **100** (shown in FIG. **1**).

[0111] In the exemplary embodiment, EM server **204** may receive **905** a plurality of data from at least one sensor **105** (shown in FIG. **1**) associated with vehicle **100**. In the exemplary embodiment, the plurality of data may include at least one environmental condition. Examples of an environmental condition include, but are not limited to, a condition of a building, a condition of vegetation, a condition of a public thoroughfare, a weather condition, and a vehicular accident that vehicle **100** was not involved in. Other examples of environmental conditions are listed above. In the exemplary embodiment, vehicle **100** includes a plurality of sensors **105** that provide data to vehicle controller **110**. Vehicle controller **110** transmits the sensor data to EM server **204** for analysis.

[0112] In the exemplary embodiment, EM server **204** may analyze **910** the plurality of data to determine the at least one environmental condition. In some embodiments, EM server **204** may compare the received plurality of data to historical sensor data to determine the environmental condition. In other embodiments, EM server **204** may use algorithms of

potential issues and known examples of environmental conditions to determine if one of the known examples is in the received sensor data.

[0113] In the exemplary embodiment, EM server **204** may determine **915** at least one actionable item based upon the determined at least one environmental condition. EM server **204** may determine **920** an insurance policy associated with the at least one actionable item. For example, EM server **204** may determine **920** an associated insurance policy by determining an address associated with the at least one actionable item. Using the GPS location information, EM server **204** may determine the address of the building being imaged. EM server **204** may then look up the address in database **202** to determine **920** if there is an insurance policy associated with that address.

[0114] EM server **204** may then generate **925** a proposed virtual insurance claim based upon the at least one actionable item. For example, the environmental condition may be damage to the siding of a house and the actionable item be the needed repairs. The house may be insured and EM server **204** may generate a proposed virtual claim for the damage based upon the insurance policy and the needed repairs.

[0115] In some embodiments, EM server **204** may determine a cost and/or value of the virtual claim based upon the actionable item. In some further embodiments, EM server **204** may determine one or more recommended 3rd Party providers **206** to rectify the actionable items. In some further embodiments, EM server **204** may request bids from 3rd Party Providers **206** to determine the costs and/or values of actionable items.

[0116] In still further embodiments, EM server **204** may generate **925** a plurality of potential virtual claims based upon the actionable items. EM server **204** may then rank the plurality of potential claims to determine which ones are the most appropriate for the actionable items before generating. EM server **204** may use other methods to determine the most appropriate virtual claims to generate.

[0117] EM server **204** may present the proposed virtual insurance claim to the customer for their review and/or approval. For instance, the EM server **204** may transmit the proposed virtual insurance claim to the customer's mobile device or vehicle display, such as via wireless communication or data transmission over one or more radio frequency links or wireless communication channels. After which, the customer may approve the proposed virtual insurance claim, such as by pressing an icon of their mobile device or vehicle display. The approval may then be transmitted via wireless communication or data transmission back to the EM server **204**.

[0118] After which, EM server **204** may transmit **930** the virtual insurance claims to an insurance provider, such as the one associated with the insurance policy. The insurance provider may then complete the virtual claim and/or determine other claims for the insurance policy based upon the actionable items and environmental conditions.

[0119] Additionally or alternatively, after an insurance-related event, such as a tornado or wind storm for an insured home or a vehicle collision for an insured vehicle, the amount and/or level of severity of damage to the insured asset may be estimated from the sensor data received. For instance, a vehicle with extensive damage of a high percentage of pre-collision vehicle value may be deemed a total loss for insurance purposes. Referring back to FIG. **9**, EM server **204** may then generate **925** and transmit **930** one or more virtual claims to the insurance provider. The virtual claims may include the actionable item, the environmental condition, sensor data, and/or any other information required and/or requested by the insurance provider. In some embodiments, EM server **204** may collect sensor data from a plurality of vehicles **100** and use that sensor data to determine **915** a plurality of actionable items.

Exemplary Method for Analyzing Vehicle Environment

[0120] FIG. **10** illustrates a flow chart of a further exemplary computer-implemented process for analyzing the environment of a vehicle shown in FIG. **2**. Process **1000** may be implemented by a computing device, for example EM server **204** (shown in FIG. **2**). In the exemplary embodiment, EM server **204** may be in communication with vehicle computer device **110** (shown in FIG. **1**) through a wireless communications network, such as a cellular network. In some embodiments, database **202** (shown in FIG. **2**) and EM server **204** are both part of vehicle computer device **110** and included in vehicle **100** (shown in FIG. **1**).

[0121] In the exemplary embodiment, EM server **204** may receive **1005** a plurality of data from at least one sensor **105** (shown in FIG. **1**) associated with vehicle **100**. In the exemplary embodiment, the plurality of data may include at least one environmental condition. Examples of an environmental condition include, but are not limited to, a condition of a building, a condition of vegetation, a condition of a public thoroughfare, a weather condition, and a vehicular accident that vehicle **100** was not involved in. Other examples of environmental conditions are listed above. In the exemplary embodiment, vehicle **100** includes a plurality of sensors **105** that provide data to vehicle controller **110**. Vehicle controller **110** transmits the sensor data to EM server **204** for analysis.

[0122] In the exemplary embodiment, EM server **204** may analyze **1010** the plurality of data to determine the at least one environmental condition. In some embodiments, EM server **204** may compare the received plurality of data to historical sensor data to determine the environmental condition. In other embodiments, EM server **204** may use algorithms of potential issues and known examples of environmental conditions to determine if one of the known examples is in the received sensor data.

[0123] In the exemplary embodiment, EM server **204** may determine **1015** a condition of a building based upon the at least one environmental condition. For instance, features and status of the building may be determined from processor analysis (such as performing pattern recognition or machine learning techniques on image data), and risk, or lack thereof, may be assessed or estimated by the processor or EM server **204**. Using the GPS location information, EM server **204** may determine the address of the building being imaged.

[0124] EM server **204** may determine **1020** an insurance product for the building based upon the determine condition of the building. For example, if the building is a home, then EM server **204** may determine **1020** a homeowner's insurance policy for the home based upon the condition of the home. EM server **204** may use the determined address to determine additional information that may be used in determining **1020** an insurance product.

[0125] EM server **204** may then generate **1025** an insurance quote for the insurance product. In the exemplary embodiment, EM server **204** transmits the insurance quote

and the determined product to a 3rd Party Provider **206** (shown in FIG. **2**), such as an insurance provider. In other embodiments, EM server **204** may transmit the insurance quote to the homeowner. The insurance provider may then provide the quote to the homeowner. The insurance quote and/or determined insurance product may include the environmental condition, sensor data, and/or any other information required and/or requested by 3rd Party **206**. In some embodiments, EM server **204** may collect sensor data from a plurality of vehicles **100** and use that sensor data to determine **315** a plurality of actionable items.

[0126] In some embodiments, EM server **204** may determine at least one actionable item based upon the determined at least one environmental condition. EM server **204** may then adjust the insurance quote based upon the at least one actionable item.

Exemplary Embodiment & Functionality

[0127] In one aspect, a computer system for analyzing the environment of a vehicle may be provided. The computer system may include at least one processor in communication with at least one memory device. The at least one processor (local or remote to the vehicle) may be configured or programmed to: (1) receive a plurality of data from at least one sensor associated with a vehicle (such as via wireless communication or data transmission over one or more radio links or communication channels), where the plurality of data includes at least one environmental condition; (2) analyze the plurality of data to determine the at least one environmental condition; (3) determine at least one actionable item based upon the at least one environmental condition; (4) determine at least one provider based upon the actionable item; and/or (5) transmit a message to the at least one provider (such as via wireless communication or data transmission over one or more radio links or wireless communication channels), wherein the message includes the at least one actionable item.

[0128] The environmental condition may be proximate to the vehicle at a point in time. The computer system may achieve the above results where the environmental condition is proximate to the vehicle at a plurality of separate points in time and the computer system determines the at least one environmental condition by comparing data associated with the plurality of separate points in time. The environmental condition may be, but is not limited to, a condition of a building, a condition of vegetation, a condition of a public thoroughfare, a weather condition, and a vehicular collision that the vehicle was not involved in.

[0129] A further enhancement may be where the plurality of data includes location data, such as from a GPS unit. And the processor may determine a location associated with the at least one environmental condition based upon the plurality data including the location data.

[0130] A further enhancement may be where the computer system may transmit a message to one or more emergency services based upon the scenario model. The one or more emergency services may include, but are not limited to, a towing service, an emergency medical service provider, a fire department, a police department, and/or some other emergency responder. The computer system may select the one or more emergency services to transmit to based upon the scenario model and the location of the vehicular crash.

[0131] The computer system may achieve the above results by storing a database of historical sensor data based upon past sensor data that the vehicle observed. The computer system may then compare the database of historical sensor data to the received sensor data and determine the at least one environmental condition based upon the comparison. The computer system may also achieve the above results by storing a database of historical data from a plurality of vehicles and using that database to determine the at least one environmental condition. A further enhancement may be where the computer system may be configured to include a database of potential environmental conditions that may be compared to the received sensor data to determine the at least one environmental condition.

[0132] The sensor data described herein may include, but is not limited to, pictures and/or images of around the vehicle, 3D scans of the environment around the vehicle, infrared images, the velocity of the vehicle, vibrational data, travel timing data, the acceleration of the vehicle, the location of the vehicle, the direction of travel of the vehicle, one or more changes in velocity, one or more changes in direction of the vehicle, a number of occupants in the vehicle, seatbelt sensor data, and seat occupant weight sensor data.

[0133] A further enhancement may be where third parties have signed up with user accounts that are tied to locations. When the computer system detects an environmental condition at a location associated with a user account, the computer system may transmit a message to the corresponding third party about the environmental condition. A still further enhancement may be where the environmental condition is associated with a potential business opportunity and the third party transmits an advertisement associated with the environmental condition and/or the actionable item. The actionable item may be a product or service that the third party may provide to resolve the actionable item.

Machine Learning & Other Matters

[0134] The computer-implemented methods discussed herein may include additional, less, or alternate actions, including those discussed elsewhere herein. The methods may be implemented via one or more local or remote processors, transceivers, and/or sensors (such as processors, transceivers, and/or sensors mounted on vehicles or mobile devices, or associated with smart infrastructure or remote servers), and/or via computer-executable instructions stored on non-transitory computer-readable media or medium.

[0135] Additionally, the computer systems discussed herein may include additional, less, or alternate functionality, including that discussed elsewhere herein. The computer systems discussed herein may include or be implemented via computer-executable instructions stored on non-transitory computer-readable media or medium.

[0136] A processor or a processing element may be trained using supervised or unsupervised machine learning, and the machine learning program may employ a neural network, which may be a convolutional neural network, a deep learning neural network, or a combined learning module or program that learns in two or more fields or areas of interest. Machine learning may involve identifying and recognizing patterns in existing data in order to facilitate making predictions for subsequent data. Models may be created based upon example inputs in order to make valid and reliable predictions for novel inputs.

[0137] Additionally or alternatively, the machine learning programs may be trained by inputting sample data sets or

certain data into the programs, such as image, mobile device, vehicle telematics, autonomous vehicle, and/or intelligent home telematics data. The machine learning programs may utilize deep learning algorithms that may be primarily focused on pattern recognition, and may be trained after processing multiple examples. The machine learning programs may include Bayesian program learning (BPL), voice recognition and synthesis, image or object recognition, optical character recognition, and/or natural language processing—either individually or in combination. The machine learning programs may also include natural language processing, semantic analysis, automatic reasoning, and/or machine learning.

[0138] In supervised machine learning, a processing element may be provided with example inputs and their associated outputs, and may seek to discover a general rule that maps inputs to outputs, so that when subsequent novel inputs are provided the processing element may, based upon the discovered rule, accurately predict the correct output. In unsupervised machine learning, the processing element may be required to find its own structure in unlabeled example inputs. In one embodiment, machine learning techniques may be used to extract data about the mobile device or vehicle from device details, mobile device sensors, geolocation information, image data, and/or other data.

[0139] In one embodiment, a processing element may be trained by providing it with a large sample of phone and/or online credentials with known characteristics or features. Such information may include, for example, fingerprint, device print, verification codes, PBQA, and/or passive voice analysis.

[0140] Based upon these analyses, the processing element may learn how to identify characteristics and patterns that may then be applied to analyzing sensor data, authentication data, image data, mobile device data, and/or other data. For example, the processing element may learn, with the user's permission or affirmative consent, to identify the user based upon the user's device or login information. The processing element may also learn how to identify different types of environmental changes and associated actionable items based upon differences in the received sensor data. The processing element may further learn how to identify an environmental change and/or actionable item based upon partial or incomplete information and determine a level of certainty that the environmental change and/or actionable item is correct.

Additional Exemplary Embodiments

[0141] In still another aspect, a computer system for detecting a vehicular crash may be provided. The computer system may include at least one processor, sensor, and/or transceiver in communication with at least one memory device, the at least one processor, sensor, and/or transceiver. The at least one processor may be programmed to (1) receive data from the at least one sensor; (2) determine that a potential vehicular crash is imminent based upon the received data; and/or (3) perform at least one action to reduce a severity of the potential vehicular crash prior to impact. The computer system may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0142] For instance, the data from the at least one sensor may include speed, acceleration, and braking information; and/or image data associated with an area forward of a direction of travel of a vehicle that is acquired by a video recorder or camera mounted on the vehicle. Determining that a potential vehicular crash is imminent may be based upon applying object recognition techniques on the image data acquired by the video recorder or camera mounted on the vehicle. Determining that a potential vehicular crash is imminent may further be based upon vehicle speed, acceleration, and breaking data. Determining that a potential vehicular crash is imminent may be based upon processor analysis of vehicle speed and acceleration data, and the image data acquired by a vehicle mounted video recorder or camera.

[0143] The processor may generate a model of the potential vehicular crash based upon the received data to further analyze. The processor may also determine a position and a direction of facing of at least one occupant of the vehicle and use the model to determine an advantageous direction of facing for the at least one occupant. If one of the occupants is not facing in an advantageous way, the processor may generate a sound through the audio system to cause the at least one occupant to change to the advantageous direction of facing.

[0144] The processor may also use the model to determine a position or orientation of the vehicle to reduce damage to at least one of one or more occupants of the vehicle and the vehicle itself. The processor may then instruct the vehicle to adjust position to the determined position. This may be done by instructing the vehicle to turn at least one wheel to adjust position and/or instructing the vehicle to raise or lower at least a portion of the vehicle. The processor may also instruct the vehicle to inflate a portion of the vehicle to redirect or lessen the impact.

[0145] Determining that a potential vehicular crash is imminent may be based upon processor analysis of vehicle speed and acceleration data, and analysis of the image data acquired by a vehicle mounted video recorder or camera that determines whether an object in a direction of travel of the vehicle is within a predetermined or threshold distance for the given vehicle speed and acceleration.

[0146] The sensor data may be analyzed to estimate a severity of the expected vehicular crash, and the estimated severity of the expected vehicular crash may be transmitted to a remote server via wireless communication or data transmission over one or more radio links or wireless communication channels.

[0147] The estimated severity of the expected vehicular crash may be determined based upon vehicle speed, acceleration, and braking data acquired from mobile device-mounted sensors and/or vehicle-mounted sensors, and a size and type of the object determined to be in the direction of travel of the vehicle from performing object recognition techniques on the image data captured by one or more vehicle-mounted cameras or video recorders. The type of the object determined to be in the direction of travel of the vehicle may be a compact vehicle, sport-utility vehicle, truck, or semi-truck. The type of the object determined to be in the direction of travel of the vehicle may be a concrete pillar or support, a street sign, traffic light, or other road marking. The type of the object determined to be in the direction of travel of the vehicle may be an animal or a tree.

[0148] For instance, the sensor data may include vehicle speed, acceleration, and braking information. The sensor data may further include image data of area in a direction of vehicle travel or otherwise forward of the moving vehicle,

the image data being acquired from one or more video recorders or cameras mounted on the vehicle, a dashboard of the vehicle, or a mobile device traveling within the vehicle.

[0149] The method may include analyzing, via the one or more processors, the image data using object recognition or pattern recognition techniques to identify objects forward of the moving vehicle. The method may include using the results of the object recognition or pattern recognition techniques performed on the image data to identify type of objects forward of the moving vehicle. The object forward of the moving vehicle identified may be a compact vehicle, sport utility vehicle, or a truck. The object forward of the moving vehicle identified may be a concrete pillar or support, a road sign, a traffic light, or mile marker. The object forward of the moving vehicle identified may be an animal or a tree.

[0150] Determining, via the one or more processors, that a vehicle collision is imminent (or likely imminent) based upon analysis of the sensor data may include processor analysis of vehicle speed and acceleration data, and determining whether or not an object shown in image data is within a predetermined distance of the vehicle. The one or more processors may determine that based upon the sensor data (such as vehicle speed, acceleration, and braking) and distance to an object shown in the image data that a collision will occur in 0.5 seconds, 1 second, 2 seconds, 3 seconds, etc. For instance, a processor may determine that a vehicle collision is imminent if it is likely to occur within 1-3 seconds.

[0151] Determining, via the one or more processors, an estimated severity of the vehicle collision based upon analysis of the sensor data may include processor analysis of vehicle speed and acceleration data, and determining a size and type of an object shown in image data forward of a direction of travel of the vehicle.

[0152] Determining, via the one or more processors, an estimated severity of the vehicle collision based upon analysis of the sensor data may include processor analysis of vehicle speed and acceleration data, and determining a size and type of an object shown in image data forward of a direction of travel of the vehicle, and a distance to the object. Determining, via the one or more processors, whether the estimated severity is above a predetermined threshold may include estimating an amount of vehicle damage from the vehicle collision and estimating whether or not the vehicle will be drivable or not.

Additional Considerations

[0153] As will be appreciated based upon the foregoing specification, the above-described embodiments of the disclosure may be implemented using computer programming or engineering techniques including computer software, firmware, hardware or any combination or subset thereof. Any such resulting program, having computer-readable code means, may be embodied or provided within one or more computer-readable media, thereby making a computer program product, i.e., an article of manufacture, according to the discussed embodiments of the disclosure. The computer-readable media may be, for example, but is not limited to, a fixed (hard) drive, diskette, optical disk, magnetic tape, semiconductor memory such as read-only memory (ROM), and/or any transmitting/receiving medium, such as the Internet or other communication network or link. The article of manufacture containing the computer code may be made and/or used by executing the code directly from one medium, by copying the code from one medium to another medium, or by transmitting the code over a network.

[0154] These computer programs (also known as programs, software, software applications, "apps", or code) include machine instructions for a programmable processor, and can be implemented in a high-level procedural and/or object-oriented programming language, and/or in assembly/machine language. As used herein, the terms "machine-readable medium" "computer-readable medium" refers to any computer program product, apparatus and/or device (e.g., magnetic discs, optical disks, memory, Programmable Logic Devices (PLDs)) used to provide machine instructions and/or data to a programmable processor, including a machine-readable medium that receives machine instructions as a machine-readable signal. The "machine-readable medium" and "computer-readable medium," however, do not include transitory signals. The term "machine-readable signal" refers to any signal used to provide machine instructions and/or data to a programmable processor.

[0155] As used herein, a processor may include any programmable system including systems using micro-controllers, reduced instruction set circuits (RISC), application specific integrated circuits (ASICs), logic circuits, and any other circuit or processor capable of executing the functions described herein. The above examples are example only, and are thus not intended to limit in any way the definition and/or meaning of the term "processor."

[0156] As used herein, the terms "software" and "firmware" are interchangeable, and include any computer program stored in memory for execution by a processor, including RAM memory, ROM memory, EPROM memory, EEPROM memory, and non-volatile RAM (NVRAM) memory. The above memory types are example only, and are thus not limiting as to the types of memory usable for storage of a computer program.

[0157] In one embodiment, a computer program is provided, and the program is embodied on a computer readable medium. In an exemplary embodiment, the system is executed on a single computer system, without requiring a connection to a sever computer. In a further embodiment, the system is being run in a Windows® environment (Windows is a registered trademark of Microsoft Corporation, Redmond, Wash.). In yet another embodiment, the system is run on a mainframe environment and a UNIX® server environment (UNIX is a registered trademark of X/Open Company Limited located in Reading, Berkshire, United Kingdom). The application is flexible and designed to run in various different environments without compromising any major functionality.

[0158] In some embodiments, the system includes multiple components distributed among a plurality of computing devices. One or more components may be in the form of computer-executable instructions embodied in a computer-readable medium. The systems and processes are not limited to the specific embodiments described herein. In addition, components of each system and each process can be practiced independent and separate from other components and processes described herein. Each component and process can also be used in combination with other assembly packages and processes.

[0159] As used herein, an element or step recited in the singular and preceded by the word "a" or "an" should be understood as not excluding plural elements or steps, unless

such exclusion is explicitly recited. Furthermore, references to "example embodiment" or "one embodiment" of the present disclosure are not intended to be interpreted as excluding the existence of additional embodiments that also incorporate the recited features.

[0160] The patent claims at the end of this document are not intended to be construed under 35 U.S.C. § 112(f) unless traditional means-plus-function language is expressly recited, such as "means for" or "step for" language being expressly recited in the claim(s).

[0161] This written description uses examples to disclose the disclosure, including the best mode, and also to enable any person skilled in the art to practice the disclosure, including making and using any devices or systems and performing any incorporated methods. The patentable scope of the disclosure is defined by the claims, and may include other examples that occur to those skilled in the art. Such other examples are intended to be within the scope of the claims if they have structural elements that do not differ from the literal language of the claims, or if they include equivalent structural elements with insubstantial differences from the literal languages of the claims.

1. A computer system for analyzing the environment of a vehicle, the computer system including at least one processor in communication with at least one memory device, the at least one processor is programmed to:

receive a first plurality of data from a plurality of sensors associated with a plurality of vehicles including a first vehicle and a second vehicle, wherein the first vehicle is different from the second vehicle, wherein the first plurality of data includes at least one environmental condition external to the plurality of vehicles, wherein each sensor of the plurality of sensors receives the first plurality of data while the corresponding vehicle travels past a location at a plurality of separate points in time, wherein the first plurality of data is collected on a first date, and wherein the environmental condition includes a condition of a building;

receive a second plurality of data from the plurality of sensors associated with the plurality of vehicles, wherein the second plurality of data includes a change in the at least one environmental condition, wherein the second plurality of data is collected on a second date, and wherein the second date is subsequent to the first date;

analyze the first plurality of data and the second plurality of data to determine the change in the at least one environmental condition at the location;

determine at least one actionable item unrelated to the operation of the vehicle based upon the change in the at least one environmental condition;

determine at least one provider based upon the actionable item based upon the change in the at least one environmental condition and unrelated to the operation of the vehicle; and

transmit a message to the at least one provider, wherein the message includes the at least one actionable item based upon the change in the at least one environmental condition and unrelated to the operation of the vehicle.

2. The computer system of claim **1**, wherein the environmental condition is proximate to each vehicle of the plurality of vehicles at the plurality of separate points in time.

3. The computer system of claim **1**, wherein the environmental condition is proximate to a vehicle of the plurality of vehicles at the plurality of separate points in time, and wherein the processor is further programmed to determine the at least one environmental condition by comparing data associated with the plurality of separate points in time.

4. The computer system of claim **1**, wherein the environmental condition includes the condition of a building and a condition of vegetation.

5. The computer system of claim **1**, wherein the first plurality of data and the second plurality of data include a plurality of location data and plurality of sensor readings, and wherein each sensor reading is associated with a location of a plurality of locations.

6. The computer system of claim **5**, wherein the processor is further programmed to determine the location associated with the at least one environmental condition based upon at least one of the first plurality of data and the second plurality of data.

7. The computer system of claim **6**, wherein the processor is further configured to determine a user account associated with the determined location.

8. (canceled)

9. The computer system of claim **1**, wherein the processor is further configured to:

store a plurality of historical sensor data; and

compare the plurality of historical sensor data to determine the at least one environmental condition.

10. The computer system of claim **1**, wherein the at least one provider is configured to transmit an advertisement associated with the at least one actionable item.

11. (canceled)

12. A computer-based method for analyzing the environment of a vehicle, the method implemented on an environment monitoring ("EM") server including at least one processor in communication with at least one memory device, the method comprising:

receiving, at the EM server, a first plurality of data from a plurality of sensors associated with a plurality of vehicles including a first vehicle and a second vehicle, wherein the first vehicle is different from the second vehicle, wherein the first plurality of data includes at least one environmental condition external to the plurality of vehicles, wherein each sensor of the plurality of sensors receives the first plurality of data while the corresponding vehicle travels past a location at a plurality of separate points in time, wherein the first plurality of data is collected on a first date, and wherein the environmental condition includes a condition of a building;

receiving a second plurality of data from the plurality of sensors associated with the plurality of vehicles, wherein the second plurality of data includes a change in the at least one environmental condition, wherein the second plurality of data is collected on a second date, and wherein the second date is subsequent to the first date;

analyzing, by the EM server, the first plurality of data and the second plurality of data to determine the change in the at least one environmental condition at the location;

determining, by the EM server, at least one actionable item unrelated to the operation of the vehicle based upon the change in the at least one environmental condition;

determining, by the EM server, at least one provider based upon the actionable item based upon the change in the

at least one environmental condition and unrelated to the operation of the vehicle; and

transmitting a message to the at least one provider, wherein the message includes the at least one actionable item based upon the change in the at least one environmental condition and unrelated to the operation of the vehicle.

13. The method of claim **12**, wherein the environmental condition is proximate to each vehicle of the plurality of vehicles at the plurality of separate points in time.

14. The method of claim **12**, wherein the environmental condition is proximate to a vehicle of the plurality of vehicles at the plurality of separate points in time, and wherein the method further comprises determining the at least one environmental condition by comparing data associated with the plurality of separate points in time.

15. The method of claim **12**, wherein the environmental condition includes the condition of a building and a condition of vegetation.

16. The method of claim **12**, wherein the first plurality of data and the second plurality of data include a plurality of location data and plurality of sensor readings, and wherein each sensor reading is associated with a location of a plurality of locations.

17. The method of claim **16** further comprising determining the location associated with the at least one environmental condition upon at least one of the first plurality of data and the second plurality of data.

18. The method of claim **17** further comprising determining a user account associated with the determined location.

19. The method of claim **18**, wherein the provider is configured to transmit a message to the user account.

20. The method of claim **12** further comprising:

storing a plurality of historical sensor data; and

comparing the plurality of historical sensor data to determine the at least one environmental condition.

21. The computer system of claim **1**, wherein the first vehicle and the second vehicle are at least one of an autonomous vehicle or a semi-autonomous vehicle.

22. The computer system of claim **1**, wherein the at least one actionable item requires a repair or mitigating action based upon the change in the at least one environmental condition, and wherein the message is an advertisement from a service to perform that repair or mitigating action.

* * * * *