

US 20230274745A1

(19) **United States**

(12) **Patent Application Publication**

CAMENARES et al.

(10) **Pub. No.: US 2023/0274745 A1**

(43) **Pub. Date: Aug. 31, 2023**

(54) **NATURAL LANGUAGE BASED  
ELECTRONIC COMMUNICATION PROFILE  
SYSTEM**

**Publication Classification**

(71) Applicant: **Capital One Services, LLC**, McLean,  
VA (US)

(51) **Int. Cl.**

*G10L 15/26* (2006.01)

*G10L 15/18* (2006.01)

*G06F 40/289* (2006.01)

(52) **U.S. Cl.**

CPC .....

*G10L 15/26* (2013.01); *G06F 40/289*  
(2020.01); *G10L 15/1822* (2013.01);  
*G06F 21/30* (2013.01)

(72) Inventors: **Christopher CAMENARES**, Falls  
Church, VA (US); **Joseph BOAYUE**,  
Reston, VA (US); **Lee ADCOCK**,  
Midlothian, VA (US); **Ana CRUZ**,  
Arlington, VA (US); **Nahid Farhady  
GHALATY**, Fairfax, VA (US)

(73) Assignee: **Capital One Services, LLC**, McLean,  
VA (US)

(21) Appl. No.: **18/312,155**


(22) Filed: **May 4, 2023**

**Related U.S. Application Data**

(63) Continuation of application No. 16/895,923, filed on  
Jun. 8, 2020, now Pat. No. 11,676,604.

(57) **ABSTRACT**

Systems, methods, and computer-readable storage media for generating a quantifiable communication profile of a participant, then using that communication profile to identify fake media and/or verify media as authentic. An exemplary system can receive communications in which a participant was one of the parties communicating, perform natural language processing and statistical analyses on the received communications, and generate a participant communication profile which details how the participant communicates and prefers to be communicated with. The system can also receive media purported to be from the participant, perform natural language processing on the purported media, compare the syntax of the purported media to the participant's communication profile, and identify, based on word usage, the media as a fake.






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5



## NATURAL LANGUAGE BASED ELECTRONIC COMMUNICATION PROFILE SYSTEM

### CROSS-REFERENCE TO RELATED APPLICATIONS

**[0001]** This application is a continuation of U.S. Pat. Application No. 16/895,923, filed Jun. 8, 2020, which is expressly incorporated herein by reference in its entirety.

### BACKGROUND

#### 1. Technical Field

**[0002]** The present disclosure relates to quantifying how individuals communicate, and more specifically to generating a profile of an individual's communication patterns based on natural language processing and statistical analysis of the individual's previous communications.

#### 2. Introduction

**[0003]** Natural language processing is the use of computer processors to receive and analyze text. The processors generally receive binary versions of words, then use pattern recognition on the binary versions to identify known verbs, nouns, adjectives, adverbs, and other parts of speech within the received text. Patterns within text processed by the processor can then be used for additional purposes.

### SUMMARY

**[0004]** Additional features and advantages of the disclosure will be set forth in the description which follows, and in part will be obvious from the description, or can be learned by practice of the herein disclosed principles. The features and advantages of the disclosure can be realized and obtained by means of the instruments and combinations particularly pointed out in the appended claims. These and other features of the disclosure will become more fully apparent from the following description and appended claims, or can be learned by the practice of the principles set forth herein.

**[0005]** Disclosed are systems, methods, and non-transitory computer-readable storage media a technical solution to the technical problem described. A method for performing the concepts disclosed herein can include receiving, from a database of stored communications, a plurality of communications in which a user was one of the parties communicating; performing, via a processor on each communication within the plurality of communications, natural language processing, the natural language processing resulting in communication data generated by the user; executing, via the processor, a statistical analysis on the communication data, the statistical analysis comprising at least one regression, resulting in statistical communication data of the user; generating, via the processor and using the statistical communication data of the user, a communication profile of the user, the communication profile comprising a data structure storing a user identifier associated with a personalized linguistic syntax of the user and the statistical communication data of the user; receiving media containing audio purported to be from the user; performing, via the processor, natural language processing on the audio purported to be from the

user, resulting in analyzed purported audio; comparing, via the processor, a syntax of the analyzed purported audio to the personalized linguistic syntax stored within the communication profile of the user, resulting in a syntax similarity score; comparing, via the processor, words used within the analyzed purported audio with the statistical communication data of the user, resulting in a word usage similarity score; and identifying, via the processor and based on the syntax similarity score and the word usage similarity score, the media as a fake.

**[0006]** A system configured to perform the concepts disclosed herein can include an input device; a display device; a processor; a non-transitory computer-readable storage medium having instructions stored which, when executed by the processor, cause the processor to perform operations comprising: receiving, from the input device, a communication from a user, the communication comprising one of an email, an audio clip, or a SMS (Short Message Service) message; performing natural language processing on the communication, resulting in a parsed communication having a data structure comprising: (1) the communication, and (2) identification of at least one of nouns, verbs, pronouns, emoticons, or phrases within the communication; identifying, using the at least one of nouns, pronouns, emoticons, or phrases stored within the data structure of the parsed communication, a context for the communication, wherein the context is identified by the processor comparing the at least one of nouns, pronouns, emoticons, or phrases stored in the data structure to at least one of nouns, pronouns, emoticons, or phrases associated with predetermined contexts and, upon identifying a similar usage of the parsed communication and the predetermined contexts, identifying the context based on the similar usage; tagging the parsed communication with a contextual tag based on the context, resulting in a tagged parsed communication; transmitting the tagged parsed communication to a database; receiving, from a server which is in electronic communication with the database, a communication profile of the user, wherein the communication profile is based at least in part on the tagged parsed communication; and displaying, via the display device, the communication profile.

**[0007]** A non-transitory computer-readable storage medium configured as disclosed herein can have instructions stored which, when executed by a computing device, cause the computing device to perform operations which include: receiving, from user device, a tagged communication in which a user was communicating; adding the tagged communication to a database of communications, the database of communications storing a plurality of tagged communications from the user; performing, on each tagged communication within the plurality of tagged communications, natural language processing, the natural language processing resulting in user communication data; executing a regression analysis on the user communication data, resulting in weights identifying how the user communicates; generating, using the weights identifying how the user communicates, a quantitative profile of how the user communicates; and transmitting the quantitative profile of how the user communicates to the user device.

### BRIEF DESCRIPTION OF THE DRAWINGS

**[0008]** FIG. 1 illustrates an exemplary system view of generating a communication profile for a participant.



**[0009]** FIG. 2 illustrates an exemplary processing view of generating a communication profile for a participant.

**[0010]** FIG. 3 illustrates examples of verifying a video as authentic or fake.

**[0011]** FIG. 4 illustrates an example method embodiment.

**[0012]** FIG. 5 illustrates an example computer system.

#### DETAILED DESCRIPTION

**[0013]** Various embodiments of the disclosure are described in detail below. While specific implementations are described, it should be understood that this is done for illustration purposes only. Other components and configurations may be used without parting from the spirit and scope of the disclosure.

**[0014]** Disclosed are systems, methods, and computer-readable storage media for processing electronic communications and generating a quantifiable, fact-based communication profile. The communication profile can identify patterns or behavior in communications. These patterns or behaviors may be used to verify communications as authentic.

**[0015]** Generating the quantifiable, fact-based communication profile requires access to electronic communications records. Electronic communications can be stored in a database and/or communicated directly to the system (such as a server) where the electronic communications are being processed. Examples of non-limiting types of electronic communications which can be processed by the system include emails, text (SMS) messages, voicemails, instant messages, voicemails and/or audio recordings of voice communications (including conference calls). The system analyzes the electronic communications received, and uses the analyzed communications to generate a communication profile. The information for each participant in the communication can be used to generate or update a corresponding communication profile for the respective participant.

**[0016]** Analysis of the communications as disclosed herein can occur via a multi-step process. The processes described herein can occur sequentially or in parallel, depending on specific configurations and circumstances. In some circumstances, all of the communications can be converted to a common format, such as text-based communications. For example, if necessary, the system can execute speech-to-text algorithms on voicemails, conference call recordings, or other audio communications (including audio portions of a video recording), thereby transforming the communication from a first format (audio/video) to a second format electronic (text). In some cases where speech-to-text processing occurs, the system can also record audio pitches/frequency of the speaker's voice, and record the pitch/frequency information within the resulting electronic transcript. The resulting electronic transcripts can then be processed along with the other text-based communications received from the database or received directly from input devices (such as computers, servers, microphones, etc.).

**[0017]** Once received communications are in a text-based format the system can, using a processor, execute natural language processing on the received communications. The natural language processing can parse each individual communication into aspects such as nouns, verbs, pronouns, emojis, etc., while identifying aspects such as sentence structure, a cadence/prosody of the communicator (which

can be interpreted using timestamps within the communication), syntax, and/or other aspects of the structure of the communication. Vocabulary words identified in portions of the parsed communication can be used by the processor to identify a topic of a portion or an entirety of the communication. For example, multiple references to "ketchup" and "hamburger" within a communication can trigger the processor to identify the topic of the communication as "dinner." In some configurations, the identification of the topic can be determined using, together with the vocabulary, other aspects of the communication such as time of day of the communication, the day of week of the communication, other parties (recipients) associated with the communication, etc. In addition, the system can create a database record for a portion or an entirety of the parsed communication.

**[0018]** Once the system has parsed the communications using natural language processing, the system can conduct a statistical analysis of the parsed communications. The statistical analysis identifies patterns within the parsed communications, such as the repetition of certain words, grammar, syntax, sentence structure, etc. The statistical analysis can also draw conclusions based on how the participant responds to received communications by reviewing parsed communications received and the participant's response to those communications. In doing so, the statistical analysis can evaluate a "tone" of the communication. For example, the tone of a communication could be ranked neutral, friendly, hostile, ambivalent, etc.

**[0019]** Preferably, the statistical analysis can use data about the communications (such as metadata), to identify patterns about when/how the participant communicates. The statistical analysis can identify, for example, based on the participant's responses to the parsed communications, communication partners where the participant is more/less likely to respond in a timely manner; topics which the participant prefers/dislikes; topics in which the participant may be an expert, time of day in which the participant best responds (or doesn't respond at all); day of the week in which the participant best responds (or doesn't respond at all); typical speed of response based on other party, topic, time of day, etc.; common sentence structure/topics/parties where the participant is unlikely to respond.

**[0020]** Moreover, such identification of patterns can rely on the use of regressions, identifying from past data how the participant will likely respond in the future based on a given set of circumstances. In using regressions, the system can self-select the variables within the regression used based on whether there are sufficient examples of the variable within the communications received to be statistically significant. For example, if a potential variable has only appeared twice in the history of the participant's communications, that variable may be excluded from the regression portion of the statistical analysis, whereas when there are many instances where the potential variable has appeared in the participant's communication history, the system can execute the regression using the variable as a regression input.

**[0021]** Based on the statistical analysis, the system can generate a communication profile for the participant. The communication profile can contain aspects of how the participant communicates and prefers to be communicated with, as identified by the statistical analysis and/or the natural language processing. Example aspects of the participant's communication preferences contained within the communica-



tion profile can include preferences (positive and/or negative) regarding topics; sentence structure; syntax; grammar; cadence/prosody; words per minute; graphics/emoji usage; and/or type/medium of communication, as well as historical rates of response for a given time of day, topic, day of week, communication partner, type/medium of communication, and/or context.

**[0022]** Using the communication profile, the system can also be used to verify content purporting to be from the participant, or to identify falsified content purported to be from the participant. For example, if a video purported to be of a participant is received, the system can extract the audio from the video, perform natural language processing on the audio, perform a statistical analysis on the parsed transcript resulting from the natural language processing, and compare the resulting statistics and parsed transcript to the participant's communication profile. If the comparison shows that the purported video matches the communication profile of the participant, or is within a predetermined threshold range of data within the communication profile, the system can identify the video as authentic. Likewise, if the resulting statistics and parsed transcript are outside a predetermined threshold range of the data contained within the communication profile, the system can identify the video as fraudulent. In this manner, the communication profile generated can be used to identify "deep fake" videos, fraudulent audio clips, etc. In some cases, the system can compare the word usage (vocabulary) or syntax of the participant as defined in the communication profile with word usage or syntax in the purported media, and based on the similarity generate a similarity score. If the similarity score is below a predefined threshold, the media can be rejected as fraudulent.

**[0023]** These variations and others shall be further described herein as the various embodiments are set forth. The disclosure now turns to FIG. 1. FIG. 1 illustrates an exemplary system view of generating a communication profile for a participant **102**. In this example **100**, the participant **102** has had communications with participants **B 104** and **C 106**. The respective communication histories **108**, **110** are stored in a database **112** storing participant A's **102** communication history. In some configurations, the database **112** can store communications from other participants **104**, **106** as well, whereas in other configurations the database **112** can be exclusive to the participant **102** in question. The database **112** stores the communication histories of participant A **102** from the communications **108**, **110**, and can also include communication histories of other participants **104**, **106**.

**[0024]** In some cases, the communications stored in the database **112** can be entire, unprocessed communications (such as the original emails, texts, audio, etc.), whereas in other cases the database **112** can store only processed communications. For example, the database **112** can store only parsed communications which have undergone natural language processing, or which have been previously divided into segments based on context, topic, speaker, time of day, etc.

**[0025]** The stored communications associated with participant A **102** are forwarded from the database **112** to a communication profile creator **114**. The communication profile creator **114** can be, for example, a computer system (such as a server, desktop computer, laptop, smartphone, etc.) with a processor which executes communication profile generation

code. In some cases, the computer system with the communication profile creator **114** can also contain the database **112**, whereas in other configurations the database **112** and the computer system can be separate systems. The communication profile creator **114** uses the stored communications received from the database **112**, executes natural language processing (if not previously done before storage in the database **112**) and/or a statistical analysis on those communications, then generates a profile **116** of actor A **102** based on the communications, the natural language processing results, and/or the statistical analysis, where the profile provides quantifiable data about how actor A **102** communicates and prefers to be communicated with.

**[0026]** FIG. 2 illustrates an exemplary processing view **200** of generating a communication profile for a participant. With respect to FIG. 1, these are steps which occur within the communication profile creator **114**. Here, the communications **202** are received, which (beyond the communication itself) can include data about the time of day **222** of the communication, who participated **204** in the communication, day of week, if the communication was voluntary or mandatory, if others were required to participate in other similar communications, if the communication is a regular/periodic communication, and/or other data about the communication. The communications themselves (e.g., an electronic text transcript of the communication) are processed using natural language algorithms **206**, which can parse the communication into aspects such as nouns, verbs, pronouns, etc., identify topics **208**, sentence structure **210**, cadence/prosody **212** (time stamps may be required), words per minute **214** (again, timestamps may be required), use of graphics/emojis, and/or generate segments of the communication based on one or more of these aspects.

**[0027]** The natural language processing results in parsed communications or parsed communication segments, which are then further processed using statistical analysis **218** together with the original communications, and more particularly, using the data **222**, **204** ("metadata") associated with the original communications. This data can then be stored and recorded within a profile database record of associations based on topic, date, or any other quantifiable data parsed from the communications. An example record could include, for example: participant name, the date/time when the communication occurred, the cadence of the user (e.g., words per minute), the topic associated with the communication, top five most common words used by the participant, words which preceded the communication, sentence length, etc. In this way, the system can identify patterns of behavior within the participant's communication history. Then, using the patterns identified by the statistical analysis **218**, the system can generate a participant communication profile **220**. In some configurations, the generation of the participant communication profile can rely on, in addition to the statistics from the statistical analysis **218**, aspects of the parsed communications resulting from the natural language processing **206** and/or the metadata **222**, **204** of the original communications.

**[0028]** FIG. 3 illustrates examples of verifying a video as authentic or fake. In the first example, the system receives a video of actor A **302**, performs speech processing **304** on the video (which can include speech-to-text processing, natural language processing, and/or statistical analysis), and compares the results to the communication profile of participant A **306**. When the comparison reveals that the patterns of



communication exhibited within video A **302** match those defined within the communication profile of participant A, or are within a threshold range of those patterns of communication defined within the communication profile, the system identifies the video as authentic **308**.

**[0029]** However, in the second example, the system receives a fake video of actor A **310**. Here, actor A is purported to have communicated in some way that was fabricated. The system again performs speech processing **312** and compares the results to the profile of participant A **314**. However, because the patterns of communication exhibited by the participant in the fake video do not match (or are within a predetermined range of) the patterns of communication identified in participant A's communication profile, the system identifies the video as fake **316**. An example range for sentence length could be generated using patterns of sentence length by the participant, where if the sentence length for a communication is above or below two standard deviations, the communication could be flagged as possibly fake. An example range based on word usage could be generated based on a baseline set of words which the participant uses frequently. If those words are not used sufficiently (e.g., less than fifty percent the normal amount, adjusted to communication length), the communication could be flagged as possibly fraudulent.

**[0030]** FIG. 4 illustrates an example method embodiment. The steps outlined herein are exemplary and can be implemented in any combination thereof, including combinations that exclude, add, or modify certain steps. As illustrated, a system (such as a server or other computing device) receives, from a database of stored communications, a plurality of communications in which a participant was one of the parties communicating (**402**). The system performs, via a processor on each communication within the plurality of communications, natural language processing, the natural language processing resulting in communication data generated by the participant (**404**). The processor can be part of the server or other computing device executing the illustrated method.

**[0031]** The system then executes, via the processor, a statistical analysis on the communication data, the statistical analysis comprising at least one regression, resulting in statistical communication data of the participant (**406**), and generates, via the processor and using the statistical communication data of the participant, a communication profile of the participant, the communication profile comprising a data structure storing a participant identifier associated with a personalized linguistic syntax of the participant and the statistical communication data of the participant (**408**). The system receives media containing audio purported to be from the participant (**410**) and performs, via the processor, natural language processing on the audio purported to be from the participant, resulting in analyzed purported audio (**412**). The system then compares, via the processor, a syntax of the analyzed purported audio to the personalized linguistic syntax stored within the communication profile of the participant, resulting in a syntax similarity score (**414**). In some cases, the syntax similarity score can be formed using multiple "sub-scores" related to word choices, cadence, sentence length, and other known patterns associated with the user. These sub-scores can then be weighted, averaged, and/or otherwise combined to form the syntax score. If a sub-score results in the communication being possibly fraudulent, this can also influence the syntax score.

The system also compares, via the processor, words used within the analyzed purported audio with the statistical communication data of the participant, resulting in a word usage similarity score (**416**). The system can then identify, via the processor and based on the syntax similarity score and the word usage similarity score, the media as a fake (**418**).

**[0032]** In some configurations, the communication data can include, for each communication: a topic; identification of any slang used by the participant; a sentence structure used by the participant; and an identity of at least one other person communicating with the participant.

**[0033]** In some configurations, the plurality of communications can include tagged electronic transcripts, and wherein the natural language processing is executed on the tagged electronic transcripts. These tagged electronic transcripts can contain time stamps and/or other metadata about when or how the communication occurred, including the other parties associated with the communication.

**[0034]** In some configurations, the plurality of communications can include audio recordings, and the natural language processing can include executing a speech-to-text conversion in generating the communication data.

**[0035]** In some configurations, the statistical communication data of the participant can include: average words per minute by the participant for each communication in the plurality of communications; average duration of each communication in the plurality of communications; at least one of graphics or emojis used by the participant. In such configurations, the performing of the natural language processing can further include: identifying, via the processor for each communication in the plurality of communications, a communicator of the communication and at least one recipients of the recipient based on at least one of a voice profile of individuals participating in the communication or previously generated communication profiles of individuals participating in the communication, wherein the participant is either the communicator or a recipient within the at least one recipients; and the statistical analysis can further include calculating, via the processor, the average words for a unit of time of the participant for both when the participant is identified as a communicator and when the participant is identified as a recipient.

**[0036]** In some configurations, the method illustrated in FIG. 4 can be augmented to further include: transmitting, via the processor, the communication profile to a participant device of the participant; receiving, at the processor from the participant device, feedback associated with the communication profile; and modifying, via the processor, code executed by the processor regarding the generating of the communication profile based on the feedback. Modification of the code can include replacing (writing over) the code within the computer-readable medium with new code, or can include changing weights or aspects of the code such that it functions in a distinct manner than previous iterations.

**[0037]** In some configurations, the communication profile can identify quantitative behavior of the participant within the plurality of communications. In such configurations, the communication profile can be iteratively modified as new communications in which the participant is a participant are added to the database of stored communications.

**[0038]** With reference to FIG. 5, an exemplary system includes a general-purpose computing device **500**, including a processing unit (CPU or processor) **520** and a system bus **510** that couples various system components including the



system memory **530** such as read-only memory (ROM) **540** and random access memory (RAM) **550** to the processor **520**. The system **500** can include a cache of high-speed memory connected directly with, in close proximity to, or integrated as part of the processor **520**. The system **500** copies data from the memory **530** and/or the storage device **560** to the cache for quick access by the processor **520**. In this way, the cache provides a performance boost that avoids processor **520** delays while waiting for data. These and other modules can control or be configured to control the processor **520** to perform various actions. Other system memory **530** may be available for use as well. The memory **530** can include multiple different types of memory with different performance characteristics. It can be appreciated that the disclosure may operate on a computing device **500** with more than one processor **520** or on a group or cluster of computing devices networked together to provide greater processing capability. The processor **520** can include any general purpose processor and a hardware module or software module, such as module 1 **562**, module 2 **564**, and module 3 **566** stored in storage device **560**, configured to control the processor **520** as well as a special-purpose processor where software instructions are incorporated into the actual processor design. The processor **520** may essentially be a completely self-contained computing system, containing multiple cores or processors, a bus, memory controller, cache, etc. A multi-core processor may be symmetric or asymmetric.

[0039] The system bus **510** may be any of several types of bus structures including a memory bus or memory controller, a peripheral bus, and a local bus using any of a variety of bus architectures. A basic input/output (BIOS) stored in ROM **540** or the like, may provide the basic routine that helps to transfer information between elements within the computing device **500**, such as during start-up. The computing device **500** further includes storage devices **560** such as a hard disk drive, a magnetic disk drive, an optical disk drive, tape drive or the like. The storage device **560** can include software modules **562**, **564**, **566** for controlling the processor **520**. Other hardware or software modules are contemplated. The storage device **560** is connected to the system bus **510** by a drive interface. The drives and the associated computer-readable storage media provide nonvolatile storage of computer-readable instructions, data structures, program modules and other data for the computing device **500**. In one aspect, a hardware module that performs a particular function includes the software component stored in a tangible computer-readable storage medium in connection with the necessary hardware components, such as the processor **520**, bus **510**, display **570**, and so forth, to carry out the function. In another aspect, the system can use a processor and computer-readable storage medium to store instructions which, when executed by the processor, cause the processor to perform a method or other specific actions. The basic components and appropriate variations are contemplated depending on the type of device, such as whether the device **500** is a small, handheld computing device, a desktop computer, or a computer server.

[0040] Although the exemplary embodiment described herein employs the hard disk **560**, other types of computer-readable media which can store data that are accessible by a computer, such as magnetic cassettes, flash memory cards, digital versatile disks, cartridges, random access memories (RAMs) **550**, and read-only memory (ROM) **540**, may also

be used in the exemplary operating environment. Tangible computer-readable storage media, computer-readable storage devices, or computer-readable memory devices, expressly exclude media such as transitory waves, energy, carrier signals, electromagnetic waves, and signals per se.

[0041] To enable participant interaction with the computing device **500**, an input device **590** represents any number of input mechanisms, such as a microphone for speech, a touch-sensitive screen for gesture or graphical input, keyboard, mouse, motion input, speech and so forth. An output device **570** can also be one or more of a number of output mechanisms known to those of skill in the art. In some instances, multimodal systems enable a participant to provide multiple types of input to communicate with the computing device **500**. The communications interface **580** generally governs and manages the participant input and system output. There is no restriction on operating on any particular hardware arrangement and therefore the basic features here may easily be substituted for improved hardware or firmware arrangements as they are developed.

[0042] Use of language such as “at least one of X, Y, and Z,” “at least one of X, Y, or Z,” “at least one or more of X, Y, and Z,” “at least one or more of X, Y, or Z,” “at least one or more of X, Y, and/or Z,” or “at least one of X, Y, and/or Z,” are intended to be inclusive of both a single item (e.g., just X, or just Y, or just Z) and multiple items (e.g., {X and Y}, {X and Z}, {Y and Z}, or {X, Y, and Z}). The phrase “at least one of” and similar phrases are not intended to convey a requirement that each possible item must be present, although each possible item may be present.

[0043] The various embodiments described above are provided by way of illustration only and should not be construed to limit the scope of the disclosure. Various modifications and changes may be made to the principles described herein without following the example embodiments and applications illustrated and described herein, and without departing from the spirit and scope of the disclosure.

What is claimed is:

1. A method, comprising:

receiving, from a database of stored communications, a plurality of communications in which a user was one of the parties communicating;

performing, via a processor on each communication within the plurality of communications, natural language processing, the natural language processing resulting in communication data generated by the user;

executing, via the processor, a statistical analysis on the communication data, the statistical analysis comprising at least one regression, resulting in statistical communication data of the user;

generating, via the processor and using the statistical communication data of the user, a communication profile of the user, the communication profile comprising a data structure storing a user identifier associated with a personalized linguistic syntax of the user and the statistical communication data of the user;

receiving media containing audio purported to be from the user;

performing, via the processor, natural language processing on the audio purported to be from the user, resulting in analyzed purported audio;

comparing, via the processor, a syntax of the analyzed purported audio to the personalized linguistic syntax stored



- within the communication profile of the user, resulting in a syntax similarity score;
- comparing, via the processor, words used within the analyzed purported audio with the statistical communication data of the user, resulting in a word usage similarity score; and
- identifying, via the processor and based on the syntax similarity score and the word usage similarity score, the media as a fake.
- 2.** The method of claim **1**, the communication data comprising, for each communication: a topic;
- identification of any slang used by the user;
- a sentence structure used by the user; and
- an identity of at least one other person communicating with the user.
- 3.** The method of claim **1**, wherein the plurality of communications comprise tagged electronic transcripts, and wherein the natural language processing is executed on the tagged electronic transcripts.
- 4.** The method of claim **3**, wherein the tagged electronic transcripts contain time stamps.
- 5.** The method of claim **1**, wherein the plurality of communications comprise audio recordings, and
- wherein the natural language processing executes a speech-to-text conversion in generating the communication data.
- 6.** The method of claim **1**, wherein the statistical communication data of the user comprises:
- average words per minute by the user for each communication in the plurality of communications;
- average duration of each communication in the plurality of communications;
- at least one of graphics or emojis used by the user.
- 7.** The method of claim **6**, wherein:
- the performing of the natural language processing further comprises:
- identifying, via the processor for each communication in the plurality of communications, a communicator of the communication and at least one recipients of the recipient based on at least one of a voice profile of individuals participating in the communication or previously generated communication profiles of individuals participating in the communication, wherein the user is either the communicator or a recipient within the at least one recipients; and
- wherein execution of the statistical analysis further comprises:
- calculating, via the processor, the average words for a unit of time of the user for both when the user is identified as a communicator and when the user is identified as a recipient.
- 8.** The method of claim **1**, further comprising:
- transmitting, via the processor, the communication profile to a user device of the user;
- receiving, at the processor from the user device, feedback associated with the communication profile; and
- modifying, via the processor, code executed by the processor regarding the generating of the communication profile based on the feedback.
- 9.** The method of claim **1**, wherein the communication profile identifies quantitative behavior of the user within the plurality of communications.
- 10.** The method of claim **9**, wherein the communication profile is iteratively modified as new communications in

which the user is a participant are added to the database of stored communications.

- 11.** A system for quantifying user communication behavior, the system comprising:
- an input device;
- a display device;
- a processor;
- a non-transitory computer-readable storage medium having instructions stored which, when executed by the processor, cause the processor to perform operations comprising:
- receiving, from the input device, a communication from a user, the communication comprising one of an email, an audio clip, or a SMS (Short Message Service) message;
- performing natural language processing on the communication, resulting in a parsed communication having a data structure comprising: (1) the communication, and (2) identification of at least one of nouns, verbs, pronouns, emoticons, or phrases within the communication;
- identifying, using the at least one of nouns, pronouns, emoticons, or phrases stored within the data structure of the parsed communication, a context for the communication, wherein the context is identified by the processor comparing the at least one of nouns, pronouns, emoticons, or phrases stored in the data structure to at least one of nouns, pronouns, emoticons, or phrases associated with predetermined contexts and, upon identifying a similar usage of the parsed communication and the predetermined contexts, identifying the context based on the similar usage;
- tagging the parsed communication with a contextual tag based on the context, resulting in a tagged parsed communication;
- transmitting the tagged parsed communication to a database;
- receiving, from a server which is in electronic communication with the database, a communication profile of the user, wherein the communication profile is based at least in part on the tagged parsed communication; and
- displaying, via the display device, the communication profile.
- 12.** The system of claim **11**, the non-transitory computer-readable storage medium having additional instructions stored which, when executed by the processor, cause the processor to perform operations comprising:
- updating, within a database, the predetermined contexts by adding the tagged parsed communication to the predetermined contexts, resulting in updated predetermined contexts, such that future determinations of contexts use the updated predetermined contexts.
- 13.** The system of claim **11**, the non-transitory computer-readable storage medium having additional instructions stored which, when executed by the processor, cause the processor to perform operations comprising:
- receiving, from the user via the input device, a privacy setting for the communication profile, the privacy setting identifying specific statistics within the communication profile which are exclusively visible to the user.
- 14.** The system of claim **13**, the non-transitory computer-readable storage medium having additional instructions stored which, when executed by the processor, cause the processor to perform operations comprising:



transmitting the privacy setting to the server, such that other parties communicating with the user may access a redacted version of the communication profile of the user.

**15.** The system of claim **11**, wherein the communication profile comprises:

- an average words per minute by the user;
- identification of slang used by the user;
- identification of preferred topics of the user; and
- identification of at least one of graphics or emojis used by the user.

**16.** The system of claim **11**, wherein the communication profile is generated by the server based on the tagged parsed communication and previous tagged parsed communications of the user.

**17.** The system of claim **11**, the non-transitory computer-readable storage medium having additional instructions stored which, when executed by the processor, cause the processor to perform operations comprising:

- receiving, via the input device, feedback associated with the communication profile; and
- transmitting, from the processor to the server, feedback regarding the communication profile.

**18.** The system of claim **17**, the non-transitory computer-readable storage medium having additional instructions stored which, when executed by the processor, cause the processor to perform operations comprising:

- receiving, from the server, code modifications based on the feedback, the code modifications changing how the processor parses future communications;
- executing, via the processor, the code modifications on the non-transitory computer-readable storage medium, resulting in a modified non-transitory computer-readable storage medium; and

- processing future communications from the user using code from the modified non-transitory computer-readable storage medium.

**19.** The system of claim **11**, the non-transitory computer-readable storage medium having additional instructions stored which, when executed by the processor, cause the processor to perform operations comprising:

- receiving, from the server, code modifications, the code modifications reducing an amount of natural language processing required for the user based on the communication profile;

- executing, via the processor, the code modifications on the non-transitory computer-readable storage medium, resulting in a modified non-transitory computer-readable storage medium; and

- processing future communications from the user using code from the modified non-transitory computer-readable storage medium.

**20.** A non-transitory computer-readable storage medium having instructions stored which, when executed by a computer, cause the computer to perform operations comprising:

- receiving, from user device, a tagged communication in which a user was communicating;

- adding the tagged communication to a database of communications, the database of communications storing a plurality of tagged communications from the user;

- performing, on each tagged communication within the plurality of tagged communications, natural language processing, the natural language processing resulting in user communication data;

- executing a regression analysis on the user communication data, resulting in weights identifying how the user communicates;

- generating, using the weights identifying how the user communicates, a quantitative profile of how the user communicates; and

- transmitting the quantitative profile of how the user communicates to the user device.

\* \* \* \* \*