



US 20240043849A1

(19) United States

(12) Patent Application Publication

Chan et al.

(10) Pub. No.: US 2024/0043849 A1

(43) Pub. Date: Feb. 8, 2024

(54) ENGINEERED VIRAL VECTOR REDUCES
INDUCTION OF INFLAMMATORY AND
IMMUNE RESPONSES(71) Applicant: President and Fellows of Harvard
College, Cambridge, MA (US)(72) Inventors: Ying Kai Chan, Cambridge, MA (US);
George M. Church, Cambridge, MA
(US)(73) Assignee: President and Fellows of Harvard
College, Cambridge, MA (US)

(21) Appl. No.: 18/332,109

(22) Filed: Jun. 9, 2023



Related U.S. Application Data(63) Continuation of application No. 16/167,764, filed on
Oct. 23, 2018, now abandoned, which is a continuation
of application No. PCT/US2017/036525, filed on Jun. 8, 2017.(60) Provisional application No. 62/347,302, filed on Jun.
8, 2016.**Publication Classification**

(51)	Int. Cl.	
	C12N 15/117	(2006.01)
	A61K 45/06	(2006.01)
	A61K 31/7088	(2006.01)
	A61K 35/76	(2006.01)
	C12N 15/86	(2006.01)
	A61P 29/00	(2006.01)
	C12N 7/00	(2006.01)
(52)	U.S. Cl.	
	CPC	C12N 15/117 (2013.01); A61K 45/06 (2013.01); A61K 31/7088 (2013.01); A61K 35/76 (2013.01); C12N 15/86 (2013.01); A61P 29/00 (2018.01); C12N 7/00 (2013.01); C12N 2310/17 (2013.01); C12N 2330/51 (2013.01); C12N 2750/00032 (2013.01); C12N 2750/00041 (2013.01); Y02A 50/30 (2018.01); A61K 48/00 (2013.01)

(57) ABSTRACT

Modified viral genomes are able to reduce induction of inflammatory and immune antiviral responses. This manifests itself in reduced NF- κ B activity, increased viral transduction rates, and increased expression of transgenes. Viral genomes are modified by incorporating one or more oligonucleotide sequences which are able to bind to TLR9 but not induce activation of it. The oligonucleotide sequences may be synthetic, bacterial, human, or from any other source.

Specification includes a Sequence Listing.



telomere-AAAA-telomere-AAAA-telomere-AAAA-telomere-AAAA





Fig. 1


Fig. 2



5'-TGGCCGACCCACGGCTG-3'

Fig. 3A
a1:

Fig. 3B






Fig. 4




Fig. 5

Fig. 6AC41:
5'-TGGCCGCCACCCACGGGCCTG-3'telomere:
5'-TTAGGGTTAGGGTTAGGGTTAGGG-3'**Fig. 6B**

AAV-eGFP	ITR	promoter	intnon	eGFP	LPA	ITR
----------	-----	----------	--------	------	-----	-----




Fig. 7A

	GFP+
Mock	0.14%
AAV-eGFP	2.16%
AAV-eGFP-c41	4.11%
AAV-eGFP-telomere	3.50%


Fig. 7B

Fig. 8A "C41": 5'-TGGGCCACCCACGGCTG-3'
"telomere": 5'-TTTAGGGTTAGGGTTAGGGTAGGG-3'

Fig. 8B

scAAV-eGFP.

ITR	promoter	intron	eGFP	LPA	ITR
-----	----------	--------	------	-----	-----

scAAV-eGFP-3x C41:

ITR	promoter	intron	eGFP	LPA	ITR
-----	----------	--------	------	-----	-----

C41-AAAA-C41-AAAA-C41-AAAA

scAAV-eGFP-3xtelomere:

ITR	promoter	intron	eGFP	LPA	ITR
-----	----------	--------	------	-----	-----

telomere-AAAA-telomere-AAAA-telomere-AAAA

scAAV-3xtelomere-eGFP:

ITR	promoter	intron	eGFP	LPA	ITR
-----	----------	--------	------	-----	-----

telomere-AAAA-telomere-AAAA-telomere-AAAA

Fig. 9A


Primary macrophages: Donor 1

Fig. 9B


Primary CD14+ monocytes: Donor 1

Fig. 9C


Primary CD14+ monocytes: Donor 2

Fig. 10A "control": 5'-GCTAGATGTTAGCGCT-3'




Fig. 10C Primary macrophages




Fig. 10D Primary monocytes




Fig. 10E

Tf fold expression

n.s.

Group	<i>Tf</i> fold expression
scAAV-eGFP-3xcontrol	~8*
scAAV-eGFP-3xtelomere	~16.5*
Mock	~2




Fig. 11A

Fig. 11B

Fig. 12A




Fig. 12B




Fig. 12C





Fig. 13



[5 copies of ‐telomere‐ with AAAAA linkers] – [reverse complementary of 5 copies of telomere with linkers]

Fig. 14A




Fig. 14B






Fig. 14C



Average fold: 1X 321X 5.6X

1X 17.9X 1.6X

1X 5105X 1.06X






Fig. 16

Fig. 17A

c41: 5'-TGGCGGCAACCCACGGCCTG-3'



Fig. 17B

Fig. 18A

5'-TGGCGGCCACCCACGGGCTG-3'
telomere: 3'-TTAGGGTTAGGGTTAGGGTTAGGG-3'

Fig. 18B

AAV-eGFP ITR promoter polyA AAV ITR polyA



ENGINEERED VIRAL VECTOR REDUCES INDUCTION OF INFLAMMATORY AND IMMUNE RESPONSES

RELATED APPLICATION DATA

[0001] This application is continuation of PCT/US2017/036525 filed Jun. 8, 2017, which claims priority to U.S. Provisional Application No. 62/347,302 filed on Jun. 8, 2016, each of which is herein incorporated by reference in its entirety for all purposes.

FEDERALLY SPONSORED RESEARCH

[0002] This invention was made with government support under Grant No. HG008525 awarded by National Institutes of Health. The government has certain rights in the invention.

TECHNICAL FIELD OF THE INVENTION

[0003] This invention is related to the area of viral based therapies. In particular, it relates to recombinant viruses.

BACKGROUND OF THE INVENTION

[0004] Gene therapy has immense potential to prevent, treat, and cure multiple human diseases [1]. In 2012, Glybera™ (alipogene tiparvovec) became the first viral gene therapy to be approved for use in the western world [2]. Glybera™ utilizes adeno-associated virus (AAV) as a viral vector to deliver the human lipoprotein lipase (LPL) gene to muscle cells in patients with LPL deficiency [3]. Many AAV clinical trials are currently underway or being planned in the U.S. and the EU [4-6].

[0005] AAV is a small, non-enveloped virus that packages a single-stranded linear DNA genome that is approximately 5 kb long, and has been adapted for use as a gene transfer vehicle [4]. The coding regions of AAV are flanked by inverted terminal repeats (ITRs), which act as the origins for DNA replication and serve as the primary packaging signal [7, 8]. Both positive and negative strands are packaged into virions equally well and capable of infection [9-11]. In addition, a small deletion in one of the two ITRs allows packaging of self-complementary vectors, in which the genome self-anneals after viral uncoating. This results in more efficient transduction of cells but reduces the coding capacity by half [12, 13]. While AAV is not associated with any human disease, >70% of humans are seropositive for one or most serotypes [14, 15]. Typical routes of administration for AAV vectors include intravenous, intramuscular, subretinal and intracranial injections. AAV gene therapy is most often used to deliver a wild-type gene to treat monogenic diseases, and AAV vectors have been used to transduce cells in the liver, skeletal and cardiac muscle, retina and central nervous system [16-26]. In addition, there is now growing interest in using AAV to deliver CRISPR-Cas9 gene editing or to deliver broadly neutralizing antibodies against infectious diseases such as human immunodeficiency virus (HIV) and influenza A virus [27-32].

[0006] Despite several advances in gene therapy, a key concern is the inflammatory response elicited by the viral vector [33, 34]. This is best illustrated by a highly publicized case in 1999 when Jesse Gelsinger died four days after gene therapy with adenovirus in a clinical trial due to excessive inflammation [35]. While AAV has been shown to elicit much weaker inflammation in comparison to adenoviruses

[36, 37], Glybera™ therapy still includes twelve weeks of immunosuppression, beginning three days before Glybera™ administration [38]. These immunosuppressive and anti-inflammatory drugs (cyclosporine A, mycophenolate mofetil, and methylprednisolone) compromise the patient's immune system during treatment, and all patients still developed neutralizing antibodies against AAV capsid, precluding future re-administration. Furthermore, many AAV gene therapy clinical trials do not utilize immunosuppression prophylactically and only administer corticosteroids upon signs of inflammation or tissue damage, which has been associated with variable therapeutic efficacy [22, 23]. Interestingly, in agreement with their ability to trigger inflammatory and immune responses, AAV vectors have also been developed as vaccine vehicles against infectious diseases and cancer [39-41].

[0007] Inflammation has been implicated as a critical determinant of successful AAV-mediated transgene expression. A study found that following AAV administration in mice, artificially inducing systemic inflammation such as the upregulation of tumor necrosis factor (TNF), led to a decline in transgene expression in the liver [42]. This indicates that immunological tolerance to AAV-encoded transgene can be broken given sufficient inflammatory responses. Another study characterized inflammation in the murine liver following AAV infection and found transient increases in liver enzymes in the serum, and also liver pathology consistent with portal and lobular inflammation [43]. Strikingly, the authors observed that the use of AAVrh.32.33 viruses, which induced higher liver enzymes than other tested AAV serotypes, also led to a decline in transgene expression to below detection levels, again suggesting that inflammatory and immune responses are associated with poor transgene expression.

[0008] In hemophilia B clinical trials, it has been observed that a subset of patients exhibited elevated liver enzymes, and this transient transaminitis was accompanied by declining levels of transgene-encoded factor IX [22, 23]. A tapering course of corticosteroid therapy was used on a patient with transaminitis, which subsequently normalized amino-transferase levels in the serum and rescued further decline of factor IX expression. Overall, these observations are compatible with immune-mediated destruction of AAV-transduced hepatocytes and demonstrate that inflammatory and immune responses triggered by AAV administration are a safety concern and can hamper therapeutic efficacy in humans. Thus, it would be advantageous to develop viral vectors that intrinsically evade eliciting inflammation. Furthermore, instead of systemic immunosuppression with drugs, it would be beneficial to avoid triggering specific immune responses.

[0009] It has been previously shown that the DNA genome of AAV is sensed by Toll-like receptor 9 (TLR9) during AAV's entry into the cell through the endocytic pathway [36, 44]. TLR9 is a pattern recognition receptor (PRR) found on endosomal membranes of immune cells such as B cells, monocytes, macrophages and plasmacytoid dendritic cells, and binds to unmethylated CpG motifs found in the AAV genome [45, 46]. This leads to TLR9 dimerization, which triggers a cascade of signal transduction that activates NF- κ B (also known as p52-RelA complex) and induces type I interferons (IFNs). NF- κ B in turn drives the transcriptional upregulation of multiple proinflammatory cytokines such as TNF leading to inflammation and immune cell recruitment,

while secreted IFNs induce the expression of numerous interferon-stimulated genes (ISGs) and establish an antiviral state. Importantly, genetic ablation of TLR9 in mice abolishes induction of inflammatory cytokines upon AAV treatment in the liver, and also reduces formation of antibodies and T cells against AAV [36]. Thus, TLR9 plays a critical role in stimulating an early inflammatory and innate immune response during AAV infection, which also contributes to priming adaptive immunity. Finally, two other pattern recognition receptors, TLR2 and TLR4, have been implicated in triggering responses to AAV structural proteins [47, 48].

[0010] In the TLR9 field, a commonly used tool to block TLR9 activation in cell culture is short, single-stranded DNA oligonucleotides that bind TLR9 but do not activate it [49, 50]. Several such sequences are known—some synthetic and others derived from organisms—and they often bear no sequence homology [51-59]. Structural studies have revealed how an inhibitory oligonucleotide binds TLR9 tightly but does not trigger TLR9 dimerization, which is required for TLR9 activation and downstream signaling [60]. In addition to binding TLR9 directly to antagonize its activation, other mechanisms to block TLR9 activation or TLR9-mediated inflammation have been postulated or shown for other TLR9-inhibitory oligonucleotides [reviewed in 49]. These include competing for receptor-mediated endocytosis or phagocytosis, inhibition of TLR9 trafficking or TLR9 processing into a functionally active product, inhibition of endosomal acidification or activity of key proteases in endosomes, or blocking signaling proteins downstream of TLR9. When these inhibitory oligonucleotides are supplied in trans with TLR9 ligands (such as a DNA virus, or a CpG-containing oligonucleotide) in cell culture media, they are endocytosed and can bind to TLR9, preventing its activation by stimulatory ligands. Supplementation of inhibitory oligonucleotides in trans is widely adopted in immunology experiments, but it is unknown in the field if incorporation of these sequences into a viral genome allows it to evade eliciting inflammatory and immune responses.

[0011] While AAV has been shown to elicit much weaker inflammatory responses in comparison to adenoviruses, GlyberaTM alipogene tiparvovec treatment still includes twelve weeks of immunosuppression, beginning three days before GlyberaTM alipogene tiparvovec administration. These immunosuppressive drugs strongly hamper T cell activation and therefore compromise the patient's immune system during treatment. It would be advantageous to engineer viral vectors that evade and elicit diminished or no inflammatory response upon administration. Furthermore, it would be beneficial if the immune suppression was not systemic, and if it was transient. Preventing inflammatory and immune responses could also improve transgene expression and may allow the re-administration of the viral vector for future purposes.

[0012] There is a continuing need in the art to improve the efficacy of viral vectors for therapy and for in vivo production of biological products.

SUMMARY OF THE INVENTION

[0013] According to one aspect of the invention a nucleic acid molecule is provided. It comprises a viral genome covalently linked to an inhibitory nucleic acid sequence which binds to TLR9 but does not trigger TLR9 activation.

[0014] According to another aspect a recombinant virus is provided for delivery of a desired function to a mammalian cell. The recombinant virus comprises a viral genome covalently linked to an inhibitory nucleic acid sequence which binds to TLR9 but does not trigger TLR9 activation.

[0015] Another embodiment is an aspect of treating a mammal. The method comprises administering a recombinant virus to a mammal in need thereof. The recombinant virus comprises a viral genome covalently linked to an inhibitory nucleic acid sequence which binds to TLR9 but does not trigger TLR9 activation.

[0016] Still another aspect is a method of making a viral genome of a recombinant virus. An inhibitory nucleic acid sequence is inserted into a viral genome. The inhibitory nucleic acid sequence binds to TLR9 but does not trigger TLR9 activation.

[0017] According to one aspect a nucleic acid molecule is provided. It comprises an inverted terminal repeat (ITR) and a nucleic acid sequence which inhibits TLR9-mediated inflammation.

[0018] Another aspect of the invention is a nucleic acid molecule. The molecule comprises a viral genome covalently linked to an inhibitory nucleic acid sequence which inhibits TLR9-mediated inflammation.

[0019] Yet another aspect of the invention is a recombinant virus for delivery of a desired function to a mammalian cell. The recombinant virus comprises a viral genome comprising an inhibitory nucleic acid sequence which inhibits TLR9-mediated inflammation.

[0020] Still another aspect of the invention is a method of making a viral genome of a recombinant virus. A nucleic acid sequence is inserted into a viral genome. The nucleic acid sequence inhibits TLR9-mediated inflammation.

[0021] According to another aspect of the invention a nucleic acid vector is provided. The vector comprises at least one nucleic acid sequence. The nucleic acid sequence is capable of inhibiting TLR9-mediated inflammation.

[0022] Another aspect of the invention is a method of reducing immunogenicity of a modified virus having a genome. The method comprises inserting a nucleic acid sequence into the genome. The nucleic acid sequence inhibits TLR9-mediated inflammation. The modified virus causes a reduced inflammatory response in a host as compared to a virus that does not contain the inhibitory sequence.

[0023] Still another aspect of the invention is a method of increasing expression in a host cell of a virally introduced transgene. The method comprises introducing into a host a modified virus having a genome. The genome comprises a nucleic acid sequence. The nucleic acid sequence inhibits TLR9-mediated inflammation. The modified virus results in higher transgene expression in a host cell as compared to a virus that does not contain the inhibitory sequence.

[0024] Yet another aspect of the invention is a composition comprising a viral capsid encapsulating a nucleic acid sequence that inhibits TLR9-mediated inflammation.

[0025] These and other aspects and embodiments which will be apparent to those of skill in the art upon reading the specification provide the art with tools for better treating mammals with viral vectors and virions and for better using viral vectors and virions for producing products of transgenes in host cells, host tissues, and host animals.

[0026] Any and all of the above described aspects may be combined with any of the following features.

- [0027] The viral genome may be adeno-associated virus (AAV) genome.
- [0028] The viral genome may be selected from the group consisting of adenovirus, herpes simplex virus, varicella, variola virus, hepatitis B, cytomegalovirus, JC polyomavirus, BK polyomavirus, monkeypox virus, Herpes Zoster, Epstein-Barr virus, human herpes virus 7, Kaposi's sarcoma-associated herpesvirus, and human parvovirus B19.
- [0029] The viral genome may be single stranded.
- [0030] The viral genome may be packaged in a virion.
- [0031] The viral genome may comprise a gene which may be expressible in a human cell.
- [0032] The viral genome may be a cytotoxic virus for lysing target tumor cells.
- [0033] The inhibitory nucleic acid sequence may comprise c41 oligonucleotide sequence TGGCGCGCACC-CACGGCCTG (SEQ ID NO: 1).
- [0034] The inhibitory nucleic acid sequence may comprise a plurality of copies of c41 sequence (SEQ ID NO: 1).
- [0035] The inhibitory nucleic acid sequence may comprise two copies of c41 sequence (SEQ ID NO: 1) separated by a linker sequence.
- [0036] The linker sequence is AAAAA (SEQ ID NO: 8).
- [0037] The inhibitory nucleic acid sequence may be selected from the group consisting of:

ODN 2088: (SEQ ID NO: 2)
TCC TGG CGG GGA AGT;

ODN 4084-F: (SEQ ID NO: 3)
CCTGGATGGGAA;

ODN INH-1: (SEQ ID NO: 4)
CCTGGATGGGAATTCCCATCCAGG;

ODN INH-18: (SEQ ID NO: 5)
CCT GGA TGG GAA CTT ACC GCT GCA;

ODN TTAGGG: (SEQ ID NO: 6)
TT AGG GTT AGG GTT AGG GTT AGG G;
and

G-ODN: (SEQ ID NO: 7)
CTC CTA TTG GGG GTT TCC TAT.

- [0038] The inhibitory nucleic acid sequence may be a bacterial sequence.
- [0039] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise a non-human gene.
- [0040] The inhibitory nucleic acid sequence may be inserted downstream of or in a 3' untranslated region of the viral genome.
- [0041] The viral genome may be covalently linked to the inhibitory nucleic acid sequence by a phosphodiester bond.
- [0042] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise a detectable marker.
- [0043] The detectable marker may be inducible.
- [0044] The inhibitory nucleic acid sequence may comprise a human telomere sequence shown in SEQ ID NO: 9.
- [0045] The viral genome may be self-complementary.
- [0046] The viral genome may be covalently linked to a plurality of inhibitory nucleic acid sequences.

- [0047] The plurality of inhibitory nucleic acid sequences may comprise an inhibitory sequence and its reverse complement.

- [0048] The inhibitory nucleic acid sequence may comprise three copies of c41 sequence (SEQ ID NO: 1), each copy separated by a linker sequence.

- [0049] The inhibitory nucleic acid sequence may be selected from the group consisting of:

ODN 2114: (SEQ ID NO: 16)
TCCTGGAGGGGAAGT;

ODN 4024: (SEQ ID NO: 17)
TCCTGGATGGGAAAGT;

ODN INH-4: (SEQ ID NO: 18)
TTCCCATCCAGGCCTGGATGGAA;

ODN INH-13: (SEQ ID NO: 19)
CTTACCGCTGCACCTGGATGGAA;

ODN Poly-G: (SEQ ID NO: 20)
GGGGGGGGGGGGGGGGGGGGGG;

ODN GpG: (SEQ ID NO: 21)
TGACTGTGAAGGTTAGAGATGA;

ODN IRS-869: (SEQ ID NO: 22)
TCCTGGAGGGTTGT;

ODN IRS-954: (SEQ ID NO: 23)
TGCTCCTGGAGGGTTGT;
and

ODN 21158: (SEQ ID NO: 24)
CCTGGCGGGGG.

- [0050] The inhibitory nucleic acid sequence may be ODN TTAGGG (SEQ ID NO: 6).

- [0051] The inhibitory sequence may be covalently linked to a linker.

- [0052] The inhibitory sequence may be upstream of the linker.

- [0053] The inhibitory nucleic acid sequence may comprise a plurality of copies of ODN TTAGGG (SEQ ID NO: 6).

- [0054] The plurality of copies of ODN TTAGGG (SEQ ID NO: 6) may each be separated by a linker.

- [0055] The inhibitory nucleic acid sequence may comprise at least 2, at least 3, at least 4, or at least 5 copies of ODN TTAGGG (SEQ ID NO: 6), each copy separated by a linker.

- [0056] The inhibitory nucleic acid sequence may be a human sequence.

- [0057] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise a non-human nucleic acid sequence.

- [0058] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise a human gene.

- [0059] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise a human nucleic acid sequence.

- [0060] The inhibitory nucleic acid sequence may be inserted in the 5' untranslated region of the viral genome.

- [0061] The inhibitory nucleic acid sequence may be inserted upstream of a promoter of the viral genome.
- [0062] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise an inducible promoter.
- [0063] The inhibitory nucleic acid sequence may comprise two repeated monomers of SEQ ID NO: 1.
- [0064] The inhibitory nucleic acid sequence may comprise three repeated monomers of SEQ ID NO: 1.
- [0065] The inhibitory nucleic acid sequence may comprise SEQ ID NO: 6 or SEQ ID NO: 9.
- [0066] The inhibitory nucleic acid sequence may comprise three repeated monomers of SEQ ID NO: 6 or SEQ ID NO: 9.
- [0067] The inhibitory nucleic acid sequence may comprise five repeated monomers of SEQ ID NO: 6 or SEQ ID NO: 9.
- [0068] The step of administering may be repeated.
- [0069] The viral genome may be packaged in virions.
- [0070] The step of inserting may utilize a DNA ligase.
- [0071] The viral genome may be single stranded when in virions.
- [0072] The viral genome of the recombinant virus may comprise a gene for delivery to and expression in a human cell.
- [0073] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise a linker separating each of the nucleic acid sequences.
- [0074] The viral genome, recombinant virus, vector, or nucleic acid sequence may comprise at least 2, at least 3, at least 4, or at least 5 copies of the nucleic acid sequence.
- [0075] The inhibitory nucleic acid may be covalently linked to a gene.
- [0076] The inhibitory nucleic acid sequence may be 95% identical to c41 oligonucleotide sequence TGGCGCGCACCCACGGCCTG (SEQ ID NO: 1).
- [0077] The inhibitory nucleic acid sequence may be 95% identical to SEQ ID NO: 9.
- [0078] The inhibitory nucleic acid sequence may be 95% identical to a sequence selected from the group consisting of:

ODN 2088: (SEQ ID NO: 2)
TCC TGG CGG GGA AGT;

ODN 4084-F: (SEQ ID NO: 3)
CCTGGATGGAAATTCCCATCCAGG;

ODN INH-1: (SEQ ID NO: 4)
CCTGGATGGAAATTCCCATCCAGG;

ODN INH-18: (SEQ ID NO: 5)
CCT GGA TGG GAA CTT ACC GCT GCA;

ODN TTAGGG: (SEQ ID NO: 6)
TT AGG GTT AGG GTT AGG GTT AGG G;
and

G-ODN: (SEQ ID NO: 7)
CTC CTA TTG GGG GTT TCC TAT.

- [0079] The inhibitory nucleic acid sequence may be 95% identical to a sequence selected from the group consisting of:

ODN 2114: (SEQ ID NO: 16)
TCCTGGAGGGGAAGT;

ODN 4024: (SEQ ID NO: 17)
TCCTGGATGGGAAGT;

ODN INH-4: (SEQ ID NO: 18)
TTCCCATCCAGGCCTGGATGGAA;

ODN INH-13: (SEQ ID NO: 19)
CTTACCGCTGCACCTGGATGGAA;

ODN Poly-G: (SEQ ID NO: 20)
GGGGGGGGGGGGGGGGGGGG;

ODN GpG: (SEQ ID NO: 21)
TGACTGTGAAGGTTAGAGATGA;

ODN IRS-869: (SEQ ID NO: 22)
TCCTGGAGGGGTTGT;

ODN IRS-954: (SEQ ID NO: 23)
TGCTCCTGGAGGGGTTGT;
and

ODN 21158: (SEQ ID NO: 24)
CCTGGCGGGGG.

- [0080] The inhibitory nucleic acid sequence may comprise a plurality of copies of SEQ ID NO: 6 and/or SEQ ID NO: 9

- [0081] The inhibitory nucleic acid sequence may comprise two copies of SEQ ID NO: 6 and/or SEQ ID NO: 9 separated by a linker sequence.

BRIEF DESCRIPTION OF THE DRAWINGS

- [0082] FIG. 1. Schematic drawing of viral gene therapy and inflammatory and immune responses.

- [0083] FIG. 2. Schematic drawing showing TLR9 sensing AAV DNA during viral entry and inflammatory and immune responses. From Rogers et al., 2011, *Frontiers in Microbiology*, “Innate Immune Responses to AAV Vectors,” vol. 2, article 194.

- [0084] FIGS. 3A-3B. FIG. 3A shows nucleotide sequence of c41 (SEQ ID NO: 1), a single-stranded oligonucleotide. FIG. 3B shows organization of AAV-eGFP and AAV-eGFP-c41 genomes. ITR, inverted terminal repeat; LPA, late polyadenylation signal. Transgene of interest depicted in this case is eGFP. The insertion is of c41 sequence. Spacer depicted in FIG. 3B is shown in SEQ ID NO: 8.

- [0085] FIG. 4 shows NF- κ B activity in HEK293 TLR9 cells mock-infected or infected with AAV virus (DJ capsid, self-complementary AAV genome, encoding eGFP). **, p<0.005; n.s., not significant. This experiment used a crude viral preparation.

- [0086] FIG. 5. Flow cytometry histograms showing GFP expression in HEK293 TLR9 cells mock-infected or

infected with AAV virus with or without c41. This experiment used a crude viral preparation.

[0087] FIGS. 6A-6B. FIG. 6A shows nucleotide sequence of "telomere" (SEQ ID NO: 9), a single-stranded oligonucleotide containing the (TTAGGG)₄ (SEQ ID NO: 6) motif from mammalian telomeres. FIG. 6B shows organization of AAV-eGFP-telomere genome. The insertion is of "telomere" sequence. Spacers shown in FIG. 6B are SEQ ID NO: 8.

[0088] FIGS. 7A-7B. FIG. 7A shows the percentage of transduced cells (GFP+) 2 days after infection of a B cell line with similar amounts of indicated AAV viruses, analyzed by flow cytometry. FIG. 7B shows TNF production in the supernatant of primary human CD14+ monocytes 18 hours after infection, as assayed by ELISA.

[0089] FIG. 8A-8B. Engineering a self-complementary AAV vector. (FIG. 8A) DNA sequences of "c41" and "telomere". (FIG. 8B) Genome organization of an AAV vector (scAAV-eGFP) and modified vectors. LpA: polyA signal.

[0090] FIG. 9A-9C Inflammatory response to various AAV vectors in human immune cells in vitro. (FIG. 9A) Primary human macrophages were infected with AAV2 viruses (MOI: 10⁵ vg/cell) and supernatants were collected 18 h later and analyzed by ELISA for TNF levels. Five uM ODN 2006, a CpG-containing oligonucleotide, served as a positive control. (FIG. 9B, FIG. 9C) Primary human CD14+ monocytes from two different donors were infected similar to (A) and analyzed for TNF levels. Data shown are mean±s.d. of n=3 technical replicates. *P<0.05 (unpaired t-test) compared to scAAV-eGFP.

[0091] FIG. 10A-10E. Further characterization of AAV vectors. (FIG. 10A) DNA sequence of "control". (FIG. 10B) Genome organization of modified vectors. (FIG. 10C) Primary human macrophages were infected with AAV2 viruses similar to (FIG. 9A) and analyzed by ELISA for TNF levels. (FIG. 10D) Primary human monocytes were infected similar to (FIG. 9B, FIG. 9C) and analyzed by ELISA for TNF levels. Data shown (FIG. 10C, FIG. 10D) are mean±s.d. of n=3 technical replicates. *P<0.05 (unpaired t-test) compared to scAAV-eGFP. (FIG. 10E) Adult C57BL/6 mice were infected with indicated AAV2 viruses similar to (FIG. 12A, FIG. 12B and FIG. 12C) and a piece of the liver was analyzed for indicated gene expression by qRT-PCR. Data shown are mean±s.d. of n=5 mice per condition except n=3 mice for scAAV-eGFP-3xcontrol. *P<0.05 (unpaired t-test) compared to saline condition. N.s.: not significant (P>0.05).

[0092] FIG. 11A-11B. (FIG. 11A) Primary human macrophages using a different lot of both AAV2 viruses were infected similar to (FIG. 9A) and analyzed for TNF levels. (FIG. 11B) HeLa cells were infected with AAV2 viruses at indicated MOIs and cells were harvested 48 h later and analyzed by flow cytometry for GFP expression. The percentage of GFP positive cells are shown. Data shown are mean±s.d. of n=3 technical replicates. *P<0.05 (unpaired t-test) compared to scAAV-eGFP.

[0093] FIG. 12A-12C Inflammatory response to intravenous administration of various AAV vectors in adult mice in vivo. (FIG. 12A, FIG. 12B and FIG. 12C) Adult C57BL/6 mice were infected with indicated AAV2 viruses (10¹¹ vg per mouse) by tail vein injections. 2 h later, the animals were euthanized and a piece of the liver was analyzed for indicated gene expression by qRT-PCR. Saline injection was set to 1-fold expression for each gene. Data shown are mean±s.d. of n=3 mice per condition (FIG. 12A) or n=4 mice per

condition (FIG. 12B and FIG. 12C). *P<0.05 (unpaired t-test) compared to saline condition. N.s.: not significant (P>0.05).

[0094] FIG. 13. Genome organization of a single-stranded AAV vector (ssAAV-eGFP) and ssAAV-eGFP-5x telomere.

[0095] FIG. 14A-14C. Inflammatory and immune response following subretinal administration of various AAV vectors in neonatal mice in vivo. (FIG. 14A, FIG. 14B and FIG. 14C) Neonatal CD1 mice (P1) received indicated AAV8 viruses (1.8×10⁸ vg per mouse eye) by subretinal injections. At P21, the animals were euthanized and the eyecup was dissected out. The retina and the rest of the eyecup were analyzed for indicated gene expression by qRT-PCR. Saline injection was set to 1 fold expression for each gene. Each triangle represents an animal. Data shown are n=3 mice (saline) and n=5 mice (each virus) and mean values are indicated.

[0096] FIG. 15A-15C. Analysis of immune cell markers in the retina following subretinal administration of various AAV vectors in neonatal mice in vivo. (FIG. 15A, FIG. 15B and FIG. 15C) Similar to (FIG. 14A-14C), the retina was analyzed for indicated gene expression by qRT-PCR. AO (Ibal) is known to be expressed in microglia, while Cd4 and Cd8a are markers of helper and cytolytic T cells respectively. Saline injection was set to 1 fold expression for each gene. Each triangle represents an animal. Data shown are n=3 mice (saline) and n=5 mice (each virus) and mean values are indicated.

[0097] FIG. 16. GFP expression in the eye. Neonatal CD1 mice (P1) received indicated AAV8 viruses (1.8×10⁸ vg per mouse eye) by subretinal injections. At P30, the animals were euthanized and GFP expression was visualized in flat-mounted eye cups. Data shown are n=2 mice per condition.

[0098] FIGS. 17A-17B. FIG. 17A shows nucleotide sequence of c41 (SEQ ID NO: 1), a single-stranded oligonucleotide. FIG. 17B shows organization of AAV-eGFP and AAV-eGFP-c41 genomes. ITR, inverted terminal repeat; LPA, late polyadenylation signal. Transgene of interest depicted in this case is eGFP. The insertion is of c41 sequence. Spacer depicted in FIG. 17B is shown in SEQ ID NO: 8.

[0099] FIGS. 18A-18B. FIG. 18A shows nucleotide sequence of "telomere" (SEQ ID NO: 9), a single-stranded oligonucleotide containing the (TTAGGG)₄ (SEQ ID NO: 6) motif from mammalian telomeres. FIG. 18B shows organization of AAV-eGFP-telomere genome. The insertion is of "telomere" sequence. Spacers shown in FIG. 18B are SEQ ID NO: 8.

DETAILED DESCRIPTION OF THE INVENTION

[0100] The inventors have developed viral vectors and virions that harbor their own protection against host immune and inflammatory systems. These vectors and virions carry short nucleic acid sequences which inhibit the activation of toll-like receptor 9 (TLR9), a host protein which activates inflammatory and immune responses in mammalian cells.

[0101] A short nucleotide sequence for inhibition of TLR9 may be of any origin. It can be bacterial, human, synthetic, or from other sources. One particular sequence is the 20 nucleotide long "c41" [TGGCGCGCACCCACGGCCTG (SEQ ID NO: 1)] from *Pseudomonas aeruginosa*. Another particular sequence is from human telomeres and comprises

(TTAGGG)₄ (SEQ ID NO:6). Other inhibitory sequences are shown in SEQ ID NO: 2-5, 7, 9, and 16-24. Inhibitory sequences may also be used which share at least 80% homology/identity with these sequences. Inhibitory sequences may also be used which share at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, and/or at least 99% homology/identity with these sequences. Multiple copies of the inhibitory sequence can be used, either in tandem arrays or separated in the viral vector by spacer or linker sequences or other portions of the viral genome. In some embodiments one, two, three, four, five, six, seven, eight, nine, ten, fifteen, or twenty copies are used. In some embodiments one or more copies of the inhibitory sequence are on the plus strand and some on the minus strand of the virus genome.

[0102] The inhibitory oligonucleotide sequences are introduced into host cells as part of the viral genome or virion, rather than as a separate agent. This renders the effect of the oligonucleotide sequences local rather than systemic. Moreover, the immune evasion is transient as it occurs during AAV or other virus entry, unlike immune suppression with drugs which can last for weeks. Additionally, it ensures that the beneficial antagonist activity is where it needs to be—with the virus or viral genome. If the virus or viral genome is not replicated in the host cell, then the effect of the oligonucleotide will be transient. If the virus or viral genome is replicated, the effect will be coextensive with the replication.

[0103] An inhibitory nucleic acid sequence may be inserted into a viral genome using any means of recombinant DNA engineering. This may involve in vitro or in vivo recombination. In vitro recombination may be accomplished using a DNA ligase or other nucleic acid joining enzyme, for example. In vivo recombination may be accomplished by co-transforming a host cell with separate donor molecules that share homology by which they will recombine using host cell machinery. Alternatively, a single donor molecule may recombine in vivo with a host cell sequence. Combinations of these approaches may also be used. Typically the insertion will involve a standard linkage of one deoxyribonucleotide to another (a phosphodiester bond). However, there may be circumstances in which non-standard linkages will be used between the inhibitory nucleic acid sequence and the rest of the viral genome. Optionally, the inhibitory nucleic acid sequence is located in an untranslated region of the viral genome.

[0104] The genome may optionally contain a therapeutic gene and/or a marker gene. Typically this gene will be a non-viral gene, or a gene that is not naturally present in the viral genome. The gene may be expressible in a mammalian host cell or animal. Expression may be under the control of a viral promoter or a promoter that is introduced with the gene. Expression may be inducible, repressible, condition-responsive, or constitutive, as examples. A therapeutic gene is one which encodes an RNA or protein product beneficial to the host. The benefit may be, for example, to improve health, protect against infection, or remedy a deficiency. The marker may enable one to track the location, the level of replication, the level of propagation, the level of transcription, or the level of translation of the virus or its products or components. Suitable markers include those which are readily detectable, such as fluorescent proteins, chromogenic proteins, etc. Optionally, a second agent may be used or added for detection of the marker protein or for development

of a detectable substance. Introduced genes may be human or non-human, heterologous (from another species) or homologous (from same species) or endogenous (from the same subject).

[0105] Any DNA viral genome can be used, whether single stranded or double stranded. Examples of suitable viruses which may be used, include without limitation, wild-type or variants of adeno-associated virus (AAV), adenovirus, herpes simplex virus, varicella, variola virus, hepatitis B, cytomegalovirus, JC polyomavirus, BK polyomavirus, monkeypox virus, Herpes Zoster, Epstein-Barr virus, human herpes virus 7, Kaposi's sarcoma-associated herpesvirus, human parvovirus B19, and enterovirus. The virus may be, without limitation, cytotoxic, cytotytic, or cause latent infections. Viral vectors in which viral genomes have been modified may also be used. As an example, a genome that is modified to encode fewer viral proteins may be used. As a further example, a viral genome that is modified to encode no viral proteins may be used. Viral genomes may include, by way of non-limiting example, inverted terminal repeats and/or other non-coding genetic elements that facilitate packaging of engineered viral genomes into the capsid.

[0106] Viral genomes may be delivered to a mammalian host cell as naked DNA, in a liposome, complexed to a polymer, in a condensed or compacted state, in a gold particle, in a virion, or any other means that is suitable for the application. Typically a complete viral genome will be administered, but in some situations, it may be desirable to use a partial genome. The partial genome may be complemented by helper functions provided by the host cell or another genomic or viral entity. Partial genomes may be used, for example, if the therapeutic payload is large and some essential viral functions must be omitted to package.

[0107] Recombinant viruses may be administered to a mammal or mammalian cells according to any route which is effective for the purpose. The administration may be systemic, e.g., via the blood. It may be delivered orally, subcutaneously, topically, buccally, anally, intramuscularly, intravenously, intratumorally, intracranially, intrathecally, subretinally, etc. Any suitable carrier or vehicle may also be used for administration. It may be desirable to pre-treat the cells or mammal to render them more permeable to or receptive to the recombinant virus. A mammal "in need of" a recombinant virus may be one for whom the virus will be beneficial. It may be a mammal with a disease or deficiency. It may be one for whom a diagnosis or analysis will be made. It may be one who can benefit from the administered recombinant virus, even though it does not have a disease or deficiency.

[0108] Taken together, our results show that incorporation of c41 or human telomeric sequences into the AAV genome (a) does not lower viral packaging and infectivity, (b) prevents TLR9-mediated inflammation, (c) reduces induction of pro-inflammatory cytokines, and (d) increases transgene expression. The increased transgene expression may be due to a reduced immune response, as TLR9 activation also induces interferon expression, which triggers an antiviral state. The engineered immune-evasion property we show below is specific (against TLR9), transient (e.g., may occur during viral entry), and does not result in systemic immune suppression (only targets AAV-infected immune cells).

[0109] The inhibitory nucleic acid sequences we used, as well as others known in the art, may be incorporated into

other viruses that, like AAV, have potential utility for humans and other mammals but elicit inflammatory/immune responses that may be undesirable. For example, oncolytic viruses that preferentially infect and lyse cancer cells are used to kill or shrink tumors. These viruses are replicative (unlike AAV vectors used for gene therapy) so they can release new virions to shrink the remaining tumor. Examples include wild-type or variants of herpes simplex virus, adenovirus, and enterovirus. Some reports have shown that immunosuppression by chemotherapy can enhance oncolytic virus therapy, as the immune system normally attempts to inactivate the oncolytic virus, which would prevent it from infecting cancer cells. Therefore, it is possible that incorporating inhibitory oligonucleotides in the genomes of oncolytic viruses like herpes simplex virus may allow it to evade immune clearance and persist longer for oncolysis.

[0110] The above disclosure generally describes the present invention. All references disclosed herein are expressly incorporated by reference. A more complete understanding can be obtained by reference to the following specific examples which are provided herein for purposes of illustration only, and are not intended to limit the scope of the invention. The disclosure of the invention includes all embodiments explicitly recited in the claims. Additionally, all features disclosed in the dependent claims apply equally to the independent claim from which they are based as to the other independent claims. Thus such combinations of dependent claims with other independent claims are expressly contemplated and disclosed.

Example 1—Construction of Modified Viral Genome

[0111] To engineer an AAV vector that has the ability to specifically evade TLR9 activation in immune cells, we inserted two copies of c41 separated by a 5-nucleotide-long spacer (AAAAA; SEQ ID NO: 8) into the 3' untranslated region of AAV vector encoding enhanced green fluorescent protein (eGFP) (FIG. 3B). Subsequently, we produced wild-type AAV-eGFP virus and AAV-eGFP-c41 virus (harboring two c41 insertions). Infectious titers of both viruses were comparable (~10⁹ infectious units/ml, as determined by titering on HeLa cells), suggesting that addition of c41 into the viral genome did not hamper viral packaging and infectivity, an important consideration for viral vectors that have to be mass-produced for gene therapy.

Example 2—Modified Viral Genome Reduces NF-kB Activation

[0112] To measure the inflammatory response, we used HEK293 cells stably expressing TLR9 (HEK293 TLR9 cells), which senses AAV DNA genomes, and also expressing alkaline phosphatase under the transcriptional control of NF-kB. When NF-kB is activated, which indicates inflammation, alkaline phosphatase is secreted into the media and acts on a provided substrate, leading to a change in color of the media that can be measured on a plate reader. We mock-infected HEK293 TLR9 cells or infected them with either AAV-eGFP or AAV-eGFP-c41. In agreement with the literature, AAV-eGFP infection induced a small but statistically significant increase in NF-kB activity (FIG. 4). In contrast, AAV-eGFP-c41 infection was not significantly different compared to mock-infected cells, indicating that the virus was able to evade eliciting an inflammatory response.

Example 3—Modified Viral Genome Transduced More Cells and Expresses More Transgene

[0113] We analyzed the above three conditions (described in FIG. 4) for eGFP expression using flow cytometry. We found that AAV-eGFP-c41 transduced more cells than AAV-eGFP (52.7% GFP+ compared to 34.6% GFP+) (FIG. 5). In addition, GFP+ cells from AAV-eGFP-c41 infection expressed —twice as much eGFP as GFP+ cells from AAV-eGFP infection (mean fluorescence intensity [MFI] of 5335 compared to 2749).

[0114] In summary, we engineered an AAV vector to evade TLR9-mediated inflammation by incorporating an inhibitory oligonucleotide in the viral genome.

Example 4—Incorporation of c41 or Telomeric Sequences in AAV Genome Transduced More Cells and Reduced TNF Induction

[0115] We inserted three copies of “telomere,” a sequence derived from mammalian telomeres that contains the suppressive (TTAGGG)₄ motif (SEQ ID NO: 6), which has been shown to block TLR9 signaling (FIG. 6A and FIG. 6B). AAV-eGFP-telomere virus yielded similar viral titers as AAV-eGFP and AAV-eGFP-c41 when titered on HeLa cells, demonstrating that incorporation of “telomere” does not hinder viral packaging and infectivity.

[0116] When we infected a B cell line with similar amounts of AAV-eGFP or AAV-eGFP-c41 or AAV-eGFP-telomere virus, both AAV-eGFP-c41 and AAV-eGFP-telomere viruses transduced more cells than AAV-eGFP (FIG. 7A). This finding suggests too that incorporation of inhibitory sequences in the genome of AAV increases transgene expression.

[0117] Subsequently, we harvested primary human CD14+ monocytes from blood and subjected them to similar infection conditions as above. We performed ELISA on the supernatant to analyze TNF production, as TNF is a prototypical pro-inflammatory cytokine induced by NF-kB activation. AAV-eGFP infection increased TNF production compared to mock-infection, while AAV-eGFP-c41 and AAV-eGFP-telomere infections showed no or little increase in TNF production (FIGS. 7A-7B), showing that the two viruses were able to evade eliciting inflammatory responses.

Example 5—Engineering a Self-Complementary AAV Vector

[0118] Investigators often use short inhibitory oligonucleotides (typically 10-30 nucleotides in length) to antagonize TLR9 signaling in cell culture. However, it is unknown if these inhibitory oligonucleotides retain functionality in the context of a much larger viral genome (i.e., the sequence is covalently linked on both ends to much longer sequences). To test this possibility, we utilized a self-complementary (sc) AAV vector encoding enhanced green fluorescent protein (eGFP), and inserted 3 copies of “c41” or “telomere”, derived from bacteria and mammalian telomeres respectively [52, 57, 58, 61], into a plasmid harboring the vector genome (FIGS. 8A and 8B). We started with sc AAV vectors as they have been shown to be more efficient at triggering TLR9 activation and inducing more inflammation in the mouse liver than single-stranded (ss) AAV vectors. As “c41” and “telomere” are predicted to have strong secondary structure, we used an AAAAA linker between copies of the inhibitory oligonucleotide. In addition, 3xc41 and 3x telo-

mere sequences were placed after the polyA sequence and upstream of the right inverted terminal repeat (ITR) so they would be present in the DNA genome during viral entry, but would be absent from subsequent mRNA transcripts upon successful transduction (“scAAV-eGFP-3xc41” and “scAAV-eGFP-3x telomere”). Finally, to determine if the location of inhibitory oligonucleotide in the viral genome matters, we also created a vector where 3x telomere was located between the left ITR and the promoter (“scAAV-3x telomere-eGFP”).

Example 6—Inflammatory Responses in Primary Human Macrophages and Monocytes In Vitro

[0119] We packaged the various AAV vectors into AAV2 serotype and infected primary human monocyte-derived macrophages at a multiplicity of infection (MOI) of 10^5 viral genomes (vg) per cell. As expected, we found that scAAV-eGFP infection of macrophages elicited robust induction of TNF in the supernatant, a prototypical inflammatory cytokine with well-described roles in stimulating fever, apoptosis and inflammation, and is produced upon TLR9 signaling and NF- κ B activation (FIG. 9A). In contrast, both scAAV-eGFP-3x41 and scAAV-eGFP-3x telomere markedly decreased TNF induction by >95%, indicating that incorporation of “c41” or “telomere” in these viruses could evade eliciting inflammatory responses compared to the wild-type (WT) vector. Furthermore, scAAV-3x telomere-eGFP was also able to prevent TNF induction by >95%, demonstrating that the inserted inhibitory oligonucleotides can be placed in other parts of the viral genome and retain the ability to block inflammation. Mock infection with phosphate-buffered saline (PBS) and treatment with ODN 2006, a commercially available CpG-containing oligonucleotide that is known to strongly activate TLR9/NF- κ B and inflammation, served as negative and positive controls respectively. We tested primary human CD14+ monocytes and found that again, scAAV-eGFP triggered robust TNF induction while scAAV-eGFP-3xc41 and scAAV-eGFP-3x telomere negated most of the TNF induction (FIG. 9B). scAAV-3x telomere-eGFP likewise reduced TNF induction, although inhibition was ~85%, which may be due to differences between cell types or donor tissue. The evasion of TNF induction was also reproduced in primary CD14+ monocytes obtained from another donor (FIG. 9C).

[0120] As further characterization, we inserted 3 copies of “control,” a random sequence that does not block TLR9, or 1 copy of “telomere”, into a plasmid harboring the vector genome (FIG. 10A, FIG. 10B). We picked the sequence “control” as it has been used as a negative control oligonucleotide in TLR9 experiments. We found that scAAV-eGFP-1x telomere was able to reduce TNF induction compared to scAAV-eGFP in human macrophages, but not as efficiently as scAAV-eGFP-3x telomere (FIG. 10C). This indicates that 1 copy of telomere can reduce inflammation. We also observed that scAAV-eGFP-3xcontrol elicited TNF secretion as efficiently as scAAV-eGFP in human monocytes, suggesting that insertion of sequences that inhibit TLR9 are required to block inflammation (FIG. 10D).

[0121] As AAV vectors are considered biologics and may exhibit lot-to-lot variability, we produced another batch of both scAAV-eGFP and scAAV-eGFP-3x telomere AAV2 viruses, and found that scAAV-eGFP-3x telomere was able to reduce ~75% of TNF induction compared to the WT vector (FIG. 11A). Based on the multiple viral preps and

donor monocytes and macrophages (FIGS. 9A-9C, FIGS. 10A-10E and FIGS. 11A-11B), we conclude that our engineered vectors containing 3 copies of “c41” or “telomere” reduce TNF induction by approximately 75-98% compared to the WT vector. On average, scAAV-eGFP-3x telomere reduced ~85% of TNF induction compared to scAAV-eGFP. Importantly, we did not observe differences in viral titers (assayed by qPCR for viral genomes) obtained from producing any of the above AAV2 vectors, suggesting that the engineered vectors are not defective in packaging (data not shown). Furthermore, when we infected HeLa cells, a permissive cell line widely used to titer AAV infectivity, with a range of MOIs of scAAV-eGFP and scAAV-eGFP-3x telomere, we did not observe differences in transduction (% GFP+ cells) over 4 logs of viral titers, demonstrating that the engineered vector is equally competent at transducing cells (FIG. 11B).

Example 7—Inflammatory Responses in Liver Tissues of Mice In Vivo

[0122] Intravenous delivery of AAV is often used to transduce hepatocytes for gene therapy. Previous work has shown that upon intravenous administration of AAV, Kupffer cells (resident hepatic antigen-presenting cells) in the liver of mice are capable of sensing sc AAV genomes and triggering inflammatory and innate immune responses 1-9 h later [36]. These responses include induction of proinflammatory cytokines such as TNF and IL6 and type I interferons such as IFN- β . TLR9-/- mice do not exhibit these inflammatory and innate immune responses in the liver, demonstrating a central role for TLR9 in vivo as an innate immune sensor. In addition, immune cells such as neutrophils, macrophages and natural killer (NK) cells infiltrate the liver 2 h after AAV administration. To determine if our engineered vectors can reduce inflammation in the liver in vivo, we administered PBS or equal amounts of scAAV-eGFP or scAAV-eGFP-3x telomere via tail vein injection. We selected scAAV-eGFP-3x telomere for in vivo characterization as “telomere” is derived from human sequences and might be preferable for clinical use. In agreement with previous work, scAAV-eGFP stimulated increased Tnf and 116 expression in the liver (approximately 3 to 10 fold, compared to saline), indicating inflammation (FIG. 12A). In contrast, scAAV-eGFP-3x telomere showed little to no increase in inflammatory markers. We tested more mice in subsequent experiments and found that scAAV-eGFP stimulated statistically significant Tnf induction in the liver compared to saline, while scAAV-eGFP-3x telomere and scAAV-eGFP-3xc41 did not (FIGS. 12B and 12C), demonstrating their ability to evade eliciting inflammation in the liver. Finally, we confirmed that scAAV-eGFP-3xcontrol is not able to prevent inflammation in the liver compared to scAAV-eGFP (FIG. 10E).

Example 8—Engineering a Single-Stranded AAV Vector and Determining Inflammatory Responses in Eye Tissues of Mice In Vivo

[0123] Next, we engineered a single-stranded AAV vector, ssAAV-eGFP, by inserting 5 copies of “telomere” with AAAAA linkers, followed by another 5 copies but in anti-sense orientation, into the plasmid, giving ssAAV-eGFP-5x telomere (FIG. 13). Since both positive and negative strands of the viral genome are equally likely to be packaged into a viral particle, this ensures that each packaged viral genome

would have 5 copies of “telomere” in the correct orientation. Two AAV8 viruses were produced and purified. Again, we did not observe differences in titers between the two vectors, suggesting similar packaging efficiency (data not shown). ssAAV-eGFP was selected as it has been previously used for subretinal injections in mice and efficiently transduces photoreceptors in the eye [62].

[0124] Several studies have suggested that AAV gene therapy in the eye and brain appears to be generally safe [63]. While the eye is often assumed to be an immune-privileged site, it is known to harbor microglia, resident macrophages of the central nervous system which have been reported to express TLR9 and respond to CpG motifs [64-67]. A recent study delivering AAV vectors by subretinal injection in cynomolgus macaques reported dose-related anterior and posterior segment inflammation in the animals, and a macaque was euthanized prematurely due to severe ocular inflammation [68]. Furthermore, vitreous aspirate from the euthanized animal demonstrated the presence of neutrophils and macrophages. Another study utilizing canine models similarly observed anterior and posterior uveitis upon subretinal injection of AAV vectors, and 3 of 17 eyes developed a multifocal chorioretinitis, which was likewise associated with higher vector doses [69]. These findings strongly suggest that AAV vectors are subject to innate immune surveillance in the eye and can trigger deleterious inflammatory and immune responses.

[0125] Saline or similar amounts of ssAAV-eGFP or ss-AAV-eGFP-5x telomere were delivered via subretinal injection into neonates eyes and measured the expression of inflammatory and immune genes. The three mice that received saline injections were uniformly low for Tnf expression in the retina and were set to 1 fold expression (FIG. 14A). In contrast, of the five mice that received ssAAV-eGFP, two exhibited mild upregulation of Tnf (1.9 fold and 8.3 fold), while three animals demonstrated large induction of Tnf (62.2 fold, 534 fold, and 1003 fold), with a mean of 321 fold for the five animals. This finding indicates that while there is variability in inflammation, some animals mount a very strong inflammatory response in the retina upon ssAAV-eGFP subretinal injection. The variability may be due to differences in each injection procedure or the immune status of each animal. Strikingly, the five animals receiving ssAAV-eGFP-5x telomere had a mean Tnf induction of 5.6 fold with much less variability, suggesting that ssAAV-eGFP-5x telomere was able to avoid eliciting strong inflammation. Similar results were observed in the rest of the eyecup but at a lower magnitude, indicating inflammation was not restricted to the retina (FIG. 14B). We also measured Ifng expression in the retina, a type II interferon critical for antiviral immune responses [70], and observed a similar pattern (FIG. 14C). Prior studies have suggested that subretinal injection of AAV may trigger immune cell infiltration in the eye. Therefore, we also analyzed expression of genes that are known to be expressed specifically in different types of immune cells. We found 18.2 fold higher expression of AO (encoding Ibal, a specific marker for microglia [71, 72]) in ssAAV-eGFP injections compared to saline, suggesting microglia proliferation and/or activation in the retina (FIG. 15A). In contrast, ssAAV-eGFP-5x telomere only showed 1.9 fold induction of AO expression. In addition, we found 45.8 fold and 41.8 fold induction of Cd4 and Cd8a, markers of CD4+ helper T cells and CD8+ cytolytic T cells respectively, by ssAAV-eGFP,

while ssAAV-eGFP-5x telomere only showed 1.5 fold and 3.4 fold induction (FIGS. 15B and 15C). Again, there was considerable variability among mice treated with ssAAV-eGFP with a subset of animals showing robust induction. These results demonstrate that subretinal injection of ssAAV-eGFP administration can stimulate T cells infiltration in the retina, while ssAAV-eGFP-5x telomere strongly diminishes it. Taken together, our data indicate that while ssAAV-eGFP induces robust inflammatory and immune responses in the retina and the surrounding tissue, and significant variability is observed, ssAAV-eGFP-5x telomere is capable of mitigating a large portion of these responses.

[0126] Given the marked differences in inflammation both in vitro and in vivo, we sought to determine if there are any differences in long-term gene expression. We examined flat-mounted eye cups at P30, 29 d after subretinal injection of the mice, and found that more cells were GFP+ and GFP expression was stronger in ssAAV-eGFP-5x telomere treated eyes compared to ssAAV-eGFP, suggesting enhanced gene expression (FIG. 16). Thus, the engineered vector is able to reduce inflammatory and immune responses in the retina and also augment transgene expression.

Example 9—Material and Methods

Animals

[0127] C57BL/6 mice (male, 7-9 weeks old) were purchased from the Jackson Laboratory and CD1 mice were purchased from Charles River Laboratories.

AAV Vectors

[0128] Self-complementary (sc) or single-stranded (ss) AAV vectors were used in this study. Self-complementary vectors lack the terminal resolution sequence in one ITR. All vector genomes were flanked by AAV2 ITRs. scAAV-eGFP was purchased from Cell Biolabs (VPK-430) and has been previously described [73]. scAAV-eGFP expressed enhanced green fluorescent protein (eGFP) from the cytomegalovirus (CMV) promoter, and included an SV40 intron and SV40 polyA sequence. ssAAV-eGFP has been previously described and was originally obtained from the Harvard DF/HCC DNA Resource Core (clone ID: EvN000061595). ssAAV-eGFP contained a CMV enhancer/promoter, human (3-globin intron, eGFP, and (3-globin polyA sequence. The sequences of “c41” (5'-TGGCGCGCACCCACGGCTG-3'; SEQ ID NO: 1) derived from *Pseudomonas aeruginosa* and “telomere” (5'-TTAGGGTTAGGGTTAGGG-3'; SEQ ID NO: 9; initial T nucleotide is optional for function) derived from mammalian telomeres have been described [52, 57, 58, 61]. A widely used “telomere” oligonucleotide (manufactured by Invivogen, catalog code “tlrl-ttag”) harbored an additional T (in bold) compared to published studies and thus was included in the sequence. During the course of this study, Invivogen removed the additional T in their manufactured “telomere” oligonucleotide (catalog code “tlrl-ttag151”). In addition, “control” (5'-GCTAGATGTTAGCGT-3'; SEQ ID NO: 34) was used as a negative control sequence that does not inhibit TLR9 activation (Invivogen, catalog code “tlrl-2088c”).

[0129] To engineer scAAV-eGFP, sequences were inserted into the unique SpeI site found immediately 5' of the right ITR. To facilitate sub-cloning, a unique Clal site was created

immediately 5' of the inserted sequences, thus allowing ClaI/SpeI sub-cloning of sequences. 3 copies of “c41,” “telomere,” or “control” were inserted, separated by AAAA linkers, giving scAAV-eGFP-3xc41, scAAV-eGFP-3x telomere and scAAV-eGFP-3x control, respectively. Alternatively, one copy of “telomere” was inserted, with an AAAA linker (SEQ ID NO: 8), giving scAAV-eGFP-1x telomere. We also inserted 3x telomere between the left ITR and CMV promoter using the unique AvrII site, giving scAAV-3x telomere-eGFP.

[0130] To engineer ssAAV-eGFP, KpnI-5x telomere (sense)-5x telomere(anti-sense)-NheI was inserted immediately 5' of the XbaI site adjacent to the right ITR. Again, AAAA was used as a linker between copies of “telomere”. Both sense and anti-sense sequences of “telomere” were added as single-stranded AAV vectors have an equal chance of packaging positive or negative strands of the viral genome, thus ensuring that all packaged AAV genomes will carry 5 copies of “telomere” in the right orientation.

[0131] Self-complementary vectors were packaged into AAV2 (Vigene Biosciences) by triple transfection of HEK293 cells and purified using iodixanol gradient ultracentrifugation and then concentrated to 500 ul using Amicon Ultra-15 columns in PBS. The purified viruses were titrated by qPCR using primers derived from ITR and an AAV standard. The final yield of the viruses ranged from 0.5–3×10¹³ vg.

[0132] Single-stranded vectors were packaged into AAV8 based on previously described protocols [74, 75]. Briefly, AAV vector, rep2-cap8 packaging plasmid and adenoviral helper plasmid were transfected into HEK293T cells with polyethylenimine and supernatant was collected 72 h after transfection. AAV8 viruses were precipitated with 8.5% w/v PEG8000 and 0.4M NaCl and centrifuged at 7000 g. The pellet was resuspended in lysis buffer (150 mM NaCl and 20 mM Tris, pH 8.0) and MgCl₂ was added to a final concentration of 1 mM. The resuspended viruses were incubated with 25U/ml Benzonase (Sigma) at 37° C. for 15 min and run on an iodixanol gradient. Recovered AAV vectors were washed 3 times with PBS using Amicon 100K columns (EMD Millipore) and concentrated to 100–500 ul of PBS. Protein gels were run to determine virus titers, using serial dilutions of previous AAV standards for comparison.

Primary Human Monocytes and Monocyte-Derived Macrophages for In Vitro Studies

[0133] Human peripheral blood mononuclear cells (PBMCs) from unidentified healthy donors were purchased (ZenBio). This study was done in accordance with the ethical guidelines of Harvard Medical School. CD14+ monocytes were positively selected from PBMCs using anti-CD14 magnetic microbeads according to the manufacturer's instructions (Miltenyi Biotec) or purchased from Stemcell Technologies. To obtain monocyte-derived macrophages, monocytes were cultured with 50 ng/ml of recombinant human macrophage colony stimulation factor (rhM-CSF, purchased from Peprotech) for 5 to 6 d to allow differentiation into macrophages. Monocytes and macrophages were either used fresh or cryopreserved for subsequent studies.

[0134] 1×10⁵ monocytes or macrophages were seeded in 190 ul of RPMI growth media per well in 96 well round bottom plates or 96 well flat bottom plates respectively, and infected with 10 ul AAV2 viruses at indicated MOIs in PBS.

Mock infection (addition of 10 ul PBS) and ODN 2006 (final concentration of 5 uM, Invivogen), a CpG-containing oligonucleotide known to activate TLR9 and trigger inflammation, served as negative and positive controls. 18 h after infection, supernatants were collected and clarified by low speed centrifugation, followed by ELISA for human TNF (Thermo Scientific).

HeLa Cells Infection

[0135] HeLa cells are highly permissive for AAV2 vectors and are commonly used to determine the transducing titer of AAV2 vector preparations [76]. Briefly, HeLa cells were seeded overnight in 12 wells and were approximately 80% confluent at time of infection (~3×10⁵ cells). Cells were infected with serial ten-fold dilutions of viruses at indicated MOIs and incubated for 48 h before fixing with 1% paraformaldehyde in PBS and followed by flow cytometry analysis for GFP+ cells. PBS mock-infected cells were used to determine GFP+ signal.

Liver Studies In Vivo

[0136] Adult C57BL/6 mice were injected intravenously with 100 ul PBS or AAV2 viruses (10¹¹ vg per animal) by tail vein injection as previously described [36]. 2 h later, the animals were sacrificed and a portion of the right median lobe of the liver was saved in RNAlater solution (Thermo Scientific). Total RNA was extracted from 10-30 mg of mechanically disrupted liver sample by using an RNA extraction kit (OMEGA Bio-Tek). Similar amounts of RNA were reverse transcribed into cDNA with a high-capacity RNA-to-cDNA kit (Thermo Scientific) and similar amounts of cDNA were assayed with quantitative PCR (qPCR) using TaqMan Fast Advanced Master Mix (Thermo Scientific) and commercially available pre-designed primers/probes with FAM reporter dye for the indicated target genes (IDT). Expression level for each gene was calculated by normalizing against the housekeeping genes Actb or Gapdh using the MET method and expressed as fold levels compared to saline-injected mice. All qPCR reactions were run on a realplex⁴ Mastercycle (Eppendorf).

Eye Studies In Vivo

[0137] Subretinal injection into postnatal day 1 (P1) CD1 neonate eyes were performed as previously described [74, 5]. Approximately 0.2 ul AAV8 virus (1.8×10⁸ vg per eye) was introduced into the subretinal space using a pulled angled glass pipette controlled by a FemtoJet (Eppendorf). At P21, animals were sacrificed and the eyecup was dissected out. The retina and the rest of the eyecup were subjected to RNA extraction, reverse transcription, and qPCR as described in the liver studies. To visualize GFP expression by histology, eyes were excised at P30, fixed in 4% paraformaldehyde for 2 h, and washed in PBS 3 times. Eye cups were dissected out by removing the cornea, lens, iris, vitreous body and peripheral muscles. Images of flat-mounted eye cups were taken using a x10 objective on a Keyence BZ-x700 microscope. Images used for comparison between groups were taken at the same imaging settings in the same imaging session.

Statistics

[0138] Unpaired two-tailed Student's t-tests were used to compare differences between two unpaired experimental

groups in all cases. A P value of <0.05 was considered statistically significant. No pre-specified effect size was assumed and in general three to five replicates for each condition was used.

REFERENCES

- [0139] 1. Naldini L. Gene therapy returns to centre stage. *Nature*. 2015; 526(7573):351-60. doi: PubMed PMID: 26469046.
- [0140] 2. Yla-Herttula S. Endgame: glybera finally recommended for approval as the first gene therapy drug in the European union. *Mol Ther*. 2012; 20(10):1831-2. doi: PubMed PMID: 23023051; PubMed Central PMCID: PMCPMC3464639.
- [0141] 3. Gaudet D, Methot J, Kastelein J. Gene therapy for lipoprotein lipase deficiency. *Curr Opin Lipidol*. 2012; 23(4):310-20. doi: 10.1097/MOL.0b013e3283555a7e. PubMed PMID: 22691709.
- [0142] 4. Samulski R J, Muzyczka N. AAV-Mediated Gene Therapy for Research and Therapeutic Purposes. *Annu Rev Virol*. 2014; 1(1):427-51. doi: 10.1146/annurev-virology-031413-085355. PubMed PMID: 26958729.
- [0143] 5. Mingozi F, High K A. Therapeutic in vivo gene transfer for genetic disease using AAV: progress and challenges. *Nat Rev Genet*. 2011; 12(5):341-55. doi: 10.1038/nrg2988. PubMed PMID: 21499295.
- [0144] 6. Kotterman M A, Schaffer D V. Engineering adeno-associated viruses for clinical gene therapy. *Nat Rev Genet*. 2014; 15(7):445-51. doi: 10.1038/nrg3742. PubMed PMID: 24840552; PubMed Central PMCID: PMCPMC4393649.
- [0145] 7. McLaughlin S K, Collis P, Hermonat P L, Muzyczka N. Adeno-associated virus general transduction vectors: analysis of proviral structures. *J Virol*. 1988; 62(6):1963-73. PubMed PMID: 2835501; PubMed Central PMCID: PMCPMC253280.
- [0146] 8. Hauswirth W W, Berns K I. Origin and termination of adeno-associated virus DNA replication. *Virology*. 1977; 78(2):488-99. PubMed PMID: 867815.
- [0147] 9. Zhong L, Zhou X, Li Y, Qing K, Xiao X, Samulski R J, et al. Single-polarity recombinant adeno-associated virus 2 vector-mediated transgene expression in vitro and in vivo: mechanism of transduction. *Mol Ther*. 2008; 16(2):290-5. doi: 10.1038/sj.mt.6300376. PubMed PMID: 18087261.
- [0148] 10. Zhou X, Zeng X, Fan Z, Li C, McCown T, Samulski R J, et al. Adeno-associated virus of a single-polarity DNA genome is capable of transduction in vivo. *Mol Ther*. 2008; 16(3):494-9. doi: 10.1038/sj.mt.6300397. PubMed PMID: 18180769.
- [0149] 11. Samulski R J, Chang L S, Shenk T. A recombinant plasmid from which an infectious adeno-associated virus genome can be excised in vitro and its use to study viral replication. *J Virol*. 1987; 61(10):3096-101. PubMed PMID: 3041032; PubMed Central PMCID: PMCPMC255885.
- [0150] 12. McCarty D M. Self-complementary AAV vectors; advances and applications. *Mol Ther*. 2008; 16(10): 1648-56. doi: 10.1038/mt.2008.171. PubMed PMID: 18682697.
- [0151] 13. McCarty D M, Monahan P E, Samulski R J. Self-complementary recombinant adeno-associated virus (scAAV) vectors promote efficient transduction indepen-
- dently of DNA synthesis. *Gene Ther*. 2001; 8(16):1248-54. doi: 10.1038/sj.gt.3301514. PubMed PMID: 11509958.
- [0152] 14. Calcedo R, Morizono H, Wang L, McCarter R, He J, Jones D, et al. Adeno-associated virus antibody profiles in newborns, children, and adolescents. *Clin Vaccine Immunol*. 2011; 18(9):1586-8. doi: 10.1128/CVI. 05107-11. PubMed PMID: 21775517; PubMed Central PMCID: PMCPMC3165215.
- [0153] 15. Calcedo R, Vandenberghe L H, Gao G, Lin J, Wilson J M. Worldwide epidemiology of neutralizing antibodies to adeno-associated viruses. *J Infect Dis*. 2009; 199(3):381-90. doi: PubMed PMID: 19133809.
- [0154] 16. Bainbridge J W, Smith A J, Barker S S, Robbie S, Henderson R, Balaggan K, et al. Effect of gene therapy on visual function in Leber's congenital amaurosis. *N Engl J Med*. 2008; 358(21):2231-9. doi: 10.1056/NEJMoa0802268. PubMed PMID: 18441371.
- [0155] 17. Maguire A M, High K A, Auricchio A, Wright J F, Pierce E A, Testa F, et al. Age-dependent effects of RPE65 gene therapy for Leber's congenital amaurosis: a phase 1 dose-escalation trial. *Lancet*. 2009; 374(9701): 1597-605. doi: 10.1016/S0140-6736(09)61836-5. PubMed PMID: 19854499; PubMed Central PMCID: PMCPMC4492302.
- [0156] 18. Maguire A M, Simonelli F, Pierce E A, Pugh E N, Jr., Mingozi F, Bennicelli J, et al. Safety and efficacy of gene transfer for Leber's congenital amaurosis. *N Engl J Med*. 2008; 358(21):2240-8. doi: 10.1056/NEJMoa0802315. PubMed PMID: 18441370; PubMed Central PMCID: PMCPMC2829748.
- [0157] 19. Jacobson S G, Cideciyan A V, Ratnakaram R, Heon E, Schwartz S B, Roman A J, et al. Gene therapy for leber congenital amaurosis caused by RPE65 mutations: safety and efficacy in 15 children and adults followed up to 3 years. *Arch Ophthalmol*. 2012; 130(1):9-24. doi: PubMed PMID: 21911650; PubMed Central PMCID: PMCPMC3600816.
- [0158] 20. Kaplitt M G, Feigin A, Tang C, Fitzsimons H L, Mattis P, Lawlor P A, et al. Safety and tolerability of gene therapy with an adeno-associated virus (AAV) borne GAD gene for Parkinson's disease: an open label, phase I trial. *Lancet*. 2007; 369(9579):2097-105. doi: PubMed PMID: 17586305.
- [0159] 21. Leone P, Shera D, McPhee S W, Francis J S, Kolodny E H, Bilaniuk L T, et al. Long-term follow-up after gene therapy for canavan disease. *Sci Transl Med*. 2012; 4(165):165ra3. doi: 10.1126/scitranslmed.3003454. PubMed PMID: 23253610; PubMed Central PMCID: PMCPMC3794457.
- [0160] 22. Manno C S, Pierce G F, Arruda V R, Glader B, Ragni M, Rasko J J, et al. Successful transduction of liver in hemophilia by AAV-Factor IX and limitations imposed by the host immune response. *Nat Med*. 2006; 12(3):342-7. doi: 10.1038/nm1358. PubMed PMID: 16474400.
- [0161] 23. Nathwani A C, Tuddenham E G, Rangarajan S, Rosales C, McIntosh J, Linch D C, et al. Adenovirus-associated virus vector-mediated gene transfer in hemophilia B. *N Engl J Med*. 2011; 365(25):2357-65. doi: 10.1056/NEJMoa1108046. PubMed PMID: 22149959; PubMed Central PMCID: PMCPMC3265081.
- [0162] 24. Carpenter A C, Frisch F, Labbe S M, Gagnon R, de Wal J, Greentree S, et al. Effect of alipogene tiparvovec (AAV1-LPL(S447X)) on postprandial chylo-

- micron metabolism in lipoprotein lipase-deficient patients. *J Clin Endocrinol Metab.* 2012; 97(5):1635-44. doi: PubMed PMID: 22438229.
- [0163] 25. Manno C S, Chew A J, Hutchison S, Larson P J, Herzog R W, Arruda V R, et al. AAV-mediated factor IX gene transfer to skeletal muscle in patients with severe hemophilia B. *Blood.* 2003; 101(8):2963-72. doi: 10.1182/blood-2002-10-3296. PubMed PMID: 12515715.
- [0164] 26. Jaski B E, Jessup M L, Mancini D M, Cappola T P, Pauly D F, Greenberg B, et al. Calcium upregulation by percutaneous administration of gene therapy in cardiac disease (CUPID Trial), a first-in-human phase 1/2 clinical trial. *J Card Fail.* 2009; 15(3):171-81. doi: PubMed PMID: 19327618; PubMed Central PMCID: PMCPMC2752875.
- [0165] 27. Ran F A, Cong L, Yan W X, Scott D A, Gootenberg J S, Kriz A J, et al. In vivo genome editing using *Staphylococcus aureus* Cas9. *Nature.* 2015; 520 (7546):186-91. doi: PubMed PMID: 25830891; PubMed Central PMCID: PMCPMC4393360.
- [0166] 28. Balazs A B, Chen J, Hong C M, Rao D S, Yang L, Baltimore D. Antibody-based protection against HIV infection by vectored immunoprophylaxis. *Nature.* 2011; 481(7379):81-4. doi: 10.1038/nature10660. PubMed PMID: 22139420; PubMed Central PMCID: PMCPMC3253190.
- [0167] 29. Gardner M R, Kattenhorn L M, Kondur H R, von Schaewen M, Dorfman T, Chiang J J, et al. AAV-expressed eCD4-Ig provides durable protection from multiple SHIV challenges. *Nature.* 2015; 519(7541):87-91. doi: 10.1038/nature14264. PubMed PMID: 25707797; PubMed Central PMCID: PMCPMC4352131.
- [0168] 30. Adam V S, Crosariol M, Kumar S, Ge M Q, Czack S E, Roy S, et al. Adeno-associated virus 9-mediated airway expression of antibody protects old and immunodeficient mice against influenza virus. *Clin Vaccine Immunol.* 2014; 21(11):1528-33. doi: PubMed PMID: 25209558; PubMed Central PMCID: PMCPMC4248762.
- [0169] 31. Balazs A B, Bloom J D, Hong C M, Rao D S, Baltimore D. Broad protection against influenza infection by vectored immunoprophylaxis in mice. *Nat Biotechnol.* 2013;31(7):647-52. doi: 10.1038/nbt.2618. PubMed PMID: 23728362; PubMed Central PMCID: PMCPMC4030719.
- [0170] 32. Swiech L, Heidenreich M, Banerjee A, Habib N, Li Y, Trombetta J, et al. In vivo interrogation of gene function in the mammalian brain using CRISPR-Cas9. *Nat Biotechnol.* 2015; 33(1):102-6. doi: 10.1038/nbt.3055. PubMed PMID: 25326897; PubMed Central PMCID: PMCPMC4492112.
- [0171] 33. Gene-therapy trials must proceed with caution. *Nature.* 2016;534(7609):590. doi: PubMed PMID: 27357758.
- [0172] 34. Retracing events. *Nat Biotechnol.* 2007; 25(9): 949. doi: 10.1038/nbt0907-949. PubMed PMID: 17846606.
- [0173] 35. Sibbald B. Death but one unintended consequence of gene-therapy trial. *CMAJ.* 2001;164(11):1612. PubMed PMID: 11402803; PubMed Central PMCID: PMCPMC81135.
- [0174] 36. Martino A T, Suzuki M, Markusic D M, Zolotukhin I, Ryals R C, Moghimi B, et al. The genome of self-complementary adeno-associated viral vectors increases Toll-like receptor 9-dependent innate immune responses in the liver. *Blood.* 2011; 117(24):6459-68. doi: PubMed PMID: 21474674; PubMed Central PMCID: PMCPMC3123017.
- [0175] 37. Zaiss A K, Liu Q, Bowen G P, Wong N C, Bartlett J S, Muruve D A. Differential activation of innate immune responses by adenovirus and adeno-associated virus vectors. *J Virol.* 2002; 76(9):4580-90. PubMed PMID: 11932423; PubMed Central PMCID: PMCPMC155101.
- [0176] 38. Ferreira V, Petry H, Salmon F. Immune Responses to AAV-Vectors, the Glybera Example from Bench to Bedside. *Front Immunol.* 2014; 5:82. doi: PubMed PMID: 24624131; PubMed Central PMCID: PMCPMC3939780.
- [0177] 39. Manning W C, Paliard X, Zhou S, Pat Bland M, Lee A Y, Hong K, et al. Genetic immunization with adeno-associated virus vectors expressing herpes simplex virus type 2 glycoproteins B and D. *J Virol.* 1997; 71(10):7960-2. PubMed PMID: 9311887; PubMed Central PMCID: PMCPMC192154.
- [0178] 40. Liu D W, Tsao Y P, Kung J T, Ding Y A, Sytwu H K, Xiao X, et al. Recombinant adeno-associated virus expressing human papillomavirus type 16 E7 peptide DNA fused with heat shock protein DNA as a potential vaccine for cervical cancer. *J Virol.* 2000; 74(6):2888-94. PubMed PMID: 10684306; PubMed Central PMCID: PMCPMC111780.
- [0179] 41. Xin K Q, Urabe M, Yang J, Nomiyama K, Mizukami H, Hamajima K, et al. A novel recombinant adeno-associated virus vaccine induces a long-term humoral immune response to human immunodeficiency virus. *Hum Gene Ther.* 2001; 12(9):1047-61. doi: PubMed PMID: 11399227.
- [0180] 42. Breous E, Somanathan S, Bell P, Wilson J M. Inflammation promotes the loss of adeno-associated virus-mediated transgene expression in mouse liver. *Gastroenterology.* 2011; 141(1):348-57, 57 e1-3. doi: 10.1053/j.gastro.2011.04.002. PubMed PMID: 21640112; PubMed Central PMCID: PMCPMC3269906.
- [0181] 43. Wang L, Wang H, Bell P, McCarter R J, He J, Calcedo R, et al. Systematic evaluation of AAV vectors for liver directed gene transfer in murine models. *Mol Ther.* 2010; 18(1):118-doi: 10.1038/mt.2009.246. PubMed PMID: 19861950; PubMed Central PMCID: PMCPMC2839210.
- [0182] 44. Zhu J, Huang X, Yang Y. The TLR9-MyD88 pathway is critical for adaptive immune responses to adeno-associated virus gene therapy vectors in mice. *J Clin Invest.* 2009; 119(8):2388-98. doi: 10.1172/JCI37607. PubMed PMID: 19587448; PubMed Central PMCID: PMCPMC2719948.
- [0183] 45. Kumagai Y, Takeuchi O, Akira S. TLR9 as a key receptor for the recognition of DNA. *Adv Drug Deliv Rev.* 2008; 60(7):795-804. doi: 10.1016/j.addr.2007.12.004. PubMed PMID: 18262306.
- [0184] 46. Rogers G L, Martino A T, Aslanidi G V, Jayandharan G R, Srivastava A, Herzog R W. Innate Immune Responses to AAV Vectors. *Front Microbiol.* 2011; 2:194. doi: PubMed PMID: 21954398; PubMed Central PMCID: PMCPMC3175613.
- [0185] 47. Hosel M, Broxtermann M, Janicki H, Esser K, Arzberger S, Hartmann P, et al. Toll-like receptor 2-me-

- diated innate immune response in human nonparenchymal liver cells toward adeno-associated viral vectors. *Hepatology*. 2012; 55(1):287-97. doi: PubMed PMID: 21898480.
- [0186] 48. Hensley S E, Amalfitano A. Toll-like receptors impact on safety and efficacy of gene transfer vectors. *Mol Ther*. 2007; 15(8):1417-22. doi: 10.1038/sj.mt.6300217. PubMed PMID: 17551505.
- [0187] 49. Lenert P S. Classification, mechanisms of action, and therapeutic applications of inhibitory oligonucleotides for Toll-like receptors (TLR) 7 and 9. *Mediators Inflamm*. 2010; 2010:986596. doi: 10.1155/2010/986596. PubMed PMID: 20490286; PubMed Central PMCID: PMCPMC2873634.
- [0188] 50. Trieu A, Roberts T L, Dunn J A, Sweet M J, Stacey K J. DNA motifs suppressing TLR9 responses. *Crit Rev Immunol*. 2006; 26(6):527-44. PubMed PMID: 17341193.
- [0189] 51. Krieg A M, Wu T, Weeratna R, Efler S M, Love-Homan L, Yang L, et al. Sequence motifs in adenoviral DNA block immune activation by stimulatory CpG motifs. *Proc Natl Acad Sci USA*. 1998; 95(21):12631-6. PubMed PMID: 9770537; PubMed Central PMCID: PMCPMC22882.
- [0190] 52. Gursel I, Gursel M, Yamada H, Ishii K J, Takeshita F, Klinman D M. Repetitive elements in mammalian telomeres suppress bacterial DNA-induced immune activation. *J Immunol*. 2003; 171(3):1393-400. PubMed PMID: 12874230.
- [0191] 53. Stunz L L, Lenert P, Peckham D, Yi A K, Haxhinasto S, Chang M, et al. Inhibitory oligonucleotides specifically block effects of stimulatory CpG oligonucleotides in B cells. *Eur J Immunol*. 2002; 32(5):1212-22. doi: 10.1002/1521-4141(200205)32:5<1212::AID-IMMU1212>;3.0.00;2-D. PubMed PMID: 11981808.
- [0192] 54. Lenert P, Rasmussen W, Ashman R F, Ballas Z K. Structural characterization of the inhibitory DNA motif for the type A (D)-CpG-induced cytokine secretion and NK-cell lytic activity in mouse spleen cells. *DNA Cell Biol*. 2003; 22(10):621-31. doi: PubMed PMID: 14611683.
- [0193] 55. Lenert P, Yasuda K, Busconi L, Nelson P, Fleenor C, Ratnabalsuriar R S, et al. DNA-like class R inhibitory oligonucleotides (INH-ODNs) preferentially block autoantigen-induced B-cell and dendritic cell activation in vitro and autoantibody production in lupus-prone MRL-Fas(lpr/lpr) mice in vivo. *Arthritis Res Ther*. 2009; 11(3):R79. doi: PubMed PMID: 19476613; PubMed Central PMCID: PMCPMC2714127.
- [0194] 56. Lenert P S. Targeting Toll-like receptor signaling in plasmacytoid dendritic cells and autoreactive B cells as a therapy for lupus. *Arthritis Res Ther*. 2006; 8(1):203. doi: PubMed PMID: 16542467; PubMed Central PMCID: PMCPMC1526546.
- [0195] 57. Kaminski J J, Schattgen S A, Tzeng T C, Bode C, Klinman D M, Fitzgerald K A. Synthetic oligodeoxy-nucleotides containing suppressive TTAGGG motifs inhibit AIM2 inflammasome activation. *J Immunol*. 2013; 191(7):3876-83. doi: PubMed PMID: 23986531; PubMed Central PMCID: PMCPMC3878640.
- [0196] 58. Shirota H, Gursel I, Gursel M, Klinman D M. Suppressive oligodeoxynucleotides protect mice from lethal endotoxic shock. *J Immunol*. 2005; 174(8):4579-83. PubMed PMID: 15814679.
- [0197] 59. Peter M, Bode K, Lipford G B, Eberle F, Heeg K, Dalpke A H. Characterization of suppressive oligodeoxynucleotides that inhibit Toll-like receptor-9-mediated activation of innate immunity. *Immunology*. 2008; 123(1):118-28. doi: 10.1111/j.1365-2567.2007.02718.x. PubMed PMID: 17961163; PubMed Central PMCID: PMCPMC2433270.
- [0198] 60. Ohto U, Shibata T, Tanji H, Ishida H, Krayukhina E, Uchiyama S, et al. Structural basis of CpG and inhibitory DNA recognition by Toll-like receptor 9. *Nature*. 2015; 520(7549):702-5. doi: 10.1038/nature14138. PubMed PMID: 25686612.
- [0199] 61. Li Y, Cao H, Wang N, Xiang Y, Lu Y, Zhao K, et al. A novel antagonist of TLR9 blocking all classes of immunostimulatory CpG-ODNs. *Vaccine*. 2011; 29(11):2193-8. doi: PubMed PMID: 21036131.
- [0200] 62. Xiong W, MacColl Garfinkel A E, Li Y, Benowitz L I, Cepko C L. NRF2 promotes neuronal survival in neurodegeneration and acute nerve damage. *J Clin Invest*. 2015; 125(4):1433-45. doi: 10.1172/JCI79735. PubMed PMID: 25798616; PubMed Central PMCID: PMCPMC4396467.
- [0201] 63. Mingozzi F, High K A. Immune responses to AAV vectors: overcoming barriers to successful gene therapy. *Blood*. 2013; 122(1):23-36. doi: 10.1182/blood-2013-01-306647. PubMed PMID: 23596044; PubMed Central PMCID: PMCPMC3701904.
- [0202] 64. Karlstetter M, Ebert S, Langmann T. Microglia in the healthy and degenerating retina: insights from novel mouse models. *Immunobiology*. 2010; 215(9-10):685-91. doi: PubMed PMID: 20573418.
- [0203] 65. Chinnery H R, Naranjo Golborne C, Leong C M, Chen W, Forrester J V, McMenamin P G. Retinal Microglial Activation Following Topical Application of Intracellular Toll-Like Receptor Ligands. *Invest Ophthalmol Vis Sci*. 2015; 56(12):7377-86. doi: 10.1167/iovs.15-17587. PubMed PMID: 26574796.
- [0204] 66. Doi Y, Mizuno T, Maki Y, Jin S, Mizoguchi H, Ikeyama M, et al. Microglia activated with the toll-like receptor 9 ligand CpG attenuate oligomeric amyloid β neurotoxicity in vitro and in vivo models of Alzheimer's disease. *Am J Pathol*. 2009; 175(5):2121-32. doi: PubMed PMID: 19834064; PubMed Central PMCID: PMCPMC2774075.
- [0205] 67. Chinnery H R, McLennan S, Binz N, Sun Y, Forrester J V, Degli-Esposti M A, et al. TLR9 ligand CpG-ODN applied to the injured mouse cornea elicits retinal inflammation. *Am J Pathol*. 2012; 180(1):209-20. doi: 10.1016/j.ajpath.2011.09.041. PubMed PMID: 22085974; PubMed Central PMCID: PMCPMC3338340.
- [0206] 68. Ye G J, Budzynski E, Sonnenburg P, Nork T M, Miller P E, Sharma A K, et al. Safety and Biodistribution Evaluation in Cynomolgus Macaques of rAAV2tYF-PR1.7-hCNGB3, a Recombinant AAV Vector for Treatment of Achromatopsia. *Hum Gene Ther Clin Dev*. 2016. doi: 10.1089/hum.2015.164. PubMed PMID: 26956923.
- [0207] 69. Komaromy A M, Alexander J J, Rowland J S, Garcia M M, Chiodo V A, Kaya A, et al. Gene therapy rescues cone function in congenital achromatopsia. *Hum Mol Genet*. 2010; 19(13):2581-93. doi: 10.1093/hmg/ddq136. PubMed PMID: 20378608; PubMed Central PMCID: PMCPMC2883338.
- [0208] 70. Schoenborn J R, Wilson C B. Regulation of interferon-gamma during innate and adaptive immune

- responses. *Adv Immunol.* 2007; 96:41-101. doi: 10.1016/S0065-2776(07)96002-2. PubMed PMID: 17981204.

[0209] 71. Imai Y, Ibata I, Ito D, Ohsawa K, Kohsaka S. A novel gene ibal in the major histocompatibility complex class III region encoding an EF hand protein expressed in a monocytic lineage. *Biochem Biophys Res Commun.* 1996; 224(3):855-62. doi: PubMed PMID: 8713135.

[0210] 72. Ito D, Imai Y, Ohsawa K, Nakajima K, Fukuchi Y, Kohsaka S. Microglia-specific localisation of a novel calcium binding protein, Ibal. *Brain Res Mol Brain Res.* 1998;57(1):1-9. PubMed PMID: 9630473.

[0211] 73. Gray J T, Zolotukhin S. Design and construction of functional AAV vectors. *Methods Mol Biol.* 2011; 807:25-46. doi: 10.1007/978-1-61779-370-7_2. PubMed PMID: 22034025.

[0212] 74. Matsuda T, Cepko C L. Electroporation and RNA interference in the rodent retina in vivo and in vitro. *Proc Natl Acad Sci USA.* 2004; 101(1):16-22. doi: PubMed PMID: 14603031; PubMed Central PMCID: PMC314130.

[0213] 75. Wang S, Sengel C, Emerson M M, Cepko C L. A gene regulatory network controls the binary fate decision of rod and bipolar cells in the vertebrate retina. *Dev Cell.* 2014; 30(5):513-27. doi: 10.1016/j.devcel.2014.07.018. PubMed PMID: 25155555; PubMed Central PMCID: PMC4304698.

[0214] 76. Martino A T, Herzog R W, Anegón I, Adjali O. Measuring immune responses to recombinant AAV gene transfer. *Methods Mol Biol.* 2011; 807:259-72. doi: 10.1007/978-1-61779-370-7_11. PubMed PMID: 22034034; PubMed Central PMCID: PMC3593270.

SEQUENCE LISTING

Sequence total quantity: 34

SEQ ID NO: 1 moltype = DNA length = 20
FEATURE Location/Qualifiers
misc_feature 1..20
source note = Synthetic Polynucleotide
1..20
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 1 tggcgcgac ccacggcctg 20

SEQ ID NO: 2 moltype = DNA length = 15
FEATURE Location/Qualifiers
misc_feature 1..15
source note = Synthetic Polynucleotide
1..15
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 2 tcctggcgaa gaagt 15

SEQ ID NO: 3 moltype = DNA length = 12
FEATURE Location/Qualifiers
misc_feature 1..12
source note = Synthetic Polynucleotide
1..12
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 3 cctggatggg aa 12

SEQ ID NO: 4 moltype = DNA length = 24
FEATURE Location/Qualifiers
misc_feature 1..24
source note = Synthetic Polynucleotide
1..24
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 4 cctggatggg aattcccatc cagg 24

SEQ ID NO: 5 moltype = DNA length = 24
FEATURE Location/Qualifiers
misc_feature 1..24
source note = Synthetic Polynucleotide
1..24
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 5 cctggatggg aacttaccgc tgca 24

SEQ ID NO: 6 moltype = DNA length = 24
FEATURE Location/Qualifiers
misc_feature 1..24

- continued

```

source          note = Synthetic Polynucleotide
                1..24
                mol_type = other DNA
                organism = synthetic construct
SEQUENCE: 6
ttagggttag ggtagggttt aggg                                24

SEQ ID NO: 7      moltype = DNA  length = 21
FEATURE          Location/Qualifiers
misc_feature     1..21
note = Synthetic Polynucleotide
source          1..21
mol_type = other DNA
organism = synthetic construct
SEQUENCE: 7
ctcattatgg gggtttctta t                                21

SEQ ID NO: 8      moltype =   length =
SEQUENCE: 8
000

SEQ ID NO: 9      moltype = DNA  length = 25
FEATURE          Location/Qualifiers
misc_feature     1..25
note = Synthetic Polynucleotide
source          1..25
mol_type = other DNA
organism = synthetic construct
SEQUENCE: 9
tttagggtta gggtaggtt taggg                                25

SEQ ID NO: 10     moltype = DNA  length = 4369
FEATURE          Location/Qualifiers
misc_feature     1..4369
note = Synthetic Polynucleotide
source          1..4369
mol_type = other DNA
organism = synthetic construct
SEQUENCE: 10
aaagcttccc ggggggatct gggccactcc ctctctgcgc gctcgctcgc tcactgaggc 60
cgggcacca aagggtcgccc gacgccccggg ctttgcggg gcggcctcag tgagcgagcg 120
agcgcgaga gaggggagtgg ccaactccat cactagggtt tcctggaggg gtggagtctg 180
gacctaggca tatgccaagt acgcccccta ttgacgtcaa tgacggtaaa tggcccgct 240
ggcattatgc ccagtagat accttatggg actttcctac ttggcagtagc atctacgtat 300
tagtcatgc tattaccatg gtgatgcggg tttggcagta catcaatggg cgtggatacg 360
ggtttactc acggggattt ccaagtctcc accccattga cgtcaatggg agtttggttt 420
ggcacaaaaa tcaacgggac ttccaaaaat gtcgtAACAA ctccggggca ttgacgcaaa 480
tggcggttag gcggtgtacgg tgggaggtct atataagcag agctcgttt gtgaaccgtc 540
agatcgctg gagacgccccat ccggactcta aggttaatat aaaatttttta agtgtataat 600
gtgttaaact actgattcta attgtttctc tcttttagat tccaacctt ggaactgaat 660
tcccgccggcc cgggatccac cggcgccac catggtagac aaggqcgagg agctgttac 720
cgggggtggtg cccatcctgg tcgagctgga cggcgacgta aacggccaca agttcagcgt 780
gtccggcgag ggcgagggcg atgcacccctt cggcaagctg accctgaagt tcatctgac 840
caccggcaag ctgccccgtgc cctggccac cctcgtagacc accctgaccc acggcggtca 900
gtgcttcagc cgctaccccg accacatgaa gcagcacgac ttcttcacgt ccggccatgcc 960
cgaaggctac gtccaggagc gcaccatctt cttcaaggac gacggcaact acaagaccgg 1020
cgcccgaggtg aagttcgagg ggcacaccctt ggtgaaccgc atcgagctga agggcatcga 1080
cttcaaggag gacggcaaca tcctggggca caagctggag tacaactaca acagccacaa 1140
cgtctatatac atggccgaca agcagaagaa cggcatcaag gtgaacttca agatccgca 1200
caacatcgag gacggcagcg tgcaagtcgc cgaccactac cagcagaaca ccccccattcg 1260
cgacggccccc gtgctgtgc ccgacaacca ctacctgtagc acccagtccg ccctgagcaa 1320
agaccccaac gagaagcgcg atcacaatgtt cctgctggag ttcgtgaccg ccggccggat 1380
cactctggc atggacgagc tgtacaagta aagcgccgc taggcctcac ctgcgtatctc 1440
gatgctttat ttgtgaaatt tttgtatgtt ttgctttatt tgtaaccatt ataagctgca 1500
ataaaacaatg taacaacaac aatttcattt atttatgtt tcaggttcag ggggagggtgt 1560
gggagggttt taaaactagt ccactccctc tctgcgcgtc cgctcgctca ctgaggccgg 1620
gcgacccaaag gtcgccccac gcccgggtt tgccggggcg gcctcagtga gcgagcgagc 1680
gcccggcgag ggacagatcc gggcccgcat gcgtcgacaa ttcaactggcc gtcgtttac 1740
aacgtcgta ctggggaaaac cctggcgtaa cccaaacttac tcgccttgc acacatcccc 1800
cttgcgtatc ctggcgtaat agcgaagagg cccgcacccga tcgccttcc caacagtgc 1860
gcagcctgaa tggcgaatgg cgcctgtatgc ggtatttctt cttacgtatc ctgtgcggta 1920
tttcacaccg catatggtgc acttcagta caatctgtc tgatgcgc tagttaagcc 1980
agccccgaca cccgccaaca cccgctgacg cggccctgacg ggctgtctg ctccggcat 2040
ccgcttacag acaagctgtg accgtctccg ggagctgcat gtgtcagagg ttttcaccgt 2100
catcaccgaa acgcgcgaga cggaaaggcc tcgtgatacg cctatttta tagttaatg 2160
tcgtataat aatggtttct tagacgttagt gttggactt tcggggaaat gtgcgcggaa 2220

```

- continued

cccctatttgc	tttatTTTtc	taaatacatt	caaataatgt	tccgctcatg	agacaataac	2280
cctgataaaat	gcttcaataa	tattaaaaaa	ggaagagtat	gagtattcaa	catttccgtg	2340
tcggcccttat	tcccttttt	gcggcattt	gccttcctgt	tttgctcac	ccagaaacgc	2400
tggtaaaagt	aaaagatgct	gaagatcagt	tgggtgcacg	agtgggtac	atcgaactgg	2460
atctcaacag	cggtaagatc	ctttagagtt	ttcgccccga	agaacgtttt	ccaatgatga	2520
gcacttttaa	agttctgcta	tgtggcgcgg	tattatccc	tattgacgccc	gggcaagagc	2580
aactcggctg	ccgcatacac	tatttcaga	atgacttgg	tgagttactca	ccagtcacag	2640
aaaagcatct	tacggatggc	atgacagtaa	gagaattatg	cagtgcgtcc	ataaccatga	2700
gtgataaacac	tgcgcccaac	ttacttctga	caacgatcgg	aggaccgaag	gagctaaccg	2760
ctttttgc	caacatgggg	gatcatgtaa	ctcgccctga	tcgttggaa	ccggagctga	2820
atgaagccat	acccaaacgac	gagcgtgaca	ccacgatgcc	tgttagcaatg	gcaacaacgt	2880
tgcgcaaaact	attaactggc	gaactactta	ctctagctt	ccggcaacaa	ttaatagact	2940
ggatggaggc	ggataaaagtt	gcaggaccac	ttctgcgtc	ggcccttccg	gctggctggt	3000
ttatttgc	taaatcttgg	gcccgtgagc	gtgggtctcg	cggtatcatt	gcagcactgg	3060
ggccagatgg	taagccctcc	cgtatcgtag	ttatctacac	gacggggagt	caggcaacta	3120
tggatgaacg	aaatagacag	atcgtgaga	taggtgcctc	actgattaag	cattggtaac	3180
tgtcagacca	agtttactca	tataacttt	agattgattt	aaaacttcat	tttaattta	3240
aaaggatcta	ggtaagatc	ctttttgata	atctcatgac	aaaaatccc	taacgtgagt	3300
tttcgttcca	ctgagcgtca	gaccggctg	aaaagatcaa	aggatcttct	tgagatcctt	3360
ttttctgcg	cgttaatctgc	tgctgcaaa	aaaaaaaaacc	accgtacca	gccccgtgtt	3420
gtttccgga	tcaagagact	ccaaacttcc	ttccgaaggt	aactggcttc	agcagagcgc	3480
agatacaaa	tactgttctt	ctagtgttagc	cgttagttgg	ccaccacttc	aagaactctg	3540
tagcaccgc	tacatacactc	gctctgctaa	ttctgttacc	agtggctgct	gccagtgccg	3600
ataagtctgt	tcttacccgg	ttggactcaa	gacgatagtt	accgataag	gcccggcggt	3660
cgggctgaa	gggggggttcg	tgcacacagc	ccagcttgg	gcgaacgacc	tacaccgaac	3720
tgagataacct	acagcgtgag	ctatgagaaa	gcccacgct	tcccaaggg	agaaaggccg	3780
acaggtatcc	ggtaagccgc	agggtcggaa	caggagageg	cacgagggag	cttccagggg	3840
gaaacgcctg	gtatcttatt	agtctgtcg	ggtttgc	cctctgactt	gagcgtcgt	3900
ttttgtatg	ctcgctagg	ggggggagcc	tatggaaaaa	cgccagcaac	gcccccttt	3960
tacgggttct	ggccttttgc	tggcctttt	ctcacatgtt	cttctctgc	ttatcccctg	4020
attctgtgga	taaccgtatt	accgccttgc	agttagtgc	taccgtcgc	cgcagccgaa	4080
cgaccgagcg	cagcgtacta	gtgagcgagg	aagcggaa	gcgc	ccaaaccgc	4140
ctctccccgc	cgcttggccg	attcattaa	gcagctgg	cgacagg	tttccactgaa	4200
aagcgggcag	tgagcgtcaac	gcaattaa	tgagttag	caacttatt	gcaccccaagg	4260
ctttacactt	tatgttccg	gctgtatgt	tgtgtggaa	tgtgagcg	taacaattt	4320
acacaggaaa	cagctatgac	catgattacg	ccaagctc	gagatctag		4369

SEQ ID NO: 11	moltype = DNA	length = 4450				
FEATURE	Location/Qualifiers					
misc_feature	1..4450					
	note = Synthetic Polynucleotide					
source	1..4450					
	mol_type = other DNA					
	organism = synthetic construct					
SEQUENCE: 11						
aaagcttccc	ggggggatct	ggggcactcc	ctctctgcgc	gctcgctcgc	tcactgaggc	60
cggcgacca	aagggtcgccc	gacgccccgg	ctttgccccgg	gcggcctcag	tgagcgagcg	120
agcgcgcaga	gaggggatgg	ccaaactccat	cactaggggt	tcctggaggg	gtggagtctg	180
gacctaggca	tatgccaagt	acgcccccta	ttgacgtcaa	tgacggtaaa	tggcccgct	240
ggcattatgc	ccagtagat	accttatggg	actttctac	ttggcagttac	atctacgtat	300
tagtcatcgc	tattaccat	gtgtatcggt	tttggcagta	catcaatggg	cgtggata	360
ggtttactc	acggggattt	ccaaagtctcc	accccattga	cgtcaatggg	agtttgc	420
ggcacaaaaa	tcaacgggac	tttccaaaat	gtcgtaacaa	ctccgcccc	ttgacgcaaa	480
tggcggtag	gctgtacgg	tggaggtct	atataagcag	agctgttta	gtgaaccgtc	540
agatgcctg	gagacgccc	ccggactcta	aggttaat	aaaatttttta	agtgtataat	600
gtgttaact	actgattcta	attgttctc	tcttttagat	tccaa	ccctttt	660
tcccgccggcc	cgggatccac	cggtcgccac	catggttagc	aagggcgagg	agctgttac	720
cgggggtgg	cccatcctgg	tcgagctgg	cgccgacgta	aacggccaca	agttcagcgt	780
gtccggcgg	ggcgagggg	atgcacac	cgcaagctg	accctga	gtatctgcac	840
cacccggcaag	ctgcccgtgc	cctggcccac	cctcgtag	accctgac	acggcgtca	900
gtgttgc	cgctaccccg	accacatgaa	gcagcacgac	ttcttca	ccgccccatg	960
cgaaggctac	gtccaggagc	gcaccatctt	cttcaaggac	gacggcaact	acaagacc	1020
cggcgagggt	aatgtcgagg	gacgacacc	ggtaaccgc	atcgagctg	agggcat	1080
cttcaaggag	gacggcaaca	tcctggggca	caagctgg	tacaactaca	acagccacaa	1140
cgtctatatc	atggccgaca	agcagaagaa	cggcatcaag	gtgaacttca	agatccgc	1200
caacatcgag	gacggcagcg	tgcagctc	cgaccactac	cagcagaaca	ccccatcg	1260
cgaacggcccc	gtgctgctgc	ccgacaacca	ctacctgagc	accctgatcc	ccctgagca	1320
agaccccaac	gagaagcg	atcacaatgt	cctgctgg	ttcgtgacc	ccggccggat	1380
cactctcg	atggacgac	tgtacaagta	aagcggcc	taggc	ctcgatctc	1440
gatgtttat	ttgtgaaatt	tgtgtatgt	ttgttatt	tgttaacc	attaaagctg	1500
ataaaacaat	taacaacaac	aattgtat	ttttagt	tcaggtt	cgggagggt	1560
gggagggttt	ttaaatcgat	tggcgccac	ccacggct	aaaaatggc	cgccacccac	1620
gcctgaaaaa	tggcgccac	ccacggct	aaaaactag	tccactcc	ctctgcgc	1680
tcgctcg	actgaggcc	ggcgtacaaa	ggtcgcccc	cgccgg	gttgcggc	1740
ggcctcgt	agcgagcg	cgcgtacaga	gggacagatc	cgcccc	gc tgcgtc	1800
attactggc	cgtcg	ttta	caacgtcgt	actgg	aaaa cccta	1860

- continued

atcgccctgc	agcacatccc	ccttcgcca	gctggcgtaa	tagcgaagag	gcccgcacccg	1920
atcgcccttc	ccaacagg	tg cgacgc	atggcgaatg	gcccgc	tgcgtat	1980
tccttacgca	tctgtcggt	atttcacacc	gcatatgg	gactctc	atgcataat	2040
ctgatgccgc	atagttaagc	cagccccgac	acccgc	acccgc	gtac gccc	2100
gggcttgtct	gctcccgca	tccgctaca	gacaagctgt	gaccgtctcc	gggagctgca	2160
tgtgtcagag	gttttaccg	tcatcaccga	aacgcgcgag	acgaaagg	gc	2220
gcctatttt	ataggttaat	gtcatgataa	taatgg	tttagacgtca	ggtggcactt	2280
ttcggggaaa	tgtgcgcgga	acccctat	tttatttt	ctaaatacat	tcaaataatgt	2340
atccgctcat	gagacaataa	ccctgataaa	tgcttcaata	atattgaaaa	aggaagagta	2400
tgagtattca	acat	ttcc	ttcc	ttcc	ttcc	2460
tttttgc	cccagaaacg	ctgg	taaaagatgc	tgaagat	ttgggtgcac	2520
gagtggtt	catcgaactg	gatc	gatc	gatc	gatc	2580
aagaacgtt	tccaaatgat	agca	tttt	atgtgg	gtattatccc	2640
gtattgacgc	cggg	caactcg	gccc	ctat	aatgacttgg	2700
ttgagtactc	accagt	caca	aaaa	atgc	ttgggtgcac	2760
gcagtgc	cataaccat	atgc	atgc	atgc	atgc	2820
gaggaccgaa	ggag	ctaacc	gtcttt	acaacat	ggatcatgt	2880
atcg	accgg	aatg	tacca	cgac	accacgat	2940
ctgt	acaaca	ttgc	tat	actt	actctag	3000
cccg	attaat	atgc	atgc	atgc	atgc	3060
cgcc	ggct	tttatt	at	ggcc	ttcc	3120
gcgg	tatcat	tc	ggcc	at	ttat	3180
cgac	tcagg	caact	atgg	gaaat	atgg	3240
cact	gattaa	gcatt	ttgg	gggg	tttt	3300
taaaact	tttt	aaaagg	atgt	ggat	tttt	3360
ccaaaat	ttaac	gtt	ttt	actg	ggc	3420
aaggat	ttgag	atct	tttt	atgc	tttgc	3480
cacc	gtt	tttt	tttt	atca	tttcc	3540
taact	ggc	tttt	tttt	atca	tttcc	3600
gccacc	act	tttt	tttt	atca	tttcc	3660
cagt	ttcc	tttt	tttt	atca	tttcc	3720
tacc	ggc	tttt	tttt	atca	tttcc	3780
agcga	ac	tttt	tttt	atca	tttcc	3840
ttccc	gag	tttt	tttt	atca	tttcc	3900
gcac	gggg	tttt	tttt	atca	tttcc	3960
ac	tttt	tttt	tttt	atca	tttcc	4020
acgc	ccaa	tttt	tttt	atca	tttcc	4080
tctt	cctt	tttt	tttt	atca	tttcc	4140
atacc	gtt	tttt	tttt	atca	tttcc	4200
acgc	ccaa	tttt	tttt	atca	tttcc	4260
acg	ac	tttt	tttt	atca	tttcc	4320
tcact	catta	tttt	tttt	atca	tttcc	4380
tttg	gag	tttt	tttt	atca	tttcc	4440
cgag	at	tttt	tttt	atca	tttcc	4450

SEQ ID NO: 12 moltype = DNA length = 4465
 FEATURE Location/Qualifiers
 misc_feature 1..4465
 note = Synthetic Polynucleotide
 source 1..4465
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 12
 aaagcttccc ggggggatct gggccactcc ctctctgcgc gctcgctcgc tcactgaggc 60
 cggcgacca aagggtcgccc gacgccccgg ctttgcggg gcccgc tgagcgacgc | 120 || agcgcgcaga | gagggagtgg | ccaactccat | cactaggggt | tcctggaggg | gtggagtctgt | 180 |
gacctaggca	tatgcca	acgcccccta	ttgacgtcaa	tgacgtaaa	tggcccgctt	240
ggcattatgc	ccag	atc	ttt	ttt	ttt	300
tagtcatc	cat	ttt	ttt	ttt	ttt	360
ggtttactc	acgggg	ttt	ttt	ttt	ttt	420
ggcaccaaaa	tcaac	gggac	ttt	ttt	ttt	480
tggcggtag	gcgt	gtacgg	ttgg	tttt	ttt	540
agatcg	ccgg	actt	tttt	tttt	ttt	600
gtgtt	aaact	actg	tttt	tttt	ttt	660
tccgcggcc	ccgg	atcc	ttt	ttt	ttt	720
cgggg	tttt	tttt	tttt	ttt	ttt	780
gtccggc	ggc	tttt	tttt	ttt	ttt	840
caccc	tttt	tttt	tttt	ttt	ttt	900
gtgtt	ccgt	tttt	tttt	ttt	ttt	960
cgaagg	tttt	tttt	tttt	ttt	ttt	1020
cggc	tttt	tttt	tttt	ttt	ttt	1080
cttcaagg	ggc	tttt	tttt	ttt	ttt	1140
cgtctat	atgg	tttt	tttt	ttt	ttt	1200
caacatcg	gacgg	tttt	tttt	ttt	ttt	1260
cgcac	tttt	tttt	tttt	ttt	ttt	1320
agaccc	tttt	tttt	tttt	ttt	ttt	1380

-continued

cactctcgcc	atggacgagc	tgtacaagta	aagcggccgc	taggcctcac	ctgcgatctc	1440
gatgctttat	tttgtgaaatt	tgtgatgcta	ttgctttatt	tgttaaccatt	ataagctgca	1500
ataaaacaagt	taacaacaac	aattgcattc	atttatgtt	tcaggttcag	ggggaggtgt	1560
gggaggttt	ttaaatcgat	tttagggta	gggttagggt	tagggaaaaa	tttagggta	1620
gggtaggggt	tagggaaaaa	tttagggta	gggttagggt	tagggaaaaa	actagtccac	1680
tccctctctg	cgcgctcgct	cgctcactga	ggccgggcca	ccaaaggctcg	cccgacgccc	1740
gggcttgcc	cggcgccct	cagtgagcga	gcgagcgcgc	agagagggac	agatccggc	1800
ccgcatgcgt	cgacaattca	ctggccgtcg	ttttacaacg	tcgtgactgg	gaaaaccctg	1860
gcgttaccca	acttaatcgc	cttgcagcac	atccccctt	cgccagctgg	cgtaatagcg	1920
aagaggcccgg	caccgatcgc	ccttcccaac	agttgcgcag	cctgaatggc	gaatggcgcc	1980
tgtatgcggta	tttctcctt	acgcatctgt	gcggtatttc	acaccgcata	tggtgcactc	2040
tcagtacaat	ctgctctgat	gccgcatagt	taagccagcc	ccgacaccgg	ccaacacccg	2100
ctgacgcgcc	ctgacgggct	tgtctgctcc	cggcatccgc	ttacagacaa	gctgtgaccg	2160
tctccgggag	ctgcatgtgt	cagaggttt	caccgtcatc	accgaaacgc	gcgagacgaa	2220
agggcctcgt	gatacgccta	ttttatagg	ttaatgtcat	gataataatg	gtttcttaga	2280
cgtcaggtgg	cactttcgg	ggaaatgtgc	gcggaacccc	tattgttta	ttttctaaa	2340
tacattcaaa	tatgtatccg	ctcatgagac	aataaccctg	ataaatgctt	caataatatt	2400
gaaaaaggaa	gagttatgagt	attcaacatt	tccgtgtcgc	ccttattccc	tttttgcgg	2460
cattttgcct	tcctgtttt	gctcaccagg	aaacgctgg	gaaagtaaaa	gatgctgaag	2520
atcagttggg	tgcacgagtg	ggttacatcg	aactggatct	caacagcgg	aagatccttg	2580
agagtttcg	ccccgaagaa	cgtttccaa	tgtatgagcac	ttttaaagtt	ctgctatgtg	2640
gcgcggatt	atcccgtatt	gacgccgggc	aagagcaact	cggtcgcccgc	atacactatt	2700
ctcagaatga	cttgggttgag	tactcaccag	tcacagaaaa	gcattttacg	gatggcatga	2760
cagtaagaga	attatgcagt	gctgccataa	ccatgagtg	taacactgcg	gccaaacttac	2820
ttctgacaac	gatcggagga	ccgaaggagc	taaccgctt	tttgcacaac	atgggggatc	2880
atgttaactcg	ccttgatcgt	tggaaaccgg	agctgaatga	agccatacca	aacgacgagc	2940
gtgacaccac	gatgcctgta	gcaatggcaa	caacgttgcg	caaactatta	actggcgaac	3000
tacttactct	agcttcccg	caacaattaa	tagactggat	ggaggcggat	aaagttgcag	3060
gaccacttct	gcgctcgcc	cttccggctg	gctggtttat	tgctgataaa	tctggagccg	3120
gtgagcgtgg	gtctcgccgt	atcattgcag	cactggggcc	agatggtaag	ccctccgta	3180
tcgtagttat	ctacacgacg	gggagtcagg	caactatgga	tgaacgaaat	agacagatcg	3240
ctgagatagg	tgcctcactg	attaagcatt	ggttaactgtc	agaccaagtt	tactcatata	3300
tacttagat	tgatttaaaa	cttcattttt	aatttaaaag	gatctaggtg	aagatccttt	3360
ttgataatct	catgaccaaa	atcccttaac	gtgagtttc	gttccactga	gcgtcagacc	3420
ccgtagaaaaa	gatcaaagga	tcttcttgag	atccctttt	tctgcgcgta	atctgctgct	3480
tgcaaacaaaa	aaaaccaccg	ctaccagcgg	tgggttgtt	gccggatcaa	gagctaccaa	3540
ctcttttcc	gaaggttaact	ggcttcagca	gagcgcagat	accaaatact	gttcttctag	3600
tgtagccgta	gttaggccac	cacttcaaga	actctgtagc	accgcctaca	tacctcgctc	3660
tgctaattcct	gttaccagtg	gctgctgcc	gtggcgataa	gtcgtgtctt	accgggttgg	3720
actcaagacg	atagttaccg	gataaggcgc	agcggtcggg	ctgaacgggg	gttcgtgca	3780
cacagcccag	cttggagcga	acgacctaca	ccgaactgag	ataacctacag	cgtgagctat	3840
gagaaagcgc	cacgcttccc	gaagggagaa	aggcggacag	gtatccggt	agcggcaggg	3900
tcggaacagg	agagcgcacg	agggagctc	cagggggaaa	cgcctggat	ctttatagtc	3960
ctgtcggtt	tcgcccaccc	tgacttgagc	gtcgatttt	gtgatgctcg	tcaggggggc	4020
ggagcctatg	gaaaaacgcc	agcaacgcgg	cctttttacg	gttcctggcc	ttttgctggc	4080
ctttgctca	catgttctt	cctgcgttat	cccctgattc	tgtggataac	cgtattaccg	4140
ccttgagtg	agctgatacc	gctgcggca	gccgaacgac	cgagcgcagc	gagtcagtga	4200
gcgaggaagc	ggaagagcgc	ccaatacgca	aaccgcctct	ccccgcgcgt	tggccgattc	4260
attaatgcag	ctggcacgac	aggttcccg	actggaaagc	ggcagtgag	cgcaacgcaa	4320
ttaatgtgag	ttagctact	cattaggcac	cccaggctt	acactttatg	cttccggctc	4380
gtatgttgtg	tggaaattgtg	agcggataac	aatttcacac	aggaaacagc	tatgaccatg	4440
attacgccaa	gctctcgaga	tctag				4465

SEQ ID NO: 13 moltype = DNA length = 4465
FEATURE Location/Qualifiers
misc_feature 1..4465
note = Synthetic Polynucleotide
source 1..4465
mol_type = other DNA
organism = synthetic construct

SEQUENCE : 13

aaagcttccc ggggggatct gggccactcc ctctctgcgc gctcgctcgc tcactgaggc 60
cgggcgacca aagggtcgccc gacgccccggg ctttgcggcgg gcggcctcag tgagcgagcg 120
agcgcgcaga gagggagtgg ccaactccat cactagggt tcctggaggg gtggagtcgt 180
gaccttaggtt tagggttagg gttagggtta gggaaaaatt tagggttagg gttagggtta 240
gggaaaaatt tagggttagg gttagggtta gggaaaaacc taggcataatg ccaagtacgc 300
cccctattga cgtcaatgac gtaaatggc ccgcctggca ttatgccca agtacatgac 360
tatggactt tcctacttgg cagtacatct acgtatttgt catcgctatt accatggtga 420
tgcggtttg gcagtacatc aatggcggtg gatacggtt tgactcacgg ggattccaa 480
gtctccaccc cattgacgtc aatggaggt tggggca ccaaatcaa cggttttttc 540
caaatgtcg taacaactcc gccccattga cgcaaatggg cggttaggcgt gtacgggtggg 600
aggctatat aagcagagct cgtttagtga accgtcagat cgcctggaga cgccatccgg 660
actctaaggtaaaatataaaa tttaaagtgtataatgtgt taaactactg attctaattg 720
tttctctctt ttagattcca acctttggaa ctgaattccg cgggccccggg atccaccgg 780
cgccaccatg gtgagcaagg gcgaggagct gttcaccggg gtgggtgccca tcctggtcga 840
gctggacggc gacgtaaacg gccacaagtt cagcgtgtcc ggcgagggcg agggcgatgc 900

-continued

cacctacggc	aagctgaccc	tgaagttcat	ctgcaccacc	ggcaagctgc	ccgtgccctg	960
gcccaccctc	gtgaccaccc	tgacctacgg	cgtgcagtgc	ttcagccgct	accccacca	1020
catgaagcag	cacgacttct	tcaagtccgc	catgcccgaa	ggctacgtcc	aggagcgcac	1080
catcttcttc	aaggacgacg	gcaactacaa	gaccggcgcc	gaggtgaagt	tcgagggcga	1140
caccctggtg	aaccgcatcg	agctgaaggg	catcgacttc	aaggaggacg	gcaacatcct	1200
ggggcacaag	ctggagtaca	actacaacag	ccacaacgtc	tatatcatgg	ccgacaagca	1260
gaagaacggc	atcaaggtga	acttcaagat	ccgcccacaac	atcgaggacg	gcagcgtgca	1320
gctcgccgac	cactaccagc	agaacacccc	catcgccgac	ggccccgtgc	tgctgcccga	1380
caaccactac	ctgagcaccc	agtccgccc	gagcaaagac	cccaacgaga	agcgcgatca	1440
catggtcctg	ctggagttcg	tgaccggcg	cgggatcact	ctcggcatgg	acgagctgta	1500
caagtaaagc	ggccgctagg	cctcacctgc	gatctcgatg	ctttatttgt	gaaatttgtg	1560
atgctattgc	tttatttgta	accattataa	gctgcaataa	acaagttaac	aacaacaatt	1620
gcattcattt	tatgtttcag	gttcaggggg	aggtgtggg	gttttttaa	actagtccac	1680
tccctctctg	cgcgctcgct	cgctcactga	ggccgggcga	ccaaaggctg	ccgacgccc	1740
gggcttgcc	cggggggcct	cagtgagcga	gcgagcgcgc	agagagggac	agatccgggc	1800
ccgcatgcgt	cgacaattca	ctggccgtcg	ttttacaacg	tcgtgactgg	aaaaaccctg	1860
gcgttaccca	acttaatcgc	cttgcagcac	atccccctt	cgccagctgg	cgtaatagcg	1920
aagaggccc	caccgatcgc	cttcccaac	agttgcgcag	cctgaatggc	gaatggcgcc	1980
tgtatgcgta	ttttctcctt	acgcatctgt	gcggattttc	acaccgcata	tggtgcactc	2040
tcagtacaat	ctgctctgat	gccgcatagt	taagccagcc	ccgacacccg	ccaacacccg	2100
ctgacgcgcc	ctgacgggct	tgtctgctcc	cggcatccgc	ttacagacaa	gctgtgaccg	2160
tctccggag	ctgcatgtgt	cagaggttt	caccgtcatc	accgaaacgc	gcgagacgaa	2220
agggcctcgt	gatacgccta	tttttatagg	ttaatgtcat	gataataatg	gtttcttaga	2280
cgtcaggtgg	cactttcgg	ggaaatgtgc	gcggAACCC	tatttggta	ttttctaaa	2340
tacattcaaa	tatgtatccg	ctcatgagac	aataaccctg	ataaatgctt	caataatatt	2400
aaaaaagaa	gagtagttagt	attcaacatt	tccgtgtcg	ccttattccc	tttttgcgg	2460
cattttgcct	tcctgtttt	gctcacccag	aaacgctggt	gaaagtaaaa	gatgctgaag	2520
atcagttggg	tgcacgagtg	ggttacatcg	aactggatct	caacagcgtt	aagatccttg	2580
agagtttcg	ccccgaagaa	cgttttccaa	tgttagacac	ttttaaagtt	ctgctatgtg	2640
gcgcggtatt	atccgtatt	gacgccccgc	aagagcaact	cggtcggcc	atacactatt	2700
ctcagaatga	cttgggttag	tactcaccag	tcacagaaaa	gcatcttacg	gatggcatga	2760
cagtaagaga	attatgcagt	gctgccataa	ccatgagtga	taacactgcg	gccaaacttac	2820
ttctgacaac	gatcgagga	ccgaaggagc	taaccgc	tttgcacaac	atggggatc	2880
atgttaactcg	ccttgatcgt	tggaaaccgg	agctgaatga	agccatacca	aacgacgagc	2940
gtgacaccac	gatgcctgta	gcaatggcaa	caacgttgc	caaactatta	actggcgaac	3000
tacttactct	agcttccgg	caacaattaa	tagactggat	ggaggcggat	aaagtgcag	3060
gaccacttct	gcgctcgcc	cttccggctg	gctggttat	tgctgataaa	tctggagccg	3120
gtgagcgtgg	gtctcgccgt	atcattgcag	cactggggcc	agatggtaag	ccctccgta	3180
tcgtagttat	ctacacgacg	gggagtcagg	caactatgga	tgaacgaaat	agacagatcg	3240
ctgagatagg	tgcctcactg	attaagcatt	ggttaactgtc	agaccaagtt	tactcatata	3300
tactttagat	tgatttaaaa	cttcattttt	aatttaaaag	gatctaggtg	aagatccttt	3360
ttgataatct	catgaccaaa	atcccttaac	gtgagtttc	gttccactga	gcgtcagacc	3420
ccgtagaaaa	gatcaaagga	tcttctttag	atccttttt	tctgcgcgta	atctgctgct	3480
tgcaaacaaa	aaaaccaccc	ctaccagcgg	tggtttgg	gccggatcaa	gagctaccaa	3540
ctcttttcc	gaaggttaact	ggttcagca	gagcgcagat	accaaatact	gttcttctag	3600
tgtagccgta	gttaggccac	cacttcaaga	actctgtagc	accgcctaca	tacctcgctc	3660
tgctaattcct	gttaccagtg	gctgctgca	gtggcgataa	gtcgtgttt	accgggttgg	3720
actcaagacg	atagttaccg	gataaggcgc	agcggtcggg	ctgaacgggg	gttcgtgca	3780
cacagccag	cttggagcga	acgacccata	ccgaactgag	atacctacag	cgtgagctat	3840
gagaaagcgc	cacgcttccc	gaagggagaa	aggcggacag	gtatccggta	agcggcaggg	3900
tcggaacagg	agagcgcacg	agggagctc	cagggggaaa	cgcctggat	ctttatagtc	3960
ctgtcgggtt	tcgcccaccc	tgacttgagc	gtcgatttt	gtgatgctcg	tcagggggc	4020
ggagcctatg	aaaaaacgcc	agcaacgcgg	cctttttacg	gttcctggcc	ttttgctggc	4080
ctttgctca	catgttctt	cctgcgttat	cccctgattc	tgtggataac	cgtattaccg	4140
cctttgagtg	agctgatacc	gctcgccgca	gccgaacgac	cgagcgcagc	gagtcagtga	4200
gcgaggaagc	ggaagagcgc	ccaatacgca	aaccgcctc	ccccgcgcgt	tggccgattc	4260
attaatgcag	ctggcacgac	aggttcccg	actggaaagc	ggcagttag	cgcaacgc当地	4320
ttaatgtgag	ttagctcact	cattaggcac	cccaggctt	acactttatg	cttccggctc	4380
gtatgttg	tggaatttg	agcggataac	aatttcacac	aggaaacagc	tatgaccatg	4440
attacgc当地	gctctcgaga	tctag				4465

SEQ ID NO: 14 moltype = DNA length = 6940
FEATURE Location/Qualifiers
misc_feature 1..6940
note = Synthetic Polynucleotide
source 1..6940
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 14
cagcagctgc gcgctcgctc gctcaactgag gccggccggg caaagcccgg gcgtcgccgg 60
acctttggtc gcccggcctc agttagcgag cgagcgcgca gagagggagt ggccaactcc 12
atcacttaggg gttccttgta gttaatgatt aaccggccat gctacttatac tacgttagcca 18
tgctctagcg gcctcgccct ctgcataaat aaaaaaaaaatt agtcagccat gagcttggcc 24
cattgcatac gttgtatcca tatcataata tgtacattta tattggctca tgtccaaacat 30
taccggccatg ttgacattga ttattgacta gttattaata gtaatcaatt acgggggtcat 36
tagttcatag cccatatatg gagttcccgcg ttacataact tacggtaaat ggccccgcctg 42

- continued

gctgaccgcc	caacgacccc	cggccattga	cgtcaataat	gacgtatgtt	cccatagtaa	480
cgc当地	gactttccat	tgacgtcaat	gggtggagta	tttacggtaa	actgcccact	540
tggcagtaca	tcaagtgat	catatgcca	gtacgcccc	tattgacgtc	aatgacggt	600
aatggcccgc	ctggcattat	gcccaagtaca	tgaccttatg	ggacttccct	acttggcagt	660
acatctacgt	attagtcatc	gctattacca	tggtgatgct	gtttggcag	tacatcaatg	720
ggcggtggata	gcgggttgac	tcacggggat	ttccaagtct	ccacccatt	gacgtcaatg	780
ggagtttgtt	ttggcaccaa	aatcaacggg	actttccaaa	atgtcgtaac	aactccgccc	840
cattgacgca	aatggggcgt	aggcgtgtac	ggtgggaggt	ctatataagc	agagctcggt	900
tagtgaaccg	tcagatcgcc	tggagacgc	atccacgctg	ttttgacctc	catagaagac	960
accgggaccg	atccagcctc	ccctcgaagc	tgatcctgag	aacttcaggg	tgagtctatg	1020
ggacccttga	tgttttctt	ccccttctt	tctatggtta	agttcatgtc	ataggaaggg	1080
gagaagtaac	agggtacaca	tattgaccaa	atcagggtaa	ttttgcattt	gtaattttaa	1140
aaaatgctt	cttcttttaa	tatactttt	tgtttatctt	atttctaata	ctttccctaa	1200
tctctttctt	tcagggcaat	aatgatacaa	tgtatcatgc	ctcttgcac	cattctaaag	1260
aataacagt	ataatttctg	ggtaaggca	atagcaatat	ttctgcataat	aaatatttct	1320
gcatataaaat	tgtactgt	gtaagaggtt	tcataattgt	aatagcagct	acaatccagc	1380
taccattctg	cttttattt	atgggtggga	taaggctgga	ttatttctgag	tccaagctag	1440
gcccttttgc	taatcatgtt	catacttctt	atcttctcc	cacagctct	gggcaacgtg	1500
ctggctctgt	tgctggccca	tcactttggc	aaagaattcc	gcggggccgg	gatccaccgg	1560
tcgcccacat	ggtgagcaag	ggcgaggagc	tgttcacccgg	ggtgggtggcc	atcctggcgt	1620
agctggacgg	cgacgtaaac	ggccacaagt	tcagcgtgtc	cgggcaggggc	gagggcgtatg	1680
ccacctacgg	caagctgacc	ctgaagttca	tctgcaccac	cggaagctg	cccgtgcct	1740
ggcccaccc	cgtgaccacc	ctgacctacg	gcgtgcagtg	cttcagccgc	tacccgacc	1800
acatgaagca	gcacgactt	ttcaagtccg	ccatgcccga	aggctacgtc	caggagcga	1860
ccatcttctt	caaggacgac	ggcaactaca	agaccgcgc	cgaggtgaag	ttcgaggggc	1920
acacccttgt	gaaccgcac	gagctgaagg	gcatcgactt	caaggaggac	ggcaacatcc	1980
tggggcacaa	gctggagttac	aactacaaca	gccacaacgt	ctatatcatg	gccgacaagc	2040
agaagaacgg	catcaagggt	aactcaaga	tccgcccacaa	catcgaggac	ggcagcgtc	2100
agctcgccga	ccactaccag	cagaacaccc	ccatcgccga	cgggccccgt	ctgctgccc	2160
acaaccacta	cctgagcacc	cagtccgccc	tgagcaaaag	ccccaaacgag	aagcgcgatc	2220
acatggctct	gctggagttc	gtgaccgcgg	ccgggatcac	tctcggcatg	gacgagctgt	2280
acaagtaaaag	cggccgctt	agaggatcca	agcttattcga	taccgtcgac	ctcgaggggc	2340
cagatctaat	tcacccacc	agtgcaggct	gcctatcaga	aagtgggtgg	ttgtgtggct	2400
aatgcccctgg	cccacaagta	tcactaagct	cgctttctt	ctgtccaatt	tctattaaag	2460
gttcctttgt	tccctaagtc	caactactaa	actggggat	attatgaagg	gccttgagca	2520
tctggattct	gcctaataaa	aaacatttat	tttcatttgca	atgatgtatt	taaatttattt	2580
ctgaatattt	tactaaaaag	ggaatgtggg	aggtcagtc	atttaaaaca	taaagaaatg	2640
aagagctagt	tcaaaccctg	ggaaaataca	ctatatctt	aactccatga	aagaagggt	2700
ggctgcaaac	agctaatacg	cattggcaac	agccctgtat	gcctatgcct	tattcatccc	2760
tcagaaaagg	attcaagtag	aggcttgatt	tggaggttaa	agtttgcata	tgctgtattt	2820
tacattactt	attgttttag	ctgtctctat	gaatgtctt	tcactaccc	tttgcatttac	2880
ctgcatctct	cagccttgac	tccactcgt	tctcttgctt	agagatacca	cctttccct	2940
gaagtgttcc	ttccatgtt	tacggcgaga	tggtttctcc	tcgcctggcc	actcagcctt	3000
agttgtctct	gttgcattt	agaggctac	ttgaagaagg	aaaaacaggg	ggcatgggtt	3060
gactgtcctg	tgagcccttc	ttccctgcct	cccccaactca	cagtgaccgg	gaatccctcg	3120
acatcttagag	catggctacg	tagataagta	gcatggcggtt	ttaatcatta	actacaagga	3180
acccttagtg	atggagttgg	ccactccctc	tctgcgcgt	cgctcgctca	ctgaggccgg	3240
gcgaccaaag	gtcgcccgac	gccccggctt	tgcccccggcg	gcctcagtga	gcgagcgcgc	3300
gcccacgtg	gogtaatagc	gaagaggccc	gcaccgatcg	cccttcccaa	cagttgcgc	3360
gcctgaatgg	cgaatggaa	tccagacgt	tgagcgtcaa	aatgttaggt	tttccatgag	3420
cgttttctt	gttgcaatgg	ctggcggtaa	tattgttctg	gatattacca	gcaaggccga	3480
tagtttgagt	tcttctactc	aggcaagtg	tgttattact	aatcaaagaa	gtattgcac	3540
aacggtaat	ttgcgtgat	gacagactt	tttactcggt	ggcctcactg	attataaaaa	3600
caactctctag	gattctggcg	taccgttctt	gtctaaaatc	cctttaatcg	gcctcctgtt	3660
tagtcccgc	tctgattcta	acgaggaaag	cacgttatac	gtgctcgta	aagcaaccat	3720
agtagcgcgc	ctgtageggc	gcatthaagcg	cgccgggtgt	ggtggttacg	cgcagcgtga	3780
ccgctacact	tgccagcgcc	ctagcggccc	ctcccttcgc	tttcttccct	tcctttctcg	3840
ccacgttcgc	cggctttccc	cgtcaagctc	taaatcggtt	gctcccttta	gggttccgt	3900
ttagtgtctt	acggcaccc	gacccaaaaa	aacttgatta	gggtgatgg	tcacgtatg	3960
ggccatcgcc	ctgatagac	gttttcgccc	cttgcacgtt	ggagtccacg	ttctttaata	4020
gtggactctt	gttccaaact	ggaacaacac	tcaaccctat	ctcgcgtat	tcttttgatt	4080
tataaggat	tttgcctatt	tcggcctatt	ggttaaaaaaa	tgagctgatt	taacaaaaat	4140
ttaacgcgaa	tttaaaca	atattaacgt	ttacaattt	aatatttgct	tataacaatct	4200
tcctgtttt	ggggcttttc	tgattatcaa	ccggggtaca	tatgattgac	atgcttagtt	4260
tacgattacc	tttcatcgat	tctcttgttt	gctccagact	ctcaggcaat	gacctgatag	4320
cctttgtaga	gacctctcaa	aaatagctac	cctctccggc	atgaatttt	cagctagaac	4380
ggttgaatat	catattgtat	gtgatttgac	tgtctccggc	ctttctcacc	cggttgaatc	4440
tttacctaca	cattactcag	gcattgcatt	taaaatata	gagggtcta	aaaattttta	4500
tccttgcgtt	gaaataaaagg	cttctcccgc	aaaagtatta	caggtcata	atgttttgg	4560
tacaaccat	ttagtttat	gctctgaggc	tttattgtt	aatttgctt	attctttgcc	4620
ttgcctgtat	gatttattgg	atgttggat	tcctgatgcg	gtattttctc	cttacgcattc	4680
tgtgcgtat	ttcacacccgc	ataggtgca	ctctcagtc	aatctgc	gtgcgcgt	4740
agttaaagcca	gccccgacac	ccgccaacac	ccgctgacgc	gccctgacgg	gcttgcgt	4800
tcccccgcac	cgcttacaga	caagctgtga	ccgtctccgg	gagctgc	tgtcagaggt	4860
tttcaccgc	atcaccgaaa	cgcgcgagac	gaaaggccct	cgtgatacgc	ctattttat	4920
aggttaatgt	catgataata	atggtttctt	agacgtcagg	tggcactttt	cggggaaatg	4980

- continued

tgcgcggAAC	ccctattttgt	ttatTTTCT	aaatacattc	aaatatgtat	ccgctcatga	5040
gacaataacc	ctgataaaatg	cttcaataat	attgaaaaag	gaagagtatg	agtattcaac	5100
atTTCCGTGt	cGCCCTTATT	CCCTTTTG	CGGCATTTG	CCTTCCTGTT	TTTGTCTACC	5160
cagaaaacgct	ggtaaaagta	aaagatgctg	aagatcagtt	gggtgcacga	gtgggttaca	5220
tcgaactgga	tctcaacagc	ggtaagatcc	tttagaggtt	tcgcggcgaa	gaacgtttc	5280
caatgatgag	cactttaaa	gttctgctat	gtggcgccgt	attatcccgt	attgacgccc	5340
ggcaagagca	actcggcgc	cgcatacact	attctcagaa	tgacttggtt	gagtaactcac	5400
cagtcacaga	aaagcatctt	acggatggca	tgacagtaag	agaattatgc	agtgctgcca	5460
taaccatgag	tgataaacact	gcggccaact	tacttctgac	aacgatcgg	ggaccgaagg	5520
agctaaccgc	tttttgcac	aacatgggg	atcatgtaac	tcgccttgat	cgttggaaac	5580
cggagctgaa	tgaaggccata	ccaaacgacg	agcgtgacac	cacgatgcct	gtagcaatgg	5640
caacaacgtt	gcccggaaacta	ttaactggcg	aactacttac	tctagcttcc	cgccaaacaaat	5700
taatagactg	gtggaggcg	gataaaagtt	caggaccact	tctgcgctcg	gcccttccgg	5760
ctggctggtt	tattgctgt	aaatctggag	ccgggtgagcg	tgggtctcg	ggtatcattg	5820
cagactggg	gccagatgtt	aaggccctcc	gtatcgtagt	tatctacacg	acggggagtc	5880
aggcaactat	ggtatgaacga	aatagacaga	tcgctgagat	aggtgcctca	ctgattaagg	5940
atggtaact	gtcagaccaa	gtttactcat	ataacttta	gattgattt	aaacttcatt	6000
tttaatttaa	aaggatctag	gtgaagatcc	tttttgataa	tctcatgacc	aaaatccctt	6060
aacgtgagtt	ttcgttccac	tgagcgtcag	accccgtaga	aaagatcaa	ggatcttctt	6120
gagatcctt	tttctgccc	gtaatctgct	gcttgc当地	aaaaaaaacca	ccgcttaccag	6180
cgggggttgc	tttgc当地	caagagctac	caactcttt	tccgaaaggta	actggcttca	6240
gcagagcgc	gataccaaat	actgtccttc	tagttagtgc	gtagtttagc	caccacttca	6300
agaactctgt	agcaccgcct	acatacctcg	ctctgctaat	cctgttacca	gtggctgctg	6360
ccagtgccg	taagtcgtgt	cttaccgggt	tggactcaag	acgatagtt	ccggataagg	6420
cgcacggc	gggctgaacg	gggggttcgt	gcacacagcc	cagcttggag	cgaacgacct	6480
acaccgaact	gagataccta	cagcgtgagc	tatgagaaag	cgccacgctt	cccgaaggga	6540
gaaaggcgg	caggtatccg	gtaagcggca	gggtcggaac	aggagagcgc	acgagggagc	6600
ttccaggggg	aaacgcctgg	tatcttata	gtcctgtcgg	gtttcgccac	ctctgacttg	6660
agcgtcgatt	tttgtatgc	tcgtcagggg	ggcggagcct	atggaaaaac	gccagcaacg	6720
cggcctttt	acggttctgt	gcctttgtc	ggccttttgc	tcacatgttc	tttctgctg	6780
tatccccctga	ttctgtggat	aaccgttata	ccgccttgc	gtgagctgat	accgctcggc	6840
gcagccgaa	gaccgagcgc	agcgagtcag	tgagcgagga	agcggaaagag	cgcccaatac	6900
gcaaacccgc	tctcccccgc	cggtggccga	ttcattaaat			6940

SEQ ID NO: 15	moltype = DNA	length = 7257
FEATURE	Location/Qualifiers	
misc_feature	1..7257	
	note = Synthetic Polynucleotide	
source	1..7257	
	mol_type = other DNA	
	organism = synthetic construct	

SEQUENCE: 15						
cagcagctgc	gcgctcgctc	gctcaactgag	gccgccccgg	caaagccccgg	cggtcgccgg	60
accttggtc	gcccggcctc	agtgagcgg	cgagcgcgc	gagagggagt	ggccaactcc	120
atcaactaggg	gttccttgc	gttaatgatt	aacccgcct	gctacttata	tacgttagcc	180
tgctctagcg	gcctcgccct	ctgcataaaat	aaaaaaaaatt	agtcaatccat	gagcttggcc	240
cattgcatac	gttgtatcca	tatcataata	tgtacattt	tattggctca	tgtccaaat	300
taccgcctat	tttgcatttgc	ttattgacta	gttattata	gtaatcaatt	acggggtcat	360
tagttcatag	cccatatata	gagttccgc	ttacataact	tacgttaat	ggcccgccctg	420
gctgaccgc	caacgacccc	cgccatttgc	cgtcaataat	gacgtatgtt	cccatagtaa	480
cgccaaatagg	gactttccat	tgacgtcaat	gggtggagta	tttacggtaa	actgcccact	540
tggcagtaca	tcaagtgtat	catatgc	gtacgcccc	tattgacgtc	aatgacggta	600
aatggcccgc	ctggcattat	gcccaagtaca	tgaccttata	ggactttcc	acttggcagt	660
acatctacgt	attagtcatc	gctattacca	tttgtatgc	gttttggcag	tacatcaat	720
ggcgtggata	gccccggat	tcacggggat	ttccaagtt	ccacccatt	gacgtcaat	780
ggagtttgc	tttgcaccaa	aatcaacggg	actttccaaa	atgtcgtaac	aactccgccc	840
cattgacgc	aatggggcgt	aggcgtgtac	ggtggggaggt	ctatataagc	agagctcg	900
tagtgaaccg	tcagatcgcc	ttggagacgc	atccacgc	ttttgacctc	catagaagac	960
accgggaccg	atccagcctc	ccctcgaa	tgatcctgag	aacttcagg	tgagtctat	1020
ggacccttgc	tgtttctt	ccccttctt	tctatggta	agttcatgtc	ataggaagg	1080
gagaagtaac	agggtacaca	tattgacca	atcagggtaa	ttttgcattt	gtatattaa	1140
aaaatgcctt	cttctttaa	tatactttt	tttttatctt	atttctaata	ctttccctaa	1200
tctcttctt	tcagggcaat	aatgataca	tgtatcatgc	ctcttgcac	cattctaa	1260
aataacagt	ataatttctg	ggttaaggca	atagcaat	ttctgcata	aaatatttct	1320
gcatataaaat	tgtaactgtat	gtaagagggt	tcatattgt	aatagcag	acaatccagc	1380
taccattctg	cttttatttt	atgggtggga	taaggctgga	ttattctgag	tccaa	1440
gccctttgc	taatcatgtt	catacctt	atcttcctt	cacagctt	ggcacaacgt	1500
ctggctgtgt	tgctggccca	tcacttggc	aaagaattcc	cgccggccgg	gatccaccgg	1560
tcgcccaccat	ggtgagcaag	ggcgaggagc	tgttcaccgg	ggtgggtcccc	atcctggc	1620
agctggacgg	cgacgtaaac	ggccaca	tcagcgtgc	cgccggagg	gagggcgat	1680
ccacccatcg	caagctgacc	ctgaagttca	tctgcaccac	cgccaa	cccgccct	1740
ggcccaccct	cgtgaccacc	ctgacccatc	cggtgcagtg	ttcagccgc	taccccgacc	1800
acatgaagca	gcacgacttc	ttcaagtccg	ccatgcccga	aggctacgtc	caggagcgc	1860
ccatcttctt	caaggacgac	ggcaactaca	agaccgcgc	cgaggtgaag	ttcgagg	1920
acacccttgt	gaaccgcac	gagctgaagg	gcatcgactt	caaggaggac	ggcaacatcc	1980
tggggcacaa	gctggagtag	aactacaaca	gccacaacgt	ctatcat	ggcacaac	2040

- continued

agaagaacgg	catcaagggt	aacttcaaga	tccgccacaa	catcgaggac	ggcagcgtgc	2100
agctcgccga	ccactaccag	cagaacaccc	ccatcgccga	cgccccgtg	ctgctgccc	2160
acaaccacta	cctgagcacc	cagtccgccc	tgagcaaaga	ccccaaacgag	aagcgcgatc	2220
acatggtcct	gctggaggtc	gtgaccgccc	ccgggatcac	tctccgcata	gacgagctgt	2280
acaagtaaag	cggccgctct	agaggatcca	agcttatcga	taccgtcgac	ctcgaggccc	2340
cagatctaatt	tcacccacc	agtgcaggct	gcctatcaga	aagtggtgcc	tttgtgtggct	2400
aatgccttgg	cccacaagta	tcactaagct	cgcttcttg	ctgtccaatt	tctattaaag	2460
gttccttigt	tcocctaagtc	caactactaa	actggggat	attatgaagg	gccttgagca	2520
tctggattct	gcctaataaaa	aaacatttat	tttcatttgca	atgatgtatt	taaattattt	2580
ctgaatattt	tactaaaaag	ggaatgtggg	aggtcagtgc	attnaaaaca	taaagaaatg	2640
aagagctagt	tcaaaccctg	ggaaaataca	ctatatctta	aactccatga	aagaagggtga	2700
ggctgcaaac	agctaatacgca	cattggcaac	agccctgtat	gcctatgcct	tattcatccc	2760
tcagaaaagg	attcaagtag	aggcttgatt	tggaggtaa	agtttgcata	tgctgtattt	2820
tacattactt	attgttttag	ctgttcctcat	gaatgtctt	tcactaccca	tttgcttata	2880
ctgcatctct	cagccttgcac	tccactcagt	tctcttgctt	agagatacca	cctttccct	2940
gaagtgttcc	ttccatgttt	tacggcgaga	tgggttctcc	tcgcctggcc	actcagcctt	3000
agttgtctct	gttgtcttat	agaggtctac	ttgaagaagg	aaaaacaggg	ggcatggttt	3060
gactgtcctg	tgagcccttc	ttccctgcct	cccccaactca	cagtgcacccg	gaatccctcg	3120
acaggtacct	ttagggtagt	ggtaggggtt	agggaaaaat	ttagggtag	ggtaggggtt	3180
agggaaaaat	ttagggtagt	ggtaggggtt	agggaaaaat	ttagggtag	ggtaggggtt	3240
agggaaaaat	ttagggtagt	ggtaggggtt	agggaaaaac	cctaacccta	accctaacc	3300
taaatttttt	ccctaaccct	aaccctaacc	ctaaattttt	tccctaacc	taaccctaacc	3360
cctaaatttt	ttccctaacc	ctaaccctaa	ccctaaattt	ttccctaacc	cctaacccta	3420
accctaattt	ttttgttagc	tctagagcat	ggctacgtag	ataagtagca	tggcgggta	3480
atcattaact	acaaggaacc	cctagtgtat	gagttggcca	ctccctctc	gcgcgctcg	3540
tcgctactg	aggccggg	accaaaggc	gccgcacg	cggtttgc	ccggcgg	3600
tcagtgcgc	agcgagcgc	ccagctggcg	taatagcgaa	gaggccgca	ccgatgc	3660
ttcccaacag	ttgcgcagcc	tgaatggcg	atgaaattcc	agacgattga	gcgtcaaaat	3720
gttaggtattt	ccatgagcgt	ttttctgtt	gcaatggctg	gcggtat	tggtctggat	3780
attaccagca	aggccgatag	ttttagtct	tctactcagg	caagtgtat	tattacta	3840
caaagaagta	ttgcgacaaac	ggtaatttg	cgtgatggac	agactctttt	actcggtgc	3900
ctcactgatt	ataaaaaacac	ttctcaggat	tctggcgtac	cgttcctgtc	taaaatccct	3960
ttaatcgcc	tcctgtttag	ctcccgctct	gattctaa	agggaaagcac	gttatacgt	4020
ctcgtcaag	caaccatagt	acgcccctg	tagcggcg	ttaagcgcgg	cggtgtgt	4080
ggttacgcgc	agcgtgaccg	ctacacttgc	cagcgcctta	gcgcgcgtc	ctttcgctt	4140
cttcccttcc	tttctcgcca	cgttgcgg	cttccccgt	caagctctaa	atcgggggt	4200
ccctttaggg	ttccgattt	gtgtttagc	gcacctcgac	cccaaaaaac	ttgattagg	4260
tgatggttca	cgtatgggc	catgcctg	atagacggtt	tttcgcctt	tgacgttgg	4320
gtccacgttc	ttaatagtg	gactttgtt	ccaaacttgg	acaacactca	accctatctc	4380
ggctattct	tttgatttt	aaggattt	gccgatttcg	gcctattgg	taaaaaatga	4440
gctgatttaa	caaaaattta	acgcgaattt	taacaaaata	ttaacgttta	caatttaat	4500
atttgcttat	acaatctcc	tgtttttgg	gctttctga	ttatcaacc	gggtacata	4560
gattgacatg	ctagtttac	gattaccgtt	catcgattt	cttgggttgc	ccagactctc	4620
aggaatgac	ctgatagcct	ttgttagagac	ctctcaaaaa	tagtaccct	ctccggcat	4680
aatttatcg	ctagaacgg	tgaatatcat	attgatggtg	atttgcactgt	ctccggcctt	4740
tctaccctgt	ttgaatctt	acctacacat	tactcaggca	ttgcatttta	aatatatgag	4800
ggttctaaaa	attttatcc	ttgcgttga	ataaaaggctt	ctccgc	aaaatgt	4860
ggtcataatg	tttttggtac	aaccgattt	gctttatgt	ctgaggcgtt	attgttta	4920
tttgctaatt	ctttgcctt	cctgtatgt	ttattggat	ttgaaattcc	tgatgcgg	4980
ttttctcctt	acgcatctgt	gcccgtt	acaccgcata	ttggcactc	tcagtaca	5040
ctgctctgt	gcccgcata	taagccagcc	ccgacaccc	ccaacaccc	ctgacgc	5100
ctgacgggct	tgtctgc	ccgcattccgc	ttacagacaa	gctgtgacc	tctccggg	5160
ctgcacgtgt	cagagg	tccgtc	accgaaacgc	gcgagacgaa	agggcctcg	5220
gatacccta	tttttatagg	ttaatgtcat	gataataatg	gtttttaga	cgtcagg	5280
cactttccg	ggaaatgtgc	gcccgg	tatttggta	ttttctaaa	tacattcaa	5340
tatgtatccg	ctcatgagac	aataaccctg	ataaaatgtt	caataatatt	aaaaaggaa	5400
gagttatgt	attcaacatt	tccgtgtcg	ccttattccc	tttttgcgg	cattttgc	5460
tcctgtttt	gctcaccctg	aaacgctgtt	gaaagtaaaa	gatgttgc	atcgttgg	5520
tgcacgtgt	ggttacatcg	aactggatct	caacagcggt	aagatccttgc	agatgttgc	5580
cccccaagaa	cgtttccaa	tgttgcgt	ttttaaagtt	ctgctatgt	gcgcgtt	5640
atcccgtatt	gacgcccgg	aagagcaact	cggtcgccgc	atacactatt	ctcagaat	5700
cttgggttag	tactcaccag	tcacagaaaa	gcatcttgc	gatggcata	cagtaagaga	5760
attatgcagt	gtgttgcata	ccatgagtg	taacactgc	gccaacttac	ttctgaca	5820
gatcgaggtt	ccgaagg	taaccgttt	tttgcaca	atggggatc	atgtactcg	5880
ccttgcgt	tgggaaaccgg	agctgtat	gacccata	aacgacg	gtgacacc	5940
gatgcctgt	gcaatggca	caacgttgc	caaactatta	actggc	aaac	6000
agcttcccg	caacaattaa	tagactggat	ggaggcggat	aaagg	tcag	6060
gctgcgttgc	cttccgg	gctgtttat	tgctgata	tctgg	gatgt	6120
gtctcgccgt	atcat	tgatcg	cactggggcc	agatgttgc	ccctccgt	6180
ctacacgac	ggggatc	caactatgg	tgaacgaaat	agacagat	ctgagata	6240
tgcctcactg	attaagcatt	ggtaactgtc	agacca	tacttata	tactttag	6300
tgat	tttttt	tttttttt	tttttttt	tttgcata	tttgcata	6360
catgac	atcccttaac	gtgat	tttttt	tttgcgt	tttgcgt	6420
gatcaaa	tcttcttgc	atc	tttttt	tttgcgt	tttgcgt	6480
aaaaccaccg	ctacc	ggggatc	tttttt	tttgcgt	tttgcgt	6540
gaaggtaact	ggctt	ggc	tttttt	tttgcgt	tttgcgt	6600

- continued

gtttaggccac cacttcaaga actctgttagc accgcctaca tacctcgctc tgctaattcct	6660
gttaccagtg gctgctgcca gtggcgataaa gtcgtgtctt accgggttgg actcaagacg	6720
atagttaccg gataaggcgc agcggtcggg ctgaacgggg ggttcgtgca cacagcccag	6780
cttggagcga acgacccata ccgaactgag atacctacag cgtgagctat gagaaaagcgc	6840
cacgcttccc gaagggagaa aggccggacag gtatccggta agcggcaggg tcggaacagg	6900
agagcgcacg agggagcttc cagggggaaa cgcctggtat ctttatagtc ctgtcgggtt	6960
tcgcccaccc tgacttgagc gtcgattttt gtatgctcg tcaggggggc ggagcctatg	7020
gaaaaaacgcc agcaacgcgg ccttttacg gttcctggcc ttttgcgtt ctttgctca	7080
catgttcttt cctgcgttat cccctgattc tttttttttt cttttttttt cttttttttt	7140
agctgatacc gctcgccca gccgaacgc ac cgagcgcagc gagtcaatcga gcgaggaagc	7200
ggaagagcgc ccaatacga aaccgcctct ccccgccgt tggccgattc attaatg	7257
 SEQ ID NO: 16 moltype = DNA length = 15	
FEATURE Location/Qualifiers	
misc_feature 1..15	
note = Synthetic Polynucleotide	
source 1..15	
mol_type = other DNA	
organism = synthetic construct	
 SEQUENCE: 16	
tcctggaggg gaagt	15
 SEQ ID NO: 17 moltype = DNA length = 15	
FEATURE Location/Qualifiers	
misc_feature 1..15	
note = Synthetic Polynucleotide	
source 1..15	
mol_type = other DNA	
organism = synthetic construct	
 SEQUENCE: 17	
tcctggatgg gaagt	15
 SEQ ID NO: 18 moltype = DNA length = 24	
FEATURE Location/Qualifiers	
misc_feature 1..24	
note = Synthetic Polynucleotide	
source 1..24	
mol_type = other DNA	
organism = synthetic construct	
 SEQUENCE: 18	
ttcccatcca ggcctggatg ggaa	24
 SEQ ID NO: 19 moltype = DNA length = 24	
FEATURE Location/Qualifiers	
misc_feature 1..24	
note = Synthetic Polynucleotide	
source 1..24	
mol_type = other DNA	
organism = synthetic construct	
 SEQUENCE: 19	
cttaccgctg cacctggatg ggaa	24
 SEQ ID NO: 20 moltype = DNA length = 20	
FEATURE Location/Qualifiers	
misc_feature 1..20	
note = Synthetic Polynucleotide	
source 1..20	
mol_type = other DNA	
organism = synthetic construct	
 SEQUENCE: 20	
gggggggggg gggggggggg	20
 SEQ ID NO: 21 moltype = DNA length = 22	
FEATURE Location/Qualifiers	
misc_feature 1..22	
note = Synthetic Polynucleotide	
source 1..22	
mol_type = other DNA	
organism = synthetic construct	
 SEQUENCE: 21	
tgactgtgaa ggtagagat ga	22
 SEQ ID NO: 22 moltype = DNA length = 15	
FEATURE Location/Qualifiers	
misc_feature 1..15	
note = Synthetic Polynucleotide	

- continued

source	1..15	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 22		
tcctggaggg gttgt		15
SEQ ID NO: 23	moltype = DNA length = 18	
FEATURE	Location/Qualifiers	
misc_feature	1..18	
	note = Synthetic Polynucleotide	
source	1..18	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 23		
tgctcctgga ggggttgt		18
SEQ ID NO: 24	moltype = DNA length = 10	
FEATURE	Location/Qualifiers	
misc_feature	1..10	
	note = Synthetic Polynucleotide	
source	1..10	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 24		
cctggcgaaaa		10
SEQ ID NO: 25	moltype = DNA length = 4369	
FEATURE	Location/Qualifiers	
misc_feature	1..4369	
	note = Synthetic Polynucleotide	
source	1..4369	
	mol_type = other DNA	
	organism = synthetic construct	
SEQUENCE: 25		
aaagcttccc ggggggatct gggccactcc ctctctgcgc gctcgctcgc tcactgaggc	60	
cgggcacca aagggtcccc gacgccccgg ctttgcggg gcggcctcag tgagcgagcg	120	
agcgcgcaga gaggggagtgg ccaactccat cactaggggt tcctggaggg gtggagtctgt	180	
gacctaggca tatgccaagt acgcccccta ttgacgtcaa tgacggtaaa tggccgcct	240	
ggcattatgc ccagtagat accttatggg actttcctac ttggcagtagc atctacgtat	300	
tagtcatgc tattaccatg gtgatgcggt tttggcagta catcaatggg cgtggatagc	360	
ggtttactc acggggattt ccaagtctcc accccattga cgtcaatggg agtttgttt	420	
ggcacaaaaa tcaacgggac ttccaaaaat gtcgtaacaa ctccgccccaa ttgacgaaaa	480	
tgggggttag gcggtgtacgg tgggaggtct atataagcag agctcgaaaa gtgaaccgtc	540	
agatcgccctg gagacgccccat ccggactcta aggttaatataaaaattttta agtgtataat	600	
gtgttaaact actgattcta attgtttctc tcttttagat tccaaaccttt ggaactgaat	660	
tcccgcccccc cgggatccac cggtcgccac catggtgagc aagggcgagg agctgttac	720	
cgggggtggtg cccatcctgg tcgagctggc cggcgacgta aacggccaca agttcagcgt	780	
gtccggcgag ggcgagggcg atgcaccccta cggcaagctg accctgaagt tcatctgcac	840	
caccggcaag ctgccccgtgc cctggccccac cctcggtgacc accctgaccc acggcggtgca	900	
gtgcttcagc cgctaccccg accacatgaa gcagcacgac ttcttcaagt ccgcacatgcc	960	
cgaaggctac gtccaggagc gcaccatctt cttcaaggac gacggcaact acaagaccgg	1020	
cggccagggtg aagttcgagg ggcacaccct ggtgaaccgc atcgagctga agggcatcga	1080	
cttcaaggag gacggcaaca tcctggggca caagctggag tacaactaca acagccacaa	1140	
cgtctatatac atggccgaca agcagaagaa cggcatcaag gtgaacttca agatccgcca	1200	
caacatcgag gacggcagcg tgcagctgc cgaccactac cagcagaaca ccccccattgg	1260	
cgaaggcccccc gtgctgctgc cgcacaacca ctacctgagc acccagtccg ccctgagca	1320	
agaccccaac gagaagcgcg atcacaatggt cctgctggag ttctgtgaccg ccggccggat	1380	
cactctcgcc atggacgagc tgtacaagta aagcgccccgc taggcctcac ctgcgatctc	1440	
gatgctttat ttgtgaaatt tgcgtatgc ttgcattttat tgcgtaccatt ataagctca	1500	
ataaaacaagt taacaacaac aattgcattc attttatgtt tcaggttcag ggggaggtgt	1560	
ggggaggttt taaaactagt ccactccctc tctgcgcgtc cgctcgctca ctgaggccgg	1620	
gcgaccaag gtcgccccac gcccgggctt tgccggggcg gcctcagtga gcgagcgagc	1680	
gcgcagagag ggacagatcc gggcccccat gcgtcgacaa ttctactggcc gtcgtttac	1740	
aacgtcgta ctggaaaaac cctggcgatc cccaaactta tcgccttgc acacatcccc	1800	
ctttcggccag ctggcgtaat agcgaagagg cccgcacccga tcgccttcc caacagttgc	1860	
gcagcctgaa tggcgaatgg cgcctgtatgc ggtatccat cttacgcat ctgtcggt	1920	
tttcacaccg catatggtgc acttcagta caatctgc tcgtcgac tagttaagcc	1980	
agccccgaca cccgccaaca cccgctgacg cggccctgacg ggctgtctg ctcccgcat	2040	
ccgcgttacag acaagctgtg accgtctccg ggagctgcat gtgtcagagg ttttcaccgt	2100	
cataccgaa acgcgcgaga cggaaaggccc tcgtgatacg cttatccat taggttaatg	2160	
tcatgataat aatggtttct tagacgtcgat ttggacttt tcggggaaat gtgcgcggaa	2220	
cccctatttg ttatccatc taaatacatt caaatatgtt tccgctcatg agacaataac	2280	
cctgataat gcttcaataa tattggaaaaa ggaagaggtat gagtattcaa catttccgt	2340	
tcggcccttgc tccctttttt gcggcatattt gccttcctgt ttttgcac ccagaaacgc	2400	
tggtgaaagt aaaagatgtt gaagatcgt tgggtgcacg agtgggttac atcgaacttgg	2460	
atctcaacag cggtaaagatc cttgagatc ttgcggccgc agaacgtttt ccaatgtca	2520	

- continued

gcactttaa	agttctgcta	tgtggcgccg	tattatccc	tattgacgcc	gggcaagagc	2580
aactcggtcg	ccgcatacac	tatttcaga	atgacttgg	tgagactacta	ccagtcacag	2640
aaaagcatct	tacggatggc	atgacagtaa	gagaattatg	cagtgcgtcc	ataaccatga	2700
gtgataaacac	tgccggcaac	ttacttctga	caacgatcgg	aggaccgaag	gagctaaccg	2760
ctttttgca	caacatgggg	gatcatgtaa	ctgcgccttga	tcgttggaa	ccggagctga	2820
atgaagccat	accaaacgac	gagcgtgaca	ccacgatgcc	tgttagcaatg	gcaacaacgt	2880
tgcgcaaact	attaactggc	gaactactta	ctctagctc	ccggcaacaa	ttaatagact	2940
ggatggaggc	ggataaaagtt	gcaggaccac	ttctgcgtc	ggcccttccg	gctggcttgt	3000
ttattgctga	taaatcttga	gccggtgagc	gtgggtctcg	cggtatcatt	gcagcactgg	3060
ggccagatgg	taagccctcc	cgtatcgtag	ttatctacac	gacggggagt	caggcaacta	3120
tggatgaacg	aaatagacag	atcgctgaga	taggtgcctc	actgattaag	cattggtaac	3180
tgtcagacca	agtttactca	tatatacttt	agattgattt	aaaacttcat	tttaattta	3240
aaaggatcta	ggtgaagatc	ctttttgata	atctcatgac	aaaaatccc	taacgtgaat	3300
tttcgttcca	ctgagcgta	gaccccgtag	aaaagatcaa	aggatcttct	tgagatccct	3360
tttttctcg	cgtaatctgc	tgcttgc当地	caaaaaaaaaacc	accgctacca	gccccgtt	3420
gtttgccgga	tcaagageta	ccaaacttctt	ttccgaaggt	aactggcttc	agcagagcgc	3480
agataccaaa	tactgttctt	ctagtgtagc	cgttagttag	ccaccacttc	aagaactctg	3540
tagaccgccc	tacatacctc	gctctgtctaa	tcctgttacc	agtggctgt	gccagtgccg	3600
ataagtctgt	tcttaccggg	ttggactcaa	gacgatagtt	accggataag	gccccgggt	3660
cgggctgaaac	gggggggttcg	tgcacacagc	ccagcttgg	gccaacgacc	tacaccgaa	3720
tgagataacct	acagcgtgag	ctatgagaaa	gcccacgct	tcccaagggg	agaaaaggccg	3780
acaggtatcc	ggtaagccgc	agggtcgaa	caggagagcg	cacgagggag	cttccagggg	3840
gaaacgcctg	gtatctttat	agtccctgtcg	ggtttgc当地	cctctgactt	gagcgtcgat	3900
ttttgtgatg	ctcgtcaggg	ggggggagcc	tatggaaaaa	cgccagcaac	gccccctt	3960
tacgggttct	ggccttttgc	tggccttttgc	tcacatgtt	ctttcctgcg	ttatccccctg	4020
attctgtgaa	taaccgtatt	accgccttttgc	agttagctga	taccgctcgc	cgcagccgaa	4080
cgaccgagcg	cagcgagtc	gtgagcgagg	aagcggaa	gccccaaata	cgcaaaaccgc	4140
ctctcccccgc	cgcttggccg	attcattaat	gcagctgg	cgacagg	cccactgaa	4200
aagcgggcag	tgagcgc当地	gcaattatg	tgagtttagt	cactcattag	gcacccca	4260
ctttacactt	tatgttccg	gctcgatgt	tgtgtggaa	tgtgagcga	taacaatttc	4320
acacaggaaa	cagctatgac	catgattacg	ccaagctc	gagatctag		4369

SEQ ID NO: 26	moltype = DNA	length = 4450
FEATURE	Location/Qualifiers	
misc_feature	1..4450	
	note = Synthetic Polynucleotide	
source	1..4450	
	mol_type = other DNA	
	organism = synthetic construct	

SEQUENCE: 26						
aaagcttccc	ggggggatct	gggcactcc	ctctctgcgc	gctcgctc	tcactgaggc	60
cgggcccacca	aagggtcccc	gacgccccgg	ctttgccccgg	gccccctc	tgagcgagcg	120
agcgegcaga	gagggaggtgg	ccaaactccat	cactagggtt	tcctggaggg	gtggagtcgt	180
gacctaggca	tatgccaat	acgcccccta	ttgacgtcaa	tgacggtaaa	tggcccgct	240
ggcattatgc	ccagtagat	accttatggg	actttcctac	ttggcagtagc	atctacgtat	300
tagtcatcgc	tattaccat	gtgatgcgg	tttggcagta	catcaatggg	cgtggatagc	360
ggtttactc	acggggattt	ccaaagtctcc	acccattga	cgtcaatggg	agtttgttt	420
ggcacaaaaa	tcaacgggac	tttccaaaat	gtcgtaa	ctccgcccc	ttgacgcaa	480
tggcggttag	gctgtacgg	tggaggtct	atataagcag	agctcg	ttgtacccgtc	540
agatcgccctg	gagacgccc	ccggactcta	aggtaaat	aaaatttttta	agtgtataat	600
gtgtttaact	actgattcta	attgttctc	tcttttagat	tccaa	cttttggaa	660
tccgcgggccc	cgggatccac	cggtcgccac	catggt	gagc	aaaggcgagg	720
cggggtgggt	cccatcctgg	tcgagctgg	cgccgacgta	aaacggccaca	agttcagcgt	780
gtccggcgag	ggcgagggcg	atgcaccta	cgcca	agctg	acttgcac	840
cacccggcaag	ctgcccgtgc	cctggcccac	cctcg	tgacc	accctgac	900
gtgcttc	cgttaccccg	accacatgaa	gcagcac	gac	ttctca	960
cgaaggctac	gtccaggagc	gcacca	cttca	aggac	gacggca	1020
cggccagggt	aatggcagg	gacgacacc	ggt	gaa	ccgc	1080
cttcaaggag	gacggcaaca	tcctggggca	caagctgg	g	tacaactaca	1140
cgtctata	atggccaca	agcagaagaa	cg	gat	caatccgc	1200
caacatcgag	gacggcagcg	tgcagctc	cgacc	act	cagcagaaca	1260
cgacggcccc	gtgctgtgc	ccgaca	ctac	ctg	acc	1320
agaccccaac	gagaagcg	atcaca	cgt	ttc	ggccggat	1380
cactctggc	atggacgac	tgtaca	aa	tc	ccgccc	1440
gatgtttat	ttgtgaa	att	tg	ttt	ttt	1500
ataaaacaat	taacaacaac	aatt	tc	ttt	ttt	1560
gggagg	ttaaatcgat	tggcgc	ccac	aaa	atggcg	1620
gcctgaaaaa	tggcgc	ccac	ggc	ttt	ccgc	1680
tcgtcg	actgagg	ggc	gg	ttt	ccgc	1740
ggcctc	agcg	gag	gg	ttt	ccgc	1800
attcact	cg	tcgtt	tt	ttt	ccgc	1860
atcgcc	agc	acat	cc	ttt	ccgc	1920
atcgcc	ccaa	acat	tt	ttt	ccgc	1980
tccttac	tc	gtgc	gg	ttt	ccgc	2040
ctgat	gc	at	gt	ttt	ccgc	2100
ggccttgc	gtc	cccg	gg	ttt	ccgc	2160

- continued

tgtgtcagag	gtttcacccg	tcatcacccga	aacgcgcgag	acgaaaggc	ctcgatatac	2220
gcctatttt	ataggtaat	gtcatgataa	aatggttt	ttagacgtca	ggtggcactt	2280
ttcggggaaa	tgtgcgcga	acccttattt	gtttatttt	ctaaatacat	tcaaataatgt	2340
atccgctcat	gagacaataa	ccctgataaa	tgcttcaata	atattgaaaa	aggaagagta	2400
tgagtattca	acatttcgt	gtcgccctt	ttccctttt	tgcggcattt	tgccttcctg	2460
tttttgccta	cccagaaacg	ctggtaaaag	taaaagatgc	tgaagatcag	ttgggtgcac	2520
gagtggttta	catcgaactg	gatctcaaca	gcggtaaagat	ccttgagagt	tttcgccccg	2580
aagaacgtt	tccaatgatg	agcacttta	aagttctgt	atgtggcgcg	gtattatccc	2640
gtattgacgc	cgggcaagag	caactcggtc	gccgcataca	ctattctca	aatgacttgg	2700
ttgagtaactc	accagtacaca	gaaaagatc	ttacggatgg	catgacagta	agagaattat	2760
gcagtgcgtc	cataaccatg	agtgataaca	ctgcggccaa	cttacttctg	acaacgatcg	2820
gaggaccgaa	ggagctaacc	gcttttgc	acaacatggg	ggatcatgt	actcgcttg	2880
atcgttggga	accggagctg	aatgaagcca	taccaaaca	cgagcgtgac	accacgatgc	2940
ctgtagcaat	ggcaacaacg	ttgcgc当地	tattaactgg	cgaactactt	actctagctt	3000
ccggcaaca	attaatagac	tggatggagg	cggataaagt	tgcaggacca	cttctgc当地	3060
cggcccttcc	ggctggctgg	tttattgt	ataaaatctgg	agccgggt	cggtgggtctc	3120
gcggtatcat	tgccagcactg	ggggccagatg	gtaagccctc	ccgtatcgta	gttatctaca	3180
cgacggggag	tcaggcaact	atggatgaac	gaaatagaca	gatcgtgag	atagggtgcct	3240
cactgattaa	gcattggtaa	ctgtcagacc	aagtttactc	atataactt	tagattgatt	3300
taaaaactca	tttttaattt	aaaaggatct	aggtgaagat	ccttttgc	aatctcatga	3360
ccaaaatccc	ttaacgtgag	ttttcggtcc	actgagcgtc	agaccccgta	gaaaagatca	3420
aaggatctc	ttgagatcct	tttttctgc	gctgtaatctg	ctgcttgc当地	acaaaaaaaaac	3480
caccgctacc	agcggtgggt	tgttgc当地	atcaagagct	accaactt	tttccgaaagg	3540
taactggctt	cagcagagcg	cagataccaa	atactgttct	tctagtgt	ccgtagttag	3600
gccaccactt	caagaactct	gtagcaccgc	ctacataacct	cgctctgc当地	atccctgttac	3660
cagtggctgc	tgccagtgcc	gataagtgc	gtcttaccgg	gttggactca	agacgatagt	3720
taccggataa	ggcgcagcgg	tcgggctgaa	cgggggggtc	gtgcacacag	cccagcttgg	3780
agcgaacgac	ctacaccgaa	ctgagatacc	tacagcgt	gctatgagaa	agcgccacgc	3840
ttcccgaaagg	gagaaaggcg	gacaggtatc	cggttaagcgg	cagggtcgga	acaggagagc	3900
gcacgaggga	gcttccaggg	ggaaacgcct	ggtatctt	tagtctgtc	gggtttc当地	3960
acctctgact	tgagcgtcga	tttttgtat	gctcgtcagg	ggggcggagc	ctatggaaa	4020
acgcccagcaa	cgcggcctt	ttacgggtcc	tggcctttt	ctggcctt	gctcacatgt	4080
tctttcctgc	gttatccct	gattctgtgg	ataaccgtat	taccgc当地	gagtgagctg	4140
ataccgctcg	ccgcagccga	acgaccgagc	gcagcgt	agtgagcggag	gaagcggaa	4200
agcgcccaat	acgcaaaaccg	cctctccccg	cgcgttggcc	gattcattaa	tgcagctgc	4260
acgacaggtt	tcccgaactgg	aaagcgggca	gtgagcgc当地	cgcaattaat	gtgagttagc	4320
tcactcatta	ggcacccccag	gctttacact	ttatgc当地	ggctcgtatg	ttgtgtggaa	4380
ttgtgagcgg	ataacaattt	cacacaggaa	acagctatga	ccatgattac	gccaagctct	4440
cgagatctag						4450

SEQ ID NO: 27	moltype = DNA	length = 4425				
FEATURE	Location/Qualifiers					
misc_feature	1..4425					
	note = Synthetic Polynucleotide					
source	1..4425					
	mol_type = other DNA					
	organism = synthetic construct					
SEQUENCE: 27						
aaagcttccc	ggggggatct	gggcactcc	ctctctgcgc	gctcgctc当地	tcactgaggc	60
cgggcgacca	aagggtcgccc	gacgccccgg	cttgc当地	gccccctcag	tgagcgtgag	120
agcgcgcaga	gaggggatgg	ccaaactccat	cactagggg	tcctggagg	gtggaggctg	180
gacctaggca	tatgccaat	acgcccccta	ttgacgtcaa	tgacggtaaa	tggcccgct	240
ggcattatgc	ccagtagatcg	accttatggg	actttcctac	ttggc当地	atctacgtat	300
tagtcatcgc	tattaccatg	gtgatgc当地	tttggc当地	catcaatggg	cgtggatagc	360
ggtttactc	acggggattt	ccaagtctcc	accccattga	cgtcaatggg	agtttgc当地	420
ggcacaaaa	tcaacgggac	tttccaaaat	gtcgtaa	ctccgcccc	ttgacgcaaa	480
tggcggttag	gcgtgtacgg	tgggagg	tct	atataagcag	agctcg	540
agatcgccctg	gagacgccc	ccggactcta	aggtaaat	aaaat	tttta	600
gtgttaaact	actgattcta	attgttctc	tcttttagat	tccaa	ctttt	660
tcccgccggcc	cgggatccac	cggtcgccac	catgg	tgagc	aggagg	720
cgggggtgg	cccatctgg	tcgagctgg	cg	gc当地	aacggccaca	780
gtccggc当地	ggcgagg	atgc当地	cgcaagctg	accctg	aaatgt	840
cacccggcaag	ctggccgtgc	cctggccc	cctcg	tgacc	accctgac	900
gtgttccagc	cgctaccc	accacatgaa	gcagc	acg	ttctca	960
cgaaggctac	gtccagg	gacccat	cttca	aggac	gacggca	1020
cggccagg	atgtcgagg	g	cgac	acc	actcgat	1080
cttcaaggag	gacggcaaca	tcctggggca	caag	ctgg	g	1140
cgtctat	atggccgaca	agcagaagaa	cg	gc当地	at	1200
caacatcgag	gacggcagcg	tgcagctc	cg	acc	actac	1260
cgcacggcccc	gtgctgtc	ccgaca	ctac	ct	acc	1320
agaccccaac	gagaagcgc	atc	at	gg	ctgg	1380
cactctggc	atggacgac	tgtaca	aa	ggc	cc	1440
gatgtttat	ttgtgaaatt	tgtgatg	tt	gt	acc	1500
ataaaacaat	taacaacaac	aatt	gt	at	ttt	1560
gggagg	ttaaatcgat	tggcgc当地	ccacgg	ctg	aaaaatggcg	1620
gcctgaaaaa	actagtccac	tccctctctg	cg	cg	ctactg	1680

- continued

ccaaaggctcg	cccgacgccc	gggcgttgc	cggcgccct	cagttagcga	gcgagcgcgc	1740
agagagggac	agatccgggc	ccgcattgcgt	cgacaattca	ctggccgtcg	ttttacaacg	1800
tcgtgactgg	aaaaaccctg	gcgttaccca	acttaatcgc	cttgacgcac	atccccctt	1860
cgcacagctgg	cgtaatagcg	aagaggcccg	caccgatcgc	cctttccaaac	agttgcgcag	1920
cctgaatggc	gaatggcgcc	tgatgcggta	ttttctccct	acgcattctgt	gcggattttc	1980
acaccgcata	tggtgactc	tcagtacaat	ctgctctgtat	gccgcatagt	taagccagcc	2040
ccgacacccg	ccaacacccg	ctgacgcgc	ctgacgggct	tgtctgctcc	cgccatccgc	2100
ttacagacaa	gctgtgaccg	tctccggag	ctgcattgtgt	cagaggtttt	caccgtcatc	2160
accgaaacgc	gcgagacaa	agggcctcg	gatacgccta	tttttatagg	ttaatgtcat	2220
gataataatg	gttttttaga	cgtcagggtgg	cactttcgg	gaaaatgtgc	gcggaacccc	2280
tatttgttta	tttttctaaa	tacattcaaa	tatgtatccg	ctcatgagac	aataaccctg	2340
ataaaatgctt	caataatatt	gaaaaaggaa	gagttatgat	attcaacatt	tccgtgtcgc	2400
ccttattccc	ttttttgcgg	cattttgcct	tcctgtttt	gctcacccag	aaacgctgtt	2460
gaaagtaaaa	gatgctgaag	atcagttggg	tgacgcgtg	ggttacatcg	aactggatct	2520
caacagcgtt	aagatcctt	agagtttgc	ccccgaagaa	cgtttccaa	tgatgagcac	2580
ttttaaagggt	ctgtatgtt	gcccgggtt	atccgtatt	gacggccggc	aagagcaact	2640
cggtcgcgc	atacactatt	ctcagaatga	cttgggtttag	tactcaccag	tcacagaaaa	2700
gcattttacg	gatggcatga	cagtaagaga	attatgcagt	gctgcataaa	ccatgagtga	2760
taacactgcg	gccaacttac	ttctgacaac	gatcggagga	ccgaaggagc	taaccgttt	2820
tttgcacaac	atgggggatc	atgtaaactcg	ccttgcattgt	tgggaaccgg	agctgaatga	2880
agccatacca	aacgacgagc	gtgacaccac	gatgcctgta	gcaatggcaa	caacgttgcg	2940
caaactatta	actggcgaac	tacttactct	agttcccccgg	caacaattaa	tagactggat	3000
ggaggcggat	aaagttgcag	gaccactct	gcgctcggcc	cttcggctg	gctggtttat	3060
tgctgataaa	tctggagccg	gtgagcgtgg	gtctcgccgt	atcattgcag	cactggggcc	3120
agatggtaag	ccctcccgta	tcgtagttat	ctacacgcg	gggagtcagg	caactatgga	3180
tgaacgaaat	agacagatcg	ctgagatagg	tgcctcaact	attaagcatt	ggttaactgtc	3240
agaccaagtt	tactcatata	tacttttagat	tgatttaaaa	cttcattttt	aatttaaaag	3300
gatcttagtg	aagatcctt	ttgataatct	catgaccaaa	atcccttaac	gtgagtttc	3360
gttccactga	gcgtcagacc	ccgtagaaaa	gatcaaagga	tcttctttag	atccctttt	3420
tctgcgcgt	atctgcgtct	tgcaaacaaa	aaaaccaccg	ctaccagcgg	tggttgtt	3480
gccggatcaa	gagctaccaa	ctcttttcc	gaaggtact	ggcttcagca	gagcgcagat	3540
accaaatact	gttcttctag	tgtagccgt	gtttaggcac	cacttcaaga	actctgtac	3600
accgcctaca	taacctcgctc	tgctaatcct	gttaccagtg	gctgcgtcca	gtggcgataa	3660
gtcgtgtctt	accgggttgg	actcaagacg	atagttaccg	gataaggcgc	agcggcgtgg	3720
ctgaacgggg	gttctgtca	cacagcccag	cttggagcga	acgacactaca	ccgaacttag	3780
ataacctacag	cgtgagctat	gagaaagcgc	cacgcttccc	gaagggagaa	aggcggacag	3840
gtatccggt	agcggcaggg	tcggAACAGG	agagcgcacg	agggagctt	cagggggaaa	3900
cgcctgttat	ctttatagtc	ctgtcgggtt	tcgcacccct	tgacttgagc	gtcgatttt	3960
gtgtatgtcg	tcaggggggc	ggagctatgt	aaaaaacgca	agcaacgcgg	cctttttacg	4020
gttcttggcc	ttttctgtgc	ctttgtca	catgttctt	cctgcgttat	cccctgattc	4080
tgtggataac	cgtattaccg	cctttgagtg	agctgatacc	gctgcggca	gccgaacgac	4140
cggcgcgc	gagtcagtga	gcgaggaagc	ggaagagcgc	ccaatacgca	aaccgcctct	4200
ccccggcgt	tggccgattc	attaatgcag	ctggcacgac	aggttcccg	actggaaagc	4260
ggcagttgt	cgcaacgc	ttaatgttag	ttagctact	cattaggcac	cccaggctt	4320
acactttatg	cttccggctc	gtatgttg	tggatttttg	agcggataac	aatttcacac	4380
aggaaacagc	tatgaccatg	attacgcca	gctctcgaga	tctag		4425

SEQ ID NO: 28 moltype = DNA length = 4465
 FEATURE Location/Qualifiers
 misc_feature 1..4465
 note = Synthetic Polynucleotide
 source 1..4465
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 28						
aaagcttccc	ggggggatct	gggcactcc	ctctctgcgc	gctcgctcg	tcacttaggg	60
cggcgacca	aagggtcccc	gacgccccgg	cttgcggcc	gcggcctcag	tgagcgagcg	120
agcgcgcaga	gaggggatgg	ccaaactccat	cactagggtt	tcctggaggg	gtggagtcgt	180
gacctaggca	tatgccaatg	acgccttccat	ttgacgtcaa	tgacggtaaa	tggcccgct	240
ggcattatgc	ccagtagat	accttatggg	actttcctac	ttggcagtgac	atctacgtat	300
tagtcatcg	tattaccatg	gtgatgcgg	tttggcagtg	catcaatggg	cgtggatagc	360
ggtttactc	acggggattt	ccaaatctcc	accccttattga	cgtcaatggg	agtttgcgtt	420
ggcacaaaaa	tcaacggac	tttccaaaat	gtcgtaccaa	ctccggccca	ttgacgcacaa	480
tggcggt	gcgtgtacgg	tggggatgt	atataagcag	agctcgat	gtgaaccgtc	540
agatcgctg	gagacgcacat	ccggactcta	aggttaaatat	aaaatttttta	agtgtataat	600
gtgttaaact	actgattcta	attgtttctc	tcttttagat	tccaacctt	ggaactgtat	660
tccggggcc	cgggatccac	cggtcgccac	catggtgac	aaggcgcagg	agctgttac	720
cgggggtgg	cccatcttgg	tcgagctgga	cgccgacgt	aacggccaca	agttcagcgt	780
gtccggcgag	ggcgaggggcg	atgcacacca	cgcaagctg	accctgaat	tcatctgcac	840
cacccggcaag	ctgcccgtgc	cctggcccac	cctcgatgac	accctgacat	acggcgtgc	900
gtgttcagc	cgctaccccg	accacatgaa	gcagcacgac	ttcttcaatg	ccgccccat	960
cgaaggctac	gtccaggagc	gcaccatctt	cttcaaggac	gacggcaat	acaagaccgc	1020
cggccggatgt	aagttcgagg	gcgacaccct	ggtgaaccgc	atcgagctga	agggcatcg	1080
cttcaaggag	gacggcaaca	tcctggggca	caagctggag	tacaactaca	acagccacaa	1140
cgtctatatac	atggccgaca	agcagaagaa	cgccatcaag	gtgaacttca	agatccgc	1200
caacatcgag	gacggcagcg	tgcagtcgc	cgaccactac	cagcagaaca	ccccatcg	1260

- continued

cgacggcccc	gtgctgctgc	ccgacaacca	ctacctgagc	accaggatccg	ccctgagcaa	1320
agaccccac	gagaagcgcg	atcacatgg	cctgctggag	ttcgtgaccg	ccgcccggat	1380
caactctcgcc	atggacgagc	tgtacaagta	aagcggccgc	taggcctac	ctgcgatctc	1440
gatgctttat	ttgtgaaatt	tgtgatgcta	ttgctttatt	tgtaccatt	ataagctca	1500
ataaaacaagt	taacaacaac	aatttcattc	attttatgtt	tcaggttcag	ggggaggggt	1560
gggaggttt	ttaaatcgat	tttagggta	gggtaggg	tagggaaaaa	tttagggta	1620
gggtaggg	tagggaaaaa	tttagggta	gggtaggg	tagggaaaaa	actagtccac	1680
tccctctctg	cgcgctcgct	cgctcaactga	ggccggccga	ccaaaggctcg	cccgacgccc	1740
gggcttgcc	cgggcgccct	cagtgagcga	gcgagcgcgc	agagagggac	agatccggc	1800
ccgcatgcgt	cgacaattca	ctggccgtcg	tttacaacg	tcgtgactgg	aaaaaccctg	1860
gcgttaccca	acttaatcgc	cttgcagcac	atccccctt	cgccagctgg	cgtaatagcg	1920
aagaggccc	caccgatcgc	ccttcccaac	agttgcgcag	cctgaatggc	aatggcggc	1980
tgatcggtt	tttttcctt	acgcacatctgt	gcccgttattc	acaccgcata	tggtgcactc	2040
tcagtacaat	ctgctctgt	gccgcatagt	taagccagcc	ccgacaccccg	ccaacaccccg	2100
ctgacgcgcc	ctgacggct	tgtctgtcc	cggcacatccg	ttacagacaa	gctgtgaccg	2160
tctccggag	ctgcatgtgt	cagaggttt	caccgtcata	accgaaacgc	gcgagacgaa	2220
agggcctcg	gatacgccta	ttttatagg	ttaatgtcat	gataataatg	gtttctttaga	2280
cgtcagggtt	cactttcg	ggaaatgtgc	gcggaaacccc	tatttgtta	ttttctaaa	2340
tacattcaaa	tatgtatccg	ctcatgagac	aataaccctg	ataaaatgctt	caataatatt	2400
gaaaaaggaa	gagtatgagt	atccaacatt	tccgtgtcg	ccttattccc	tttttgccg	2460
cattttgcct	tcctgtttt	gctcaccctag	aaacgcgttgt	gaaagtaaaa	gatgctgaag	2520
atcagttgg	tgcacgagtg	ggttacatcg	aactggatct	caacagcggt	aagatccttg	2580
agagtttcg	ccccgaagaa	cgtttccaa	tgatgagcac	ttttaaagtt	ctgctatgtg	2640
gcgcgttatt	atcccgtatt	gacgcgggc	aagagcaact	cggtcgccgc	atacactatt	2700
ctcagaatga	cttgggtttag	tactcaccag	tcacagaaaa	gcacatcttacg	gatggcatga	2760
cagtaagaga	attatgcagt	gctgccataa	ccatgagtg	taacactgcg	gccacttac	2820
ttctgacaac	gatcggagga	ccgaaggagc	taaccgcctt	tttgcacaac	atggggatc	2880
atgtaactcg	ccttgatcgt	tggaaacccgg	agctgaatga	agccatacca	aacgacgagc	2940
gtgacaccac	gatgcctgta	gcaatggca	caacgttgc	caaactatta	actggcgaac	3000
tacttactct	agcttcccg	caacaattaa	tagactggat	ggaggcggat	aaagttgcag	3060
gaccactct	gwgctcgcc	cttccggctg	gctggtttat	tgctgataaa	tctggagccg	3120
gtgagcgtgg	gtctcgccgt	atcattgcag	cactggggcc	agatggtaag	ccctcccgta	3180
tcgtagttat	ctacacgacg	gggagtcagg	caactatgg	tgaacgaaat	agacagatcg	3240
ctgagatagg	tgcctactg	attaaggatt	ggtaactgtc	agaccaagtt	tactcatata	3300
tacttttagat	tgatttaaaa	cttcattttt	aattttaaag	gatcttaggt	aagatcctt	3360
ttgataatct	catgaccaaa	atcccttaac	gtgagttttc	gttccactga	gcgtcagacc	3420
ccgtagaaaa	gatcaaagga	tcttctttag	atcccttttt	tctgcgcgt	atctgctgt	3480
tgcaaacaaa	aaaaccacccg	ctaccagccg	tggtttgg	gccgatcaa	gagctaccaa	3540
ctcttttcc	gaaggtact	ggcttcagca	gagcgcagat	accaaatact	gttcttctag	3600
tgtagccgt	gttaggccac	cacttcaaga	actctgtac	accgcctaca	tacctcgctc	3660
tgctaattct	gttaccagt	gctgctgca	gtggcgataa	gtcgtgtctt	accgggttgg	3720
actcaagacg	atagttaccg	gataaggcgc	agcggtcggg	ctgaacgggg	gttgcgtgca	3780
cacagccag	cttggagcga	acgacactaca	ccgaactgag	atacctacag	cgtgagctat	3840
gagaaaagcgc	cacgcttccc	gaagggagaa	aggcggacag	gtatccgt	agcggcaggg	3900
tcggAACAGG	agagcgcacg	agggagctt	cagggggaaa	cgcctggat	ctttatagtc	3960
ctgtcggtt	tcgcccaccc	tgacttgc	gtcgatttt	gtgatgctcg	tcagggggc	4020
ggagcctatg	gaaaaacgc	agcaacgcgg	cctttttacg	gttctggcc	ttttgtgtgc	4080
ctttgctca	catgttctt	cctgcgttat	cccctgattc	tgtggataac	cgtattacgg	4140
ccttttagt	agctgatacc	gctcgccgca	gccgaacgac	cgagcgcacg	gagtcagtg	4200
gcgaggaagc	ggaagagcgc	ccaatacgc	aaccgcctt	ccccgcgcgt	tggccgattc	4260
attaatgcag	ctggcacac	aggttcccg	actggaaacgc	gggcgatgt	cgcaacgc	4320
ttaatgttag	ttagctact	cattaggcac	cccaggctt	acactttatg	tttccggctc	4380
gtatgttgt	tggaaatttgt	agcgataac	aatttcacac	aggaaacagc	tatgaccatg	4440
attacccaa	gctctcgaga	tctag				4465

SEQ ID NO: 29 moltype = DNA length = 4405
 FEATURE Location/Qualifiers
 misc_feature 1..4405
 note = Synthetic Polynucleotide
 source 1..4405
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 29
 aaagcttccc gggggatct gggccactcc ctctctgccc gctcgctcgc tcactgaggc 60
 cggcgacca aagggtcgccc gacgccccggg ctttgcgggg gcggcctcag tgagcgagcg 120
 agcgcgcaga gagggagtg 240
 gacccatggca tatgccaatg acgcccccta ttgacgtcaa tgacgtaaa tggccgcct 300
 ggcattatgc ccagtagat accttatggg actttcctac ttggcagatc atctacgtat 360
 tagtcatcgc tattaccat gtgatgctgt tttggcagta catcaatggg cgtggataac 420
 ggtttactc acggggatcc 480
 ggcaccaaaa tcaacgggac tttccaaaat gtcgtaaaca ctccgccccca ttgacgcaaa 540
 tggcggttag gcgtgtacgg tggaggtct atataagcag agctcgatc gtgaccgtc 600
 agatcgccctg gagacgccc acggactcta aggtaaataaa aatattttt agtgtataat 660
 gtgttaaact actgattcta attgttctc tcttttagat tccaaacctt ggaactgt 720
 tcccgccggcc cggatccac cggtcgccac catggtgagc aaggcggagg agctgttac 780
 cgggggtggc cccatcctgg tcgagctgga cggcgacgta aacggccaca agttcagcgt

- continued

gtccggcgg	ggcgaggggcg	atgcaccta	cggcaagctg	accctgaagt	tcatctgcac	840
caccggcaag	ctgcccgtgc	cctggcccac	cctcgtgacc	accctgaccc	acggcggtca	900
gtgcttcagc	cgctaccccg	accacatgaa	gcagcacgac	ttcttcaagt	ccgccccatgcc	960
cgaaggctac	gtccaggagc	gcacccatctt	cttcaaggac	gacggcaact	acaagaccgg	1020
cggcgagggt	aagttcgagg	gcgacacccct	ggtgaaccgc	atcgagctga	agggcatcga	1080
cttcaaggag	gacggcaaca	tcctggggca	caagctggag	tacaactaca	acagccacaa	1140
cgtctatatac	atggccgaca	agcagaagaa	cgccatcaag	gtgaacttca	agatccgcca	1200
caacatcgag	gacggcagcg	tgcagctcgc	cgaccactac	cagcagaaca	ccccccatcgg	1260
cgacggcccc	gtgctgtgc	ccgacacaacca	ctacctgagc	accctgtcc	ccctgagcaa	1320
agaccccaac	gagaagcgcg	atcacatgtt	cctgctggag	ttcgtgaccg	ccgccccggat	1380
cactctcgcc	atggacgagc	tgtacaagta	aagcggccgc	taggcctcac	ctgcgatctc	1440
gatgttttat	ttgtgaaatt	tgtgtatgcta	ttgctttatt	tgttaaccatt	ataagctgca	1500
ataaaacaagt	taacaacaac	aattgcattc	attttatgtt	tcaggttcag	ggggagggtgt	1560
gggaggttt	ttaaatcgat	tttagggta	gggttaggg	tagggaaaaaa	actagtccac	1620
tccctctctg	cgcgctcgct	cgctcaactga	ggccggggcga	ccaaaggctcg	cccgacgccc	1680
ggggttgc	cggggggcct	cagtggagega	gcgagcgcgc	agagagggac	agatccggc	1740
ccgcatgcgt	cgacaaattca	ctggccgtcg	ttttacaacg	tcgtgactgg	aaaaaccctg	1800
gcgttaccca	acttaatcg	cttgcaagcac	atccccctt	cgccagctgg	cgtaatagcg	1860
aagaggcccc	caccgatcg	ccttcccaac	agttgcgcag	cctgaatggc	gaatggcgcc	1920
tgtatcggt	ttttctctt	acgcatctgt	gcggttattc	acacccgcata	tggtgactc	1980
tcagtagaca	ctgctctgtat	gccgcatatgt	taagccagcc	ccgacaccccg	ccaaacacccg	2040
ctgacgcgccc	ctgacgggct	tgtctgtcc	cggtcatccgc	ttacagacaa	gctgtgaccg	2100
tctccgggag	ctgcatgtgt	cagaggtttt	caccgtcatc	accgaaaacgc	gcgagacgaa	2160
agggcctcgt	gatacgccta	ttttatagg	ttaatgtcat	gataataatg	gtttctttaga	2220
cgtcaggtgg	cactttcgg	ggaaatgtgc	gccccggcc	tatttggta	tttttcttaaa	2280
tacattcaaa	tatgtatccg	ctcatgagac	aataaccctg	ataaatgttt	caataatatt	2340
aaaaaaaggaa	gagtagatgt	attcaacatt	tccgtgtcgc	ccttattccc	tttttgcgg	2400
cattttgcct	tcctgtttt	gctcacccag	aaacgctgg	gaaagtaaaa	gatgtctttag	2460
atcagtggg	tgcacgagtg	ggttacatcg	aactggatct	caacagcggt	aaagatccttgc	2520
agagtttcg	ccccgaagaa	cgtttccaa	tgtatggcac	ttttaaagtt	ctgctatgtg	2580
gcmcggatt	atcccgatt	gacgccccgc	aagagcaact	cggtcgccgc	atacactatt	2640
ctcagaatga	cttgggtttag	tactcaccag	tcacagaaaa	gcatcttacg	gatggcatga	2700
cagtaagaga	attatgcagt	gctgccataa	ccatgagtg	taacactgcg	gccaacttac	2760
ttctgacaac	gatcgagga	ccgaaggagc	taaccgctt	tttgcacaac	atgggggatc	2820
atgtactcg	ccttgcgtgt	tgggaaccgg	agctgaatga	agccatacca	aacgacgagc	2880
gtgacaccac	gatgcctgta	gcaatggca	caacgttgcg	caaactatta	actggcgaac	2940
tacttactct	agttcccccgg	caacaattaa	tagactggat	ggaggcggat	aaagttgcag	3000
gaccacttct	gegetcgccc	cttccggctg	gctggtttat	tgctgataaaa	tctggagccg	3060
gtgagcgtgg	gtctcgccgt	atcattgcag	cactggggcc	agatggtaag	ccctcccgta	3120
tcgttagttat	ctacacgacg	ggggagtcagg	caactatgg	tgaacgaaat	agacagatcg	3180
ctgagatagg	tgcctcactg	attaaggcatt	ggtaactgtc	agaccaagtt	tactcatata	3240
tacttttagat	tgattnaaaa	cttcattttt	aattttaaag	gatcttaggt	aagatcctt	3300
ttgataatct	catgaccaaa	atcccttaac	gtgagtttc	gttccactga	cgctcagacc	3360
ccgtagaaaa	gatcaaagga	tcttctttag	atccctttt	tctgcgcgt	atctgtct	3420
tgcaaacaaa	aaaaccaccg	ctaccagcgg	tggtttgg	gccggatcaa	gagctaccaa	3480
ctcttttcc	gaaggttaact	ggcttcagca	gagcgcagat	accaaataact	gttcttctag	3540
tgttagccgt	gttaggcac	cactcaaga	actctgtac	accgcctaca	tacctcgctc	3600
tgctaattct	gttaccagt	gctgtgtca	gtggcgataa	gtcgtgtt	accgggttgg	3660
actcaagacg	atagttaccg	gataaggcgc	agcgggtcg	ctgaacgggg	ggttcgtgca	3720
cacagcccg	cttggagcga	acgacactaca	ccgaactgag	ataacctacag	cgtgagctat	3780
gagaaaagcgc	cacgcttccc	gaagggagaa	aggcggacag	gtatccggta	aqcggcagg	3840
tcggAACAGG	agagcgcacg	agggagcttc	cagggggaaa	cgccctggat	ctttatagtc	3900
ctgtcggtt	tcgcccaccc	tgacttgcgc	gtcgatttt	gtgatgtcg	tcaggggggc	3960
ggagcctatg	aaaaaacggcc	agcaacgcgg	cctttttacg	gttccctggcc	ttttgctg	4020
ctttgctca	catgttctt	cctcggttat	cccctgattc	tgtggataac	cgttattacg	4080
cctttgatgt	agctgatacc	gctcgccgc	gccgaacgc	cgagcgcacg	gagtca	4140
gcgaggaagc	ggaagagcgc	ccaatacgc	aaccgcctt	ccccgcgcgt	tggccgatc	4200
attaatgcag	ctggcacac	aggttcccg	actggaaagc	gggcagt	cgcaacgc	4260
ttaatgttag	ttagctact	cattaggcac	cccaggctt	acactttatg	cttccggctc	4320
gtatgttg	ttggaaatttg	agcggataac	aatttcacac	aggaaacagc	tatgaccatg	4380
attacgcca	gctctcgaga	tctag				4405

```

SEQ ID NO: 30          moltype = DNA  length = 4465
FEATURE                Location/Qualifiers
misc_feature           1..4465
                      note = Synthetic Polynucleotide
source                 1..4465
                      mol_type = other DNA
                      organism = synthetic construct
SEQUENCE: 30
aaagcttccc ggggggatct gggccactcc ctctctgcgc gctcgctcgc tcactgaggc 60
cgggcgacca aagggtcgccc gacgccccgg ctttgcctgg gcgggcctcag tgagcgacgc 120
agcgcgcaga gagggagtgg ccaactccat cactagggtt tcctggaggg gtggagtctg 180
gacctagttt tagggtttag gttagggta gggaaaaatt tagggtttag gttagggta 240
ggggaaaaatt tagggtttag gttagggta gggaaaaacc taggcatacg ccaagtacgc 300
cccctattga cgtcaatgac ggtaaatggc ccgcctggca ttatgcccag tacatgaccc 360

```

-continued

SEQ ID NO: 31 moltype = DNA length = 4435
FEATURE Location/Qualifiers
misc_feature 1..4435
note = Synthetic Polynucleotide
source 1..4435
mol type = other DNA

-continued

organism = synthetic construct

SEQUENCE: 31

aaagcttccc	ggggggatct	gggccactcc	ctctctgcgc	gctcgctcg	tcactgaggc	60
cggcgacca	aagggtcgccc	gacgcccggg	cttgccccgg	gcggcctcag	tgagcgagcg	120
agcgcgcaga	gagggagtgg	ccaactccat	cactaggggt	tcctggaggg	gtggagtcgt	180
gacctaggca	tatgccaagt	acgcccccta	ttgacgtcaa	tgacggtaaa	tggcccgcc	240
ggcattatgc	ccagtacatg	accttatggg	actttcctac	ttggcagtagc	atctacgtat	300
tagtcatcgc	tattaccatg	gtgatgcgg	tttggcagta	catcaatggg	cgtggatagc	360
gtttgactc	acggggattt	ccaagtctcc	accattga	cgtcaatggg	agtttgttt	420
ggcaccaaaa	tcaacgggac	tttccaaaat	gtcgtaaaca	ctccgcccc	ttgacgcaa	480
tggcggtag	gcgtgtacgg	tggaggtct	atataagcag	agtcgttta	gtgaaccgtc	540
agatcgctg	gagacgccc	ccggactcta	aggtaaatat	aaaattttt	agtgtataat	600
gtgttaaact	actgattcta	attgtttctc	tcttttagat	tccaaccttt	ggaactgaat	660
tccgcgggccc	cgggatccac	cggcgccac	catggtgagc	aaggcgagg	agctgttac	720
cggggtgg	cccatcctgg	tcgagctgga	cggcgacgt	aacggccaca	agttcagcgt	780
gtccggcgag	ggcgaggcg	atgccaccta	cggcaagctg	accctgaagt	tcatctgcac	840
cacccggcaag	ctgcccgtgc	cctggcccac	cctcggtgacc	accctgac	acggcggtgca	900
gtgcttcagc	cgctaccccg	accacatgaa	gcagcacgac	ttcttcaagt	ccgccatgccc	960
cgaaggctac	gtccaggagc	gcaccatctt	cttcaaggac	gacggcaact	acaagacccg	1020
cgccgaggtg	aagttcgagg	gcgacaccct	ggtgaaccgc	atcgagctga	agggcatcga	1080
cttcaaggag	gacggcaaca	tcctggggca	caagctggag	tacaactaca	acagccacaa	1140
cgtctatatc	atggccgaca	agcagaagaa	cggcatcaag	gtgaacttca	agatccgcca	1200
caacatcgag	gacggcagcg	tgcagctgc	cgaccactac	cagcagaaca	cccccatcg	1260
cgacggcccc	gtgctgctgc	ccgacaacca	ctacctgagc	accctgac	ccctgagca	1320
agaccccaac	gagaagcg	atcacatggt	cctgctggag	ttcgtgaccg	ccgcccggat	1380
cactctcg	atggacgagc	tgtacaagta	aagcggccgc	taggcctcac	ctgcgatctc	1440
gatgctttat	ttgtgaaatt	tgtgatgcta	ttgctttatt	tgtaccatt	ataagctgca	1500
ataaaacaagt	taacaacaac	aattgcattc	attttatgtt	tcaggttcag	ggggaggtgt	1560
gggaggtttt	ttaaatcgat	gctagatgtt	agcgtaaaaaa	gctagatgtt	agcgtaaaaaa	1620
gctagatgtt	agcgtaaaaaa	actagccac	tccctctctg	cgcgctcg	cgctcactga	1680
ggccgggcga	ccaaaggctg	cccga	gggcttgc	cgggcg	cagtgagcga	1740
gcgagcgcgc	agagagg	agatcgggc	ccgcatcg	cgacaattca	ctggccgtcg	1800
ttttacaacg	tcgtgactgg	aaaaaccctg	gcgttacca	acttaatcg	cttg	1860
atccccctt	cggcagctgg	cgtaaatagcg	aagaggccg	caccgatcg	ccttcccaac	1920
agttgcgcag	cctgaatggc	gaatggcgcc	tgatgcggta	tttctcctt	acgcatctgt	1980
cggttatttc	acaccgcata	tggtgcactc	tcagtacaat	ctgctctgat	gccgcata	2040
taagccagcc	ccgacacccg	ccaacacccg	ctgacgcg	ctgacgg	tgtctgtcc	2100
cggcatccgc	ttacagacaa	gctgtgaccg	tctccggag	ctgcatgt	cagagg	2160
caccgtcatac	accgaaacgc	gcgagacgaa	aggcctcg	gatacg	ttttatagg	2220
ttaatgtcat	gataataatg	gtttctt	cgtcagg	cactt	ggaaatgtgc	2280
gcggAACCCC	tattgttta	ttttctaaa	tacattcaaa	tatgtatcg	ctcatgagac	2340
aataaccctg	ataaaatgtt	caataatatt	gaaaaaggaa	gagtatgag	attcaacatt	2400
tccgtgtcgc	ccttattccc	tttttgcgg	catttgcct	tcctgtttt	gctcacccag	2460
aaacgcttgt	gaaagtaaaa	gatgctgaag	atcagttgg	tgcacg	ggttacatcg	2520
aactggatct	caacagcggt	aagatcctt	agagttt	ccccgaa	cgtttccaa	2580
tgatgagcac	ttttaaagtt	ctgctatgt	gcgcgtt	atcccgt	gacggcgg	2640
aagagcaact	cggcgcgcgc	atacactatt	ctcagaat	cttgg	tactcaccag	2700
tcacagaaaa	gcatcttacg	gatggcat	cagtaagaga	attatgc	gctgccataa	2760
ccatgagtga	taacactgc	gccaa	ttctgaca	gatcg	ccgaaggagc	2820
taaccgctt	tttgcacaac	atggggatc	atgtaa	ccttgc	tgggacccgg	2880
agctgaatga	agccatacca	aacgacg	gtgacacc	gatgc	gcaatggca	2940
caacgttgc	caaactatta	actggc	tacttact	agttccc	caacaattaa	3000
tagactggat	ggaggcg	aaagttgc	gaccactt	gcgtcgg	cttccgg	3060
gctggtttat	tgctgataaa	tctggagcc	gtgagcgt	gtctcg	atcattgc	3120
cactggggcc	agatggtaag	ccctcccg	tcgtagtt	ctacacg	gggagtc	3180
caactatgga	tgaacgaaat	agacagatcg	ctgagat	tgcc	attaagcatt	3240
ggtaactgtc	agaccaagtt	tactcatata	tactttagat	tgattt	tttccat	3300
aattaaaaag	gatcttaggt	aagatcctt	ttgataat	catgac	atcccttaac	3360
gtgagtttc	gttccactg	gcgtcagacc	ccgt	gatcaa	tcttctt	3420
atcctttttt	tctgcgcgt	atctgct	tgcaaa	aaaacc	ctaccag	3480
tggtttgtt	gccggatca	gagctac	ctctt	gaaggta	ggctt	3540
gagcgcagat	accaaatact	gttcttct	tgt	gttag	cagca	3600
actctgtac	accgcctaca	tac	tgcta	tttacc	gctgt	3660
gtggcgataa	gtcgtgtt	accgg	actca	atagttac	gataagg	3720
agcggcgg	ctgaacgggg	ggtt	cg	gac	cgac	3780
ccgaactgag	atacctacag	cgt	gagctat	gagaa	ggag	3840
aggcggacag	gtatccg	agcgg	tcg	agc	aggag	3900
cagggggaaa	cgcctgg	tttata	ctgtc	tttgc	tgactt	3960
gtcgattttt	gtgatgct	tcagg	ggagc	aaaaac	gcaac	4020
ccttttacg	gttc	tttgc	ctttg	catgtt	cctcg	4080
cccctgattc	tgtggataac	cgtt	cgtt	agctgat	gctgc	4140
gccgaacgac	cgagcgc	gagtc	gcg	gaaag	ccaat	4200
aaccgcctc	ccccgcgt	tggcc	attaa	ctggc	acgc	4260
actggaaagc	ggcagt	cgcaac	ttaat	ttagct	cattagg	4320
cccaggctt	acactt	cttccgg	gtatgt	tggatt	agcggata	4380
aatttcacac	aggaaac	tatgacc	attac	gtctcg	gaga	4435

- continued

```

SEQ ID NO: 32      moltype = DNA  length = 6940
FEATURE
misc_feature        Location/Qualifiers
1..6940
note = Synthetic Polynucleotide
source             1..6940
mol_type = other DNA
organism = synthetic construct

SEQUENCE: 32
cagcagctgc ggcgtcgctc gctcaactgag gcccggccgg caaagccccgg gcgtcgccgg 60
acctttggtc gccccggcctc agtgagcgag cgagcgccga gagagggagt ggccaactcc 120
atcaactaggg gttccttgc gttaatgatt aacccggccat gctacttatac tacgttagcca 180
tgctctagcg gcctcgccct ctgcataaaat aaaaaaaaaatt agtcaagccat gagcttggcc 240
cattgcatac gttgtatcca tatcataata ttttacattta tattggctca tgtccaacat 300
taccggcatg ttgacattga ttattgacta gttattaata gtaatcaatt acggggtcat 360
tagttcatag cccatataatg gaggcccg gttacataact tacgttaat ggcccgccctg 420
gctgaccgccc caacgacccc cgcccatatgca cgtcaataat gacgtatgtt cccatagtaa 480
cgccaatagg gactttccat tgacgtcaat ggggtggagta tttacggtaa actgcccact 540
tggcagtaca tcaagtgatcat gatcgccaa gtacgcccccc tattggctca aatgacggta 600
aatggcccgc ctggcattat gcccagtaca tgaccttatg ggactttccat acttggcagt 660
acatctacgt attagtcatc gctattacca tggtgatgctg gttttggcag tacatcaatg 720
ggcgtggata gccgggttgc acacggggat ttccaaggtt ccacccatt gacgtcaatg 780
ggagtttggt ttggcaccaa aatcaacggg actttccaaa atgtcgtaac aactccgccc 840
cattgacgc aatggggcggt aggctgtac ggtgggaggt ctatataagc agagctcggt 900
tagtgaaccg tcagatcgcc tggagacgccc atccacgtg ttttgacccctc catagaagac 960
accggggaccg atccagccctc ccctcgaagc tgatcctgag aacttcaggg tgagtctatg 1020
ggacccttgc tgttttcttt ccccttctt tctatggta agttcatgtc ataggaagg 1080
gagaagtaac agggtaacaca tattgaccaa atcagggtaa ttttgcattt gtaattttaa 1140
aaaatgcctt cttcttttaa tatactttt tttttatctt atttctaata cttccctaa 1200
tctcttctt tcagggcaat aatgatacaa ttttgcattt ctcttgcac cattctaag 1260
aataaacatgt ataatttctg ggttaaggca atagcaatat ttctgcataat aaatatttct 1320
gcatataaat tgtaactgtat gtaagagggtt tcataattgtt aatagcagct acaatccagc 1380
taccattctg cttttatattt atgggtggga taaggctgga ttattctgag tccaagctag 1440
gccctttgc taatcatgtt cataacctt atcttcctcc cacagctcctt gggcaacgtg 1500
ctggtctgtg tgctggccca tcactttggc aaagaattcc gcggggccgg gatccaccgg 1560
tcgcccaccat ggtgagcaag ggcgaggagc tggttcccg ggtgtgtccc atcctggcgt 1620
agctggacgg cgacgtaaac ggccacaagt tcagcgtgtc cggcgagggc gagggcgatg 1680
ccacctacgg caagctgacc ctgaagttca tctgcaccac cggcaagctg cccgtccct 1740
ggcccaccct cgtgaccacc ctgacccatc gcgtgcagtg cttagccgc taccggacc 1800
acatgaagca gcacgactt tcacgtccg ccacgtccca aggctacgtc caggagccca 1860
ccatcttctt caaggacgac ggcaactaca agacccggc cggatgtcaag ttcgaggccg 1920
acacccttgtt gaaccgcac gagctgaagg gcatcgactt caaggaggac ggcaacatcc 1980
tggggcacaa gctggagttt aactacaaca gccacaacgt ctatcatg gccgacaagc 2040
agaagaacgg catcaagggtt aacttcaaga tccggccacaa catcgaggac ggcagcgtgc 2100
agctcgccga ccactaccat cagaacacccc ccacgtggca cggcccccgtg ctgctgccc 2160
acaaccacta cctgagcacc cagtcggccc tgagcaaga ccccaacggag aagcgcgtc 2220
acatggctt gctggagttt gtcacccgtt ccggatcac tctccgtatg gacgagctgt 2280
acaagtaaag cggccgcctt agaggatcca agcttatcga taccgtcgac ctcgaggggcc 2340
cagatctaat tcacccaccat agtgcaggct gcctatcaga aagtgggtggc tgggtgtggct 2400
aatggccctgg cccacaagta tcactaagct cgctttctt ctgttcaatt tctattaaag 2460
gttcccttgc tcccttaagtc caactactaa actggggat attatgtt ggccttgcac 2520
tctggattct gccttataaa aaacattttt tttcatttgc atgtgttattt taaattttt 2580
ctgaatattt tactaaaaag ggaatgtggg aggtcagttc attttttttt taaagaaatg 2640
aagagctgt tcaaaccctt ggaaatataca ctatatctt aactccatgt aagaagggtt 2700
ggctgcaaac agctaatgtca cattggcaac agccctgtat gcctatgcct tattcatccc 2760
tcagaaaagg attcaaggatgg aggcttgatt tggagggtttt agtggcttgc tgcgttattt 2820
tacattactt attgttttag ctgttctcat gaatgtctt tcactaccat tttgttattt 2880
ctgcatctct cagccttgc tccactcgt tctcttgcattt agagatacca cttttccct 2940
gaagtgttcc ttccatgttt tacggcaga tgggttcc tgcgttgcctt actcagccctt 3000
agttgtctct gttgtttat agaggcttac ttgaagaagg aaaaacagggg ggcgttgcgtt 3060
gactgtcctg tgagccctt tcccttgcct ccccccactca cagtgaccgg gaatccctcg 3120
acatcttagag catggctacg tagataagta gcatggccggg ttaatcatta actacaagg 3180
acccttagt atggagttgg ccactccctc tctgcgcgtt cgctcgctca ctgaggccgg 3240
gcgaccaaaag gtcgcccac gcccgggtt tgccggccgg gcctcagtgtc gcgagcggac 3300
gcggccagctg gctaatgtc gaagaggccc gcaccgtatcg cccttccaa cagttgcgtc 3360
gcctgaatgg cgaatggat tccagacgt tgagcgttca aatgttaggtt tttccatgt 3420
cgttttccctt gttgttgcgtt ctggccgtt tattgttgcgtt gatattacca gcaaggccga 3480
tagtttgagt tcttctactc aggcaagtgtt gtttattact aatcaaaagaa gtattgtgt 3540
aacggtaat ttgcgtgtat gacagactt tttactcggtt ggcctcactgtt attataaaa 3600
cacttctctt gattctggcc taccgttccat gtcttccatc cttttaatgtc gcctcctgtt 3660
tagctccgc tctgttgcgtt acgaggaaatg cacgttatac gtgttgcgttca aagcaaccat 3720
agtagcgtcc ctgttagccgc gcatgttgcgtt cggcgccgtt ggtgttgcgtt cgcagcgtt 3780
ccgttacact tgccagccgc ttagcgtccgc tcccttgcgtt tttttccctt tcccttgcgtt 3840
ccacgttgcgtt cggccgttcc cgttacgttca taaatcggtt gctcccttta ggggttccgtt 3900
tttagtgcgtt acggccaccc gaccccaaaa aacttgcgtt ggtgttgcgtt tcacgttgcgtt 3960
ggccatcgcc ctgtatgtacg gtttttcgtt ctttgcgtt ggttccacgt ttctttaataa 4020

```

- continued

gtggacttctt	gttccaaact	ggaacaacac	tcaaccctat	ctcggcttat	tctttgatt	4080
tataaggat	tttgccgatt	tcggcctattt	ggtaaaaaaa	tgagctgatt	taacaaaaat	4140
ttaacgcgaa	ttttaacaaa	atattaacgt	ttacaattt	aatatttgc	tatacaatct	4200
tcctgtttt	ggggctttc	tgattatcaa	ccggggtaca	tatgattgac	atgcttagtt	4260
tacgattacc	gttcatcgat	tctttgttt	gctccagact	ctcaggcaat	gacctgatag	4320
cctttaga	gacctctcaa	aaatagctac	cctctccggc	atgaatttat	cagctagaac	4380
ggttgaatat	catattgatg	gtgatttgac	tgtctccggc	cttttcacc	cgtttgaatc	4440
tttacctaca	cattactcg	gcatggcatt	taaaatata	gagggttcta	aaaattttta	4500
tccttgcgtt	gaaataaaagg	cttcccgc	aaaagtatta	cagggtcata	atgaaaaatgg	4560
tacaaccat	tttagctttat	gctctgaggc	tttattgttt	aattttgcta	attctttgcc	4620
ttgcctgtat	gatttattgg	atgttggat	tcctgtatgc	gtatTTTCTC	cttacgcac	4680
tgtgcgttat	ttcacaccgc	atatggtca	ctctcagttac	aatctgctct	gatgcccac	4740
agtttaagcca	gccccgacac	ccgccaacac	ccgctgacgc	gccctgacgg	gcttgtctgc	4800
tcccgcatc	cgcttacaga	caagctgtga	ccgtctccgg	gagctgcatt	tgtcagaggt	4860
tttaccgc	atcaccgaaa	cgcgcgagac	gaaaggccct	cgtgatacgc	ctatTTTAT	4920
aggttaatgt	catgataata	atggtttt	agacgtcagg	tggactttt	cggggaaatg	4980
tgcgcggAAC	cccttattttgt	ttatTTTCT	aaatacattc	aaatatgtat	ccgctcatga	5040
gacaataacc	ctgataaaatg	cttcaataat	attgaaaaag	gaagagttat	agtattcaac	5100
atTTCCGTG	cccccTTTATT	ccctttttg	cggcatttttgc	ccttctgtt	tttgcacc	5160
cagaaaacgct	ggtgaaaagta	aaagatgtcg	aagatcagg	gggtgcacga	gtgggttaca	5220
tgcgaactgga	tctcaacacgc	ggtaagatcc	ttgagagttt	tcgccccgaa	gaacgttttc	5280
caatgatgag	cactttaaa	gttctgtat	gtggcgcgg	attatcccgt	attgacgcgc	5340
ggcaagagca	actcggtcgc	cgcatacact	attctcagaa	tgacttgg	gagttactcac	5400
cagtcacaga	aaagcatctt	acggatggca	tgacagtaag	agaattatgc	agtgtgcac	5460
taaccatgag	tgataaacact	gcggccaact	tacttctgac	aacgatcgga	ggaccgaagg	5520
agctaaccgc	tttttgcac	aacatggggg	atcatgtac	tcgcctgtat	cgttgggaac	5580
cggagctgaa	tgaagccata	ccaaacgac	agcgtgacac	cacgatgcct	gtagcaatgg	5640
caacaacgtt	gcfgaaacta	ttaactggcg	aactacttac	tctagcttcc	cgcaacaat	5700
taatagactg	gatggaggcg	gataaagtttgc	caggaccact	tctgcgtcg	gcccttccgg	5760
ctggctgggt	tattgtctat	aaatctggag	ccggtgagcg	tgggtctcg	ggtatcat	5820
cagcaactgg	gccagatgg	aagccctccc	gtatcgtagt	tatctacacg	acggggagtc	5880
aggcaactat	ggatgaacga	aatagacaga	tcgctgagat	aggtgcctca	ctgattaacg	5940
atggtaact	gtcagacca	gtttactcat	atatacttta	gattgattta	aaacttcatt	6000
tttaattttaa	aaggatctag	gtgaagatcc	ttttgataa	tctcatgacc	aaaatccctt	6060
aacgtgagtt	ttcggtccac	tgagcgtag	accccgtaga	aaagatcaaa	ggatcttctt	6120
gagatcctt	tttctgcgc	gtaatctgt	gcttgcääac	aaaaaaacca	ccgctaccag	6180
cgggtgttgc	tttgcggat	caagagctac	caactcttt	tccgaaggta	actggcttca	6240
gcagagcgca	gataccaaat	actgtcttc	tagttagcc	gtagtttaggc	caccactca	6300
agaactctgt	agcaccgcct	acatacctcg	ctctgcta	cctgttacca	gtggctgctg	6360
ccagtggcga	taagtcgtgt	cttacgggt	tggactcaag	acgatagtt	ccggataagg	6420
cgcacggcgc	gggctgaac	gggggttcgt	gcacacagcc	cagcttggag	cgaacgac	6480
acaccgaact	gagataccta	cagcgtgagc	tatgagaaag	cgccacgc	cccgaaggga	6540
gaaaggcgg	caggtatccg	gtaagcggca	gggtcggaac	aggagagcgc	acgagggagc	6600
ttccagggggg	aaacgcctgg	tatcttata	gtcctgtcg	gtttcgccac	ctctgacttg	6660
agcgtcgatt	tttgcgtatgc	tcgtcagggg	ggcggagcct	atggaaaaac	gccagcaacg	6720
cggccttttt	acgggtccctg	gccttttgc	ggccttttgc	tcacatgttc	tttctgtcg	6780
tatccccctga	ttctgtggat	aaccgttata	ccgccttgc	gtgagctgat	accgctcgcc	6840
gcagccgaac	gaccgagcgc	agcgagtcag	tgagcgagga	agcggaaagag	cggccaaatac	6900
gcaaaaccgc	tctcccccgc	cgttggccga	ttcattaatg			6940

SEQ ID NO: 33 moltype = DNA length = 7257
 FEATURE
 misc_feature Location/Qualifiers
 1..7257
 note = Synthetic Polynucleotide
 source 1..7257
 mol_type = other DNA
 organism = synthetic construct

SEQUENCE: 33
 cagcagctgc ggcgtcgctc gctaactgag gccgccccgg caaagccccgg gcgtcgcccc 60
 acctttggtc gcccggcctc agtgagcgg cgagcgcgc aagggggagt ggccaaactcc 120
 atcaactaggg gttccttgc gttaatgatt aacccgcctt gctacttata tacgtagcc 180
 tgctctagcg gcctcgccct ctgcataat aaaaaaaaaat agtcagccat gagcttggcc 240
 cattgcatac gttgtatcca tatcataata tgcataattt tattggctca tgcataat 300
 taccgcattt ttgcatttgc ttattttttt gttatattt gtaatcaatt acggggtcat 360
 tagttcatag cccatataatg gagttccgcg ttacataact tacgttataat ggccccgcctg 420
 gctgaccgcg caacgacccc cggccatttgc cgtcaataat gacgtatgtt cccatagtaa 480
 cgccaaatagg gactttccat tgacgtcaat ggggtggagta tttacggtaa actgcccact 540
 tggcagtaca tcaagtgtat catatgcac gtacgcccc tatttttttgc aatgacggta 600
 aatggccgcg ctggcattat gcccaggatca tgaccttataat ggactttccat acttggcaat 660
 acatctacgt attatgtatc gctattacca tgggtatgcg gtttttttttgc tacatcaat 720
 ggctgtggata gcccggggat tcacggggat ttccaaatgct ccacccattt gacgtcaat 780
 ggagttttttt ttggcaccat aatcaacggg acctttccaaat atgtcgtaac aactccgc 840
 cattgcacgc aatggccgcgt aggctgtac ggtggggaggat ctatataacg agagctcg 900
 tagtgaaccgc tcaatgcgc tggagacgc atccacgcgt ttttgccttc catagaagac 960
 accgggaccgc atccacgcctc ccctcgaacgc tgatcctgag aacttcaggg tgagtctatg 1020
 ggacccttgc tggggggat cccatTTTT tctatggta agttcatgtc ataggaagg 1080

- continued

gagaagtaac	agggtacaca	tattgaccaa	atcagggtaa	tttgcattt	gtaattttaa	1140
aaaatgctt	cttcttttaa	tatactttt	tgttatctt	atttctaata	ctttccctaa	1200
tctcttctt	tcagggcaat	aatgatacaa	tgtatcatgc	ctcttgcac	cattctaaag	1260
aataaacagt	ataattctg	ggtaaggca	atagcaatat	ttctgcataat	aaatatttct	1320
gcatataaat	tgttaactgt	gtaagaggtt	tcatattgt	aatagcagct	acaatccagc	1380
taccattctg	cttttatttt	atggttggga	taaggctgga	ttattctgag	tccaagctag	1440
gccctttgc	taatcatgtt	cataacctt	atcttcctcc	cacagctcct	gggcaacgtg	1500
ctggctctgt	tgctggccca	tcactttggc	aaagaattcc	gcccccccgg	gatccacccgg	1560
tcgcccacca	ggtgagcaag	ggcgaggagc	tgttacccgg	ggtgtgccc	atcctggtcg	1620
agctggacgg	cgacgtaaac	ggccacaagt	tcagcgtgtc	cgggagggc	gagggcgtg	1680
ccacctacgg	caagctgacc	ctgaagttca	tctgcaccac	cggcaagctg	cccgtccct	1740
ggcccaccc	cgtgaccacc	ctgacccatc	gcgtgcagtg	ttttagccgc	taccccgacc	1800
acatgaagca	gcacgacttc	ttcaagtcgg	ccatgcccga	aggctacgtc	caggagcgca	1860
ccatcttctt	caaggacgac	ggcaactaca	agacccggcgc	cgaggtgaag	ttcgagggcg	1920
acaccctgtt	gaaccgcac	gagctgaagg	gcatcgactt	caaggaggac	ggcaacatcc	1980
tggggcacaa	gctggagtag	aactacaaca	gccacaacgt	ctatcatcg	gcccacaagg	2040
agaagaacgg	catcaagggt	aacttcaaga	tccgcccacaa	catcgaggac	ggcagcgtgc	2100
agctcgccga	ccactaccag	cagaacaccc	ccatcgggga	cgccccctg	ctgctgccc	2160
acaaccacta	cctgagcacc	cagtccgccc	tgagcaaga	ccccaaacgg	aagcgcgtac	2220
acatggctt	gctggaggtc	gtgaccggcc	ccgggatcac	tctccgcac	gacgagctgt	2280
acaagtaaag	cggcccgct	agaggatcca	agcttatcga	taccgtcgac	ctcgagggcc	2340
cagatctaat	tcacccacc	agtgcaggct	gcctatcaga	aagtggtgcc	tgggtgtggct	2400
aatgccctgg	cccacaagta	tcactaagct	cgcttcttg	ctgttcaatt	tctattaaag	2460
gttcctttgt	tccctaagtc	caactactaa	actggggat	attatgaagg	gccttgagca	2520
tctggattct	gcctaataaa	aaacatttt	tttcatttgc	atgtatgtatt	taaatttattt	2580
ctgaatattt	tactaaaaag	ggaatgtggg	aggtcagtc	atttaaaaca	taaagaaaatg	2640
aagagctagt	tcaaaccctt	ggaaaataca	ctatatctt	aactccatga	aagaaggtga	2700
ggctgcaaac	agctaatgca	cattggcaac	agccctgtat	gcctatgcct	tattcatccc	2760
tcagaaaagg	attcaagtag	aggcttgatt	tggaggtt	agtttgc	tgctgtattt	2820
tacattactt	attgttttag	ctgttctcat	gaatgtctt	tcactaccc	tttgcttatac	2880
ctgcatctct	cagccttgc	tccactcagt	tctcttgc	agagatacca	cctttccct	2940
gaagtgttcc	ttccatgtt	tacggcgaga	tggtttctcc	tcgcctggcc	actcagcctt	3000
agttgtctct	gttgttctt	agaggtctac	ttgaagaagg	aaaaacagg	ggcatgggtt	3060
gactgtccctg	tgagcccttc	ttccctgcct	cccccaactca	cagtgacc	gaatccctcg	3120
acaggtacct	ttagggttag	ggttaggg	agggaaaaat	ttagggttag	ggttaggg	3180
agggaaaaat	ttagggttag	ggttaggg	agggaaaaat	ttagggttag	ggttaggg	3240
agggaaaaat	ttagggttag	ggttaggg	agggaaaaac	cctaaccctt	accctaacc	3300
taaattttt	ccctaaccct	aaccctaacc	ctaaattttt	tccctaacc	taaccctaa	3360
cctaaatttt	tccctaacc	ctaaccctaa	ccctaaattt	ttccctaacc	cctaaccctt	3420
accctaattt	ttttgttgc	tctagagcat	ggctacgt	ataagtagca	tggcgggtt	3480
atcattaact	acaaggaacc	ccttagtgc	gagttggca	ctccctct	gcgcgtc	3540
tcgctcactg	aggccggcg	accaaagg	gcccacg	cggttgc	cgggcggcc	3600
tcagtgagcg	agcgagcg	ccagctggcg	taatagcgaa	gaggccg	ccgatcgccc	3660
ttcccaacag	ttgcgcagcc	tgaatggcga	atgaaattcc	agacgatt	gcgtaaaaat	3720
gtaggtattt	ccatgagcgt	ttttctgtt	gcaatggct	gcggtaat	atgttctggat	3780
attaccagca	aggccgatag	tttgagttct	tctactcagg	caagtgtat	tattactaat	3840
caaagaagta	tttgcgacaac	ggttaattt	cgtgatggac	agactttt	actcggtgg	3900
ctcactgatt	ataaaaacac	ttctcaggat	tctggcgac	cggttctgt	taaaatccct	3960
ttaatcgcc	tcctgttt	ctcccgct	gattctaa	aggaaagc	gttatacgt	4020
ctcgtaaag	caaccatagt	acgcccctg	tagcggcg	ttaagcgcgg	cggtgtgt	4080
ggttacgcgc	agcgtgacc	ctacactgc	cagcccc	gcgcgc	ctttcgctt	4140
cttcccttcc	tttctcgcc	cgttgcgg	cttccccgt	caagctctaa	atcgggg	4200
ccctttaggg	ttccgattt	gtgtttac	gcacctcg	ccccaaaaac	ttgattaggg	4260
tgtatggttca	cgtatgtggc	catcgccctg	atagacggtt	tttgcctt	tgacgttgg	4320
gtccacgtt	ttaatagtg	gactttgtt	ccaaacttgg	acaacact	accctatctc	4380
ggtctattct	tttgatttt	aaggattt	gccgatttgc	gcctatttgc	taaaaaatg	4440
gctgatttaa	caaaaattt	acgcaattt	taacaaaata	ttaacgtt	caatttaat	4500
atttgcttat	acaatcttcc	ttttttttt	gcttttct	ttatcaacc	gggtacat	4560
gattgacatg	ctagtttac	gattaccgtt	catcgattt	tttgcatttgc	ccagactctc	4620
agccaatgac	ctgatagcct	ttgttagagac	ctctcaaaaa	tagtacc	ctccggat	4680
aatttatcg	ctagaacggt	tgaatatcat	attgatgg	atttgc	ctccggctt	4740
tctcaccctgt	ttgaatctt	acctacacat	tactcagg	ttgcattt	aatatatg	4800
ggttctaaaa	attttatcc	ttgcgtt	ataaagg	ctccgc	aaaagtattac	4860
ggtcataatg	tttttgg	acccgattt	gctttat	ctgagg	cttatttgc	4920
tttgcattt	ctttgcctt	cctgtat	ttattggat	ttgaaattt	tgatgcgg	4980
ttttcttcc	acgcattct	gcccattt	acaccgcata	ttgtgcact	tcagtaca	5040
ctgctctgt	gccgcata	taagccag	ccgacaccc	ccaacaccc	ctgacgc	5100
ctgacggcg	tgtctgtcc	ccgcattcc	ttacagac	gctgtgac	tctccgg	5160
ctgcatgtgt	cagagg	tccgtatc	accgaaac	gcgagac	aggcctcg	5220
gatacgcc	tttttatagg	ttaatgtat	gataataat	gttttgc	cgtaggt	5280
cactttccg	ggaaatgtgc	gcggaaaccc	tatttgc	ttttctaaa	tacattcaa	5340
tatgtatccg	ctcatgagac	aataaccctg	ataaatgtt	caataatatt	aaaaaggaa	5400
gagatgtat	attcaacatt	tccgtgtc	ccttatttcc	tttttgcgg	cattttgc	5460
tcctgtttt	gctcacc	aaacgctgt	gaaatgaaa	gatgttgc	agatgttgg	5520
tgcacgatgt	ggttacatcg	aactggatct	caacagcg	aagatcctt	agattttc	5580
ccccgaagaa	cgtttccaa	tgttgcac	ttttaaatgtt	ctgctatgt	gcgcgtt	5640

- continued

```

atcccgtatt gacgccccggc aagagcaact cggtcgcccgc atacaactatt ctcagaatga 5700
cttgggttag tactcaccag tcacagaaaa gcatcttacg gatggcatga cagtaagaga 5760
attatgcagt gctgccataa ccatgagtgta taacactgcg gccaaacttac ttctgacaac 5820
gatcggagga ccgaaggagc taaccgcttt tttgcacaac atggggatc atgtaactcg 5880
ccttgcgtg tgggaaccgg agctgaatga agccatacca aacgacgagc gtgacaccac 5940
gatgcctgta gcaatggcaa caacgttgcg caaactatta actggcgaac tacttactct 6000
agcttcccg caacaattaa tagactggat ggaggcggat aaagttgcag gaccacttct 6060
gcgctggcc ctccggctg gctggttat tgctgataaaa tctggagccg gtgagcgtgg 6120
gtctcgccgt atcattgcag cactggggcc agatggtaag ccctcccgta tcgtagttat 6180
ctacacgacg gggagtccagg caactatggta tgaacgaaat agacagatcg ctgagatagg 6240
tgccctactg attaaggcatt ggtaactgtc agaccaagtt tactcatata tacttttagat 6300
tgatttaaaa ctcatttt aattaaaaag gatcttaggtg aagatcctt ttgataatct 6360
catgaccaaa atccctaacc gtgagtttc gttccactga gcgtcagacc ccgtagaaaa 6420
gatcaaagga tcttctttag atccctttt tctgcgcgta atctgcgtct tgcaaacaaa 6480
aaaaccaccg ctaccagcgg tgggttggg gccggatcaa gagctaccaa ctcttttcc 6540
gaaggttaact ggcttcagca gagcgcagat accaaataact gtccttctag ttagccgta 6600
gttaggccac cacttcaaga actctgtac accgcctaca tacctcgctc tgctaattct 6660
gttaccagtg gctgctgcca gtggcgatata gtcgtgtctt accgggttgg actcaagacg 6720
atagttaccg gataaggcgc acgcggtcggg ctgaacgggg ggttcgtgca cacagcccag 6780
cttgagcga acgcacctaca ccgaactgag atacctacag cgtgagctat gagaaagcgc 6840
cacgcttccc gaagggagaa aggccggacag gtatccggta agcggcaggg tcggaacagg 6900
agagcgcacg agggagcttc cagggggaaa cgcctggat ctttatagtc ctgtcggggtt 6960
tcgcccaccc tgacttgagc gtcgatttt gtgatgctcg tcaggggggc ggagcctatg 7020
gaaaaaacgcc agcaacgcgg ccttttacg gttccctggcc ttttgcgtggc cttttgctca 7080
catgttcttt cctgcgttat cccctgattc tgtggataac cgtattaccg cttttgagtg 7140
agctgatacc gctcgccgca gccaacgc acgcgcagc gagtcagtga gcgaggaagc 7200
ggaagagcgc ccaatacgc aaccgcctc ccccgccgct tggccgattc attaatg 7257

```

```

SEQ ID NO: 34      moltype = DNA  length = 15
FEATURE           Location/Qualifiers
misc_feature      1..15
source             note = Synthetic Polynucleotide
                  1..15
                  mol_type = other DNA
                  organism = synthetic construct
SEQUENCE: 34
gctagatgtt agcgt

```

15

1. A nucleic acid molecule comprising:
a viral genome covalently linked to an inhibitory nucleic acid sequence which binds to TLR9 but does not trigger TLR9 activation; or
an inverted terminal repeat and a nucleic acid sequence that inhibits TLR9-mediated inflammation.
2. A recombinant virus for delivery of a desired function to a mammalian cell, comprising:
the nucleic acid molecule of claim 1.
- 3.-44. (canceled)
45. A method of treating a mammal, comprising:
administering the recombinant virus of claim 2 to a mammal in need thereof.
- 46.-58. (canceled)
59. A method of making a viral genome of a recombinant virus, comprising:
inserting an inhibitory nucleic acid sequence into a viral genome, wherein the inhibitory nucleic acid sequence binds to TLR9 but does not trigger TLR9 activation; or
inserting a nucleic acid sequence into a viral genome, wherein the nucleic acid sequence inhibits TLR9-mediated inflammation.
- 60.-80. (canceled)
81. A method of increasing expression in a host cell of a virally introduced transgene, the method comprising introducing into a host the recombinant virus of claim 2, whereby the modified virus results in higher transgene expression in a host cell as compared to a virus that does not contain the nucleic acid sequence.
82. A composition comprising a viral capsid encapsidating the nucleic acid molecule of claim 1.
- 83.-90. (canceled)
91. A method of reducing an inflammatory response in a subject in need thereof, the method comprising:
administering to the subject a recombinant adeno-associated virus (AAV) comprising a viral genome, wherein the viral genome comprises a therapeutic transgene and a nucleic acid molecule comprising three tandem repeat monomers of SEQ ID NO: 6 or SEQ ID NO: 9, thereby reducing an inflammatory response in the subject, relative to a control.
92. The method of claim 91, wherein the AAV is a self-complementary AAV (scAAV).
93. The method of claim 91, wherein the AAV is an AAV2 or AAV8.
94. The method of claim 91, wherein the viral genome further comprises a 5' untranslated region, and wherein the nucleic acid molecule is in the 5' untranslated region.
95. The method of claim 91, wherein the viral genome further comprises a 3' untranslated region, and wherein the nucleic acid molecule is in the 3' untranslated region.
96. The method of claim 91, wherein the therapeutic gene is a human gene.
97. The method of claim 91, wherein the recombinant scAAV is administered systemically to the subject.
98. The method of claim 91, wherein the recombinant scAAV is administered subretinally to the subject.

99. The method of claim **91**, wherein the recombinant AAV is administered in an amount effective to prevent TLR-mediated inflammation in the subject.

100. The method of claim **91**, wherein the recombinant AAV is administered in an amount effective to reduce induction of pro-inflammatory cytokines in the subject, relative to a control.

101. The method of claim **91**, wherein the recombinant AAV is administered in an amount effective to increase expression of the therapeutic transgene in the subject, relative to a control.

* * * * *