

Nov. 17, 1953

H. M. ERICSON

2,659,085

BRASSIERE

Filed Aug. 9, 1951

Fig. 1.




Fig. 2.





Fig. 3.



INVENTOR.
Hilda M. Ericson.
BY *W. B. Hayman*
ATTORNEY.

UNITED STATES PATENT OFFICE

2,659,085

BRASSIÈRE

Hilda M. Ericson, Youngstown, Ohio

Application August 9, 1951, Serial No. 241,079

1 Claim. (Cl. 2—42)

1

This invention relates to improvements in brassières and relates more particularly to brassières of the type which support the breasts in youthful form.

The problem of providing effective supporting and shaping means for the breasts has existed from the dawn of history. In the most primitive form, bandages were utilized to support and attempt to control the shape of the breasts. These were displaced in turn by the more common brassières formed of fabric and formed of several sections of fabric material assembled with a plurality of seams in an attempt to provide suitable supporting media for the breasts and at the same time desirably shape the same.

Brassières have been heretofore formed of combinations of fabric and rubber-like materials and have taken many and various shapes including those incorporating stays or similar semi-rigid elements to effect the desirable shaping and supporting of the breasts. Such brassières have been relatively satisfactory in use but have had the disadvantage of tending to lose their shape and to shrink or stretch as the case may be due to frequent laundering. Such brassières as have been heretofore proposed rapidly lost their desired shape and supporting ability and required frequent replacement. The present invention provides a brassière which obviates or minimizes the defects of the brassières presently used and at the same time presents novel advantages in addition to being relatively simple and inexpensive to manufacture and easy to clean for reuse.

The brassière in accordance with the present invention is preferably in the form of a desirably shaped latex sheath which is stretchable to enclose the breasts of the wearer when positioned about the body. When positioned on the body, the suitably formed latex sheath supports the breasts by elevating the same and at the same time causes their constriction and moulding to the desired shape and in accordance with the shape of the latex sheath thereby giving the wearer the smoothness of line and contour which is much desired.

The brassière formed in this manner is in fact so flexible that even by touch it is not easily revealed that the user is wearing a figure controlling brassière and, additionally, the support realized is in accordance with the objects of the brassière. The invention therefore provides a supporting and shaping brassière in which the film-like material of the brassière is of sufficient thickness to constitute a firm support for the breasts

2

of the wearer and of a form to suitably shape the same in a yielding and desirable manner.

The invention further provides improvements applicable to such brassières in providing the several portions of the brassière with perforations rendering the same more comfortable in use.

In the preferred form of the invention the entire front portion of the brassière is made of so-called deposited liquid latex, that is to say, a film which is produced in the shape of the article by dipping a form into liquid latex; or the film is otherwise deposited directly from liquid latex as contrasted with ordinary crude rubber which is produced by dehydrating liquid latex to form crude rubber; then masticating the crude rubber and thereafter forming the article therefrom.

In the preferred form of the invention the sideward extensions of the brassière which extend from the sides of the wearer and across the back thereof are preferably formed of fabric and provided with complementary fasteners at their outermost ends so that the sheath-like brassière may be formed thereby. The invention contemplates the formation of the entire brassière from latex with or without the fasteners and in the form of a split sheath or a unitary sheath as desired.

With the foregoing and other objects in view which will appear as the description proceeds, the invention resides in the combination and arrangement of parts and in the details of construction hereinafter described and claimed, it being the intention to cover all changes and modifications of the example of the invention herein chosen for purposes of the disclosure, which do not constitute departures from the spirit and scope of the invention.

The invention is illustrated in the accompanying drawing, wherein:

Figure 1 is a front elevation of a brassière embodying the present invention showing the same in position on a wearer.

Figure 2 is a front elevation of the brassière with parts broken away.

Figure 3 is a side elevation of the brassière with parts broken away.

By referring to the drawings and Figure 1 in particular it will be seen that a brassière formed in accordance with the objects of the invention has been disclosed and comprises a form-fitting sheath like member 10 having a pair of breast pockets 11—11 formed therein. The lower edge of the sheath like member 10 is preferably formed with a longitudinally straight edge 12 while the upper edge thereof curves upwardly and inwardly

3

from side sections 13—13 to form a pair of curved sections 14—14 spaced with respect to one another and with respect to the center section of the sheath like member 10.

The breast pockets 11—11 are formed in the member 10 in the areas of the curved sections 14 and are of desirable shape and size, as best illustrated in Figures 1 and 3 of the drawings. The breast pockets 11—11 are provided with a plurality of perforations 15 and in the preferred form of the brassière a band-like pattern of perforations 16 is formed inwardly from the lower longitudinal edge of the member 10.

In the form of the brassière illustrated and described herein the outermost side sections 13 of the member 10 are provided with extensions 17—17 of fabric or other similar material which are in turn provided with complementary fasteners 18—18 on their outermost ends thereby enabling the sheath like brassière to be formed when the same are engaged.

Straps 19—19 are affixed one to each of the uppermost portions of the upwardly curving sections 14—14 and their opposite ends are secured to the extensions 17—17. The straps 19—19 preferably incorporate adjustable means enabling their lengths to be individually adjusted.

The entire sheath like member 10 is preferably formed of moulded latex and is, therefore, capable of suitably enclosing and supporting and shaping the breasts of the wearer in accordance with the objects of the invention.

Having thus described my invention, what I claim is:

A brassière comprising a frontal portion formed as a single unit of deposited latex and consisting entirely of thin film-like sheet material which is soft and elastic, said frontal por-

4

tion having a horizontal lower edge straight throughout its length and vertical end edges, the upper edge of the said frontal portion extending at an upward incline from upper ends of the end edges of the frontal portion and merging into intermediate portions extending at a downward incline towards each other and intersecting midway the length of the frontal portion and thereby providing upwardly tapered portions disposed in side by side relation to each other, said tapered portions and portions of the said frontal portion directly under them being projected forwardly and forming forwardly tapered elastic pockets, said pockets each having a multiplicity of perforations therein arranged in a group occupying a major portion of the area of the pocket, said frontal portion being provided below the pockets with horizontal rows of perforations extending a major portion of the length of the said frontal portion, fabric strips secured along end edges of said frontal portion and extending rearwardly therefrom, and interengaging fasteners at rear ends of said fabric strips.

HILDA M. ERICSON.

References Cited in the file of this patent

UNITED STATES PATENTS

Number	Name	Date
1,492,953	Bender	May 6, 1924
2,119,499	Spanel	May 31, 1938
2,579,365	Conde	Dec. 18, 1951

FOREIGN PATENTS

Number	Country	Date
452,499	Great Britain	May 31, 1938
969,259	France	May 17, 1950