



US006138157A

United States Patent [19]

[11] Patent Number: **6,138,157**

Welter et al.

[45] Date of Patent: **Oct. 24, 2000**

[54] **METHOD AND APPARATUS FOR TESTING WEB SITES**

[75] Inventors: **Peter J. Welter**, Erie; **John R. Meier**, Longmont, both of Colo.

[73] Assignee: **Freshwater Software, Inc.**, Boulder, Colo.

[21] Appl. No.: **09/170,130**

[22] Filed: **Oct. 12, 1998**

[51] Int. Cl.⁷ **G06F 13/00**

[52] U.S. Cl. **709/224**

[58] Field of Search 364/DIG. 1 MS File, 364/DIG. 2 MS File; 709/200, 203, 220, 224

[56] References Cited

U.S. PATENT DOCUMENTS

5,870,559	2/1999	Leshem et al.	709/224
5,958,008	9/1999	Progrebisky et al.	709/223
6,003,143	12/1999	Kim et al.	714/38
6,012,087	1/2000	Freivald et al.	709/218

FOREIGN PATENT DOCUMENTS

05216827 8/1993 Japan .

OTHER PUBLICATIONS

F. Douglass, T. Ball, Y. Chen, and E. Koutsofios, The AT&T Internet Difference Engine: Tracking and viewing changes on the web. Baltzer Science Publishers BV, 27-44 (1998).

F. van Harmelen and J. van der Meer, WebMaster: Knowledge-Based Verification of Web-Pages. 12th International Conference on Industrial and Engineering Applications of Artificial Intelligence and Expert Systems, IEA/AIE-99, Cairo, Egypt, 256-265 (1999).


Primary Examiner—Robert B. Harrell

Attorney, Agent, or Firm—Hickman Coleman & Hughes, LLP

[57] ABSTRACT

A method for testing a web site includes formulating a test configuration file including a series of test inquiries for a web site to be tested, initiating a HTTP communication to form a connection with the web site, and repetitively communicating with the web site to test for a variety of errors. The repetitive communication preferably includes receiving HTML from the web site, analyzing the HTML for errors and storing results in the database, and formulating a new HTTP communication based upon the received HTML and the test configuration file. Preferably, the test configuration file is created by sending HTML comprising a blank testing form to a web browser, receiving HTTP from the web browser as a submission from the HTML testing form, and developing the test configuration file from the HTTP.

24 Claims, 18 Drawing Sheets






FIG. 1




FIG. 2




FIG. 2A




FIG. 2B

f r e s h w a t e r  s o f t w a r e

[download](#) | [order](#) | [products](#) | [support](#) | [search](#) | [about us](#)

Is your business-critical web site up right now?

How do you know?

If you had SiteScope and SiteSeer, not only would you know if your web site was up, you would be confident that you would be notified immediately if a problem did occur. SiteScope allows you to monitor everything from memory and disk space usage to URL and service availability. Error notification is available via e-mail, pager, and SNMP traps. SiteScope can also run recovery scripts to correct common problems. The SiteSeer service monitors your site remotely, letting you know of problems your visitors are experiencing, but you're unaware of. Together, SiteScope and SiteSeer help ensure that your site is up and running smoothly 24 hours a day, 7 days a week.

SiteScope Software

SiteSeer Service

- Version 3.0 Available Now!
- 24 hour monitoring of web pages, forms, servers, and more...
- Immediate error notification via e-mail, pager, or SNMP trap
- Escalation of notification
- Automatic error recovery
- Ability to integrate with enterprise solutions

- E-commerce Transaction Testing Available!
- Remote web site monitoring 24 hours a day
- Support for secure URLs
- Verification of password protected pages
- String matching on both page content and error messages

[Review SiteScope 3.0's release notes!](#)

[try it](#) | [buy it](#) | [more info](#)

[try it](#) | [buy it](#) | [more info](#)

Fresh News...

- ▶ **PCToday** raves about SiteScope in the work place in its February issue. [Full Story](#)
- ▶ **DIGEX** chooses SiteScope to monitor the world's largest dedicated server web site management facilities. [Full Story](#)
- ▶ SiteScope receives a **Five Palm Tree rating** from Beverly Hills Software. [Full Story](#)

"They've found an important niche from a web server administrator perspective... It's expandable and customizable; **it's a fantastic product.**"

-- Brad Hogan, Newbridge Networks. [More customer quotes](#)

[HOME](#) | [ORDER](#) | [PRODUCTS](#) | [SUPPORT](#) | [SEARCH](#) | [ABOUT US](#)

visit us at www.freshtech.com

**Freshwater
Software®**


Contact Us

78

82

80

FIG. 3A

f r e s h w a t e r  s o f t w a r e

(download | order | products | support | search | about us)

Search Us

To search the document on the Freshwater Software™ Web site, enter the words you want to search for below.

Search For 86

88

By default, only documents containing all the words are found. To find documents containing any of the words, separate them with "OR". For example, 'mail OR support' to find any documents containing either of these words.

Site Contents

<h4>Order</h4> <ul style="list-style-type: none"> • Ordering Options • Online Order Form • Product Pricing • Fax or E-mail Order Form <p style="text-align: center;">84</p>	<h4>Products</h4> <ul style="list-style-type: none"> • SiteScope <ul style="list-style-type: none"> ◦ Product Overview ◦ Technical Specifications ◦ List of Monitors ◦ Download Page ◦ Order Form ◦ Pricing Information ◦ Live Demo ◦ Product Support Options ◦ SiteScope FAQ ◦ SiteScope Logos ◦ License Agreement • SiteSeer <ul style="list-style-type: none"> ◦ Product 	<h4>Support</h4> <ul style="list-style-type: none"> • Online Documentation • Software FAQ • E-mail Support 	<h4>About Us</h4> <ul style="list-style-type: none"> • Corporate Fact Sheet • Management Bios • Employee List • Contact Info • Directions to our Office • Press Releases • Freshwater in the Press • SiteScope Data Sheet • Customer Quotes • SiteScope Screen Shots • SiteSeer Data Sheet • Management • Biographies
---	---	---	--

FIG. 3B

f r e s h w a t e r  s o f t w a r e

[home](#) | [order](#) | [products](#) | [support](#) | [search](#) | [about us](#)

Search Results

Searching for: John

- [Who We Are \(Thu 5 Feb 98\)](#)
"john" 5 (John)
- [SiteScopeFAQ \(Wed 3 Jun 98\)](#)
"john" 4 (John)
- [Freshwater Software Contact Information \(Thu 5 Feb 98\)](#)
"john" 3 (John)
- [Chief Technical Officer \(Tue 26 May 98\)](#)
"john" 2 (John)
- [Escalation Rules \(Fri 9 Jan 98\)](#)
"john" 2 (John)
- [DIGEX Selects Freshwater Software s SiteScope to Enhance Reliability for its Web Site Management Customers \(Thu 5 Feb 98\)](#)
"john" 1 (John)
- [MANAGEMENT BIOGRAPHIES \(Thu 5 Feb 98\)](#)
"john" 1 (John)
- [Freshwater Software™ Press Release \(Fri 30 May 97\)](#)
"john" 1 (John)
- [THE FRESHWATER SOFTWARE PRESS ROOM \(Thu 5 Feb 98\)](#)
"john" 1 (John)
- [Freshwater Software™ Press Release \(Thu 5 Feb 98\)](#)
"john" 1 (John)

[HOME](#) | [ORDER](#) | [PRODUCTS](#) | [SUPPORT](#) | [SEARCH](#) | [ABOUT US](#)

visit us at www.freshtech.com

**Freshwater
Software®**

[Contact Us](#)

© Copyright 1998 by Freshwater Software, Inc., Boulder, Colorado. All rights reserved.

This searchable archive was implemented with the [ICE search engine](#)

FIG. 3C




FIG. 3D




FIG. 3E

10 day SiteScope evaluation license
(10 days remaining)

SiteScopeGroupReportsHelp ?

Add URL Transaction Monitor

Step 1 Type 102
the type of item being referred to in the reference (the next field) - this is used to determine with parts of the HTML will be scanned for text matches.

Step 1 Reference 104
the URL, link, or submit button to be followed at this step (examples: a URL of http://demo.freshtech.com, a link of Next, or a button name of Submit)

Step 2 Type 106
the type of item being referred to in the reference (the next field) - this is used to determine with parts of the HTML will be scanned for text matches.

Step 2 Reference 108
the URL, link, or submit button to be followed at this step (examples: a URL of http://demo.freshtech.com, a link of Next, of a button name of Submit)

Step 3 Type 110
the type of item being referred to in the reference (the next field) - this is used to determine with parts of the HTML will be scanned for text matches.

Step 3 Reference 112
the URL, link, or submit button to be followed at this step (examples: a URL of http://demo.freshtech.com, a link of Next, of a button name of Submit)

Step 4 Type 114
the type of item being referred to in the reference (the next field) - this is used to determine with parts of the HTML will be scanned for text matches.

Step 4 Reference 116
the URL, link, or submit button to be followed at this step (examples: a URL of http://demo.freshtech.com, a link of Next, of a button name of Submit)

Update every 118
amount of time between checks of a monitor

Title 120
title that should appear in the Monitor table (optional)

Monitor 122

FIG. 4A

96

124 Disable
temporarily disable monitor sampling and alerting

Step 1 POST Data
 126
optional name=value variables, one per line, to send with a POST request for this step

Step 1 Match Content 128
optional text to match against content of the URL for this step

Step 1 Error If Match 130
optionally generate an error if the content of the URL for this step contains this text

Step 1 Authorization User Name 132
optional user name if the URL for this step requires authorization

Step 1 Password 134
optional password if the URL for this step requires authorization

Step 2 POST Data
optional name=value variables, one per line, to send with a POST request for this step

Step 2 Match Content

Step 2 Error If Match

Step 2 Authorization User Name

Step 2 Password

Step 3 POST Data
optional name=value variables, one per line, to send with a POST request for this step

Step 3 Match Content

Step 3 Error If Match

Step 3 Authorization User Name

FIG. 4B

Step 3 Password
optional password if the URL for this step requires authorization

Step 4 POST Data
optional name=value variables, one per line, to send with a POST request for this step

Step 4 Match Content
optional text to match against content of the URL for this step

Step 4 Error If Match
optionally generate an error if the content of the URL for this step contains this text

Step 4 Authorization User Name
optional user name if the URL for this step requires authorization

Step 4 Password
optional password if the URL for this step requires authorization

Verify Error
138 if the monitor detects an error, immediately perform the check again to verify the error.

Update every (on errors) 136
the amount of time between checks whenever the status of the monitor is not ok, the Update value from above is used if this is left blank

Schedule 140 CAN ADD TO POP-UP
142 Edit Schedules
schedule for the monitor to be enabled - for example, disable Sunday from 10:00 to 14:00, if blank monitor is always enabled

Monitor Description 144
additional description of monitor that appears on Monitor Detail page (optional)

Report Description 146
additional description of monitor that appears on Reports and in monitor popup info (optional)

Timeout 148
the time out, in seconds, to wait for entire sequence to complete

HTTP Proxy 150A } 150
optional proxy server to use including port (example: proxy.freshtech.com:8080)

Proxy Server User Name 150B }
optional user name if the proxy server requires authorization

Proxy Server Password 150C }
optional password if the proxy server requires authorization

List Order 152
choose where this monitor appears in the list of monitors on the Monitor Detail page

Error if 154
Warning if 156

122 Monitor

96

FIG. 4C




FIG. 5

```
example.mg
174  _id=1
    _class=URLSequenceMonitor
    _name=URL Transaction: http://www.freshtech.com
    _description=
    _monitorDescription=Example transaction of 5 steps
    _frequency=600
    _timeout=60
    _errorFrequency=120
    _disabled=false
    _verifyError=false
    _proxy=
    _proxyusername=
    _proxypassword=
    _schedule=
    {
176  _referenceType1=url
    _reference1=http://www.freshtech.com
    _errorContent1=Not Found
    _username1=
    _password1=
    _content1=
    {
178  _referenceType2=link
    _reference2=SEARCH
    _errorContent2=
    _username2=
    _password2=
    _content2=
    {
180  _referenceType3=form
    _reference3=Find Documents
    _postData3=KEYWORDS=John
    _content3=Officer
    _errorContent3=
    _username3=
    _password3=
    {
182  _referenceType4=url
    _reference4=http://www.macromedia.com/index.html
    _errorContent4=
    _username4=
    _password4=
    _content4=
    {
184  _referenceType5=frame
    _reference5=mm_nav
    _errorContent5=
    _username5=
    _password5=
    _content5=
    }
```

172

FIG. 6




FIG. 7




FIG. 8




FIG. 8A




FIG. 8B




FIG. 9

METHOD AND APPARATUS FOR TESTING WEB SITES

BACKGROUND OF THE INVENTION

This invention relates generally to wide area networks, and more particularly to the testing of web sites hosted by web servers coupled to a TCP/IP protocol network.

The Internet has, of late, become ubiquitous. The Internet is a robust, Wide Area Network (WAN) of networks which permits communication among computers, networks, and other digital devices which adhere to a standard "TCP/IP" protocol. One of the most popular ways of communicating over the intersite is through a "web site" which is hosted on a suitable digital processing machine such as a personal computer, workstation, etc. Users or "clients" use, for example, their personal computers to communicate with a web site via a browser program or, simply, "browser." The most commonly used browsers are the Navigator™ from Netscape Communications, Inc., and the Internet Explorer™ from Microsoft, Inc.

It has become increasingly simple for companies and individuals to create their own web sites. There are a number of commercially available packages which generate the necessary HTML code to create "web pages" which can be uploaded to web servers connected to the Internet. Connections to the Internet and web server hosts are often provided by a company known as an Internet Service Provider (ISP).

Since web pages are, essentially, programs written in the HTML language, it is possible that one or more web pages of a web site contains errors. These errors may only show up intermittently since much of the interaction with the web site can be dynamic, i.e. it can change from session to session. Therefore, the need has arisen for some method to test web sites for errors.

In FIG. 1, a system 10 for testing a web site includes a TCP/IP protocol network 12, such as the Internet, a web server 14 coupled to the Internet 12 by an ISP 16, any number of user or client machines such as client machines 18A, 18B, 18C, etc. coupled to the Internet 12 by ISP's 20A, 20B, 20C, etc., and a testing computer 22 coupled to the Internet 12 by an ISP 24.

In the prior art, software running on the testing computer 22 connects with a web site 26 hosted by the web server 14 through the Internet 12 and attempts to download web pages. Upon a failure to download a web page, the testing computer 22 running this prior art software detects an error.

It should be noted that a depiction of FIG. 1 is logical in nature, and may be implemented in a variety of fashions. For example, the testing computer 22 and the web server 14 can be the same machine. As another example, any of the client machines 18A, 18B, 18C, etc., or the testing computer 22, or the web server 14 can be connected into the Internet 12 in other fashions, such as into the "backbone" of the Internet. Further the Internet is only one example of a network 12 implementing a TCP/IP protocol. Other examples of TCP/IP protocol networks include intranets and extranets, as will be appreciated by those skilled in the art.

The testing computers 22 of the prior art include testing software which simulate browser software to the extent that they can download web pages. The successful downloading of a web page in the prior art was usually considered sufficient to determine that that web page was error free. In some instances, prior art testing computers 22 may examine or "parse" the HTML of the downloaded web page to make further determination whether there is an error in the down-

loaded web page. An example of prior art testing software includes the WhatsUp™ software of IpSwitch, Inc. of Lexington, Mass. This software is capable of testing only a single web page.

Unfortunately, the simple downloading of web pages with, perhaps, a cursory examination of the HTML is often insufficient to determine all the errors that a user might encounter when actually interacting with those web pages. This is due, in part, to the complex interactivity permitted under the HTML standards, and is due, in part, to the fact that many interactions with web pages are "dynamic" in that they may change from session to session. It would therefore be desirable to have a method for testing a web site which can test multiple features of web pages, and which can handle dynamic interactions with the web site.

SUMMARY OF THE INVENTION

The present invention provides a method, apparatus, and system for testing a web site. The invention handles a number of interactive modes with the web site being tested, and handles dynamic interactions with the web site.

A method for testing a web site in accordance with the present invention formulates a test configuration file comprising a series of test inquiries for a web site, initiates an HTTP communication to form a connection with the web site, and repetitively communicates with the web site. More particularly, the method repetitively communicates with the web site by receiving HTML from the web site, analyzing HTML for errors and storing the results in the database, and then formulating a new HTTP communication to the web site based upon the received HTML and the test configuration file.

The operation of formulating a test configuration file preferably includes sending HTML comprising a blank testing form to a web browser, receiving HTTP from the web browser as a submission from the testing form and developing the test configuration file from the HTTP received from the web browser. In this fashion, a standard web browser can be used as the interface between the test operator and the testing software. Preferably, the web browser can also be used to edit test configuration files that has already been developed.

An apparatus for testing a web site includes a computer having memory and a processor, and a monitor object residing at least partially in the memory and executed by the processor. The monitor object includes an initiator to establish an HTTP communication between the monitor object and a web site and a repetitive communicator which repeatedly receives HTML from the web server, analyses the HTML for errors and stores the results in a database, and formulates a new HTTP communication based on the received HTML. Preferably, the apparatus also includes a scheduler residing at least partially in the memory and executed by the processor which is operative to invoke the monitor object, determine whether the monitor object is scheduled to be run, and run the monitor object as scheduled to initiate the HTTP communication to form a connection with the web site by repetitively communicating with the web site.

A system for testing a web site includes a TCP/IP protocol network, a web server connected to the TCP/IP protocol network and hosting a web site, and a testing computer having memory and a processor that is connected to the TCP/IP protocol network. The testing computer is operative to formulate a test configuration file stored in the memory including a series of test inquiries for a web site to be tested,

to initiate an HTTP communication to form a connection with the web site and to repetitively communicate with the web site by receiving HTML from the web site, analyzing the HTML for errors, and storing the results in a database, and formulating a new HTTP communication based upon the received HTML and test configuration file.

An advantage of the present invention is that a web site can be thoroughly tested in a variety of interactive modes. Also, the present invention allows for the testing of changeable or "dynamic" features of the web site. In consequence, the present invention facilitates the thorough testing of web sites for errors and generates reports which aids in the correction of the detected errors. Other advantages include the capability of immediately providing a notification of any problems, and the reporting of performance and service levels.

These and other advantages of the present invention will become apparent to those skilled in the art upon a reading of the following descriptions of the invention and a study of the several figures of the drawing.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is an illustration of a system including the Internet, a number of client machines, a web server, and a testing computer;

FIG. 2 is a pictorial representation of a testing computer 22' of the present invention;

FIG. 2A is a pictorial representation of testing software implementing the present invention, as well as standard web browser software;

FIG. 2B is a flow-diagram illustrating the overall operation of the present invention;

FIGS. 3A, 3B, 3C, 3D, and 3E illustrate a series of HTML web pages that will be used as an example when explaining the present invention;

FIGS. 4A-4C illustrate a blank form used to develop the testing configuration file of the present invention;

FIG. 5 is a illustration which helps an explain a HTML "form";

FIG. 6 is an exemplary test configuration developed by the process of the present invention from the web pages of FIGS. 3A-3E;

FIG. 7 is a flow-diagram illustrating the "ANALYZE CONFIGURATION FILE ACTIVATION SCHEDULE" operation of FIG. 2B;

FIG. 8 is a flow-diagram of the "SEND HTTP TO WEB SITE AND RECEIVE HTTP/HTML" operation of FIG. 2B;

FIG. 8A is a flow-diagram detailing "FIND ALL FIELDS ON FORM WITH SUBMIT BUTTON" operation of FIG. 8;

FIG. 8B is a flow-diagram illustrating the "TAKE SUPPLIED POST DATA AND OVERWRITE VALUES" operation of FIG. 8; and

FIG. 9 is a flow-diagram illustrating the "ANALYZE AND STORE RESULTS IN LOG FILE" operation of FIG. 2B.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

FIG. 1 illustrates a system for testing a web site, wherein, a testing computer 22 implements a testing process. The differences in the system of the prior art and the system of the present invention is the software running on the testing computer 22, or elsewhere in the system.

In FIG. 2 a computer apparatus 22' implements a process for testing a web site in accordance with the present inven-

tion. More particularly, an apparatus 22' of the present invention includes a computer 28, a keyboard 30, a video monitor 32, and preferably a mouse 34 or some other form of pointing device. As will be appreciated by those skilled in the art, the computer 28 includes a microprocessor 36 and computer readable memory 38 which support computer implemented processes. Displayed on the screen 40 of the monitor 32 is a web browser window 42 displaying a web page 44 of the present invention. The computer 28 and the peripherals 30, 34, and 40 comprise standard personal computer and workstation equipment, available from a variety of sources

FIG. 2A illustrates the relationship of tester software 46 of the present invention to web browser software 48 and the Internet 12. More particularly, the tester 46 communicates directly with the Internet 12 through ISP 24. That is, the tester 46 can pass HTTP to the Internet 12 and receive HTTP/HTML from the Internet 12 without the need for an intermediary of a web browser. The tester 46 communicates independently with the web browser 48 by sending HTTP to the web browser 48 and by receiving HTTP/HTML from the web browser 48.

As suggested in FIG. 2A, the tester 46 and the web browser 48 can be implemented on the same computer apparatus ("machine") or on separate computer apparatus. The case where the tester and the web browser have been implemented on the same computer apparatus 22', they both can operate under the same operating system, i.e. OS1=OS2. However, in the instance where the tester 46 and the web browser 48 are implemented on different computer apparatus, there is no reason why the two can't be supported on different operating systems, i.e. OS1 might be different from OS2. For example, the tester 48 may be implemented under a personal computer operating system such as under Windows 95, while the web browser 48 might be implemented on another computer under a workstation operating system such as UNIX.

In FIG. 2B, a flow-diagram illustrates various operations of the tester 46. At a main menu 50, it is determined whether the user wants to run the web site tester or to analyze results of previous web site tests. If it is determined that the user wishes to analyze results, a "logging file" or "log file" is analyzed and results are displayed in an operation 52. Statistical methods for analyzing data, and tabular and graphical methods for displaying data are well known to those skilled in the art and will not be described here. If, on the other hand, it is determined from the main menu 50 that the web site tester is to be run, an operation 52 analyzes a test configuration file, as well as an activation schedule. The operation 52 has, as an input, a real-time clock 54 which can provide a real-time date 56 and real-time hours, minutes, and seconds 58. Often, a real time clock 54 provides one long number that represents elapsed time from a given date and time, and which can then be algorithmically converted into date, hours, minutes and seconds.

If operation 52 detects that a new test configuration file is being requested via a web browser 42, a "blank form" is sent in the form of HTTP/HTML to the browser. After the blank form has been filled in by a user of the browser, the process receives the information from the browser in an operation 62. This is returned in a form of HTTP, as will be appreciated by those skilled in the art. Then, operation 64 is used to create a new test configuration file, and process control is returned to operation 52.

If, on the other hand, operation 52 determines that the user wishes to edit a test configuration file, a "Fig. Form" is sent

via HTTP/HTML to the browser in an operation 66. The edit information is received from the browser in operation 68 in the form of HTTP. An operation 70 then creates the edited test configuration file, and process control is returned to operation 52.

When operation 52 determines that it is time to execute the configuration file by analyzing the activation schedule and by comparing the activation schedule to information received from the real-time clock 54, process control is turned over to operation 72 to determine whether the execution of the configuration file is completed. If so, process control returns to operation 52. If not, then operation 74 sends HTTP to the web site and receives, in turn, HTTP/HTML from the web site that is being tested. The HTTP/HTML is analyzed and the results are stored in a log file. In addition, the analysis of operation 76 determines the nature of the next HTTP transmission to the web site in operation 74. This analysis will be described in greater detail below.

In FIGS. 3A-3E, a number of exemplary web pages are presented to describe the process of the present invention. It should be noted this is just one example of a virtually unlimited number of web pages and web page combinations which can be tested by the process of the present invention.

In FIG. 3A an illustrated web page 78 is the "home page" of Freshwater Software, Inc. Among other features, it includes a series of buttons 80 which form "links" to other web pages. In particular, a button 82 makes a link to a "search" web page.

In FIG. 3B, the search web page 84 that was accessed by the button 82 of the home web page 78 includes a number of features including a data entry field 86 and a submit button 88. As seen in this example, the data entry field 86 includes the string "John", such that instances of the word "John" on the Freshwater Software web site will be found after the submit button 88 is activated. As is well known to users of web browsers, buttons such as buttons 82 and 88 are activated with a pointer device such as the mouse 34, or by pressing the "ENTER" key on a keyboard 30.

FIG. 3C shows a results web page 90 listing all of the instances including the string "John" that is on the Freshwater site.

FIG. 3D illustrates a web page 92 for another company, Macromedia. A portion 94 of the web page 92 is a separate web page 94 as illustrated in FIG. 3E. This is an example of "framing" wherein a web page is embedded within another web page. Such "nesting" or "embedding" can occur to multiple levels, i.e. frames within frames within frames.

FIGS. 4A, 4B, 4C illustrate the web page 44 of FIG. 2 in greater detail. More particularly, these are the web pages used to create a "monitor object" which will be used to test and gather data concerning the operation of a web site under test. It should be noted that multiple monitors monitoring multiple web sites or monitoring a single web site in multiple fashions can be operating simultaneously. This is a well-known function of an object oriented programming and of a multi-tasking computer system. However, the following description will be in the context of creating a specific monitor an object which will test the functionality of the pages of FIGS. 3A-3E.

As noted in FIG. 4A, the "Add URL Transaction Monitor" refers to a number of steps. This particular web page 96 is created by activating the "SiteScope" button 96 of the button bar 98. Another button 100 labeled "Reports" can be used to generate test result reports. Therefore, it will be appreciated that the process 46 of FIG. 2B can utilize a web browser window 42 for user interface purposes.

Under step1 type, a pull down menu 102 is provided which has the entry of URL. This is because the step1 reference 104 must always be a URL to act as a starting point for the process. The URL can be the URL of a web site home page, or of any other web page. It is merely a starting point for the test. The step2 type pull down window 106 is a "link" to a button labeled "Search" as in a step2 reference 108. Step3 type is selected to be "Form" in pull down menu 110, while the entry field 112 of step3 reference is left blank. Step4 type in pull down window 114 is "URL", while the URL in field 116 is input as "http://www.freshtech.com." An update box 118 is set at every 10 minutes an optional title that would appear in the monitor table from the field 120 is left blank. A button 122 is activated if the monitor is to be created from this data.

In FIG. 4B, the web page 96 further includes a "disable" box 124 to temporarily disable the monitor sampling and alerting. Next, a step1 POST data field 126 has, as entries, "name=abc" and "address=def". The data in the POST data field 126 is used to fill in field parameters. A step1 match content field 128 includes the string "Thank you for entering your name." A step1 "error if match" field 130 includes the string "invalid entry." A step1 authorization user name 132 includes a user name Paul, and step1 password field 134 including a password "secret." Step2 POST data and step3 POST data can likewise be entered.

In FIG. 4C, the end of the step3 POST data and the step4 POST data can be seen on the remainder of page 96. Below the words "Verify Error" a different portion of the web page 96 is presented which is generic to other parts of the software of the present invention. More particularly, pull down menu 136 permits the update period of minutes, hours, days, etc. to be selected while entry field 138 indicates the number of seconds, minutes, hours, etc. The update indicates the amount of time between checks whenever the status of the monitor indicates a problem.

A pull down menu 140 indicates a schedule for the monitor to be enabled. In this instance, it is selected to every day, all day. Alternatively, it could be scheduled for Monday through Friday, evenings only, etc. Custom schedules can be created by hitting the "edit schedule" button 142.

Fields 144 and 146 are optional fields which allows a user to enter monitor and report descriptions, respectively. A field 148 permits a time out period in seconds, to wait for the entire sequence to complete. That is, if a monitor session takes more than the time out period, an error or warning will be indicated.

The present invention also permits the use of a proxy server. The fields associated with an optional proxy server are shown at 150. In the field 150A, the HTTP proxy is entered. In field 150B, the proxy server user name is entered. In field 150C, the proxy server password is used.

A pull down menu 152 is used for the list order for the monitors. As noted previously, any number of monitor objects can be created to test multiple web sites or to test the same web site in multiple ways. The "list order" indicates where on a list of monitor objects the current monitor object is to be added. In this instance, the list order is "last". Other list orders include "first", "middle", etc.

The web page 96 also includes an "Error" pull down menu 154 and a "Warning" pull down menu 156. In this instance, an error is set if the status is not equal to 200, which is a default, and a warning will occur if status is equal to -994, which is also a default. A status 200 means "good" and is associated with the status field of an HTTP request. The -994 default on the warning is an arbitrary internal coding

indicating a software problem. For example, if the software takes more than **10** seconds to respond, a status **-994** may be provided.

In FIG. 5, a form **158** is displayed to illustrate some of the concepts of the present invention. The form includes a first label **160** "name:" and a second label **162** called "address:". Associated with the labels **160** and **162** are entry fields **164** and **166**, respectively. Also associated with the form is a "submit" button **168**. The form **158** is as it may appear within a browser window. The HTML which creates the form **158** in the browser window is shown generally at **170**. The use of HTML **170** to create a form **158** in a browser window is well known to those skilled in the art.

FIG. 6 illustrates a test configuration file **172** produced by filling out the web page **96** and hitting the "Add" monitor button **122**. The test configuration file includes a number of labels or "tags" followed by an equal sign and either a parameter or a blank field. Where the field is blank, the tag is ignored and default values are used, if any.

As noted, the monitor description at **174** is an example of a five step transaction. Other tags such as frequency, time out, error frequency, etc. are filed in, while a number of tags are left blank. For example, since a proxy server is not being used, the tags for the proxy server are all left blank. The tags and parameters for step **1** are shown at **176**. The "reference type **1**" tag is associated with the parameter "URL". The tag reference **1** is associated with parameter `http://www.freshtech.com`. Steps **2**, **3**, **4**, and **5** are found at **178**, **180**, **182**, and **184**, respectively. It should be noted that the step**2** type is "blank", the step**3** type is "form", the step**4** type is "URL" and the step**5** type is "frame". Therefore, this example of a test configuration file **172** illustrates four of the main types of features which can be verified and tested by the process of the present invention.

In FIG. 7, a flow diagram of the operation **52** in FIG. 2B is shown in greater detail. The process **52** begins at **186**, and in operation **188**, it is determined whether a new or edited configuration file has been created as set forth above. If so, a "monitor object" is created from the configuration file for one time execution in an operation **190**. The creation and use of software objects are well known to those skilled in the art. Then, in an operation **192**, the monitor object is "invoked". By invoked it is meant to end that the monitor object is activated for use. In an operation **194**, it is determined whether the monitor object is scheduled to run with regards to repeat time. If it is not, process control is returned to operation **188**. If it is, it is determined in operation **196** whether the monitor object is scheduled to run by date and time. If not, process control is again returned to operation **188**. If the monitor object is scheduled to run with regards to both repeat time and by date and by time, then the monitor is "run" in an operation **198**. By "run" it is meant that the monitor object is caused to perform the process of the present invention to test a web site.

In FIG. 8, a flow diagram illustrates the process **74** of FIG. 2B in greater detail. The process **74** begins at **200**, and in an operation **202**, the "next step" and cookie is retrieved. The next step is the next test step as described above. The "cookie" is a data file received from the web site being tested that includes information concerning user preferences, user history, etc. An operation **204** determines whether the next step is a null and if so, the process is completed at **206**. If there is a next step, operation **208** determines the step type, as described below.

If operation **208** determines that the next step type is "URL" a step **210** sends an HTTP request for the URL and

the cookie associated with that URL. Process control is then turned over to an operation **211** which takes measures based on the HTTP request and response, analyzes received HTML for expected content and errors using methods such as matching against string valves, regular expressions, and calculated valves and stores them in a database. Error analysis and matching methods are well known to those skilled in the art. Process control then returns to operation **202**.

If operation **208** determines that the step type is a "link", an operation **212** searches the current HTML for a "link" tag having the specified content. In operation **214** determines whether the appropriate "link" has been found and, if not, an error message **216** is generated the process aborts at **218**. If the link is found by the operation **214**, an operation **220** sends an HTTP request for the URL and the cookie and process control reverts to operation **211**.

If operation **208** determines that the step type is "form", an operation **222** searches the current HTML for a "submit" button with the specified content. An operation **224** determines whether the appropriate "submit" button has been found, and if not, operation **228** determines that there is an error and the process **76** aborts at **229**. If the appropriate submit button is found by operation **224**, an operation **230** finds all fields on the form with the submit button and determines or calculates the default values for this field. An operation **232** then takes the supplied post data and overlays the default values such that all appropriate fields have been filled. An operation **234** then sends an HTTP request "post" plus the cookie and process control returns to **211**.

If operation **208** determines that the step type "frame" an operation **236** searches the current HTML for a "frame" tag. An operation **238** determines whether the appropriate frame tag has been found. If not, an operation **240** indicates an error and the process **76** aborts at **241**. If the appropriate frame tag has been found by operation **238**, an operation **242** sends an HTTP request for the URL and the cookie. Process control then returns to operation **211**.

In FIG. 8A, the operation **230** of FIG. 8 is described in greater detail. The process **230** begins at **243** and, in an operation **244**, all form input elements are determined. If a form input element is not recognized, then the process is complete at **260**. If operation **244** finds a radio button input element, operation **248** picks the first radio button for the value. If the operation **244** finds a check-box for the input element, an operation **250** determines whether the box is checked. If it is, an operation **252** sets the value, and if it is not an operation **254** indicates that there is no value. If an operation **244** finds a text input element, an operation **256** sets the value to the default string. If operation **244** finds pop-up menu, an operation **258** picks the default as the value. The process **230** is then complete at **260**.

In FIG. 8B, the process **232** of FIG. 8 is illustrated in greater detail. The process **232** begins at **262** and, in an operation **264**, values from operation **230** (see FIG. 8) are written into the name tags. For example, name1 is set to an arbitrary or default value1, name2 is set to an arbitrary or default value2, etc. Next, in an operation **266**, the "post data" entered by the user is used to override the appropriate name tags. In this instance, the name tag "name 2" is set to the data "Paul". The final, merged data is illustrated at **268** and the process is completed at **270**.

In FIG. 9, the process **76** of FIG. 2B is illustrated in greater detail. The process **76** begins at **272**, and in an operation **274**, it is determined whether there are any aborts that occurred within the process **74**. If there were, an

operation 276 displays and logs a an error message. If there were not any aborts, then the process 74 terminated normally in an operation 278, and the process displays and logs the URL and the size of each web page and the time it took to download into a log file. An operation 280 displays and logs the total time for the download in an operation 280. In an operation 281 it is determined whether there are any alerts. If there were, an operation 282 activates a process. The process would commonly notify a person using a mechanism such as e-mail or pager or cause a user-specified process to start. The process is then complete at 283.

While this invention has been described in terms of several preferred embodiments, it is contemplated that alternatives, modifications, permutations and equivalents thereof will become apparent to those skilled in the art upon a reading of the specification and study of the drawings. It is therefore intended that the following appended claims include all such alternatives, modifications, permutations and equivalents as fall within the true spirit and scope of the present invention.

What is claimed is:

1. A method for testing a web site comprising:
 - formulating a test configuration file comprising a series of test inquiries for a web site to be tested;
 - initiating an HTTP communication to form a connection with said web site; and
 - repetitively communicating with said web site by:
 - receiving HTML from said web site;
 - analyzing said HTML for errors and storing results in a database; and
 - formulating a new HTTP communication based upon said received HTML and said test configuration file.
2. A method for testing a web site as recited in claim 1 wherein said method is implemented as a computer implemented process.
3. A method for testing a web site as recited in claim 2 wherein said computer implemented process is capable of direct HTTP and HTML communication with said web site.
4. A method for testing a web site as recited in claim 3 wherein said direct HTTP and HTML communication is over a TCP/IP protocol network.
5. A method for testing a web site as recited in claim 1 wherein said operation of formulating a test configuration file comprises:
 - sending HTML comprising a blank testing form to a web browser;
 - receiving HTTP from said web browser as a submission from said HTML testing form; and
 - developing said test configuration file from said HTTP from said web browser.
6. A method for testing a web site as recited in claim 5 wherein said operation of formulating a test configuration file further comprises:
 - developing a filled testing form from an existing test configuration file;
 - sending HTML comprising said filled testing form to a web browser;
 - receiving HTTP from said web browser as a submission from said HTML testing form; and
 - updating said test configuration file from said HTTP from said web browser.
7. A method for testing a web site as recited in claim 1 wherein said test configuration file provides a plurality of tests selected from the group comprising a URL, a link, a form button, and a frame.

8. A method for testing a web site as recited in claim 7 wherein said test configuration file includes comparison data used to compare HTML received from said web server with a predetermined criteria.

9. A method for testing a web site as recited in claim 1 further comprising analyzing said database and providing a display of the results of said web site testing.

10. A method for testing a web site as recited in claim 1 further comprising analyzing said database and sending alerts of the results of said web site testing.

11. A method for testing a web site as recited in claim 1 wherein said test configuration file comprises an automatic scheduling for testing said web site.

12. A method for testing a web site as recited in claim 1 wherein said automatic scheduling includes scheduling window information, and test repetition information.

13. A method for testing a web site as recited in claim 1 further comprising:

- creating a monitor object from said test configuration file;
- and

- repetitively testing said web site by

- evoking said monitor object;

- determining whether said monitor object is scheduled to be run; and

- running said monitor object when it is scheduled to be run to initiate said HTTP communication to form a connection with said web site and by repetitively communicating with said web site.

14. A computer readable media including the program instructions and data for implementing the method of claim 1.

15. An apparatus for testing a web site comprising:

- a computer having memory and a processor;

- a monitor object residing at least partially in said memory and executed by said processor, said monitor object including

- means for initiating an HTTP communication to form a connection with a web site; and

- means for repetitively communicating with said web site by

- receiving HTML from said web server;

- analyzing said HTML for errors and storing results in a database; and

- formulating a new HTTP communication based upon said received HTML.

16. An apparatus for testing a web site as recited in claim 15 further comprising:

- a scheduler operative to

- invoke said monitor object;

- determine whether said monitor object is scheduled to be run; and

- running said monitor object when it is scheduled to be run to initiate said HTTP communication to form a connection with said web site and by repetitively communicating with said web site.

17. An apparatus for testing a web site as recited in claim 16 further comprising: means for creating said monitor object from a test configuration file.

18. An apparatus for testing a web site as recited in claim 17 further comprising: means for creating said test configuration file by communication with a web browser.

19. A system for testing a web site comprising:

- a TCP/IP protocol network;

- a web server connected to said TCP/IP protocol network and hosting a web site;

11

a testing computer connected to said TCP/IP protocol network, said testing computer having memory and a processor, said testing computer being operative to formulate a test configuration file stored in said memory comprising a series of test inquiries for a web site to be tested, to initiate an HTTP communication to form a connection with said web site, and to repetitively communicate with said web site by receiving HTML from said web site; analyzing said HTML for errors and storing results in a database; and formulating a new HTTP communication based upon said received HTML and said test configuration file.

20. A system for testing a web site as recited in claim **19** wherein said testing computer includes a monitor object residing at least partially in said memory and executed by said processor.

21. A system for testing a web site as recited in claim **20** wherein said testing computer includes a scheduler operative to invoke said monitor object, determine whether said monitor object is scheduled to be run; and running said monitor object when it is scheduled to be run to initiate said HTTP communication to form a connection with said web site and by repetitively communicating with said web site.

22. An apparatus for testing a web site comprising:

computer means including

means for formulating a test configuration file comprising a series of test inquiries for a web site to be tested;

means for initiating an HTTP communication to form a connection with said web site; and

means for repetitively communicating with said web site by:

12

receiving HTML from said web site;

analyzing said HTML for errors and storing results in a database; and

formulating a new HTTP communication based upon said received HTML and said test configuration file; and

connecting means for connecting said computer means to a TCP/IP network through which said web site can be accessed.

23. An apparatus for testing a web site as recited in claim **22** wherein said means for formulating a test configuration file comprises:

means for sending HTML comprising a blank testing form to a web browser;

means for receiving HTTP from said web browser as a submission from said HTML testing form; and

means for developing said test configuration file from said HTTP from said web browser.

24. An apparatus for testing a web site as recited in claim **23** wherein said means for formulating a test configuration file further comprises:

means for developing a filled testing form from an existing test configuration file;

means for sending HTML comprising said filled testing form to a web browser;

means for receiving HTTP from said web browser as a submission from said HTML testing form; and

means for updating said test configuration file from said HTTP from said web browser.

* * * * *