



US006165068A

# United States Patent [19]

[11] Patent Number: **6,165,068**

Sonoda et al.

[45] Date of Patent: **Dec. 26, 2000**

[54] **CONNECTION-FIGHTING TYPE GAME MACHINE AND CONNECTION-FIGHTING TYPE GAME METHODS**

5,797,794	8/1998	Angell	463/18
5,885,156	3/1999	Toyohara et al.	463/1
5,890,964	4/1999	Aoki et al.	463/44
5,971,855	10/1999	Ng	463/42

[75] Inventors: **Fumiaki Sonoda; Masanori Mizunuma**, both of Tokyo, Japan

### OTHER PUBLICATIONS

[73] Assignee: **Tomy Company, Ltd.**, Tokyo, Japan

Game connect, displayed in Tiger Electronics 1998 catalog, pp. 39, 41, 114, 1998.

[21] Appl. No.: **09/007,656**

*Primary Examiner*—Lee Young

[22] Filed: **Jan. 15, 1998**

*Assistant Examiner*—Minh Trinh

### [30] Foreign Application Priority Data

*Attorney, Agent, or Firm*—Nixon & Vanderhye P.C.

Jan. 22, 1997 [JP] Japan ..... 9-009745

[51] **Int. Cl.**<sup>7</sup> ..... **F16C 1/24**

### [57] ABSTRACT

[52] **U.S. Cl.** ..... **463/8; 463/40; 463/42**

A connection-fighting type game machine and a connection-fighting type game method enable game character progression in an independent use state, or in a connected-fighting use state. The connection-fighting type liquid crystal game machine can be used independently, thereby causing a built-in character to grow according to input information from an operation input section that stores growth degree information of the grown character. The game machine may also be connected to another game machine of the same kind. An outcome processing section reads out the growth degree information of the characters stored in the respective game machines, and then causes them to fight in a predetermined fighting manner. A growth degree changing processing section improves the growth degree of the character that has gained a victory, performs a growth degree changing processing by leaving as it is or lowering the growth degree of the character that has suffered a defeat. The growth degree information of the characters for the respective machines is stored in respective storing sections.



[58] **Field of Search** ..... 463/8, 44, 45, 463/46, 40, 42

### [56] References Cited


#### U.S. PATENT DOCUMENTS

4,344,622	8/1982	Nissim	273/85
4,366,960	1/1983	Bromley et al.	273/85
4,858,930	8/1989	Sato	273/85 G
4,948,126	8/1990	Drummond	273/1 GC
4,964,638	10/1990	Ishida	273/138
5,137,277	8/1992	Kitaue	273/85 G
5,184,830	2/1993	Okada et al.	273/433
5,249,800	10/1993	Hilgendorf	273/138
5,396,225	3/1995	Okada et al.	340/825.21
5,428,528	6/1995	Takenouchi et al.	364/410
5,434,742	7/1995	Saito et al.	361/321.5
5,618,045	4/1997	Kagan et al.	463/40

16 Claims, 10 Drawing Sheets



**FIG. 1**



**FIG. 2**




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7







**FIG. 8**




**FIG. 9A**



**FIG. 9B**



**FIG. 10**



## CONNECTION-FIGHTING TYPE GAME MACHINE AND CONNECTION-FIGHTING TYPE GAME METHODS

### BACKGROUND OF THE INVENTION

#### 1. Field of the Invention

The present invention relates to a connection-fighting type game machine with a display such as a liquid crystal display or the like, which is subjected to independent use or to connected use with an opponent machine, and a corresponding connection-fighting type game method.

#### 2. Description of Related Art

Recently, portable game machines each having a display such as a liquid crystal display (LCD) or the like are now widespread. Game machines of this type include various games such as of shooting games, role playing games, and so on. Most of the above conventional game machines are supposed to be subjected to independent use, that is, played by only one player.

There is known a game machine for two persons' use in which two players operate their operation input sections, respectively, to cause their own characters to fight against each other on the same screen; causing the outcome to be decided, increasing the level of the character which has gained a victory, and decreasing the level which has suffered a defeat.

The independent use type game machine with a display progresses the game with the built-in game contents of the game machine restricted, which causes the progressing manner of the game to be monotonous.

On the other hand, in the conventional fighting type game machine, two players operate their operation input sections, respectively, to cause their own characters to fight against each other on the same screen, thereby resulting in innumerable change of the progressing manner of the game. However, this game machine unexpectedly depends on the operation technique of the operation input section by the player, thereby making the game machine uninteresting for the player having a poor operation technique.

### SUMMARY OF THE INVENTION

The invention has been made in view of the above problems. It is an object of the invention to provide a connection-fighting type game machine with a display and a connection-fighting type game method which provide a varying progress of the game, and provide added amusement.

In accordance with one aspect of the invention, the connection-fighting type game machine which is subjected to independent use, or to connected use with an opponent machine includes a growth processing section for letting a built-in character gain imaginary experience by an interactive operation of the player through an operation input section in the case of independent use. A storing section stores growth degree information of the characters grown by the growth processing section, and a connection terminal enables the direct connection with the opponent machine. An outcome processing section reads out the growth degree information of the character stored in the storing section reads out the growth degree information of the character stored in the storing section of the opponent machine, and causes the user's character and the character for the opponent machine to fight against each other according to a predetermined fighting manner based on the growth degree information of the user's character and the growth degree

information of the opponent's character to determine the outcome, in the case of the connected use with the opponent machine.

The game machine also includes a growth degree changing processing section for performing a growth degree changing processing of changing it least one of the growth degree of the character which has been judged to gain a victory and the growth degree of the character which has been judged to suffer a defeat, storing the growth degree information of the user's character obtained after the growth degree changing processing in the user's storing section, and storing the growth degree information of the opponent's character obtained after the growth degree changing processing in the opponent's storing section. A display section displays a growth progress of the user's character according to an instruction from the user's growth processing section and displays a fighting result according to an instruction from the growth degree changing processing section. Finally, a control section judges the connection state with the opponent machine, activates the growth processing section, inactivates the outcome processing section and the growth degree processing section of the user's machine when judging that the machines are in the non-connection state, and inactivates the growth processing section and deciding the priority of performing the fight processing with the opponent machine when judging that the machines are in the connection state. The control section also activates the fight processing section and the growth degree changing processing section when the user's machine is high in the priority of performing fight processing.

The growth degree information may include a level value corresponding to a total amount of the imaginary experience, and an attribute value which are determined according to experience amounts by the kinds of the imaginary experiences.

The control section may determine, if receiving a fight processing requirement from the operation input section of the user's machine when not receiving a fight processing reserving requirement information from the opponent machine in the connection state with the opponent machine, that the user's machine is high in the priority of executing fight processing, then informs a fight processing reserving requirement information to the opponent machine, to thereby activate the outcome processing section and the growth degree changing processing section of the user's machine.

The growth degree changing processing section may be adapted to decrease the growth degree of the character for the user's machine when there is no input from the operation input section during a predetermined time in the case of the independent use.

In accordance with another aspect of the invention, the connection-fighting type game method which is subjected to independent use, or to connected use with an opponent machine, includes a first step of letting a built-in character gain imaginary experience by an interactive operation of a player through an operation input section in the case of independent use; a second step of storing a growth degree information of the grown character; and a third step of performing the connection with the opponent machine. In a fourth step, a priority of executing a fight processing with the opponent machine is decided, and an outcome processing section and a growth degree changing processing section of the user's machine are activated when the user's machine is high in the priority of executing fight processing.

The method also includes a fifth step of reading out a growth degree information of the character for the user's

machine stored in the storing section of the user's machine, reading out the growth degree information of the character stored in the storing section of the opponent machine, and causing the character for the user's machine and the character for the opponent machine to fight against each other according to a predetermined fighting manner based on the growth degree information of the character for the user's machine and the growth degree information of the character for the opponent machine to thereby determine the outcome.

Finally, in a sixth step, a growth degree changing processing of changing at least one of the growth degree of the character which has been judged to gain a victory and the growth degree of the character which has been judged to suffer a defeat is performed, along with storing the growth degree information of the character for the user's machine obtained after the growth degree changing processing in the user's machine, and storing the growth degree information of the character for the opponent machine obtained after the growth degree changing processing in the opponent machine.

According to such a connection-fighting type game machine with a display or such a connection-fighting type game method, a player can enjoy the conventional role playing game in the case of independent use, and then can fight with the character having the growth degree which is not known by itself in connected use with the opponent machine. Moreover, in this case, the outcome can be determined irrespective of the skill of the operation technique for the operation input section, so that all plays can enjoy the game.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become more fully understood from the detailed description given hereinbelow and the accompanying drawings which are given by way of illustration only, and thus are not intended as a definition of the limits of the present invention, and wherein:

FIG. 1 is a perspective view of a connection-fighting type liquid crystal game machine according to an embodiment of the invention;

FIG. 2 is a functional block diagram of the connection-fighting liquid type crystal game machine according to the embodiment of the invention;

FIG. 3 is an explanatory view of a case in which the connection-fighting type liquid crystal game machine according to the embodiment is in a state of independent use;

FIG. 4 is an explanatory view of a case in which the fight arbitration is processed when the connection-fighting type liquid crystal game machine according to the embodiment is in a connected state;

FIG. 5 is an explanatory view of a case in which the outcome is processed when the connection-fighting type liquid crystal game machine according to the embodiment is in a connected state;

FIG. 6 is an explanatory view of a case in which the growth degree changing is processed when the connection-fighting type liquid crystal game machine according to the embodiment is in a connected state;

FIG. 7 is an explanatory view of a case in which the fight processing is processed with the opponent machine taking the initiative;

FIG. 8 is a general arrangement of a connection-fighting type liquid crystal game machine according to a first variant example of the embodiment of the invention;

FIG. 9A is a perspective view of an embodiment of the plug, and

FIG. 9B is a perspective view of another embodiment of the plug; and

FIG. 10 is a general arrangement of a connection-fighting type liquid crystal game machine according to a second variant example of the embodiment of the invention.

#### PREFERRED EMBODIMENT OF THE INVENTION

A connection-fighting type game machine with a display and a connection-fighting type game method, according to embodiments of the present invention will now be described with reference to the appended drawings. Incidentally, in explaining the drawings, the same elements and parts are designated by the same reference numerals, and therefore the descriptions thereof to be repeated are omitted.

FIG. 1 is an exterior view of a connection-fighting type game machine having a liquid crystal display, according to an embodiment of the invention. In FIG. 1, two game machines **11a** and **11b** are represented as viewed from the different directions in order to clarify a connecting manner of the game machine according to the embodiment of the invention. The game machine **11a** and the game machine **11b** are quite identical in construction with each other. The construction of the game machine **11a** will now be described. Elements and parts of the game machine **11b**, corresponding to those of the game machine **11a**, each has a reference numeral with the suffix *b* instead of the suffix *a*, the description of which is therefore omitted.

As shown in FIG. 1, the game machine **11a** according to the present embodiment comprises (a) an operation input section **20a** having keys **21a**, **22a** and **23a** by which a player inputs information, (b) a liquid crystal display section **30a** for displaying the growth processing of the character for the user's machine and the fighting progress with the character for the opponent machine, and the outcome of the fight, and (c) a connection section **41a** having a plug **42a** and a receiving port **43a** for the purpose of direct connection with the opponent machine. The operation input section **20a**, the liquid crystal display section **30a**, and the connection section **41a** are connected to a built-in processing section **50a**.

The connection section **41a** includes the plug **42a** and the receiving port **43a**. At the time of connection, the plug **42a** is connected to the receiving port **43b**, and the plug **42b** is connected to the receiving port **43a**.

FIG. 2 is a functional block diagram of the game machine **11a**. As shown in FIG. 2, the processing section **50a** comprises (a) a growth processing section **51a** for letting a built-in character gain imaginary experience by an interactive operation of the player through an operation input section **20a** in the case of independent use, (b) a storing section **52a** for storing growth degree information of the characters grown by the growth processing section **51a**, (c) a fight processing section **59a** for performing a fight processing in the case of connected use with the opponent machine **11b**, (d) a control processing section **55a** for receiving a connection state signal CN to judge the connection state with the opponent machine **11b**, making a growth activating signal GA significant to activate the growth processing section **51a** and making a fight activating signal FA insignificant to inactivate the fight processing section **59a** when judging that the machines are in the non-connection state, making the growth activating signal GA insignificant to inactivate the growth processing section **51a** and determining the priority of performing the fight processing with the opponent machine **11b** when judging that the machines are in the connection state, and making the

fight activating signal FA insignificant to activate the fight processing section 59a when the user's machine 11a is high in the priority of performing fight processing.

The fight processing section 59a comprises (i) an outcome processing section 53a for reading out the growth degree information of the character for the user's machine 11a stored in the storing section 52a of the user's machine 11a, reading out the growth degree information of the character for the opponent machine 11b stored in the storing section 52b of the opponent machine 11b, and causing the character of the user's machine 11a and the character of the opponent machine 11b to fight against each other according to a predetermined fighting manner based on the growth degree information of the character for the user's machine 11a and the growth degree information of the character for the opponent machine 11b to determine the outcome, (ii) a growth degree changing processing section 54a for performing a growth degree changing processing of improving the growth degree of the character which has been judged to gain a victory relative to the growth degree of the character which has been judged to suffer a defeat, storing the growth degree information of the character for the user's machine 11a obtained after the growth degree changing processing in the storing section 52a of the user's machine 11a, and storing the growth degree information of the character for the opponent machine 11b obtained after the growth degree changing processing in the storing section 52b of the opponent machine 11b.

It is preferred that the storing section 52a is provided with a combination of electrically erasable/programmable read only memories (EEPROM) and static random access memories (SRAM), and a back-up battery.

A growth operation information GOP out of the input information from the operation input section 20a is input to the growth processing section 51a, and a fight processing requirement signal FRQ is input to the control processing section 55a. The growth degree information is then input to the growth processing section 51a from the storing section 52a.

Display information is input to the liquid crystal display output section 30a from the growth processing section 51a or the fight processing section 59a.

The growth degree information is input to the storing section 52a from the opponent machine 11b via the growth processing section 51a, the growth degree changing processing section 54a or the connecting section 41a.

The growth degree information is input to the outcome processing section 53a from the opponent machine 11b via the storing section 52a or the connection section 41a.

The fight processing reserving information is input to the control processing section 55a from the opponent machine 11b via the connection section 41a.

The growth degree changing information from the storing section 52a or the growth degree changing processing section 54a, or the fight processing reserving requirement information from the control processing section 55a is input to the connection section 41a, then informed to the opponent machine 11b.

The game machines 11a and 11b according to the present embodiment execute a connection-fighting type game method according to the embodiment of the invention in the following manner.

First, the game machine 11a and the game machine 11b are used individually. The mode in which the game machine 11a is independently used will be described hereinbelow.

FIG. 3 is an explanatory view of a case in which the game machine is in a state of independent use.

When the game machine 11a is independently used, the opponent machine 11b is not connected to the game machine 11a, so that the connection instructing signal CN is insignificant (illustrated by a dotted line). Since the connection instructing signal CN is insignificant, the control processing section 55a determines that the machine is in the non-connection state, makes the growth activating signal GA significant (illustrated by the solid line) to activate the growth processing section 51a and makes the fight activating signal FA insignificant to inactivate the fight processing section 59a. In this way, the operating mode is set to the growth mode of growing the built-in character.

Next, when the operating mode is in the growth mode, the player inputs growth operating information GOP to thereby grow the character by operating the operation input section 20a in an interactive manner while watching the liquid crystal display output section 30a. The growth processing is displayed on the liquid crystal display output section 30a to which is input a growth processing information GIG output from the growth processing section 51a.

The operation (growth operation) of growing the character is suitably selected from various operations including, e.g., (i) giving the character something to eat (recovering a life value), (ii) letting the character play (letting the character gain experience), (iii) giving an injection or feeding herb when falling ill or injured (removing growth inhibiting factors, such as life value decreasing factors), (iv) training the character letting the character gain experience), and (v) causing the character to fight against the opponent (letting the character gain experience).

The player operates the operation input section 20a at its own discretion to store the growth degree information WSGF1 of the grown-up character into the storing section 52a.

Then, the growth degree information can include only a level value corresponding to a total amount of experience which the character has obtained according to its growth, and can include an attribute value which is determined according to the experience values by the kinds of the experiences.

When further growing the character which has been stored in the storing section 20a, the player first operates the operation input section 20a to thereby read out growth information RSGF of the character from the storing section 20a, which is transmitted to the growth processing section 51a. Subsequently, the player executes the growth operation again starting from the result read out by the preceding operations, to thereby further grow the character. The player then operates the operation input section 20a based on its discretion to thereby store growth degree information WSGFI of the character, which has been accumulatively grown, in the storing section 20a.

Next, the machine 11a is connected to the opponent machine 11b through the connection section 41a. FIG. 4 is an explanatory view of a case in which the fight arbitration is processed. The connection to the opponent machine 11b makes the connection state signal CN significant; therefore the control processing section 55a is determined to be in the connection state, which makes the growth activating signal GA and the fight activating signal FA insignificant to thereby causes the growth processing section 51a and the fight processing section 59a to be inactivated. At the same time, the control processing section 55b of the opponent machine 11b is determined to be in the connection state, which causes

the growth processing section **51b** and the fight processing section **59b** to be inactivated.

After that, the control processing section **55a** determines the priority of executing fight processing in association with the control processing section **55b** of the opponent machine **11b**.

In this process, the control processing section **55a** determines, if receiving the control fight processing requirement FRQ from the operation input section **20** when not receiving a fight processing reserving requirement information FPDI from the opponent machine **11b** in the connection state with the opponent machine **11b**, that the user's machine **11a** is high in the priority of executing fight processing, then the control processing section **55a** informs a fight processing reserving requirement information FPDO to the opponent machine **11b**, then makes the fight activating signal FA significant to thereby activate the fight processing section **59a**.

In the activated fight processing section **59a**, the outcome processing section **53a** first executes the outcome processing. FIG. **5** is an explanatory view of a case in which the outcome is processed.

In executing the outcome processing, the outcome processing section **53a** reads out the growth degree information RSGF of the character for the user's machine stored in the storing section **52a**, and reads out growth degree information REGFb of the character stored in the storing section **52b** through the connection section **41a**, and causes the character of the user's machine **11a** and the character for the opponent machine **11b** to fight against each other according to a predetermined fighting manner, based on the growth degree information of the character for the user's machine **11a** and the growth degree information of the character for the opponent machine **11b**, and then determines the outcome.

As the predetermined fighting manner, a simple electronic roulette manner or a simple electronic dice manner can be employed where the growth degree information comprises, e.g., only a level value, set according to the level values of both game machines. A more complicated electronic roulette manner or a more complicated electronic dice manner can be employed where the growth degree information comprises, e.g., a level value and an attribute value, set according to the level values and the attribute values of both game machines.

The outcome processing section **53a** displays fighting progress information and outcome information FIG **1** as the fighting result.

When the outcome of the fight is decided, the growth degree changing processing section **54a** executes the growth degree changing processing. FIG. **6** is an explanatory view of a case in which the growth degree changing is processed.

In the growth degree changing processing, the growth degree changing processing section **54a** generates the growth degree information obtained by the fight processing section **53a** improving the growth degree of the character which has been judged to gain a victory by the outcome processing section **53a**, and generates the growth degree information obtained by the fight processing section **53a** leaving as it is or lowering the growth degree of the character which has been judged to suffer a defeat.

For example, the character which has been judged to gain a victory gains the increased experience value, the improved level, or the increased attribute value. On the other hand, the character which has been judged to suffer a defeat gains the maintained growth degree as it is, the decreased experience value, the low, red level, or the decreased attribute value. For example, the character which has been judged to suffer a defeat takes a disease or gets a wound, or degenerates.

After that, the growth degree changing section **54a** stores growth degree information WSGF2, obtained after the change of the character for the user's machine **11a**, in the storing section **52a**, stores growth degree information WSGFb, obtained after the change of the character for the opponent machine **11b**, in the storing section **52b** through the connection section **41b**, and displays the growth degree changing information FIG. **2** on the liquid crystal display output section **30a** as the fighting result, followed by terminating the fight processing.

In the connection state, when the control processing section **55a** receives fight processing reserving requirement information FPDI through the connection section **41a** before the fight processing requirement FRQ is transmitted to the control processing section **55a** from the operation input section **20a**, the control processing section **55a** determines, even if receiving the fight processing requirement FRQ from the operation input section **20a** thereafter, that the user's machine is high in priority executing the fight processing, to thereby ignore the fight processing requirement FRO transmitted from the operation input section **20a**. That is, the fight processing is executed with the opponent machine **11b** taking the initiative, with the fight processing section **59a** inactivated. FIG. **7** is an explanatory view of a case in which the fight processing is executed with the opponent machine **11b** taking the initiative.

As shown in FIG. **7**, the user's machine **11a** does not actively execute the fight processing at all, outputs a character growth degree information REGFa of the user's machine **11a** stored in the storing section **52a** through the connection portion **41a** according to the requirement from the opponent machine **11b**, and stores character growth degree information WEGFa of the user's machine **11a**, which has been changed after the fight and then transmitted from the opponent machine **11b** through the connection section **41a**, according to the instruction of the opponent machine **11b**.

After that, both machines are separated from each other, causing the connection state to be changed to the non-connection state, which causes the machine to be again in the independent use state. In this manner, the player's growth operation grows the character until the next fight.

As described above, the game machine can be played as is the case with the conventional role playing game in the case of independent use, and can fight with the character having the unknown growth degree in the case of connected use.

Moreover, so long as the meal, the training and the like are neglected during a predetermined time even if the outcome processing is executed, the machine might as well suffer a defeat, thereby decreasing the experience value, lowering the level, or decreasing the attribute value.

The invention is not limited to the above-mentioned embodiment. For example, although, in the above embodiment, the plug **42** is shaped in a cylinder with the receiving port **43** complementary thereto, the game machine **12** is made in such a manner that the plug **45** may be shaped in a rectangular parallelepiped with the receiving port **46** complementary thereto, as shown in FIG. **8**. Moreover, a rubber contact can be employed in which the energizing rubber **61** and an insulation rubber **62** are, laminated in a sandwich manner as shown in FIG. **9A**, or a metal contact comprising a metal **63** as shown in FIG. **9B**. The same contact can be employed for the plug **42**. Further, as shown in FIG. **10**, a convex section and a concave section are disposed on the main body around the connection section **41**, thereby causing the game machines **13** to be physically fixed.

As described in detail above, according to the connection-fighting type game machine with a display and the connection-fighting type game method of the invention, the player can enjoy one-player-gaming while growing the character for the user's machine as is the case with the conventional role playing game in the case of independent use, and then can enjoy two-player-gaming causing the character grown by itself and the character grown by the opponent to fight against each other.

What is claimed is:

1. A connection-fighting type game machine which can be used independently or can be connected to an opponent machine, the game machine comprising:

- a growth processing section for letting a built-in character gain imaginary experience by an interactive operation of the player through an operation input section during independent use;
- a storing section for storing growth degree information of the character grown by the growth processing section;
- a connection terminal for performing a direct connection with the opponent machine;
- an outcome processing section for reading out the growth degree information of the character for a user's machine stored in the storing section of the user's machine, reading out growth degree information of the character stored in the storing section of the opponent machine, and causing the character for the user's machine and the character for the opponent machine to fight against each other according to a predetermined fighting manner based on the growth degree information of the character for the user's machine and the growth degree information of the character for the opponent machine to determine the outcome, during connected use with the opponent machine;
- a growth degree changing processing section for performing a growth degree changing processing of changing at least one of the growth degree of the character which has been judged to gain a victory and the growth degree of the character which has been judged to suffer a defeat, storing the growth degree information of the character for the user's machine obtained after the growth degree changing processing in the storing section of the user's machine, and storing the growth degree information of the character for the opponent machine obtained after the growth degree changing processing in the storing section of the opponent machine;
- a display section for displaying a growth progress of the character for the user's machine according to an instruction from the growth processing section of the user's machine and displaying a fighting result according to an instruction from the growth degree changing processing section; and
- a control section for judging a connection state with the opponent machine, activating the growth processing section, inactivating the outcome processing section and the growth degree processing section of the user's machine when judging that the machines are in a non-connection state, and inactivating the growth processing section and deciding a priority of performing fight processing with the opponent machine when judging that the machines are in the connection state, and activating the fight processing section and the growth degree changing processing section when the user's machine is higher in the priority of performing fight processing.

2. The connection-fighting type game machine as claimed in claim 1, wherein the growth degree information includes a level value corresponding to a total amount of the imaginary experience, and an attribute value which are determined according to experience amounts by the kinds of imaginary experiences.

3. The connection-fighting type game machine as claimed in claim 1, wherein the control section determines, if receiving a fight processing requirement from the operation input section of the user's machine when not receiving a fight processing reserving requirement information from the opponent machine in the connection state with the opponent machine, that the user's machine is higher in the priority of executing fight processing, then informs a fight processing reserving requirement information to the opponent machine, to thereby activate the outcome processing section and the growth degree changing processing section of the user's machine.

4. The connection-fighting type game machine as claimed in claim 2, wherein the control section determines, if receiving a fight processing requirement from the operation input section of the user's machine when not receiving a fight processing reserving requirement information from the opponent machine in the connection state with the opponent machine, that the user's machine is higher in the priority of executing fight processing, then informs a fight processing reserving requirement information to the opponent machine, to thereby activate the outcome processing section and the growth degree changing processing section of the user's machine.

5. The connection-fighting type game machine as claimed in claim 1, wherein the growth degree changing processing section is adapted to decrease the growth degree of the character for the user's machine when there is no input from the operation input section during a predetermined time in the case of the independent use.

6. The connection-fighting type game machine as claimed in claim 2, wherein the growth degree changing processing section is adapted to decrease the growth degree of the character for the user's machine when there is no input from the operation input section during a predetermined time in the case of the independent use.

7. A connection-fighting type game machine which can be used independently or can be connected to an opponent machine, the game machine comprising:

- a growth processing means for letting a built-in character gain imaginary experience by an interactive operation of the player through an operation input section during independent use;
- a storing means for storing growth degree information of the character grown by the growth processing means;
- a connection terminal for performing a direct connection with the opponent machine;
- an outcome processing means for reading out the growth degree information of the character for a user's machine stored in the storing means of the user's machine, reading out growth degree information of the character stored in the storing means of the opponent machine, and causing the character for the user's machine and the character for the opponent machine to fight against each other according to a predetermined fighting manner based on the growth degree information of the character for the user's machine and the growth degree information of the character for the opponent machine to determine the outcome, during connected use with the opponent machine;
- a growth degree changing processing means for performing a growth degree changing processing of changing at



least one of the growth degree of the character which has been judged to gain a victory and the growth degree of the character which has been judged to suffer a defeat, storing the growth degree information of the character for the user's machine obtained after the growth degree changing processing in the storing means of the user's machine, and storing the growth degree information of the character for the opponent machine obtained after the growth degree changing processing in the storing means of the opponent machine;

- a liquid crystal display output section for displaying a growth progress of the character for the user's machine according to an instruction from the growth processing means of the user's machine and displaying and fighting result according to an instruction from the growth degree changing processing means; and
- a control means for judging a connection state with the opponent machine, activating the growth processing means, inactivating the outcome processing means and the growth degree processing means of the user's machine when judging that the machines are in a non-connection state, and inactivating the growth processing means and deciding a priority of performing fight processing with the opponent machine when judging that the machines are in the connection state, and activating the fight processing means and the growth degree changing processing means when the user's machine is higher in the priority of performing fight processing.

8. A connection-fighting type game method which can be used independently or can be connected to an opponent machine, the game method comprising:

letting a built-in character gain imaginary experience by an interactive operation of a player through an operation input section of a user's machine during independent use;

storing growth degree information of the grown character; performing a connection with the opponent machine;

deciding a priority of executing fight processing with the opponent machine, and activating an outcome processing section and a growth degree changing processing section of the user's machine when the user's machine is higher in the priority of executing fight processing;

reading out the growth degree information of the character for the user's machine stored in the storing section of the user's machine, reading out growth degree information of the character stored in the storing section of the opponent machine, and causing the character for the user's machine and the character for the opponent machine to fight against each other according to a predetermined fighting manner based on the growth degree information of the character for the user's machine and the growth degree information of the character for the opponent machine to thereby determine an outcome; and

performing a growth degree changing processing of changing at least one of the growth degree of the character which has been judged to gain a victory and the growth degree of the character which has been judged to suffer a defeat, storing the growth degree information of the character for the user's machine obtained after the growth degree changing processing in the user's machine, and storing the growth degree information of the character for the opponent machine obtained after the growth degree changing processing in the opponent machine.

9. The connection-fighting type game machine as claimed in claim 1, wherein the connection terminal comprises a plug and a receiving port, the plug of the user's machine is directly fitted in a receiving port of the opponent machine and a plug of the opponent machine is fitted in the receiving port of the user's machine.

10. The connection-fighting type game machine as claimed in claim 1, wherein the connection terminal is directly joined to a connection terminal of the opponent machine without a cable.

11. A connection-fighting type game machine which is used by being connected with an opponent machine or which is used independently, the game machine comprising:

a growth processing section for letting a built-in character gain imaginary experience by an interactive operation of a user through an operation input section during independent use;

a storing section for storing growth degree information of the character grown by the growth processing section;

a connection terminal for performing a direct connection with the opponent machine;

an outcome processing section for making the character for the user's machine fight against a character for the opponent machine according to a predetermined fighting manner, on the basis of the growth degree information of the character for the user's machine and growth degree information of the character for the opponent machine to judge an outcome of victory or defeat of the fighting, during connected use with the opponent machine;

a growth degree changing processing section for performing a growth degree changing processing for changing the growth degree of the character for the user's machine according to the outcome of victory or defeat of the fighting which has been judged by the outcome processing section, and for storing the growth degree information obtained after the growth degree changing processing, of the character for the user's machine, into the storing section of the user's machine; and

a display output section for displaying a growth progress of the character for the user's machine according to an instruction from the growth processing section of the user's machine and displaying a fighting result according to an instruction from the growth degree changing processing section.

12. The connection-fighting type game machine as claimed in claim 11, wherein the growth degree changing processing section is adapted to decrease the growth degree of the character for the user's machine when there is no input from the operation input section during the independent use.

13. A connection-fighting type game machine which is used by being connected with an opponent machine or which is used independently, the game machine comprising:

a growth processing section for letting a built-in character gain imaginary experience by an interactive operation of a user through an operation input section during independent use;

a storing section for storing growth degree information of the character grown by the growth processing section;

a connection terminal for performing a direct connection with the opponent machine;

an outcome processing section for making the character for the user's machine fight against a character for the opponent machine according to a predetermined fighting manner, on the basis of the growth degree infor-

mation of the character for the user's machine and growth degree information of the character for the opponent machine to judge an outcome of victory or defeat of the fighting, during connected use with the opponent machine, the growth degree information of the character for the user's machine being stored in the storing section of the user's machine;

a growth degree changing processing section for performing a growth degree changing processing for changing the growth degree of the character for the user's machine according to the outcome of victory or defeat of the fighting which has been judged by the outcome processing section, for storing the growth degree information of the character for the user's machine obtained after the growth degree changing processing, into the storing section of the user's machine, and for informing the opponent machine of the outcome of victory or defeat which is the growth degree information of the character for the opponent machine; and

a display output section for displaying a growth progress of the character for the user's machine according to an instruction from the growth processing section of the user's machine and displaying a fighting result according to an instruction from the growth degree changing processing section,

wherein the growth degree changing processing section is adapted to decrease the growth degree of the character for the user's machine when there is no input from the operation input section during the independent use.

**14.** A connection-fighting type game machine which is used by being connected with an opponent machine or which is used independently, the game machine comprising:

a growth processing section for letting a built-in character gain imaginary experience by an interactive operation of a user through an operation input section during independent use;

a storing section for storing growth degree information of the character grown by the growth processing section;

a connection terminal for performing a direct connection with the opponent machine;

an outcome processing section for making the character for the user's machine fight against a character for the opponent machine according to a predetermined fighting manner, on the basis of the growth degree information of the character for the user's machine and growth degree information of the character for the opponent machine to judge an outcome of victory or defeat of the fighting, during connected use with the opponent machine;

a growth degree changing processing section for performing a growth degree changing processing for changing at least one of the growth degree of the character which has been judged to gain a victory and the growth degree of the character which has been judged to suffer a defeat, for storing the growth degree information of the character for the user's machine obtained after the growth degree changing processing, into the storing section of the user's machine, and for informing the opponent machine of the growth degree information of the character for the opponent machine obtained after the growth degree changing processing; and

a display output section for displaying a growth progress of the character for the user's machine according to an instruction from the growth processing section of the user's machine and displaying a fighting result according to an instruction from the growth degree changing processing section,

wherein the growth degree changing processing section is adapted to decrease the growth degree of the character for the user's machine when there is no input from the operation input section during the independent use.

**15.** A fighting type game machine which is used by being connected with an opponent machine or which is used independently, the game machine comprising:

growth processing means for letting a built-in character gain imaginary experience by an interactive operation of a user through an operation input means when the game machine is used independently;

storing means for storing growth degree information of the character grown by the growth processing means;

joining means for joining the user's machine to the opponent machine;

outcome processing means for making the character for the user's machine fight against a character for the opponent machine according to a predetermined fighting manner, on the basis of the growth degree information of the character for the user's machine and growth degree information of the character for the opponent machine to judge an outcome of victory or defeat of the fighting, during connected use with the opponent machine;

growth degree changing processing means for performing a growth degree changing processing for changing the growth degree of the character for the user's machine according to the outcome of victory or defeat of the fighting which has been judged by the outcome processing means, and for storing the changed growth degree information of the character for the user's machine into the storing means of the user's machine; and

display output means for displaying a growth progress of the character for the user's machine according to an instruction from the growth processing means of the user's machine and displaying a fighting result according to an instruction from the growth degree changing processing means.

**16.** A connection-fighting type game machine which is used by being connected with an opponent machine or which is used independently, the game machine comprising:

a display;

an input section operable by a user for effecting operation of the game machine;

a processor receiving input from the input section and driving the display, the processor controlling the operation of the game machine;

a memory storing growth degree information of a character; and

a connector engageable with an opponent connector of an opponent machine,

wherein the processor is configured to effect a fight when the user's machine is connected to the opponent machine via the connector, the processor accessing the growth degree information of the character stored in the memory and opponent growth degree information stored in the opponent machine and judging a fight outcome of victory or defeat, and wherein the processor changes at least one of the growth degree information and the opponent growth degree information according to the fight outcome.