



US006321208B1

(12) **United States Patent**
Barnett et al.

(10) **Patent No.:** **US 6,321,208 B1**
(45) **Date of Patent:** ***Nov. 20, 2001**

(54) **METHOD AND SYSTEM FOR ELECTRONIC DISTRIBUTION OF PRODUCT REDEMPTION COUPONS**

(75) Inventors: **Craig W. Barnett; Karen R. Reisner**, both of Princeton, NJ (US); **Mark Braunstein**, New York, NY (US)

(73) Assignee: **BrightStreet.com, Inc.**, Mountain View, CA (US)

(*) Notice: This patent issued on a continued prosecution application filed under 37 CFR 1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C. 154(a)(2).

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **08/425,185**

(22) Filed: **Apr. 19, 1995**

(51) **Int. Cl.**⁷ **G06F 17/60**

(52) **U.S. Cl.** **705/14; 707/70**

(58) **Field of Search** 364/401, 406, 364/408; 395/214, 216, 220, 226; 340/825.34; 235/381; 705/14, 16, 20, 26; 707/3, 10, 4, 9, 100, 104, 515, 526

(56) **References Cited**

U.S. PATENT DOCUMENTS

Re. 30,579	4/1981	Goldman et al. .
Re. 30,580	4/1981	Goldman et al. .
Re. 32,115	4/1986	Lockwood et al. .
Re. 34,915	4/1995	Nichtberger et al. .
Re. 36,116	2/1999	McCarthy .
2,995,727	8/1961	Quade .
3,095,653	7/1963	Corrigan .
3,316,536	4/1967	Andrews et al. .

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

1172847	8/1984	(CA) .
1287304	8/1972	(GB) .
2120507	11/1983	(GB) .
410312415A	* 11/1998	(JP) .

OTHER PUBLICATIONS

“In Search of Mall Rats”, Direct, v3, n11, p.10, Dialog file 570, Accession No. 01235027, Nov. 1991.*

Levine et al., “The Internet For Dummies”, IDG Books Worldwide, Inc. 1993, pp. 7–9.*

“FBM’s Second Annual In–Store Challenge . . .”, Food & Beverage Marketing, v14, n5, p38(7), May 1995, Dialog File 148, Accession No. 07895476.*

Sheth et al., “Feeling the heat–Part 1”, Marketing Management v4n2 p. 8–23, Fall 1995, Dialog File 15, Accession No. 01103439.*


Primary Examiner—Frantzy Poinvil

(74) *Attorney, Agent, or Firm*—Hunton & Williams

(57) **ABSTRACT**

Provided is a method and system for the electronic distribution of product redemption coupons to remote personal computers located at users’ homes. A centrally located repository, such as an online service provider or web site on the Internet, stores packages of coupon data for downloading on demand to the user’s computer. The user may view, select, sort and print desired coupons from the downloaded package. The user’s demographic as well as coupon selection data is provided back to the online service and coupon distributor and issuers for subsequent marketing analysis. The online service can perform subsequent coupon processing on previously downloaded coupon packages such as variation of discount amounts. The online service provider can also determine how many times a particular coupon was viewed. When the printed coupons are presented at a retail store, the discount is provided to the user. Upon redemption by the store via a coupon redeeming center, transaction data is also supplied to the coupon issuers and distributor for integration into marketing analysis. The electronic coupon system is secure due to the inclusion of user-specific identification indicia printed thereon.

8 Claims, 8 Drawing Sheets



U.S. PATENT DOCUMENTS			
3,465,289	9/1969	Klein .	4,699,532 10/1987 Smith .
3,546,791	12/1970	Koos et al. .	4,703,423 10/1987 Bado et al. .
3,599,221	8/1971	Baer .	4,713,761 12/1987 Sharpe et al. .
3,606,688	9/1971	Zawels et al. .	4,723,212 2/1988 Mindrum et al. .
3,671,668	6/1972	Reiffel .	4,734,858 3/1988 Schlafly .
3,792,437	2/1974	Blumenthal et al. 340/825.55	4,745,468 5/1988 Von Kohorn .
3,810,627	5/1974	Levy .	4,750,151 6/1988 Baus .
3,848,082	11/1974	Summers .	4,752,877 6/1988 Roberts et al. .
3,889,062	6/1975	Epstein .	4,760,527 7/1988 Sidley .
3,899,775	8/1975	Larsen .	4,774,663 9/1988 Musmanno et al. .
3,910,322	10/1975	Hardesty, Jr. et al. .	4,775,935 10/1988 Yourick .
3,964,179	6/1976	Bennett .	4,791,281 12/1988 Johnsen et al. .
3,993,861	11/1976	Baer .	4,792,018 12/1988 Humble et al. .
3,999,307	12/1976	Tsuda et al. .	4,794,530 12/1988 Yukiura et al. .
4,012,132	3/1977	Lazarus .	4,807,031 2/1989 Broughton et al. .
4,014,004	3/1977	Fuller .	4,812,986 3/1989 Smith .
4,044,380	8/1977	Justice et al. .	4,816,904 3/1989 McKenna et al. .
4,052,798	10/1977	Tomita et al. .	4,821,101 4/1989 Short .
4,071,697	1/1978	Bushnell et al. .	4,825,045 4/1989 Humble .
4,071,740	1/1978	Gogulski .	4,833,710 5/1989 Hirashima .
4,124,109	11/1978	Bissell et al. 194/210	4,842,278 6/1989 Markowicz .
4,141,078	2/1979	Bridges, Jr. et al. .	4,847,690 7/1989 Perkins .
4,141,548	2/1979	Everton .	4,853,882 8/1989 Marshall .
4,166,540	9/1979	Marshall .	4,856,787 8/1989 Itkis .
4,208,652	6/1980	Marshall .	4,858,000 8/1989 Lu .
4,210,961	7/1980	Whitlow et al. .	4,870,596 9/1989 Smith .
4,247,759	1/1981	Yuris et al. 235/381	4,875,164 10/1989 Monfort .
4,264,924	4/1981	Freeman .	4,876,592 10/1989 Von Kohorn .
4,268,744	5/1981	McGeary .	4,882,675 11/1989 Nichtberger et al. 395/214
4,271,351	6/1981	Bloodworth .	4,882,724 11/1989 Vela et al. .
4,286,323	8/1981	Meday .	4,890,321 12/1989 Seth-Smith et al. .
4,290,688	9/1981	Call .	4,894,784 1/1990 Smith .
4,329,684	5/1982	Monteath et al. .	4,896,791 1/1990 Smith .
4,331,973	5/1982	Eskin et al. .	4,907,079 3/1990 Turner et al. .
4,339,798	7/1982	Hedges et al. .	4,908,761 3/1990 Tai .
4,355,372	10/1982	Johnson et al. .	4,910,672 3/1990 Off et al. .
4,359,631	11/1982	Lockwood et al. .	4,922,522 5/1990 Scanlon .
4,373,133	2/1983	Clyne et al. .	4,926,255 5/1990 Von Kohorn .
4,377,870	3/1983	Anderson et al. .	4,926,256 5/1990 Nanba .
4,388,008	6/1983	Greene et al. .	4,929,819 5/1990 Collins, Jr. .
4,396,985	8/1983	Ohara .	4,930,011 5/1990 Kiewit .
4,449,186	5/1984	Kelly et al. .	4,937,742 6/1990 Marshall .
4,451,701	5/1984	Bendig .	4,937,853 6/1990 Brule et al. .
4,458,320	7/1984	Sutton .	4,949,256 8/1990 Humble .
4,484,328	11/1984	Schlafly .	4,959,686 9/1990 Spallone et al. .
4,494,197	1/1985	Troy et al. .	4,959,783 9/1990 Scott et al. .
4,500,880	2/1985	Gomersall et al. .	4,965,437 10/1990 Nagai .
4,541,806	9/1985	Zimmerman et al. .	4,972,504 11/1990 Daniel, Jr. et al. .
4,546,382	10/1985	McKenna et al. .	4,973,952 11/1990 Malec et al. .
4,554,446	11/1985	Murphy et al. 235/385	4,974,170 11/1990 Bouve et al. .
4,573,072	2/1986	Freeman .	4,975,951 12/1990 Bennett .
4,588,881	5/1986	Pejas et al. .	4,982,337 1/1991 Burr et al. .
4,592,546	6/1986	Fascenda et al. .	4,982,346 1/1991 Girouard .
4,593,904	6/1986	Graves .	4,984,156 1/1991 Mekata .
4,597,046	6/1986	Musmanno et al. .	4,996,705 2/1991 Entenmann et al. .
4,603,232	7/1986	Kurland et al. .	5,003,384 3/1991 Durden et al. .
4,608,601	8/1986	Shreck et al. .	5,003,472 3/1991 Perril et al. .
4,611,996	9/1986	Stoner .	5,010,845 4/1991 Bigari .
4,614,342	9/1986	Takashima .	5,014,212 5/1991 Smith .
4,625,275	11/1986	Smith .	5,034,807 7/1991 Von Kohorn .
4,630,040	12/1986	Haertling .	5,039,848 8/1991 Stoken 235/381
4,630,108	12/1986	Gomersall .	5,047,614 9/1991 Bianco .
4,636,950	1/1987	Caswell et al. .	5,048,833 9/1991 Lamle .
4,642,767	2/1987	Lerner .	5,057,915 10/1991 Von Kohorn .
4,646,145	2/1987	Percy et al. .	5,063,610 11/1991 Alwadish .
4,658,290	4/1987	McKenna et al. .	5,069,453 12/1991 Koza et al. .
4,670,853	6/1987	Stepien .	5,077,607 12/1991 Johnson et al. .
4,671,772	6/1987	Slade et al. .	5,083,272 1/1992 Walker et al. .
4,674,041	6/1987	Lemon et al. 395/214	5,111,196 5/1992 Hunt .
4,689,742	8/1987	Troy et al. .	5,111,927 5/1992 Schulze, Jr. .
			5,117,355 5/1992 McCarthy .

US 6,321,208 B1

5,119,295	6/1992	Kapur .	5,420,606	5/1995	Begum et al. .
5,128,520	7/1992	Rando et al. .	5,430,644	7/1995	Deaton et al. .
5,128,752	7/1992	Von Kohorn 395/210	5,438,355	8/1995	Palmer .
5,155,591	10/1992	Wachob .	5,448,471	9/1995	Deaton .
5,158,310	10/1992	Tannehill et al. .	5,500,514	3/1996	Veeneman et al. .
5,159,549	10/1992	Hallman, Jr. et al. .	5,502,636	3/1996	Clarke .
5,173,594	12/1992	McClure .	5,504,519	4/1996	Remillard .
5,173,851	12/1992	Off et al. .	5,508,731	4/1996	Von Kohorn .
5,176,224	1/1993	Spector 186/52	5,515,098	5/1996	Carles .
5,185,695	2/1993	Pruchnicki .	5,528,490 *	6/1996	Hill 705/36
5,192,854	3/1993	Counts .	5,557,518	9/1996	Rosen .
5,193,056	3/1993	Boes .	5,557,721 *	9/1996	Fite et al. 705/27
5,202,826	4/1993	McCarthy .	5,592,379	1/1997	Finfrock et al. .
5,214,792	5/1993	Alwadish .	5,592,560	1/1997	Deaton et al. .
5,235,509	8/1993	Mueller et al. .	5,612,868	3/1997	Off et al. .
5,237,157	8/1993	Kaplan .	5,621,812	4/1997	Deaton et al. .
5,237,499	8/1993	Garback .	5,634,101	5/1997	Blau .
5,243,174	9/1993	Veeneman et al. .	5,638,457	6/1997	Deaton et al. .
5,249,044	9/1993	Von Kohorn 348/12	5,644,723 *	7/1997	Deaton et al. 705/14
5,250,789 *	10/1993	Johnsen 235/383	5,647,677	7/1997	Smith .
5,278,752	1/1994	Narita et al. .	5,649,114	7/1997	Deaton et al. .
5,283,734	2/1994	Von Kohorn .	5,659,468	8/1997	Deaton et al. .
5,285,278	2/1994	Holman 348/10	5,687,322	11/1997	Deaton et al. .
5,287,181	2/1994	Holman 358/141	5,697,844	12/1997	Von Kohorn .
5,287,268	2/1994	McCarthy .	5,710,886	1/1998	Christensen et al. .
5,295,064	3/1994	Malec et al. .	5,759,101	6/1998	Von Kohorn .
5,305,195	4/1994	Murphy .	5,761,648	6/1998	Golden et al. .
5,305,197	4/1994	Axler et al. 395/214	5,761,662 *	6/1998	Dasan 707/10
5,353,218	10/1994	De Lapa et al. 395/214	5,793,849	8/1998	Young et al. .
5,368,129	11/1994	Von Kohorn 186/52	5,832,457	11/1998	O'Brien et al. .
5,380,991	1/1995	Valencia et al. .	5,870,724	2/1999	Lawlor et al. .
5,382,970	1/1995	Kiefl .			
5,412,191	5/1995	Baitz et al. .			

* cited by examiner




FIG.1




FIG. 2

EXPIRATION DATE	REDEMPTION AMOUNT	COMPANY AND PRODUCT DATA	UPC CODE	REDEMPTION ADDRESS	OFFER DESCRIPTION
-----------------	-------------------	--------------------------	----------	--------------------	-------------------

VARIABLE COUPON DATA FIELDS

BORDER GRAPHICS	REDEMPTION INSTRUCTIONS	USER ID BAR CODE
-----------------	-------------------------	------------------

FIXED COUPON DATA FIELDS

FIG. 3




FIG. 4A




FIG. 4B



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

METHOD AND SYSTEM FOR ELECTRONIC DISTRIBUTION OF PRODUCT REDEMPTION COUPONS

BACKGROUND OF THE INVENTION

The present invention relates to the electronic distribution of secure money saving or discount coupons and other marketing incentives and in particular to use of a centrally located online computer system for interactively distributing such coupons to remotely connected consumer computers and for collecting user-specific data regarding coupon usage and user demographic information from the remote computers.

Millions of consumers regularly use product redemption coupons and realize substantial savings as a result. Significant time is spent clipping and sorting coupons, discarding expired coupons and organizing current coupons for use on shopping trips. Conventional coupon distribution results in significant wasted time due to consumers' attempts to manage their coupon use.

Coupons are delivered to consumers through a variety of media. The primary coupon distribution is via pull-out sections in newspapers, which are known as free standing inserts (FSIs). This accounts for just over 80% of coupons used. Other methods of distribution include in-store shelf coupon dispensers, check-out coupons (generally issued based on the customer's current purchase), register receipt coupons, in-product coupons, instant peel-off on-product coupons and direct mail coupons. In addition to manufacturers' coupons, consumers use retail store coupons, such as those issued by large retail chains on a weekly basis.

Some consumers use coupons on a fairly random basis. These consumers tend not to keep coupons for future use, but will review coupons available just prior to shopping to see if any of them cover products they plan to buy or if there are any for new or improved products of interest.

More organized coupon users maintain some form of storage system to keep coupons for future use. These consumers often clip coupons regularly from all available sources, and often have coupon filing systems by product category. They will also review their coupons regularly, discarding unused coupons which have expired.

For most consumers, attempts to maintain an organized coupon file often fails. The "bother" and time required to maintain organized coupon files often results in neglect of those files, even though diligent shoppers know that a consistent significant savings is easily achievable using coupons.

The notion of issuing product redemption coupons to consumers was an innovative idea to entice consumers to try new products in the hope that, after the first try of a new product at a coupon discounted price, they would become repeat customers at the regular price. Coupons are effective tools used in launching new products. Manufacturers also find coupons can shore up flagging sales, help reduce excess inventory or win back consumers' brand loyalty, and so coupons for existing products have become customary, so much so that today's consumers have come to expect coupons. Often, coupon price incentives significantly reduce brand loyalty, and manufacturers must issue more coupons than desired to maintain market share. Market share has also been impacted by an increase in the number and variety of competing "no-name" store brands. The competitive nature of the retail industry does not allow manufacturers to reduce coupon distribution, and in some market sectors, such as cereals, the majority of purchases are made with coupons.

Consumers are most familiar with FSIs as a source for manufacturers' coupons. In 1993, the coupon redemption rate from FSIs was 2.3%, and gradually declining. The primary factors which keep the redemption rate low include consumers not needing or wanting the product advertised, consumers not bothering to clip coupons, losing clipped coupons or leaving them behind on shopping trips, lack of 100% distribution of newspapers, overcouponsing within specific areas, and unavailability of new products when the coupon is issued.

Free standing inserts currently represents the largest share of the coupon distribution industry, roughly 80.2%. On average, manufacturers who use FSIs for coupon distribution, spend approximately \$.92 per coupon redeemed, which is the lowest redeemed cost per coupon redeemed when compared with other current coupon distribution methods. FSI coupon distribution results in high costs per coupon because of the sheer complexity of and volume of materials involved in coupon distribution and redemption. Charges to manufacturers by FSI producers cover set-up, paper, printing, freight, newspaper insertion costs, sales and marketing, overhead and profit.

Direct mail coupons accounted for approximately 4.4% of coupon distribution in 1992. Direct mail coupons may be issued as part of a nationwide campaign or a regional campaign, may be cooperative or solo, and may be mass, zip-code/lifestyle/lifestage segmented or household targeted. Regional direct mail coupons are more common, and are usually limited to marketing the products and/or services of local vendors. Companies who practice database marketing make use of direct mail campaigns for delivering targeted incentives.

Run-of-Press ("ROP") Coupons accounted for 4.1% of the coupons distributed in 1992. These coupons consist primarily of stand alone newspaper advertisements with clip-out coupons. Often these advertisements are specifically placed to coincide with a relevant feature article. This form or coupon is marketed directly or through third party coupon issuers who have the nationwide newspaper distribution channels through which to place ROP coupons.

In/on pack coupons accounted for 3.5% of the coupons distributed in 1992. On pack coupons consist of an attached coupon which is removed and redeemed at the cash register at the time of purchase. In pack coupons are found within the product and act as an incentive to customers to repurchase the same product. It is estimated that the actual cost per in/on pack coupon redeemed is significantly less than that associated with other coupon distribution methods. Most on-pack coupons are redeemed as customers pay for their purchases. However, this also means that all items are sold at the coupon discount, lowering a manufacturer's overall revenues per product more so than other types of coupons.

In 1992, various other coupon distribution methods represented 5% of coupons distributed. Two important coupon distribution methods in this category include shelf distribution and custom prepared coupon distribution. Thousands of stores use coupon dispensers which are attached to a product's shelf. Customers can pull out one coupon from the dispenser for the product advertised. This method of coupon distribution is designed to reach the consumer at the point of making a purchase decision, and has a redemption rate of approximately 18%.

Check-out coupons are printed at the check-out by a printer installed at the cash register. A computer analyzes the purchases made by each customer, and can print competitor's coupons or other coupons related to items in the current

purchase. This system has a coupon redemption rate of approximately 9%.

The coupon industry expends a great deal of resources in market research, printing, issuing, distributing and redeeming coupons, yet produces an extremely low redemption rate. This is attributed to the haphazard systems used by most consumers of manually clipping, filing, sorting through, and ultimately using the coupons, and to the high cost associated with targeting coupons to each consumer.

Attempts have been made in the prior art to meet the needs of the coupon industry and the consumer. U.S. Pat. No. 5,249,044 to Von Kohorn describes a television-based coupon reception system wherein coupon information is transmitted along with program information to a broadcast audience. A member of the audience can generate a coupon for subsequent redemption at a store.

U.S. Pat. Nos. 5,285,278 and 5,287,181 to Holman also teach a television-based coupon reception system. Coupon information is encoded into a television broadcast signal and decoded at the consumer's television by circuitry similar to that used for closed-caption broadcast decoding. The extracted coupon information is then recorded on a medium such as a magnetic stripe card or a microprocessor-based "smart card". The user can then present the medium at the supermarket in order to automatically receive the appropriate discount

U.S. Pat. No. 5,185,695 to Pruchniki discloses an electronic paperless coupon system which obviates the need for a paper coupon in order to save printing, processing and clearinghouse costs as well as eliminating counterfeiting. Coupon redemption information is transmitted from a central system to local retailers, where coupon signs are placed near the related item. The discount is automatically applied at the point of sale without the need for the consumer to present a paper coupon.

U.S. Pat. No. 5,176,224 to Spector teaches a closed-loop coupon system which consists of a kiosk type printer station located at a retail store. The kiosk is linked to the manufacturers in order to obtain specific coupon information. The consumer selects the desired coupon at the kiosk, and the coupon is printed and dispensed. The consumer presents the coupon at the register, where the discount is applied and the discount transaction data is transmitted back to the manufacturer.

U.S. Pat. No. 4,674,041 to Lemon et al. discloses a system with remotely located coupon printing stations capable of limiting the number of coupons printed in a given time period. Each coupon station has a display for indicating the available coupons, selection means to allow the consumer to choose the desired coupon, and a coupon printer. The system disables display of a particular coupon when a preselected coupon limit has been reached.

While these aforementioned prior art attempts at providing couponing systems are useful in their own right, they fail to provide for a secure and interactive coupon generation system in which the user can request, select, store, manipulate and print coupons as desired, in which user-specific information such as demographic data and data representative of those coupons so requested, selected, printed and actually used may be provided back to the coupon issuer and distributor for more efficient coupon targeting in subsequent coupon issuance and distribution.

It is therefore an object of the present invention to provide such a coupon distribution system which overcomes the aforementioned problems and shortcomings of the prior art.

It is an object of the present invention to provide an electronic coupon distribution system which can be easily

accessed by masses of consumers by using a readily available personal computer rather than needing to purchase specialpurpose equipment.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows a user to request transmission of coupon data and select, store, manipulate and print coupons from such coupon data.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows the coupon issuing companies to access valuable information directly from the consumer without requiring specific and additional action by the consumer but rather by using the information from the user's personal computer regarding the consumer's selection, printing and actual redemption of coupons, as well as responses to demographic queries posed to the users.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows a consumer to generate shopping lists associated with coupons selected and printed, in order to simplify the shopping process and promote the use of product coupons.

It is a further object of the present invention to provide such an electronic coupon distribution system which allows for automatic deletion of expired coupons in the user's computer database and the modification of redemption amounts of coupons in the user's database, both of which can be transparent to the user.

It is a still further object of the present invention to provide a secure coupon system which generates unique coupons with user-identifying data and allows the printing of a coupon only once, thus eliminating the possibility of fraud by both the consumer and the retailer.

It is a still further object of the invention to provide an efficient, low cost, zip-code/lifestyle/lifestage or household targeted coupon distribution system to tailor the incentives to each user.

SUMMARY OF THE INVENTION

In accordance with these and other objects, provided is a system for distributing and generating at a remote site product redemption coupons comprising a centrally located repository of electronically stored product redemption coupon data, transmission means operatively associated with said centrally located repository for providing data communication between said repository and a plurality of remote user computers, and a remote user computer operatively associated with said transmission means. The remote user computer in the present invention comprises interface means for providing user interaction with the centrally located repository, a memory, and a coupon data management program. The coupon data management program is implemented by the computer for requesting coupon data from the centrally located repository, for storing in the memory coupon data transmitted from the centrally located repository, and for generating printable coupon data from the stored coupon data. The remote user computer also comprises a coupon output buffer operatively associated with the data management program for storing the printable coupon data generated by said coupon data management program.

The present invention additionally comprises a printer for printing product redemption coupons from the printable coupon data stored in the coupon output buffer. Alternatively, the system may enable the user to transmit electronically the printable coupon data from the coupon output buffer to the centrally located repository or directly to the retailer for electronic coupon redemption.

As a result of the present invention, a user of the remote computer is able to request coupon data to be transmitted from said centrally located repository, and the user is able to instruct his computer to print or electronically transfer product redemption coupons generated from the transmitted coupon data. In particular, the user's computer assembles product redemption coupons for printing by using two data components; (1) fixed coupon data which is transmitted to the user's computer during an initialization or "sign-up" process and which remains stored on the user's computer for subsequent coupon generation, and (2) variable coupon data which is transmitted to the user's computer whenever he requests coupon data from the central repository.

Additionally, the coupon data management program of the present invention operates in conjunction with the remote computer to allow the user to select and store certain desired coupon data from the coupon data transmitted by the centrally located repository and print coupons as selected. The coupon data management program also allows the user to generate a shopping list which is correlated to the coupons printed for subsequent redemption.

In the present invention, the data exchange capabilities provided by the transmission medium between the remote computer and the central repository allow the automatic transfer of valuable information from the remote computer to the central repository and, ultimately, to the coupon distributing and issuing centers. Information related to the coupons selected and printed can be supplied to the coupon distributors and issuers, which can also use information obtained from the various retail stores as to which coupons were actually redeemed in order to more intelligently market subsequent coupons and target coupon issuance in a more cost effective manner.

The data exchange capabilities are further advantageously utilized in the present invention to allow, via the central repository, the updating of coupon data stored in the user's remote computer without required interaction from the user if the user is online. In particular, the central repository can delete expired coupons from the remote computer's coupon database and can vary the amount of redemption value of a non-expired coupon if so desired. The capability for the updating and deleting of coupons within a user's computer is programmed in the user's computer such that no further interaction with the central repository is required for such coupons to be deleted or updated.

Finally, the present invention provides for secure coupon generation by allowing the printing of a particular coupon only once. Further, and quite importantly, the present invention provides for the printing on each coupon of certain user-specific data, thus making each coupon printed unique. Thus, two different users with access to printing a particular coupon will each print coupons with the same product, discount, and expiration date data, yet each will be unique since printed thereon will be user-specific data, preferably in the form of a user-specific bar code. Thus, any attempts to duplicate via photocopying techniques any particular coupon will be discouraged since the coupon redemption center will detect when a particular coupon has been redeemed, will identify the user who redeems a particular coupon, and will disallow any attempt at redemption of a second coupon with identical product and user-specific data.

BRIEF DESCRIPTION OF THE DRAWING

FIG. 1 is a block diagram schematic of the system of the preferred embodiment for the electronic distribution of coupons.

FIG. 2 is a detailed block diagram of the remote personal computer of FIG. 1 configured in accordance with the present invention.

FIG. 3 illustrates exemplary data field formats of the electronic coupon data as implemented in the present invention.

FIGS. 4a and 4b is a pictorial representations of the online and offline display screens, respectively, which are exhibited to a user in the present invention.

FIG. 5 is a diagram of a printed coupon resulting from the electronic distribution in accordance with the present invention.

FIG. 6 is a schematic block diagram illustrating the main functional areas serviced by the online service provider of the preferred embodiment system.

FIG. 7 is a diagram of the use of an external cue to prompt access by the user of the system.

FIG. 8 is a block diagram of an alternative embodiment of the present invention in which data is transmitted between the central repository and personal computer by satellite.

FIG. 9 is a flowchart of the operation of the present invention.

FIG. 10 is a schematic block diagram of the implementation of the coupon data package generation.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to the system block diagram of FIG. 1 and the flowchart of FIG. 9, the electronic coupon distribution system of the preferred embodiment comprises a central located repository of electronically stored coupon data, which in the preferred embodiment is an online service provider 2. The term online service provider refers herein to any computer-based information service provider which is accessible by a remote personal computer user via a communications data link such as the public switched telephone network (PSTN) or the like, such as PRODIGY, COMPUSERVE, or AMERICA ONLINE. In addition, it is contemplated that the electronic coupon data distribution may be carried out by connection to any readily accessible Internet site such as the World Wide Web. Referring to FIG. 8, it is further contemplated that electronic coupon distribution may also be carried out via digital satellite communication links, thus avoiding the need for hardwired (i.e. PSTN) connectivity between the repository and the remote user computer. Thus, any centrally located computer system which is accessible to the public by any transmission means is contemplated as being within the scope of this invention. As used herein, the term "user" denotes an individual user or a household of users linked through one account.

The online service provider has stored in its database 40 (see FIGS. 6 and 10) various packages of electronic coupon data, the content of which will be further described below. The electronic coupon data is provided, by a coupon distributor 16 or coupon issuer 14, by any of various means such as electronic transmission via the PSTN or satellite data exchange. The online service provider also stores in a demographic data file 42 user-specific data, including coupons selected data, coupons deleted data, coupons printed data and user demographics, as will be described below, for subsequent transmission to a coupon distributor 16. The coupon distributor 16 will utilize the user-specific data and coupon redemption data in compiling subsequent coupon packages targeted specifically at certain user categories.

The online service provider 2 is connected with the data link 4 and is thus accessible by any remote personal com-

puter **6** having a data communications interface **20** such as a modem (see FIG. **2**). The online service provider communicates with the personal computer **6** in order to transmit requested coupon data, and also in order to receive coupon requests and the user-specific data mentioned above.

The remote personal computer **6** has connected thereto a printer **8**, which may be any type of computer printer capable of printing graphics. The printer **8** is instructed by the coupon data management routines **32** stored in the computer **6** in order to print printed coupons **18**, as will be described in detail below.

The printed coupons **18** are used in the normal fashion by a consumer when shopping at a desired retail store **10**. That is, the coupons **18** are presented to a product checkout station **11** along with the associated products for purchase, and the discount amount shown on the coupon **18** is credited to the consumer at the point of sale. The redeemed coupons **18** are transmitted to a coupon redemption center **13** where they are electronically read, and user-specific data is stored in a coupon redemption database **12**.

In addition to the usual coupon information found in prior art coupons (e.g. redemption amount, company and product name, expiration date, etc.), the coupons **18** of the preferred embodiment of the present invention contain user-specific data in the form of a unique user bar code **90**, as shown graphically in FIG. **5**. The user bar code **90** is encoded with user-specific information such as the user name and/or other unique identification criteria such as a social security number or online service address. This information renders each printed coupon **18** unique, since an otherwise similar coupon presented by a different consumer will comprise a different user bar code **90**. The use of a unique coupon **18** is but one aspect of the secure nature of the present invention as will be described in detail below.

The coupon redemption center **13** receives from a number of stores **10** the coupons redeemed, verifies the value of the redeemed coupons, determines the identification of users who redeemed the coupons, and distributes the information read from the coupons **18** to the individual coupon issuer **14** and to the coupon distributor **16**. In particular, information regarding the redemption amount and the redeeming store **10** is forwarded to the particular coupon issuer **14** named on the coupon **18**, which then credits the redeeming store **10** with the total amount of discounts given. Of particular value in the present invention is the distribution of user-specific data to the coupon distribution center **16**, which collates such user information and performs marketing analysis via a marketing analysis means **17** in order to compile subsequent coupon packages targeted specifically at certain user categories. The coupon distribution center **16** utilizes the user-specific redemption data along with user-specific demographic data supplied by the online service provider **2** in order to compile subsequent coupon data download packages for use by consumers once again.

An online display screen **60** is shown in FIG. **4a**, which is provided to a user on a display **24** of his remote computer **6** whenever he is in online communication with the service provider **2**. The online display screen **60** comprises a join service function button **62**, a download coupons function button **64**, a help function button **66**, and an online communications button **68**. When the user desires to initially register for the electronic coupon distribution service, he selects the join service function button **62** which initiates a dialog with the online service provider **2** in order to request certain demographic data from the user which will be used to target specific coupon data packages for subsequent

downloading. The user has the option of providing the requested information if he so desires. In addition, an offline coupon management program is transmitted electronically to the user's computer **6** for subsequent coupon data requesting, downloading and processing.

FIG. **6** illustrates the functional aspects of the online service provider **2** in the preferred embodiment of the present invention. The main features provided by the online service provider **2** are the coupon packages file **40**, the demographic data file **42**, the online communications server **44**, and the help file **46**. Each of the aforementioned features communicates with the user via the data communications interface **48**.

The coupon packages file **40** comprises electronic coupon data and other types of advertising materials supplied by the various coupon issuers **14** through the coupon distributor **16**. Individual users' coupon data packages are drawn from this file based on demographic data and historic buying profiles stored in the demographic data file **42**. Advertisements may consist of graphics, text, recipes, competitions or other inducements or a combination thereof.

After joining the electronic coupon service, the user can order a package of electronic coupons from the online service provider **2** by selecting the download coupon function button **64**. When this button is selected, commands are generated and transmitted via the data communications interface **20**, through the data link **4**, and up to the coupon package file **40** resident at the online service provider **2**. The requested coupon data package and associated advertising materials are transmitted by the online service provider **2** to the personal computer **6**, where it is stored in the downloaded coupon data file **30a** in the coupon database **30**.

The demographic data file **42** contains data representative of demographic inquiries presented to a user at the time that the user requests a download of coupon data from the coupon package data file **40**, as well as data representative of the users' responses thereto.

The online communication server **44** is accessed by the user selecting the online communication button **68**. The online communication server is a bulletin board type file where users can post messages to a coupon distributor or issuer regarding any issue of interest. The message data is transferred to the appropriate destination by the online service provider **2**, which also collects the responses thereto and posts them on the online communication server **44**, thus allowing the user to fetch the response when logged on at a subsequent time.

By selecting the help function button **66**, the help file **46** is used as a means for providing standard help and other useful information to a user.

Referring to FIG. **2**, the remote personal computer **6** of the preferred embodiment comprises a data communications interface **20** (such as a modem) for connecting the computer to the data link **4** (such as a PSTN), a user input device **22** such as a keyboard and mouse or other type pointing device, a display **24**, and a processor **26**, all of which are common to personal computers and are well known in the art. The computer **6** also comprises an output buffer **28**, which typically resides in random access memory. The computer **6** is configured to operate in accordance with the present invention via a coupon database file **30** and an offline coupon data management routine file **32** loaded onto a fixed memory such as a hard disk drive. All of these internal components and files are connected to a data bus **21** for communication therebetween in accordance with techniques well known in the art.

The coupon database file **30** is segmented into various sections as shown in the memory map of FIG. 2. The coupon database of the preferred embodiment comprises downloaded coupon data **30a**, which is the entire coupon data package downloaded from the online service provider **2**; selected coupon data **30b**, which is a subset of the downloaded data and represents specific coupons electronically “clipped” and stored therein; sorted coupon data **30c**, which is selected coupon data sorted in accordance with a particular set of criteria (e.g. all fruits together, then all dairy products, etc.); fixed coupon parameters and user-specific data **30d**, which is certain unvarying data used in printing the coupons as will be described in detail below; and store-specific data **30e**, which is information regarding the product arrangement in a certain retail store **10** which will allow the user to prepare a shopping list tailored to the particular store.

The offline coupon data management routines **32** are executed by the processor **26** in conjunction with the coupon database **30** in order to request, obtain, store, select, sort, and print coupons as desired. The offline coupon data management routines **32** are executed by selecting a desired function button **52**, **54**, **56**, or **58** as shown in the offline display screen **50** in FIG. 4b. The offline display screen **50** is shown on the display **24** when the user runs the coupon data management program on his or her personal computer **6**. The offline coupon data management routines **32** are executed in an offline fashion; that is, the user does not need to first be in online communication with the service provider **2**. If a particular function button **52**, **54**, **56**, or **58** chosen by the user initiates a routine **32** which requires online communication, that routine will initiate, control and terminate an online session with the service provider **2** automatically.

The request coupon download routine **32a** is executed when the user desires to order a package of electronic coupons from the online service provider **2**. This routine is called when the user selects the download coupon function button **54**. When this routine is called, commands generated by this routine are transmitted via the data communications interface **20**, through the data link **4**, and up to the coupon package file **40** resident at the online service provider **2**. The requested coupon data package and associated advertising materials are transmitted by the online service provider **2** to the personal computer **6**, where it is stored in the downloaded coupon data file **30a** in the coupon database **30**.

Prior to downloading the requested coupon data package to the computer **6**, the demographic data file **42** provides certain demographic queries to the user in order to obtain valuable information for use in marketing analysis and subsequent coupon package generation. The users’ responses to the queries are transmitted to the online service provider **2** and stored in the demographic data file **42** for subsequent processing.

The user may select the view function button **52** in order to view the coupons and advertisements previously downloaded. This selection will call the view coupons routine **32b**, which will access the downloaded coupon data file **30a** and present it to the user via the display **24**.

While viewing the coupons and advertisement, the user may select a desired coupon for further sorting, storage, printing or deleting and/or shopping list generation by selecting or “clipping” the coupon with the mouse or keyboard input **22**. Coupons are clipped by scrolling through related advertisements. In order to avoid the need for clipping, the user may print or delete a desired coupon. The coupons selected in this function are stored for further processing in the selected coupon data file **30b**.

The coupon file function button **56** enables the user to perform several operations on his selected coupon data file **30b**. The user may view the coupons selected (from the selected coupon data file **30b**), and may choose any of them for printing. Further, a sortation option is provided which logically sorts, by category and subcategory, the coupons stored. Thus, the management program automatically places all the dairy coupons together, and may also place all the milk coupons together within the dairy category. This is carried out by the coupon sortation routine **32c**, and is akin to the manual filing system used in the prior art and will aid the user in viewing his selected but unprinted coupons in an efficient manner. The sorted coupons may be loaded into the sorted coupon data file **30c** for subsequent viewing and printing. The user may optionally sort the coupons manually by his own classification.

The shopping list function button **58** calls the shopping list generation routine **32g** when selected by the user. This routine will allow the user to generate a list from a menu presented on the screen whichever items the user desires to purchase, and the user can store and/or print this list as desired. The items on the list are compared against coupon data stored in the coupon database **30** and the user is informed of their existence. The user may then print out those coupons along with the shopping list. Alternatively, the user may select certain coupons for printing, and the item associated therewith is automatically placed on the shopping list. Thus, in either fashion, the user’s shopping list generation and coupon “clipping” tasks are conveniently merged in a timesaving manner.

The shopping list generation routine **32g** may also advantageously use data stored in the store-specific data file **30e** in order to prepare a shopping list tailored to an individual retail store. Thus, data regarding the layout of the store, the food items available at the store, and the like, are used by the list generation routine **32g** in order to organize the purchase items accordingly. The data stored in the store-specific data file **30e** may be obtained by any of several methods; by downloading from the online service provider **2**, by inputting via a floppy disk memory supplied by the store, or even manually input by the user. Data for different stores can be kept in the file **30e** and the user simply selects the store he intends on using at that particular time. The user may select a standard pre-programmed shopping list, his last generated shopping list, or a blank shopping list from which to commence his shopping list preparation.

The coupon upload routine **32cc** is called automatically and without user request whenever the user requests a coupon download package from the online service provider **2**. A record is kept by the upload routine **32cc** indicative of each coupon selected by the user and each coupon printed by the user. This record is sent to the demographic data file **42** in the online service provider **2**, and is used for marketing analysis along with data regarding which coupons were actually redeemed, which information is obtained from the manufacturers’ redemption agency or center.

Coupons are printed by the printable coupon data generation routine **32d**, which is invoked by a user when he selects a print command from the coupon file function **56**. This routine obtains data from two sources in the coupon database **30**: the fixed coupon parameters and user-specific data file **30d**, and the variable coupon data associated with the particular coupon selected for printing.

Referring to FIG. 3, the data format of the fixed coupon parameters and user-specific data are set forth and include predefined border graphics which are the same for every

coupon printed, redemption instructions, and a user identification bar code number. The user identification bar code number is a unique number assigned to that user, e.g. his social security number or online identification number. This number will be encoded by the printable coupon data generation routine **32d** and printed as a bar code **90** on each coupon **18** printed for the particular user. This information will thus be obtained by the coupon redemption center and provided to the coupon distributor **16** for demographic analysis and the like.

The unique user bar code **90** also renders the electronic coupon system of the present invention secure and virtually fraud-proof. Although a user is able to print out a particular coupon **18** only once (to be described in detail below), the coupon issuer **14** could still be defrauded by a user or retailer who might photocopy a printed coupon numerous times and fraudulently and repeatedly present it for redemption. However, in accordance with the present invention, each coupon printed by a user is unique, and the scanning of a coupon presented for redemption will be stored at the coupon redemption center. Thus, the coupon issuer will know if a particular user has redeemed a particular coupon and thus disallow further redemption of a photocopied coupon bearing the same indicia.

Referring again to FIG. **3**, the data format of the variable coupon parameters are set forth and include the coupon expiration date, the redemption amount, the company and product information, the UPC code, the redemption address, and the description of the coupon offer.

Thus, the printable coupon data generation routine **32d** combines all this information and generates a record indicative of the unique coupon to be printed. This record is temporarily stored in the output buffer **28**, where it is subsequently sent to the printer **8** for printing. In the alternative, the coupon may be redeemed electronically by sending the coupon data in the output buffer via the data communications interface **20** back to the online service provider **2**. This is especially useful in the "electronic shopping mall" environment now found in many online services. The electronic coupon data could also be routed via the data communications interface **20** to a retail store where the user will be shopping, where the coupon data is held in a buffer pending purchase by the user of the matching product.

As described above, the electronic coupon distribution system of the present invention allows the printing of a particular coupon only once, thus providing for security and guarding against fraudulent redemption. This is accomplished by the coupon deletion routine **32e**, which is called whenever a coupon is printed and deletes the coupon from the database **30** or renders it unprintable by setting an appropriate flag. In addition, the coupon deletion routine **32e** allows for automatic deletion of expired coupons by periodically checking the expiration date field of each coupon against a real-time clock found in the computer **6**. Optionally, the user may voluntarily delete any coupon which is expired if the real-time clock is not set to the correct date. For the user's convenience, the online service provider **2** can check the system clock of the user's computer **6** during a communications session and, if the date is incorrect, can ask the user if he would like the date adjusted automatically.

Since the actual expiration date is always printed as part of the coupon, the function of deleting expired coupon data from the user's computer **6** is for the convenience of the user rather than for security purposes.

The system of the present invention also allows for time-sensitive deletion of certain coupon data from the user computer **6** which is unrelated to the expiration date. That is, certain coupon data may be automatically deleted from the

user's computer after, e.g., one month, notwithstanding that the coupon, if printed, might have an expiration date in six months. This feature is included to prompt users who know of the time-sensitive autodeletion to promptly print (and use) coupons rather than risk having them deleted from their database.

The coupon management program also can vary the redemption value of any coupon already downloaded to the user's computer **6** without the need for specific user interaction. A coupon variation routine **32f** is called which aids in this task. Again, any time that a user initiates a download of coupon data, the on-line service provider **2** can update redemption amounts for coupons whose issuers have decided to change the discount amount.

Referring to FIG. **5**, the secure coupon **70** generated and printed in the preferred embodiment is illustrated in detail. The secure coupon **70** comprises the following fixed components taken from the fixed coupon parameter and user-specific data file **30d**: border graphics **72**, redemption instructions **88**, and user identification bar code **90**. The secure coupon **70** also comprises the following variable components which change for each coupon selected: expiration date **78**, redemption amount **74**, description of the offer **76**, company and/or product information **80**, the item's UPC number **82** and the associated UPC bar code **84**, and the redemption address **86**.

Referring to FIG. **10**, the generation of coupon data packages by the coupon distributor **16** will be explained. The information collected by the coupon distributor **16** from the online service provider **2** regarding the coupon data selected by the user, the coupon data printed by the user, and the requested demographic information is stored in a database **11**. The database **11** also stores information from the coupon redemption center **13** regarding the coupons actually redeemed by the user. The database **11** further stores information regarding all coupons which are made available by the various coupon issuers **14** from which it will generate coupon data packages for subsequent downloading to users.

The information stored in the database **11** is input to the marketing and targeting analysis means **17**, which carries out the function of analyzing the aforementioned information in a manner known in the art to arrive at different coupon packages. That is, it may be determined by the analysis means **17** that users with dogs in their household (which is known by the demographic responses) will get a certain package comprising dog food coupons. It may be further determined that users who select, print and redeem dog food coupons of Brand X will get coupons issued by Brand Y, or will get only low value coupons since they are already dog food coupon users, etc. That is, depending on the marketing and targeting criteria and objectives, the analysis means will generate coupon packages as desired.

Thus, the analysis means generates a number of differing coupon data packages for transmittal to the online service provider **2**. The analysis means also provides specific mapping information which will instruct the online service provider as to which user should be provided with which package(s). For example, user **1** may be mapped to coupon data packages **2** and **3**; user no. **2** to packages **3** and **6**, etc. This mapping function may be carried out by the coupon distributor and provided to the online service provider at regular intervals, e.g. once per week. Thus, the coupon selection, printing and redemption habits may be analyzed over a time period and used to determine the subsequent targeted packages.

In addition to mapping certain coupon data packages to certain users, certain advertising packages may be mapped to the users in a similar fashion.

In accordance with the present invention, the marketing analysis, coupon packaging, and coupon package distribu-

tion functions carried out by the coupon distributor **16** may be carried out at the central data repository, i.e. Internet web site. Further, the coupon redemption and user redemption information processing functions individually carried out by the coupon redemption center **13** and the individual retail stores **10** may be combined into a single redemption center, as shown by the dotted line in FIG. **1**. The physical layout of the functions within the system of the present invention is a matter of practicality and choice of the systems designer and does not impact the utility of the present invention.

In an alternative embodiment of the present invention, the user is provided with a visual or auditory stimulus or cue to suggest an access of the electronic coupon distribution system. Referring to FIG. **7**, a message or logo may be included along with the advertising material normally provided on television, in the newspapers, and the like. This will indicate to a user that he should access the online service provider **2** in order to obtain coupon data related to the advertised product. The availability of the coupon could be time-sensitive, which would provide further incentive to the user to use the system in a prompt and efficient manner. When the radio media is used, a tonal or spoken cue may be included during the advertising message to accomplish the same result.

The amount of redemption discount included with a coupon downloaded to a user may be varied depending on certain demographic information that the system has about the user. For instance, the system may provide a certain value for known users of a brand (which information it will obtain by demographic inquiry or through previous redemptions in the system), and it may provide a higher discount in order to provide an incentive to users of a competitive brand. The ability to vary the value of a discount offer in accordance with such demographic and usage data is a unique advantage offered by the system of the present invention and heretofore unavailable in the prior art.

Referring to FIG. **8**, an alternative means of communication between the online service provider **2** or the coupon distributor **16** and the remote computer **6** is illustrated. A satellite communications apparatus **94** is advantageously used to provide a wireless data link **4**. In this embodiment, the data communications interface **20** is a satellite antenna dish or other transceiver unit which provides operative communication between the remote computer **6** and the satellite **94**. A similar unit is located at the online service provider **2** in order for full wireless data communications to be achieved.

The flowchart of FIG. **9** illustrates the flow of information in the system of the present invention. The information flow illustrated therein has been described in detail in connection with the implementing system.

In a further alternative embodiment of the present invention, the functions of the online service provider **2** are carried out at a site on the Internet. That is, a user may access the coupon data repository by accessing an appropriate Internet site. In this embodiment, the downloaded coupon management routines are encoded with a unique user identification number, which may be for example the user's email Internet address. When the user requests coupon data packages to be transmitted, the user identification number is encrypted and sent to the Internet site along with the request. Appropriate routines are implemented at the Internet site to decrypt the user's identification number and compare it against a list of valid members in order to ensure the validity of the user.

In another alternative embodiment of the present invention, all coupon data management functions are carried out by the online service provider **2** rather than by the offline

coupon data management routines **32**. In this case, the speed of access of the online service provider **2** must be high, for example on the order of 28.8 kbps. When high speed communications are used, the need for offline data manipulation is eliminated and all processing can be carried out in an efficient manner while connected to the online provider **2**.

What is claimed is:

1. An online method for a user to view and print at a remote terminal user-specific coupons based on a user profile, the method comprising the steps of:

- (a) storing in a storage device at a central location electronic coupon information pertaining to a group of coupons available;
- (b) receiving a request from a user for access to stored coupon information;
- (c) determining if the user is a registered user, and if the user is not registered:
 - i) transmitting a prompt to the remote terminal to electronically complete a user profile and transmit the user profile to the central location;
 - ii) receiving and storing a user profile at the central location; and
 - iii) downloading to the remote terminal a coupon data management software module for managing the printing of coupons, including unique user identification information; if the user is registered, accessing the stored user profile;
- (d) viewing, by a remote terminal, selected ones of the stored coupons, the selected coupons being based on user-specific information, which comprises user profile information and/or user usage history information;
- (e) receiving at the central location a request to transmit to the remote terminal at least one coupon data file, the coupon data file corresponding to a user selected coupon, the coupon data file comprising various fields, including a redemption amount field and other fields, the redemption amount field being indicative of a discount provided by the coupon, the redemption amount field and at least one other field being variable in accordance with user-specific information associated with the requesting user; and
- (f) transmitting to the remote terminal the at least one coupon data file to enable the user to print a coupon using the coupon data management software module.

2. The method of claim **1** further comprising the step of storing data indicative of coupons printed by the user.

3. The method of claim **1** further comprising the step of sorting coupons by a predetermined classification.

4. The method of claim **1** further comprising the step of generating a shopping list including items corresponding to selected coupons.

5. The method of claim **1** wherein the coupon comprises user-specific data including user identification information.

6. The method of claim **1** wherein the user profile comprises demographic data associated with the user.

7. The method of claim **1** wherein the user profile comprises prior coupon usage data associated with the user.

8. The method of claim **1**, wherein the coupon is generated at the remote terminal from the received coupon data file and a fixed coupon data file previously stored in a memory of the remote terminal, the fixed coupon data file comprising fixed coupon parameters and user-specific data.