



US006673545B2

(12) **United States Patent**
Faris et al.

(10) **Patent No.:** **US 6,673,545 B2**
(45) **Date of Patent:** **Jan. 6, 2004**

(54) **PROSTATE CANCER MARKERS**

(75) Inventors: **Mary Faris**, Los Angeles, CA (US);
Christopher M. Turner, Stanford, CA (US)

(73) Assignee: **Incyte Corporation**, Palo Alto, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/919,172**

(22) Filed: **Jul. 30, 2001**

(65) **Prior Publication Data**

US 2002/0119463 A1 Aug. 29, 2002

Related U.S. Application Data

(60) Provisional application No. 60/222,469, filed on Jul. 28, 2000.

(51) **Int. Cl.**⁷ **C12Q 1/68**

(52) **U.S. Cl.** **435/6; 435/7.1; 435/287.2; 536/23.1**

(58) **Field of Search** **536/23.1; 435/6, 435/287.2, 7.1**

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,968,784 A * 10/1999 Spinella et al. 435/91.1

FOREIGN PATENT DOCUMENTS

WO WO 0064479 11/2000 514/2

OTHER PUBLICATIONS

AF005258, GENBANK, Nov. 21, 1997.*

AF047855, GENBANK, Feb. 25, 1998.*

Gerhold et al., It's the genes! EST access to human genome content. 1996, BioEssays, vol. 18, No. 12, pp. 973-981.*

Wells et al., The chemokine information source: identification and characterization of novel chemokines using the WorldWideWeb and Expressed Sequence Tag Databases. 1997, Journal of Leukocyte Biology, vol. 61, No. 5, pp. 545-550.*

Russell et al., Structural Features can be Unconserved in Proteins with Similar Folds. 1994, Journal of Molecular Biology, vol. 244, pp. 332-350.*

Lopez et al., Whole-genome sequence annotation: 'Going wrong with confidence.' 1999, Molecular Microbiology, vol. 32, pp. 881-891.*

Attwood, The Babel of Bioinformatics. 2000, Science, vol. 290, No. 5491, pp. 471-473.*

Lin, J., et al., "The Phosphatidylinositol 3'-kinase Pathway is a Dominant Growth Factor-Activated Cell Survival Pathway in LNCaP Human Prostate Carcinoma Cells", *Cancer Res*;59(12):2891-2897, (Jun. 15, 1999).

Putz T., et al., Epideral Growth Factor (EGF) Receptor Blockade Inhibits the Action of EGF, Insulin-like Growth Factor I, and a Protein Kinase A Activator on the Mitogen-activated Protein Kinase Pathway in Prostate Cancer Cell Lines¹, *Cancer Res* 59: 227-233 (1999).

Gold, L.I., "The Role for Transforming Growth Factor-β (TGF-β) in Human Cancer", *Crit Rev Oncog* 10(4):303-360 (1999).

Chung T.D., et al., "Characterization of the Role of IL-6 in the Progression of Prostate Cancer", *Prostate* 38: 199-207 (1999).

Hubert, R.S., et al., "STEAP: A prostate-specific cell-surface antigen highly expressed in human prostate tumors", *PNAS*, vol. 96, No. 25, 14523-14528 (Dec. 7, 1999).

* cited by examiner

Primary Examiner—Ardin H. Marschel

Assistant Examiner—Carolyn L Smith

(74) *Attorney, Agent, or Firm*—Incyte Corporation

(57) **ABSTRACT**

The present invention relates to a composition comprising a plurality of cDNAs which are differentially expressed in prostate cancer and which may be used in their entirety or in part as to diagnose, to stage to treat or to monitor the treatment of a subject with prostate cancer.

9 Claims, No Drawings

PROSTATE CANCER MARKERS

This application claims the benefit of Provisional Application No. 60/222,469, filed Jul. 28, 2000.

FIELD OF THE INVENTION

The present invention relates to a composition comprising a plurality of cDNAs which are differentially expressed in prostate cancer and which may be used entirely or in part to diagnose, to stage, to treat, or to monitor the progression or treatment of prostate cancer.

BACKGROUND OF THE INVENTION

Array technology can provide a simple way to explore the expression of a single polymorphic gene or the expression profile of a large number of related or unrelated genes. When the expression of a single gene is examined, arrays are employed to detect the expression of a specific gene or its variants. When an expression profile is examined, arrays provide a platform for examining which genes are tissue specific, carrying out housekeeping functions, parts of a signaling cascade, or specifically related to a particular genetic predisposition, condition, disease, or disorder.

The potential application of gene expression profiling is particularly relevant to improving diagnosis, prognosis, and treatment of disease. For example, both the levels and sequences expressed in tissues from subjects with prostate cancer may be compared with the levels and sequences expressed in normal tissue.

Prostate cancer is a common malignancy in men over the age of 50, and the incidence increases with age. In the U.S., there are approximately 132,000 newly diagnosed cases of prostate cancer and more than 33,000 deaths from the disorder each year.

Once cancer cells arise in the prostate, they are stimulated by testosterone to a more rapid growth. Thus, removal of the testes can indirectly reduce both rapid growth and metastasis of the cancer. Over 95 percent of prostatic cancers are adenocarcinomas which originate in the prostatic acini. The remaining 5 percent are divided between squamous cell and transitional cell carcinomas, both of which arise in the prostatic ducts or other parts of the prostate gland.

As with most cancers, prostate cancer develops through a multistage progression ultimately resulting in an aggressive, metastatic phenotype. The initial step in tumor progression involves the hyperproliferation of normal luminal and/or basal epithelial cells that become hyperplastic and evolve into early-stage tumors. The early-stage tumors are localized in the prostate but eventually may metastasize, particularly to the bone, brain or lung. About 80% of these tumors remain responsive to androgen treatment, an important hormone controlling the growth of prostate epithelial cells. However, in its most advanced state, cancer growth becomes androgen-independent and there is currently no known treatment for this condition.

A primary diagnostic marker for prostate cancer is prostate specific antigen (PSA). PSA is a tissue-specific serine protease almost exclusively produced by prostatic epithelial cells. The quantity of PSA correlates with the number and volume of the prostatic epithelial cells, and consequently, the levels of PSA are an excellent indicator of abnormal prostate growth. Men with prostate cancer exhibit an early linear increase in PSA levels followed by an exponential increase prior to diagnosis. However, since PSA levels are also influenced by factors such as inflammation, androgen

and other growth factors, some scientists maintain that changes in PSA levels are not useful in detecting individual cases of prostate cancer.

Current areas of cancer research provide additional prospects for markers as well as potential therapeutic targets for prostate cancer. Several growth factors have been shown to play a critical role in tumor development, growth, and progression. The growth factors Epidermal Growth Factor (EGF), Fibroblast Growth Factor (FGF), and Tumor Growth Factor alpha (TGF α) are important in the growth of normal as well as hyperproliferative prostate epithelial cells, particularly at early stages of tumor development and progression, and affect signaling pathways in these cells in various ways (Lin J et al. (1999) *Cancer Res.* 59:2891–2897; Putz T et al. (1999) *Cancer Res* 59:227–233). The TGF- β family of growth factors are generally expressed at increased levels in human cancers and the high expression levels in many cases correlates with advanced stages of malignancy and poor survival (Gold L I (1999) *Crit Rev Oncog* 10:303–360). Finally, there are human cell lines representing both the androgen-dependent stage of prostate cancer (LNCap) as well as the androgen-independent, hormone refractory stage of the disease PC3 and DU-145) that have proved useful in studying gene expression patterns associated with the progression of prostate cancer, and the effects of cell treatments on these expressed genes (Chung T D (1999) *Prostate* 15:199–207).

The present invention provides for a composition comprising a plurality of cDNAs for use in detecting changes in expression of genes encoding proteins that are associated with prostate cancer. Such a composition can be employed for the diagnosis, prognosis or treatment of prostate cancer and related disorders correlated with differential gene expression. The present invention satisfies a need in the art in that it provides a set of differentially expressed genes which may be used entirely or in part to diagnose, to stage, to treat, or to monitor the progression or treatment of a subject with prostate cancer.

SUMMARY

The present invention provides a composition comprising a plurality of cDNAs and their complements which are differentially expressed in prostate adenocarcinomas and which are selected from SEQ ID NOs:1–1–3, 5, 6, 8, 10–15, 17–19, 21, 23–28, 30, 32, 34–36, 38, 40, 42–45, 47–50, 52, 53, 55, 56, 58–65, 67, 68, 70–73, 75, 76, 78–86, 88–90, 92–97, 99–101 as presented in the Sequence Listing. In one embodiment, each cDNA is differentially regulated in metastatic versus non-metastatic tissue samples, SEQ ID NOs:1–3, 5, 6, 8, 10–15, 17–19, 21, 23–28, 30, 32, 34–36, 38, 40, 42–45, 47–50, 52, 53, 55, 56, 58–65, 67, 68, 70–73, 75; in another embodiment, each cDNA is differentially regulated at all stages of the disease, SEQ ID NOs:76, 78–86, 88–90, 92–97, 99–101. In one aspect, the composition is immobilized on a substrate. In another aspect, the composition is used to diagnose the presence and stage of prostate cancer in a subject. The invention also provides proteins encoded by the cDNAs and which are selected from SEQ ID NOs:4, 7, 9, 16, 20, 22, 29, 31, 33, 37, 39, 41, 46, 51, 54, 57, 66, 69, 74, 77, 87, 91, 98 as presented in the Sequence Listing.

The invention also provides a high throughput method to detect differential expression of one or more of the cDNAs of the composition. The method comprises hybridizing the substrate comprising the composition with the nucleic acids of a sample, thereby forming one or more hybridization

complexes, detecting the hybridization complexes, and comparing the hybridization complexes with those of a standard, wherein differences in the size and signal intensity of each hybridization complex indicates differential expression of nucleic acids in the sample. In one aspect, the sample is from a subject with prostate cancer and differential expression determines an early, mid, and late stage of the disorder.

The invention further provides a high throughput method of screening a library or a plurality of molecules or compounds to identify a ligand. The method comprises combining the substrate comprising the composition with a library or a plurality of molecules or compounds under conditions to allow specific binding and detecting specific binding, thereby identifying a ligand. The library or a plurality of molecules or compounds are selected from DNA molecules, RNA molecules, peptide nucleic acid molecules, mimetics, peptides, transcription factors, repressors, and other regulatory proteins.

The invention still further provides an isolated cDNA encoding the protein comprising the amino acid sequence of SEQ ID NO:37. The invention also provides an isolated cDNA comprising SEQ ID NO:36 as presented in the Sequence Listing. The invention also provides a vector comprising the cDNA, a host cell comprising the vector, and a method for producing a protein comprising culturing the host cell under conditions for the expression of a protein and recovering the protein from the host cell culture. The invention additionally provides a method for purifying a ligand, the method comprising combining a cDNA of the invention with a sample under conditions which allow specific binding, recovering the bound cDNA, and separating the cDNA from the ligand, thereby obtaining purified ligand.

The present invention provides a purified protein encoded and produced by a cDNA of the invention. The invention also provides a high-throughput method for using a protein to screen a library or a plurality of molecules or compounds to identify a ligand. The method comprises combining the protein or a portion thereof with the library or a plurality of molecules or compounds under conditions to allow specific binding and detecting specific binding, thereby identifying a ligand which specifically binds the protein. A library or a plurality of molecules or compounds are selected from DNA molecules, RNA molecules, peptide nucleic acid molecules, mimetics, peptides, proteins, agonists, antagonists, antibodies or their fragments, immunoglobulins, inhibitors, drug compounds, and pharmaceutical agents. The invention further provides for using a protein to purify a ligand. The method comprises combining the protein or a portion thereof with a sample under conditions to allow specific binding, recovering the bound protein, and separating the protein from the ligand, thereby obtaining purified ligand. The invention still further provides a pharmaceutical composition comprising the protein. The invention yet still further provides a method for using the protein to produce an antibody. The method comprises immunizing an animal with the protein or an antigenically-effective epitope under conditions to elicit an antibody response, isolating animal antibodies, and screening the isolated antibodies with the protein to identify an antibody which specifically binds the protein. The invention yet still further provides a method for using the protein to purify antibodies which bind specifically to the protein.

DESCRIPTION OF THE SEQUENCE LISTING AND TABLES

A portion of the disclosure of this patent document contains material that is subject to copyright protection. The

copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

The Sequence Listing is a compilation of cDNAs obtained by sequencing and extension of clone inserts. Each sequence is identified by a sequence identification number (SEQ ID NO) and by the template number (TEMPLATE ID) from which it was obtained.

Table 1 shows the differential expression of cDNAs of the present invention in metastatic versus non-metastatic prostate adenocarcinoma. Column 1 shows the Clone ID of each sequence represented on a microarray. Columns 2–6 show differential expression in adenocarcinomas derived from prostate tissue relative to primary prostate epithelium. Differential expression values are presented as log 2 (normal tissue/adenocarcinoma). Negative values represent an increase in expression. Column 7 shows the t-test statistic used to evaluate markers specific to metastatic versus non-metastatic prostate adenocarcinoma.

Table 2 shows the differential expression of cDNAs of the present invention in prostate adenocarcinoma versus normal prostate. Column 1 shows the Clone ID of each sequence represented on a microarray. Columns 2–6 show differential expression in adenocarcinomas derived from prostate tissue relative to primary prostate epithelium. Differential expression values are presented as log 2 (normal tissue/adenocarcinoma). Negative values represent an increase in expression.

Table 3 shows the region within a gene template of each cDNA encompassed by a clone identified in Tables 1 and 2. Columns 1 and 2 show the SEQ ID NO: and Template ID, respectively. Column 3 shows the Clone ID and columns 4 and 5 show the first residue (Start) and last residue (Stop) encompassed by the clone on the template.

Table 4 lists the functional annotation of the cDNAs of the present invention. Columns 1 and 2 show the SEQ ID NO and Template ID, respectively. Columns 3, 4, and 5 show the GenBank hit (GI Number), probability score (E-value), and functional annotation, respectively, as determined by BLAST analysis (version 1.4 using default parameters; Altschul (1993) *J Mol Evol* 36: 290–300; Altschul et al. (1990) *J Mol Biol* 215:403–410) of the cDNA against GenBank (release 117; National Center for Biotechnology Information (NCBI), Bethesda Md.).

Table 5 shows Pfam annotations of the cDNAs of the present invention. Columns 1 and 2 show the SEQ ID NO and Template ID, respectively. Columns 3, 4, and 5 show the first residue (Start), last residue (Stop), and reading frame, respectively, for the segment of the cDNA identified by Pfam analysis. Columns 6, 7, and 8 show the PFAM Hit, PFAM Annotation, and E-value, respectively, corresponding to the polypeptide domain of the protein or encoded by the cDNA segment.

Table 6 shows signal peptide and transmembrane regions predicted within the cDNAs of the present invention. Columns 1 and 2 show the SEQ ID NO and Template ID, respectively. Columns 3, 4, and 5 show the first residue (Start), last residue (Stop), and reading frame, respectively, for a segment of the cDNA, and column 6 identifies the polypeptide encoded by the segment as either a signal peptide (SP) or transmembrane (TM) domain.

DESCRIPTION OF THE INVENTION

Definitions

“Array” refers to an ordered arrangement of at least two cDNAs on a substrate. At least one of the cDNAs represents a control or standard sequence, and the other, a cDNA of diagnostic interest. The arrangement of from about two to about 40,000 cDNAs on the substrate assures that the size and signal intensity of each labeled hybridization complex formed between a cDNA and a sample nucleic acid is individually distinguishable.

The “complement” of a nucleic acid molecule of the Sequence Listing refers to a cDNA which is completely complementary over the full length of the sequence and which will hybridize to the nucleic acid molecule under conditions of high stringency.

A “composition” comprises at least two sequences selected from the Sequence Listing. “cDNA” refers to a chain of nucleotides, an isolated polynucleotide, nucleic acid molecule, or any fragment or complement thereof. It may have originated recombinantly or synthetically, be double-stranded or single-stranded, coding and/or noncoding, an exon with or without an intron from a genomic DNA molecule, and purified or combined with carbohydrate, lipids, protein or inorganic elements or substances. Preferably, the cDNA is from about 4000 to about 5000 nucleotides.

The phrase “cDNA encoding a protein” refers to a nucleic acid sequence that closely aligns with sequences which encode conserved regions, motifs or domains that were identified by employing analyses well known in the art. These analyses include BLAST (Basic Local Alignment Search Tool; Altschul (1993) *J Mol Evol* 36: 290–300; Altschul et al. (1990) *J Mol Biol* 215:403–410) which provides identity within the conserved region. Brenner et al. (1998; *Proc Natl Acad Sci* 95:6073–6078) who analyzed BLAST for its ability to identify structural homologs by sequence identity found 30% identity is a reliable threshold for sequence alignments of at least 150 residues and 40% is a reasonable threshold for alignments of at least 70 residues (Brenner et al., page 6076, column 2).

“Derivative” refers to a cDNA or a protein that has been subjected to a chemical modification. Derivatization of a cDNA can involve substitution of a nontraditional base such as queosine or of an analog such as hypoxanthine. These substitutions are well known in the art. Derivatization of a protein involves the replacement of a hydrogen by an acetyl, acyl, alkyl, amino, formyl, or morpholino group. Derivative molecules retain the biological activities of the naturally occurring molecules but may confer advantages such as longer lifespan or enhanced activity.

“Differential expression” refers to an increased, upregulated or present, or decreased, downregulated or absent, gene expression as detected by the absence, presence, or at least two-fold changes in the amount of transcribed messenger RNA or translated protein in a sample.

“Disorder” refers to conditions, diseases or syndromes associated with prostate cancer.

“Fragment” refers to a chain of consecutive nucleotides from about 200 to about 700 base pairs in length. Fragments may be used in PCR or hybridization technologies to identify related nucleic acid molecules and in binding assays to screen for a ligand. Nucleic acids and their ligands identified in this manner are useful as therapeutics to regulate replication, transcription or translation.

A “hybridization complex” is formed between a cDNA and a nucleic acid of a sample when the purines of one molecule hydrogen bond with the pyrimidines of the

complementary molecule, e.g., 5'-A-G-T-C-3' base pairs with 3'-T-C-A-G-5'. The degree of complementarity and the use of nucleotide analogs affect the efficiency and stringency of hybridization reactions.

“Ligand” refers to any agent, molecule, or compound which will bind specifically to a complementary site on a cDNA molecule or polynucleotide, or to an epitope or a protein. Such ligands stabilize or modulate the activity of polynucleotides or proteins and may be composed of inorganic or organic substances including nucleic acids, proteins, carbohydrates, fats, and lipids.

“Oligonucleotide” refers a single stranded molecule from about 18 to about 60 nucleotides in length which may be used in hybridization or amplification technologies or in regulation of replication, transcription or translation. Substantially equivalent terms are amplimer, primer, and oligomer.

“Portion” refers to any part of a protein used for any purpose; but especially, to an epitope for the screening of ligands or for the production of antibodies.

“Post-translational modification” of a protein can involve lipidation, glycosylation, phosphorylation, acetylation, racemization, proteolytic cleavage, and the like. These processes may occur synthetically or biochemically. Biochemical modifications will vary by cellular location, cell type, pH, enzymatic milieu, and the like.

“Probe” refers to a cDNA that hybridizes to at least one nucleic acid molecule in a sample. Where targets are single stranded, probes are complementary single strands. Probes can be labeled with reporter molecules for use in hybridization reactions including Southern, northern, in situ, dot blot, array, and like technologies or in screening assays.

“Protein” refers to a polypeptide or any portion thereof. A “portion” of a protein retains at least one biological or antigenic characteristic of a native protein. An “oligopeptide” is an amino acid sequence from about five residues to about 15 residues that is used as part of a fusion protein to produce an antibody.

“Purified” refers to any molecule or compound that is separated from its natural environment and is from about 60% free to about 90% free from other components with which it is naturally associated.

“Sample” is used in its broadest sense as containing nucleic acids, proteins, antibodies, and the like. A sample may comprise a bodily fluid; the soluble fraction of a cell preparation, or an aliquot of media in which cells were grown; a chromosome, an organelle, or membrane isolated or extracted from a cell; genomic DNA, RNA, or cDNA in solution or bound to a substrate; a cell; a tissue; a tissue print; a fingerprint, buccal cells, skin, or hair; and the like.

“Specific binding” refers to a special and precise interaction between two molecules which is dependent upon their structure, particularly their molecular side groups. For example, the intercalation of a regulatory protein into the major groove of a DNA molecule, the hydrogen bonding along the backbone between two single stranded nucleic acids, or the binding between an epitope of a protein and an agonist, antagonist, or antibody.

“Similarity” as applied to sequences, refers to the quantification (usually percentage) of nucleotide or residue matches between at least two sequences aligned using a standardized algorithm such as Smith-Waterman alignment (Smith and Waterman (1981) *J Mol Biol* 147:195–197) or BLAST2 (Altschul et al. (1997) *Nucleic Acids Res* 25:3389–3402). BLAST2 may be used in a standardized and reproducible way to insert gaps in one of the sequences in order to optimize alignment and to achieve a more meaningful comparison between them.

“Substrate” refers to any rigid or semi-rigid support to which cDNAs or proteins are bound and includes membranes, filters, chips, slides, wafers, fibers, magnetic or nonmagnetic beads, gels, capillaries or other tubing, plates, polymers, and microparticles with a variety of surface forms including wells, trenches, pins, channels and pores.

“Variant” refers to molecules that are recognized variations of a cDNA or a protein encoded by the cDNA. Splice variants may be determined by BLAST score, wherein the score is at least 100, and most preferably at least 400. Allelic variants have a high percent identity to the cDNAs and may differ by about three bases per hundred bases. “Single nucleotide polymorphism” (SNP) refers to a change in a single base as a result of a substitution, insertion or deletion. The change may be conservative (purine for purine) or non-conservative (purine to pyrimidine) and may or may not result in a change in an encoded amino acid.

The Invention

The present invention provides for a composition comprising a plurality of cDNAs or their complements, SEQ ID NOs:1-3, 5, 6, 8, 10-15, 17-19, 21, 23-28, 30, 32, 34-36, 38, 40, 42-45, 47-50, 52, 53, 55, 56, 58-65, 67, 68, 70-73, 75, 76, 78-86, 88-90, 92-97, 99-101, which may be used on a substrate to diagnose, to stage, to treat or to monitor the progression or treatment of prostate cancer. These cDNAs represent known and novel genes differentially expressed in cells from non-metastatic and metastatic prostate tumors. The composition may be used in its entirety or in part, as subsets of cDNAs differentially regulated between non-metastatic and metastatic prostate cancer, SEQ ID NOs:1-3, 5, 6, 8, 10-15, 17-19, 21, 23-28, 30, 32, 34-36, 38, 40, 42-45, 47-50, 52, 53, 55, 56, 58-65, 67, 68, 70-73, 75, or of cDNAs differentially regulated at all stages of prostate cancer, SEQ ID NOs:76, 78-86, 88-90, 92-97, 99-101. SEQ ID NOs:24, 36, 47, 60, 82, 88, 89, 92, 93, and 95 represent novel cDNAs associated with prostate cancer. Since the novel cDNAs were identified solely by their differential expression, it is not essential to know a priori the name, structure, or function of the gene or its encoded protein. The usefulness of the novel cDNAs exist in their immediate value as diagnostics for prostate cancer.

Table 1 shows the differential expression of cDNAs of the present invention in metastatic versus non-metastatic prostate adenocarcinoma. Column 1 shows the Clone ID of each sequence represented on a microarray. Columns 2-6 show the differential expression in adenocarcinomas derived from prostate tissue relative to primary prostate epithelium. Differential expression values are presented as log 2 of the absolute expression in normal prostate tissue+the absolute expression in prostate adenocarcinoma. Negative values represent an increase in expression. Column 7 shows the t-test statistic used to evaluate markers specific to metastatic versus non-metastatic prostate adenocarcinoma. All of the cDNAs in Table 1 show significant differential regulation in metastatic cancer relative to non-metastatic cancer. Further, expression profiles between the metastatic cancer lines show a high degree of correlation (>0.48), as do the expression profiles between the non-metastatic lines (0.64). However, the expression profiles between the metastatic and non-metastatic lines show significantly less correlation (<0.3).

Table 2 shows the differential expression of cDNAs of the present invention in prostate adenocarcinoma versus normal prostate. Column 1 shows the Clone ID of each sequence represented on a microarray. Columns 2-6 show differential expression in adenocarcinomas derived from prostate tissue relative to primary prostate epithelium. Differential expression values are presented as log 2 (normal

tissue+adenocarcinoma). Negative values represent an increase in expression. The expression profile for the cDNAs identified in Table 2 show high correlation between all tumor lines (>0.5).

SEQ ID NO:36 is a novel sequence differentially regulated between metastatic and non-metastatic prostate tumors. SEQ ID NO:36 encodes SEQ ID NO:37 which is 193 amino acids in length.

The cDNAs of the invention define a differential expression pattern against which to compare the expression pattern of biopsied and/or in vitro treated tissues. Experimentally, differential expression of the cDNAs can be evaluated by methods including, but not limited to, differential display by spatial immobilization or by gel electrophoresis, genome mismatch scanning, representational discriminate analysis, clustering, transcript imaging and array technologies. These methods may be used alone or in combination.

The composition may be arranged on a substrate and hybridized with tumor tissues from subjects to identify those sequences which are differentially expressed in both prostate cancer and tumors derived from other tissues. This allows identification of those sequences of highest diagnostic and potential therapeutic value. In one embodiment, an additional set of cDNAs, such as cDNAs encoding signaling molecules, are arranged on the substrate with the composition. Such combinations may be useful in the elucidation of pathways which are affected in a particular cancer or to identify new, coexpressed, candidate, therapeutic molecules.

In another embodiment, the composition can be used for large scale genetic or gene expression analysis of a large number of novel, nucleic acid molecules. These samples are prepared by methods well known in the art and are from mammalian cells or tissues which are in a certain stage of development; have been treated with a known molecule or compound, such as a cytokine, growth factor, a drug, and the like; or have been extracted or biopsied from a mammal with a known or unknown condition, disorder, or disease before or after treatment. The sample nucleic acid molecules are hybridized to the composition for the purpose of defining a novel gene profile associated with that developmental stage, treatment, or disorder.

cDNAs and Their Uses

cDNAs can be prepared by a variety of synthetic or enzymatic methods well known in the art. cDNAs can be synthesized, in whole or in part, using chemical methods well known in the art (Caruthers et al. (1980) *Nucleic Acids Symp. Ser. (7):215-233*). Alternatively, cDNAs can be produced enzymatically or recombinantly, by in vitro or in vivo transcription.

Nucleotide analogs can be incorporated into cDNAs by methods well known in the art. The only requirement is that the incorporated analog must base pair with native purines or pyrimidines. For example, 2,6-diaminopurine can substitute for adenine and form stronger bonds with thymidine than those between adenine and thymidine. A weaker pair is formed when hypoxanthine is substituted for guanine and base pairs with cytosine. Additionally, cDNAs can include nucleotides that have been derivatized chemically or enzymatically.

cDNAs can be synthesized on a substrate. Synthesis on the surface of a substrate may be accomplished using a chemical coupling procedure and a piezoelectric printing apparatus as described by Baldeschweiler et al. (PCT publication WO95/251116). Alternatively, the cDNAs can be synthesized on a substrate surface using a self-addressable electronic device that controls when reagents are added as described by Heller et al. (U.S. Pat. No. 5,605,662). cDNAs

can be synthesized directly on a substrate by sequentially dispensing reagents for their synthesis on the substrate surface or by dispensing preformed DNA fragments to the substrate surface. Typical dispensers include a micropipette delivering solution to the substrate with a robotic system to control the position of the micropipette with respect to the substrate. There can be a multiplicity of dispensers so that reagents can be delivered to the reaction regions efficiently.

cDNAs can be immobilized on a substrate by covalent means such as by chemical bonding procedures or UV irradiation. In one method, a cDNA is bound to a glass surface which has been modified to contain epoxide or aldehyde groups. In another method, a cDNA is placed on a polylysine coated surface and UV cross-linked to it as described by Shalon et al. (WO95/35505). In yet another method, a cDNA is actively transported from a solution to a given position on a substrate by electrical means (Heller, supra). cDNAs do not have to be directly bound to the substrate, but rather can be bound to the substrate through a linker group. The linker groups are typically about 6 to 50 atoms long to provide exposure of the attached cDNA. Preferred linker groups include ethylene glycol oligomers, diamines, diacids and the like. Reactive groups on the substrate surface react with a terminal group of the linker to bind the linker to the substrate. The other terminus of the linker is then bound to the cDNA. Alternatively, polynucleotides, plasmids or cells can be arranged on a filter. In the latter case, cells are lysed, proteins and cellular components degraded, and the DNA is coupled to the filter by UV cross-linking.

The cDNAs may be used for a variety of purposes. For example, the composition of the invention may be used on an array. The array, in turn, can be used in high-throughput methods for detecting a related polynucleotide in a sample, screening a plurality of molecules or compounds to identify a ligand, diagnosing prostate cancer, or inhibiting or inactivating a therapeutically relevant gene related to the cDNA.

When the cDNAs of the invention are employed on a microarray, the cDNAs are arranged in an ordered fashion so that each cDNA is present at a specified location. Because the cDNAs are at specified locations on the substrate, the hybridization patterns and intensities, which together create a unique expression profile, can be interpreted in terms of expression levels of particular genes and can be correlated with a particular metabolic process, condition, disorder, disease, stage of disease, or treatment.

Hybridization

The cDNAs or fragments or complements thereof may be used in various hybridization technologies. The cDNAs may be labeled using a variety of reporter molecules by either PCR, recombinant, or enzymatic techniques. For example, a commercially available vector containing the cDNA is transcribed in the presence of an appropriate polymerase, such as T7 or SP6 polymerase, and at least one labeled nucleotide. Commercial kits are available for labeling and cleanup of such cDNAs. Radioactive (Amersham Pharmacia Biotech (APB), Piscataway N.J.), fluorescent (Operon Technologies, Alameda Calif.), and chemiluminescent labeling (Promega, Madison Wis.) are well known in the art.

A cDNA may represent the complete coding region of an mRNA or be designed or derived from unique regions of the mRNA or genomic molecule, an intron, a 3' untranslated region, or from a conserved motif. The cDNA is at least 18 contiguous nucleotides in length and is usually single stranded. Such a cDNA may be used under hybridization conditions that allow binding only to an identical sequence, a naturally occurring molecule encoding the same protein, or

an allelic variant. Discovery of related human and mammalian sequences may also be accomplished using a pool of degenerate cDNAs and appropriate hybridization conditions. Generally, a cDNA for use in Southern or northern hybridizations may be from about 400 to about 6000 nucleotides long. Such cDNAs have high binding specificity in solution-based or substrate-based hybridizations. An oligonucleotide, a fragment of the cDNA, may be used to detect a polynucleotide in a sample using PCR.

The stringency of hybridization is determined by G+C content of the cDNA, salt concentration, and temperature. In particular, stringency is increased by reducing the concentration of salt or raising the hybridization temperature. In solutions used for some membrane based hybridizations, addition of an organic solvent such as formamide allows the reaction to occur at a lower temperature. Hybridization may be performed with buffers, such as 5×saline sodium citrate (SSC) with 1% sodium dodecyl sulfate (SDS) at 60° C., that permit the formation of a hybridization complex between nucleic acid sequences that contain some mismatches. Subsequent washes are performed with buffers such as 0.2×SSC with 0.1% SDS at either 45° C. (medium stringency) or 65°–68° C. (high stringency). At high stringency, hybridization complexes will remain stable only where the nucleic acid molecules are completely complementary. In some membrane-based hybridizations, preferably 35% or most preferably 50%, formamide may be added to the hybridization solution to reduce the temperature at which hybridization is performed. Background signals may be reduced by the use of detergents such as Sarkosyl or Triton X-100 (Sigma Aldrich, St. Louis Mo.) and a blocking agent such as denatured salmon sperm DNA. Selection of components and conditions for hybridization are well known to those skilled in the art and are reviewed in Ausubel et al. (1997, *Short Protocols in Molecular Biology*, John Wiley & Sons, New York N.Y., Units 2.8–2.11, 3.18–3.19 and 4–64.9).

Dot-blot, slot-blot, low density and high density arrays are prepared and analyzed using methods known in the art. cDNAs from about 18 consecutive nucleotides to about 5000 consecutive nucleotides in length are contemplated by the invention and used in array technologies. The preferred number of cDNAs on an array is at least about 100,000, a more preferred number is at least about 40,000, an even more preferred number is at least about 10,000, and a most preferred number is at least about 600 to about 800. The array may be used to monitor the expression level of large numbers of genes simultaneously and to identify genetic variants, mutations, and SNPs. Such information may be used to determine gene function; to understand the genetic basis of a disorder; to diagnose a disorder; and to develop and monitor the activities of therapeutic agents being used to control or cure a disorder. (See, e.g., U.S. Pat. No. 5,474,796; WO95/11995; WO95/35505; U.S. Pat. No. 5,605,662; and U.S. Pat. No. 5,958,342.)

Screening and Purification Assays

A cDNA may be used to screen a library or a plurality of molecules or compounds for a ligand which specifically binds the cDNA. Ligands may be DNA molecules, RNA molecules, peptide nucleic acid molecules, peptides, proteins such as transcription factors, promoters, enhancers, repressors, and other proteins that regulate replication, transcription, or translation of the polynucleotide in the biological system. The assay involves combining the cDNA or a fragment thereof with the molecules or compounds under conditions that allow specific binding and detecting the bound cDNA to identify at least one ligand that specifically binds the cDNA.

In one embodiment, the cDNA may be incubated with a library of isolated and purified molecules or compounds and binding activity determined by methods such as a gel-retardation assay (U.S. Pat. No. 6,010,849) or a reticulocyte lysate transcriptional assay. In another embodiment, the cDNA may be incubated with nuclear extracts from biopsied and/or cultured cells and tissues. Specific binding between the cDNA and a molecule or compound in the nuclear extract is initially determined by gel shift assay. Protein binding may be confirmed by raising antibodies against the protein and adding the antibodies to the gel-retardation assay where specific binding will cause a supershift in the assay.

In another embodiment, the cDNA may be used to purify a molecule or compound using affinity chromatography methods well known in the art. In one embodiment, the cDNA is chemically reacted with cyanogen bromide groups on a polymeric resin or gel. Then a sample is passed over and reacts with or binds to the cDNA. The molecule or compound which is bound to the cDNA may be released from the cDNA by increasing the salt concentration of the flow-through medium and collected.

The cDNA may be used to purify a ligand from a sample. A method for using a cDNA to purify a ligand would involve combining the cDNA or a fragment thereof with a sample under conditions to allow specific binding, recovering the bound cDNA, and using an appropriate agent to separate the cDNA from the purified ligand.

Protein Production and Uses

The full length cDNAs or fragment thereof may be used to produce purified proteins using recombinant DNA technologies described herein and taught in Ausubel et al. (supra; Units 16.1–16.62). One of the advantages of producing proteins by these procedures is the ability to obtain highly-enriched sources of the proteins thereby simplifying purification procedures.

The proteins may contain amino acid substitutions, deletions or insertions made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues involved. Such substitutions may be conservative in nature when the substituted residue has structural or chemical properties similar to the original residue (e.g., replacement of leucine with isoleucine or valine) or they may be nonconservative when the replacement residue is radically different (e.g., a glycine replaced by a tryptophan). Computer programs included in LASERGENE software (DNASTAR, Madison Wis.), MACVECTOR software (Genetics Computer Group, Madison Wis.) and RasMol software (www.umass.edu/microbio/rasmol) may be used to help determine which and how many amino acid residues in a particular portion of the protein may be substituted, inserted, or deleted without abolishing biological or immunological activity.

Expression of Encoded Proteins

Expression of a particular cDNA may be accomplished by cloning the cDNA into a vector and transforming this vector into a host cell. The cloning vector used for the construction of cDNA libraries in the LIFESEQ databases may also be used for expression. Such vectors usually contain a promoter and a polylinker useful for cloning, priming, and transcription. An exemplary vector may also contain the promoter for β -galactosidase, an amino-terminal methionine and the subsequent seven amino acid residues of β -galactosidase. The vector may be transformed into competent *E. coli* cells. Induction of the isolated bacterial strain with isopropylthiogalactoside (IPTG) using standard methods will produce a fusion protein that contains an N terminal methionine, the first seven residues of β -galactosidase, about 15 residues of linker, and the protein encoded by the cDNA.

The cDNA may be shuttled into other vectors known to be useful for expression of protein in specific hosts. Oligonucleotides containing cloning sites and fragments of DNA sufficient to hybridize to stretches at both ends of the cDNA may be chemically synthesized by standard methods. These primers may then be used to amplify the desired fragments by PCR. The fragments may be digested with appropriate restriction enzymes under standard conditions and isolated using gel electrophoresis. Alternatively, similar fragments are produced by digestion of the cDNA with appropriate restriction enzymes and filled in with chemically synthesized oligonucleotides. Fragments of the coding sequence from more than one gene may be ligated together and expressed.

Signal sequences that dictate secretion of soluble proteins are particularly desirable as component parts of a recombinant sequence. For example, a chimeric protein may be expressed that includes one or more additional purification-facilitating domains. Such domains include, but are not limited to, metal-chelating domains that allow purification on immobilized metals, protein A domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS extension/affinity purification system (Immunex, Seattle Wash.). The inclusion of a cleavable-linker sequence such as ENTEROKINASEMAX (Invitrogen, San Diego Calif.) between the protein and the purification domain may also be used to recover the protein.

Suitable host cells may include, but are not limited to, mammalian cells such as Chinese Hamster Ovary (CHO) and human 293 cells, insect cells such as Sf9 cells, plant cells such as *Nicotiana tabacum*, yeast cells such as *Saccharomyces cerevisiae*, and bacteria such as *E. coli*. For each of these cell systems, a useful vector may also include an origin of replication and one or two selectable markers to allow selection in bacteria as well as in a transformed eukaryotic host. Vectors for use in eukaryotic host cells may require the addition of 3' poly(A) tail if the cDNA lacks poly(A).

Additionally, the vector may contain promoters or enhancers that increase gene expression. Many promoters are known and used in the art. Most promoters are host specific and exemplary promoters includes SV40 promoters for CHO cells; T7 promoters for bacterial hosts; viral promoters and enhancers for plant cells; and PGH promoters for yeast. Adenoviral vectors with the rous sarcoma virus enhancer or retroviral vectors with long terminal repeat promoters may be used to drive protein expression in mammalian cell lines. Once homogeneous cultures of recombinant cells are obtained, large quantities of secreted soluble protein may be recovered from the conditioned medium and analyzed using chromatographic methods well known in the art. An alternative method for the production of large amounts of secreted protein involves the transformation of mammalian embryos and the recovery of the recombinant protein from milk produced by transgenic cows, goats, sheep, and the like.

In addition to recombinant production, proteins or portions thereof may be produced manually, using solid-phase techniques (Stewart et al. (1969) *Solid-Phase Peptide Synthesis*, W H Freeman, San Francisco Calif.; Merrifield (1963) *J Am Chem Soc* 5:2149–2154), or using machines such as the ABI 431A peptide synthesizer (Applied Biosystems, Foster City Calif.). Proteins produced by any of the above methods may be used as pharmaceutical compositions to treat disorders associated with null or inadequate expression of the genomic sequence.

Screening and Purification Assays

A protein or a portion thereof encoded by the cDNA may be used to screen a library or a plurality of molecules or compounds for a ligand with specific binding affinity or to purify a molecule or compound from a sample. The protein or portion thereof employed in such screening may be free in solution, affixed to an abiotic or biotic substrate, or located intracellularly. For example, viable or fixed prokaryotic host cells that are stably transformed with recombinant nucleic acids that have expressed and positioned a protein on their cell surface can be used in screening assays. The cells are screened against a library or a plurality of ligands and the specificity of binding or formation of complexes between the expressed protein and the ligand may be measured. The ligands may be DNA, RNA, or PNA molecules, agonists, antagonists, antibodies, immunoglobulins, inhibitors, peptides, pharmaceutical agents, proteins, drugs, or any other test molecule or compound that specifically binds the protein. An exemplary assay involves combining the mammalian protein or a portion thereof with the molecules or compounds under conditions that allow specific binding and detecting the bound protein to identify at least one ligand that specifically binds the protein.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding the protein specifically compete with a test compound capable of binding to the protein or oligopeptide or fragment thereof. One method for high throughput screening using very small assay volumes and very small amounts of test compound is described in U.S. Pat. No. 5,876,946. Molecules or compounds identified by screening may be used in a model system to evaluate their toxicity, diagnostic, or therapeutic potential.

The protein may be used to purify a ligand from a sample. A method for using a protein to purify a ligand would involve combining the protein or a portion thereof with a sample under conditions to allow specific binding, recovering the bound protein, and using an appropriate chaotropic agent to separate the protein from the purified ligand.

Production of Antibodies

A protein encoded by a cDNA of the invention may be used to produce specific antibodies. Antibodies may be produced using an oligopeptide or a portion of the protein with inherent immunological activity. Methods for producing antibodies include: 1) injecting an animal, usually goats, rabbits, or mice, with the protein, or an antigenically-effective portion or an oligopeptide thereof, to induce an immune response; 2) engineering hybridomas to produce monoclonal antibodies; 3) inducing in vivo production in the lymphocyte population; or 4) screening libraries of recombinant immunoglobulins. Recombinant immunoglobulins may be produced as taught in U.S. Pat. No. 4,816,567.

Antibodies produced using the proteins of the invention are useful for the diagnosis of prepathologic disorders as well as the diagnosis of chronic or acute diseases characterized by abnormalities in the expression, amount, or distribution of the protein. A variety of protocols for competitive binding or immunoradiometric assays using either polyclonal or monoclonal antibodies specific for proteins are well known in the art. Immunoassays typically involve the formation of complexes between a protein and its specific binding molecule or compound and the measurement of complex formation. Immunoassays may employ a two-site, monoclonal-based assay that utilizes monoclonal antibodies reactive to two noninterfering epitopes on a specific protein or a competitive binding assay (Pound (1998) *Immunochemical Protocols*, Humana Press, Totowa N.J.).

Immunoassay procedures may be used to quantify expression of the protein in cell cultures, in subjects with a particular disorder or in model animal systems under various conditions. Increased or decreased production of proteins as monitored by immunoassay may contribute to knowledge of the cellular activities associated with developmental pathways, engineered conditions or diseases, or treatment efficacy. The quantity of a given protein in a given tissue may be determined by performing immunoassays on freeze-thawed detergent extracts of biological samples and comparing the slope of the binding curves to binding curves generated by purified protein.

Labeling of Molecules for Assay

A wide variety of reporter molecules and conjugation techniques are known by those skilled in the art and may be used in various cDNA, polynucleotide, protein, peptide or antibody assays. Synthesis of labeled molecules may be achieved using commercial kits for incorporation of a labeled nucleotide such as ³²P-dCTP, Cy3-dCTP or Cy5-dCTP or amino acid such as ³⁵S-methionine. Polynucleotides, cDNAs, proteins, or antibodies may be directly labeled with a reporter molecule by chemical conjugation to amines, thiols and other groups present in the molecules using reagents such as BIODIPY or FITC (Molecular Probes, Eugene Oreg.).

The proteins and antibodies may be labeled for purposes of assay by joining them, either covalently or noncovalently, with a reporter molecule that provides for a detectable signal. A wide variety of labels and conjugation techniques are known and have been reported in the scientific and patent literature including, but not limited to U.S. Pat. Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241.

Diagnostics

The cDNAs, or fragments thereof, may be used to detect and quantify differential gene expression; absence, presence, or excess expression of mRNAs; or to monitor mRNA levels during therapeutic intervention in subjects with prostate-related disorders including prostate cancer. These cDNAs can also be utilized as markers of treatment efficacy against prostate cancer over a period ranging from several days to months. The diagnostic assay may use hybridization or amplification technology to compare gene expression in a biological sample from a patient to standard samples in order to detect altered gene expression. Qualitative or quantitative methods for this comparison are well known in the art.

For example, the cDNA may be labeled by standard methods and added to a biological sample from a patient under conditions for hybridization complex formation. After an incubation period, the sample is washed and the amount of label (or signal) associated with hybridization complexes is quantified and compared with a standard value. If the amount of label in the patient sample is significantly altered in comparison to the standard value, then the presence of the associated condition, disease or disorder is indicated.

In order to provide a basis for the diagnosis of a condition, disease or disorder associated with gene expression, a normal or standard expression profile is established. This may be accomplished by combining a biological sample taken from normal subjects, either animal or human, with a probe under conditions for hybridization or amplification. Standard hybridization may be quantified by comparing the values obtained using normal subjects with values from an experiment in which a known amount of a substantially purified target sequence is used. Standard values obtained in this manner may be compared with values obtained from

samples from patients who are symptomatic for a particular condition, disease, or disorder. Deviation from standard values toward those associated with a particular condition is used to diagnose that condition.

Such assays may also be used to evaluate the efficacy of a particular therapeutic treatment regimen in animal studies and in clinical trial or to monitor the treatment of an individual patient. Once the presence of a condition is established and a treatment protocol is initiated, diagnostic assays may be repeated on a regular basis to determine if the level of expression in the patient begins to approximate that which is observed in a normal subject. The results obtained from successive assays may be used to show the efficacy of treatment over a period ranging from several days to months.

Gene Expression Profiles

A gene expression profile comprises a plurality of cDNAs and a plurality of detectable hybridization complexes, wherein each complex is formed by hybridization of one or more probes to one or more complementary sequences in a sample. The cDNA composition of the invention is used as elements on a microarray to analyze gene expression profiles. In one embodiment, the microarray is used to monitor the progression of prostate cancer. Researchers can assess and catalog the differences in gene expression between healthy and diseased tissues or cells. By analyzing changes in patterns of gene expression, prostate cancer can be diagnosed at earlier stages before the patient is symptomatic. The invention can be used to formulate a prognosis and to design a treatment regimen. The invention can also be used to monitor the efficacy of treatment. For treatments with known side effects, the microarray is employed to improve the treatment regimen. A dosage is established that causes a change in genetic expression patterns indicative of successful treatment. Expression patterns associated with the onset of undesirable side effects are avoided. This approach may be more sensitive and rapid than waiting for the patient to show inadequate improvement, or to manifest side effects, before altering the course of treatment.

In another embodiment, animal models which mimic a human disease can be used to characterize expression profiles associated with a particular condition, disorder or disease; or treatment of the condition, disorder or disease. Novel treatment regimens may be tested in these animal models using microarrays to establish and then follow expression profiles over time. In addition, microarrays may be used with cell cultures or tissues removed from animal models to rapidly screen large numbers of candidate drug molecules, looking for ones that produce an expression profile similar to those of known therapeutic drugs, with the expectation that molecules with the same expression profile will likely have similar therapeutic effects. Thus, the invention provides the means to rapidly determine the molecular mode of action of a drug.

Assays Using Antibodies

Antibodies directed against epitopes on a protein encoded by a cDNA of the invention may be used in assays to quantify the amount of protein found in a particular human cell. Such assays include methods utilizing the antibody and a label to detect expression level under normal or disease conditions. The antibodies may be used with or without modification, and labeled by joining them, either covalently or noncovalently, with a labeling moiety.

Protocols for detecting and measuring protein expression using either polyclonal or monoclonal antibodies are well known in the art. Examples include ELISA, RIA, and fluorescent activated cell sorting (FACS). Such immunoassays typically involve the formation of complexes between

the protein and its specific antibody and the measurement of such complexes. These and other assays are described in Pound (supra). The method may employ a two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering epitopes, or a competitive binding assay. (See, e.g., Coligan et al. (1997) *Current Protocols in Immunology*, Wiley-Interscience, New York N.Y.; Pound, supra)

Therapeutics

The cDNAs and fragments thereof can be used in gene therapy. cDNAs can be delivered ex vivo to target cells, such as cells of bone marrow. Once stable integration and transcription and or translation are confirmed, the bone marrow may be reintroduced into the subject. Expression of the protein encoded by the cDNA may correct a cancer associated with mutation of a normal sequence, reduction or loss of an endogenous target protein, or overexpression of an endogenous or mutant protein. Alternatively, cDNAs may be delivered in vivo using vectors such as retrovirus, adenovirus, adeno-associated virus, herpes simplex virus, and bacterial plasmids. Non-viral methods of gene delivery include cationic liposomes, polylysine conjugates, artificial viral envelopes, and direct injection of DNA (Anderson (1998) *Nature* 392:25-30; Dachs et al. (1997) *Oncol Res* 9:313-325; Chu et al. (1998) *J Mol Med* 76(34):184-192; Weiss et al. (1999) *Cell Mol Life Sci* 55(3):334-358; Agrawal (1996) *Antisense Therapeutics*, Humana Press, Totowa N.J.; and August et al. (1997) *Gene Therapy (Advances in Pharmacology, Vol. 40)*, Academic Press, San Diego Calif.).

In addition, expression of a particular protein can be regulated through the specific binding of a fragment of a cDNA to a genomic sequence or an mRNA which encodes the protein or directs its transcription or translation. The cDNA can be modified or derivatized to any RNA-like or DNA-like material including peptide nucleic acids, branched nucleic acids, and the like. These sequences can be produced biologically by transforming an appropriate host cell with a vector containing the sequence of interest.

Molecules which regulate the activity of the cDNA or encoded protein are useful as therapeutics for prostate cancer. Such molecules include agonists which increase the expression or activity of the polynucleotide or encoded protein, respectively; or antagonists which decrease expression or activity of the polynucleotide or encoded protein, respectively. In one aspect, an antibody which specifically binds the protein may be used directly as an antagonist or indirectly as a delivery mechanism for bringing a pharmaceutical agent to cells or tissues which express the protein.

Additionally, any of the proteins, or their ligands, or complementary nucleic acid sequences may be administered as pharmaceutical compositions or in combination with other appropriate therapeutic agents. Selection of the appropriate agents for use in combination therapy may be made by one of ordinary skill in the art, according to conventional pharmaceutical principles. The combination of therapeutic agents may act synergistically to affect the treatment or prevention of the conditions and disorders associated with an immune response. Using this approach, one may be able to achieve therapeutic efficacy with lower dosages of each agent, thus reducing the potential for adverse side effects. Further, the therapeutic agents may be combined with pharmaceutically-acceptable carriers including excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. Further details on techniques for formulation and administration used by doctors and pharmacists may be

found in the latest edition of *Remington's Pharmaceutical Sciences* (Maack Publishing, Easton Pa.).

Model Systems

Animal models may be used as bioassays where they exhibit a phenotypic response similar to that of humans and where exposure conditions are relevant to human exposures. Mammals are the most common models, and most infectious agent, cancer, drug, and toxicity studies are performed on rodents such as rats or mice because of low cost, availability, lifespan, reproductive potential, and abundant reference literature. Inbred and outbred rodent strains provide a convenient model for investigation of the physiological consequences of underexpression or overexpression of genes of interest and for the development of methods for diagnosis and treatment of diseases. A mammal inbred to overexpress a particular gene (for example, secreted in milk) may also serve as a convenient source of the protein expressed by that gene.

Transgenic Animal Models

Transgenic rodents that overexpress or underexpress a gene of interest may be inbred and used to model human diseases or to test therapeutic or toxic agents. (See, e.g., U.S. Pat. No. 5,175,383 and U.S. Pat. No. 5,767,337.) In some cases, the introduced gene may be activated at a specific time in a specific tissue type during fetal or postnatal development. Expression of the transgene is monitored by analysis of phenotype, of tissue-specific mRNA expression, or of serum and tissue protein levels in transgenic animals before, during, and after challenge with experimental drug therapies.

Embryonic Stem Cells

Embryonic (ES) stem cells isolated from rodent embryos retain the potential to form embryonic tissues. When ES cells such as the mouse 129/SvJ cell line are placed in a blastocyst from the C57BL/6 mouse strain, they resume normal development and contribute to tissues of the live-born animal. ES cells are preferred for use in the creation of experimental knockout and knockin animals. The method for this process is well known in the art and the steps are: the cDNA is introduced into a vector, the vector is transformed into ES cells, transformed cells are identified and microinjected into mouse cell blastocysts, blastocysts are surgically transferred to pseudopregnant dams. The resulting chimeric progeny are genotyped and bred to produce heterozygous or homozygous strains.

Knockout Analysis

In gene knockout analysis, a region of a gene is enzymatically modified to include a non-natural intervening sequence such as the neomycin phosphotransferase gene (neo; Capecchi (1989) *Science* 244:1288-1292). The modified gene is transformed into cultured ES cells and integrates into the endogenous genome by homologous recombination. The inserted sequence disrupts transcription and translation of the endogenous gene.

Knockin Analysis

ES cells can be used to create knockin humanized animals or transgenic animal models of human diseases. With knockin technology, a region of a human gene is injected into animal ES cells, and the human sequence integrates into the animal cell genome. Transgenic progeny or inbred lines are studied and treated with potential pharmaceutical agents to obtain information on the progression and treatment of the analogous human condition.

As described herein, the uses of the cDNAs, provided in the Sequence Listing of this application, and their encoded proteins are exemplary of known techniques and are not intended to reflect any limitation on their use in any tech-

nique that would be known to the person of average skill in the art. Furthermore, the cDNAs provided in this application may be used in molecular biology techniques that have not yet been developed, provided the new techniques rely on properties of nucleotide sequences that are currently known to the person of ordinary skill in the art, e.g., the triplet genetic code, specific base pair interactions, and the like. Likewise, reference to a method may include combining more than one method for obtaining or assembling full length cDNA sequences that will be known to those skilled in the art. It is also to be understood that this invention is not limited to the particular methodology, protocols, and reagents described, as these may vary. It is also understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention which will be limited only by the appended claims. The examples below are provided to illustrate the subject invention and are not included for the purpose of limiting the invention.

EXAMPLES

I Construction of cDNA Libraries

RNA was purchased from Clontech Laboratories (Palo Alto Calif.) or isolated from various tissues. Some tissues were homogenized and lysed in guanidinium isothiocyanate, while others were homogenized and lysed in phenol or in a suitable mixture of denaturants, such as TRIZOL reagent (Life Technologies, Rockville Md.). The resulting lysates were centrifuged over CsCl cushions or extracted with chloroform. RNA was precipitated with either isopropanol or ethanol and sodium acetate, or by other routine methods.

Phenol extraction and precipitation of RNA were repeated as necessary to increase RNA purity. In most cases, RNA was treated with DNase. For most libraries, poly(A) RNA was isolated using oligo d(T)-coupled paramagnetic particles (Promega), OLIGOTEX latex particles (Qiagen, Valencia Calif.), or an OLIGOTEX mRNA purification kit (Qiagen). Alternatively, poly(A) RNA was isolated directly from tissue lysates using other kits, including the POLY(A) PURE mRNA purification kit (Ambion, Austin Tex.).

In some cases, Stratagene (La Jolla Calif.) was provided with RNA and constructed the corresponding cDNA libraries. Otherwise, cDNA was synthesized and cDNA libraries were constructed with the UNIZAP vector system (Stratagene) or SUPERSCRIPt plasmid system (Life Technologies) using the recommended procedures or similar methods known in the art. (See Ausubel, supra, Units 5.1 through 6.6.) Reverse transcription was initiated using oligo d(T) or random primers. Synthetic oligonucleotide adapters were ligated to double stranded cDNA, and the cDNA was digested with the appropriate restriction enzyme or enzymes. For most libraries, the cDNA was size-selected (300-1000 bp) using SEPHACRYL S1000, SEPHAROSE CL2B, or SEPHAROSE CL4B column chromatography (APB) or preparative agarose gel electrophoresis. cDNAs were ligated into compatible restriction enzyme sites of the polylinker of the PBLUESCRIPt phagemid (Stratagene), PSPORT1 plasmid (Life Technologies), or PINCY plasmid (Incyte Pharmaceuticals). Recombinant plasmids were transformed into XL1-BLUE, XL1-BLUEMRF, or SOLR competent *E. coli* cells (Stratagene) or DH5 α , DH10B, or ELECTROMAX DH10B competent *E. coli* cells (Life Technologies).

In some cases, libraries were superinfected with a 5 \times excess of the helper phage, M13K07, according to the method of Vieira et al. (1987, *Methods Enzymol.* 153:3-11) and normalized or subtracted using a methodology adapted from Soares (1994, *Proc Natl Acad Sci* 91:9228-9232),

Swaroop et al. (1991, Nucl Acids Res 19:1954), and Bonaldo et al. (1996, Genome Research 6:791–806). The modified Soares normalization procedure was utilized to reduce the repetitive cloning of highly expressed high abundance cDNAs while maintaining the overall sequence complexity of the library. Modification included significantly longer hybridization times which allowed for increased gene discovery rates by biasing the normalized libraries toward those infrequently expressed low-abundance cDNAs which are poorly represented in a standard transcript image (Soares et al., supra).

II Isolation and Sequencing of cDNA Clones

Plasmids were recovered from host cells by *in vivo* excision using the UNIZAP vector system (Stratagene) or by cell lysis. Plasmids were purified using one of the following: the Magic or WIZARD MINIPREPS DNA purification system (Promega); the AGTC MINIPREP purification kit (Edge BioSystems, Gaithersburg Md.); the QIAWELL 8, QIAWELL 8 Plus, or QIAWELL 8 Ultra plasmid purification systems, or the REAL PREP 96 plasmid purification kit (QIAGEN, Valencia Calif.). Following precipitation, plasmids were resuspended in 0.1 ml of distilled water and stored, with or without lyophilization, at 4° C.

Alternatively, plasmid DNA was amplified from host cell lysates using direct link PCR in a high-throughput format (Rao (1994) Anal Biochem 216:1–14). Host cell lysis and thermal cycling steps were carried out in a single reaction mixture. Samples were processed and stored in 384-well plates, and the concentration of amplified plasmid DNA was quantified fluorometrically using PICOGREEN dye (Molecular Probes) and a FLUOROSKAN II fluorescence scanner (Labsystems Oy, Helsinki, Finland).

cDNA sequencing reactions were processed using standard methods or high-throughput instrumentation such as the ABI CATALYST 800 thermal cycler (Applied Biosystems) or the DNA ENGINE thermal cycler (MJ Research, Watertown Mass.) in conjunction with the HYDRA microdispenser (Robbins Scientific, Sunnyvale Calif.) or the MICROLAB 2200 system (Hamilton, Reno Nev.). cDNA sequencing reactions were prepared using reagents provided by APB or supplied in ABI sequencing kits such as the ABI PRISM BIGDYE cycle sequencing kit (Applied Biosystems). Electrophoretic separation of cDNA sequencing reactions and detection of labeled cDNAs were carried out using the MEGABACE 1000 DNA sequencing system (APB); the ABI PRISM 373 or 377 sequencing systems (Applied Biosystems) in conjunction with standard ABI protocols and base calling software; or other sequence analysis systems known in the art. Reading frames within the cDNA sequences were identified using standard methods (reviewed in Ausubel, supra, Unit 7.7).

III Extension of cDNA Sequences

Nucleic acid sequences were extended using the cDNA clones and oligonucleotide primers. One primer was synthesized to initiate 5' extension of the known fragment, and the other, to initiate 3' extension of the known fragment. The initial primers were designed using OLIGO 4.06 software (National Biosciences), or another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the target sequence at temperatures of about 68° C. to about 72° C. Any stretch of nucleotides which would result in hairpin structures and primer-primer dimerizations was avoided.

Selected human cDNA libraries were used to extend the sequence. If more than one extension was necessary or desired, additional or nested sets of primers were designed. Preferred libraries are ones that have been size-selected to

include larger cDNAs. Also, random primed libraries are preferred because they will contain more sequences with the 5' and upstream regions of genes. A randomly primed library is particularly useful if an oligo d(T) library does not yield a full-length cDNA.

High fidelity amplification was obtained by PCR using methods well known in the art. PCR was performed in 96-well plates using the DNA ENGINE thermal cycler (MJ Research). The reaction mix contained DNA template, 200 nmol of each primer, reaction buffer containing Mg²⁺, (NH₄)₂SO₄, and β-mercaptoethanol, Taq DNA polymerase (APB), ELONGASE enzyme (Life Technologies), and Pfu DNA polymerase (Stratagene), with the following parameters for primer pair PCI A and PCI B (Incyte Pharmaceuticals): Step 1: 94° C., 3 min; Step 2: 94° C., 15 sec; Step 3: 60° C., 1 min; Step 4: 68° C., 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68° C., 5 min; Step 7: storage at 4° C. In the alternative, the parameters for primer pair T7 and SK+ (Stratagene) were as follows: Step 1: 94° C., 3 min; Step 2: 94° C., 15 sec; Step 3: 57° C., 1 min; Step 4: 68° C., 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68° C., 5 min; Step 7: storage at 4° C.

The concentration of DNA in each well was determined by dispensing 100 μl PICOGREEN reagent (0.25% reagent in 1×TE, v/v; Molecular Probes) and 0.5 μl of undiluted PCR product into each well of an opaque fluorimeter plate (Corning Costar, Acton Mass.) and allowing the DNA to bind to the reagent. The plate was scanned in a FLUOROSKAN II (Labsystems Oy) to measure the fluorescence of the sample and to quantify the concentration of DNA. A 5 μl to 10 μl aliquot of the reaction mixture was analyzed by electrophoresis on a 1% agarose mini-gel to determine which reactions were successful in extending the sequence.

The extended nucleic acids were desalted and concentrated, transferred to 384-well plates, digested with CviJI cholera virus endonuclease (Molecular Biology Research, Madison Wis.), and sonicated or sheared prior to religation into pUC18 vector (APB). For shotgun sequencing, the digested nucleic acids were separated on low concentration (0.6 to 0.8%) agarose gels, fragments were excised, and agar digested with AGARACE enzyme (Promega). Extended clones were religated using T4 DNA ligase (New England Biolabs, Beverly Mass.) into pUC18 vector (APB), treated with Pfu DNA polymerase (Stratagene) to fill-in restriction site overhangs, and transformed into competent *E. coli* cells. Transformed cells were selected on antibiotic-containing media, and individual colonies were picked and cultured overnight at 37° C. in 384-well plates in LB/2×carbenicillin liquid media.

The cells were lysed, and DNA was amplified by PCR using Taq DNA polymerase (APB) and Pfu DNA polymerase (Stratagene) with the following parameters: Step 1: 94° C., 3 min; Step 2: 94° C., 15 sec; Step 3: 60° C., 1 min; Step 4: 72° C., 2 min; Step 5: steps 2, 3, and 4 repeated 29 times; Step 6: 72° C., 5 min; Step 7: storage at 4° C. DNA was quantified using PICOGREEN reagent (Molecular Probes) as described above. Samples with low DNA recoveries were reamplified using the same conditions described above. Samples were diluted with 20% dimethylsulfoxide (DMSO; 1:2, v/v), and sequenced using DYENAMIC energy transfer sequencing primers and the DYENAMIC DIRECT cycle sequencing kit (APB) or the ABI PRISM BIGDYE terminator cycle sequencing kit (Applied Biosystems).

IV Assembly and Analysis of Sequences

Component nucleotide sequences from chromatograms were subjected to PHRED analysis (Phil Green, University

of Washington, Seattle Wash.) and assigned a quality score. The sequences having at least a required quality score were subject to various pre-processing algorithms to eliminate low quality 3' ends, vector and linker sequences, polyA tails, Alu repeats, mitochondrial and ribosomal sequences, bacterial contamination sequences, and sequences smaller than 50 base pairs. Sequences were screened using the BLOCK 2 program (Incyte Genomics), a motif analysis program based on sequence information contained in the SWISS-PROT and PROSITE databases (Bairoch et al. (1997) *Nucleic Acids Res* 25:217-221; Attwood et al. (1997) *J Chem Inf Comput Sci* 37:417-424).

Processed sequences were subjected to assembly procedures in which the sequences were assigned to bins, one sequence per bin. Sequences in each bin were assembled to produce consensus sequences, templates. Subsequent new sequences were added to existing bins using BLAST (Altschul (supra); Altschul et al. (supra); Karlin et al. (1988) *Proc Natl Acad Sci* 85:841-845), BLASTn (vers.1.4, WashU), and CROSSMATCH software (Phil Green, supra). Candidate pairs were identified as all BLAST hits having a quality score greater than or equal to 150. Alignments of at least 82% local identity were accepted into the bin. The component sequences from each bin were assembled using PHRAP (Phil Green, supra). Bins with several overlapping component sequences were assembled using DEEP PHRAP (Phil Green, supra).

Bins were compared against each other, and those having local similarity of at least 82% were combined and reassembled. Reassembled bins having templates of insufficient overlap (less than 95% local identity) were re-split. Assembled templates were also subjected to analysis by STITCHER/EXON MAPPER algorithms which analyzed the probabilities of the presence of splice variants, alternatively spliced exons, splice junctions, differential expression of alternative spliced genes across tissue types, disease states, and the like. These resulting bins were subjected to several rounds of the above assembly procedures to generate the template sequences found in the LIFESEQ GOLD database (Incyte Genomics).

The assembled templates were annotated using the following procedure. Template sequences were analyzed using BLASTn (vers. 2.0, NCBI) versus GBpri (GenBank vers. 116). "Hits" were defined as an exact match having from 95% local identity over 200 base pairs through 100% local identity over 100 base pairs, or a homolog match having an E-value equal to or greater than 1×10^{-8} . (The "E-value" quantifies the statistical probability that a match between two sequences occurred by chance). The hits were subjected to frameshift FASTx versus GENPEPT (GenBank version 109). In this analysis, a homolog match was defined as having an E-value of 1×10^{-8} . The assembly method used above was described in U.S. Ser. No. 09/276,534, filed Mar. 25, 1999, and the LIFESEQ GOLD user manual (Incyte Genomics).

Following assembly, template sequences were subjected to motif, BLAST, Hidden Markov Model (HMM; Pearson and Lipman (1988) *Proc Natl Acad Sci* 85:2444-2448; Smith and Waterman (1981) *J Mol Biol* 147:195-197), and functional analyses, and categorized in protein hierarchies using methods described in U.S. Ser. No. 08/812,290, filed Mar. 6, 1997; U.S. Ser. No. 08/947,845, filed Oct. 9, 1997; U.S. Pat. No. 5,953,727; and U.S. Ser. No. 09/034,807, filed Mar. 4, 1998. Template sequences may be further queried against public databases such as the GenBank rodent, mammalian, vertebrate, eukaryote, prokaryote, and human EST databases.

V Selection of Sequences, Microarray Preparation and Use

Incyte clones represent template sequences derived from the LIFESEQ GOLD assembled human sequence database (Incyte Genomics). In cases where more than one clone was available for a particular template, the 5'-most clone in the template was used on the microarray. The HUMAN GENOME GEM series 1-3 microarrays (Incyte Pharmaceuticals) contain 28,626 array elements which represent 10,068 annotated clusters and 18,558 unannotated clusters. Tables 1 and 2 show the GenBank annotations for SEQ ID NOs:1-x of this invention as produced by BLAST analysis.

To construct microarrays, cDNAs were amplified from bacterial cells using primers complementary to vector sequences flanking the cDNA insert. Thirty cycles of PCR increased the initial quantity of cDNAs from 1-2 ng to a final quantity greater than 5 μ g. Amplified cDNAs were then purified using SEPHACRYL-400 columns (APB). Purified cDNAs were immobilized on polymer-coated glass slides. Glass microscope slides (Corning, Corning N.Y.) were cleaned by ultrasound in 0.1% SDS and acetone, with extensive distilled water washes between and after treatments. Glass slides were etched in 4% hydrofluoric acid (VWR Scientific Products, West Chester Pa.), washed thoroughly in distilled water, and coated with 0.05% aminopropyl silane (Sigma Aldrich) in 95% ethanol. Coated slides were cured in a 110° C. oven. cDNAs were applied to the coated glass substrate using a procedure described in U.S. Pat. No. 5,807,522. One microliter of the cDNA at an average concentration of 100 ng/ μ l was loaded into the open capillary printing element by a high-speed robotic apparatus which then deposited about 5 nl of cDNA per slide.

Microarrays were UV-crosslinked using a STRATALINKER UV-crosslinker (Stratagene), and then washed at room temperature once in 0.2% SDS and three times in distilled water. Non-specific binding sites were blocked by incubation of microarrays in 0.2% casein in phosphate buffered saline (Tropix, Bedford Mass.) for 30 minutes at 60° C. followed by washes in 0.2% SDS and distilled water as before.

VI Preparation of Samples

The following cell lines were obtained from American Type Culture Collection (Manassus Va.) and cultured in media according to the manufacturer's protocols: PZ-HPV-7 was derived from epithelial cells cultured from normal tissue from the peripheral zone of the prostate. CA-HPV-10 was derived from cells from a prostatic adenocarcinoma of Gleason Grade 4/4. Both PZ cells were transformed by transfection with human papillomavirus (HPV)-18, and express keratins 5 and 8 and the early region 6 oncoprotein of HPV. PZ-HPV-7 and CA-HPV-10 are negative for prostate specific antigen (PSA). DU-145 is a prostate carcinoma cell line isolated from a 69 year-old man with widespread metastatic disease. DU-145 was isolated from a brain metastasis and has no detectable hormone sensitivity. Further, DU-145 is negative for PSA: PC-3 is a prostate adenocarcinoma cell line isolated from a 62 year-old male with grade IV prostate adenocarcinoma metastasized to the bone. PC-3 cells exhibit low acid phosphatase and testosterone-5-alpha reductase activities; LNCaP is a prostate carcinoma cell line isolated from a lymph node biopsy of a 50 year-old male with metastatic prostate carcinoma. LNCaP cells are responsive to 5-alpha-dihydrotestosterone and express androgen receptors.

PrEC, a primary prostate epithelial cell line isolated from a normal donor, was obtained from Cambrex Bioscience Inc.

(Walkersville Md.) and cultured in media according to the manufacturer's protocols.

All cultures were maintained at 37° C. and 5% CO₂ for 3–5 passages.

Isolation and Labeling of Sample cDNAs

Cells were harvested when cultures were approximately 70% confluent and lysed in 1 ml of TRIZOL reagent (5×10⁶ cells/ml; Life Technologies). The lysates were vortexed thoroughly and incubated at room temperature for 2–3 minutes and extracted with 0.5 ml chloroform. The extract was mixed, incubated at room temperature for 5 minutes, and centrifuged at 15,000 rpm for 15 minutes at 4° C. The aqueous layer was collected and an equal volume of isopropanol was added. Samples were mixed, incubated at room temperature for 10 minutes, and centrifuged at 15,000 rpm for 20 minutes at 4° C. The supernatant was removed and the RNA pellet was washed with 1 ml of 70% ethanol, centrifuged at 15,000 rpm at 4° C., and resuspended in RNase-free water. The concentration of the RNA was determined by measuring the optical density at 260 nm.

Poly(A) RNA was prepared using an OLIGOTEX mRNA kit (QIAGEN) with the following modifications: OLIGOTEX beads were washed in tubes instead of on spin columns, resuspended in elution buffer, and then loaded onto spin columns to recover mRNA. To obtain maximum yield, the mRNA was eluted twice.

Each poly(A) RNA sample was reverse transcribed using MMLV reverse-transcriptase, 0.05 pg/μl oligo-d(T) primer (21 mer), 1×first strand buffer, 0.03 units/ul RNase inhibitor, 500 uM dATP, 500 uM dGTP, 500 uM dTTP, 40 uM dCTP, and 40 uM either dCTP-Cy3 or dCTP-Cy5 (APB). The reverse transcription reaction was performed in a 25 ml volume containing 200 ng poly(A) RNA using the GEM-BRIGHT kit (Incyte Pharmaceuticals). Specific control poly(A) RNAs (YCFR06, YCFR45, YCFR67, YCFR85, YCFR43, YCFR22, YCFR23, YCFR25, YCFR44, YCFR26) were synthesized by in vitro transcription from non-coding yeast genomic DNA (W. Lei, unpublished). As quantitative controls, control mRNAs (YCFR06, YCFR45, YCFR67, and YCFR85) at 0.002 ng, 0.02 ng, 0.2 ng, and 2 ng were diluted into reverse transcription reaction at ratios of 1:100,000, 1:10,000, 1:1000, 1:100 (w/w) to sample mRNA, respectively. To sample differential expression patterns, control mRNAs (YCFR43, YCFR22, YCFR23, YCFR25, YCFR44, YCFR26) were diluted into reverse transcription reaction at ratios of 1:3, 3:1, 1:10, 10:1, 1:25, 25:1 (w/w) to sample mRNA. Reactions were incubated at 37° C. for 2 hr, treated with 2.5 ml of 0.5M sodium hydroxide, and incubated for 20 minutes at 85° C. to stop the reaction and degrade the RNA.

cDNAs were purified using two successive CHROMA SPIN 30 gel filtration spin columns (Clontech). Cy3- and Cy5-labeled reaction samples were combined as follows: Aliquots of Cy3-labeled PrEC cDNA were individually mixed with Cy5 labeled cDNA from PZ-HPV-7, CA-HPV-10, DU-145, PC-3, and LNCaP cells. The mixtures were ethanol precipitated using 1 ml of glycogen (1 mg/ml), 60 ml sodium acetate, and 300 ml of 100% ethanol, dried to completion using a SpeedVAC system (Savant Instruments, Holbrook N.Y.), and resuspended in 14 μl 5×SSC/0.2% SDS.

VII Hybridization and Detection

Hybridization reactions contained 9 μl of sample mixture containing 0.2 μg each of Cy3 and Cy5 labeled cDNA synthesis products in 5×SSC, 0.2% SDS hybridization buffer. The mixture was heated to 65° C. for 5 minutes and was aliquoted onto the microarray surface and covered with

an 1.8 cm² coverslip. The microarrays were transferred to a waterproof chamber having a cavity just slightly larger than a microscope slide. The chamber was kept at 100% humidity internally by the addition of 140 μl of 5×SSC in a corner of the chamber. The chamber containing the microarrays was incubated for about 6.5 hours at 60° C. The microarrays were washed for 10 min at 45° C. in low stringency wash buffer (1×SSC, 0.1% SDS), three times for 10 minutes each at 45° C. in high stringency wash buffer (0.1×SSC), and dried.

Reporter-labeled hybridization complexes were detected with a microscope equipped with an Innova 70 mixed gas 10 W laser (Coherent, Santa Clara Calif.) capable of generating spectral lines at 488 nm for excitation of Cy3 and at 632 nm for excitation of Cy5. The excitation laser light was focused on the microarray using a 20×microscope objective (Nikon, Melville N.Y.). The slide containing the microarray was placed on a computer-controlled X-Y stage on the microscope and raster-scanned past the objective. The 1.8 cm×1.8 cm microarray used in the present example was scanned with a resolution of 20 micrometers.

In two separate scans, the mixed gas multiline laser excited the two fluorophores sequentially. Emitted light was split, based on wavelength, into two photomultiplier tube detectors (PMT R1477; Hamamatsu Photonics Systems, Bridgewater N.J.) corresponding to the two fluorophores. Appropriate filters positioned between the microarray and the photomultiplier tubes were used to filter the signals. The emission maxima of the fluorophores used were 565 nm for Cy3 and 650 nm for Cy5. Each microarray was typically scanned twice, one scan per fluorophore using the appropriate filters at the laser source, although the apparatus was capable of recording the spectra from both fluorophores simultaneously.

The sensitivity of the scans was calibrated using the signal intensity generated by a cDNA control species. Samples of the calibrating cDNA were separately labeled with the two fluorophores and identical amounts of each were added to the hybridization mixture. A specific location on the microarray contained a complementary DNA sequence, allowing the intensity of the signal at that location to be correlated with a weight ratio of hybridizing species of 1:100,000.

The output of the photomultiplier tube was digitized using a 12-bit RTI-835H analog-to-digital (A/D) conversion board (Analog Devices, Norwood, Mass.) installed in an IBM-compatible PC computer. The digitized data were displayed as an image where the signal intensity was mapped using a linear 20-color transformation to a pseudocolor scale ranging from blue (low signal) to red (high signal). The data was also analyzed quantitatively. Where two different fluorophores were excited and measured simultaneously, the data were first corrected for optical crosstalk (due to overlapping emission spectra) between the fluorophores using each fluorophore's emission spectrum.

A grid was superimposed over the fluorescence signal image such that the signal from each spot was centered in each element of the grid. The fluorescence signal within each element was then integrated to obtain a numerical value corresponding to the average intensity of the signal. The software used for signal analysis was the GEMTOOLS gene expression analysis program (Incyte Pharmaceuticals). Significance was defined as signal to background ratio exceeding 2× and area hybridization exceeding 40%.

VIII Data Analysis and Results

Array elements that exhibited at least 2.5-fold change in expression at one or more time points, a signal intensity over

250 units, a signal-to-background ratio of at least 2.5, and an element spot size of at least 40% were identified as differentially expressed using the GEMTOOLS program (Incyte Genomics). Differential expression values were converted to log base 2 scale. Differential expression values were then compared between the cell lines to identify genes which discriminated between normal and cancerous and between non-metastatic and metastatic cancer. The student's t-test and Pearson correlation statistics were used to distinguish significant differences between the groups. The resulting cDNAs are shown in Tables 1 and 2. The cDNAs are identified by their Clone ID. Table 3 shows the sequence overlap between the clones identified in Tables 1 and 2 and gene templates. Columns 1-3 show the SEQ ID NO:, Template ID, and Clone ID, respectively. Columns 4 and 5 show the start and stop nucleotides for the clone on the template. Table 4 shows a GenBank homolog and description associated with at least a fragment of each Template ID. The descriptions were obtained using the sequences of the Sequence Listing and BLAST analysis. SEQ ID NOs:1-3, 5, 6, 8, 10-15, 17-19, 21, 23-28, 30, 32, 34-36, 38, 40, 42-45, 47-50, 52, 53, 55, 56, 58-65, 67, 68, 70-73, 75 are highly correlated with metastatic prostate cancer cells PC-3, LNCaP, and DU-145, and SEQ ID NOs:76, 78-86, 88-90, 92-97, 99-101 are differentially expressed at significant levels in all of the prostate cancer cell lines.

IX Other Hybridization Technologies and Analyses

Other hybridization technologies utilize a variety of substrates such as nylon membranes, capillary tubes, etc. Arranging cDNAs on polymer coated slides is described in Example V; sample cDNA preparation and hybridization and analysis using polymer coated slides is described in examples VI and VII, respectively.

cDNAs are applied to a membrane substrate by one of the following methods. A mixture of cDNAs is fractionated by gel electrophoresis and transferred to a nylon membrane by capillary transfer. Alternatively, the cDNAs are individually ligated to a vector and inserted into bacterial host cells to form a library. The cDNAs are then arranged on a substrate by one of the following methods. In the first method, bacterial cells containing individual clones are robotically picked and arranged on a nylon membrane. The membrane is placed on LB agar containing selective agent (carbenicillin, kanamycin, ampicillin, or chloramphenicol depending on the vector used) and incubated at 37° C. for 16 hr. The membrane is removed from the agar and consecutively placed colony side up in 10% SDS, denaturing solution (1.5 M NaCl, 0.5 M NaOH), neutralizing solution (1.5 M NaCl, 1 M Tris, pH 8.0), and twice in 2×SSC for 10 min each. The membrane is then UV irradiated in a STRATALINKER UV-crosslinker (Stratagene).

In the second method, cDNAs are amplified from bacterial vectors by thirty cycles of PCR using primers complementary to vector sequences flanking the insert. PCR amplification increases a starting concentration of 1-2 ng nucleic acid to a final quantity greater than 5 µg. Amplified nucleic acids from about 400 bp to about 5000 bp in length are purified using SEPHACRYL400 beads (APB). Purified nucleic acids are arranged on a nylon membrane manually or using a dot/slot blotting manifold and suction device and are immobilized by denaturation, neutralization, and UV irradiation as described above.

Hybridization probes derived from cDNAs of the Sequence Listing are employed for screening cDNAs, mRNAs, or genomic DNA in membrane-based hybridizations. Probes are prepared by diluting the cDNAs to a concentration of 40-50 ng in 45 µl TE buffer, denaturing by

heating to 100° C. for five min and briefly centrifuging. The denatured cDNA is then added to a REDIPRIME tube (APB), gently mixed until blue color is evenly distributed, and briefly centrifuged. Five microliters of [³²P]dCTP is added to the tube, and the contents are incubated at 37° C. for 10 min. The labeling reaction is stopped by adding 5 µl of 0.2M EDTA, and probe is purified from unincorporated nucleotides using a PROBEQUANT G-50 microcolumn (APB). The purified probe is heated to 100° C. for five min and then snap cooled for two min on ice.

Membranes are pre-hybridized in hybridization solution containing 1% Sarkosyl and 1×high phosphate buffer (0.5 M NaCl, 0.1 M Na₂HPO₄, 5 mM EDTA, pH 7) at 55° C. for two hr. The probe, diluted in 15 ml fresh hybridization solution, is then added to the membrane. The membrane is hybridized with the probe at 55° C. for 16 hr. Following hybridization, the membrane is washed for 15 min at 25° C. in 1 mM Tris (pH 8.0), 1% Sarkosyl, and four times for 15 min each at 25° C. in 1 mM Tris (pH 8.0). To detect hybridization complexes, XOMAT-AR film (Eastman Kodak, Rochester N.Y.) is exposed to the membrane overnight at -70° C., developed, and examined.

X Further Characterization of Differentially Expressed cDNAs and Proteins

Clones were blasted against the LIFESEQ Gold 5.1 database (Incyte Genomics) and an Incyte template and its sequence variants were chosen for each clone. The template and variant sequences were blasted against GenBank database to acquire annotation. The nucleotide sequences were translated into amino acid sequence which was blasted against the GenPept and other protein databases to acquire annotation and characterization, i.e., structural motifs.

Percent sequence identity can be determined electronically for two or more amino acid or nucleic acid sequences using the MEGALIGN program (DNASTAR). The percent identity between two amino acid sequences is calculated by dividing the length of sequence A, minus the number of gap residues in sequence A, minus the number of gap residues in sequence B, into the sum of the residue matches between sequence A and sequence B, times one hundred. Gaps of low or of no homology between the two amino acid sequences are not included in determining percentage identity.

Sequences with conserved protein motifs may be searched using the BLOCKS search program. This program analyses sequence information contained in the Swiss-Prot and PROSITE databases and is useful for determining the classification of uncharacterized proteins translated from genomic or cDNA sequences (Bairoch et al.(supra); Attwood et al. (supra). PROSITE database is a useful source for identifying functional or structural domains that are not detected using motifs due to extreme sequence divergence. Using weight matrices, these domains are calibrated against the SWISS-PROT database to obtain a measure of the chance distribution of the matches.

The PRINTS database can be searched using the BLIMPS search program to obtain protein family "fingerprints". The PRINTS database complements the PROSITE database by exploiting groups of conserved motifs within sequence alignments to build characteristic signatures of different protein families. For both BLOCKS and PRINTS analyses, the cutoff scores for local similarity were: >1300=strong, 1000-1300=suggestive; for global similarity were: p<exp-3; and for strength (degree of correlation) were: >1300=strong, 1000-1300=weak.

X Expression of the Encoded Protein

Expression and purification of a protein encoded by a cDNA of the invention is achieved using bacterial or virus-

based expression systems. For expression in bacteria, cDNA is subcloned into a vector containing an antibiotic resistance gene and an inducible promoter that directs high levels of cDNA transcription. Examples of such promoters include, but are not limited to, the trp-lac (tac) hybrid promoter and the T5 or T7 bacteriophage promoter in conjunction with the lac operator regulatory element. Recombinant vectors are transformed into bacterial hosts, such as BL21(DE3). Antibiotic resistant bacteria express the protein upon induction with IPTG. Expression in eukaryotic cells is achieved by infecting *Spodoptera frugiperda* (Sf9) insect cells with recombinant baculovirus, *Autographica californica* nuclear polyhedrosis virus. The polyhedrin gene of baculovirus is replaced with the cDNA by either homologous recombination or bacterial-mediated transposition involving transfer plasmid intermediates. Viral infectivity is maintained and the strong polyhedrin promoter drives high levels of transcription.

For ease of purification, the protein is synthesized as a fusion protein with glutathione-S-transferase (GST; APB) or a similar alternative such as FLAG. The fusion protein is purified on immobilized glutathione under conditions that maintain protein activity and antigenicity. After purification, the GST moiety is proteolytically cleaved from the protein with thrombin. A fusion protein with FLAG, an 8-amino acid peptide, is purified using commercially available monoclonal and polyclonal anti-FLAG antibodies (Eastman Kodak, Rochester N.Y.).

XI Production of Specific Antibodies

A denatured protein from a reverse phase HPLC separation is obtained in quantities up to 75 mg. This denatured protein is used to immunize mice or rabbits following standard protocols. About 100 μ g is used to immunize a mouse, while up to 1 mg is used to immunize a rabbit. The denatured protein is radioiodinated and incubated with murine B-cell hybridomas to screen for monoclonal antibodies. About 20 mg of protein is sufficient for labeling and screening several thousand clones.

In another approach, the amino acid sequence translated from a cDNA of the invention is analyzed using PROTEAN software (DNASTAR) to determine regions of high antigenicity, essentially antigenically-effective epitopes of the protein. The optimal sequences for immunization are usually at the C-terminus, the N-terminus, and those intervening, hydrophilic regions of the protein that are likely to be exposed to the external environment when the protein is in its natural conformation. Typically, oligopeptides about 15 residues in length are synthesized using an ABI 431 peptide synthesizer (Applied Biosystems) using Fmoc-chemistry and then coupled to keyhole limpet hemocyanin (KLH; Sigma Aldrich) by reaction with M-maleimidobenzoyl-N-hydroxysuccinimide ester. If necessary, a cysteine may be introduced at the N-terminus of the peptide to permit coupling to KLH. Rabbits are immunized with the oligopeptide-KLH complex in complete Freund's adjuvant. The resulting antisera are tested for antipeptide activity by binding the peptide to plastic, blocking with 1% BSA, reacting with rabbit antisera, washing, and reacting with radioiodinated goat anti-rabbit IgG.

Hybridomas are prepared and screened using standard techniques. Hybridomas of interest are detected by screening with radioiodinated protein to identify those fusions producing a monoclonal antibody specific for the protein. In a typical protocol, wells of 96 well plates (FAST, Becton-Dickinson, Palo Alto Calif.) are coated with affinity-purified, specific rabbit-anti-mouse (or suitable anti-species Ig) antibodies at 10 mg/ml. The coated wells are blocked with 1%

BSA and washed and exposed to supernatants from hybridomas. After incubation, the wells are exposed to radiolabeled protein at 1 mg/ml. Clones producing antibodies bind a quantity of labeled protein that is detectable above background.

Such clones are expanded and subjected to 2 cycles of cloning at 1 cell/3 wells. Cloned hybridomas are injected into pristane-treated mice to produce ascites, and monoclonal antibody is purified from the ascitic fluid by affinity chromatography on protein A (APB). Monoclonal antibodies with affinities of at least 10^8 M^{-1} , preferably 10^9 to 10^{10} M^{-1} or stronger, are made by procedures well known in the art.

XII Purification of Naturally Occurring Protein Using Specific Antibodies

Naturally occurring or recombinant protein is substantially purified by immunoaffinity chromatography using antibodies specific for the protein. An immunoaffinity column is constructed by covalently coupling the antibody to CNBr-activated SEPHAROSE resin (APB). Media containing the protein is passed over the immunoaffinity column, and the column is washed using high ionic strength buffers in the presence of detergent to allow preferential absorbance of the protein. After coupling, the protein is eluted from the column using a buffer of pH 2-3 or a high concentration of urea or thiocyanate ion to disrupt antibody/protein binding, and the protein is collected.

XIII Screening Molecules for Specific Binding with the cDNA or Protein

The cDNA or fragments thereof and the protein or portions thereof are labeled with 32 P-dCTP, Cy3-dCTP, Cy5-dCTP (APB), or BIODIPY or FITC (Molecular Probes), respectively. Candidate molecules or compounds previously arranged on a substrate are incubated in the presence of labeled nucleic or amino acid. After incubation under conditions for either a cDNA or a protein, the substrate is washed, and any position on the substrate retaining label, which indicates specific binding or complex formation, is assayed. The binding molecule is identified by its arrayed position on the substrate. Data obtained using different concentrations of the nucleic acid or protein are used to calculate affinity between the labeled nucleic acid or protein and the bound molecule. High throughput screening using very small assay volumes and very small amounts of test compound is fully described in Burbaum et al. U.S. Pat. No. 5,876,946.

All patents and publications mentioned in the specification are incorporated herein by reference. Various modifications and variations of the described method and system of the invention will be apparent to those skilled in the art without departing from the scope and spirit of the invention. Although the invention has been described in connection with specific preferred embodiments, it should be understood that the invention as claimed should not be unduly limited to such specific embodiments. Indeed, various modifications of the described modes for carrying out the invention that are obvious to those skilled in the field of molecular biology or related fields are intended to be within the scope of the following claims.

TABLE 1

Clone ID	PrEC, Untx/CA- HPV-10	PrEC, Untx/PZ- HPV-7	PrEC, Untx/ DU145	PrEC, Untx/ LNCaP	PrEC, Untx/ PC3	t-test
3184882	-0.26	-0.41	-3.37	-3.80	-3.28	0.0007
3973887	-0.45	-0.47	-1.47	-1.59	-1.59	0.0010

TABLE 1-continued

Clone ID	PrEC, Untx/CA- HPV-10	PrEC, Untx/PZ- HPV-7	PrEC, Untx/ DU145	PrEC, Untx/ LNCaP	PrEC, Untx/ PC3	t-test
557538	0.15	0.41	-3.61	-3.88	-3.73	0.0029
793403	-0.57	-0.58	-2.84	-2.73	-2.45	0.0031
423513	-0.61	-0.67	-1.72	-1.81	-1.52	0.0036
5497369	-0.53	-0.24	-2.15	-2.62	-1.91	0.0054
3432534	-0.50	-0.61	-2.76	-3.45	-2.72	0.0072
1955573	0.12	-0.07	-1.27	-0.84	-1.32	0.0076
4029118	0.14	0.12	-1.32	-1.43	-1.00	0.0082
2723829	-0.58	-0.41	-1.45	-1.30	-1.17	0.0087
1628341	-0.39	-0.01	-2.07	-2.42	-1.68	0.0087
4513549	0.04	-0.19	-1.34	-1.78	-1.14	0.0091
1967556	-0.27	-0.39	-1.27	-1.80	-1.67	0.0095
2729629	-0.22	0.09	-1.32	-1.92	-1.27	0.0118
2701607	-0.62	-0.59	-2.23	-2.49	-1.88	0.0119
4933404	0.28	0.22	-1.05	-1.50	-0.95	0.0119
3616296	-0.59	-0.45	-1.23	-1.33	-0.97	0.0136
154371	0.08	0.40	-2.54	-2.91	-1.54	0.0154
3774181	-0.59	-0.55	-2.25	-3.28	-2.83	0.0172
1709387	-0.44	-0.74	-2.22	-2.42	-2.12	0.0184
351981	-0.21	-0.22	-1.08	-0.98	-1.41	0.0186
2057510	-0.68	-0.23	-3.49	-3.82	-3.77	0.0192
1324789	-0.38	-0.42	-1.67	-2.32	-1.66	0.0199
3120070	-1.03	-0.70	-2.60	-2.71	-2.40	0.0203
2833609	-0.19	0.07	-0.98	-1.90	-1.55	0.0221
3431481	-0.30	-0.21	-1.65	-2.39	-1.57	0.0222
4557506	-0.40	-0.08	-1.20	-1.81	-1.14	0.0233
1597810	-0.30	-0.55	-1.59	-2.31	-1.46	0.0237
2962788	-1.09	-1.13	-3.13	-4.19	-3.04	0.0240
3120209	-0.79	-0.60	-1.52	-1.74	-1.74	0.0247
1800609	-0.33	-0.61	-1.68	-1.31	-1.47	0.0247
3384548	0.02	-0.07	-0.89	-1.42	-0.85	0.0250
2056584	-0.18	-0.21	-1.23	-1.81	-1.17	0.0268
3096030	-0.66	-0.85	-2.07	-2.07	-1.79	0.0291
2505801	-0.01	0.11	-1.21	-1.88	-0.98	0.0300
3658143	0.07	-0.35	-1.64	-1.56	-0.98	0.0306
3384076	-0.25	-0.26	-1.43	-2.13	-1.32	0.0327
2058209	-0.34	-0.01	-1.46	-1.24	-0.80	0.0329
509758	-0.31	-0.39	-2.19	-2.24	-1.30	0.0341
1723319	-0.57	-0.71	-2.41	-3.45	-2.12	0.0343
2198951	-0.24	-0.26	-0.86	-1.32	-0.88	0.0359
4365223	-0.20	-0.15	-1.10	-1.97	-1.35	0.0372
1437565	-0.40	-0.31	-1.19	-1.93	-1.26	0.0381
3837686	0.01	0.27	-0.68	-1.36	-0.57	0.0387
36406	-0.78	-0.05	-2.26	-3.01	-1.93	0.0403
1217764	-0.49	0.18	-2.16	-2.48	-1.21	0.0412
2059420	-0.29	-0.41	-0.80	-1.31	-1.45	0.0425
1805911	-0.22	-0.16	-1.52	-2.32	-1.23	0.0429
461367	0.19	0.18	-1.00	-1.66	-0.71	0.0429
4089868	0.27	0.28	-0.46	-0.92	-1.35	0.0437
1549141	-0.48	-0.80	-1.18	-1.65	-1.58	0.0456
4571104	-0.88	-0.57	-1.69	-1.22	-2.00	0.0464
552594	-0.21	-0.49	-1.27	-1.84	-0.94	0.0475
2834343	-0.11	0.02	-0.94	-2.02	-1.21	0.0493

TABLE 2

Clone ID	PrEC, Untx/CA- HPV-10	PrEC, Untx/PZ- HPV-7	PrEC, Untx/ DU145	PrEC, Untx/LNCaP	PrEC, Untx/PC3
1518310	-1.74	-1.27	-2.60	-2.97	-2.50
2823767	-1.70	-1.92	-1.72	-1.54	-1.34
2241825	-1.66	-1.49	-1.98	-1.55	-1.44
5033671	-1.33	-1.44	-1.53	-2.59	-1.62
44913	-1.30	-1.30	-1.11	-2.21	-2.29
4549259	-1.29	-1.36	-1.35	-1.68	-1.12
319075	-1.29	-1.37	-1.08	-2.26	-2.15
2520894	-1.27	-1.43	-1.50	-1.15	-1.04
4107861	-1.27	-2.03	-2.20	-2.67	-2.13
3172265	-1.67	-1.48		-1.74	-1.86
4402555	-1.43	-1.24		-1.52	-1.11
2495131	-1.40	-1.01	-1.26	-3.32	-0.95
3158828	-1.37	-1.19		-1.59	-1.31

TABLE 2-continued

Clone ID	PrEC, Untx/CA- HPV-10	PrEC, Untx/PZ- HPV-7	PrEC, Untx/ DU145	PrEC, Untx/LNCaP	PrEC, Untx/PC3
5266015	-1.25	-1.31		-1.56	-1.26
4978708	-1.24	-1.42	-1.20	-1.63	-0.54
3069190	-1.21	-1.33		-1.67	-1.37
64073	-1.15	-1.09	-0.91	-2.04	-2.18
172023	1.01	1.29	2.11	0.98	1.59
3068978	-1.32	-1.13		0.00	-1.94
2060823	-1.08	-1.35	-1.38	-0.93	-0.95
2060823	-1.08	-1.35	-1.38	-0.93	-0.95

TABLE 3

SEQ ID NO:	Template ID	Clone ID	Start	Stop
1	1382961.3	3184882	1080	1401
2	1382961.5	3184882	1	518
3	2852561CB1	3973887	1	1934
5	335942.2	557538	-4	354
6	2483854CB1	557538	21	1677
8	1454852CB1	793403	54	1564
10	353005.1	423513	1	309
11	378497.1	5497369	1	176
12	994684.9	3432534	2312	2868
13	995610.1	1955573	2345	2804
14	417119.1	4029118	1	427
15	3615080CB1	2723829	563	4670
17	331749.3	1628341	264	748
18	979243.1	4513549	299	1245
19	3189059CB1	1967556	192	1981
21	1650519CB1	2729629	5	1448
23	474630.4	2701607	1610	2083
24	093496.1	4933404	319	455
25	1231633.4	3616296	7	58
26	988891.1	154371	987	1538
27	988891.15	154371	1	363
28	3774181CB1	3774181	37	7081
30	1709387CB1	1709387	34	1742
32	1709118CB1	351981	45	1437
34	008513.49	2057510	1721	2258
35	047568.1	1324789	1	493
36	3120070CB1	3120070	43	2028
38	1303785CB1	2833609	3251	4766
40	1798379CB1	3431481	3	2711
42	350650.1	4557506	1	663
43	474630.24	1597810	443	809
44	108089.1	2962788	1	295
45	3346307CB1	3120209	13	1756
47	200143.25	1800609	234	679
48	001929.1	3384548	12	432
48	001929.1	3384076	797	1744
49	1088524.8	2056584	1218	1900
50	632664CB1	3096030	67	1181
52	457372.17	2505801	527	824
53	2993696CB1	3658143	17	2556
55	331106.6	2058209	4948	5465
56	1256895CB1	509758	530	3000
58	474630.29	1723319	3978	4495
59	1256295.18	2198951	497	1314
60	444096.1	4365223	632	1383
60	444096.1	1805911	1	1387
61	008942.10	1437565	4357	4498
62	008942.9	1437565	1320	1602
63	1252415.1	3837686	2794	2872
64	1399366.20	36406	5046	5265
65	3732868CB1	1217764	1	961
67	1137894.1	2059420	1947	2552
68	1418671CB1	461367	1	1529
70	464689.64	4089868	4741	5350
71	053959.1	1549141	1	56
72	1384594.1	4571104	1	580
73	021667CB1	552594	778	3348
75	224855.4	2834343	3902	5287
76	1518310CB1	1518310	45	2323

TABLE 3-continued

SEQ ID NO:	Template ID	Clone ID	Start	Stop
78	098533.1	2823767	1	445
79	410785.1	2241825	4507	4882
80	1089210.1	5033671	34	1152
81	333453.6	44913	1	202
82	365070.1	4549259	123	698
83	365070.3	4549259	393	841
84	413921.2	319075	3140	3637
85	336615.1	2520894	1088	1325
86	2733282CB1	4107861	1	3156
88	399161.1	3172265	473	1121
89	339638.1	4402555	1	687
90	697785CB1	2495131	233	770
92	399785.1	3158828	199	627
93	002455.1	5266015	668	1133
94	1382920.38	4978708	49	565
95	334749.1	3069190	74	634
96	041764.1	64073	319	579
97	2700132CB1	172023	208	10640
99	211881.1	3068978	1	548
100	409895.2	2060823	1224	1458
101	1422432CB1	2060823	1	860

TABLE 4

SEQ ID NO:	Template ID	GB Number	E-value	Annotation
1	1382961.3	g186704	0	Human 50 kDa type I epidermal keratin gene, complete cds.
2	1382961.5	g186704	2.00E - 86	Human 50 kDa type I epidermal keratin gene, complete cds.
3	2852561CB1	g5926733	0	Human mRNA for 4F2 heavy chain, complete cds.
4	2852561CD1	g5926733	0	Human mRNA for 4F2 heavy chain, complete cds.
5	335942.2	g33794	0	Human mRNA for interleukin-1 precursor (pre IL-1).
6	2483854CB1	g33794	0	Human mRNA for interleukin-1 precursor (pre IL-1).
7	2483854CD1	g33794	0	Human mRNA for interleukin-1 precursor (pre IL-1).
8	1454852CB1	g34074	0	Human mRNA for keratin-related protein.
9	1454852CD1	g34074	0	Human mRNA for keratin-related protein.
10	353005.1	g183063	0	Human gliia-derived nexin (GDN) mRNA, 5' end.
11	378497.1	g2627428	7.00E - 36	Human laminin alpha 3b chain mRNA, partial cds.
12	994684.9	g186697	0	Human keratin type II (58 kD) mRNA, complete cds.
13	995610.1	g34815	0	Human mRNA encoding the c-myc oncogene.
14	417119.1	g33788	0	Human gene for prointerleukin 1 beta.
15	3615080CB1	g2429078	0	Human mRNA for Laminin-5 beta3 chain, complete cds.
16	3615080CD1	g2429078	0	Human mRNA for Laminin-5 beta3 chain, complete cds.
17	331749.3	g453368	0	Human maspin mRNA, complete cds.

TABLE 4-continued

SEQ ID NO:	Template ID	GB Number	E-value	Annotation
18	979243.1	g212752	4.00E - 61	tensin
19	3189059CB1	g3242792	0	Human herpesvirus entry protein C (HVEC) mRNA, complete cds.
20	3189059CD1	g3242792	0	Human herpesvirus entry protein C (HVEC) mRNA, complete cds.
21	1650519CB1	g3483777	0	Human full length insert cDNA clone ZD79H11.
22	1650519CD1	g3483777	0	Human full length insert cDNA clone ZD79H11.
23	474630.4	g33956	0	Human mRNA for integrin beta-4 subunit.
24	093496.1	g338320	4.00E - 12	Human osyeonectin gene, exon 7.
25	1231633.4	g189265	5.00E - 87	Human novel gene mRNA, complete cds.
26	988891.1	g186268	0	Human monocyte interleukin I (IL-1) mRNA, complete cds.
27	988891.15	g186268	0	Human monocyte interleukin I (IL-1) mRNA, complete cds.
28	3774181CB1	g179522	0	Human bullous pemphigoid antigen (BPAG1) mRNA, complete cds.
29	3774181CD1	g179522	0	Human bullous pemphigoid antigen (BPAG1) mRNA, complete cds.
30	1709387CB1	g34070	0	Human mRNA for cytokeratin 15.
31	1709387CD1	g34070	0	Human mRNA for cytokeratin 15.
32	1709118CB1	g178037	0	Human alpha-cardiac actin gene, exon 6 and 3' flank.
33	1709118CD1	g178037	0	Human alpha-cardiac actin gene, exon 6 and 3' flank.
34	008513.49	g908802	0	Human keratin 6 isoform K6e (KRT6E) mRNA, complete cds.
35	047568.1	g184056	0	Human histatin 3 (HIS2) gene exons 3-5, complete cds.
36	3120070CB1	g7582391	1.00E - 60	p53 apoptosis-associated target
37	3120070CD1	g7582391	1.00E - 60	p53 apoptosis-associated target
38	1303785CB1	g34387	0	Human mRNA for lipocortin.
39	1303785CD1	g34387	0	Human mRNA for lipocortin.
40	1798379CB1	g181401	0	Human epidermal cytokeratin 2 mRNA, complete cds.
41	1798379CD1	g181401	0	Human epidermal cytokeratin 2 mRNA, complete cds.
42	350650.1	g7020235	0	Human cDNA FLJ20261 fis, clone COLF7630.
43	474630.24	g2270919	0	Human beta4-integrin (ITGB4) gene, exons 31, 32, 33 and 34
44	108089.1	g747615	7.00E - 68	Human laminin S B3 chain (LAMB3) gene, exons 2-3.

TABLE 4-continued

SEQ ID NO: Template ID	GB Number	E-value	Annotation	
45 3346307CB1	g7020644	0	Human cDNA FLJ20500 fis, clone KAT09159.	5
46 3346307CD1	g7020644	0	Human cDNA FLJ20500 fis, clone KAT09159.	10
47 200143.25	g897916	1.00E - 47	Human 11kd protein mRNA, complete cds.	10
48 001929.1	g908779	0	keratin type II	
49 1088524.8	g7453533	0	Human hepatic angiopoietin-related protein (ANGPTL2) mRNA, complete cds.	15
50 632664CB1	g7658294	0	Human transmembrane protein BRI mRNA, complete cds.	20
51 632664CD1	g7658294	0	Human transmembrane protein BRI mRNA, complete cds.	20
52 457372.17	g7959902	0	Human PRO2446 mRNA, complete cds.	
53 2993696CB1	g1143491	0	Human mRNA for BiP protein.	25
54 2993696CD1	g1143491	0	Human mRNA for BiP protein.	25
55 331106.6	g33943	0	Human mRNA for integrin alpha 6.	
56 1256895CB1	g2618612	0	Human mRNA for prion protein, complete cds.	30
57 1256895CD1	g2618612	0	Human mRNA for prion protein, complete cds.	30
58 474630.29	g33910	0	Human mRNA for integrin beta(4) subunit.	
59 1256295.18	g182939	0	Human growth arrest and DNA-damage- inducible protein (gadd45) mRNA, complete cds.	35
60 444096.1	g34073	1.00E - 85	cytokeratin 4 (408 AA)	40
61 008942.10	g4426639	0	Human L-type amino acid transporter subunit LAT1 mRNA, complete cds.	45
62 008942.9	g5926731	0	Human mRNA for L-type amino acid transporter 1, complete cds.	45
63 1252415.1	g178083	0	Human adenyl cyclase-associated protein (CAP) mRNA, complete cds.	
64 1399366.20	g37464	0	Human mRNA for thrombospondin.	50
65 3732868CB1	g182852	0	Human GOS2 gene, 5' flank and cds.	
66 3732868CD1	g182852	0	Human GOS2 gene, 5' flank and cds.	
67 1137894.1	g2072389	0	Human zinc finger transcriptional regulator (COS24) gene, complete cds.	55
68 1418671CB1	g6984179	0	Human pleckstrin 2 mRNA, complete cds.	60
69 1418671CD1	g6984179	0	Human pleckstrin 2 mRNA, complete cds.	60
70 464689.64	g7415720	0	Human Sed mRNA for stearoyl-CoA desaturase, complete cds.	
71 053959.1	g340012	3.00E - 13	Human tristetraproline (TTP) mRNA, complete cds.	65

TABLE 4-continued

SEQ ID NO: Template ID	GB Number	E-value	Annotation
72 1384594.1	g7020744	7.00E - 14	Human cDNA FLJ20557 fis, clone KAT11869.
73 021667CB1	g6580834	0	Human colon Kruppel- like factor (CKLF) mRNA, complete cds.
74 021667CD1	g6580834	0	Human colon Kruppel- like factor (CKLF) mRNA, complete cds.
75 224855.4	g1378108	0	Human lymphocyte specific interferon regulatory factor/ interferon regulatory factor 4 (LSIRF/IRF4) mRNA
76 1518310CB1	g4481752	0	Human connexin 26 (GJB2) mRNA, complete cds.
77 1518310CD1	g4481752	0	Human connexin 26 (GJB2) mRNA, complete cds.
78 098533.1	g2898163	4.00E - 52	Human microtubule- associated protein tau (tau) gene, exon 0.
79 410785.1	g187133	0	Human liver glucose transporter-like protein (GLUT2), complete cds.
80 1089210.1	g544761	0	chlordecone reductase {clone HAKRa} [Human liver, mRNA, 1167 nt].
81 333453.6	g2072424	5.00E - 65	Human non-lens beta gamma-crystallin like protein (AIM1) mRNA, partial cds.
82 365070.1			Incyte Unique
83 365070.3	g3550345	4.00E - 34	cellular repressor of E1A-stimulated genes CREG
84 413921.2	g474303	0	Human mRNA for Tec protein-tyrosine kinase, complete cds.
85 336615.1	g2072161	0	Human tubby related protein 1 (TULP1) mRNA, complete cds.
86 2733282CB1	g4887600	0	Human mRNA for chloride channel protein, complete cds.
87 2733282CD1	g4887600	0	Human mRNA for chloride channel protein, complete cds.
88 399161.1	g337708	2.00E - 37	Human U1 small nuclear RNA gene, clone HSD4, complete cds.
89 339638.1			Incyte Unique
90 697785CB1	g187109	0	Human 14 kd lectin mRNA, complete cds.
91 697785CD1	g187109	0	Human 14 kd lectin mRNA, complete cds.
92 399785.1			Incyte Unique
93 002455.1	g2708709	2.00E - 13	Wiskott-Aldrich Syndrome protein homolog
94 1382920.38	g31347	0	Human pseudogene for apoferritin H (clone 133)
95 334749.1			Incyte Unique
96 041764.1	g4589563	0	Human mRNA for KIAA0960 protein, partial cds.
97 2700132CB1	g415818	0	Human mki67a mRNA (long type) for antigen of monoclonal anti- body Ki-67.

TABLE 4-continued

SEQ ID NO: Template ID	GB Number	E-value	Annotation
98 2700132CD1	g415818	0	Human mki67a mRNA (long type) for antigen of monoclonal antibody Ki-67.
99 211881.1	g340088	7.00E - 15	Human small nuclear rna pseudogene (clone pul-1) and flanks.
100 409895.2	g36177	0	Human mRNA for calcium-binding protein S100P.

TABLE 4-continued

SEQ ID NO: Template ID	GB Number	E-value	Annotation
101 1422432CB1	g36177	0	Human mRNA for calcium-binding protein S100P.
102 1422432CD1	g36177	0	Human mRNA for calcium-binding protein S100P.

TABLE 5

SEQ ID NO: Template ID	Start	Stop	Frame	PFAM Hit	PFAM Annotation	E-value	
1	1382961.3	413	1348	forward 2	filament	Intermediate filament proteins	2.30E - 184
2	1382961.5	266	1036	forward 2	filament	Intermediate filament proteins	1.40E - 114
4	2852561CD1	112	491		alpha-amylase	Alpha amylase	1.70E - 04
7	2483854CD1	136	270		interleukin-1	Interleukin-1	5.60E - 68
9	1454852CD1	83	394		filament	Intermediate filament proteins	2.50E - 175
10	353005.1	87	242	forward 3	serpin	Serpins (serine protease inhibitors)	2.50E - 14
12	994684.9	1870	2601	forward 1	filament	Intermediate filament proteins	1.60E - 128
12	994684.9	2628	2729	forward 3	filament	Intermediate filament proteins	4.50E - 20
12	994684.9	2534	2644	forward 2	filament	Intermediate filament proteins	2.10E - 07
13	995610.1	2235	2393	forward 3	HLH	Helix-loop-helix DNA-binding domain	2.40E - 24
13	995610.1	1260	2207	forward 3	Myc_N_term	Myc amino-terminal region	2.90E - 166
16	3615080CD1	379	428		laminin_EGF	Laminin EGF-like (Domains III and V)	9.50E - 18
16	3615080CD1	26	248		laminin_Nterm	Laminin N-terminal (Domain VI)	1.50E - 38
20	3189059CD1	263	319		ig	Immunoglobulin domain	2.50E - 06
22	1650519CD1	59	314		7tm_1	7 transmembrane receptor (rhodopsin family)	6.90E - 42
23	474630.4	4737	4991	forward 3	fn3	Fibronectin type III domain	1.80E - 25
23	474630.4	329	1192	forward 2	integrin_B	Integrins, beta chain	1.10E - 231
23	474630.4	1179	1571	forward 3	integrin_B	Integrins, beta chain	2.80E - 75
25	1231633.4	25	267	forward 1	Ribosomal_L10e	Ribosomal L10	7.40E - 24
26	988891.1	538	966	forward 1	interleukin-1	Interleukin-1	2.60E - 86
27	988891.15	133	300	forward 1	interleukin-1	Interleukin-1	2.50E - 25
29	3774181CD1	1953	1997		Plectin_repeat	Plectin repeat	1.10E - 19
31	1709387CD1	104	416		filament	Intermediate filament proteins	8.90E - 178
33	1709118CD1	3	377		actin	Actin	3.90E - 282
34	008513.49	542	1483	forward 2	filament	Intermediate filament proteins	7.00E - 170
39	1303785CD1	275	342		annexin	Annexin	1.20E - 40
41	1798379CD1	183	496		filament	Intermediate filament proteins	8.20E - 159
42	350650.1	5	232	forward 2	filament	Intermediate filament proteins	1.10E - 27
48	001929.1	373	1314	forward 1	filament	Intermediate filament proteins	1.60E - 119
49	1088524.8	775	1023	forward 1	fibrinogen_C	Fibrinogen beta and gamma chains, C-terminal globular domain	1.80E - 41
49	1088524.8	1175	1399	forward 2	fibrinogen_C	Fibrinogen beta and gamma chains, C-terminal globular domain	2.70E - 19
49	1088524.8	2596	3213	forward 1	ras	Ras family	6.50E - 107
54	2993696CD1	30	636		HSP70	Hsp70 protein	0.00E + 00
55	331106.6	1084	1266	forward 1	FG-GAP	FG-GAP repeat	3.50E - 17
55	331106.6	3259	3303	forward 1	integrin_A	Integrin alpha cytoplasmic region	2.90E - 04
57	1256895CD1	23	253		prion	Prion protein	6.30E - 203
58	474630.29	4527	4781	forward 3	fn3	Fibronectin type III domain	1.80E - 25
58	474630.29	264	1520	forward 3	integrin_B	Integrins, beta chain	6.3e - 317
60	444096.1	83	565	forward 2	filament	Intermediate filament proteins	2.20E - 61
60	444096.1	546	746	forward 3	filament	Intermediate filament proteins	2.40E - 29
61	008942.10	207	1514	forward 3	aa_permeases	Amino acid permease	2.30E - 06
63	1252415.1	682	2094	forward 1	CAP	CAP protein	0.00E + 00
64	1399366.20	2117	2236	forward 2	EGF	EGF-like domain	3.00E - 06
64	1399366.20	1484	1636	forward 2	tsp_1	Thrombospondin type 1 domain	1.60E - 24
64	1399366.20	1121	1285	forward 2	vvc	von Willebrand factor type C domain	2.50E - 23
67	1137894.1	1145	1234	forward 2	zf-CCCH	Zinc finger C-x8-C-x5-C-x3-H type (and similar)	3.80E - 16
69	1418671CD1	139	225		DEP	Domain found in Dishevelled, Egl-10, and Pleckstrin	2.00E - 10
69	1418671CD1	248	353		PH	PH domain	1.70E - 18
70	464689.64	608	1342	forward 2	Desaturase	Fatty acid desaturase	1.20E - 163
72	1384594.1	121	264	forward 1	KRAB	KRAB box	4.20E - 04
74	021667CD1	165	189		zf-C2H2	Zinc finger, C2H2 type	1.60E - 06
75	224855.4	175	516	forward 1	IRF	Interferon regulatory factor transcription factor	2.60E - 76
77	1518310CD1	1	213		connexin	Connexin	5.80E - 163
79	410785.1	72	1451	forward 3	sugar_tr	Sugar (and other) transporter	8.10E - 124
79	410785.1	410	1480	forward 2	sugar_tr	Sugar (and other) transporter	2.30E - 05
80	1089210.1	61	903	forward 1	aldo_ket_red	Aldo/keto reductase family	2.60E - 192

TABLE 5-continued

SEQ ID NO: Template ID	Start	Stop	Frame	PFAM Hit	PFAM Annotation	E-value
84 413921.2	464	574	forward 2	BTK	BTK motif	4.30E - 23
84 413921.2	140	460	forward 2	PH	PH domain	2.70E - 16
84 413921.2	1235	1975	forward 2	pkinase	Eukaryotic protein kinase domain	8.80E - 72
84 413921.2	866	1117	forward 2	SH2	Src homology domain 2	2.30E - 35
84 413921.2	671	838	forward 2	SH3	SH3 domain	1.30E - 19
85 336615.1	86	874	forward 2	Tub	Tub family	3.00E - 195
91 697785CD1	22	126		Gal-bind_lectin	Vertebrate galactoside-binding lectins	2.90E - 65
94 1382920.38	253	723	forward 1	ferritin	Ferritins	9.80E - 116
98 2700132CD1	27	91		FHA	FHA domain	4.30E - 21
100 409895.2	1198	1284	forward 1	efhand	EF hand	1.80E - 04
102 1422432CD1	53	81		efhand	EF hand	1.80E - 04
102 1422432CD1	4	47		S_100	S-100/ICaBP type calcium binding domain	2.70E - 21

TABLE 6

SEQ ID NO: Template ID	Start	Stop	Frame	Domain	
1 1382961.3	336	422	forward 3	SP	20
4 2852561CD1	79	106		SP	
5 335942.2	127	213	forward 1	TM	
10 353005.1	14	100	forward 2	SP	25
12 994684.9	101	190	forward 2	SP	
12 994684.9	2354	2446	forward 2	SP	
13 995610.1	40	117	forward 1	SP	
20 3189059CD1	1	30		SP	
22 1650519CD1	43	70		TM	30
23 474630.4	53	133	forward 2	SP	
26 988891.1	1300	1377	forward 1	TM	
34 008513.49	243	335	forward 3	SP	
37 3120070CD1	79	105		TM	
37 3120070CD1	1	31		SP	35
49 1088524.8	1884	2000	forward 3	SP	
49 1088524.8	232	321	forward 1	SP	
49 1088524.8	1938	2015	forward 3	TM	
55 331106.6	857	943	forward 2	SP	

TABLE 6-continued

SEQ ID NO: Template ID	Start	Stop	Frame	Domain
58 474630.29	2277	2369	forward 3	SP
58 474630.29	156	236	forward 3	SP
59 1256295.18	1242	1328	forward 3	TM
64 1399366.20	210	299	forward 3	SP
64 1399366.20	3746	3826	forward 2	SP
67 1137894.1	1459	1536	forward 1	SP
75 224855.4	2804	2890	forward 2	SP
75 224855.4	3845	3922	forward 2	TM
79 410785.1	1057	1143	forward 1	SP
79 410785.1	1385	1471	forward 2	TM
79 410785.1	2099	2185	forward 2	TM
79 410785.1	4757	4840	forward 2	TM
79 410785.1	4710	4787	forward 3	TM
83 365070.3	43	135	forward 1	SP
87 2733282CD1	900	926		TM
99 211881.1	651	731	forward 3	TM

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 102

<210> SEQ ID NO 1

<211> LENGTH: 1645

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 1382961.3

<400> SEQUENCE: 1

```

cctttccaat ttaccgagc accttctctt cactcagcca actgctcgct cgctcacctc    60
cctcctctgc accatgacta cctgcagccg ccagttcacc tcctccagct ccatgaaggg    120
ctcctgcggc atcgggggcg gcatcggggg cggtccagc cgcattctct cegtctctggc    180
cggaggggtcc tgccgcgccc ccagcaccta cgggggcggc ctgtctgtct catcctcccg    240
cttctcctct gggggagcct atgggttggg gggcggctat ggcggtggct tcagcagcag    300
aaccagcagc tttggtagt gctttggggg aggatatggt ggtggccttg gtgctggctt    360
gggtggtggc tttggtggt gctttgctgg tggatgaggg cttctggtgg gcagtgagaa    420

```


-continued

```

ggtgaccatg cagaacctca acgaccgcct ggccctcctac ctggacaagg tgcgtgctct 480
ggaggaggcc aacgccgacc tggaagtga gatccgtgac tggaccaga ggcagcggcc 540
tgctgagatc aaagactaca gtccctactt caagaccatt gaggacctga ggaacaagat 600
tctcacagcc acagtggaca atgccaatgt ccttctgcag attgacaatg cccgtctggc 660
cgcggatgac ttccgcacca agtatgagac agagttgaac ctgcgcatga gtgtggaagc 720
cgacatcaat ggcctgcgca ggggtgctgga cgaactgacc ctggccagag ctgacctgga 780
gatgcagatt gagagcctga aggaggagct ggccctacctg aagaagaacc acgaggagga 840
gatgaatgcc ctgagaggcc aggtgggtgg agatgtcaat gtggagatgg acgctgcacc 900
tggcgtggac ctgagccgca ttctgaacga gatgcgtgac cagtatgaga agatggcaga 960
gaagaaccgc aaggatgccg aggaatgggt cttcaccaag acagaggagc tgaaccgca 1020
gggtggccacc aacagcgcgc ttgtgcagag cggcaagagc gagatctcgg agctccggcg 1080
caccatgcag aacctggaga ttgagctgca gtcccagctc agcatgaaag catccctgga 1140
gaacagcctg gaggagacca aaggctcgcta ctgcatgcag ctggcccaga tccaggagat 1200
gattggcagc gtggaggagc agctggccca gctccgctgc gagatggagc agcagaacca 1260
ggagtacaag atcctgctgg acgtgaagac ggggctggag caggagatcg ccacctaccg 1320
ccgcctgctg gagggcgagg acgcccacct ctctcctcc cagttctcct ctggatcgca 1380
gtcatccaga gatgtgacct cctccagccg ccaaaccgc accaagggtca tggatgtgca 1440
cgatggcaag gtggtgtcca cccacgagca ggtccttcgc accaagaact gaggctgccc 1500
agccccgctc aggccatgga gccccccgt gtggacacag atcccactgg aagatcccct 1560
ctctgcca agcacttcac agctggaccct tgcttcaccct caccctcctc ctggcaatca 1620
atacagcttc attatctgag ttgca 1645

```

```

<210> SEQ ID NO 2
<211> LENGTH: 1051
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1382961.5

```

```

<400> SEQUENCE: 2

```

```

agcaaatgcc ttctccctgc atgctccctg caaggcctcc tcgctatctc cacacacctg 60
actcatccca ttttacagga gcagttgatc ccaggaagag cattggagcc tccagcaggg 120
gctgttgggg cctgtctgag gagataggat gcgtcaggca gcccagaca cgatcacatt 180
cctctcaaca tgctgcccgc gccgggtatc catcccctgc agcagcaggg ttctctacg 240
tggatgttaa aggccattc agttcatgga gagctagcag gtgcgtgctc tggaggaggc 300
caacgccgac ctggaagtga agatccgtga ctggtaccag aggagcggc ctgctgagat 360
caaagactac agtccctact tcaagaccat tgaggacctg aggaacaaga ttctcacagc 420
cacagtggac aatgccaatg tccttctgca gattgacaat gccctctgg ccgcgatga 480
cttccgcacc aagtatgaga cagagttgaa cctgcgcatg agtgtggaag ccgacctca 540
atggcctgcg cagggtgctg gacgaactga cctggccaga gctgacctgg agatgcagat 600
tgagagcctg aaggaggagc tggcctacct gaagaagaac cacgaggagg agatgaatgc 660
cctgagaggc cagggtgggtg gagatgtcaa tgtggagatg gacgctgcac ctggcgtgga 720
cctgagccgc attctgaacg agatgcgtga ccagtatgag aagatggcag agaagaaccg 780

```


-continued

caaggatgcc gaggaatggt tcttcaccaa gacagaggag ctgaaccgcg aggtggccac	840
caacagcgag ctggtgcaga gcggaagag cgagatctcg gagctccggc gcacatgca	900
gaacctggag atgattggca gcgtggagga gcagctggcc cagctccgct gcgagatgga	960
gcagcagaac caggagtaca agatcctgct ggacgtgaag acgcggtgg agcaggagat	1020
cgccacctac cgccgcctgc tggagggcga g	1051

<210> SEQ ID NO 3
 <211> LENGTH: 1930
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 2852561CB1

<400> SEQUENCE: 3

ccttaagggg cgggccgggg cggggctccg ctgcccttc ccagaggccg cgcctgctgc	60
tgagcagatg cagtagccga aactgcgcgg aggcacagag gccggggaga gcgttctggg	120
tccgagggtc caggtagggg ttgagccacc atctgaccgc aagctgcgtc gtgtcgccgg	180
ttctgcaggc accatgagcc aggacaccga ggtggatatg aaggaggtgg agctgaatga	240
gtagagccc gagaagcagc cgatgaacgc ggcgtctggg gcggccatgt ccctggcggg	300
agccgagaag aatggtctgg tgaagatcaa ggtggcggaa gacgaggcgg aggcggcagc	360
cgcggttaag ttcacgggcc tgtccaagga ggagctgctg aagggtggcag gcagccccgg	420
ctgggtacgc acccgctggg cactgctgct gctcttctgg ctccgctggc tcggcatgct	480
tgctggtgcc gtggtcataa tcgtgcgagc gccgcgttgt cgcgagctac cggcgcagaa	540
gtggtggcac acgggcgccc tctaccgat cggcgacctt caggccttcc agggccacgg	600
cgcgggcaac ctggcgggtc tgaagggcg tctcgattac ctgagctctc tgaagtgaa	660
gggccttgctg ctgggtccaa ttcacaagaa ccagaaggat gatgtcgctc agactgactt	720
gctgcagatc gacccaatt ttggctccaa ggaagatddd gacagtctct tgcaatcggc	780
taaaaaaag agcatccgtg tcattctgga ccttactccc aactaccggg gtgagaactc	840
gtggttctcc actcaggttg aactgtggc caccaaggtg aaggatgctc tggagttttg	900
gctgcaagct ggcgtggatg ggttccaggt tcgggacata gagaatctga aggatgcatc	960
ctcattcttg gctgagtggc aaaatatcac caagggcttc agtgaagaca ggctcttgat	1020
tgcggggact aactcctccg accttcagca gatcctgagc ctactcgaat ccaacaaaga	1080
cttgctgttg actagctcat acctgtctga ttctggttct actggggagc atacaaaatc	1140
cctagtcaca cagtatttga atgccactgg caatcgctgg tgcagctgga gtttgtctca	1200
ggcaaggctc ctgacttctt tcttgccggc tcaacttctc cgactctacc agctgatgct	1260
cttcaccctg ccagggacct ctgttttcag ctacggggat gagattggcc tggatgcagc	1320
tgcccttctt ggacagccta tggaggctcc agtcatgctg tgggatgagt ccagcttccc	1380
tgacatccca ggggctgtaa gtgccaacat gactgtgaag ggccagagtg aagacctgg	1440
ctccctctt tccttgttcc ggcggctgag tgaccagcgg agtaaggagc gctccctact	1500
gcatggggac ttccacgctt tctccgctgg gcctggactc ttctcctata tccgccactg	1560
ggaccagaat gagcgttttc tggtagtgct taactttggg gatgtgggccc tctcggctgg	1620
actgcaggcc tccgacctgc ctgccagcgc cagcctgcca gccaaaggctg acctcctgct	1680
cagcaccag ccaggccgtg aggagggctc cctcttgag ctggaacgcc tgaactgga	1740

-continued

```

gcctcacgaa gggctgctgc tccgcttccc ctacgcggcc tgacttcagc ctgacatgga 1800
cccactaccc ttctcctttc cttcccaggc cctttggcct ctgatttttc tcttttttaa 1860
aaacaaacaa acaaactggt gcagattatg agtgaacccc caaatagggtg tttctgcctt 1920
caaataagaa 1930

```

```

<210> SEQ ID NO 4
<211> LENGTH: 529
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 2852561CD1

```

```

<400> SEQUENCE: 4

```

```

Met Ser Gln Asp Thr Glu Val Asp Met Lys Glu Val Glu Leu Asn
 1          5          10          15
Glu Leu Glu Pro Glu Lys Gln Pro Met Asn Ala Ala Ser Gly Ala
 20          25          30
Ala Met Ser Leu Ala Gly Ala Glu Lys Asn Gly Leu Val Lys Ile
 35          40          45
Lys Val Ala Glu Asp Glu Ala Glu Ala Ala Ala Ala Lys Phe
 50          55          60
Thr Gly Leu Ser Lys Glu Glu Leu Leu Lys Val Ala Gly Ser Pro
 65          70          75
Gly Trp Val Arg Thr Arg Trp Ala Leu Leu Leu Leu Phe Trp Leu
 80          85          90
Gly Trp Leu Gly Met Leu Ala Gly Ala Val Val Ile Ile Val Arg
 95          100         105
Ala Pro Arg Cys Arg Glu Leu Pro Ala Gln Lys Trp Trp His Thr
 110         115         120
Gly Ala Leu Tyr Arg Ile Gly Asp Leu Gln Ala Phe Gln Gly His
 125         130         135
Gly Ala Gly Asn Leu Ala Gly Leu Lys Gly Arg Leu Asp Tyr Leu
 140         145         150
Ser Ser Leu Lys Val Lys Gly Leu Val Leu Gly Pro Ile His Lys
 155         160         165
Asn Gln Lys Asp Asp Val Ala Gln Thr Asp Leu Leu Gln Ile Asp
 170         175         180
Pro Asn Phe Gly Ser Lys Glu Asp Phe Asp Ser Leu Leu Gln Ser
 185         190         195
Ala Lys Lys Lys Ser Ile Arg Val Ile Leu Asp Leu Thr Pro Asn
 200         205         210
Tyr Arg Gly Glu Asn Ser Trp Phe Ser Thr Gln Val Asp Thr Val
 215         220         225
Ala Thr Lys Val Lys Asp Ala Leu Glu Phe Trp Leu Gln Ala Gly
 230         235         240
Val Asp Gly Phe Gln Val Arg Asp Ile Glu Asn Leu Lys Asp Ala
 245         250         255
Ser Ser Phe Leu Ala Glu Trp Gln Asn Ile Thr Lys Gly Phe Ser
 260         265         270
Glu Asp Arg Leu Leu Ile Ala Gly Thr Asn Ser Ser Asp Leu Gln
 275         280         285
Gln Ile Leu Ser Leu Leu Glu Ser Asn Lys Asp Leu Leu Leu Thr
 290         295         300

```


-continued

Ser Ser Tyr Leu Ser Asp Ser Gly Ser Thr Gly Glu His Thr Lys
305 310 315

Ser Leu Val Thr Gln Tyr Leu Asn Ala Thr Gly Asn Arg Trp Cys
320 325 330

Ser Trp Ser Leu Ser Gln Ala Arg Leu Leu Thr Ser Phe Leu Pro
335 340 345

Ala Gln Leu Leu Arg Leu Tyr Gln Leu Met Leu Phe Thr Leu Pro
350 355 360

Gly Thr Pro Val Phe Ser Tyr Gly Asp Glu Ile Gly Leu Asp Ala
365 370 375

Ala Ala Leu Pro Gly Gln Pro Met Glu Ala Pro Val Met Leu Trp
380 385 390

Asp Glu Ser Ser Phe Pro Asp Ile Pro Gly Ala Val Ser Ala Asn
395 400 405

Met Thr Val Lys Gly Gln Ser Glu Asp Pro Gly Ser Leu Leu Ser
410 415 420

Leu Phe Arg Arg Leu Ser Asp Gln Arg Ser Lys Glu Arg Ser Leu
425 430 435

Leu His Gly Asp Phe His Ala Phe Ser Ala Gly Pro Gly Leu Phe
440 445 450

Ser Tyr Ile Arg His Trp Asp Gln Asn Glu Arg Phe Leu Val Val
455 460 465

Leu Asn Phe Gly Asp Val Gly Leu Ser Ala Gly Leu Gln Ala Ser
470 475 480

Asp Leu Pro Ala Ser Ala Ser Leu Pro Ala Lys Ala Asp Leu Leu
485 490 495

Leu Ser Thr Gln Pro Gly Arg Glu Glu Gly Ser Pro Leu Glu Leu
500 505 510

Glu Arg Leu Lys Leu Glu Pro His Glu Gly Leu Leu Leu Arg Phe
515 520 525

Pro Tyr Ala Ala

<210> SEQ ID NO 5
 <211> LENGTH: 664
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 335942.2

<400> SEQUENCE: 5

```

ccaaaatgga ggaataata cctaagcctt cctgccgcaa cagtttttta tgctaatcag      60
ggaggtcatt ttggtaaaat acttcttgaa gccgagcctc aagatgaagg caaagcacga      120
aatgttattt ttttaattatt atttatatat gtatttataa atatatttaa gataattata      180
atatactata tttatgggaa ccccttcac cctctgagtgt gaccaggcat cctccacaat      240
agcagacagt gttttctggg ataagtaagt ttgatttcat taatacaggg cattttggtc      300
caagttgtgc ttatcccata gccaggaaac tctgcattct agtacttggg agacctgtaa      360
tcatataata aatgtacatt aattaccttg agccagtaat tgggtccgatc tttgactctt      420
ttgccattaa acttacctgg gcattcttgt ttcaattcca cctgcaatca agtcctacaa      480
gctaaaatta gatgaactca actttgacaa ccatgagacc actgttatca aaactttctt      540
ttctggaatg taatcaatgt ttcttctagg ttctaaaaat tgtgatcaga ccataatgtt      600
acattattat caacaatagt gattgataga gtgttatcag tcataactaa ataaagcttg      660

```


-continued

caac 664

<210> SEQ ID NO 6
 <211> LENGTH: 1667
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 2483854CB1

<400> SEQUENCE: 6

```

gtcatttcat tggcgtttga gtcagcaaag aagtcaagat ggccaaagtt ccagacatgt    60
ttgaagacct gaagaactgt tacagtgaaa atgaagaaga cagttcctcc attgatcatc    120
tgttcttgaa tcagaaatcc ttctatcatg taagctatgg cccactccat gaaggctgca    180
tggatcaatc tgtgtctctg agtatctctg aaacctctaa aacatccaag cttaccttca    240
aggagagcat ggtggtagta gcaaccaacg ggaaggttct gaagaagaga cggttgagtt    300
taagccaatc catcactgat gatgacctgg aggccatcgc caatgactca gaggaagaaa    360
tcatcaagcc taggtcagca ccttttagct tcctgagcaa tgtgaaatac aactttatga    420
ggatcatcaa atacgaattc atcctgaatg acgccctcaa tcaaagtata attcgagcca    480
atgatcagta cctcacggct gctgcattac ataactctgga tgaagcagtg aaatttgaca    540
tgggtgctta taagtcattc aaggatgatg ctaaaattac cgtgattcta agaactctca    600
aaactcaatt gtatgtgact gcccaagatg aagaccaacc agtgctgctg aaggagatgc    660
ctgagatacc caaaaccatc acaggtagtg agaccaacct cctcttcttc tgggaaactc    720
acggcactaa gaactatttc acatcagttg cccatccaaa cttgtttatt gccacaaagc    780
aagactactg ggtgtgcttg gcaggggggc caccctctat cactgacttt cagatactgg    840
aaaaccaggc gtaggtcttg agtctcactt gtctcacttg tgcagtgttg acagttcata    900
tgtaccatgt acatgaagaa gctaaatcct ttactgttag tcatttgctg agcatgtact    960
gagccttgta attctaaatg aatgtttaca ctctttgtaa gagtggaacc aacactaaca   1020
tataatgctg ttatttaaag aacaccctat attttgcata gtaccaatca ttttaattat   1080
tattcttcat aacaatttta ggaggaccag agctactgac tatggctacc aaaaagactc   1140
taccatatt acagatgggc aaattaaggc ataagaaaac taagaaatat gcacaatagc   1200
agttgaaaca agaagccaca gacctaggat tcatgatatt catttcaact gtttgcttc   1260
tacttttaag ttgctgatga actcttaatc aatagcata agtttctggg acctcagttt   1320
tatcattttc aaaatggagg gaataatacc taagccttcc tgccgcaaca gttttttatg   1380
ctaatcaggg agggcatttt ggtaaaatac ttcttgaagc cgagcctcaa gatgaaggca   1440
aagcacgaaa tgttattttt taattattat ttatatatgt atttataaat atatttcaga   1500
taattataat atacctatat tgatgggaac ccttcatcct ctgaggtgtg accagggcat   1560
cctccacaat tagccgacag tggtttcttg gggataggta aggtttggtt tccattaata   1620
ccagggcatt ttgggtccaa gttgtgctta atcccataag ccagggga                   1667

```

<210> SEQ ID NO 7
 <211> LENGTH: 271
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 2483854CD1

-continued

<400> SEQUENCE: 7

Met Ala Lys Val Pro Asp Met Phe Glu Asp Leu Lys Asn Cys Tyr
 1 5 10 15
 Ser Glu Asn Glu Glu Asp Ser Ser Ser Ile Asp His Leu Ser Leu
 20 25 30
 Asn Gln Lys Ser Phe Tyr His Val Ser Tyr Gly Pro Leu His Glu
 35 40 45
 Gly Cys Met Asp Gln Ser Val Ser Leu Ser Ile Ser Glu Thr Ser
 50 55 60
 Lys Thr Ser Lys Leu Thr Phe Lys Glu Ser Met Val Val Val Ala
 65 70 75
 Thr Asn Gly Lys Val Leu Lys Lys Arg Arg Leu Ser Leu Ser Gln
 80 85 90
 Ser Ile Thr Asp Asp Asp Leu Glu Ala Ile Ala Asn Asp Ser Glu
 95 100 105
 Glu Glu Ile Ile Lys Pro Arg Ser Ala Pro Phe Ser Phe Leu Ser
 110 115 120
 Asn Val Lys Tyr Asn Phe Met Arg Ile Ile Lys Tyr Glu Phe Ile
 125 130 135
 Leu Asn Asp Ala Leu Asn Gln Ser Ile Ile Arg Ala Asn Asp Gln
 140 145 150
 Tyr Leu Thr Ala Ala Ala Leu His Asn Leu Asp Glu Ala Val Lys
 155 160 165
 Phe Asp Met Gly Ala Tyr Lys Ser Ser Lys Asp Asp Ala Lys Ile
 170 175 180
 Thr Val Ile Leu Arg Ile Ser Lys Thr Gln Leu Tyr Val Thr Ala
 185 190 195
 Gln Asp Glu Asp Gln Pro Val Leu Leu Lys Glu Met Pro Glu Ile
 200 205 210
 Pro Lys Thr Ile Thr Gly Ser Glu Thr Asn Leu Leu Phe Phe Trp
 215 220 225
 Glu Thr His Gly Thr Lys Asn Tyr Phe Thr Ser Val Ala His Pro
 230 235 240
 Asn Leu Phe Ile Ala Thr Lys Gln Asp Tyr Trp Val Cys Leu Ala
 245 250 255
 Gly Gly Pro Pro Ser Ile Thr Asp Phe Gln Ile Leu Glu Asn Gln
 260 265 270

Ala

<210> SEQ ID NO 8

<211> LENGTH: 1511

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 1454852CB1

<400> SEQUENCE: 8

cccctctcct cccagccct tctcctgtgt gctgcctcc tgctgccctc accatgacca 60
 cctccatccg ccagttcacc tcctccagct ccatcaaggg ctctccggc ctggggggcg 120
 gctcgtcccg cacctcctgc cggctgtctg ggggctggg tgccggctcc tgcaggctgg 180
 gatctgctgg cggcctgggc agcaccctcg ggggtagcag ctactccagc tgctacagct 240
 ttggctctgg tggtggctat ggcagcagct ttgggggtgt tgatgggctg ctggctggag 300

-continued

```

gtgagaaggc caccatgcag aacctcaatg accgcctggc ctcctacctg gacaaggtgc 360
gtgccctgga ggaggccaac actgagctgg aggtgaagat cctgactgg taccagaggc 420
aggccccggg gcccgcccgt gactacagcc agtactacag gacaattgag gagctgcaga 480
acaagatcct cacagccacc gtggacaatg ccaacatcct gctacagatt gacaatgcc 540
gtctggctgc tgatgacttc cgcaccaagt ttgagacaga gcaggccctg cgcctgagt 600
tggaggccga catcaatggc ctgctcaggg tgctggatga gctgaccctg gccagagcc 660
acctggagat gcagattgag aacctcaagg aggagctggc ctacctgaag aagaaccacg 720
aggaggagat gaacgccctg cgaggccagg tgggtggtga gatcaatgtg gagatggacg 780
ctgccccagg cgtggacctg agccgcatcc tcaacgagat gcgtgaccag tatgagaaga 840
tggcagagaa gaaccgcaag gatgccgagg attggttctt cagcaagaca gaggaactga 900
accgagaggt ggccaccaac agtgagctgg tgcagagtgg caagagtgag atctcggagc 960
tccggcgcac catgcaggcc ttggagatag agctgcagtc ccagctcagc atgaaagcat 1020
ccctggaggg caacctggcg gagacagaga accgctactg cgtgcagctg tcccagatcc 1080
aggggctgat tggcagcgtg gaggagcagc tggcccagct tcgctgcgag atggagcagc 1140
agaaccagga atacaaaatc ctgctggatg tgaagacgcg gctggagcag gagattgcca 1200
cctaccgccc cctgctggag ggagaggatg cccacctgac tcagtacaag aaagaaccgg 1260
tgaccacccg tcaggtgcgt accattgtgg aagaggtcca ggatggcaag gtcattctct 1320
cccgcgagca ggtccaccag accaccgct gaggactcag ctaccccgcc cggccacca 1380
ggaggcaggg aggagccgc cccatctgcc ccacagtctc cggcctctcc agcctcagcc 1440
ccctgcttca gtcccttccc catgcttctt tgctgatga caataaagct tgttgactca 1500
gctaaaaaaaa a 1511

```

```

<210> SEQ ID NO 9
<211> LENGTH: 432
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1454852CD1

```

```

<400> SEQUENCE: 9

```

```

Met Thr Thr Ser Ile Arg Gln Phe Thr Ser Ser Ser Ser Ile Lys
 1             5             10             15
Gly Ser Ser Gly Leu Gly Gly Gly Ser Ser Arg Thr Ser Cys Arg
             20             25             30
Leu Ser Gly Gly Leu Gly Ala Gly Ser Cys Arg Leu Gly Ser Ala
             35             40             45
Gly Gly Leu Gly Ser Thr Leu Gly Gly Ser Ser Tyr Ser Ser Cys
             50             55             60
Tyr Ser Phe Gly Ser Gly Gly Gly Tyr Gly Ser Ser Phe Gly Gly
             65             70             75
Val Asp Gly Leu Leu Ala Gly Gly Glu Lys Ala Thr Met Gln Asn
             80             85             90
Leu Asn Asp Arg Leu Ala Ser Tyr Leu Asp Lys Val Arg Ala Leu
             95             100            105
Glu Glu Ala Asn Thr Glu Leu Glu Val Lys Ile Arg Asp Trp Tyr
             110            115            120
Gln Arg Gln Ala Pro Gly Pro Ala Arg Asp Tyr Ser Gln Tyr Tyr
             125            130            135

```


-continued

Arg Thr Ile Glu Glu Leu Gln Asn Lys Ile Leu Thr Ala Thr Val
 140 145 150
 Asp Asn Ala Asn Ile Leu Leu Gln Ile Asp Asn Ala Arg Leu Ala
 155 160 165
 Ala Asp Asp Phe Arg Thr Lys Phe Glu Thr Glu Gln Ala Leu Arg
 170 175 180
 Leu Ser Val Glu Ala Asp Ile Asn Gly Leu Arg Arg Val Leu Asp
 185 190 195
 Glu Leu Thr Leu Ala Arg Ala Asp Leu Glu Met Gln Ile Glu Asn
 200 205 210
 Leu Lys Glu Glu Leu Ala Tyr Leu Lys Lys Asn His Glu Glu Glu
 215 220 225
 Met Asn Ala Leu Arg Gly Gln Val Gly Gly Glu Ile Asn Val Glu
 230 235 240
 Met Asp Ala Ala Pro Gly Val Asp Leu Ser Arg Ile Leu Asn Glu
 245 250 255
 Met Arg Asp Gln Tyr Glu Lys Met Ala Glu Lys Asn Arg Lys Asp
 260 265 270
 Ala Glu Asp Trp Phe Phe Ser Lys Thr Glu Glu Leu Asn Arg Glu
 275 280 285
 Val Ala Thr Asn Ser Glu Leu Val Gln Ser Gly Lys Ser Glu Ile
 290 295 300
 Ser Glu Leu Arg Arg Thr Met Gln Ala Leu Glu Ile Glu Leu Gln
 305 310 315
 Ser Gln Leu Ser Met Lys Ala Ser Leu Glu Gly Asn Leu Ala Glu
 320 325 330
 Thr Glu Asn Arg Tyr Cys Val Gln Leu Ser Gln Ile Gln Gly Leu
 335 340 345
 Ile Gly Ser Val Glu Glu Gln Leu Ala Gln Leu Arg Cys Glu Met
 350 355 360
 Glu Gln Gln Asn Gln Glu Tyr Lys Ile Leu Leu Asp Val Lys Thr
 365 370 375
 Arg Leu Glu Gln Glu Ile Ala Thr Tyr Arg Arg Leu Leu Glu Gly
 380 385 390
 Glu Asp Ala His Leu Thr Gln Tyr Lys Lys Glu Pro Val Thr Thr
 395 400 405
 Arg Gln Val Arg Thr Ile Val Glu Glu Val Gln Asp Gly Lys Val
 410 415 420
 Ile Ser Ser Arg Glu Gln Val His Gln Thr Thr Arg
 425 430

<210> SEQ ID NO 10

<211> LENGTH: 309

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 353005.1

<221> NAME/KEY: unsure

<222> LOCATION: 6, 10, 18, 24-25, 67, 76, 83, 98, 159, 290

<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 10

ggtaggntggn accatggnac tgnnatctc ccctcttcc tcttggcctc tgtggacggt 60

gcctttncat ctgctnccac ttnaatcctc tgtctctnga ggaactaggc tccaacacgg 120

-continued

```

ggatccaggt tttcaatcag attgtgaagt cgaggcctna tgacaacatc gtgatctctc 180
cccatgggat tgcgtcggtc ctggggatgc ttcagctggg ggcggacggc aggaccagaa 240
gcagctcgcc atggtgatga gatacggcgt aatgatatg attgacaatn tgctgtcccc 300
agatcttat 309

```

```

<210> SEQ ID NO 11
<211> LENGTH: 176
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 378497.1
<221> NAME/KEY: unsure
<222> LOCATION: 18, 30, 35, 39, 44, 52, 87, 93, 108, 112, 114, 151,
166, 168, 170
<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 11

```

```

gccaacgtc atcgggcnyc agtgcacccn ctgtncana ggancactac gnattcccac 60
gctgcaaccg tgcagctgtg gtcggcncct ttntgaagag atgacggngc antnccggct 120
tcccttcccc gcacggtcag gcccagtggt naggtgtgtg agacanantn cattca 176

```

```

<210> SEQ ID NO 12
<211> LENGTH: 3544
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 994684.9

<400> SEQUENCE: 12

```

```

cagcgtcaaa tttgtctcca ccacctcctc ctcccggaag agcttcaaga gctaagaacc 60
tgctgcaagt cactgccttc caagtgcagc aaccagccc atggagattg cctcttctag 120
gcagttgctc aagccatggt ttatcctttt ctggatagca tcatcgctga ggtcaaggcc 180
cagtatgagg agattgcaa ccgcagccgg acagaagccg agtcctggta tcagaccaag 240
tatgaggagc tgcagcagac agctggccgg catggcgatg acctccgcaa caccaagcat 300
gagatctctg agatgaaccg gatgatccag aggctgagag ccgagattga caatgtcaag 360
aaacagtgcg ccaatctgca gaacgccatt gcggatgccg agcagcgtgg ggagctggcc 420
ctcaaggatg ccaggaacaa gctggccgag ctggaggagg ccctgcagaa ggccaagcag 480
gacatggccc ggctgctgcy tgagtaccag gagctcatga acaccaagct ggccctggac 540
gtggagatcg ccacttaccg caagctgctg gagggcgagg aatgcagact cagtggagaa 600
ggagttggac cagtcaacat ctgtaagtag ctttgaacag acattaacaa cgacaataat 660
atgggatata tttagtcca actcagaatt ctgctgtttc tagatccaaa cttttcccat 720
cccagcatat ggttatttat aataatacac ttagtaagtt gtgggtggtg gaggggaagg 780
acagattggg acaggaagca atgtggctta tgtctcatct cttaaagggt aagccatgca 840
tcctatgctt cttggaccct gtcccctgcc ttgtccctag tacctagctc cccccagtac 900
ctagctcctc ccctcagtac cttagctccc tcagtaccta gctccctgta gtacctagct 960
cccctcagta cctagctcct cttagtacct agcaccttgc ctcttacct caccacttt 1020
tttagggacc ttaattaaat gacagttcct cggggccttg tttgctactc tgtaaagggg 1080
gtccagtaga gtgctccaac accagcagat caaataaatg ggccatgcag gatcagcctg 1140
gcagatggtc tcaactgagtc ctcccctcct tocctgcagc tgttgtcaca agcagtgttt 1200

```


-continued

cctctggata	tggcagtggc	agtggctatg	gcggtggcct	cggaggaggt	cttggcggcg	1260
gcctcgggtg	aggtcttgcc	ggaggtagca	gtggaagcta	ctactccagc	agcagtgggg	1320
gtgtcggcct	aggtggtggg	ctcagtgtgg	ggggctctgg	cttcagtgca	agcagtggcc	1380
gagggctggg	ggtgggcttt	ggcagtggcg	ggggtagcag	ctccagcgtc	aaatttgtct	1440
ccaccacctc	ctcctcccgg	aagagcttca	agagctaaga	acctgctgca	agtcactgcc	1500
ttccaagtgc	agcaaccag	cccatggaga	ttgcctcttc	taggcagagt	cagccttgcg	1560
ggtgcttggt	gagtgggtgg	ctatggcagc	cggagcctct	acaacctggg	gggctccaag	1620
aggatatcca	tcagactag	tgggtggcagc	ttcaggaacc	ggtttggtgc	tgggtgctgga	1680
ggcggctatg	gctttggagg	tgggtgccgg	agtggatttg	gtttcggcgg	tggagctggt	1740
ggtggctttg	ggctcgggtg	cggagctggc	tttgagggtg	gcttcgggtg	ccctggcttt	1800
cctgtctgcc	ctcctggagg	tatccaagag	gtcactgtca	accagagtct	cctgactccc	1860
ctcaacctgc	aaatcgacc	cagcatccag	aggggtgagga	ccgaggagcg	cgagcagatc	1920
aagaccctca	acaataagtt	tgctccttc	atcgacaagg	tgcggttcct	ggagcagcag	1980
aacaaggttc	tggaaacaaa	gtggaccctg	ctgcaggagc	agggcaccaa	gactgtgagg	2040
cagaacctgg	agccgttggt	cgagcagtac	atcaacaacc	tcaggaggca	gctggacagc	2100
atcgtggggg	aacggggccg	cctggactca	gagctgagaa	acatgcagga	cctgggtggaa	2160
gacttcaaga	acaagtatga	ggatgaaatc	aacaagcgta	ccactgctga	gaatgagttt	2220
gtgatgctga	agaaggatgt	agatgctgcc	tacatgaaca	aggtggagct	ggaggccaag	2280
gttgatgcac	tgatggatga	gattaacttc	atgaagatgt	tctttgatgc	ggagctgtcc	2340
cagatgcaga	cgcatgtctc	tgacacctca	gtggctctct	ccatggacaa	caaccgcaac	2400
ctggacctgg	atagcatcat	cgctgaggtc	aaggcccagt	atgaggagat	tgccaaccgc	2460
agccggaccg	aagccgagtc	ctggtatcag	accaagtatg	aggagctgca	gcagacagct	2520
ggccggcatg	gcgatgacct	ccgcaacacc	aagcatgaga	tctctgagat	gaaccggatg	2580
atccagaggc	tgagagccga	gattgacaat	gtcaagaaac	agtgcgcaa	tctggcagaa	2640
cgccattgcg	gatgccgagc	agcgtgggga	gctggccctc	aaggatgcca	ggaacaagct	2700
ggccgagctg	gaggaggccc	tgacagaagg	caagcaggac	atgggcccgg	ctgctgcgtg	2760
agtaccagga	gctcatgaac	accaagctgg	ccctggacgt	ggagatcgcc	acttaccgca	2820
agctgctgga	ggcgaggaa	tgacagactca	gtggagaagg	agttggacca	gtcaacatct	2880
ctgttgctac	aagcagtgtt	tcctctggat	atggcagtgg	cagtggctat	ggcgggtggc	2940
tcggtggagg	tcttggcggc	ggcctcgggt	gaggtcttgc	cggaggtagc	agtggaagct	3000
actactccag	cagcagtggg	ggtgtcggcc	taggtgggtg	gctcagtgtg	gggggctctg	3060
gcttcagtgc	aagcagtggc	cgagggctgg	gggtgggctt	tggcagtggc	gggggtagca	3120
gctccagcgt	caaatttgtc	tccaccacct	cctcctcccg	gaagagcttc	aagagctaag	3180
aacctgctgc	aagtactgct	cttccaagtg	cagcaacca	gcccatggag	attgcctctt	3240
ctaggcagtt	gctcaagcca	tgttttatcc	ttttctggag	agtagtctag	accaagccaa	3300
ttgcagaacc	acattctttg	gttcccagga	gagccccatt	cccagcccct	ggtctcccgt	3360
gccgcagttc	tatattctgc	ttcaaatcag	ccttcagggt	tcccacagca	tggcccctgc	3420
tgacacgaga	acccaaagtt	ttcccaaatc	taaatcatca	aaacagaatc	cccaccccaa	3480
tcccaaattt	tgttttggtt	ctaactacct	ccagaatgtg	ttcaataaaa	tgcttttata	3540

-continued

ttat 3544

<210> SEQ ID NO 13
 <211> LENGTH: 3000
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 995610.1

<400> SEQUENCE: 13

ggagtttatt cataacgcgc tctccaagta tacgtggcaa tgcgttgctg ggttatttta 60
 atcattctag gcatcgtttt cctccttatg cctctatcat tcctccctat ctacactaac 120
 atcccacgct ctgaacgcgc gcccataat acccttcttt cctccactct ccctgggact 180
 cttgatcaaa gcgcggccct tccccagcc ttagcgaggc gccctgcagc ctggtacgcg 240
 cgtggcgtgg cggtgggcgc gcagtgcgtt ctcggtgtgg agggcagctg ttccgcctgc 300
 gatgatttat actcacagga caaggatgcg gtttgtcaaa cagtactgct acggaggagc 360
 agcagagaaa gggagagggg ttgagagggg gaaaagaaa atggtaggcg cgcgtagtta 420
 attcatgcgg ctctcttact ctgtttacat cctagagcta gaggctcgg ctgcccggct 480
 gagtctctc cccaccttc ccaccctccc caccctcccc ataagcgccc tcccgggttc 540
 ccaaagcaga gggcgtgggg gaaaagaaa aagatcctct ctgctaatac tccgcccacc 600
 ggccctttat aatgcgaggg tctggacggc tgaggacccc cgagctgtgc tgctcgcggc 660
 cgccaccgcc gggcccgcgc cgtccctggc tcccctcctg cctcgagaag ggcagggctt 720
 ctgagaggct tggcgggaaa aagaacggag ggagggatcg cgctgagtat aaaagccggt 780
 tttcggggct ttatctaact cgctgtagta attccagcga gaggcagagg gagcgagcgg 840
 gcggccggct aggggtggaag agccgggcga gcagagctgc gctgcgggcg tcctgggaaag 900
 ggagatccgg agcgaatagg gggcttcgcc tctggcccag ccctcccgct gatccccag 960
 ccagcggctc gcaacccttg ccgcatccac gaaactttgc ccatagcagc gggcgggcac 1020
 tttgcaactgg aacttacaac acccgagcaa ggacgcgact ctcccagcgc ggggaggcta 1080
 ttctgcccac ttggggacac tccccgccg ctgccaggac ccgcttctct gaaaggctct 1140
 ccttgcaact gcttagacgc tggatttttt tgggtagtg gaaaaccagc agcctcccgc 1200
 gacgatgccc ctcaacgta gcttcaccaa caggaactat gacctcgact acgactcggc 1260
 gcagccgctt ttctactgcy acgaggagga gaacttctac cagcagcagc agcagagcga 1320
 ggctgcagcc cccggcgcgc agcgaggata tctggaagaa attcgagctg ctgccacccc 1380
 cgcccctgtc ccctagccgc cgtccgggc tctgctcgc ctctacgct gcggtcacac 1440
 ccttctccct tcggggagac aacgacggcg gtggcgggag cttctccacg gccgaccagc 1500
 tggagatggt gaccgagctg ctgggaggag acatggtgaa ccagagtttc atctgcgacc 1560
 cggacgacga gacctcatc aaaaacatca tcatccagga ctgtatgtgg agcggcttct 1620
 cggccgccc caagctcgtc tcagagaagc tggcctccta ccaggctgcg cgcaaagaca 1680
 gcggcagccc gaaccccgc cgcgccaca gogtctgctc cacctccagc ttgtacctgc 1740
 aggatctgag cgccgccc tcagagtgca togaccctc ggtggtcttc ccctaccctc 1800
 tcaacgacag cagctcgcgc aagtccctgc cctcgcaaga ctccagcgc ttctctccgt 1860
 cctcggattc tctgctctcc tcgacggagt cctccccgca gggcagcccc gagcccctgg 1920
 tgctccatga ggagacaccg cccaccacca gcagcgactc tgaggaggaa caagaagatg 1980

-continued

```

aggaagaaat cgatggtgtt tctgtggaaa agaggcaggc tcctggcaaa aggtcagagt 2040
ctggatcacc ttctgctgga ggccacagca aacctcctca cagcccactg gtcctcaaga 2100
ggtgccacgt ctccacacat cagcacaact acgcagcgcc tccctccact cggaaggact 2160
atcctgctgc caagagggtc aagttggaca gtgtcagagt cctgagacag atcagcaaca 2220
accgaaaatg caccagcccc aggtcctcgg acaccgagga gaatgtcaag aggcgaacac 2280
acaacgtctt ggagcgccag aggaggaacg agctaaaacg gagctttttt gccctgctgt 2340
accagatccc ggagttggaa aacaatgaaa aggcccccaa ggtagttatc cttaaaaaag 2400
ccacagcata catcctgtcc gtccaagcag aggagcaaaa gtcattttct gaagaggact 2460
tgttgcggaa acgacgagaa cagttgaaac acaaacttga acagctacgg aactcttgtg 2520
cgtaaggaaa agtaaggaaa acgattcctt ctaacagaaa tgcctgagc aatcacctat 2580
gaacttgttt caaatgcatg atcaaatgca acctcacaac cttggctgag tcttgagact 2640
gaaagattta gccataatgt aaactgcctc aaattggact ttgggcataa aagaactttt 2700
ttatgcttac catctttttt ttttctttaa cagatttgta tttagaatt gtttttaaaa 2760
aattttaaga tttacacaat gtttctctgt aaatattgcc attaaatgta aataacttta 2820
ataaacggtt tatagcagtt acacagaatt tcaatcctag tatatagtag tagtattat 2880
aggtactata aaccctaatt ttttttattt aagtacattt tgctttttaa agttgatttt 2940
tttctattgt ttttagaaaa aataaaataa ctggcaataa tatcattgag ccaaaaaaaaa 3000

```

```

<210> SEQ ID NO 14
<211> LENGTH: 427
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 417119.1

```

<400> SEQUENCE: 14

```

aaaacaaaga aggctggaaa ccaaagcaat catctcttta gtggaaacta ttcttaaaga 60
agatcttgat ggctactgac atttgcaact coctcactct ttctcagggg ctttcactt 120
acattgtcac cagaggttcg taacctccct gtgggctagt gttatgacca tcaccatttt 180
acctaagtag ctctggtgct cggccacagt gagcagtaat agacctgaag ctggaacca 240
tgtctaatag tgtcaggtcc agtgttctta gccacccac tcccagcttc atccctactg 300
gtggtgtcat cagacttga ccgtatatgc tcaggtgtcc tccaagaaat caaattttgc 360
cacctgcct tcacgaggcc tgcccttctg gatttatacc taacaacatg tgctccacat 420
ttcagaa 427

```

```

<210> SEQ ID NO 15
<211> LENGTH: 4108
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3615080CB1

```

<400> SEQUENCE: 15

```

tgccagattc ctgagaccg cctgcggtgg ggctacaccc agccaggag tctccagagg 60
tgaggctgtt gtttaaaaac ctggagccgg gaggggagac cccacattc aagaggagct 120
ttcaggcgat ctggagaaag aacggcagaa cacacagcaa ggaaaggtcc tttctgggga 180
tcacccatt ggctgaagat gagaccattc ttctcttgt gttttgccct gcctggcctc 240

```


-continued

ctgcatgccc	aacaagcctg	ctcccgtggg	gcctgctatc	cacctgttgg	ggacctgctt	300
gttgggagga	cccggtttct	ccgagcttca	tctacctgtg	gactgaccaa	gcctgagacc	360
tactgcaccc	agtatggcga	gtggcagatg	aatgctgca	agtgtgactc	caggcagcct	420
cacaactact	acagtcaccg	agtagagaat	gtggcttcat	cctccggccc	catgcgctgg	480
tggcagtcac	agaatgatgt	gaaccctgtc	tctctgcagc	tggacctgga	caggagattc	540
cagcttcaag	aagtcatgat	ggagttccag	gggcccatgc	ccgccggcat	gctgattgag	600
cgctcctcag	acttcggtaa	gacctggcga	gtgtaccagt	acctggctgc	cgactgcacc	660
tccaccttcc	ctcgggtccg	ccagggtcgg	cctcagagct	ggcaggatgt	tcggtgccag	720
tccctgcctc	agaggcctga	tgcacgccta	aatgggggga	aggtccaact	taaccttatg	780
gatttagtgt	ctgggattcc	agcaactcaa	agtcaaaaaa	ttcaagaggt	gggggagatc	840
acaaacttga	gagtcaattt	caccaggctg	gcccctgtgc	cccaaagggg	ctaccaccct	900
cccagcgcct	actatgctgt	gtcccagctc	cgtctgcagg	ggagctgctt	ctgtcacggc	960
catgctgatc	gctgcgcacc	caagcctggg	gcctctgcag	gcccctccac	cgctgtgcag	1020
gtccacgatg	tctgtgtctg	ccagcacaac	actgccggcc	caaattgtga	gcgctgtgca	1080
cccttctaca	acaaccggcc	ctggagaccg	gcggagggcc	aggacgcca	tgaatgcca	1140
aggtgcgact	gcaatgggca	ctcagagaca	tgtcactttg	accccgtgt	gtttgccgcc	1200
agccaggggg	catatggagg	tgtgtgtgac	aattgccggg	accacaccga	aggcaagaac	1260
tgtgagcggg	gtcagctgca	ctatttccgg	aaccggcgcc	cgggagcttc	cattcaggag	1320
acctgcatct	cctgcgagtg	tgatccggat	ggggcagtg	caggggctcc	ctgtgacca	1380
gtgaccgggc	agtgtgtgtg	caaggagcat	gtgcagggag	agcgtgtga	cctatgcaag	1440
ccgggcttca	ctggactcac	ctacgccaac	cgcagggct	gccaccgctg	tgactgcaac	1500
atcctggggg	cccggagggg	catgccgtgt	gacgaggaga	gtgggcgctg	cctttgtctg	1560
cccaacgtgg	tgggtcccaa	atgtgaccag	tgtgctccct	accactggaa	gctggccagt	1620
ggccagggct	gtgaaccgtg	tgccctgcgac	cgcacaact	ccctcagccc	acagtgcaac	1680
cagttcacag	ggcagtgccc	ctgtcgggaa	ggctttgggtg	gcctgatgtg	cagcgtgca	1740
gccatccgcc	agtgtccaga	ccggacctat	ggagacgtgg	ccacaggatg	ccgagcctgt	1800
gactgtgatt	tccggggaac	agagggcccg	ggctgcgaca	aggcatcagg	ccgctgcctc	1860
tgccgccctg	gcttgaccgg	gccccgtgt	gaccagtgcc	agcgaggcta	ctgcaatcgc	1920
taccgggtgt	gcgtggcctg	ccacccttgc	ttccagacct	atgatgcgga	cctccgggag	1980
caggccctgc	gctttgtag	actccgcaat	gccaccgcca	gcctgtggtc	agggcctggg	2040
ctggaggacc	gtggcctggc	ctcccggatc	ctagatgcaa	agagtaagat	tgagcagatc	2100
cgagcagttc	tcagcagccc	cgcagtcaca	gagcaggagg	tggctcaggt	ggcagtgcc	2160
atcctctccc	tcaggcgaac	tctccagggc	ctgcagctgg	atctgcccct	ggaggaggag	2220
acgttgtccc	ttccgagaga	cctggagagt	cttgacagaa	gcttcaatgg	tctccttact	2280
atgtatcaga	ggaagaggga	gcagtttgaa	aaaataagca	gtgctgatcc	ttcaggagcc	2340
ttccggatgc	tgagcacagc	ctacgagcag	tcagcccagg	ctgctcagca	ggtctccgac	2400
agctcgcgcc	ttttggacca	gctcagggac	agccggagag	aggcagagag	gctggtgccg	2460
caggcgggag	gaggaggagg	caccggcagc	cccaagcttg	tggccctgag	gctggagatg	2520
tcttcgttgc	ctgacctgac	accacacctc	aacaagctct	gtggcaactc	caggcagatg	2580

-continued

```

gcttgcaccc caatatcatg ccctggtgag ctatgtcccc aagacaatgg cacagcctgt 2640
ggctcccgct gcaggggtgt ccttcccagg gccggtgggg ccttcttgat ggcggggcag 2700
gtggctgagc agctgcgggg cttcaatgcc cagctccagc ggaccaggca gatgattagg 2760
gcagccgagg aatctgcctc acagattcaa tccagtgcc agcgcttga gaccaggtg 2820
agcgccagcc gctcccagat ggaggaagat gtcagacgca cacggctcct aatccagcag 2880
gtccgggact tcctaacaga ccccgacact gatgcagcca ctatccagga ggtcagcgag 2940
gccgtgctgg ccctgtggct gccacagac tcagatactg ttctgcagaa gatgaatgag 3000
atccaggcca ttgcagccag gctccccaac gtggacttgg tgctgtccca gaccaagcag 3060
gacattgctc gtgcccggc gttgcaggct gaggctgagg aagccaggag ccgagcccat 3120
gcagtggagg gccaggtgga agatgtgggt gggaacctgc ggcaggggac agtggcactg 3180
caggaagctc aggacaccat gcaaggcacc agcgcctccc ttcggcttat ccaggacagg 3240
gttgctgagg ttcagcaggt actgcggcca gcagaaaagc tggtgacaag catgaccaag 3300
cagctgggtg acttctggac acggatggag gagctccgcc accaagcccg gcagcagggg 3360
gcagaggcag tccaggccca gcagcttgcg gaagggtgcca gcgagcaggc attgagtgcc 3420
caagagggat ttgagagaat aaaacaaaag tatgctgagt tgaaggaccg gttgggtcag 3480
agttccatgc tgggtgagca gggtgcccgg atccagagtg tgaagacaga ggcagaggag 3540
ctgtttgggg agaccatgga gatgatggac aggatgaaag acatggagtt ggagctgctg 3600
cggggcagcc agccatcat gctgcgctca gcggacctga caggactgga gaagcgtgtg 3660
gagcagatcc gtgaccacat caatgggctc gtgctctact atgccacctg caagtgatgc 3720
tacagcttcc agcccgttgc cccactcatc tgccgccttt gcttttggtt gggggcagat 3780
tgggttgaa tgctttccat ctccaggaga ctttcatgta gcctaaagta cagcctggac 3840
caccctggt gtgtagctag taagattacc ctgagctgca gctgagcctg agccaatggg 3900
acagttacac ttgacagaca aagatggtgg agattggcat gccattgaaa ctaagagctc 3960
tcaagtcaag gaagctgggc tgggcagtat ccccgctt tagttctcca ctggggagga 4020
atcctggacc aagcacaaaa acttaacaaa agtgatgtaa aatgaaaag ccaataaaaa 4080
atctttgaa aagaaaaaaaa aaaaaaaaa 4108

```

```

<210> SEQ ID NO 16
<211> LENGTH: 1172
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3615080CD1

```

<400> SEQUENCE: 16

```

Met Arg Pro Phe Phe Leu Leu Cys Phe Ala Leu Pro Gly Leu Leu
 1             5             10            15
His Ala Gln Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val
          20            25            30
Gly Asp Leu Leu Val Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser
          35            40            45
Thr Cys Gly Leu Thr Lys Pro Glu Thr Tyr Cys Thr Gln Tyr Gly
          50            55            60
Glu Trp Gln Met Lys Cys Cys Lys Cys Asp Ser Arg Gln Pro His
          65            70            75
Asn Tyr Tyr Ser His Arg Val Glu Asn Val Ala Ser Ser Ser Gly

```


-continued

Cys	Ala	Cys	Asp	Pro	His	Asn	Ser	Leu	Ser	Pro	Gln	Cys	Asn	Gln
				485					490					495
Phe	Thr	Gly	Gln	Cys	Pro	Cys	Arg	Glu	Gly	Phe	Gly	Gly	Leu	Met
				500					505					510
Cys	Ser	Ala	Ala	Ala	Ile	Arg	Gln	Cys	Pro	Asp	Arg	Thr	Tyr	Gly
				515					520					525
Asp	Val	Ala	Thr	Gly	Cys	Arg	Ala	Cys	Asp	Cys	Asp	Phe	Arg	Gly
				530					535					540
Thr	Glu	Gly	Pro	Gly	Cys	Asp	Lys	Ala	Ser	Gly	Arg	Cys	Leu	Cys
				545					550					555
Arg	Pro	Gly	Leu	Thr	Gly	Pro	Arg	Cys	Asp	Gln	Cys	Gln	Arg	Gly
				560					565					570
Tyr	Cys	Asn	Arg	Tyr	Pro	Val	Cys	Val	Ala	Cys	His	Pro	Cys	Phe
				575					580					585
Gln	Thr	Tyr	Asp	Ala	Asp	Leu	Arg	Glu	Gln	Ala	Leu	Arg	Phe	Gly
				590					595					600
Arg	Leu	Arg	Asn	Ala	Thr	Ala	Ser	Leu	Trp	Ser	Gly	Pro	Gly	Leu
				605					610					615
Glu	Asp	Arg	Gly	Leu	Ala	Ser	Arg	Ile	Leu	Asp	Ala	Lys	Ser	Lys
				620					625					630
Ile	Glu	Gln	Ile	Arg	Ala	Val	Leu	Ser	Ser	Pro	Ala	Val	Thr	Glu
				635					640					645
Gln	Glu	Val	Ala	Gln	Val	Ala	Ser	Ala	Ile	Leu	Ser	Leu	Arg	Arg
				650					655					660
Thr	Leu	Gln	Gly	Leu	Gln	Leu	Asp	Leu	Pro	Leu	Glu	Glu	Glu	Thr
				665					670					675
Leu	Ser	Leu	Pro	Arg	Asp	Leu	Glu	Ser	Leu	Asp	Arg	Ser	Phe	Asn
				680					685					690
Gly	Leu	Leu	Thr	Met	Tyr	Gln	Arg	Lys	Arg	Glu	Gln	Phe	Glu	Lys
				695					700					705
Ile	Ser	Ser	Ala	Asp	Pro	Ser	Gly	Ala	Phe	Arg	Met	Leu	Ser	Thr
				710					715					720
Ala	Tyr	Glu	Gln	Ser	Ala	Gln	Ala	Ala	Gln	Gln	Val	Ser	Asp	Ser
				725					730					735
Ser	Arg	Leu	Leu	Asp	Gln	Leu	Arg	Asp	Ser	Arg	Arg	Glu	Ala	Glu
				740					745					750
Arg	Leu	Val	Arg	Gln	Ala	Gly	Gly	Gly	Gly	Gly	Thr	Gly	Ser	Pro
				755					760					765
Lys	Leu	Val	Ala	Leu	Arg	Leu	Glu	Met	Ser	Ser	Leu	Pro	Asp	Leu
				770					775					780
Thr	Pro	Thr	Phe	Asn	Lys	Leu	Cys	Gly	Asn	Ser	Arg	Gln	Met	Ala
				785					790					795
Cys	Thr	Pro	Ile	Ser	Cys	Pro	Gly	Glu	Leu	Cys	Pro	Gln	Asp	Asn
				800					805					810
Gly	Thr	Ala	Cys	Gly	Ser	Arg	Cys	Arg	Gly	Val	Leu	Pro	Arg	Ala
				815					820					825
Gly	Gly	Ala	Phe	Leu	Met	Ala	Gly	Gln	Val	Ala	Glu	Gln	Leu	Arg
				830					835					840
Gly	Phe	Asn	Ala	Gln	Leu	Gln	Arg	Thr	Arg	Gln	Met	Ile	Arg	Ala
				845					850					855
Ala	Glu	Glu	Ser	Ala	Ser	Gln	Ile	Gln	Ser	Ser	Ala	Gln	Arg	Leu
				860					865					870

-continued

Glu Thr Gln Val Ser Ala Ser Arg Ser Gln Met Glu Glu Asp Val	
875	880 885
Arg Arg Thr Arg Leu Leu Ile Gln Gln Val Arg Asp Phe Leu Thr	
890	895 900
Asp Pro Asp Thr Asp Ala Ala Thr Ile Gln Glu Val Ser Glu Ala	
905	910 915
Val Leu Ala Leu Trp Leu Pro Thr Asp Ser Asp Thr Val Leu Gln	
920	925 930
Lys Met Asn Glu Ile Gln Ala Ile Ala Ala Arg Leu Pro Asn Val	
935	940 945
Asp Leu Val Leu Ser Gln Thr Lys Gln Asp Ile Ala Arg Ala Arg	
950	955 960
Arg Leu Gln Ala Glu Ala Glu Glu Ala Arg Ser Arg Ala His Ala	
965	970 975
Val Glu Gly Gln Val Glu Asp Val Val Gly Asn Leu Arg Gln Gly	
980	985 990
Thr Val Ala Leu Gln Glu Ala Gln Asp Thr Met Gln Gly Thr Ser	
995	1000 1005
Arg Ser Leu Arg Leu Ile Gln Asp Arg Val Ala Glu Val Gln Gln	
1010	1015 1020
Val Leu Arg Pro Ala Glu Lys Leu Val Thr Ser Met Thr Lys Gln	
1025	1030 1035
Leu Gly Asp Phe Trp Thr Arg Met Glu Glu Leu Arg His Gln Ala	
1040	1045 1050
Arg Gln Gln Gly Ala Glu Ala Val Gln Ala Gln Gln Leu Ala Glu	
1055	1060 1065
Gly Ala Ser Glu Gln Ala Leu Ser Ala Gln Glu Gly Phe Glu Arg	
1070	1075 1080
Ile Lys Gln Lys Tyr Ala Glu Leu Lys Asp Arg Leu Gly Gln Ser	
1085	1090 1095
Ser Met Leu Gly Glu Gln Gly Ala Arg Ile Gln Ser Val Lys Thr	
1100	1105 1110
Glu Ala Glu Glu Leu Phe Gly Glu Thr Met Glu Met Met Asp Arg	
1115	1120 1125
Met Lys Asp Met Glu Leu Glu Leu Leu Arg Gly Ser Gln Ala Ile	
1130	1135 1140
Met Leu Arg Ser Ala Asp Leu Thr Gly Leu Glu Lys Arg Val Glu	
1145	1150 1155
Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu Tyr Tyr Ala Thr	
1160	1165 1170

Cys Lys

<210> SEQ ID NO 17

<211> LENGTH: 795

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 331749.3

<400> SEQUENCE: 17

atcttacata cactgtatgt tatagaactt catggatcag atctggggca gcaccctata 60

aatcaccacc ttaatatgct gcaacaaaat gtagaatatt cagacaaaat ggatacataa 120

agactaagta gcccataagg ggtcaaattt tgctgccaaa tgcgtatgcc accaacttac 180

-continued

```

aaaaacactt cgttcgaga gcttttcaga ttgtggaatg ttggataagg aattatagac 240
ctctagtagc tgaaatgcaa gacccaaga ggaagttcag atcttaatat aaattcactt 300
tcatttttga tagctgtccc atctggatcat ttggttggca ctgactggt ggcaggggct 360
tctagctgac tcgcacaggg attctcacia tagccgatat cagaatttgt gttgaaggaa 420
cttgtctctt catctaatat gatagcggga aaaggagagg aaactactgc ctttagaaaa 480
tataagtaaa gtgattaaag tgctcacggt accttgacac atagtttttc agtctatggg 540
tttagttact ttagatggca agcatgtaac ttatattaat agtaatttgt aaagttgggt 600
ggataagcta tccatgttgc aggttcatgg attacttctc tataaaaaat atgtatttac 660
caaaaaattt tgtgacattc cttctcccat ctcttccttg acatgcattg taaatagggt 720
cttcttggtc tgagattcaa tattgaattt ctctatgct attgacaata aaatattatt 780
gaactacaaa aaaaa 795

```

```

<210> SEQ ID NO 18
<211> LENGTH: 2538
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 979243.1
<221> NAME/KEY: unsure
<222> LOCATION: 1479-1784, 1933-2000, 2002
<223> OTHER INFORMATION: a, t, c, g, or other

```

```

<400> SEQUENCE: 18

```

```

cgccaggaca tgcagcccac catgaagttc gtgatggaca catctaaata ctggtttaag 60
ccaaacatca cccgagagca agcaatcgag ctgctgagga aggaggagcc aggggctttg 120
tcataaggga cagctcttca taccgaggct ccttcggcct ggccctgaag gtgcaggagg 180
ttcccgcgtc tgctcagaat cgaccagggt aggacagcaa tgacctcatc cgacacttcc 240
tcatcgagtc gtctgcaaaa ggagtgcac tcaaaggagc agatgaggag ccctactttg 300
aactgggagg tgcagatggg gcctcggact ctacagacag cccagcctcc tgccagaaga 360
aatctgcggg ctgccacacc ctgtacctga gctcagtgag cgtggagacc ctgactggag 420
ccctggccgt gcagaaagcc atctccacca cctttgagag ggacatcctc cccacgccc 480
ccgtggtcca cttcaaagtc acagagcagg gcatcactct gactgatgtc cagaggaagg 540
tgtttttccg gcgccattac ccaactacca cctccgctt ctgtggtatg gaccctgagc 600
aacggaagtg gcagaagtac tgcaaaccct cctggatctt tgggtttgtg gccaagagcc 660
agacagagcc tcaggagaac gtatgccacc tctttgcgga gtatgacatg gtccagccag 720
cctcgcaggc catcggcctg gtgactgctc tgctgcagga cgcagaaagg atgtagggga 780
gagactgcct gtgcacctaa ccaacacctc caggggctcg ctaaggagcc cccctccacc 840
ccctgaatgg gtgtggcttg tggccatatt gacagaccaa tctatgggac tagggggatt 900
ggcatcaagt tgacaccctt gaacctgcta tggccttcag cagtcacat catccagacc 960
ccccggcct cagtttctc aatcatagaa gaagaccaat agacaagatc agctgttctt 1020
agatgctggt gggcatttga acatgctcct ccatgattct gaagcatgca cacctctgaa 1080
gaccctgca tgaaaataac ctccaaggac cctctgaccc catcgacctg ggccctgccc 1140
acacaacagt ctgagcaaga gacctgcagc cctgtttctg tggcagacag caggtgcctg 1200
gcggtgacct acggggctcc tggcttgag ctggtgatgg tcaagaactg actacaaaac 1260
aggaatggat agactctatt tccttccata tctgttctc tgttcctttt cccactttct 1320

```


-continued

```

gggtggcttt ttgggtccac ccagccagga tgctgcaggc caagctgggt gtggtattta 1380
gggcagctca gcaggggaa cttgtcccca tggtcagagg agaccagct gtcctgcacc 1440
cccttgca gaagatcac cccatctttt ctttccacnn nnnnnnnnnn nnnnnnnnnn 1500
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1560
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1620
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1680
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1740
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnccattc cttgataggc 1800
gagtattcca aagctggtat cgtagctgcc ctaatgttgc atattaggcg gcgggggcag 1860
agataagggc catctctctg tgattctgcc tcagctcctg tcttgctgag ccctccccc 1920
accacgctc cannnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1980
nnnnnnnnnn nnnnnnnnnn gcccctctac tgctatgtgg cttcaaccag cctcacagcc 2040
acacggggga agcagagagt caagaatgca aagaggcgc ttccctaaga ggcttgagg 2100
agctgggctc tatcccacac ccacccccac cccaccccc cccagcctcc agaagctgga 2160
accatttctc ccgaggcct gagttcctaa ggaaaccacc ctaccgggtt ggaaggagg 2220
gtcaggggag aaaccactc ttgctctacg aggagcaagt gcctgcccc tcccagcagc 2280
cagccctgcc aaagtgcag tatctttggc caaggctggg cctgacggtt atgatttcag 2340
ccctgggcct gcaggagagg ctgagaccag cccaccagc cagtggtcga gcaactgccc 2400
gccgcaaag tctgcagaat gtgagatgag gttctcaagg tcacaggccc cagtcccagc 2460
ctgggggctg gcagaggccc ccatatactc tgctacagct cctatcatga aaaataaaat 2520
gtttgtcttt gcaaaaca 2538

```

```

<210> SEQ ID NO 19
<211> LENGTH: 1730
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3189059CB1

```

```

<400> SEQUENCE: 19

```

```

gcggccgcgc ggtatcccac ccagcccacc ccgccccggc cgacggctga cagctgacct 60
ggatccttcg agcgcgccgc gaccgccagc gatcttcctt catcttccgg gctggtttct 120
gctgcgcgag gagcgtgcc tcgcccacc tctcgcgga cccccggccc ccgatggctc 180
ggatggggct tgcgggcgcc gctggacgct ggtggggact cgctctcggc ttgaccgcat 240
tcttctccc aggcgtccac tcccaggtgg tccaggtgaa cgactccatg tatggcttca 300
tcggcacaga cgtggttctg cactgcagct ttgccaacc gcttcccagc gtgaagatca 360
cccaggtcac atggcagaag tccaccaatg gctccaagca gaacgtggcc atctacaacc 420
catccatggg cgtgtccgtg ctggctccct accgcgagcg tgtggaattc ctgcggccct 480
ccttcaccga tggcactatc cgcctctccc gcctggagct ggaggatgag ggtgtctaca 540
tctgcgagtt tgctacctc cctacgggca atcgagaaag ccagctcaat ctcacggtga 600
tggccaaacc caccaattgg atagagggtg cccaggcagt gcttcgagcc aagaaggggc 660
aggatgaaa ggtcctgggt gccacctgca cctcagccaa tgggaagcct cccagtgtgg 720
tatactggga aactcgggta aaaggtgagg ccagagtacc aggagactcc ggaaccccaa 780

```

-continued

```

tggcaccagt gacggtcatc agccgctacc gcctggtgcc cagcagggaa gccaccagc 840
agtccttggc ctgcatcgtc aactaccaca tggaccgctt caaggaaagc ctcaacttca 900
acgtgcagta tgagcctgag gtaaccattg aggggtttga tggcaactgg tacctgcagc 960
ggatggacgt gaagctcacc tgcaaagctg atgctaacc cccagccact gagtaccact 1020
ggaccagct aaatggctct ctcccaagg gtgtggaggc ccagaacaga accctcttct 1080
tcaagggacc catcaactac agcctggcag ggacctacat ctgtgaggcc accaacccca 1140
tcggtacacg ctcaggccag gtggaggta atatcacaga attcccctac acccgtctc 1200
ctcccgaaca tgggcggcgc gccgggcccg tgcccacggc catcattggg ggcgtggcgg 1260
ggagcatcct gctggtgttg attgtggtcg gcgggatcgt ggtcgccctg cgtcggcgcc 1320
ggcacacctt caaggggtgac tacagcacca agaagcacgt gtatggcaac ggctacagca 1380
aggcaggcat ccccagcac caccaccaa tggcacagaa cctgcagtac cccgacgact 1440
cagacgacga gaagaaggcc ggcccactgg gtggaagcag ctatgaggag gaggaggag 1500
aggaggagg cggtggagg ggcgagcga aggtggggcg cccccaccc aatatgacg 1560
aggacgcaa gcggccctac ttcaccgtgg atgaggccga ggcccgtcag gacggctacg 1620
gggaccggac tctgggctac cagtacgacc ctgagcagct ggacttggt gagaacatgg 1680
tttctcagaa cgacgggtct ttcatttcca agaaggagtg gtacgtgtag 1730

```

```

<210> SEQ ID NO 20
<211> LENGTH: 518
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3189059CD1

```

```

<400> SEQUENCE: 20

```

```

Met Ala Arg Met Gly Leu Ala Gly Ala Ala Gly Arg Trp Trp Gly
 1           5           10
Leu Ala Leu Gly Leu Thr Ala Phe Phe Leu Pro Gly Val His Ser
 20           25
Gln Val Val Gln Val Asn Asp Ser Met Tyr Gly Phe Ile Gly Thr
 35           40           45
Asp Val Val Leu His Cys Ser Phe Ala Asn Pro Leu Pro Ser Val
 50           55
Lys Ile Thr Gln Val Thr Trp Gln Lys Ser Thr Asn Gly Ser Lys
 65           70           75
Gln Asn Val Ala Ile Tyr Asn Pro Ser Met Gly Val Ser Val Leu
 80           85           90
Ala Pro Tyr Arg Glu Arg Val Glu Phe Leu Arg Pro Ser Phe Thr
 95           100          105
Asp Gly Thr Ile Arg Leu Ser Arg Leu Glu Leu Glu Asp Glu Gly
 110          115          120
Val Tyr Ile Cys Glu Phe Ala Thr Phe Pro Thr Gly Asn Arg Glu
 125          130          135
Ser Gln Leu Asn Leu Thr Val Met Ala Lys Pro Thr Asn Trp Ile
 140          145          150
Glu Gly Thr Gln Ala Val Leu Arg Ala Lys Lys Gly Gln Asp Asp
 155          160          165
Lys Val Leu Val Ala Thr Cys Thr Ser Ala Asn Gly Lys Pro Pro
 170          175          180

```


-continued

Ser Val Val Ser Trp Glu Thr Arg Leu Lys Gly Glu Ala Arg Val
 185 190 195
 Pro Gly Asp Ser Gly Thr Pro Met Ala Pro Val Thr Val Ile Ser
 200 205 210
 Arg Tyr Arg Leu Val Pro Ser Arg Glu Ala His Gln Gln Ser Leu
 215 220 225
 Ala Cys Ile Val Asn Tyr His Met Asp Arg Phe Lys Glu Ser Leu
 230 235 240
 Thr Leu Asn Val Gln Tyr Glu Pro Glu Val Thr Ile Glu Gly Phe
 245 250 255
 Asp Gly Asn Trp Tyr Leu Gln Arg Met Asp Val Lys Leu Thr Cys
 260 265 270
 Lys Ala Asp Ala Asn Pro Pro Ala Thr Glu Tyr His Trp Thr Thr
 275 280 285
 Leu Asn Gly Ser Leu Pro Lys Gly Val Glu Ala Gln Asn Arg Thr
 290 295 300
 Leu Phe Phe Lys Gly Pro Ile Asn Tyr Ser Leu Ala Gly Thr Tyr
 305 310 315
 Ile Cys Glu Ala Thr Asn Pro Ile Gly Thr Arg Ser Gly Gln Val
 320 325 330
 Glu Val Asn Ile Thr Glu Phe Pro Tyr Thr Pro Ser Pro Pro Glu
 335 340 345
 His Gly Arg Arg Ala Gly Pro Val Pro Thr Ala Ile Ile Gly Gly
 350 355 360
 Val Ala Gly Ser Ile Leu Leu Val Leu Ile Val Val Gly Gly Ile
 365 370 375
 Val Val Ala Leu Arg Arg Arg Arg His Thr Phe Lys Gly Asp Tyr
 380 385 390
 Ser Thr Lys Lys His Val Tyr Gly Asn Gly Tyr Ser Lys Ala Gly
 395 400 405
 Ile Pro Gln His His Pro Pro Met Ala Gln Asn Leu Gln Tyr Pro
 410 415 420
 Asp Asp Ser Asp Asp Glu Lys Lys Ala Gly Pro Leu Gly Gly Ser
 425 430 435
 Ser Tyr Glu Glu Glu Glu Glu Glu Glu Glu Gly Gly Gly Gly Gly
 440 445 450
 Glu Arg Lys Val Gly Gly Pro His Pro Lys Tyr Asp Glu Asp Ala
 455 460 465
 Lys Arg Pro Tyr Phe Thr Val Asp Glu Ala Glu Ala Arg Gln Asp
 470 475 480
 Gly Tyr Gly Asp Arg Thr Leu Gly Tyr Gln Tyr Asp Pro Glu Gln
 485 490 495
 Leu Asp Leu Ala Glu Asn Met Val Ser Gln Asn Asp Gly Ser Phe
 500 505 510
 Ile Ser Lys Lys Glu Trp Tyr Val
 515

<210> SEQ ID NO 21
 <211> LENGTH: 1444
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1650519CB1

-continued

<400> SEQUENCE: 21

```

ggagaatttg aaaggggtgcc ccaaaggaca atctctaaag gggtaagggg gatacctacc      60
ttgtctggta ggggagatgt ttcgttttca tgctttacca gaaaatccac ttcctgccc      120
accttagttt caaagcttat tcttaattag agacaagaaa cctgtttcaa cttgaagaca      180
ccgtatgagg tgaatggaca gccagccacc acaatgaaag aaatcaaacc aggaataacc      240
tatgctgaac ccacgcctca atcgtcccca agtgtttcct gacacgcac tttgcttaca      300
gtgcatcaca actgaagaat ggggttcaac ttgacgcttg caaaattacc aaataacgag      360
ctgcacggcc aagagagtca caattcaggc aacaggagcg acggggccagg aaagaacacc      420
acccttcaca atgaatttga cacaattgtc ttgccgggtgc tttatctcat tatatttgtg      480
gcaagcatct tgctgaatgg tttagcagtg tggatcttct tccacattag gaataaaacc      540
agcttcatat tctatctcaa aaacatagtg gttgcagacc tcataatgac gctgacattt      600
ccatttcgaa tagtccatga tgcaggattt ggaccttggt acttcaagtt tattctctgc      660
agatacactt cagttttggt ttatgcaaac atgtatactt ccatcgtggt ccttgggctg      720
ataagcattg atcgtctatc gaaggtggtc aagccatttg gggactctcg gatgtacagc      780
ataaccttca cgaaggtttt atctgtttgt gtttgggtga tcatggctgt tttgtctttg      840
ccaaacatca tcctgacaaa tggtcagcca acagaggaca atatccatga ctgctcaaaa      900
cttaaaagtc ctttgggggt caaatggcat acggcagtc cctatgtgaa cagctgcttg      960
tttgtggccg tgctggtgat tctgatcgga tgttacatag ccatatccag gtacatccac     1020
aaatccagca ggcaattcat aagtcagtc aagccgaaagc gaaaacataa ccagagcatc     1080
agggttggtg tggctgtgta ttttacctgc tttctacat atcacttgtg cagaatgcct     1140
tctactttta gtcacttaga caggctttta gatgaatctg cacaaaaaat cctatattac     1200
tgcaaagaaa ttacactttt cttgtctgcg tgtaatgttt gcctggatcc aataatttac     1260
tttttcatgt gtaggtcatt ttcaagatgg ctgttcaaaa aatcaaatat cagaccagg     1320
agtgaaagca tcagatcact gcaaagtgtg agaagatcgg aagttcgcac atattatgat     1380
tacactgatg tgtaggcctt ttattgtttg ttggaatcga tatgtacaaa gtgtaataca     1440
tcag                                                                 1444

```

<210> SEQ ID NO 22

<211> LENGTH: 358

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 1650519CD1

<400> SEQUENCE: 22

```

Met Gly Phe Asn Leu Thr Leu Ala Lys Leu Pro Asn Asn Glu Leu
 1             5             10            15
His Gly Gln Glu Ser His Asn Ser Gly Asn Arg Ser Asp Gly Pro
                20                25                30
Gly Lys Asn Thr Thr Leu His Asn Glu Phe Asp Thr Ile Val Leu
                35                40                45
Pro Val Leu Tyr Leu Ile Ile Phe Val Ala Ser Ile Leu Leu Asn
                50                55                60
Gly Leu Ala Val Trp Ile Phe Phe His Ile Arg Asn Lys Thr Ser
                65                70                75
Phe Ile Phe Tyr Leu Lys Asn Ile Val Val Ala Asp Leu Ile Met

```


-continued

aggccccaga	gcaaaccgct	gcaagaaggc	cccagtgaag	agctgcacgg	agtgtgtccg	360
tgtggataag	gactgcgct	actgcacaga	cgagatgttc	agggaccggc	gctgcaacac	420
ccaggcggag	ctgctggccg	cgggctgcca	gcgggagagc	atcgtggtca	tggagagcag	480
cttccaaatc	acagaggaga	cccagattga	caccaccctg	cggcgcagcc	agatgtcccc	540
ccaaggcctg	cgggtccgtc	tgcggcccgg	tgaggagcgg	cattttgagc	tggaggtgtt	600
tgagccactg	gagagccccg	tggacctgta	catcctcatg	gacttctcca	actccatgtc	660
cgatgatctg	gacaacctca	agaagatggg	gcagaacctg	gctcgggtcc	tgagccagct	720
caccagcgac	tacactattg	gatttgga	gtttgtggac	aaagtcagcg	tcccgcagac	780
ggacatgagg	cctgagaagc	tgaaggagcc	ttggcccaac	agtgaccccc	ccttctcctt	840
caagaacgtc	atcagcctga	cagaagatgt	ggatgagttc	cggaataaac	tgacaggaga	900
gcggatctca	ggcaacctgg	atgctcctga	ggcggccttc	gatgccatcc	tgacagacagc	960
tgtgtgcacg	agggacattg	gctggcgcgcc	ggacagcacc	cacctgctgg	tcttctccac	1020
cgagtcagcc	ttccactatg	aggctgatgg	cgccaacgtg	ctggctggca	tcatgagccg	1080
caacgatgaa	cggtgccacc	tggacaccac	gggcacctac	accagtaca	ggacacagga	1140
ctaccgctcg	gtgcccaccc	tggtgcgctt	gctcgccaag	cacaacatca	tccccatctt	1200
tgcttgtcac	caactactcc	tatagctact	acgagaagct	tcacacctat	ttccctgtct	1260
cctcactggg	ggtgctgcag	gaggactcgt	ccaacatcgt	ggagctgctg	gaggaggcct	1320
tcaatcggat	ccgctccaac	ctggacatcc	gggccctaga	cagccccga	ggccttcgga	1380
cagaggtcac	ctccaagatg	ttccagaaga	cgaggactgg	gtcctttcac	atccggcggg	1440
gggaagtggg	tataaccag	gtgcagctgc	gggcccttga	gcacgtggat	gggacgcacg	1500
tgtgccagct	gccggaggac	cagaagggca	acatccatct	gaaaccttcc	ttctccgacg	1560
gcctcaagat	ggacgcgggc	atcatctgtg	atgtgtgcac	ctgcgagctg	caaaaagagg	1620
tgcggtcagc	tcgctgcagc	ttcaacggag	acttcgtgtg	cggacagtgt	gtgtgcagcg	1680
agggctggag	tggccagacc	tgcaactgct	ccaccggctc	tctgagtgac	attcagccct	1740
gcctgcggga	gggcgaggac	aagccgtgct	ccggccgtgg	ggagtgccag	tgccggcact	1800
gtgtgtgcta	cggcgaaggc	cgctacgagg	gtcagttctg	cgagtatgac	aacttccagt	1860
gtccccgcac	ttccgggttc	ctgtgcaatg	accgaggacg	ctgctccatg	ggccagtgtg	1920
tgtgtgagcc	tggttggaca	ggcccaagct	gtgactgtcc	cctcagcaat	gccacctgca	1980
tcgacagcaa	tgggggcatc	tgtaatggac	gtggccactg	tgagtgtggc	cgctgccact	2040
gccaccagca	gtcgtcttac	acggacacca	tctgcgagat	caactactcg	gcgatccacc	2100
cgggcctctg	cgaggaccta	cgctcctgcg	tgcagtgcc	ggcgtggggc	accggcgaga	2160
agaaggggcg	cacgtgtgag	gaatgcaact	tcaaggtaa	gatggtggac	gagcttaaga	2220
gagccgagga	ggtggtggtg	cgctgctcct	tccgggacga	ggatgacgac	tgcacctaca	2280
gctacaccat	ggaaggtgac	ggcgcacctg	ggcccaacag	cactgtcctg	gtgcacaaga	2340
agaaggactg	ccctccgggc	tccttctggt	ggnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	2400
nnnnnnnggc	cctgctactg	ctgctatgct	ggaagtactg	tgctgctgc	aaggcctgcc	2460
tggcacttct	cccgtgctgc	aaccgaggtc	acatggtggg	ctttaaggaa	gaccactaca	2520
tgctgcggga	gaacctgatg	gcctctgacc	acttggacac	gcccatgctg	cgacgcggga	2580
acctcaaggg	ccgtgacgtg	gtccgctgga	aggtcaccaa	caacatgacg	cggcctggct	2640

-continued

ttgccactca	tgccgccagc	atcaacccca	cagagctggt	gccctacggg	ctgtccttgc	2700
gcctggcccc	cctttgcacc	gagaacctgc	tgaagcctga	cactcgggag	tgcgccagc	2760
tgcgccagga	ggtggaggag	aacctgaacg	aggtctacag	gcagatctcc	ggtgtacaca	2820
agctccagca	gaccaagttc	cggcagcagc	ccaatgccgg	gaaaaagcaa	gaccacacca	2880
ttgtggacac	agtgctgatg	gcgccccgct	cggccaagcc	ggccctgctg	aagcttacag	2940
agaagcaggt	ggaacagagg	gccttccacg	acctcaaggt	ggccccggc	tactacacc	3000
tcactgcaga	ccaggacgcc	cggggcatgg	tggagttcca	ggagggcgtg	gagctggtgg	3060
acgtacgggt	gccccctttt	atccggcctg	aggatgacga	cgagaagcag	ctgctggtgg	3120
aggccatcga	cgtgcccgca	ggcactgcca	ccctcggccg	ccgcctggta	aacatcacca	3180
tcatacaagga	gcaagccaga	gacgtggtgt	cctttgagca	gcctgagttc	tcggtcagcc	3240
gcgggggacca	ggtggccccg	atccctgtca	tccggcgtgt	cctggacggc	gggaagtccc	3300
aggtctccta	ccgcacacag	gatggcaccg	cgcagggcaa	ccgggactac	atccccgtgg	3360
agggtgagct	gctgttccag	cctggggagg	cctggaaaga	gctgcaggtg	aagctcctgg	3420
agctgcaaga	agttgactcc	ctcctgcggg	gccgccaggt	ccgccgtttc	cacgtccagc	3480
tcagcaacc	taagtttggg	gcccacctgg	gccagcccca	ctccaccacc	atcatcatca	3540
gggaccaga	tgaactggac	cggagcttca	cgagtcagat	gttgtcatca	cagccacccc	3600
ctcacggcga	cctggggcgc	ccgcagaacc	ccaatgctaa	ggccgctggg	tccaggaaga	3660
tccatttcaa	ctggctgccc	ccttctggca	agccaatggg	gtacagggta	aagtactgga	3720
ttcaggggta	ctccgaatcc	gaagcccacc	tgctcgacag	caaggtgccc	tcagtggagc	3780
tcaccaacct	gtacccgat	tgcgactatg	agatgaaggt	gtgcgcctac	ggggctcagg	3840
gcgagggacc	ctacagctcc	ctggtgtcct	gccgcaccca	ccaggaagtg	cccagcgagc	3900
cagggcgtct	ggccttcaat	gtcgtctcct	ccacggtgac	ccagctgagc	tgggctgagc	3960
cggctgagac	caacggtgag	atcacagcct	acgaggtctg	ctatggcctg	gtcaacgatg	4020
acaaccgacc	tattgggccc	atgaagaaag	tgctggttga	caaccctaag	aaccgatgc	4080
tgcttattga	gaaccttcgg	gagtcccagc	cctaccgcta	cacggtgaag	gcgcgcaacg	4140
gggccggctg	ggggcctgag	cgggaggcca	tcataaacct	ggccaccag	ccaagaggc	4200
ccatgtccat	ccccatcatc	cctgacatcc	ctatcgtgga	cgcccagagc	ggggaggact	4260
acgacagctt	ccttatgtac	agcgatgacg	ttctacgctc	tccatcgggc	agccagaggc	4320
ccagcgtctc	cgatgacact	gagcacctgg	tgaatggccg	gatggacttt	gccttcccgg	4380
gcagcaccaa	ctccctgcac	aggatgacca	cgaccagtgc	tgctgcctat	ggcaccacc	4440
tgagcccaca	cgtgccccac	cgcgtgctaa	gcacatcctc	caccctcaca	cgggactaca	4500
actcactgac	ccgctcagaa	cactcacact	cgaccacact	gcccagggac	tactccacc	4560
tcacctccgt	ctcctcccac	ggcctccctc	ccatctggga	acacgggagg	agcaggcttc	4620
cgctgtcctg	ggccctgggg	tcccggagtc	gggctcagat	gaaagggttc	ccccctcca	4680
ggggcccacg	agactctata	atcctggctg	ggaggccagc	agcgcctcc	tggggcccag	4740
actctgcct	gactgctggt	gtgcccgaca	cgcccacccg	cctggtgttc	tctgcctgg	4800
ggcccacatc	tctcagagtg	agctggcagg	agccgcggtg	cgagcggccg	ctgcagggt	4860
acagtgtgga	gtaccagctg	ctgaacggcg	gtgagctgca	tcggctcaac	atccccaac	4920
ctgccagac	ctcggtggtg	gtggaagacc	tcctgcccac	ccactcctac	gtgttccgcg	4980
tgcgggccc	gagccaggaa	ggctggggcc	gagagcgtga	gggtgtcatc	accattgaat	5040

-continued

```

cccaggtgca cccgcagagc ccaactgtgtc ccctgccagg ctccgccttc actttgagca 5100
ctcccagtgc cccaggcccg ctggtgttca ctgccctgag cccagactcg ctgcagctga 5160
gctgggagcg gccacggagg cccaatgggg atatcgtcgg ctacctggtg acctgtgaga 5220
tggcccaagg aggagggcca gccaccgcat tccgggtgga tggagacagc cccgagagcc 5280
ggctgaccgt gccgggcctc agcgagaacg tgccctacaa gttcaaggtg caggccagga 5340
ccactgaggg cttcgggcca gagcgcgagg gcatcatcac catagagtcc caggatggag 5400
gacccttccc gcagctgggc agccgtgccg ggctcttcca gcacccgctg caaagcgagt 5460
acagcagcat caccaccacc cacaccagcg ccaccgagcc cttcctagtg gatgggccga 5520
ccctgggggc ccagcacctg gaggcaggcg gctccctcac ccggcatgtg acccaggagt 5580
ttgtgagccg gacactgacc accagcggaa cccttagcac ccacatggac caacagttct 5640
tccaaacttg accgcaccct gccccacccc cgccatgtcc cactagggct cctcccgact 5700
cctctcccgg agcctcctca gctactccat ccttgacccc ctggggggccc agcccacccg 5760
catgcacaga gcaggggcta ggtgtctcct gggaggcatg aagggggcaa ggtccgtcct 5820
ctgtggggcc aaacctatth gtaaccaaag agctgggagc agcacaagga cccagccttt 5880
gttctgcact taataaatgg ttttgctact gctaaaaaaaa aaaaaaagc ggc 5933

```

```

<210> SEQ ID NO 24
<211> LENGTH: 573
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 093496.1

```

<400> SEQUENCE: 24

```

aaaagaaaag gaaaagaaaa gtgtggactt ggatgaaatc ttcaggcca acatttgga 60
ttctaagttc caaagaccag gttggaatca tttctaagaa ggttctggtg gttacacatt 120
cctggagtcc tctactcccc actccctgcc aagctgggccc tgtggataga tgtgatccct 180
cagcctccca gcttcaaaca cctgccaatg gttgacgtga acaacatggg ctcagtctca 240
gctaggatca caccctaaagc ccagcaccga gtaagggtgca ggagccatcc atttccctga 300
gcagagcaga ttaggctgag gaaagcagca gccatgcctt tgcacaatgc atttctaggg 360
cattcttccc acacataatc tcctctgctc attgtcctgt gaagaaactg tggcctggag 420
agggtgagcc actgtgcca ggcaccaat gcagggtgta tgtgggtggg tgggggcctg 480
gggtggggag cacggcccag gcagggtctg tgctgaccgc ccttgtgttt ggaacctaga 540
catccccct tgctggatc tgagctgacc gaa 573

```

```

<210> SEQ ID NO 25
<211> LENGTH: 269
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1231633.4

```

<400> SEQUENCE: 25

```

accactgaag atcctggtgt cgccatgggc cgccgccccg cccgttgta ccggtattgt 60
aagaacaagc cgtaccctaa gtctcgcttc tgccgaggtg tccttgcctt ggaggctgcc 120
cgaatttggt ccaataagta catggtaaaa agttgtggca aagatggctt ccatatccgg 180

```


-continued

```
gtgcggtcc acccctcca cgtcatccgc atcaacaaga tgttgctctg tgctggggct 240
gacaggctcc aaacaggcat gcgagggtgc 269
```

```
<210> SEQ ID NO 26
<211> LENGTH: 1743
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 988891.1
<221> NAME/KEY: unsure
<222> LOCATION: 1562
<223> OTHER INFORMATION: a, t, c, g, or other
```

```
<400> SEQUENCE: 26
```

```
ggtattcaac agagaaatct ctcagcctcc tacttctgct tttgaaagct ataaaaacag 60
cgagggagaa actggcagat accaaacctc ttogaggcac aagggcacia caggctgctc 120
tgggattctc ttacagcaat cttcattgct caagtgtctg aagcagccat ggcagaagta 180
cctgagctcg ccagtgaat gatggcttat tacagtggca atgaggatga cttgttcttt 240
gaagctgatg gccctaaaca gatgaagtgc tccttcagg acctggacct ctgccctctg 300
gatggcggca tccagctacg aatctccgac caccactaca gcaagggctt caggcaggcc 360
gcgtcagttg ttgtggccat ggacaagctg aggaagatgc tggttccctg cccacagacc 420
ttccaggaga atgacctgag caccttcttt cccttcactt ttgaagaaga acctatcttc 480
ttcgacacat gggataacga ggcttatgtg cacgatgcac ctgtacgatc actgaactgc 540
acgctccggg actcacagca aaaaagcttg gtgatgtctg gtccatatga actgaaagct 600
ctccacctcc agggacagga tatggagcaa caagtgggtg tctccatgct ctttgtacaa 660
ggagaagaaa gtaatgaaa aatacctgtg gccttggggc tcaaggaaaa gaatctgtac 720
ctgtcctgcg tgttgaaaga tgataagccc actctacagc tggagagtgt agatcccaaa 780
aattaccaa agaagaagat ggaaaagcga tttgtcttca acaagataga aatcaataac 840
aagctggaat ttgagtctgc ccagttcccc aactgggtaca tcagcacctc tcaagcagaa 900
aacatgcccg tcttctggg agggaccaa ggcggccagg atataactga cttcacctatg 960
caatttgtgt cttcctaaag agagctgtac ccagagagtc ctgtgctgaa tgtggactca 1020
atccctaggg ctggcagaaa gggaaacagaa aggtttttga gtacggctat agcctggact 1080
ttcctgttgt ctacaccaat gcccaactgc ctgccttagg gtagtgctaa gaggatctcc 1140
tgtccatcag ccaggacagt cagctctctc ctttcagggc caatccccag cccttttgtt 1200
gagccaggcc tctctcacct ctctactca cttaaagccc gcctgacaga aaccacggcc 1260
acatttgggt ctaagaaacc ctctgtcatt cgctcccaca ttctgatgag caaccgcttc 1320
cctatttatt tatttatttg tttgtttgtt ttattcattg gtctaattta ttcaaagggg 1380
gcaagaagta gcagtgtctg taaaagagcc tagtttttaa tagctatgga atcaattcaa 1440
tttgactgg tgtgctctct ttaaatcaag tcctttaatt aagactgaaa atatataagc 1500
tcagattatt taaatgggaa tatttataaa tgagcaata tcatactgtt caatggttct 1560
gngcttatat attttcagtc ttaattaaag gactgggtgt ctctctttaa atcaagtcct 1620
ttaattaaga ctgaaaatat ataagctcag attattttaa tgggaatatt tataaatgag 1680
caaatatcat actgttcaat ggttcttcag tgaagtttat ttcagaaaa aaaaaaaaaag 1740
ggg 1743
```

-continued

```

<210> SEQ ID NO 27
<211> LENGTH: 391
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 988891.15
<221> NAME/KEY: unsure
<222> LOCATION: 14
<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 27

atTTTgctag agantgttct aaaaccattg cactttactt acaactcctg tccggaaggt      60
gCgaggcaac aagtttttac agccttcaca gaggagtTtc tggcagcacc tgtacgatca      120
ctgaactgca cgctccggga ctcacagcaa aaaagcttgg tgatgtctgg tccatatgaa      180
ctgaaagctc tccacctcca gggacaggat atggagcaac aagtgggtgt ctccatgtcc      240
tttgtacaag gagaagaaag taatgacaaa atacctgtgg ccttgggcct tcaaggaaaa      300
gaatctgtac ctgtcctgcy tgttgaaaga tggataaagc ccacttctac agctgggaga      360
gtgttaggat ccccaaaaaa atttacccca a                                     391

```

```

<210> SEQ ID NO 28
<211> LENGTH: 7045
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3774181CB1
<221> NAME/KEY: unsure
<222> LOCATION: 103, 6960
<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 28

agTTTgctcg gaattcggct cgagcagcac ataaaggaga acacagcgta tttcgagttt      60
ttcaatgatg ccaagaagc tactgattac ttaaggaatc tanaagatgc cattcagcgg      120
aagtacagct gtgatagatc aagcagcatt cacaagctag aagaccttgt tcaggaatca      180
atggaagaga aagaagaact tctgcagtac aaaagcacta tagcaaacct aatgggaaaa      240
gcaaaaacaa taattcaact gaagccaagg aattctgact gtccactcaa aacttctatt      300
ccgatcaaag ctatctgtga ctacagacaa attgagataa ccatttacia agacgatgaa      360
tgtgttttgg cgaataactc tcatcgtgct aaatggaagg tcattagtcc tactgggaat      420
gaggctatgg tcccatctgt gtgcttcacc gttcctccac caaacaaga agcgggtggac      480
cttgccaaca gaattgagca acagtatcag aatgtcctga ctctttggca tgagtctcac      540
ataaacatga agagtgtagt atcctggcat tatctcatca atgaaattga tagaattcga      600
gctagcaatg tggcttcaat aaagacaatg ctacctggtg aacatcagca agttctaagt      660
aatctacaat ctcgttttga agatTTTctg gaagatagcc aggaatccca agtcttttca      720
ggctcagata taacacaact ggaaaaggag gTaatgtat gtaagcagta ttatcaagaa      780
cttcttaaAT ctgcagaaag agaggagcaa gaggaatcag tttataatct ctacatctct      840
gaagttcgaa acattagact tcggttagag aactgtgaag atcggctgat tagacagatt      900
cgaactcccc tggaaagaga tgatttgcAT gaaagtgtgt tcagaatcac agaacaggag      960
aaactaaaga aagagctgga acgacttaaa gatgatttgg gaacaatcac aaataagtgt      1020
gaggagtTtt tcagtcaagc agcagcctct tcatcagtcc ctaccctacg atcagagctt      1080
aatgtggtcc ttcagaacat gaaccaagtc tattctatgt cttccactta catagataag      1140

```


-continued

ttgaaaactg	ttaacttgg	gttaaaaaac	actcaagctg	cagaagccct	cgtaaaactc	1200
tatgaaacta	aactgtgtga	agaagaagca	gttatagctg	acaagaataa	tattgagaat	1260
ctaataagta	ctttaaagca	atggagatct	gaagtagatg	aaaagagaca	ggtattccat	1320
gccttagagg	atgagttgca	gaaagctaaa	gccatcagtg	atgaaatggt	taaaacgtat	1380
aaagaacggg	accttgatth	tgactggcac	aaagaaaaag	cagatcaatt	agttgaaagg	1440
tggcaaaatg	ttcatgtgca	gattgacaac	aggttacggg	acttagaggg	cattggcaaa	1500
tcactgaagt	actacagaga	cacttaccat	cctttagatg	attggatcca	gcaggttgaa	1560
actactcaga	gaaagattca	ggaaaatcag	cctgaaaata	gtaaaaccct	agccacacag	1620
ttgaatcaac	agaagatgct	ggtgtccgaa	atagaaatga	aacagagcaa	aatggacgag	1680
tgtcaaaaat	atgcagaaca	gtactcagct	acagtgaagg	actatgaatt	acaacaatg	1740
acctaccggg	ccatggtaga	ttcacaacia	aatctccag	tgaaacgccg	aagaatgcag	1800
agttcagcag	atctcattat	tcaagagttc	atggacctaa	ggactcgata	tactgccctg	1860
gtcactctca	tgacacaata	tattaaatth	gctgggtgatt	cattgaagag	gctggaagag	1920
gaggagatta	aaaggtgtaa	ggagacttct	gaacatgggg	catattcaga	tctgcttcag	1980
cgtcagaagg	caacagtgct	tgagaatagc	aaacttacag	gaaagataag	tgagttggaa	2040
agaatggtag	ctgaaactaa	gaaacaaaag	tcccagtag	aggaagaact	tccgaaggtc	2100
agggaggctg	cagaaaatga	attgagaaag	cagcagagaa	atgtagaaga	tatctctctg	2160
cagaagataa	gggctgaaag	tgaagccaag	cagtaccgca	gggaacttga	aaccattgtg	2220
agagagaagg	aagccgctga	aagagaactg	gagcgggtga	ggcagctcac	catagaggcc	2280
gaggctaaaa	gagctgccgt	ggaagagAAC	ctcctgaatt	ttcgcaatca	gttggaggaa	2340
aacaccttta	ccagacgaac	actggaagat	catcttaaaa	gaaaagattt	aagtctcaat	2400
gattttggagc	aacaaaaaaa	taaattaatg	gaagaattaa	gaagaaagag	agacaatgag	2460
gaagaactct	tgaagctgat	aaagcagatg	gaaaaagacc	ttgcatttca	gaaacaggta	2520
gcagagaaac	agttgaaaga	aaagcagaaa	attgaattgg	aagcaagaag	aaaaataact	2580
gaaattcagt	atacatgtag	agaaaatgca	ttgccagtgt	gtccgatcac	acaggctaca	2640
tcatgcaggg	cagtaacggg	tctccagcaa	gaacatgaca	agcagaaagc	agaagaactc	2700
aaacagcagg	tagatgaact	aacagctgcc	aatagaaagg	ctgaacaaga	catgagagag	2760
ctgacatatg	aacttaatgc	cctccagctt	gaaaaaacgt	catctgagga	aaaggctcgt	2820
ttgctaaaag	ataaactaga	tgaacaaaat	aatacactca	gatgccttaa	gttggagctg	2880
gaaaggaagg	atcaggcgga	gaaagggat	tctcaacaac	tcagagagct	tggtaggcaa	2940
ttgaatcaaa	ccacaggtaa	agctgaagaa	gccatgcaag	aagctagtga	tctcaagaaa	3000
ataaagcgca	attatcagtt	agaattagaa	tctcttaatc	atgaaaagg	gaaactaca	3060
agagaagtag	acagaatcac	aagggcacat	gctgtagctg	agaagaatat	tcagcattta	3120
aattcacaaa	ttcattcttt	tcgagatgag	aaagaattag	aaagactaca	aatctgccag	3180
agaaaatcag	atcatctaaa	agaacaatth	gagaaaagcc	atgagcagtt	gcttcaaaat	3240
atcaaagctg	aaaagaaaa	taatgataaa	atccaaaggc	tcaatgaaga	attggagaaa	3300
agtaatgagt	gtgcagagat	gctaaaacaa	aaagtagagg	agcttactag	gcagaataat	3360
gaaaccaa	taatgatgca	gagaattcag	gcagaatcag	agaatatagt	tttagagaaa	3420
caactatcc	agcaaagatg	tgaagcactg	aaaattcagg	cagatggtht	taaagatcag	3480
ctacgcagca	caaatgaaca	cttgcataaa	cagacaaaaa	cagagcagga	ttttcaaga	3540

-continued

aaaattaaat	gcctagaaga	agacctggcg	aaaagtcaaa	atttggttaag	tgaatttaag	3600
caaaagtgtg	accaacagaa	cattatcatc	cagaatacca	agaagaagt	tagaaatctg	3660
aatgcggaac	tgaatgcttc	caaagaagag	aagcgacgcg	gggagcagaa	agttcagcta	3720
caacaagctc	aggtgcaaga	gttaaataac	aggttgaaaa	aagtacaaga	cgaattacac	3780
ttaaagacca	tagaggagca	gatgaccac	agaagatgg	ttctgtttca	ggaagaatct	3840
ggtaaattca	aacaatcagc	agaggagttt	cggaagaaga	tggaaaaatt	aatggagtcc	3900
aaagtcatca	ctgaaaatga	tatttcaggc	attaggcttg	actttgtgtc	tcttcaaca	3960
gaaaactcta	gagccaaga	aatgctaag	ctttgtgaaa	caaacattaa	agaacttgaa	4020
agacagcttc	aacagtatcg	tgaacaaatg	cagcaagggc	agcacatgga	agcaaatcat	4080
tacaaaaaat	gtcagaaact	tgaggatgag	ctgatagccc	agaagcgtga	ggttgaaaac	4140
ctgaagcaaa	aatggacca	acagatcaaa	gagcatgaac	atcaattagt	tttgctccag	4200
tgtgaaattc	aaaaaaagag	cacagccaaa	gactgtacct	tcaaaccaga	ttttgagatg	4260
acagtgaagg	agtgccagca	ctctggagag	ctgtcctcta	gaaacactgg	acaccttcac	4320
ccaacacca	gatcccctct	gttgagatgg	actcaagaac	cacagccatt	ggaagagaag	4380
tggcagcatc	gggttggtga	acagataccc	aaagaagtcc	aattccagcc	accaggggct	4440
ccactcgaga	aagagaaaag	ccagcagtgt	tactctgagt	acttttctca	gacaagcacc	4500
gagttacaga	taacttttga	tgagacaaac	cccattacaa	gactgtctga	aattgagaag	4560
ataagagacc	aagccctgaa	caattctaga	ccacctgtta	ggtatcaaga	taacgcatgt	4620
gaaatggaac	tggatgaagg	tttgacaccc	ttagagatag	ctaagaaca	gcagtatgat	4680
atgcatacag	aagtcacaac	attaaaaca	gaaaagaacc	cagttcccag	tgctgaagaa	4740
tggatgcttg	aaggggtcag	agcatctggt	ggactcaaga	aaggggattt	ccttaagaag	4800
ggcttagaac	cagagacctt	ccagaacttt	gatggtgatc	atgcatgttc	agtcagggat	4860
gatgaattta	aattccaagg	gcttaggcac	actgtgactg	ccaggcagtt	ggtggaagct	4920
aagcttctgg	acatgagaac	aattgagcag	ctgcgactcg	gtcttaagac	tgttgaagaa	4980
gttcagaaaa	ctcttaaca	gtttctgacg	aaagccacct	caattgcagg	gctttaccta	5040
gaatctacaa	aagaaaagat	ttcatttgcc	tcagcggccg	agagaatcat	aatagacaaa	5100
atggtggctt	tggcattttt	agaagctcag	gctgcaacag	gttttataat	tgatccatt	5160
tcaggtcaga	catattctgt	tgaagatgca	gttcttaaag	gagttgttga	ccccgaattc	5220
agaattaggc	ttcttgaggc	agagaaggca	gctgtgggat	attcttattc	ttctaagaca	5280
ttgtcagtgt	ttcaagctat	ggaaaataga	atgcttgaca	gacaaaaagg	taaacatatac	5340
ttggaagccc	agattgccag	tgggggtgtc	attgaccctg	tgagaggcat	tcgtgttcct	5400
ccagaaattg	ctctgcagca	ggggttggtg	aataatgcca	tcttacagtt	tttacctgag	5460
ccatccagca	acacaagagt	ttccctaata	ccaataaca	agcaagctct	gtattactca	5520
gaattactgc	gaatgtgtgt	atgtgatgta	gagtccaat	gctttctggt	tccatttggg	5580
gagaggaaca	ttccaatct	caatgtcaag	aaaacacata	gaatttctgt	agtagatact	5640
aaaacaggat	cagaattgac	cgtgtatgag	gctttccaga	gaaacctgat	tgagaaaagt	5700
atatactctg	aactttcagg	gcagcaatat	cagtggagg	aagctatggt	ttttgaatcc	5760
tatgggcatt	cttctcatat	gctgactgat	actaaaacag	gattacactt	caatattaat	5820
gaggctatag	agcaggaac	aattgacaaa	gccttgggtca	aaaagtatca	ggaaggcctc	5880

-continued

```

atcacactta cagaacttgc tgattctttg ctgagccggt tagtcccca gaaagatttg 5940
cacagtctctg ttgcagggtta ttggctgact gctagtgggg aaaggatctc tgtactaaaa 6000
gcctcccgta gaaatttggg tgatcggatt actgccctcc gatgccttga agcccaagtc 6060
agtacagggg gcataattga tcctcttact ggcaaaaagt accgggtggc cgaagctttg 6120
catagaggcc tggttgatga ggggtttgcc cagcagctgc gacagtgtga attagtaatc 6180
acagggattg gccatcccat cactaacaaa atgatgtcag tggtggaagc tgtgaatgca 6240
aatattataa ataaggaaat gggaaatccga tgtttggaaat ttcagtactt gacaggaggg 6300
ttgatagagc cacaggttca ctctcgggta tcaatagaag aggctctcca agtaggtatt 6360
atagatgtcc tcattgccac aaaactcaaa gatcaaaagt catatgtcag aaatataata 6420
tgccctcaga caaaaagaaa gttgacatat aaagaagcct tagaaaaagc tgattttgat 6480
ttccacacag gacttaaact gttagaagta tctgagcccc tgatgacagg aatttctagc 6540
ctctactatt cttcctaagt ggacatgttt aaataactgt gcaaggggtg atgcaggctg 6600
gttcatgcca ctttttcaga gtatgatgat atcggctaca tatgcagtct gtgaattatg 6660
taacatactc tatttcttga gggctgcaaa ttgctaagtg ctcaaaatag agtaagtttt 6720
aaattgaaaa ttacataaga tttaatgccc ttcaaatggt ttcatttagc cttgagaatg 6780
gttttttgaa acttggccac actaaaatgt tttttttttt ttacgtagaa tgtgggataa 6840
acttgatgaa ctccaagttc acagtgtcat ttcttcagaa ctccccttca ttgaatagtg 6900
atcatttatt aaatgataaa ttgcaactgc tgaagagca cagtcagag gcacctgga 6960
atccaagggg aaggataaaa ttccggtcca acggccttca ggtggcgtgt tttgggttgc 7020
ttccaaaatg gaaagttttg ctttt 7045

```

```

<210> SEQ ID NO 29
<211> LENGTH: 2125
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3774181CD1

```

```

<400> SEQUENCE: 29

```

```

Met Glu Glu Lys Glu Glu Leu Leu Gln Tyr Lys Ser Thr Ile Ala
 1                5                10                15
Asn Leu Met Gly Lys Ala Lys Thr Ile Ile Gln Leu Lys Pro Arg
 20                25                30
Asn Ser Asp Cys Pro Leu Lys Thr Ser Ile Pro Ile Lys Ala Ile
 35                40                45
Cys Asp Tyr Arg Gln Ile Glu Ile Thr Ile Tyr Lys Asp Asp Glu
 50                55                60
Cys Val Leu Ala Asn Asn Ser His Arg Ala Lys Trp Lys Val Ile
 65                70                75
Ser Pro Thr Gly Asn Glu Ala Met Val Pro Ser Val Cys Phe Thr
 80                85                90
Val Pro Pro Pro Asn Lys Glu Ala Val Asp Leu Ala Asn Arg Ile
 95                100               105
Glu Gln Gln Tyr Gln Asn Val Leu Thr Leu Trp His Glu Ser His
 110               115                120
Ile Asn Met Lys Ser Val Val Ser Trp His Tyr Leu Ile Asn Glu
 125               130               135
Ile Asp Arg Ile Arg Ala Ser Asn Val Ala Ser Ile Lys Thr Met

```

-continued

	140		145		150
Leu Pro Gly Glu His Gln Gln Val Leu Ser Asn Leu Gln Ser Arg	155		160		165
Phe Glu Asp Phe Leu Glu Asp Ser Gln Glu Ser Gln Val Phe Ser	170		175		180
Gly Ser Asp Ile Thr Gln Leu Glu Lys Glu Val Asn Val Cys Lys	185		190		195
Gln Tyr Tyr Gln Glu Leu Leu Lys Ser Ala Glu Arg Glu Glu Gln	200		205		210
Glu Glu Ser Val Tyr Asn Leu Tyr Ile Ser Glu Val Arg Asn Ile	215		220		225
Arg Leu Arg Leu Glu Asn Cys Glu Asp Arg Leu Ile Arg Gln Ile	230		235		240
Arg Thr Pro Leu Glu Arg Asp Asp Leu His Glu Ser Val Phe Arg	245		250		255
Ile Thr Glu Gln Glu Lys Leu Lys Lys Glu Leu Glu Arg Leu Lys	260		265		270
Asp Asp Leu Gly Thr Ile Thr Asn Lys Cys Glu Glu Phe Phe Ser	275		280		285
Gln Ala Ala Ala Ser Ser Ser Val Pro Thr Leu Arg Ser Glu Leu	290		295		300
Asn Val Val Leu Gln Asn Met Asn Gln Val Tyr Ser Met Ser Ser	305		310		315
Thr Tyr Ile Asp Lys Leu Lys Thr Val Asn Leu Val Leu Lys Asn	320		325		330
Thr Gln Ala Ala Glu Ala Leu Val Lys Leu Tyr Glu Thr Lys Leu	335		340		345
Cys Glu Glu Glu Ala Val Ile Ala Asp Lys Asn Asn Ile Glu Asn	350		355		360
Leu Ile Ser Thr Leu Lys Gln Trp Arg Ser Glu Val Asp Glu Lys	365		370		375
Arg Gln Val Phe His Ala Leu Glu Asp Glu Leu Gln Lys Ala Lys	380		385		390
Ala Ile Ser Asp Glu Met Phe Lys Thr Tyr Lys Glu Arg Asp Leu	395		400		405
Asp Phe Asp Trp His Lys Glu Lys Ala Asp Gln Leu Val Glu Arg	410		415		420
Trp Gln Asn Val His Val Gln Ile Asp Asn Arg Leu Arg Asp Leu	425		430		435
Glu Gly Ile Gly Lys Ser Leu Lys Tyr Tyr Arg Asp Thr Tyr His	440		445		450
Pro Leu Asp Asp Trp Ile Gln Gln Val Glu Thr Thr Gln Arg Lys	455		460		465
Ile Gln Glu Asn Gln Pro Glu Asn Ser Lys Thr Leu Ala Thr Gln	470		475		480
Leu Asn Gln Gln Lys Met Leu Val Ser Glu Ile Glu Met Lys Gln	485		490		495
Ser Lys Met Asp Glu Cys Gln Lys Tyr Ala Glu Gln Tyr Ser Ala	500		505		510
Thr Val Lys Asp Tyr Glu Leu Gln Thr Met Thr Tyr Arg Ala Met	515		520		525
Val Asp Ser Gln Gln Lys Ser Pro Val Lys Arg Arg Arg Met Gln	530		535		540

-continued

Ser	Ser	Ala	Asp	Leu	Ile	Ile	Gln	Glu	Phe	Met	Asp	Leu	Arg	Thr
				545					550					555
Arg	Tyr	Thr	Ala	Leu	Val	Thr	Leu	Met	Thr	Gln	Tyr	Ile	Lys	Phe
				560					565					570
Ala	Gly	Asp	Ser	Leu	Lys	Arg	Leu	Glu	Glu	Glu	Glu	Ile	Lys	Arg
				575					580					585
Cys	Lys	Glu	Thr	Ser	Glu	His	Gly	Ala	Tyr	Ser	Asp	Leu	Leu	Gln
				590					595					600
Arg	Gln	Lys	Ala	Thr	Val	Leu	Glu	Asn	Ser	Lys	Leu	Thr	Gly	Lys
				605					610					615
Ile	Ser	Glu	Leu	Glu	Arg	Met	Val	Ala	Glu	Leu	Lys	Lys	Gln	Lys
				620					625					630
Ser	Arg	Val	Glu	Glu	Glu	Leu	Pro	Lys	Val	Arg	Glu	Ala	Ala	Glu
				635					640					645
Asn	Glu	Leu	Arg	Lys	Gln	Gln	Arg	Asn	Val	Glu	Asp	Ile	Ser	Leu
				650					655					660
Gln	Lys	Ile	Arg	Ala	Glu	Ser	Glu	Ala	Lys	Gln	Tyr	Arg	Arg	Glu
				665					670					675
Leu	Glu	Thr	Ile	Val	Arg	Glu	Lys	Glu	Ala	Ala	Glu	Arg	Glu	Leu
				680					685					690
Glu	Arg	Val	Arg	Gln	Leu	Thr	Ile	Glu	Ala	Glu	Ala	Lys	Arg	Ala
				695					700					705
Ala	Val	Glu	Glu	Asn	Leu	Leu	Asn	Phe	Arg	Asn	Gln	Leu	Glu	Glu
				710					715					720
Asn	Thr	Phe	Thr	Arg	Arg	Thr	Leu	Glu	Asp	His	Leu	Lys	Arg	Lys
				725					730					735
Asp	Leu	Ser	Leu	Asn	Asp	Leu	Glu	Gln	Gln	Lys	Asn	Lys	Leu	Met
				740					745					750
Glu	Glu	Leu	Arg	Arg	Lys	Arg	Asp	Asn	Glu	Glu	Glu	Leu	Leu	Lys
				755					760					765
Leu	Ile	Lys	Gln	Met	Glu	Lys	Asp	Leu	Ala	Phe	Gln	Lys	Gln	Val
				770					775					780
Ala	Glu	Lys	Gln	Leu	Lys	Glu	Lys	Gln	Lys	Ile	Glu	Leu	Glu	Ala
				785					790					795
Arg	Arg	Lys	Ile	Thr	Glu	Ile	Gln	Tyr	Thr	Cys	Arg	Glu	Asn	Ala
				800					805					810
Leu	Pro	Val	Cys	Pro	Ile	Thr	Gln	Ala	Thr	Ser	Cys	Arg	Ala	Val
				815					820					825
Thr	Gly	Leu	Gln	Gln	Glu	His	Asp	Lys	Gln	Lys	Ala	Glu	Glu	Leu
				830					835					840
Lys	Gln	Gln	Val	Asp	Glu	Leu	Thr	Ala	Ala	Asn	Arg	Lys	Ala	Glu
				845					850					855
Gln	Asp	Met	Arg	Glu	Leu	Thr	Tyr	Glu	Leu	Asn	Ala	Leu	Gln	Leu
				860					865					870
Glu	Lys	Thr	Ser	Ser	Glu	Glu	Lys	Ala	Arg	Leu	Leu	Lys	Asp	Lys
				875					880					885
Leu	Asp	Glu	Thr	Asn	Asn	Thr	Leu	Arg	Cys	Leu	Lys	Leu	Glu	Leu
				890					895					900
Glu	Arg	Lys	Asp	Gln	Ala	Glu	Lys	Gly	Tyr	Ser	Gln	Gln	Leu	Arg
				905					910					915
Glu	Leu	Gly	Arg	Gln	Leu	Asn	Gln	Thr	Thr	Gly	Lys	Ala	Glu	Glu
				920					925					930

-continued

Ala	Met	Gln	Glu	Ala	Ser	Asp	Leu	Lys	Lys	Ile	Lys	Arg	Asn	Tyr
				935					940					945
Gln	Leu	Glu	Leu	Glu	Ser	Leu	Asn	His	Glu	Lys	Gly	Lys	Leu	Gln
				950					955					960
Arg	Glu	Val	Asp	Arg	Ile	Thr	Arg	Ala	His	Ala	Val	Ala	Glu	Lys
				965					970					975
Asn	Ile	Gln	His	Leu	Asn	Ser	Gln	Ile	His	Ser	Phe	Arg	Asp	Glu
				980					985					990
Lys	Glu	Leu	Glu	Arg	Leu	Gln	Ile	Cys	Gln	Arg	Lys	Ser	Asp	His
				995					1000					1005
Leu	Lys	Glu	Gln	Phe	Glu	Lys	Ser	His	Glu	Gln	Leu	Leu	Gln	Asn
				1010					1015					1020
Ile	Lys	Ala	Glu	Lys	Glu	Asn	Asn	Asp	Lys	Ile	Gln	Arg	Leu	Asn
				1025					1030					1035
Glu	Glu	Leu	Glu	Lys	Ser	Asn	Glu	Cys	Ala	Glu	Met	Leu	Lys	Gln
				1040					1045					1050
Lys	Val	Glu	Glu	Leu	Thr	Arg	Gln	Asn	Asn	Glu	Thr	Lys	Leu	Met
				1055					1060					1065
Met	Gln	Arg	Ile	Gln	Ala	Glu	Ser	Glu	Asn	Ile	Val	Leu	Glu	Lys
				1070					1075					1080
Gln	Thr	Ile	Gln	Gln	Arg	Cys	Glu	Ala	Leu	Lys	Ile	Gln	Ala	Asp
				1085					1090					1095
Gly	Phe	Lys	Asp	Gln	Leu	Arg	Ser	Thr	Asn	Glu	His	Leu	His	Lys
				1100					1105					1110
Gln	Thr	Lys	Thr	Glu	Gln	Asp	Phe	Gln	Arg	Lys	Ile	Lys	Cys	Leu
				1115					1120					1125
Glu	Glu	Asp	Leu	Ala	Lys	Ser	Gln	Asn	Leu	Val	Ser	Glu	Phe	Lys
				1130					1135					1140
Gln	Lys	Cys	Asp	Gln	Gln	Asn	Ile	Ile	Ile	Gln	Asn	Thr	Lys	Lys
				1145					1150					1155
Glu	Val	Arg	Asn	Leu	Asn	Ala	Glu	Leu	Asn	Ala	Ser	Lys	Glu	Glu
				1160					1165					1170
Lys	Arg	Arg	Gly	Glu	Gln	Lys	Val	Gln	Leu	Gln	Gln	Ala	Gln	Val
				1175					1180					1185
Gln	Glu	Leu	Asn	Asn	Arg	Leu	Lys	Lys	Val	Gln	Asp	Glu	Leu	His
				1190					1195					1200
Leu	Lys	Thr	Ile	Glu	Glu	Gln	Met	Thr	His	Arg	Lys	Met	Val	Leu
				1205					1210					1215
Phe	Gln	Glu	Glu	Ser	Gly	Lys	Phe	Lys	Gln	Ser	Ala	Glu	Glu	Phe
				1220					1225					1230
Arg	Lys	Lys	Met	Glu	Lys	Leu	Met	Glu	Ser	Lys	Val	Ile	Thr	Glu
				1235					1240					1245
Asn	Asp	Ile	Ser	Gly	Ile	Arg	Leu	Asp	Phe	Val	Ser	Leu	Gln	Gln
				1250					1255					1260
Glu	Asn	Ser	Arg	Ala	Gln	Glu	Asn	Ala	Lys	Leu	Cys	Glu	Thr	Asn
				1265					1270					1275
Ile	Lys	Glu	Leu	Glu	Arg	Gln	Leu	Gln	Gln	Tyr	Arg	Glu	Gln	Met
				1280					1285					1290
Gln	Gln	Gly	Gln	His	Met	Glu	Ala	Asn	His	Tyr	Gln	Lys	Cys	Gln
				1295					1300					1305
Lys	Leu	Glu	Asp	Glu	Leu	Ile	Ala	Gln	Lys	Arg	Glu	Val	Glu	Asn
				1310					1315					1320
Leu	Lys	Gln	Lys	Met	Asp	Gln	Gln	Ile	Lys	Glu	His	Glu	His	Gln

-continued

1325	1330	1335
Leu Val Leu Leu Gln Cys Glu Ile Gln Lys Lys Ser Thr Ala Lys		
1340	1345	1350
Asp Cys Thr Phe Lys Pro Asp Phe Glu Met Thr Val Lys Glu Cys		
1355	1360	1365
Gln His Ser Gly Glu Leu Ser Ser Arg Asn Thr Gly His Leu His		
1370	1375	1380
Pro Thr Pro Arg Ser Pro Leu Leu Arg Trp Thr Gln Glu Pro Gln		
1385	1390	1395
Pro Leu Glu Glu Lys Trp Gln His Arg Val Val Glu Gln Ile Pro		
1400	1405	1410
Lys Glu Val Gln Phe Gln Pro Pro Gly Ala Pro Leu Glu Lys Glu		
1415	1420	1425
Lys Ser Gln Gln Cys Tyr Ser Glu Tyr Phe Ser Gln Thr Ser Thr		
1430	1435	1440
Glu Leu Gln Ile Thr Phe Asp Glu Thr Asn Pro Ile Thr Arg Leu		
1445	1450	1455
Ser Glu Ile Glu Lys Ile Arg Asp Gln Ala Leu Asn Asn Ser Arg		
1460	1465	1470
Pro Pro Val Arg Tyr Gln Asp Asn Ala Cys Glu Met Glu Leu Val		
1475	1480	1485
Lys Val Leu Thr Pro Leu Glu Ile Ala Lys Asn Lys Gln Tyr Asp		
1490	1495	1500
Met His Thr Glu Val Thr Thr Leu Lys Gln Glu Lys Asn Pro Val		
1505	1510	1515
Pro Ser Ala Glu Glu Trp Met Leu Glu Gly Cys Arg Ala Ser Gly		
1520	1525	1530
Gly Leu Lys Lys Gly Asp Phe Leu Lys Lys Gly Leu Glu Pro Glu		
1535	1540	1545
Thr Phe Gln Asn Phe Asp Gly Asp His Ala Cys Ser Val Arg Asp		
1550	1555	1560
Asp Glu Phe Lys Phe Gln Gly Leu Arg His Thr Val Thr Ala Arg		
1565	1570	1575
Gln Leu Val Glu Ala Lys Leu Leu Asp Met Arg Thr Ile Glu Gln		
1580	1585	1590
Leu Arg Leu Gly Leu Lys Thr Val Glu Glu Val Gln Lys Thr Leu		
1595	1600	1605
Asn Lys Phe Leu Thr Lys Ala Thr Ser Ile Ala Gly Leu Tyr Leu		
1610	1615	1620
Glu Ser Thr Lys Glu Lys Ile Ser Phe Ala Ser Ala Ala Glu Arg		
1625	1630	1635
Ile Ile Ile Asp Lys Met Val Ala Leu Ala Phe Leu Glu Ala Gln		
1640	1645	1650
Ala Ala Thr Gly Phe Ile Ile Asp Pro Ile Ser Gly Gln Thr Tyr		
1655	1660	1665
Ser Val Glu Asp Ala Val Leu Lys Gly Val Val Asp Pro Glu Phe		
1670	1675	1680
Arg Ile Arg Leu Leu Glu Ala Glu Lys Ala Ala Val Gly Tyr Ser		
1685	1690	1695
Tyr Ser Ser Lys Thr Leu Ser Val Phe Gln Ala Met Glu Asn Arg		
1700	1705	1710
Met Leu Asp Arg Gln Lys Gly Lys His Ile Leu Glu Ala Gln Ile		
1715	1720	1725

-continued

Ala Ser Gly Gly Val	Ile Asp Pro Val Arg	Gly Ile Arg Val Pro
1730	1735	1740
Pro Glu Ile Ala Leu	Gln Gln Gly Leu Leu	Asn Asn Ala Ile Leu
1745	1750	1755
Gln Phe Leu His Glu	Pro Ser Ser Asn Thr	Arg Val Phe Pro Asn
1760	1765	1770
Pro Asn Asn Lys Gln	Ala Leu Tyr Tyr Ser	Glu Leu Leu Arg Met
1775	1780	1785
Cys Val Phe Asp Val	Glu Ser Gln Cys Phe	Leu Phe Pro Phe Gly
1790	1795	1800
Glu Arg Asn Ile Ser	Asn Leu Asn Val Lys	Lys Thr His Arg Ile
1805	1810	1815
Ser Val Val Asp Thr	Lys Thr Gly Ser Glu	Leu Thr Val Tyr Glu
1820	1825	1830
Ala Phe Gln Arg Asn	Leu Ile Glu Lys Ser	Ile Tyr Leu Glu Leu
1835	1840	1845
Ser Gly Gln Gln Tyr	Gln Trp Lys Glu Ala	Met Phe Phe Glu Ser
1850	1855	1860
Tyr Gly His Ser Ser	His Met Leu Thr Asp	Thr Lys Thr Gly Leu
1865	1870	1875
His Phe Asn Ile Asn	Glu Ala Ile Glu Gln	Gly Thr Ile Asp Lys
1880	1885	1890
Ala Leu Val Lys Lys	Tyr Gln Glu Gly Leu	Ile Thr Leu Thr Glu
1895	1900	1905
Leu Ala Asp Ser Leu	Leu Ser Arg Leu Val	Pro Lys Lys Asp Leu
1910	1915	1920
His Ser Pro Val Ala	Gly Tyr Trp Leu Thr	Ala Ser Gly Glu Arg
1925	1930	1935
Ile Ser Val Leu Lys	Ala Ser Arg Arg Asn	Leu Val Asp Arg Ile
1940	1945	1950
Thr Ala Leu Arg Cys	Leu Glu Ala Gln Val	Ser Thr Gly Gly Ile
1955	1960	1965
Ile Asp Pro Leu Thr	Gly Lys Lys Tyr Arg	Val Ala Glu Ala Leu
1970	1975	1980
His Arg Gly Leu Val	Asp Glu Gly Phe Ala	Gln Gln Leu Arg Gln
1985	1990	1995
Cys Glu Leu Val Ile	Thr Gly Ile Gly His	Pro Ile Thr Asn Lys
2000	2005	2010
Met Met Ser Val Val	Glu Ala Val Asn Ala	Asn Ile Ile Asn Lys
2015	2020	2025
Glu Met Gly Ile Arg	Cys Leu Glu Phe Gln	Tyr Leu Thr Gly Gly
2030	2035	2040
Leu Ile Glu Pro Gln	Val His Ser Arg Leu	Ser Ile Glu Glu Ala
2045	2050	2055
Leu Gln Val Gly Ile	Ile Asp Val Leu Ile	Ala Thr Lys Leu Lys
2060	2065	2070
Asp Gln Lys Ser Tyr	Val Arg Asn Ile Ile	Cys Pro Gln Thr Lys
2075	2080	2085
Arg Lys Leu Thr Tyr	Lys Glu Ala Leu Glu	Lys Ala Asp Phe Asp
2090	2095	2100
Phe His Thr Gly Leu	Lys Leu Leu Glu Val	Ser Glu Pro Leu Met
2105	2110	2115

-continued

Thr Gly Ile Ser Ser Leu Tyr Tyr Ser Ser
 2120 2125

<210> SEQ ID NO 30
 <211> LENGTH: 1708
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1709387CB1

<400> SEQUENCE: 30

```

cctgccagca tctcttgggt ttgctgagaa ctcacgggct ccagctacct ggccatgacc 60
accacatttc tgcaaaactt tcctccacc tttgggggtg gctcaaccg agggggttcc 120
ctcctggctg ggggaggtg ctttgggtgg gggagtctct ctgggggagg tgaagccga 180
agtatctcag cttcttctgc taggtttgtc tcttcagggt caggaggagg atatgggggt 240
ggcatgaggg tctgtggctt tgggtggagg gctggtagtg ttttcggtg aggctttgga 300
gggggcgttg gtgggggtt tgggtggggt tttgggtggt gcgatggtg tctcctctct 360
ggcaatgaga aaattaccat gcagaacctc aatgaccgcc tggcctccta cctggacaag 420
gtacgtgcc tggaggagg caatgctgac ctggagggtga agatccatga ctggtaccag 480
aagcagacc cagccagccc agaatgcgac tacagccaat acttcaagac cattgaagag 540
ctccgggaca agatcatggc caccaccatc gacaactccc gggtcacctt ggagatcgac 600
aatgccaggc tggctgcgga cgacttcagg ctcaagtatg agaatgagct ggcctgcgc 660
cagggcggtt aggctgacat caacggcttg cgccgagtcc tggatgagct gaccctggcc 720
aggactgacc tggagatgca gatcgagggc ctgaatgagg agctagccta cctgaagaag 780
aaccacgaag aggagatgaa ggagttcagc agccagctgg ccggccaggc caatgtggag 840
atggacgcag caccgggtgt ggacctgacc cgtgtgctgg cagagatgag ggagcagtac 900
gaggccatgg cggagaagaa ccgcccggat gtcgaggcct ggttcttcag caagactgag 960
gagctgaaca aagagtggtc ctccaacaca gaaatgatcc agaccagcaa gacggagatc 1020
acagacctga gacgcacgat gcaggagctg gagatcgagc tgcagtcca gctcagcatg 1080
aaagctgggc tggagaactc actggccgag acagagtgcc gctatgccac gcagctgcag 1140
cagatccagg ggctcattgg tggcctggag gccagctga gtgagctccg atgcgagatg 1200
gaggctcaga accaggagta caagatgctg cttgacataa agacacggct ggagcaggag 1260
atcgctactt accgcagcct gctcgagggc caggatgcca agatggctgg cattggcatc 1320
aggaagcct cttcaggagg tgggtgtagc agcagcaatt tccacatcaa tgtagaagag 1380
tcagtggatg gacagtggtt ttcttcccac aagagagaaa tctaagtgtc tattgcagga 1440
gaaacgtccc ttgccactcc ccactctcat caggccaagt ggaggactgg ccagagggcc 1500
tgcacatgca aactccagtc cctgccttca gagagctgaa aagggtccct cggcttttta 1560
tttcagggct ttgcatgcgc tctattcccc ctctgcctct cccaccttc tttggagcaa 1620
ggagatgcag ctgtattgtg taacaagctc atttgtacag tgtctgttca tgtaataaag 1680
aattactttt ccttttgcaa aaaaaaaaa 1708

```

<210> SEQ ID NO 31
 <211> LENGTH: 456
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature

-continued

<223> OTHER INFORMATION: Incyte ID No: 1709387CD1

<400> SEQUENCE: 31

Met Thr Thr Thr Phe Leu Gln Thr Ser Ser Ser Thr Phe Gly Gly
 1 5 10 15
 Gly Ser Thr Arg Gly Gly Ser Leu Leu Ala Gly Gly Gly Gly Phe
 20 25 30
 Gly Gly Gly Ser Leu Ser Gly Gly Gly Gly Ser Arg Ser Ile Ser
 35 40 45
 Ala Ser Ser Ala Arg Phe Val Ser Ser Gly Ser Gly Gly Gly Tyr
 50 55 60
 Gly Gly Gly Met Arg Val Cys Gly Phe Gly Gly Gly Ala Gly Ser
 65 70 75
 Val Phe Gly Gly Gly Phe Gly Gly Gly Val Gly Gly Gly Phe Gly
 80 85 90
 Gly Gly Phe Gly Gly Gly Asp Gly Gly Leu Leu Ser Gly Asn Glu
 95 100 105
 Lys Ile Thr Met Gln Asn Leu Asn Asp Arg Leu Ala Ser Tyr Leu
 110 115 120
 Asp Lys Val Arg Ala Leu Glu Glu Ala Asn Ala Asp Leu Glu Val
 125 130 135
 Lys Ile His Asp Trp Tyr Gln Lys Gln Thr Pro Ala Ser Pro Glu
 140 145 150
 Cys Asp Tyr Ser Gln Tyr Phe Lys Thr Ile Glu Glu Leu Arg Asp
 155 160 165
 Lys Ile Met Ala Thr Thr Ile Asp Asn Ser Arg Val Ile Leu Glu
 170 175 180
 Ile Asp Asn Ala Arg Leu Ala Ala Asp Asp Phe Arg Leu Lys Tyr
 185 190 195
 Glu Asn Glu Leu Ala Leu Arg Gln Gly Val Glu Ala Asp Ile Asn
 200 205 210
 Gly Leu Arg Arg Val Leu Asp Glu Leu Thr Leu Ala Arg Thr Asp
 215 220 225
 Leu Glu Met Gln Ile Glu Gly Leu Asn Glu Glu Leu Ala Tyr Leu
 230 235 240
 Lys Lys Asn His Glu Glu Glu Met Lys Glu Phe Ser Ser Gln Leu
 245 250 255
 Ala Gly Gln Val Asn Val Glu Met Asp Ala Ala Pro Gly Val Asp
 260 265 270
 Leu Thr Arg Val Leu Ala Glu Met Arg Glu Gln Tyr Glu Ala Met
 275 280 285
 Ala Glu Lys Asn Arg Arg Asp Val Glu Ala Trp Phe Phe Ser Lys
 290 295 300
 Thr Glu Glu Leu Asn Lys Glu Val Ala Ser Asn Thr Glu Met Ile
 305 310 315
 Gln Thr Ser Lys Thr Glu Ile Thr Asp Leu Arg Arg Thr Met Gln
 320 325 330
 Glu Leu Glu Ile Glu Leu Gln Ser Gln Leu Ser Met Lys Ala Gly
 335 340 345
 Leu Glu Asn Ser Leu Ala Glu Thr Glu Cys Arg Tyr Ala Thr Gln
 350 355 360
 Leu Gln Gln Ile Gln Gly Leu Ile Gly Gly Leu Glu Ala Gln Leu
 365 370 375

-continued

```

<211> LENGTH: 377
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1709118CD1

<400> SEQUENCE: 33

Met Cys Asp Asp Glu Glu Thr Thr Ala Leu Val Cys Asp Asn Gly
 1          5          10          15

Ser Gly Leu Val Lys Ala Gly Phe Ala Gly Asp Asp Ala Pro Arg
 20          25          30

Ala Val Phe Pro Ser Ile Val Gly Arg Pro Arg His Gln Gly Val
 35          40          45

Met Val Gly Met Gly Gln Lys Asp Ser Tyr Val Gly Asp Glu Ala
 50          55          60

Gln Ser Lys Arg Gly Ile Leu Thr Leu Lys Tyr Pro Ile Glu His
 65          70          75

Gly Ile Ile Thr Asn Trp Asp Asp Met Glu Lys Ile Trp His His
 80          85          90

Thr Phe Tyr Asn Glu Leu Arg Val Ala Pro Glu Glu His Pro Thr
 95          100         105

Leu Leu Thr Glu Ala Pro Leu Asn Pro Lys Ala Asn Arg Glu Lys
 110         115         120

Met Thr Gln Ile Met Phe Glu Thr Phe Asn Val Pro Ala Met Tyr
 125         130         135

Val Ala Ile Gln Ala Val Leu Ser Leu Tyr Ala Ser Gly Arg Thr
 140         145         150

Thr Gly Ile Val Leu Asp Ser Gly Asp Gly Val Thr His Asn Val
 155         160         165

Pro Ile Tyr Glu Gly Tyr Ala Leu Pro His Ala Ile Met Arg Leu
 170         175         180

Val Leu Ala Gly Arg Asp Leu Thr Asp Tyr Leu Met Lys Ile Leu
 185         190         195

Thr Glu Arg Gly Tyr Ser Phe Val Thr Thr Ala Glu Arg Glu Ile
 200         205         210

Val Arg Asp Ile Lys Glu Lys Leu Cys Tyr Val Ala Leu Asp Phe
 215         220         225

Glu Asn Glu Met Ala Thr Ala Ala Ser Ser Ser Ser Leu Glu Lys
 230         235         240

Ser Tyr Glu Leu Pro Asp Gly Gln Val Ile Thr Ile Gly Asn Glu
 245         250         255

Arg Phe Arg Cys Pro Glu Thr Leu Phe Gln Pro Ser Phe Ile Gly
 260         265         270

Met Glu Ser Ala Gly Ile His Glu Thr Thr Tyr Asn Ser Ile Met
 275         280         285

Lys Cys Asp Ile Asp Ile Arg Lys Asp Leu Tyr Ala Asn Asn Val
 290         295         300

Leu Ser Gly Gly Thr Thr Met Tyr Pro Gly Ile Ala Asp Arg Met
 305         310         315

Gln Lys Glu Ile Thr Ala Leu Ala Pro Ser Thr Met Lys Ile Lys
 320         325         330

Ile Ile Ala Pro Pro Glu Arg Lys Tyr Ser Val Trp Ile Gly Gly
 335         340         345

Ser Ile Leu Ala Ser Leu Ser Thr Phe Gln Gln Met Trp Ile Ser

```


-continued

	350	355	360	
Lys Gln Glu Tyr Asp Glu Ala Gly Pro Ser Ile Val His Arg Lys				
	365	370	375	

Cys Phe

<210> SEQ ID NO 34
 <211> LENGTH: 2310
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 008513.49
 <221> NAME/KEY: unsure
 <222> LOCATION: 2307
 <223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 34

```

cttcctctc tcctccagcc tctcacactc tctcagctc tctcatctcc tggaacctg      60
gccagcaca ccaccacat caggagccac agcagcagcc gccggggttt cagtgccaac      120
ttcagccagg ctccctgggg tcagccgctc tggcttcagc agcgtctccg tgtcccgctc      180
caggggcagt ggtggcctgg gtggtgcatg tggaggagct ggctttggca gccgcagtct      240
gtatggcctg gggggctcca agaggatctc cattggaggg ggcagctgtg ccatcagtgg      300
cggctatggc agcagagccg gaggcagcta tggctttggg ggcgccggga gtggatttgg      360
tttcggtggt ggagccggca ttggctttgg tctgggtggt ggagccggcc ttgctggtgg      420
ctttgggggc cctggcttcc ctgtgtgccc cctggaggc atccaagagg tcaccgtcaa      480
ccagagtctc ctgactcccc tcaacctgca aatcgatccc accatccagc gggtgccggc      540
cgaggagcgt gagcagatca agaccctcaa caacaagttt gcctccttca tcgacaaggt      600
gcggttcctg gagcagcaga acaaggttct ggaacaaaag tggaccctgc tgcaggagca      660
gggcaccaag actgtgaggc agaacctgga gccgttggtc gagcagtaca tcaacaacct      720
caggaggcag ctggacagca ttgtcgggga acggggccgc ctggactcag agctcagagg      780
catgcaggac ctggtggagg acttcaagaa caaatatgag gatgaaatca acaagcgcac      840
agcagcagag aatgaatttg tgactctgaa gaaggatgtg gatgctgcct acatgaacaa      900
ggttgaactg caagccaagg cagacactct cacagacgag atcaacttcc tgagagcctt      960
gtatgatgca gagctgtccc agatgcagac ccacatctca gacacatctg tggtgctgtc     1020
catggacaac aaccgcaacc tggacctgga cagcatcadc gctgagggtca aggcccaata     1080
tgaggagatt gctcagagaa gccgggctga ggctgagctc tggtagcaga ccaagtacga     1140
ggagctgcag gtcacagcag gcagacatgg ggacgacctg cgcaacacca agcaggagat     1200
tgctgagatc aaccgcatga tccagaggct gagatctgag atcgaccacg tcaagaagca     1260
gtgcgccaac ctgcaggccg ccattgctga tgctgagcag cgtggggaga tggccctcaa     1320
ggatgccaag aacaagctgg aagggtgga ggatgccctg cagaaggcca agcaggacct     1380
ggcccggctg ctgaaggagt accaggagct gatgaatgtc aagctggccc tggacgtgga     1440
gatcgccacc taccgcaagc tgctggaggg tgaggagtgc aggctgaatg gcgaaggcgt     1500
tggacaagtc aacatctctg tggcgcagtc caccgtctcc agtggctatg gcggtgccag     1560
tgggtgctggc agtggcttag gcctgggtgg aggaagcagc tactcctatg gcagtggctc     1620
tggcgttggg ggtggcttca gttccagcag tggcagagcc attgggggtg gcctcagctc     1680
tgttggaggc ggcagttcca ccatcaagta caccaccacc tcctcctcca gcaggaagag     1740

```

-continued

```

ctataagcac taaagtgcgt ctgctagctc toggteccac agtcctcagg ccctctctg 1800
gctgcagagc cctctcctca ggttgccctt cctctcctgg cctccagtct ccctgctgt 1860
cccaggtaga gctgggtatg gatgcttagt gccctcactt cttctctctc tctctatacc 1920
atctgagcac ccattgctca ccatcagatc aacctctgat tttacatcat gatgtaatca 1980
ccactggagc ttcactgta ctaaattatt aatttcttgc ctccagtgtt ctatctctga 2040
ggctgagcat tataagaaaa tgacctctgc tccttttcat tgcagaaaat tgccaggggc 2100
ttatttcaga acaacttcca cttactttcc actggctctc aaactctcta acttataagt 2160
gttgtgaacc cccaccagc cagtatccat gaaagcacia gtgactagtc ctatgatgta 2220
caaagcctgt atctctgtga tgatttctgt gctcttcgct gtttgcaatt gctaaataaa 2280
gcagatttat aatacaaaaa aaaaaanggg 2310

```

```

<210> SEQ ID NO 35
<211> LENGTH: 493
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 047568.1

```

<400> SEQUENCE: 35

```

ctaacctta atttataag agacaaatac atgttataat aatacttaag ctctttatag 60
aattttagg gctattgaga gacattatag ggaagccctt gttctggaag gtgtatggtt 120
gtggccatgg gtttctctgc cactaaatct gtacctggtt gttatttgaa gtttctctgc 180
ctaaaatgta atctttggag aagctgcaca accgccatct gggaactcat gagaaattta 240
cgttttatgc ctaagtaact ctaatgagca atggctatag gaatgactaa taaaatatca 300
acaaggagat gggaattttc aaggaaatat gatatggtaa caatgtcctt ttagaaagt 360
catttttact tatctatatt cacagcataa aatgttccaa aatctatgaa atattaaata 420
ttataactca aaataaagta atattttgga gataaaagag tactgttcta caattcaaaa 480
ttgaaatagt tca 493

```

```

<210> SEQ ID NO 36
<211> LENGTH: 1983
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3120070CB1

```

<400> SEQUENCE: 36

```

ggaaccgcct cccgcggcc tcttcgcttt tgtggcggcg cccgcgctcg caggccactc 60
tctgctgtcg cccgtcccgc gcgctcctcc gaccgcctcc gctccgctcc gctcggcccc 120
gcgccgcccg tcaacatgat ccgctgcggc ctggcctgcg agcgctgccg ctggatcctg 180
cccctgctcc tactcagcgc catcgccttc gacatcatcg cgctggccgg ccgcggtgg 240
ttgcagtcta gcgaccacgg ccagacgtcc tcgctgtggt ggaaatgctc ccaagagggc 300
ggcggcagcg ggtcctacga ggaggctgt cagagcctca tggagtacgc gtggggtaga 360
gcagcggctg ccattgctctt ctgtggcttc atcatcctgg tgatctgttt catcctctcc 420
ttcttcgccc tctgtggacc ccagatgctt gtcttctga gagtgattgg aggtctcctt 480
gccttgctg ctgtgttcca gatcatctcc ctggtaattt acccgtgaa gtacaccag 540
accttcccc ttcatgcaa cctgctgtc acttacatct ataactgggc ctacggcttt 600

```


-continued

```

gggtgggcag ccacgattat cctgattggc tgtgccttct tcttctgctg cctccccaac 660
tacgaagatg accttctggg caatgccaaag cccaggtact tctacacatc tgcctaactt 720
gggaatgaat gtgggagaaa atcgctgctg ctgagatgga ctccagaaga agaaactgtt 780
tctccaggcg actttgaacc ctttttttgg cagtgttcat attattaaac tagtcaaaaa 840
tgctaaaata atttgggaga aaatattttt taagtagtgt tatagtttca tgtttatctt 900
ttattatggt ttgtgaagtt gtgtcttttc actaattacc tatactatgc caatatttcc 960
ttatatctat ccataacatt tatactacat ttgtaagaga atatgcacgt gaaacttaac 1020
actttataag gtaaaaatga ggtttccaag atttaataat ctgatcaagt tcttgttatt 1080
tccaaataga atggactcgg tctgttaagg gctaaggaga agaggaagat aaggttaaaa 1140
gttgtaatg accaaacatt ctaaaagaaa tgcaaaaaaa aagtttattt tcaagccttc 1200
gaactattta aggaaagcaa aatcatttcc taaatgcata tcatttgtga gaatttctca 1260
ttaatadcct gaatcattca tttcagctaa ggcttcatgt tgactcgata tgtcatctag 1320
gaaagtacta tttcatggtc caaacctggt gccatagttg gtaaggcttt cctttaagtg 1380
tgaaatattt agatgaaatt ttctctttta aagttcttta tagggtagg gtgtgggaaa 1440
atgctatatt aataaatctg tagtgttttg tgtttatatg ttcagaacca gagtagactg 1500
gattgaaaga tggactgggt ctaatttatc atgactgata gatctgggta agttgtgtag 1560
taaagcatta gggtcattcc tgtcacaaaa gtgccactaa aacagcctca ggagaataaa 1620
tgacttgctt ttctaaatct caggtttatac tgggctctat catatagaca ggcttctgat 1680
agtttgcaac tgtaagcaga aacctacata tagttaaaat cctggctttt cttggtaaac 1740
agattttaa tgtctgatat aaaacatgcc acaggagaat tcggggattt gagtttctct 1800
gaatagcata tatatgatgc atcggatagg tcattatgat tttttacat ttcgacttac 1860
ataatgaaaa ccaattcatt ttaaatatca gattattatt ttgtaagttg tggaaaaagc 1920
taattgtagt tttcattatg aagttttccc aataaaccag gtattctaaa cttgaaaaaa 1980
aaa 1983

```

<210> SEQ ID NO 37

<211> LENGTH: 193

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 3120070CD1

<400> SEQUENCE: 37

```

Met Ile Arg Cys Gly Leu Ala Cys Glu Arg Cys Arg Trp Ile Leu
 1             5             10             15
Pro Leu Leu Leu Leu Ser Ala Ile Ala Phe Asp Ile Ile Ala Leu
          20             25             30
Ala Gly Arg Gly Trp Leu Gln Ser Ser Asp His Gly Gln Thr Ser
          35             40             45
Ser Leu Trp Trp Lys Cys Ser Gln Glu Gly Gly Gly Ser Gly Ser
          50             55             60
Tyr Glu Glu Gly Cys Gln Ser Leu Met Glu Tyr Ala Trp Gly Arg
          65             70             75
Ala Ala Ala Ala Met Leu Phe Cys Gly Phe Ile Ile Leu Val Ile
          80             85             90
Cys Phe Ile Leu Ser Phe Phe Ala Leu Cys Gly Pro Gln Met Leu

```

-continued

	95		100		105
Val Phe Leu Arg	Val Ile Gly Gly	Leu Leu Ala Leu Ala Ala	Val		
	110		115		120
Phe Gln Ile Ile	Ser Leu Val Ile Tyr	Pro Val Lys Tyr Thr	Gln		
	125		130		135
Thr Phe Thr Leu	His Ala Asn Pro Ala	Val Thr Tyr Ile Tyr	Asn		
	140		145		150
Trp Ala Tyr Gly	Phe Gly Trp Ala Ala	Thr Ile Ile Leu Ile	Gly		
	155		160		165
Cys Ala Phe Phe	Phe Cys Cys Leu Pro	Asn Tyr Glu Asp Asp	Leu		
	170		175		180
Leu Gly Asn Ala	Lys Pro Arg Tyr Phe	Tyr Thr Ser Ala			
	185		190		

<210> SEQ ID NO 38
 <211> LENGTH: 1516
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1303785CB1
 <221> NAME/KEY: unsure
 <222> LOCATION: 1512
 <223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 38

```

ctttgttttt ggacatagct gagccatgta cttcaaacag aaggcagcca attactaact    60
tctggttgct aggtgtggct tcctttaaaa tcctataaaa tcagaagccc aagtctccac    120
tgccagtgtg aaatcttcag agaagaatth ctcttttagtt ctttgcaaga aggtagagat    180
aaagacactt tttcaaaaat ggcaatggta tcagaattcc tcaagcaggc ctggtttatt    240
gaaaatgaag agcaggaata tgttcaaact gtgaagtcac ccaaaggtgg tcccggatca    300
gcggtgagcc cctatcctac cttcaatcca tcctcggatg tcgctgcctt gcataaggcc    360
ataatgggta aaggtgtgga tgaagcaacc atcattgaca ttctaactaa gcgaaacaat    420
gcacagcgtc aacagatcaa agcagcatat ctccaggaaa caggaaagcc cctggatgaa    480
aactgaaga aagcccttac aggtcacctt gaggagggtg ttttagctct gctaaaaact    540
ccagcgcaat ttgatgctga tgaacttcgt gctgccatga agggccttgg aactgatgaa    600
gatactctaa ttgagatttt ggcacaaaga actaacaag aaatcagaga cattaacagg    660
gtctacagag aggaactgaa gagagatctg gccaaagaca taacctcaga cacatctgga    720
gattttcgga acgctttgct ttctcttgct aaggggtgacc gatctgagga ctttggtgtg    780
aatgaagact tggctgattc agatgccagg gccttgatg aagcaggaga aaggagaaag    840
gggacagacg taaacgtggt caataccatc cttaccacca gaagctatcc acaacttcgc    900
agagtgtttc agaaatacac caagtacagt aagcatgaca tgaacaaagt tctggacctg    960
gagttgaaag gtgacattga gaaatgcctc acagctatcg tgaagtgcgc cacaagcaaa   1020
ccagctttct ttgcagagaa gcttcatcaa gccatgaaag gtggttgaac tcgccataag   1080
gcattgatca ggattatggt ttcccgttct gaaattgaca tgaatgatat caaagcattc   1140
tatcagaaga tgtatggtat ctccctttgc caagccatcc tggatgaaac caaaggagag   1200
tatgagaaaa tcctggtggc tctttgtgga ggaaactaaa cattcccttg atggtctcaa   1260
gctatgatca gaagacttta attatatatt ttcatcctat aagcttaaat aggaaagttt   1320
cttcaacagg attacagtgt agctacctac atgctgaaaa atatagcctt taaatcattt   1380
    
```


-continued

```

ttatattata actctgtata atagagataa gtccattttt taaaaatggt ttccccaaac 1440
cataaaacc tatacaagtt gttctagtaa caatacatga gaaagatgtc tatgtagctg 1500
aaaataaaat gncgtc 1516

```

```

<210> SEQ ID NO 39
<211> LENGTH: 346
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1303785CD1

```

```

<400> SEQUENCE: 39

```

```

Met Ala Met Val Ser Glu Phe Leu Lys Gln Ala Trp Phe Ile Glu
 1           5           10
Asn Glu Glu Gln Glu Tyr Val Gln Thr Val Lys Ser Ser Lys Gly
          20           25           30
Gly Pro Gly Ser Ala Val Ser Pro Tyr Pro Thr Phe Asn Pro Ser
          35           40           45
Ser Asp Val Ala Ala Leu His Lys Ala Ile Met Val Lys Gly Val
          50           55           60
Asp Glu Ala Thr Ile Ile Asp Ile Leu Thr Lys Arg Asn Asn Ala
          65           70           75
Gln Arg Gln Gln Ile Lys Ala Ala Tyr Leu Gln Glu Thr Gly Lys
          80           85           90
Pro Leu Asp Glu Thr Leu Lys Lys Ala Leu Thr Gly His Leu Glu
          95           100          105
Glu Val Val Leu Ala Leu Leu Lys Thr Pro Ala Gln Phe Asp Ala
          110          115          120
Asp Glu Leu Arg Ala Ala Met Lys Gly Leu Gly Thr Asp Glu Asp
          125          130          135
Thr Leu Ile Glu Ile Leu Ala Ser Arg Thr Asn Lys Glu Ile Arg
          140          145          150
Asp Ile Asn Arg Val Tyr Arg Glu Glu Leu Lys Arg Asp Leu Ala
          155          160          165
Lys Asp Ile Thr Ser Asp Thr Ser Gly Asp Phe Arg Asn Ala Leu
          170          175          180
Leu Ser Leu Ala Lys Gly Asp Arg Ser Glu Asp Phe Gly Val Asn
          185          190          195
Glu Asp Leu Ala Asp Ser Asp Ala Arg Ala Leu Tyr Glu Ala Gly
          200          205          210
Glu Arg Arg Lys Gly Thr Asp Val Asn Val Phe Asn Thr Ile Leu
          215          220          225
Thr Thr Arg Ser Tyr Pro Gln Leu Arg Arg Val Phe Gln Lys Tyr
          230          235          240
Thr Lys Tyr Ser Lys His Asp Met Asn Lys Val Leu Asp Leu Glu
          245          250          255
Leu Lys Gly Asp Ile Glu Lys Cys Leu Thr Ala Ile Val Lys Cys
          260          265          270
Ala Thr Ser Lys Pro Ala Phe Phe Ala Glu Lys Leu His Gln Ala
          275          280          285
Met Lys Gly Val Gly Thr Arg His Lys Ala Leu Ile Arg Ile Met
          290          295          300
Val Ser Arg Ser Glu Ile Asp Met Asn Asp Ile Lys Ala Phe Tyr

```

-continued

305	310	315	
Gln Lys Met Tyr Gly Ile Ser Leu Cys Gln Ala Ile Leu Asp Glu			
320	325	330	
Thr Lys Gly Glu Tyr Glu Lys Ile Leu Val Ala Leu Cys Gly Gly			
335	340	345	

Asn

<210> SEQ ID NO 40
 <211> LENGTH: 2712
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1798379CB1

<400> SEQUENCE: 40

```

ccagccttga ctcttctcaa gagcctgtga ctttctctccc tggacaaagg catcatgagt      60
tgtcagatct cttgcaaadc tgcaggaaga ggaggaggtg gaggaggatt ccggggcttc      120
agcagcggct cagctgtggt gtctggtgga agccggagat caacttccag cttctcctgc      180
ttgagccgcc atggtggtgg tggtagggggc ttcggtggag gcggtcttgg cagtcggagt      240
cttggtggcc ttggagggac caagagcatc tccattagtg tggctggagg aggtggtggc      300
tttggcgccg ctggtggatt tggtagcaga ggagggtggt ttggaggcgg cagcggcttt      360
ggaggcggca gcggtcttgg aggtggcagc ggcttcagtg gtggtggttt cggtaggagg      420
ggctttggtg gaggccgctt tggaggtttt gggggccctg gtggtggttg aggtttaggg      480
ggtcctggtg gctttgggcc tggaggatac cctggtggca tccacgaagt ctctgtcaac      540
cagagcctcc tgcagcctct caacgtgaaa gttgaccag agatccagaa tgtgaaggcc      600
caagagcgtg agcagatcaa aactctcaac aacaaatttg cctccttcat tgacaagggtg      660
cggttcttgg agcagcagaa ccagggtgta cagaccaaat gggagctgct acaacaaatg      720
aatggttgca cccgccccat caacctggag cccatcttcc aggggtatat cgacagcctc      780
aagagatata tggatgggct cactgcagaa agaacatcac agaattcaga gctgaataac      840
atgcaggatc ttgtggagga ttataagaag aagtatgagg atgaaatcaa taagcgcaca      900
gctgctgaga atgattttgt gacgcttaaa aaggacgtgg acaatgccta catgataaag      960
gtggagttgc agtccaaggt ggacctgctg aaccaggaaa ttgagtttct gaaagttctc     1020
tatgatgcgg agatatccca gatacatcag agtgtcactg acaccaacgt catcctctcc     1080
atggacaaca gccgcaacct ggacttggat agcatcatcg ccgagggtcaa ggcccagtat     1140
gaggagatcg ccagaggag caaggaagaa gcgaggggccc tgtaccacag caagtatgag     1200
gagctccagg tgactgtcgg gagacatgga gacagcctga aagagatcaa gatagagatc     1260
agcgagctga accgcgtgat ccagaggctg caggggggaga tcgcacatgt gaagaagcag     1320
tgtaagaatg tgcaagatgc catcgcagat gccgagcagc gtggggagca tgcctcaag     1380
gatgccagga acaagttgaa tgacctggag gaggccctgc agcaggccaa ggaggacttg     1440
gcgcggtctg tgcgtgacta ccaggagctg atgaacgtga agctggccct agatgtggag     1500
atcgccacct accgcaaact gctggagggc gaggagtgca ggatgtctgg agacctcagc     1560
agcaatgtga ctgtgtctgt gacaagcagc accatctcat caaatgtggc atccaaggct     1620
gcctttggag gttctggagg tagaggttcc agttccggag gaggatacag ctctggaagc     1680
agcagttatg gctctggagg ccgacagtct ggctccagag gcggtagtgg aggaggaggt     1740
    
```


-continued

```

tctatctctg gaggaggata tggctctggc ggtggttctg gaggaagata cggatctggt 1800
ggtggctcta agggagggtc catctctgga ggaggatatg gctctggagg tggaaaacac 1860
agctctggag gtggctctag aggaggctcc agctctggag gaggatatgg ctctggagggt 1920
gggggttcta gctctgtaaa gggtagctca ggtgaagctt ttggttccag cgtgacctc 1980
tcttttagat aaagatgagc ccccaccacc accgactctc ccaaccaga ctctcccact 2040
ccagaatgta gaagcctgtc tctgtacctc taactggcag caagttaaatt tttgtcatt 2100
tatctctgat ggcacttga gggaaaagaa tgtccacata cagtttttga aagatcttct 2160
ctccaaacca gttagttaga gccagtgacg cctctgtggt ctggggcgga atctgtgctg 2220
tctaggtttg tgcttctagc catgcccatt cccgccccca ccatgcctct ttgcattgcc 2280
cattttccag atgtgtattc tgttgaggac ccaggcccat ccagggattt catctctaag 2340
cctggcagtg ctggggggaa atgtgtttct gtgtatatag ctctcttgt cactctgct 2400
ttcggaagtg ctgtggtctg ggggtcttca taatataaac ctcatattggc aattcaaaaa 2460
aaaaaaaaag gggggcccc ccaattattt agggggttcc cgacctcaa attcggaac 2520
cagggaaaaa ccggtttccc ggtggaaaaa ttgtaacccg cacaaaattt ccccaaaaat 2580
attggccccg gaacctaaaa ggtaaaaact cggggggccc aaagagtttg gaaacccca 2640
ataatttggg tgggcacaag gcccgtttcc catgggggaa acttttgtgc cacggcttta 2700
ataataggcc cc 2712

```

```

<210> SEQ ID NO 41
<211> LENGTH: 645
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1798379CD1

```

<400> SEQUENCE: 41

```

Met Ser Cys Gln Ile Ser Cys Lys Ser Arg Gly Arg Gly Gly Gly
 1           5           10           15
Gly Gly Gly Phe Arg Gly Phe Ser Ser Gly Ser Ala Val Val Ser
           20           25           30
Gly Gly Ser Arg Arg Ser Thr Ser Ser Phe Ser Cys Leu Ser Arg
           35           40           45
His Gly Gly Gly Gly Gly Gly Phe Gly Gly Gly Gly Phe Gly Ser
           50           55
Arg Ser Leu Val Gly Leu Gly Gly Thr Lys Ser Ile Ser Ile Ser
           65           70           75
Val Ala Gly Gly Gly Gly Gly Phe Gly Ala Ala Gly Gly Phe Gly
           80           85           90
Gly Arg Gly Gly Gly Phe Gly Gly Gly Ser Gly Phe Gly Gly Gly
           95           100          105
Ser Gly Phe Gly Gly Gly Ser Gly Phe Ser Gly Gly Gly Phe Gly
           110          115          120
Gly Gly Gly Phe Gly Gly Gly Arg Phe Gly Gly Phe Gly Gly Pro
           125          130          135
Gly Gly Val Gly Gly Leu Gly Gly Pro Gly Gly Phe Gly Pro Gly
           140          145          150
Gly Tyr Pro Gly Gly Ile His Glu Val Ser Val Asn Gln Ser Leu
           155          160          165
Leu Gln Pro Leu Asn Val Lys Val Asp Pro Glu Ile Gln Asn Val

```


-continued

Ser Gly Gly Gly Ser Gly Gly Arg Tyr Gly Ser Gly Gly Gly Ser
575 580 585

Lys Gly Gly Ser Ile Ser Gly Gly Gly Tyr Gly Ser Gly Gly Gly
590 595 600

Lys His Ser Ser Gly Gly Gly Ser Arg Gly Gly Ser Ser Ser Gly
605 610 615

Gly Gly Tyr Gly Ser Gly Gly Gly Gly Ser Ser Ser Val Lys Gly
620 625 630

Ser Ser Gly Glu Ala Phe Gly Ser Ser Val Thr Phe Ser Phe Arg
635 640 645

<210> SEQ ID NO 42

<211> LENGTH: 663

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 350650.1

<400> SEQUENCE: 42

```
ctgggcatg aaaagctccc tggaggaac cctggctgac acagaagctg gctacgtggc 60
tcagctgtca gaaattcaaa cgcagatcag tgccctggag gaggagatct gccagatctg 120
gggtgagact aaatgccaga acgcagagta caagcaattg ctggacatca agacacgcct 180
ggaggtggag atcgagacct accgccgct gctcgatgga gaggaggtg gttctagttt 240
tgcagaattt ggtggtagaa actccaggat ctgtaaacad ggggatccca gggatctggg 300
tatctggtga ctcaagatct ggaagctggt ctggtcaagg acgagattca agcaagacta 360
gagtgactaa gactatcgta gaggagttgg tggatggcaa ggttgtctcg tctcaagtca 420
gcagtatttc tgaggtgaaa gttaaataag gaacttccag atcaacaaaa gtgtctttca 480
aagaaaaaaaa aatcaagaag gacacaagcg aagaaatggc atcaatctag gcatctttct 540
ggataatttc aggaaaagct tcagtccaga aatggatgac tagccaactt ttctgcatct 600
tcttatttcc tcattagaat gctcttgaaa tagctgaatt aacaactttg ctttaattgt 660
ttg 663
```

<210> SEQ ID NO 43

<211> LENGTH: 809

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 474630.24

<221> NAME/KEY: unsure

<222> LOCATION: 511

<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 43

```
ccgggagctg gagacgggct cccctcgcag agcctacggc cttccccgc ctggcctgc 60
tcggccccgc gcccccgcc ggtgccaacg cggcccttcg ttgttccca tggtgcggc 120
tggaagtctg agccccctgt gggggaggag ctggacctgc ggcgcgtcac gtggcggctg 180
cccccgagc tcatccccgc cctgtcggcc agcagcgggc gtcctccga cgcgaggcg 240
ccccacggc ccccgacga cggcggcgcg ggcgggaagg gcggcagcct gccccgagt 300
gcgacaccg gcccccccg aggtgacagg ctcaccgcc gcccccgat ccgcgccac 360
ccagcctcac tcgcgcctga gggccctggg gtgggcgtct gcgctgcctc gggggccca 420
```

-continued

gtctcagcca ggcacgggcc ttggcggctg ggagcacagc tgctcagagg cagggcccag	480
tgccagggga cgcgtgaggc aggcgcttg ncccttatgg tgctgcctg gccagggggt	540
gcaaattcag aagtctgccc ggaagcggga ccctggcacc caagtagacc cctcaggggc	600
ctcaaaggac aggagggaa gcttggggat ctccccaggg cagagctgac tgacagcga	660
gcaaaccccc gccactgcca gggtcagcag tgctcacacc gatagagtgg ccggccagag	720
gatatgggct gtggaagcct gggtgccct tgggctcctg ctaggacaga gggcctctgt	780
ccctagtggg ttgagggaaa ctggttgta	809

<210> SEQ ID NO 44
 <211> LENGTH: 295
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 108089.1

<400> SEQUENCE: 44

gggaactagg tcttggccct ttctacagct tttctcctgc aaagggcca gccttttct	60
gctccccacg ttgtccttac ggctgtgtgg ggtagggcag ggtccacact ccttccatc	120
catttttagag gaggaagctg gactctggga agggatggga ttttcccagg gcaccctgtg	180
agtcacatgc cacttgagac aagggcttag agctccagca tttccaagc tacaatgta	240
tctgctgctc caagtgtccg ccagggtcgg cctcagagct ggcaggagt cggtg	295

<210> SEQ ID NO 45
 <211> LENGTH: 1744
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 3346307CB1

<400> SEQUENCE: 45

ccaaggggga ggtgcgagcg tggacctggg acgggtctgg gcggctctcg gtggttgca	60
cgggttcgca cacccattca agcggcagga cgcacttgtc ttagcagttc tcgctgaccg	120
cgctagctgc ggcttctacg ctccggcact ctgagttcat cagcaaacgc cctggcgtct	180
gtcctcacca tgctagcct ttgggaccgc ttctcgtcgt cgtccacctc ctcttcgccc	240
tcgtccttgc cccgaactcc caccacagat cggccgcccgc gctcagcctg ggggtcggcg	300
acccgggagg aggggtttga ccgctccacg agcctggaga gctcggactg cgagtccctg	360
gacagcagca acagtggctt cgggccggag gaagacacgg cttacctgga tggggtgtcg	420
ttgcccact tcgagctgct cagtgacct gaggatgaac acttgtgtgc caacctgatg	480
cagctgctgc aggagacct ggcccaggcg cggctgggct ctgacgccc tgcgcgctg	540
ctgatgccta gccagtggg aagccaggcg ggcaaagaac tactgcccct ggcctacagc	600
gagccgtgcg gcctgcgggg ggcgctgctg gacgtctgcg tggagcagg caagagctgc	660
cacagcgtgg gccagctggc actcagcccc agcctgggag ccacctcca gctgacctc	720
gtgctgcgcc tggactcacg actctggccc aagatccagg ggctgtttag ctccgccaac	780
tctcccttcc tcctggctt cagccagtcc ctgacgctga gcactggctt ccgagtcac	840
aagaagaagc tgtacagctc ggaacagctg ctcatgagg agtgttgaac ttcaacctga	900
gggggcccag agtgccctcc aagacagaga cgactgaact tttggggtgg agactagagg	960
caggagctga gggactgatt ccagtgggtg gaaaactgag gcagccacct aaggtggagg	1020

-continued

```

tgggggaata gtgtttccca ggaagctcat tgagttgtgt gcgggtggct gtgcattggg 1080
gacacatacc cctcagtact gtagcatgaa acaaaggctt aggggccaac aaggcttcca 1140
gctggatgtg tgtgtagcat gtaccttatt atttttgtta ctgacagtta acagtgggtg 1200
gacatccaga gagcagctgg gctgctcccg ccccagcccg gccaggggtg aaggaagagg 1260
cacgtgctcc tcagagcagc cggagggagg ggggaggtcg gaggtcgtgg aggtggtttg 1320
tgtatcttac tggctgaag ggaccaagtg tgtttgttgt ttgttttgta tcttgttttt 1380
ctgatcggag catcactact gacctgttgt aggcagctat cttacagacg catgaatgta 1440
agagtaggaa ggggtgggtg tcagggatca cttgggatct ttgacacttg aaaaattaca 1500
cctggcagct gcgtttaagc cttcccccat cgtgtactgc agagttgagc tggcagggga 1560
ggggctgaga ggggtggggc tggaaacctt cccggggagg agtgccatct gggctctcca 1620
tctagaactg tttacatgaa gataagatac tcaactgttca tgaatacact tgatgttcaa 1680
gtattaagac ctatgcaata ttttttactt ttctaataaa catgtttggtt aaaacaaaaa 1740
aaaa 1744

```

```

<210> SEQ ID NO 46
<211> LENGTH: 232
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3346307CD1

```

```

<400> SEQUENCE: 46

```

```

Met Pro Ser Leu Trp Asp Arg Phe Ser Ser Ser Thr Ser Ser
 1             5             10             15
Ser Pro Ser Ser Leu Pro Arg Thr Pro Thr Pro Asp Arg Pro Pro
          20             25             30
Arg Ser Ala Trp Gly Ser Ala Thr Arg Glu Glu Gly Phe Asp Arg
          35             40             45
Ser Thr Ser Leu Glu Ser Ser Asp Cys Glu Ser Leu Asp Ser Ser
          50             55             60
Asn Ser Gly Phe Gly Pro Glu Glu Asp Thr Ala Tyr Leu Asp Gly
          65             70             75
Val Ser Leu Pro Asp Phe Glu Leu Leu Ser Asp Pro Glu Asp Glu
          80             85             90
His Leu Cys Ala Asn Leu Met Gln Leu Leu Gln Glu Ser Leu Ala
          95             100            105
Gln Ala Arg Leu Gly Ser Arg Arg Pro Ala Arg Leu Leu Met Pro
          110            115            120
Ser Gln Leu Val Ser Gln Val Gly Lys Glu Leu Leu Arg Leu Ala
          125            130            135
Tyr Ser Glu Pro Cys Gly Leu Arg Gly Ala Leu Leu Asp Val Cys
          140            145            150
Val Glu Gln Gly Lys Ser Cys His Ser Val Gly Gln Leu Ala Leu
          155            160            165
Asp Pro Ser Leu Val Pro Thr Phe Gln Leu Thr Leu Val Leu Arg
          170            175            180
Leu Asp Ser Arg Leu Trp Pro Lys Ile Gln Gly Leu Phe Ser Ser
          185            190            195
Ala Asn Ser Pro Phe Leu Pro Gly Phe Ser Gln Ser Leu Thr Leu
          200            205            210

```

-continued

Ser Thr Gly Phe Arg Val Ile Lys Lys Lys Leu Tyr Ser Ser Glu
 215 220 225

Gln Leu Leu Ile Glu Glu Cys
 230

<210> SEQ ID NO 47
 <211> LENGTH: 897
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 200143.25

<400> SEQUENCE: 47

ccccagggca gggagcaggt tatgaccagg actaagggtcc cagagtcccc accctgacct 60
 ctccctgctg ttccagccgc tccctcatat ccaccctgc cccatctcct gactttggtc 120
 acgctagcat cttctgctga tcctgaaatt gtaccagcgg caagatgtgg cctggaagg 180
 gactttaagt tctccacaac tgccagcaat ccttcacca ggcaaacac atcatctaag 240
 gaaaagaagt gaggtcggaa caccaacgca tcatctcact gcatggccct ggaggctctg 300
 ccgtttaaag accccagaac cttccccatt caaggctctc tcctgggcac aggagattgg 360
 agaaagctcc tcccttaatt ccagggaccg agttccagcc catccaattc tccgtctcac 420
 ctgaggctgc tgtggtcctg gtgaccccag ggagcaacct gccgcccctg gctggggagg 480
 ggggtgaagct gtctctttaa gagcaggaat ggagcccctg ggcctcaggg catctgactt 540
 gttttctacc tgcccaggtt tgcttagggc gtggcagctt cggataaacg caggactccg 600
 cctggcagcc cgatttctcc cggaacctct gctcagcctg gtgaaccaca caggtgagca 660
 gctggggccc cttcctcaa gccctccttg tctctgccc taaattagga agtatctacc 720
 tgccccctga ccctgcccc tagaagcttt tatgttaaag cgcctaaaat cttgtgaaat 780
 gcttttctgg agccaggaga taaacggaag tcccttcccc taatgtccct tccccacca 840
 ttctcctctc agggacttgt tgaaccagct gaggccagcg ctctgacatg cagaagg 897

<210> SEQ ID NO 48
 <211> LENGTH: 1827
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 001929.1

<400> SEQUENCE: 48

ccttgacaat ctgtctgtcc gtctgcagct gogtgactgt ctgtctctgc catgtctctc 60
 tccccatgcc gggcccagag gggcttcagc gctogctcag cctgttctgc tcgctcaagg 120
 ggccgcagca ggggaggctt cagcagcagg ggcggcttca gcagcaggag ccttaattcc 180
 tttggggggg gcctggaagg ctctcgtggg agtacctggg ggtcaggggg taggctgggg 240
 gtgcggtttg gggagtggag tgggtggcct gggctctccc tgtgccctcc ggggggcatc 300
 caagaagtga ccatcaacca gaatccgctg acccactga agattgagat cgatccccag 360
 ttccagggtg tgcgagcga ggagaccag gagatcagaa ccctcaaca ccagtttgct 420
 tccttcattg acaagggtcg gttcctggag cagcagaaca aggtcctgga gacgaagtgg 480
 catctgctgc agcaacaggg gttgagtggc agccagcagg gcctggagcc tgtctttgag 540
 gcctgcctgg atcagctcag gaagcagctg gagcagctcc agggagaacg aggggctctg 600

-continued

gatgctgagt tgaaggcctg ccgggaccag gaggaggagt ataagtccaa gtatgaggag	660
gaggcccaca ggcgtgccac acttgagaac gactttgtgg tcctcaagaa ggatgtggat	720
ggggttttcc tgagcaagat ggagttggag ggcaagctgg aggctctgag agagtacctc	780
tacttcttga agcatctgaa tgaagaagag ctggggccagc tccagaccca ggccagcgac	840
acgtctgtgg tgctgtccat ggacaacaac cgctacctgg acttcagcag catcatcact	900
gaggtccgcg cccggtacga ggagatcgcc cggagcagca aggctgaggc tgaggccttg	960
taccagacca agtaccagga acttcaggtg tctgcccagc ttcattggga caggatgcag	1020
gaaacgaaag tccagatctc tcagctacac caagagattc agaggctgca gagtacagact	1080
gagaacctca agaagcagaa cgccagcctg caggccgcca tcaactgatgc tgagcagcgt	1140
ggggagctgg ccctcaagga cgctcaggcc aagggtggacg agctggaggc tgctctgagg	1200
atggccaagc agaacctggc ccggctgctg tgcgagtacc aggagctgac gagcacgaag	1260
ctttccctgg atgtggagat tgccacttac cgcaggctgc tggagggcga ggagtgcagg	1320
atgtctgggg agtgcaccag ccaggctcact atctcctcgg tgggaggcag cgctgtcatg	1380
tctggaggag ttgggtggagg cttggggagc acttgtggac tcggtagtgg gaaaggcagc	1440
cctgggtcct gctgcaccag cattgtgact ggaggctcca acatcattct gggctctggg	1500
aaggacctg ttttgattc ctgctctgtg tctggctcca gcgctggctc cagctgccac	1560
accatcctga agaagacagt tgagtcgagt ctgaagacat ccatcaccta ctgagcgacc	1620
cagcagccac ctcttctctg aacacatttg gccactccc cccatcagcc ggctctgcaa	1680
ggccaactcc gtgtccgctg cccacagccc aagccagccc acagcggatg ctgcaaaaat	1740
caataaagtc tcccctcctg ctgttctgaa tgctctaagt gcttgcacac ctcaccagc	1800
aaaacaaaag ctgtgtgact ccccagc	1827

<210> SEQ ID NO 49
 <211> LENGTH: 3936
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1088524.8
 <221> NAME/KEY: unsure
 <222> LOCATION: 2060-2170, 3796, 3799, 3816
 <223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 49

taaacacagc tgcgatgacg aaccctttca cgggaaggaa catgcgagcc cagaaaagtc	60
tctcctggtc ttgggatgga ggtcacacga agcctccgca aggcaaggac ttttgcggt	120
tctgcaacca agcgggtctt acccccggtc ctccgctctt ccagtcctcg cacctggaac	180
cccaacgtcc ccgagagtcc ccgaatcccc gctcccaggc tacctaagag gatgagcgg	240
gctccgacgg ccggggcagc cctgatgctc tgcgcccgca ccgcccgtgct actgagcgt	300
cagggcggac ccgtgcagtc caagtcgccc cgctttgctt cctgggacga gatgaatgtc	360
ctggcgcagc gactcctgca gctcggccag gggctgcgag aacacgcgga gcgcacccgc	420
agtcagctga gcgctctgga gcggcgcctg agcgcgtgag ggtccgcctg tcaggaacc	480
gaggggtcca ccgacctccc gttagcccct gagagccggg tggaccctga ggtcctcac	540
agcctgcaga cacaactcaa ggctcagaac agcaggatcc agcaactctt ccacaaggtg	600
gccagcagc agcggcacct ggagaagcag cacctgcgaa ttcagcatct gcaaagccag	660
tttggcctcc tggaccacaa gcacctagac catgaggtgg ccaagcctgc ccgaagaaag	720

-continued

aggctgcccg	agatggccca	gccagttgac	ccggctcaca	atgtcagccg	cctgcaccgg	780
ctgcccaggg	attgccagga	gctgttccag	gttggggaga	ggcagagtgg	actatttgaa	840
atccagcctc	aggggtctcc	gccatTTTTg	gtgaactgca	agatgacctc	agatggaggc	900
tggacagtaa	ttcagaggcg	ccacgatggc	tcagtggact	tcaaccggcc	ctgggaagcc	960
tacaaggcgg	ggtttgggga	tccccacggc	gagttctggc	tgggtctgga	gaaggtgcat	1020
agcatcaccg	ggggaccgca	acagccgcct	ggccgtgcag	ctgcgggact	gggatggcaa	1080
cgccgagttg	ctgcagttct	ccgtgcacct	gggtggcgag	gacacggcct	atagcctgca	1140
gctcactgca	cccgtggccg	gccagctggg	cgccaccacc	gtcccacca	gcggcctctc	1200
cgtacccttc	tccacttggg	accaggatca	cgacctccgc	agggacaaga	actgcgcaa	1260
gagcctctct	ggaggctggt	ggtttggcac	ctgcagccat	tccaacctca	acggccagta	1320
cttccgctcc	atcccacagc	agcggcagaa	gcttaagaag	ggaatcttct	ggaagacctg	1380
gcggggccgc	tactaccgcg	tgcaggccac	caccatgttg	atccagccca	tggcagcaga	1440
ggcagcctcc	tagcgtcctg	gctgggcctg	gtcccaggcc	cacgaaagac	ggtgactctt	1500
ggctctgccc	gaggatgtgg	ccgttccctg	cctgggcagg	ggctccaagg	aggggccatc	1560
tggaaacttg	tggacagaga	agaagaccac	gactggagaa	gcccccttct	tgagtgcagg	1620
ggggctgcat	gcgttgcctc	ctgagatcga	ggctgcagga	tatgctcaga	ctctagaggc	1680
gtggaccaag	gggcatggag	cttcaactct	tgctggccag	ggagtggggg	actcagaggg	1740
accacttggg	gccagccaga	ctggcctcaa	tggcggactc	agtcacattg	actgacgggg	1800
accagggctt	gtgtgggtcg	agagcgcctc	catgggtgctg	gtgctggtgt	gtgtaggtcc	1860
cctggggaca	caagcaggcg	ccaatggtat	ctgggcggag	ctcacagagt	tcttgaata	1920
aaagcaacct	cagaacactt	tgttctttgt	tcttgtttgt	tttcttctct	tttttctct	1980
ttctttagtt	cacagatcta	gtaagttacc	ctcagtttgt	tttaaaaagt	gaacaaagtc	2040
catgtaaaca	tgttcccagn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	2100
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	2160
nnnnnnnnnn	catctcgcaa	gggtccatgg	cttcattctt	gaagtcagtg	agaccaagaa	2220
cccccaatt	ccggacacag	tgccactgca	ctccagccca	ggcaacagag	cgagattctg	2280
tctggacgta	gccccatttc	tcttcccgga	caggctctct	gatagtcggg	taggttctca	2340
atcaagcctc	tcattagtta	tttggctgtg	caatccattt	cattcctgca	gtcttccgcc	2400
ccgccctctt	gagctcgccc	ctgataggct	ggcgcgtccg	tcacttcaaa	aaggtccgca	2460
ttccttccgc	ctttctccag	gacaccgagg	gcgaggaggg	tggtagcaag	cggcgcccac	2520
cctcagagca	ctacttccat	ctctgattgg	cttcgctggg	tgcccgtcgc	tactccactc	2580
gccgatcccg	ccggaagcgc	caggacaatg	gggacccggg	acgacgagta	cgactaccta	2640
ttcaaagtgg	tgctcatcgg	ggactcaggc	gtgggcaaga	gcaacctgct	gtcgcgcttc	2700
accgcaacg	agttcaacct	ggagagcaag	agcaccatcg	gcgtggagtt	cgccaccgcg	2760
agcatccagg	tggacggcaa	gaccatcaag	gcgagatctt	gggacaccgc	tggccaggag	2820
cgctaccgcg	ccatcacctc	cgcgacttac	cgtgggtgcag	tgggcgccct	gctgggtgtac	2880
gacatcgcca	agcacctgac	ctatgagaac	gtggagcgct	ggctgaagga	gctgcggggac	2940
cacgcagaca	gcaacatcgt	catcatgctg	gtgggcaaca	agagtgacct	gcgccacctg	3000
cgggctgtgc	ccactgacga	ggcccgcgcc	ttcgcagaaa	agaacaactt	gtccttcatc	3060

-continued

```

gagacctcag ccttgattc cactaacgta gaggaagcat tcaagaacat cctcacagag 3120
atctaccgca tcgtgtcaca gaaacagatc gcagaccgtg ctgcccacga cgagtccccg 3180
gggaacaacg tgggtggacat cagcgtgccg cccaccacgg acggacagaa gcccaacaag 3240
ctgcagtgct gccagaacct gtgaccctg cgcctccacc cagcgtgcgt gcacgtcctc 3300
cgcccgtccc cgccacggta tcctctggcc cctccctgct gtccctctgt ggccggctcg 3360
ttccagccct ccagtgagc tctgcacggc cgggcccggg cccaggaagg acaggagcca 3420
gtgctacccc gtccctgccc gggaaaagct agaagccccg gtttgctgca cccatgaaac 3480
tcgggtcccc acagcgtcct ggcggggtgg ggagggcggc aggatggacg gggctggcca 3540
gaggcgagga ggacgggcgg acggcggcgc cttctcccct tttccttggc cgactctagg 3600
gagcgattgc ctccctccct ctgtgaccgg gtggcccagc cagcccgtcg tccccacca 3660
gaaccgtgct ctgggcaaaa gcccaagaa ccaggcagcg ggggcccggg caggcggacc 3720
ccccgggctc tcagcgcca cccgctcctc cgcacacagc agctcgcaca ggcctcccac 3780
tctgctgtc cccctnctnt gtctcgtctc cccatntggt ctggaacctg tttgcaagtg 3840
aagcaatata tccgtgtttt gtagtatata accgctcttg tagcctttgg tttgtgttaa 3900
tgtagagaaa ctgagattct ttatacactt ttgtaa 3936

```

```

<210> SEQ ID NO 50
<211> LENGTH: 1114
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 632664CB1

```

```

<400> SEQUENCE: 50
gccgcctctg ccgcccggga cttcccgaac ctcttcagcc gcccgagacc gctcccggag 60
cccggccgta gaggctgcaa tcgcagccgg tgagcccgca gcccgcgccc cgagcccgcc 120
gccgcccttc gagggcgccc caggccgcgc catggtgaag gtgacgttca actccgctct 180
ggcccagaag gaggccaaga aggacgagcc caagagcggc gaggaggcgc tcatcatccc 240
ccccgacgcc gtcgcggtgg actgcaagga cccagatgat gtggtaccag ttggccaaag 300
aagagcctgg tgttggtgca tgtgctttgg actagcattt atgcttgacg gtgttattct 360
aggaggagca tacttgtaca aatattttgc acttcaacca gatgacgtgt actactgtgg 420
aataaagtac atcaaagatg atgtcatctt aaatgagccc tctgcagatg ccccagctgc 480
tctctaccag acaattgaag aaaatattaa aatctttgaa gaagaagaag ttgaatttat 540
cagtgtgcct gtcccagagt ttgcagatag tgatcctgcc aacattgttc atgactttaa 600
caagaaactt acagcctatt tagatcttaa cctggataag tgctatgtga tccctctgaa 660
cacttcatt gttatgccac ccagaaacct actggagtta cttattaaca tcaaggctgg 720
aacctatttg cctcagtcct atctgattca tgagcacatg gttattactg atcgattga 780
aacattgat cacctgggtt tctttattta tcgactgtgt catgacaagg aaacttacia 840
actgcaacgc agagaaacta ttaaaggat tcaaaaacgt gaagccagca attgtttcgc 900
aattcggcat tttgaaaaca aatttgccgt ggaaacttta atttgttctt gaacagtcaa 960
gaaaaacatt attgaggaaa attaatatca cagcataacc ccaccctta cattttgtgc 1020
agtgattatt ttttaaagtc ttctttcatg taagtagcaa acagggcttt actatctttt 1080
catctcatta attcaattaa aaccattacc ttaa 1114

```

-continued

<210> SEQ ID NO 51
 <211> LENGTH: 266
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 632664CD1

<400> SEQUENCE: 51

```

Met Val Lys Val Thr Phe Asn Ser Ala Leu Ala Gln Lys Glu Ala
 1                5                10                15

Lys Lys Asp Glu Pro Lys Ser Gly Glu Glu Ala Leu Ile Ile Pro
                20                25                30

Pro Asp Ala Val Ala Val Asp Cys Lys Asp Pro Asp Asp Val Val
                35                40                45

Pro Val Gly Gln Arg Arg Ala Trp Cys Trp Cys Met Cys Phe Gly
                50                55                60

Leu Ala Phe Met Leu Ala Gly Val Ile Leu Gly Gly Ala Tyr Leu
                65                70                75

Tyr Lys Tyr Phe Ala Leu Gln Pro Asp Asp Val Tyr Tyr Cys Gly
                80                85                90

Ile Lys Tyr Ile Lys Asp Asp Val Ile Leu Asn Glu Pro Ser Ala
                95                100                105

Asp Ala Pro Ala Ala Leu Tyr Gln Thr Ile Glu Glu Asn Ile Lys
                110                115                120

Ile Phe Glu Glu Glu Glu Val Glu Phe Ile Ser Val Pro Val Pro
                125                130                135

Glu Phe Ala Asp Ser Asp Pro Ala Asn Ile Val His Asp Phe Asn
                140                145                150

Lys Lys Leu Thr Ala Tyr Leu Asp Leu Asn Leu Asp Lys Cys Tyr
                155                160                165

Val Ile Pro Leu Asn Thr Ser Ile Val Met Pro Pro Arg Asn Leu
                170                175                180

Leu Glu Leu Leu Ile Asn Ile Lys Ala Gly Thr Tyr Leu Pro Gln
                185                190                195

Ser Tyr Leu Ile His Glu His Met Val Ile Thr Asp Arg Ile Glu
                200                205                210

Asn Ile Asp His Leu Gly Phe Phe Ile Tyr Arg Leu Cys His Asp
                215                220                225

Lys Glu Thr Tyr Lys Leu Gln Arg Arg Glu Thr Ile Lys Gly Ile
                230                235                240

Gln Lys Arg Glu Ala Ser Asn Cys Phe Ala Ile Arg His Phe Glu
                245                250                255

Asn Lys Phe Ala Val Glu Thr Leu Ile Cys Ser
                260                265

```

<210> SEQ ID NO 52
 <211> LENGTH: 1189
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 457372.17

<400> SEQUENCE: 52

```

acaggtgtga gccaccacac ccagcagttt ttttaaggtc acaaaatgac aagactagga      60
tttggacca gttctgttcg actcaaaata gagtgcccta cacttatgtg tcatgctgca      120

```


-continued

```

tttgcaagt cacgtcactt ctttgaatct ccttttcct ctgcaaaaca gtaaccttat 180
ctagcctgca gacttcaaag gtggttatgg agatcaaag aagtaaaatg ttttaaaaat 240
tgtacaatat ataccaataa aagctattgg ggaggtatat gtatgaacag gtagttggtt 300
tttctaccct gccacctcat aaagagtttg cagtggcacg tagaagggtt tatcttatta 360
tcacaaagct acccatttgc tggccatact gatacttggc acattaaact atcagagaaa 420
tatatgtggc tcctttacaa ctgtgtctag aagggtacat ttccaatcag agttcccagg 480
ttctgacttt ctcccattac atatttgtaa ttagtcatct ttgatactga ttcaaatttt 540
tgattaacat taattatata tatttacaag aatcttataa aaattaagat tttatttcac 600
ctcattttgc cctgtgagat agatggaaat agactatatt ctaccagggt taaaagtaca 660
gataatgaga caaatgtca atagaacctg aaaaaagatt ttttagttg cctctagtct 720
ctgtttactt ggtatagata gtatgctgct ttttttctt ttttttaaaa tgtaactgct 780
gggttgtttt tttttcttg tttttcttt ccctccagga tacaatgtct ctttgctata 840
tgacctgaa aatcttccgg catccaagga ttccattgtg catcaagctg gcatgttgaa 900
gcgaaattgt tttgcctctg tctttgaaaa atacttcaa ttccaagaag agggcaagga 960
aggagagaac agggcagtta tccattatag ggatgatgag accatgtatg ttgagtctaa 1020
aaaggacaga gtcacagtag tcttcagcac agtgtttaag gatgacgacg atgtggtcat 1080
tggaagggtg ttcatgcagg tatggagcag acatcttggg ggaaacccat gcatggcgac 1140
ttataccttt gcacccaaac ataccatgag cgtaggaaag agatctagc 1189

```

<210> SEQ ID NO 53

<211> LENGTH: 2539

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 2993696CB1

<400> SEQUENCE: 53

```

ctcgagccgc aagacagcac agacagattg acctattggg gtgtttcgcg agtgtgagag 60
ggaagcgccg cggcctgtat ttctagacct gcccttcgcc tggttcgtgg cgccttgtga 120
ccccgggccc ctgccgcctg caagtcggaa attgcgctgt gctcctgtgc tacggcctgt 180
ggctggactg cctgctgctg cccaactggc tggcaagatg aagctctccc tggtgccgc 240
gatgctgctg ctgctcagcg cggcgcgggc cgaggaggag gacaagaagg aggacgtggg 300
cacggtggtc ggcacgacc tggggaccac ctactcctgc gtcggcgtgt tcaagaacgg 360
ccgcgtggag atcatcgcca acgatcaggg caaccgcac acgccgtcct atgtcgctt 420
cactcctgaa ggggaacgtc tgattggcga tgccgccaag aaccagctca cctccaacct 480
cgagaacacg gtctttgacg ccaagcggct catcggccgc acgtggaatg acccgtctgt 540
gcagcaggac atcaagttct tgccgttcaa ggtggttgaa aagaaaacta aaccatacat 600
tcaagttgat attggaggtg ggcaaaaaa gacatttgct cctgaagaaa tttctgcat 660
ggttctcact aaaatgaaag aaaccgctga ggcttatttg ggaagaagg ttacctatgc 720
agttgttact gtaccagcct attttaatga tgcccaacgc caagcaacca aagacgctgg 780
aactattgct ggcctaaatg ttatgaggat catcaacgag cctacggcag ctgctattgc 840
ttatggcctg gataagaggg agggggagaa gaacatcctg gtgtttgacc tgggtggcgg 900
aaccttcgat gtgtctcttc tcaccattga caatggtgtc ttcgaagttg tggccactaa 960

```

-continued

```

tggagatact catctgggtg gagaagactt tgaccagcgt gtcattggaac acttcatcaa 1020
actgtacaaa aagaagacgg gcaaagatgt caggaaagac aatagagctg tgcagaaact 1080
ccggcgcgag gtagaaaagg ccaaaccgggc cctgtcttct cagcatcaag caagaattga 1140
aattgagtcc ttctatgaag gagaagactt ttctgagacc ctgactcggg ccaaatttga 1200
agagctcaac atggatctgt tccggcttac tatgaagccc gtccagaaag tgttgaaga 1260
ttctgatttg aagaagtctg atattgatga aattgttctt gttggtggct cgactcgaat 1320
tccaaagatt cagcaactgg ttaaagagtt cttcaatggc aaggaacat cccgtggcat 1380
aaaccagat gaagctgtag cgtatgggtc tgctgtccag gctggtgtgc tctctggtga 1440
tcaagataca ggtgacctgg tactgcttga tgtatgtccc cttacacttg gtattgaaac 1500
tgtgggaggt gtcattgacca aactgattcc aaggaacaca gtggtgccta ccaagaagtc 1560
tcagatcttt tctacagctt ctgataatca accaactggt acaatcaagg tctatgaagg 1620
tgaaagacc ctgacaaaag acaatcatct tctgggtaca tttgatctga ctggaattcc 1680
tcctgctcct cgtgggtcc cacagattga agtcacctt gagatagatg tgaatggtat 1740
tcttcgagtg acagctgaag acaagggtac aggaacaaa aataagatca caatcaccaa 1800
tgaccagaat cgcctgacac ctgaagaaat cgaaaggatg gttaatgatg ctgagaagtt 1860
tgctgaggaa gacaaaaagc tcaaggagcg cattgatact agaaatgagt tggaaagcta 1920
tgcctattct ctaaagaatc agattggaga taaagaaaag ctgggaggta aactttcctc 1980
tgaagataag gagacatgg aaaaagctgt agaagaaaag attgaatggc tggaaagcca 2040
ccaagatgct gacattgaag acttcaaagc taagaagaag gaactggaag aaattgttca 2100
accaattatc agcaaactct atggaagtgc aggcctccc ccaactggtg aagaggatac 2160
agcagaaaaa gatgagttgt agacactgat ctgctagtgc tgtaatattg taaatactgg 2220
actcaggaac tttgttagg aaaaaattga aagaacttaa gtctcgaatg taattggaat 2280
cttcacctca gagggtgatt gaaactgcta tagcctaagc ggctgtttac tgcttttcat 2340
tagcagttgc tcacatgtct ttgggtgggg gggagaagaa gaattggcca tcttaaaaag 2400
cgggtaaaaa acctgggtta ggggtgtgtg tcaccttcaa aatgttctat ttaacaactg 2460
ggtcattgtc atctggtgta ggaagttttt tctaccataa gtgacaccaa taaatgtttg 2520
ttatttacac tggtgaagcg 2539

```

```

<210> SEQ ID NO 54
<211> LENGTH: 654
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 2993696CD1

```

```

<400> SEQUENCE: 54

```

```

Met Lys Leu Ser Leu Val Ala Ala Met Leu Leu Leu Leu Ser Ala
 1             5             10             15
Ala Arg Ala Glu Glu Glu Asp Lys Lys Glu Asp Val Gly Thr Val
             20             25             30
Val Gly Ile Asp Leu Gly Thr Thr Tyr Ser Cys Val Gly Val Phe
             35             40             45
Lys Asn Gly Arg Val Glu Ile Ile Ala Asn Asp Gln Gly Asn Arg
             50             55             60
Ile Thr Pro Ser Tyr Val Ala Phe Thr Pro Glu Gly Glu Arg Leu

```


-continued

	65		70		75
Ile Gly Asp Ala	Ala Lys Asn Gln Leu Thr Ser Asn Pro Glu Asn				
	80		85		90
Thr Val Phe Asp	Ala Lys Arg Leu Ile Gly Arg Thr Trp Asn Asp				
	95		100		105
Pro Ser Val Gln	Gln Asp Ile Lys Phe Leu Pro Phe Lys Val Val				
	110		115		120
Glu Lys Lys Thr	Lys Pro Tyr Ile Gln Val Asp Ile Gly Gly Gly				
	125		130		135
Gln Thr Lys Thr	Phe Ala Pro Glu Glu Ile Ser Ala Met Val Leu				
	140		145		150
Thr Lys Met Lys	Glu Thr Ala Glu Ala Tyr Leu Gly Lys Lys Val				
	155		160		165
Thr His Ala Val	Val Thr Val Pro Ala Tyr Phe Asn Asp Ala Gln				
	170		175		180
Arg Gln Ala Thr	Lys Asp Ala Gly Thr Ile Ala Gly Leu Asn Val				
	185		190		195
Met Arg Ile Ile	Asn Glu Pro Thr Ala Ala Ala Ile Ala Tyr Gly				
	200		205		210
Leu Asp Lys Arg	Glu Gly Glu Lys Asn Ile Leu Val Phe Asp Leu				
	215		220		225
Gly Gly Gly Thr	Phe Asp Val Ser Leu Leu Thr Ile Asp Asn Gly				
	230		235		240
Val Phe Glu Val	Val Ala Thr Asn Gly Asp Thr His Leu Gly Gly				
	245		250		255
Glu Asp Phe Asp	Gln Arg Val Met Glu His Phe Ile Lys Leu Tyr				
	260		265		270
Lys Lys Lys Thr	Gly Lys Asp Val Arg Lys Asp Asn Arg Ala Val				
	275		280		285
Gln Lys Leu Arg	Arg Glu Val Glu Lys Ala Lys Arg Ala Leu Ser				
	290		295		300
Ser Gln His Gln	Ala Arg Ile Glu Ile Glu Ser Phe Tyr Glu Gly				
	305		310		315
Glu Asp Phe Ser	Glu Thr Leu Thr Arg Ala Lys Phe Glu Glu Leu				
	320		325		330
Asn Met Asp Leu	Phe Arg Ser Thr Met Lys Pro Val Gln Lys Val				
	335		340		345
Leu Glu Asp Ser	Asp Leu Lys Lys Ser Asp Ile Asp Glu Ile Val				
	350		355		360
Leu Val Gly Gly	Ser Thr Arg Ile Pro Lys Ile Gln Gln Leu Val				
	365		370		375
Lys Glu Phe Phe	Asn Gly Lys Glu Pro Ser Arg Gly Ile Asn Pro				
	380		385		390
Asp Glu Ala Val	Ala Tyr Gly Ala Ala Val Gln Ala Gly Val Leu				
	395		400		405
Ser Gly Asp Gln	Asp Thr Gly Asp Leu Val Leu Leu Asp Val Cys				
	410		415		420
Pro Leu Thr Leu	Gly Ile Glu Thr Val Gly Gly Val Met Thr Lys				
	425		430		435
Leu Ile Pro Arg	Asn Thr Val Val Pro Thr Lys Lys Ser Gln Ile				
	440		445		450
Phe Ser Thr Ala	Ser Asp Asn Gln Pro Thr Val Thr Ile Lys Val				
	455		460		465

-continued

Tyr Glu Gly Glu Arg Pro Leu Thr Lys Asp Asn His Leu Leu Gly
 470 475 480
 Thr Phe Asp Leu Thr Gly Ile Pro Pro Ala Pro Arg Gly Val Pro
 485 490 495
 Gln Ile Glu Val Thr Phe Glu Ile Asp Val Asn Gly Ile Leu Arg
 500 505 510
 Val Thr Ala Glu Asp Lys Gly Thr Gly Asn Lys Asn Lys Ile Thr
 515 520 525
 Ile Thr Asn Asp Gln Asn Arg Leu Thr Pro Glu Glu Ile Glu Arg
 530 535 540
 Met Val Asn Asp Ala Glu Lys Phe Ala Glu Glu Asp Lys Lys Leu
 545 550 555
 Lys Glu Arg Ile Asp Thr Arg Asn Glu Leu Glu Ser Tyr Ala Tyr
 560 565 570
 Ser Leu Lys Asn Gln Ile Gly Asp Lys Glu Lys Leu Gly Gly Lys
 575 580 585
 Leu Ser Ser Glu Asp Lys Glu Thr Met Glu Lys Ala Val Glu Glu
 590 595 600
 Lys Ile Glu Trp Leu Glu Ser His Gln Asp Ala Asp Ile Glu Asp
 605 610 615
 Phe Lys Ala Lys Lys Lys Glu Leu Glu Glu Ile Val Gln Pro Ile
 620 625 630
 Ile Ser Lys Leu Tyr Gly Ser Ala Gly Pro Pro Pro Thr Gly Glu
 635 640 645
 Glu Asp Thr Ala Glu Lys Asp Glu Leu
 650

<210> SEQ ID NO 55
 <211> LENGTH: 5762
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 331106.6

<400> SEQUENCE: 55

gcgcgaccgt cccgggggtg gggccgggag cagcggcgag aggaggcgaa ggtggctgcg 60
 gtagcagcag cgcggcagcc tcgtgaccca gcccgagagc cagggcgggc gctgcaggtc 120
 cccgctcccc tccccgtgag tccgccccatg gccgcccggc ggcagctgtg cttgctctac 180
 ctgtcggcgg ggctcctgtc ccggctcggc gcagccttca acttggacac tcgggaggac 240
 aacgtgatcc ggaaatatgg agacccccggg agcctcttcg gcttctcgct ggccatgcac 300
 tggcaactgc agcccagga caagcggctg ttgctcgtgg gggccccgag ggcagaagcg 360
 cttccactgc agagagccaa cagaacggga gggctgtaca gctgcgacat caccgcccgg 420
 gggccatgca cgcgatcga gtttgataac gatgctgacc ccacgtcaga aagcaaggaa 480
 gatcagtgga tgggggtcac cgtccagagc caaggtccag ggggcaaggt cgtgacatgt 540
 gctcaccgat atgaaaaaag gcagcatggt aatacgaagc aggaatcccg agacatcttt 600
 gggcgggtgt atgtcctgag tcagaatctc aggattgaag acgatatgga tgggggagat 660
 tggagctttt gtgatgggag attgagaggc catgagaaat ttggctcttg ccagcaaggt 720
 gtagcagcta cttttactaa agactttcat tacattgtat ttggagcccc ggtacttat 780
 aactggaaag ggattgttcg ttagagcaa aagaataaca ctttttttga catgaacatc 840

-continued

tttgaagatg	ggccttatga	agttggtgga	gagactgagc	atgatgaaag	tctcgttcct	900
gttcctgcta	acagttactt	aggtttttct	ttggactcag	ggaaaggtat	tgtttctaaa	960
gatgagatca	cttttgtatc	tggtgctccc	agagccaatc	acagtggagc	cgtggttttg	1020
ctgaagagag	acatgaagtc	tgcacatctc	ctccctgagc	acatattcga	tggagaaggt	1080
ctggcctctt	catttggcta	tgatgtggcg	gtgggtggacc	tcaacaagga	tgggtggcaa	1140
gatatagtta	ttggagcccc	acagtatttt	gatagagatg	gagaagttgg	aggtgcagtg	1200
tatgtctaca	tgaaccagca	aggcagatgg	aataatgtga	agccaattcg	tcttaatgga	1260
accaaagatt	ctatgtttgg	cattgcagta	aaaaatattg	gagatattaa	tcaagatggc	1320
taccagata	ttgcagttgg	agctccgtat	gatgacttgg	gaaaggtttt	tatctatcat	1380
ggatctgcaa	atggaataaa	taccaaacca	acacaggttc	tcaagggtat	atcaccttat	1440
tttgatatt	caattgctgg	aaacatggac	cttgatcgaa	attcctaccc	tgatgttgct	1500
gttggttccc	tctcagattc	agtaactatt	ttcagatccc	ggcctgtgat	taatattcag	1560
aaaaccatca	cagtaactcc	taacagaatt	gacctccgcc	agaaaacagc	gtgtggggcg	1620
cctagtggga	tatgcctcca	ggttaaatac	tgttttgaat	atactgctaa	ccccgctggt	1680
tataatcctt	caatatcaat	tgtgggcaca	cttgaagctg	aaaaagaaag	aagaaaatct	1740
gggctatcct	caagagttca	gtttcgaaac	caaggttctg	agcccaaata	tactcaagaa	1800
ctaactctga	agaggcagaa	acagaaagtg	tgcattggagg	aaaccctgtg	gctacaggat	1860
aatatcagag	ataaactgcy	tcccattccc	ataactgcct	cagtggagat	ccaagagcca	1920
agctctcgta	ggcgagtga	ttcacttcca	gaagttcttc	caattctgaa	ttcagatgaa	1980
ccaagacag	ctcatattga	tgttcacttc	ttaaaagagg	gatgtggaga	cgacaatgta	2040
tgtaacagca	accttaaact	agaatataaa	ttttgcaccc	gagaaggaaa	tcaagacaaa	2100
ttttcttatt	taccaattca	aaaagggtga	ccagaactag	ttctaaaaga	tcagaaggat	2160
attgctttag	aaataacagt	gacaaacagc	ccttccaacc	caaggaatcc	cacaaaagat	2220
ggcgatgacg	cccatgaggc	taaactgatt	gcaacgtttc	cagacacttt	aacctattct	2280
gcatatagag	aactgagggc	tttccctgag	aaacagttga	gttgtgttgc	caaccagaat	2340
ggctcgcaag	ctgactgtga	gctcggaaat	ccttttaaaa	gaaattcaaa	tgtcactttt	2400
tatttggttt	taagtacaac	tgaagtcacc	tttgacaccc	cagatctgga	tattaatctg	2460
aagttagaaa	caacaagcaa	tcaagataat	ttggctccaa	ttacagctaa	agcaaaagtg	2520
gttattgaac	tgtctttatc	ggtctcggga	gttgctaaac	cttcccagggt	gtattttgga	2580
ggtacagttg	ttggcgagca	agctatgaaa	tctgaagatg	aagtgggaag	tttaatagag	2640
tatgaattca	gggtaataaa	cttaggtaaa	cctcttacia	acctcggcac	agcaaccttg	2700
aacattcagt	ggccaaaaga	aattagcaat	gggaaatggt	tgttttattt	ggtgaaagta	2760
gaatccaaag	gattggaaaa	ggtaacttgt	gagccacaaa	aggagataaa	ctccctgaac	2820
ctaacggagt	ctcacaactc	aagaaagaaa	cgggaaatta	ctgaaaaaca	gatagatgat	2880
aacagaaaat	tttctttatt	tgtgaaaga	aaataaccaga	ctcttaactg	tagcgtgaac	2940
gtgaactgtg	tgaacatcag	atgcccgtcg	cgggggctgg	acagcaaggc	gtctcttatt	3000
ttgcgctcga	ggttatggaa	cagcacatth	ctagaggaat	attccaaact	gaactacttg	3060
gacattctca	tgcgagcctt	cattgatgtg	actgctgctg	ccgaaaatat	caggctgcca	3120
aatgcaggca	ctcaggttcg	agtgactgtg	tttccctcaa	agactgtagc	tcagtattcg	3180
ggagtacctt	ggtgatcat	cctagtggct	attctcgtcg	ggatcttgat	gcttgcttta	3240

-continued

ttagtgttta	tactatggaa	gtgtggtttc	ttcaagagaa	ataagaaaga	tcattatgat	3300
gccacatatac	acaaggctga	gatccatgct	cagccatctg	ataaagagag	gcttacttct	3360
gatgcatagt	attgatctac	ttctgtaatt	gtgtggattc	tttaaagcgt	ctaggtacga	3420
tgacagtgtt	ccccgatacc	atgctgtaag	gatccggaaa	gaagagcgag	agatcaaaga	3480
tgaaaagtat	attgataacc	ttgaaaaaaaa	acagtggatc	acaagtgga	acagaaatga	3540
aagctactca	tagcgggggc	ctaaaaaaaa	aaaaagcttc	acagtaccca	aactgctttt	3600
tccaactcag	aaattcaatt	tggatttaaa	agcctgctca	atccctgagg	actgatttca	3660
gagtgactac	acacagtacg	aacctacagt	tttaactgtg	gatattgtta	cgtagcctaa	3720
ggctcctgtt	ttgcacagcc	aaatttaaaa	ctggttgaat	ggatttttct	ttaactgccg	3780
taatttaact	ttctgggttg	cctttgtttt	tggcgtggct	gacttacatc	atgtgttggg	3840
gaagggcctg	cccagttgca	ctcaggtgac	atcctccaga	tagttagct	gaggaggcac	3900
ctacactcac	ctgcactaac	agagtggccg	tcctaacctc	gggcctgctg	cgagacgctc	3960
catcacgtta	gctgtcccac	atcacaagac	tatgccattg	gggtagttgt	gtttcaacgg	4020
aaagtgctgt	cttaaaactaa	atgtgcaata	gaaggtgatg	ttgccatcct	accgtctttt	4080
cctgtttcct	agctgtgtga	atacctgctc	acgtcaaatg	catacaagtt	tcattctccc	4140
tttactaaa	aacacacag	tgcaacagac	ttgaatgcta	gttatactta	tttgtatatg	4200
gtatttattt	tttcttttct	ttacaaacca	ttttgttatt	gactaacagg	ccaagagctc	4260
tccagtttac	ccttcaggtt	ggtttaatca	atcagaatta	gaattagagc	atgggaggtc	4320
atcactttga	cctaaattat	ttactgcaaa	aagaaaatct	ttataaatgt	accagagaga	4380
gttgttttta	taacttatct	ataaactata	acctctcctt	catgacagcc	tccacccac	4440
aacccaaaag	gtttaagaaa	tagaattata	actgtaaaga	tgtttatttc	aggcattgga	4500
tattttttac	tttagaagcc	tgcataatgt	ttctggattt	catactgtaa	cattcaggaa	4560
ttcttgagaa	aatgggttt	attcactgaa	ctctagtgcg	gtttactcac	tgctgcaaat	4620
actgtatatt	caggacttga	aagaaatggt	gaatgcctat	ggtggatcca	aactgatcca	4680
gtataagact	actgaatctg	ctacccaaaac	agttaatcag	tgagtcgatg	ttctattttt	4740
tgttttgttt	cctcccctat	ctgtattccc	aaaaattact	ttggggctaa	tttaacaaga	4800
actttaaatt	gtgttttaat	tgtaaaaatg	gcaggggggtg	gaattattac	tctatacatt	4860
caacagagac	tgaatagata	tgaaagctga	ttttttttta	ttaccatgct	tcacaatgtt	4920
aagttatatg	gggagcaaca	gcaaacaggt	gctaatttgt	tttgatata	gtataagcag	4980
tgtctgtgtt	ttgaaagaat	agaacacagt	ttgtagtgcc	actgttgttt	tgggggggct	5040
tttttctttt	cggaaatctt	aaaccttaag	atactaagga	cgttgttttg	gttgactttt	5100
ggaattctta	gtcacaaaat	atattttgtt	tacaaaaatt	tctgtaaac	aggttataac	5160
agtgtttaaa	gtctcagttt	cttgcttggg	gaacttgtgt	ccctaatgtg	tttagattgc	5220
tagattgcta	aggagctgat	actttgacag	tgttttttaga	cctgtgttac	taaaaaaaaag	5280
atgaatgtcc	tgaaaagggt	gttgggaggg	tggttcaaca	aagaaacaaa	gatgttatgg	5340
tgtttagatt	tatggttgtt	aaaaatgtca	tctcaagtca	agtcactggt	ctgtttgcatt	5400
ttgatacatt	tttgacttaa	ctagcattgt	aaaattattt	catgattaga	aattacctgt	5460
ggatatttgt	ataaaagtgt	gaaataaatt	ttttataaaa	gtgttcattg	tttcgtaaca	5520
cagcattgta	tatgtgaagc	aaactctaaa	attataaatg	acaacctgaa	ttatctattt	5580

-continued

catcaaacca aagttcagtg tttttatattt tgggtgtctca tgtaatctca gatcagccaa	5640
agatactagt gccaaagcaa tgggattcgg ggttttttttc tgttttcgct ctatgtaggt	5700
gatcctcaag tctttcattt tccttcttta tgattaaaag aaacctacag gtatttaaca	5760
ac	5762

<210> SEQ ID NO 56
 <211> LENGTH: 2471
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1256895CB1

<400> SEQUENCE: 56

ccgcgcgtcg cctgtcctcc gagccagtcg ctgacagccg cggcgccgcg agcttctcct	60
ctcctcacga ccgaggcaga gcagtcatta tggcgaacct tggctgctgg atgctggttc	120
tctttgtggc cacatggagt gacctgggcc tctgcaagaa gcgcccgaag cctggaggat	180
ggaacactgg gggcagccga taccgggggc agggcagccc tggaggcaac cgctaccac	240
ctcagggcgg tgggtggctgg gggcagcctc atgggtgggtg ctgggggcag cctcatggtg	300
gtggctgggg gcagccccat ggtggtggct ggggacagcc tcatggtggt ggctggggtc	360
aaggaggtgg caccacagt cagtggaaaca agccagtaa gccaaaaacc aacatgaagc	420
acatggctgg tgctgcagca gctggggcag tgggtggggg ccttggcggc tacgtgctgg	480
gaagtgccat gagcaggccc atcatacatt toggcagtgga ctatgaggac cgttactatc	540
gtgaaaacat gcaccgttac cccaaccaag tgtactacag gcccatggat gagtacagca	600
accagaacia ctttgtgcac gactgcgtca atatcacaat caagcagcac acggtcacca	660
caaccaccaa gggggagaac ttcaccgaga ccgacgttaa gatgatggag cgcgtggttg	720
agcagatgtg tatcaccag tacgagaggg aatctcaggc ctattaccag agaggatcga	780
gcatggtcct cttctcctct ccacctgtga toctcctgat ctctttcctc atcttctga	840
tagtgggatg aggaaggtct tcctgttttc accatctttc taatcttttt ccagcttgag	900
ggaggcggta tccacctgca gcccttttag tgggtggtgtc tcaactcttc ttctctcttt	960
gtcccggata ggctaataca tacccttggc actgatgggc actggaaaac atagagtaga	1020
cctgagatgc tggtaagcc ccctttgatt gagttcatca tgagccgttg ctaatgccag	1080
gccagtaaaa gtataacagc aaataacctat tggtaaatct ggacttattt ttggacttag	1140
tgcaacaggt tgaggctaaa acaaatctca gaacagtctg aaataccttt gcctggatac	1200
ctctggctcc ttcagcagct agagctcagt atactaatgc cctatcttag tagagatttc	1260
atagctattt agagatattt tccattttta gaaaaccoga caacatttct gccaggtttg	1320
ttaggaggcc acatgatact tattcaaaaa aatcctagag attcttagct cttgggatgc	1380
aggctcagcc cgctggagca tgagctctgt gtgtaccgag aactggggtg atgttttact	1440
tttcacagta tgggctacac agcagctggt caacaagagt aaatattgtc acaacactga	1500
acctctggct agaggacata ttcacagtga acataactgt aacatatatg aaaggcttct	1560
gggacttgaa atcaaatggt tgggaatggt gcccttggag gcaacctccc attttagatg	1620
tttaaaggac cctatatgtg gcattccttt ctttaaaacta taggtaatta aggcagctga	1680
aaagtaaatt gccttctaga cactgaaggc aaatctcctt tgtccattta cctggaaacc	1740
agaatgattt tgacatacag gagagctgca gttgtgaaag caccatcatc atagaggatg	1800

-continued

```

atgtaattaa aaaatggtca gtgtgcaaag aaaagaactg cttgcatttc tttatttctg 1860
tctcataatt gtcaaaaacc agaattaggt caagttcata gtttctgtaa ttggcttttg 1920
aatcaaagaa tagggagaca atctaaaaaa tatcttaggt tggagatgac agaaatatga 1980
ttgatttgaa gtggaaaaag aaattctggt aatgttaatt aaagtaaaat tattccctga 2040
attgtttgat attgtcacct agcagatatg tattactttt ctgcaatggt attattggct 2100
tgcactttgt gagtattcta tgtaaaaata tatatgtata taaaatatat attgcatagg 2160
acagacttag gagttttggt tagagcagtt aacatctgaa gtgtctaata cattaaacttt 2220
tgtaaggtac tgaataactta atatgtggga aacccttttg cgtggtcctt aggcttacia 2280
tgtgcactga atcgtttcat gtaagaatcc aaagtggaca ccattaacag gtctttgaaa 2340
tatgcatgta ctttatattt tctatatttg taactttgca tgttcttggt ttgttatata 2400
aaaaaattgt aaatgtttaa tatctgactg aaattaaacg agcgaagatg agcaccaaaa 2460
aaaaaaaaa a 2471

```

```

<210> SEQ ID NO 57
<211> LENGTH: 253
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1256895CD1

```

```

<400> SEQUENCE: 57

```

```

Met Ala Asn Leu Gly Cys Trp Met Leu Val Leu Phe Val Ala Thr
 1             5             10             15
Trp Ser Asp Leu Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
          20             25             30
Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
          35             40             45
Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Gly Trp Gly Gln Pro
          50             55             60
His Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln
          65             70             75
Pro His Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly
          80             85             90
Gln Gly Gly Gly Thr His Ser Gln Trp Asn Lys Pro Ser Lys Pro
          95             100            105
Lys Thr Asn Met Lys His Met Ala Gly Ala Ala Ala Ala Gly Ala
          110            115            120
Val Val Gly Gly Leu Gly Gly Tyr Val Leu Gly Ser Ala Met Ser
          125            130            135
Arg Pro Ile Ile His Phe Gly Ser Asp Tyr Glu Asp Arg Tyr Tyr
          140            145            150
Arg Glu Asn Met His Arg Tyr Pro Asn Gln Val Tyr Tyr Arg Pro
          155            160            165
Met Asp Glu Tyr Ser Asn Gln Asn Asn Phe Val His Asp Cys Val
          170            175            180
Asn Ile Thr Ile Lys Gln His Thr Val Thr Thr Thr Thr Lys Gly
          185            190            195
Glu Asn Phe Thr Glu Thr Asp Val Lys Met Met Glu Arg Val Val
          200            205            210
Glu Gln Met Cys Ile Thr Gln Tyr Glu Arg Glu Ser Gln Ala Tyr
          215            220            225

```


-continued

Tyr Gln Arg Gly Ser Ser Met Val Leu Phe Ser Ser Pro Pro Val
 230 235 240

Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
 245 250

<210> SEQ ID NO 58
 <211> LENGTH: 5681
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 474630.29

<400> SEQUENCE: 58

```

cccgcgcccc ccctcggaca gtccctgctc gcccgcgcgc tgcagcccca tctcctagcg      60
gcagcccagg cgcgaggagg gcgagtcgac ccgaggttag gtccaggacg ggcgcacacg      120
agcagccgag gctggccggg agagggagga agaggatggc agggccacgc cccagcccat      180
gggccaggct gctcctggca gccttgatca gcgtcagcct ctctgggacc ttggcaaacc      240
gctgcaagaa ggccccagtg aagagctgca cggagtggtg ccgtgtggat aaggactgcg      300
cctactgcac agacgagatg ttcagggacc ggcgctgcaa caccaggcg gagctgctgg      360
ccgcgggctg ccagcgggag agcatcgtgg tcatggagag cagcttcaa atcacagagg      420
agaccagat tgacaccacc ctgcggcgca gccagatgtc cccccaaggc ctgcgggtcc      480
gtctgcggcc cggtgaggag cggcattttg agctggaggt gtttgagcca ctggagagcc      540
ccgtggacct gtacatcctc atggacttct ccaactccat gtccgatgat ctggacaacc      600
tcaagaagat ggggcagaac ctggctcggg tccctgagcca gctcaccagc gactacacta      660
ttggatttgg caagtttgtg gacaaagtca gcgctccgca gacggacatg aggcctgaga      720
agctgaagga gccctggccc aacagtgacc cccccttctc cttcaagaac gtcatcagcc      780
tgacagaaga tgtggatgag ttccggaata aactgcaggg agagcggatc tcaggcaacc      840
tggatgctcc tgagggcggc ttcgatgcca tccctgcagac agctgtgtgc acgagggaca      900
ttggctggcg cccggacagc acccacctgc tggctcttct caccgagtca gccttccact      960
atgaggctga tggcgccaac gtgctggctg gcatcatgag ccgcaacgat gaacgggtgcc     1020
acctggacac cacgggcacc tacaccagc acaggacaca ggactaccgg tcggtgcca     1080
ccctggtgcg cctgctcgcc aagcacaaca tcatcccat ctttgctgtc accaactact     1140
cctatagcta ctacgagaag cttcacacct atttccctgt ctctcactg ggggtgctgc     1200
aggaggactc gtccaacatc gtggagctgc tggaggaggc cttcaatcgg atccgctcca     1260
acctggacat ccgggcccta gacagcccc gaggccttcg gacagaggtc acctccaaga     1320
tgttccagaa gacgaggact gggtcctttc acatccggcg gggggaagtg ggtatatacc     1380
aggtgcagct gcgggcctt gagcacgtgg atgggacgca cgtgtgccag ctgccggagg     1440
accagaaggg caacatccat ctgaaacctt ccttctccga cggcctcaag atggacgcgg     1500
gcatcatctg tgatgtgtgc acctgcgagc tgcaaaaaga ggtgcggtca gctcgtgca     1560
gcttcaacgg agacttcgtg tgcggacagt gtgtgtgacg cgagggctgg agtggccaga     1620
cctgcaactg ctccaccggc tctctgagtg acattcagcc ctgcctgcgg gagggcgagg     1680
acaagccgtg ctccggccgt ggggagtgcc agtgcgggca ctgtgtgtgc tacggcgaag     1740
gccgctacga gggtcagttc tgcgagtatg acaacttcca gtgtccccgc acttccgggt     1800
tcctctgcaa tgaccgagga cgctgctcca tgggccaagt tgtgtgtgag cctggttga     1860

```

-continued

caggccaag	ctgtgactgt	cccctcagca	atgccacctg	catcgacagc	aatgggggca	1920
tctgtaatgg	acgtggccac	tgtgagtgtg	gocgctgcca	ctgccaccag	cagtcgctct	1980
acacggacac	catctgcgag	atcaactact	cggcgatcca	cccgggcctc	tgcgaggacc	2040
tacgctcctg	cgtgcagtgc	caggcgtggg	gcaccggcga	gaagaagggg	cgcacgtgtg	2100
aggaatgcaa	cttcaaggtc	aagatggtgg	acgagcttaa	gagagccgag	gaggtggtgg	2160
tgcgctgctc	cttccgggac	gaggatgacg	actgcaccta	cagctacacc	atggaaggtg	2220
acggcgcccc	tgggccaac	agcactgtcc	tgggtgcacaa	gaagaaggac	tgcctccgg	2280
gctccttctg	gtggctcatc	cccctgctcc	tctctctcct	gccgctcctg	gccctgctac	2340
tgctgctatg	ctggaagtac	tgtgcctgct	gcaaggcctg	cctggcactt	ctcccgtgct	2400
gcaaccgagg	tcacatggtg	ggctttaagg	aagaccacta	catgctgcgg	gagaacctga	2460
tggcctctga	ccacttgac	acgccatgc	tgcgcagcgg	gaacctcaag	ggccgtgacg	2520
tggcccgctg	gaaggtcacc	aacaacatgc	agcggcctgg	ctttgccact	catgccgcca	2580
gcatcaacc	cacagagctg	gtgccctacg	ggctgtcctt	gcgcctggcc	cgcctttgca	2640
ccgagaacct	gctgaagcct	gacactcggg	agtgcgcca	gctgcgccag	gaggtggagg	2700
agaacctgaa	cgaggtctac	aggcagatct	ccggtgtaca	caagctccag	cagaccaagt	2760
tccggcagca	gcccaatgcc	gggaaaaagc	aagaccacac	cattgtggac	acagtgtctga	2820
tggcgccccg	ctcggccaag	ccggccctgc	tgaagcttac	agagaagcag	gtggaacaga	2880
gggccttcca	cgacctcaag	gtggcccccg	gctactacac	cctcactgca	gaccaggacg	2940
cccggggcat	ggtggagttc	caggagggcg	tggagctggt	ggacgtacgg	gtgcccctct	3000
ttatccggcc	tgaggatgac	gacgagaagc	agctgctggt	ggaggccatc	gacgtgcccg	3060
caggcactgc	caccctcggc	cgccgcctgg	taaacatcac	catcatcaag	gagcaagcca	3120
gagacgtggt	gtcctttgag	cagcctgagt	tctcggtcag	ccgcggggac	caggtggccc	3180
gcatccctgt	catccggcgt	gtcctggacg	gocgggaagtc	ccaggtctcc	taccgcacac	3240
aggatggcac	cgcgagggc	aaccgggact	acatccccgt	ggagggtgag	ctgctgttcc	3300
agcctgggga	ggcctggaaa	gagctgcagg	tgaagctcct	ggagctgcaa	gaagttgact	3360
ccctcctgcg	gggcccag	gtccgcggtt	tccacgtcca	gctcagcaac	cctaagtttg	3420
gggcccacct	gggcccagccc	cactccacca	ccatcatcat	cagggacca	gatgaactgg	3480
accggagctt	cacgagtcag	atgttgtcat	cacagccacc	ccctcacggc	gacctgggcg	3540
ccccgcagaa	ccccaatgct	aaggccgctg	ggtccaggaa	gatccatttc	aactggctgc	3600
ccccttctgg	caagccaatg	gggtacaggg	taaagtactg	gattcagggg	gactccgaat	3660
ccgaagccca	cctgctcgac	agcaagggtgc	cctcagtggg	gctcaccaac	ctgtaccctg	3720
attgcgacta	tgagatgaag	gtgtgcgcct	acggggctca	gggcgaggga	ccctacagct	3780
ccctggtgtc	ctgccgcacc	caccaggaag	tgccagcga	gccagggcgt	ctggccttca	3840
atgtcgtctc	ctccacgggtg	accagctga	gctgggctga	gccggctgag	accaacgggtg	3900
agatcacagc	ctacgaggtc	tgctatggcc	tgggtcaacga	tgacaaccga	cctattgggc	3960
ccatgaagaa	agtgtggtt	gacaacccta	agaaccggat	gctgcttatt	gagaaccttc	4020
gggagtccca	gccctaccgc	tacacgggtga	aggocgcgaa	cggggccggc	tgggggctg	4080
agcgggaggc	catcatcaac	ctggccaccc	agcccaagag	gcccatgtcc	atccccatca	4140
tccctgacat	ccctatcgtg	gacgcccaga	gocgggagga	ctacgacagc	ttccttatgt	4200

-continued

```

acagcgatga cgttctacgc tctccatcgg gcagccagag gccagcgtc tccgatgaca 4260
ctgagcacct ggtgaatggc cggatggact ttgccttccc gggcagcacc aactccctgc 4320
acaggatgac cacgaccagt gctgctgcct atggcaccca cctgagccca cacgtgcccc 4380
accgcgtgct aagcacatcc tccaccctca cacgggacta caactcactg acccgctcag 4440
aacactcaca ctcgaccaca ctgccgaggg actactccac cctcacctcc gtctcctccc 4500
acgactctcg cctgactgct ggtgtgcccg acacgcccac ccgctgggtg ttctctgccc 4560
tggggcccac atctctcaga gtgagctggc aggagccgcg gtgcgagcgg ccgctgcagg 4620
gctacagtgt ggagtaccag ctgctgaacg gcggtgagct gcatcggctc aacatcccca 4680
accctgcccc gacctcgggtg gtggtggaag acctcctgcc caaccactcc tacgtgttcc 4740
gcgtgcgggc ccagagccag gaaggctggg gccgagagcg tgagggtgtc atcaccattg 4800
aatcccaggt gcacccgagc agcccactgt gtcccctgcc aggctccgcc ttcactttga 4860
gcactcccag tgccccaggc ccgctgggtg tcaactgcct gagcccagac tcgctgcagc 4920
tgagctggga gcggccacgg aggcccaatg gggatatcgt cggctacctg gtgacctgtg 4980
agatggccca aggaggaggg ccagccaccg cattccgggt ggatggagac agccccgaga 5040
gccggctgac cgtgccgggc ctacgcgaga acgtgcccta caagttcaag gtgcaggcca 5100
ggaccactga gggcttcggg ccagagcgcg agggcatcat caccatagag tcccaggatg 5160
gaggaccctt cccgcagctg ggcagccgtg ccgggctctt ccagcaccgg ctgcaaagcg 5220
agtacagcag catcaccacc acccacacca gcgccaccga gcccttccta gtggatgggc 5280
tgaccctggg ggcccagcac ctggaggcag gcggctccct caccggcat gtgaccagg 5340
agtttgtgag ccggacactg accaccagcg gaacccttag caccacatg gaccaacagt 5400
tcttccaaac ttgaccgcac cctgccccac ccccgccatg tcccactagg cgtcctcccg 5460
actcctctcc cggagcctcc tcagctactc catccttgca cccctggggg cccagcccac 5520
ccgcatgcac agagcagggg ctagggtgtc cctgggaggc atgaaggggg caaggtccgt 5580
cctctgtggg cccaaaccta tttgtaacca aagagctggg agcagcacia ggaccagcc 5640
tttgttctgc acttaataaa tggttttgct actgctaaaa a 5681

```

<210> SEQ ID NO 59

<211> LENGTH: 1366

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 1256295.18

<400> SEQUENCE: 59

```

ctttgtcctc cagtggctgg taggcagtgg ctgggaggca gcggcccaat tagtgtcgtg 60
cggcccgtgg cgaggcaggg tccggggagc gagcgagcaa gcaaggcggg aggggtggcc 120
ggagctgcgg cggctggcac aggaggagga gcccgggcgg gcgaggggcg gccggagagc 180
gccagggcct gagctgccgg agcggcgcct gtgagtgagt gcagaaagca ggcgcccgcg 240
cgctagccgt ggcaggagca gcccgcacgc cgcgctctct ccctgggcca cctgcagttt 300
gcaatatgac tttggaggaa ttctcggctg gagagcagaa gaccgaaagg atggataagg 360
tgggggatgc cctggaggaa gtgctcagca aagccctgag tcagcgcacg atcactgtcg 420
gggtgtacga agcggccaag ctgctcaacg tcgaccccga taacgtgggtg ttgtgcctgc 480
tggcggcgga cgaggacgac gacagagatg tggctctgca gatccacttc accctgatcc 540

```

-continued

```

aggcgttttg ctgcgagaac gacatcaaca tcctgcgcgt cagcaaccg gcccggttg 600
cggagctcct gctcttgag accgacgctg gccccgcggc gagcgagggc gccgagcagc 660
ccccggacct gcactgcgtg ctggtgacga atccacattc atctcaatgg aaggatcctg 720
ccttaagtca acttatttgt ttttgccggg aaagtgcgta catggatcaa tgggttccag 780
tgattaatct ccctgaacgg tgatggcatc tgaatgaaaa taactgaacc aaattgcaact 840
gaagtttttg aaataccttt gtagttactc aagcagttac tccctacact gatgcaagga 900
ttacagaaac tgatgccaaag gggctgagtg agttcaacta catgttcttg gggcccggag 960
atagatgact ttgcagatgg aaagaggtga aaatgaagaa ggaagctgtg ttgaaacaga 1020
aaaataagtc aaaaggaaca aaaattacaa agaaccatgc aggaaggaaa actatgtatt 1080
aatttagaat ggttgagtta cattaataa aaccaaataat gttaaagttt aagtgtgagc 1140
ccatagtttg ggtatttttg gtttatatgc cctcaagtaa aagaaaagcc gaaagggtta 1200
atcatatttg aaaaccatat tttattgtat tttgatgaga tattaattc tcaaagtttt 1260
attataaatt ctactaagtt attttatgac atgaaaagtt atttatgcta taaatTTTT 1320
gaaacacaat acctacaata aactggtatg aataattgca tcattt 1366

```

```

<210> SEQ ID NO 60
<211> LENGTH: 1432
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 444096.1

```

```

<400> SEQUENCE: 60
gaccatcag ggcttctgta aggctgagtg ggtccatgc ctgaaaggag agccaggctg 60
agcctggcct gagtctcca tgtgtaacag gtacgaggat gaaatcaaca agcacactgc 120
tgagagaac gagtttggg tgctcaagaa ggatgtggat gcagcataca tgggccggat 180
ggatctgcat ggcaaagtgg gcacctgac ccaggagatt gacttctgc agcaactcta 240
tgaaatggag ctgagccaag tgcagacca cgtgtctaac accaatgtgg tgctgtccat 300
ggacaacaac cgcaacctgg acctggacag catcatcgcc gaggtcaagg cccagtatga 360
gctgattgcc cagaggagcc gggctgaggc cgaggcctgg taccagacca agtatgagga 420
gctgcaggtg actgctgga agcatgggga caacctgcgg gacaccaaga acgagattgc 480
tgagctcacc cgactatcc agaggctgca gggggaggct gatgcagcca agaagcagtg 540
tcagcagctg cagacggcca ttgcggaacg cggagcagcg tggggagctg gcaactcaag 600
atgctcagaa gaagcttggg gatctggatg tggccctgca ccaggccaag gaggacctga 660
cacggctgct gcgtgactac caggagctga tgaatgtcaa gctggcctg gacgtggaga 720
ttgccaccta ccgcaagctt ctggagagcg aggagagcag gatgtctgga gaatgtcca 780
gtgcagtcag ctttctgtg actggcaact ccaccactgt gtgcggaggt ggcgcaccag 840
ctttggaggt ggcattctcc tgggtgggag tgggggggccc accaaggggtg gattcagcac 900
aaatgtgggc tatagaccg tcaagggagg gccagtctct gcgggcacct ccatcctgcg 960
gaagaccact acggtcaaga cgtccagcca gaggtattag ctgctgagcc ctgcaaggcc 1020
ccctgcaatc atgtccctgc cctcctcacc ccacctctgc tgtcctttcc agtcaactct 1080
caggagcag aacagccagg ggacctcaga cccaggggat tttcatacca gactatttgc 1140
atcttgggaa gcgctcaaat ctactcaggt tttctccttg gtcctgcagt aggatgggag 1200

```


-continued

```

ggaaggtaa agttgccagc ttgagtgatg tgcttgggtg acttgggggt gaccttttga 1260
ccaccgagag gaggctgaat ttctcaagcc attaggagag agagaaattg ggagtgggtcc 1320
ccaaagacc cccaacctcc ccagtcccc accagacca ccctctccct gaatctacc 1380
acatccccct tcctgtctg tgtctcaata aatgggtgcaa ctgcaaaaaa aa 1432

```

```

<210> SEQ ID NO 61
<211> LENGTH: 4559
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 008942.10

```

```

<400> SEQUENCE: 61

```

```

agcgggccc gcgcacactg ctcgctgggc cgcggctccc ggggtgtcca ggcccggccg 60
gtgctcagag catggcgggt gcgggcccga agcggcgcgc gctagcggcg ccggcggccg 120
aggagaagga agaggcgcgg gagaagatgc tggccgcaa gagcgcggac ggctcggcgc 180
cggcaggcga gggcgagggc gtgaccctgc agcggaacat cacgctgctc aacggcgtgg 240
ccatcatcgt ggggaccatt atcggctcgg gcatcttctg gacgcccacg ggcgtgctca 300
aggaggcagg ctcgccgggg ctggcgtcgg tgggtgtggg cgcgtgcggc gtcttctcca 360
tcgtgggccc gctctgctac gcggagctcg gcaaccacat ctccaaatcg ggcggcgact 420
acgcctacat gctggaggtc tacggctcgc tgcccgcctt cctcaagctc tggatcgagc 480
tgctcatcat ccggccttca tcgcagtaca togtggcctt ggtcttcgcc acctacctgc 540
tcaagccgct cttccccacc tgcccgggtg ccgaggaggc agccaagctc gtggcctgcc 600
tgtgctgct gctgctcac gccgtgaact gctacagcgt gaaggccgcc acccgggtcc 660
aggatgcctt tgccgccgcc aagctcctgg ccctggcctt gatcatcctg ctgggcttcg 720
tccagatcgg gaaggggtgat gtgtccaatc tagatoccaa cttctcattt gaaggacca 780
aactggatgt ggggaacatt gtgctggcat tatacagcgg cctctttgcc tatggaggat 840
ggaattactt gaatttcgtc acagaggaaa tgatcaacct ctacagaaac ctgcccctgg 900
ccatcatcat ctccctgccc atcgtgacgc tgggtgtacgt gctgaccaac ctggcctact 960
tcaccacct gtccaccgag cagatgctgt cgtccgaggc cgtggccgtg gacttcggga 1020
actatcacct gggcgtcatg tcctggatca tccccgtctt cgtgggcctg tcctgctttg 1080
gctccgtcaa tgggtcccgt ttacatcct ccaggctctt cttcgtgggg tcccgggaag 1140
gccacctgcc ctccatcctc tccatgatcc accacagct cctcaccccc gtgccgtccc 1200
tcgtgttac gtgtgtgat acgctgctct acgccttctc caaggacatc ttctccgtca 1260
tcaacttctt cagcttctt aactggctct gcgtggcctt ggccatcatc ggcatgatct 1320
ggctgcgcca cagaaagcct gagcttgagc ggccatcaa ggtgaacctg gccctgcctg 1380
tgctcttcat cctggcctgc ctcttctga togcctctc cttctggaag acaccctgg 1440
agtgtggcat cggcttacc atcatcctca gcgggctgcc cgtctacttc ttcggggctt 1500
ggtggaaaa caagcccaag tggctcctcc agggcatctt ctccacgacc gtccctgtgtc 1560
agaagctcat gcaggtggtc ccccaggaga catagccagg aggccgagt gctgcccggag 1620
gagcatgccc agaggccagt taaagtagat cacctcctcg aaccactcc ggttccccgc 1680
aaccacagc tcagctgccc atcccagtc ctgcctgccc ctcccaggtc gggcagtgga 1740
ggctgctgtg aaaactctgg tacgaatctc atccctcaac tgagggccag ggaccaggt 1800

```

-continued

gtgcctgtgc	tcctgcccag	gagcagcttt	tggctctcctt	gggccctttt	tcccttcct	1860
cctttgttta	cttatatata	tatTTTTTTTT	aaacttaa	tttgggtcaa	cttgacacca	1920
ctaagatgat	ttttaaagga	gctgggggaa	ggcaggagcc	ttcctttctc	ctgccccaa	1980
ggcccagacc	ctgggcaa	agagctactg	agacttgga	cctcattgct	accacagact	2040
tgcaactga	ccggacagct	gccagacac	atgggcttgt	gacattcgtg	aaaaccaacc	2100
ctgtgggctt	atgtctctgc	cttagggttt	gcagagtgga	aactcagccg	taggggtggca	2160
ctgggagggg	gtgggggatc	tgggcaaggt	gggtgattcc	tcccaggagg	tgcttgaggc	2220
cccgatggac	tcctgaccat	aatcctagcc	ccgagacacc	atcctgagcc	agggaacagc	2280
cccagggttg	gggggtgccg	gcactctccc	tagctcacca	ggcctggcct	ctgggcagtg	2340
tggcctcttg	gctatttctg	tgtccagttt	tggaggctga	gttctggttc	atgcagacaa	2400
agccctgtcc	ttcagtcttc	tagaaacaga	gacaagaa	gcagacacac	cgcgccag	2460
cacccatgtg	ggcggccacc	ctgggctcca	cacagcagtg	tcccctgccc	cagaggtcgc	2520
agctaccctc	agcctccaat	gcattggcct	ctgtaccgcc	cggcagcccc	ttctggccgg	2580
tgctgggttc	ccactcccgg	cctaggcacc	tccccgctct	ccctgtcacg	ctcatgtcct	2640
gtcctgggtc	tgatgcccgt	tgtctaggag	acagagccaa	gcactgctca	cgtctctgcc	2700
gcctgcgttt	ggaggcccct	gggctctcac	ccagtcccca	cccgcctgca	gagagggaa	2760
tagggcacc	cttgtttctg	ttgttcccgt	gaatTTTTTT	cgctatggga	ggcagccgag	2820
gcctggccaa	tgcgggccac	tttctgagc	tgtcgtgcc	tccatggcag	cagccaagga	2880
ccccagaac	aagaagacc	ccccgcagga	tccctcctga	gctcggggg	ctctgccttc	2940
tcagggcccc	ggccttcct	tctccccagc	cagaggtgga	gccaaagtgt	ccagcgtcac	3000
tccagtgtc	agctgtggct	ggaggagctg	gcctgtggca	cagccctgag	tgtccaagc	3060
cgggagccaa	cgaagccgga	cacggcttca	ctgaccagcg	gctgctcaag	ccgcaagctc	3120
tcagcaagtg	cccagtggag	cctgccgccc	ccacctgggc	accgggaccc	cctcaccatc	3180
cagtgggccc	ggagaaacct	gatgaacagt	ttggggactc	aggaccagat	gtccgtctct	3240
cttgcttgag	gaatgaagac	ctttattcac	ccctgccccg	ttgcttccc	ctgcacatgg	3300
acagacttca	cagcgtctgc	tcataggacc	tgcactcttc	ctggggacga	attccactcg	3360
tccaagggac	agcccacggt	ctggaggccg	aggaccacca	gcaggcaggt	ggactgactg	3420
ttgggcaaga	cctcttcct	ctgggcctgt	tctcttggt	gcaaataagg	acagcagctg	3480
gtgccccacc	tgctggtgc	attgctgtgt	gaatccagga	ggcagtggac	atcgtaggca	3540
gccacggccc	cgggtccag	agaagtgtc	cctggaggca	cgcaccactg	cttcccactg	3600
gggcccggcg	ggcccacgca	cgacgtcagc	ctcttacctt	cccgcctcgg	ctaggggtcc	3660
tcgggatgcc	gttctgttcc	aacctcctgc	tctgggacgt	ggacatgcct	caaggataca	3720
gggagccggc	ggcctctcga	cggcaacgac	ttgcctgttg	gctgctgcgg	ctgtgggcga	3780
gcatgggggc	tgccagcgtc	tgttgtggaa	agtagctgct	agtgaaatgg	ctggggccgc	3840
tggggctcgt	cttcacactg	cgcaggctc	ttctgggct	ctgagctggg	gtgggagctc	3900
ctccgcagaa	ggttgggtgg	gggtccagtc	tgtgatcctt	ggtgctgtgt	gccccactcc	3960
agcctgggga	ccccacttca	gaaggtaggg	gccgtgtccc	gcggtgctga	ctgaggcctg	4020
cttccccctc	cccctcctgc	tgtgctggaa	ttccacaggg	accagggcca	ccgcagggga	4080
ctgtctcaga	agacttgatt	tttccgtccc	ttttctcca	cactccactg	acaacgtcc	4140
ccagcggttt	ccacttgtgg	gcttcagggtg	ttttcaagca	caaccacca	caacaagcaa	4200

-continued

```

gtgcattttc agtcgttgtg cttttttggt ttgtgctaac gtcttactaa tttaaagatg 4260
ctgtcggcac catgtttatt tatttccagt ggtcatgctc agccttgctg ctctgcgtgg 4320
cgcaggtgcc atgcctgctc cctgtctgtg toccagccac gcagggccat ccaactgtgac 4380
gtcggccgac caggctggac accctctgcc gagtaatgac gtgtgtggct gggaccttct 4440
ttattctgtg ttaatggcta acctgttaca ctgggctggg ttgggtaggg tgttctggct 4500
tttttgtggg gtttttattt ttaaagaaac actcaatcat cctaaaaaaaa aattaaana 4559

```

<210> SEQ ID NO 62

<211> LENGTH: 1756

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 008942.9

<400> SEQUENCE: 62

```

agtccccaca ccgctgcag agagggaaact agggcaccac cttgtttcat gttgttcccg 60
tgaatttttt tcagctatgg gaggaaccg aggcactggc caaatgcagg cccaacattt 120
cactgagcat gtcagcatgc acatcacaat ggcaagcagc cagggacca ccaagaacaa 180
gaagacccca gcaggatccc tcaactgagca toggggggca tctgcacttc atcaggcacc 240
ccagggcatt caccattcat cacaccaagc acagaggtgg agcacaagtg gtccagcgtc 300
acatccaagt gctcagctgt ggctggagga gctggcctgt ggcacagcca ctgagtgtcc 360
acaagccagg gagcacaacg atagccagga cacaggcttc actgaccagc aggctgcatc 420
aagccagcaa gcatctcagc aagtgcacca gtggagcact gccagcacc cagcactggg 480
cacacagggg ccccatca caagtccagt gggccacgga gaaacactga tgcccgttgt 540
ctaggagaca gagcacaagc actgctcacg tctctgccgc ctgcgtttgg aggcccctgg 600
gctctcacc agtccccacc cgctgcaga gagggaaacta gggcaccctt tgtttctgtt 660
gttcccgtga attttttctg ctatgggagg cagccgaggc ctggccaatg cggcccactt 720
tcctgagctg tcgctgcctc catggcagca gccagggacc cccagaacaa gaagaccccg 780
caggatccct cctgagctcg ggggctctg ccttctcagg ccccggtt cccttctccc 840
cagccagagg tggagccaag tggccagcg tcaactccagt gctcagctgt ggctggagga 900
gctggcctgt ggcacagccc tgagtgtccc aagccgggag ccaacgaagc cggacacggc 960
ttcaactgacc agcggctgct caagccgcaa gctctcagca agtgcccagt ggagcctgcc 1020
gccccgcct gggcaccggg acccctcac catccagtgg gcccgagaa acctgatgaa 1080
cagtttgggg actcaggacc agatgtccgt ctctcttggct tgaggaatga agaccttat 1140
tcaccctgc cccgttgcct cccgctgcac atggacagac ttcacagcgt ctgctcatag 1200
gacctgcatc cttcctgggg acgaattcca ctctccaag ggacagcca cggctctggag 1260
gccgaggacc accagcaggc aggtggactg actgtgttgg gcaagacctc ttccctctgg 1320
gcctgttctc ttggctgcaa ataaggacag cagctgggtgc cccacctgcc tgggtgattg 1380
ctgtgtgaat ccaggaggca gtggacatcg taggcagcca cggccccggg tccaggagaa 1440
gtgctccctg gaggcagca ccaactgctc ccaactggggc cggcggggcc cacgcacgac 1500
gtcagcctct taccttcccg cctcggttag gggctctcgg gatgccgttc tgttccaacc 1560
tcctgctctg ggacgtggac atgcctcaac tgagggccag ggaccaggt gtgcctgtgc 1620
tcctgccag gagcagcttt tggctctcctt gggccctttt tcccttccct cctttgttta 1680

```

-continued

cttatatata tatttttttt aaacttaaat tttgggtcaa cttgacacca ctaagatgat 1740
 ttttaaggag ctgggg 1756

<210> SEQ ID NO 63
 <211> LENGTH: 3304
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1252415.1
 <221> NAME/KEY: unsure
 <222> LOCATION: 3267, 3276, 3289-3290, 3297, 3299
 <223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 63

gcggaactct gaggtgaggg tgtgcagctt ggtagggatt ggggtccctt ccggggccca 60
 tcggcccctg gtgggtgtaa tggcccttct ggccctacgcg cgtgtcatga accctggccg 120
 agagggcccg ggctgaggcc ctcaggccga cccggactct tgggcgcggt ctcttgaggt 180
 ggggccgggg tgagcagctg agtccgggtg ccccggggag gccctctgg cccgatttcg 240
 cagcgtgcc catcagcttc agcggaggcc tgattcctga ggtgctctga ctggaaggaa 300
 cctccgagat cggagagtct tccctgtctc ctggtgatgc tcccattgca ctgataggta 360
 aattgatccc tagagaagag gctagtctga gatatatagc gagtgaggaa aagaatcggg 420
 atcatgatcc tgggtgcctta gataaccagc cccagttctt cccgtggtgc tcggaacctc 480
 tctaacttgg gatggtcttc cggtcggtgt tgccccgcag gctgctgcag cttaaaggcc 540
 agcgtgctggt ggaacttttt tttttctctc ctcccaaatt gagccgtttg aaatgcctag 600
 ggagttttta aaagaaagc gggcacatcc ttgtatttac aggcagatat cctccctttc 660
 ctctcggct gctgctctta ctttgacaag ccaggctaac attgaagggtg gtccattatg 720
 gctgacatgc aaaatctggt agaaagattg gagagggcag tgggccgcct ggaggcagta 780
 tctcatacct ctgacatgca ccgtgggtat gcagacagtc cttcaaaagc aggagcagct 840
 ccatatgtgc aggcatttga ctgctgctt gctggctctg tggcagagta cttgaagatc 900
 agtaaagaga ttgggggaga cgtgcagaaa catgcggaga tggccacac aggtttgaag 960
 ttggagcgag ctctgttgggt tacagcttct cagtgtcaac agccagcaga aaataagctt 1020
 tccgatttgt tggcacccat ctgagagcag atcaagaag tgataacctt tcgggagaag 1080
 aaccgaggca gcaagttggt taatcacctg tcagctgtca gcgaaagtat ccaggccctg 1140
 ggctgggtgg ctatggctcc caagcctggc ccttatgtga aagaaatgaa tgatgccgcc 1200
 atgttttata caaacgagt cctcaaagag tacaagatg tggataagaa gcatgtagac 1260
 tgggtcaaag cttatttaag tatatggaca gagctgcagg cttacattaa ggagttccat 1320
 accaccggac tggcctggag caaacgggg cctgtggcaa aagaactgag cggactgcca 1380
 tctggaccct ctgccgatc aggtcctcct cccctccac caggcccccc tcctccccca 1440
 gtctctacca gttcaggctc agatgagtct gcttcccgct cagcactggt cgcgcagatt 1500
 aatcaggggg agagcattac acatgccctg aaacatgtat ctgatgacat gaagactcac 1560
 aagaaccctg ccctgaaggc tcagagtgggt ccagtacgca gtggcccaa accattctct 1620
 gcacctaac cccaaaccag cccatcccc aaacgagcca caaagaagga gccagctgta 1680
 cttgaactgg agggcaagaa gtggagagtg gaaaatcagg aaaatgtttc caacctggtg 1740
 attgaggaca cagagctgaa acaggtggct tacatataca agtgtgtcaa cacgacattg 1800

-continued

```

caaatcaagg gcaaaattaa ctccattaca gtagataact gtaagaaact tggcctggta 1860
ttcgatgacg tgggtgggcat tgtggagata atcaacagta aggatgtcaa agttcaggta 1920
atgggtaaag tgccaacccat atccatcaac aaaacagatg gctgccatgc ttacctgagc 1980
aagaattccc tggattgtga aatagtcagt gccaaatctt ccgagatgaa tgcctcatt 2040
cctacagaag gcggtgactt taatgaattc ccagttcctg agcagttcaa gaccctatgg 2100
aacgggcaga agttggtcac cacagtgaca gaaattgctg gataagcgaa gtgccactgg 2160
gttctttgcc ctcccttcac accatgggat aaatctgtat caagacggtt cttttctaga 2220
tttctctac ctttttgctc ttaaaactgc ttctctgctc tgagaagcac agctacctgc 2280
cttactgaa atatacctca ggctgaaatt tgggggtggga tagcagggtca gttgatcttc 2340
tgcaggaagg tgcagctttt ccatatcagc tcaaccacgc cgccagtcca ttcttaagga 2400
actgccgact aggactgatg atgcatttta gctttgagct tttggggggtt attctaccaa 2460
caaacagtcc attggaaga aacagtccc tggaaattaac agatcagaat gttcacactg 2520
gttaatcttt ttttaacaat gagcatgaag gtagcagaag ctggtgtggt tccagatggt 2580
tcttctaacc aaactaattt ttcaactgtg acaagcgagg caaggggtgc actggaccaa 2640
aggctgaggc ttggccatct agcattccat acaaaattgt ttctataag cattcctttt 2700
attctctatt ctatcctggg tctgcctcaa ccgtgagata ggagagtctc tggtagtagc 2760
tgctgtagca gtgcccttca tccagggcag ttaatggagt cttggaccct ttctttctct 2820
gggatccctg ccagcacct tcctatagag atgactttaa aaggaaaaaa aaaaaaaaaa 2880
caaaccaca tgatttcaag gagtctggca ttctgaatc cttcttcct gccaggtgcc 2940
tgtcacctgt cttactgcc tccttttccc tgtcatgctc atcagcttat ggcttctgtc 3000
taagcacctg aacagaggac tgaaacctcc actgcaggct ggttttaggt cttgaattat 3060
gtaagaatct tgcacagcac tgctaata gtaattcagtt gtttttccct ctaggacaaa 3120
cacttaccaa aatagcaac ttttttttgg tgggaagaga gattgtcctg tgatttctac 3180
ccatttctg aggcctgtgg aaataaacct ttatgtactt aaagttatac agaaaataga 3240
ataaagttaa taccaaactt gaaaaanaaa aaaaangggg ggccgccggn tagtgancnc 3300
gtcg 3304

```

```

<210> SEQ ID NO 64
<211> LENGTH: 7231
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1399366.20
<221> NAME/KEY: unsure
<222> LOCATION: 5601, 5609, 7107
<223> OTHER INFORMATION: a, t, c, g, or other

```

```

<400> SEQUENCE: 64

```

```

cccgagctgg cctgaggtt cagggctcct gccgctctcc aggagcaacc tctactccgg 60
acgcacaggc attccccgcg cccctccagc cctcgccgcc ctgccaccg ctcccggccg 120
ccgcgctccg gtacacacag gatccctgct gggcaccaac agctccacca tggggctggc 180
ctggggacta ggcgtcctgt tcctgatgca tgtgtgtggc accaaccgca ttccagagtc 240
tggcgggagc aacagcgtgt ttgacatctt tgaactcacc ggggccgccc gcaaggggtc 300
tgggcgccga ctggtgaagg gccccgacc ttccagccca gctttccgca tcgaggatgc 360
caacctgatc cccctgtgc ctgatgacaa gttccaagac ctggtggatg ctgtgcgggc 420

```

-continued

agaaaaggg	ttcctccttc	tggcatccct	gaggcagatg	aagaagaccc	ggggcacgct	480
gctggccctg	gagcggaaa	accactctgg	ccaggtcttc	agcgtgggtg	ccaatggcaa	540
ggcgggcacc	ctggacctca	gcctgaccgt	ccaaggaaa	cagcacgtgg	tgtctgtgga	600
agaagctctc	ctggcaaccg	gccagtggaa	gagcatcacc	ctgtttgtgc	aggaagacag	660
ggcccagctg	tacatcgact	gtgaaaagat	ggagaatgct	gagttggacg	tccccatcca	720
aagcgtcttc	accagagacc	tggccagcat	cgccagactc	cgcatcgcaa	aggggggct	780
caatgacaat	ttccaggggg	tgtgcagaa	tgtgaggttt	gtctttggaa	ccacaccaga	840
agacatctc	aggaacaaa	gctgctccag	ctctaccagt	gtcctcctca	cccttgacia	900
caacgtggg	aatggttcca	gccctgccat	ccgcactaac	tacattggcc	acaagacaaa	960
ggacttgcaa	gccatctgcg	gcatctcctg	tgatgagctg	tccagcatgg	tcctggaact	1020
caggggctg	cgaccattg	tgaccacgct	gcaggacagc	atccgcaaag	tgactgaaga	1080
gaacaaagag	ttggccaatg	agctgaggcg	gcctccccta	tgctatcaca	acggagttca	1140
gtacagaaat	aacgaggaat	ggactgttga	tagctgcact	gagtgtcact	gtcagaactc	1200
agttaccatc	tgcaaaaag	tgtcctgccc	catcatgccc	tgctccaatg	ccacagttcc	1260
tgatggagaa	tgctgtcctc	gctgttggcc	cagcgactct	gcggacgatg	gctggtctcc	1320
atggtccgag	tggacctcct	gttctacgag	ctgtggcaat	ggaattcagc	agcgcggccg	1380
ctcctgcgat	acgctcaaca	accgatgtga	gggctcctcg	gtccagacac	ggacctgcca	1440
cattcaggag	tgtgacaaga	gatttaaaca	ggatggtggc	tggagccact	ggtccccgtg	1500
gtcatcttgt	tctgtgacat	gtggtgatgg	tgtgatcaca	aggatccggc	tctgcaactc	1560
tcccagcccc	cagatgaacg	ggaaaccctg	tgaaggcgaa	gcgcgggaga	ccaaagcctg	1620
caagaaagac	gcctgcccc	tcaatggagg	ctggggctct	tggtcaccat	gggacatctg	1680
ttctgtcacc	tgtggaggag	gggtacagaa	acgtagtctg	ctctgcaaca	acccacacc	1740
ccagtttgg	ggcaaggact	gcgttgggtg	tgtaacagaa	aaccagatct	gcaacaagca	1800
ggactgtcca	attgatggat	gcctgtccaa	tocctgcttt	gccggcgtga	agtgtactag	1860
ctaccctgat	ggcagctgga	aatgtgggtg	ttgtccccct	ggttacagtg	gaaatggcat	1920
ccagtgcaca	gatgttgatg	agtgcaaaga	agtgcctgat	gcctgcttca	accacaatgg	1980
agagcaccgg	tgtgagaaca	cggacccccg	ctacaactgc	ctgccctgcc	ccccacgctt	2040
caccggctca	cagcccttcg	gccaggggtg	cgaacatgcc	acggccaaca	aacaggtgtg	2100
caagccccgt	aaccctgca	cggatgggac	ccacgactgc	aacaagaacg	ccaagtgcaa	2160
ctacctgggc	cactatagcg	accccatgta	ccgctgcgag	tgcaagcctg	gctacgctgg	2220
caatggcatc	atctgcgggg	aggacacaga	cctggatggc	tggcccaatg	agaacctggt	2280
gtgctggcc	aatgcgactt	accactgcaa	aaaggataat	tgcccccaacc	ttcccaactc	2340
agggcaggaa	gactatgaca	aggatggaat	tgggtgatgcc	tgtgatgatg	acgatgacia	2400
tgataaaatt	ccagatgaca	gggacaactg	tccattccat	tacaaccag	ctcagtatga	2460
ctatgacaga	gatgatgtgg	gagaccgctg	tgacaactgt	ccctacaacc	acaaccacga	2520
tcaggcagac	acagacaaca	atggggaagg	agacgcctgt	gctgcagaca	ttgatggaga	2580
cggatctctc	aatgaacggg	acaactgcca	gtacgtctac	aatgtggacc	agagagacac	2640
tgatatggat	ggggttgag	atcagtgtga	caattgcccc	ttggaacaca	atccgatca	2700
gctggactct	gactcagacc	gcattggaga	tacctgtgac	aacaatcagg	atattgatga	2760

-continued

agatggccac	cagaacaatc	tggacaactg	tccctatgtg	cccaatgcca	accaggctga	2820
ccatgacaaa	gatggcaagg	gagatgcctg	tgaccacgat	gatgacaacg	atggcattcc	2880
tgatgacaag	gacaactgca	gactcgtgcc	caatcccgac	cagaaggact	ctgacggcga	2940
tggtcgaggt	gatgcctgca	aagatgattt	tgaccatgac	agtgtgccag	acatcgatga	3000
catctgtcct	gagaatgttg	acatcagtga	gaccgacttc	cgccgattcc	agatgattcc	3060
tctggacccc	aaaggacat	cccaaatga	ccctaactgg	gttgtacgcc	atcagggtaa	3120
agaactcgtc	cagactgtca	actgtgatcc	tggactcgtc	gtaggttatg	atgagtttaa	3180
tgctgtggac	ttcagtggca	ccttcttcat	caacaccgaa	agggacgatg	actatgctgg	3240
atgtgtcttt	ggctaccagt	ccagcagccg	cttttatggt	gtgatgtgga	agcaagtcac	3300
ccagtcctac	tgggacacca	accccacgag	ggctcagggg	tactcggggc	tttctgtgaa	3360
agttgtaaac	tccaccacag	ggcctggcga	gcacctgctg	aacgccctgt	ggcacacagg	3420
aaacaccctt	ggccaggtgc	gcacctgtg	gcatgaccct	cgtcacatag	gctggaaaga	3480
tttcaccgcc	tacagatggc	gtctcagcca	caggccaaag	acgggtttca	ttagagtggg	3540
gatgtatgaa	gggaagaaaa	tcatggctga	ctcaggacct	atctatgata	aaacctatgc	3600
tggtggtaga	ctagggttgt	ttgtcttctc	tcaagaaatg	gtgttcttct	ctgacctgaa	3660
atacgaatgt	agagatccct	aatcatcaaa	ttgttgattg	aaagactgat	cataaaccaa	3720
tgctggtatt	gcaccttctg	gaactatggg	cttgagaaaa	ccccaggat	cacttctcct	3780
tggtctcctt	cttttctgtg	cttgcacag	tgtggactcc	tagaacgtgc	gacctgcctc	3840
aagaaaatgc	agttttcaaa	aacagactca	gcattcagcc	tccaatgaat	aagacatctt	3900
ccaagcatat	aaacaattgc	tttggtttcc	ttttgaaaaa	gcatctactt	gcttcagttg	3960
ggaaggtgcc	cattccactc	tgctttgtc	acagagcagg	gtgctattgt	gaggccatct	4020
ctgagcagtg	gactcaaaag	cattttcagg	catgtcagag	aaggaggac	tcactagaat	4080
tagcaaacia	aaccaccctg	acatcctcct	tcaggaacac	ggggagcaga	ggccaaagca	4140
ctaaggggag	ggcgataacc	cgagacgatt	gtatgaagaa	aatatggagg	aactgttaca	4200
tgttcggtag	taagtcattt	tcaggggatt	gaaagactat	tgctggattt	catgatgctg	4260
actggcgtaa	gctgattaac	ccatgtaaat	aggcacttaa	atagaagcag	gaaagggaga	4320
caaagactgg	cttctggact	tcctccctga	tccccaccct	tactcatcac	ctgacgtggc	4380
cagaattagg	gaatcagaat	caaaccagtg	taaggcagtg	ctggctgcca	ttgcctggtc	4440
acattgaaat	tggtggcttc	attctagatg	tagcttgtgc	agatgtagca	ggaaaatagg	4500
aaaacctacc	atctcagtga	gcaccagctg	cctcccaaag	gaggggcagc	cgtgcttata	4560
tttttatggg	tacaatggca	caaaattatt	atcaacctaa	ctaaaacatt	ccttttctct	4620
tttttctgga	attatcatgg	agttttctaa	ttctctcttt	tggaatgtag	atttttttta	4680
aatgctttac	gatgtaaaat	atctatcttt	tacttattct	ggaagatctg	gctgaaggat	4740
tattcatgga	acaggaagaa	gcgtaaagac	tatccatgtc	atctttgttg	agagtcttcg	4800
tgactgtaag	attgtaaaata	cagattatct	attaactctg	ttctgcctgg	aaatttaggc	4860
ttcatacgga	aagtgtttga	gagcaagtag	ttgacattta	tcagcaaata	tcttgcaaga	4920
acagcacaag	gaaaatcagt	ctaataagct	gctctgcccc	ttgtgctcag	agtggatggt	4980
atgggattct	tttttctct	gttttatctt	ttcaagtggg	attagttggg	tatccatttg	5040
caaatgtttt	aaattgcaaa	gaaagccatg	aggtcttcaa	tactgtttta	ccccatccct	5100
tgtgcatatt	tccagggaga	aggaaagcat	atacactttt	ttctttcatt	tttccaaaag	5160

-continued

```

agaaaaaat gacaaaaggt gaaacttaca tacaaatatt acctcatttg ttgtgtgact 5220
gagtaaagaa tttttggatc aagcggaaag agtttaagtg tctaacaac ttaaagctac 5280
tgtagtacct aaaaagtcag tgttgtagat agcataaaaa ctctgcagag aagtattccc 5340
aataaggaaa tagcattgaa atgttaaata caatttctga aagttatggt ttttatctat 5400
catctggtat accattgctt tttttttata aattattttc tcattgcat tggaatagat 5460
atctcagatt gtgtagatat gctatttaaa taatttatca ggaaactg cctgtagagt 5520
tagtatttct atttttatat aatgtttgca cactgaattg aagaattggt ggttttttct 5580
tttttttggt ttgttttttt nttttttnt ttttgctttt gacctccat ttttactatt 5640
tgccaatacc tttttctagg aatgtgcttt tttttgtaca cttttttatc ctttttacct 5700
tctaaagcag tgtaagttgt atattactgt ttcttatgta caaggaaca caataaatca 5760
tatggaaatt tatatttata cttactgtat ccatgcttat ttgttctcta ctggctttat 5820
gtcatgaagt atatgcgtaa ataccattca taaatcaata tagcatatac aaaaataaat 5880
tacagtaagt catagcaaca ttcacagttt gtatgtgatt gagaaagact gagttgctca 5940
ggcctaggct tagaatttgc tgcgtttgtg gaataaaaga acaaatgat acattagcct 6000
gccatatcaa aaacatataa aagagaaatt atccctaagt caagggcccc cataagaata 6060
aaatttctta ttaaggtcat tagatgtcat tgaatccttt tcaaagtga gtatgaaaac 6120
aaagggaaaa aactgaagc acacgcaact ctcacagcga ctttttctga cccacgaatg 6180
atgccttggg tgggcaacac gattgcatgt tgtggagaca cttcggaagt aatgtggat 6240
gagggaggag ctgtccttgc aatggtgagc caagcattac agatacctcc tcttgaagaa 6300
ggaataataa gtttaataca aaaagaagc taaaaaatgt aaaatttga aggaatccat 6360
aatgcgtgt gtgtctaaat acaattatc atgtgaagaa aaggccaag tgtaccaata 6420
agcagacctt gatttttga tgggctaatt atgaatgtgg aatactgacc agttaatttc 6480
cagttttaat gaaaacagat caaagaagaa attttatgag taggttaaag gtctggcttt 6540
gaggtctatt aaactactaga aaggactggc tgggtgagat aaaatcttcc ttgttgattt 6600
tcactctcat tctataaata ctcatctttc tgagtagcca tgatcacata caaatgtaa 6660
ttgccaaatc attttatagt accaaggtga agaagcagga actagaaagt gttgataata 6720
gctgtggagt taggaaaact gatgtgaagg aaataattct ttgaaatggc aaagaattaa 6780
ataccatcat tcattatcag aagagttcaa cgtttgaagt gctgggagat aattctaatt 6840
cattcttga tagtgaagca aaactgattg aaaatacaca gataagacag aaaaagtgac 6900
tggaagagg agcttttctt ccaggcatgt tocagtttca ccctaagact gacctcaaa 6960
taatcagggt gtactgaaat aaaggacttg ttaaaaatta aaattatgtc atcgagatga 7020
tagctttttt cctcctcaa cagtttattg tgcatgtggt gtgggagagc tcgagtgaag 7080
agcaataaac tccaggtctt ataagantgt acatacaata aagggtgtgc cagcagtttt 7140
tttttttcta aagagtcaca tgtagaaaag cctccagtat taagctcctg aattcattcc 7200
tataaataaa ttggctctct ctctcttcta t 7231

```

```

<210> SEQ ID NO 65
<211> LENGTH: 961
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3732868CB1

```


-continued

```

<221> NAME/KEY: unsure
<222> LOCATION: 19
<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 65

ctggctctga ccgcgctgnc ctgggcccga gagcccagga ggcgtgtctc agagaaaaga      60
tataagcggc ccccgacgc taaagcggtg ccagcggcgg agtctccaac tgggagagct      120
gcagctgccg agaggaggag aacgctgagg tcggtcggac caacggacgc gctgaccgct      180
gccaaactgca gctcgcgctg cctcctgctc gcgccgtgcc actaaggta ctcccgcctc      240
cgagagccca gagccgagat ggaaacggtc caggagctga tccccctggc caaggagatg      300
atggcccaga agcgaaggg gaagatggtg aagctgtacg tgctgggcag cgtgctggcc      360
ctcttcggcg tggtgctcgg cctgatggag actgtgtgca gcccttcac ggccgccaga      420
cgtctgcggg accaggaggc agccgtggcg gagctgcagg ccgccctgga gcgacaggct      480
ctccagaagc aagccctgca ggagaaaggc aagcagcagg acacggtcct cggcggccgg      540
gccctgtcca accggcagca cgcctcctag gaactgtggg agaccagcgg agtgggaggg      600
agacgcagta gacagagaca gaccgagaag gaagggagag acagaggggg cgcgcgca      660
ggagcctgac tccgctggga gagtgcagga gcacgtgctg ttttttattt ggacttaact      720
tcagagaaac cgctgacatc tagaactgac ctaccacaag catccaccaa aggagtttgg      780
gattgagttt tgctgctgtg cagcactgca ttgtcatgac atttccaaca ctgtgtgaat      840
tatctaaatg cgtctaccat tttgcactag ggaggaagga taaatgcttt ttatgttatt      900
attattaatt attacaatga ccaccatttt gcattttgaa ataaaaaact ttttatacca      960
t                                                                                   961

```

```

<210> SEQ ID NO 66
<211> LENGTH: 103
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 3732868CD1

```

```

<400> SEQUENCE: 66

Met Glu Thr Val Gln Glu Leu Ile Pro Leu Ala Lys Glu Met Met
 1                   5                   10                   15

Ala Gln Lys Arg Lys Gly Lys Met Val Lys Leu Tyr Val Leu Gly
 20                   25                   30

Ser Val Leu Ala Leu Phe Gly Val Val Leu Gly Leu Met Glu Thr
 35                   40                   45

Val Cys Ser Pro Phe Thr Ala Ala Arg Arg Leu Arg Asp Gln Glu
 50                   55                   60

Ala Ala Val Ala Glu Leu Gln Ala Ala Leu Glu Arg Gln Ala Leu
 65                   70                   75

Gln Lys Gln Ala Leu Gln Glu Lys Gly Lys Gln Gln Asp Thr Val
 80                   85                   90

Leu Gly Gly Arg Ala Leu Ser Asn Arg Gln His Ala Ser
 95                   100

```

```

<210> SEQ ID NO 67
<211> LENGTH: 2608
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature

```

-continued

<223> OTHER INFORMATION: Incyte ID No: 1137894.1

<400> SEQUENCE: 67

ttcagcgcctc ccactctcgg ccgacacccc tgcattggcca accggttacac catggatctg 60
 actgccatct acgaggtgag tccccgccgc acggcatccc cggtagctgc atgcctgagt 120
 ccgagtcccc acctctctag cgccgcaaac tccagcccgg gacgcttgcc tcccttctcc 180
 aactggggct ccctagcgcc gcgccctcca gcctggggcc cctgcctccc gctcagacca 240
 gcttgggtgat ttggaggtga aaatggaacc cgcgacaccc ggctcttcgc tcaaactgg 300
 gtggggcggc ccatgcaagt ggaaagtccg agaacttttc tcagaccgag gctgcctgga 360
 ggcggaagtg gccccatac ctggctcacc cctagtcggt gctgagggcg tggttttgcg 420
 cggaggcgtc tctggggctg aagtctcagg gtggggggat ccgacttctg tctctccagt 480
 ccctgaccgt agagacagag aaccctaaaa ccgaagcaat ccggacttcc aggtcaactt 540
 tgcccggttt ctccagttgt gaaactggag atcccgcgc gtgggtcata tccggggagg 600
 acaagagacc caaaattggg aaacagtggg gcgccctgac ttcggggccc ccctcttggg 660
 ccagccgggg aagccgggat tcctgggtcc ctccgggataa ggcctcgggt gtgggtaaac 720
 tcagaacctc caactctggg ttcttgcat ccggaacca ggggtttctg cgggcgggtg 780
 gggctcaggc ggggagccca caaacccgcc tggcaagctc tagttccctg cagctggggg 840
 ggggcgtcgc cctgcatttt caggtgcctt aaccgacca tttccgcaga gcctcctgtc 900
 gctgagccct gacgtgccc tgccatccga ccattggagg actgagtcca gccaggctg 960
 gggctcctcg ggaccctgga gcctgagccc ctccgactcc agcccgtctg gggcacctc 1020
 ccgcctgcct gcccgtcca ccagcctagt ggagggccgc agctgtggct gggtgcccc 1080
 accccctggc ttgcaccgc tggctccccg cctgggccct gagctgtcac cctcaccac 1140
 ttgcccact gcaacctcca cacccccctc gcgctacaag actgagctat gtcggacctt 1200
 ctgagagagt gggcgtgcc gctacggggc caagtgccag tttgcccag gcctgggcga 1260
 gctgcgccag gccaatcgc acccacaata caagacggaa ctctgtcaca agttctacct 1320
 ccagggccgc tgcccctacg gctctcgtg ccacttcac cacaacccta gcgaagacct 1380
 ggcggccccg gcccaccctc ctgtgcttcg ccagagcacc agcttctccg gcctgcctc 1440
 tggccgcccg acctcaccac caccaccagg cctggccggc ccttccctgt cctccagctc 1500
 cttctcgcct tccagctccc caccaccacc tggggacctt ccactgtcac cctctgcctt 1560
 ctctgctgcc cctggcacc ccctggctcg aagagacccc accccagtct gttgcccctc 1620
 ctgccgaagg gccactccta tcagcgtctg ggggcccttg ggtggcctgg ttcggacccc 1680
 ctctgtacag tcctgggat ccgaccctga tgaatatgcc agcagcggca gcagcctggg 1740
 gggctctgac tctcccgtct tcgagggggg agtttttgca ccaccacagc ccgtggcagc 1800
 cccccggcga ctcccctct tcaatcgcct ctctgtttct gagtgacaaa gtgactgccc 1860
 ggtcagatca gctggatctc agcggggagc cacgtctctt gactgtgggt ctctgcatgg 1920
 accccagggc tgtggggact tgggggacag taatcaagta atcccctttt ccagaatgca 1980
 ttaaccact ccctgacct cacgtgggg caggtcccca agtgtgcaag ctcagtattc 2040
 atgatgggtg gggatggagt gtcttccgag gttcttgggg gaaaaaaaaat ttagcatat 2100
 ttaagggagg caatgaacct tctccccac ctcttccctg cccaaatctg tctcctagaa 2160
 tcttatgtgc tgtgaataat aggcctcac tgcccctcca gtttttatag acctgaggtt 2220
 ccagtgtctc ctgtaactg gaacctctcc tgagggggaa tcctgggtgct caaattacc 2280

-continued

```

tccaaaagca agtagccaaa gccgttgcca aaccccaccc ataatcaat gggcccttta 2340
tttatgacga ctttatatat tctaataatga ttttatagta tttatatata ttgggtcgtc 2400
tgcttccctt gtatttttct tccttttttt gtaaatattga aaacgacgat ataattatta 2460
taagtagact ataatatatt tagtaatata tattattacc ttaaaagtct atttttgtgt 2520
tttgggcatt tttaaataaa caatctgagt gtgttcttcg tagaggaact cgattgagga 2580
ccagagggtcc tggacctcca aatacaac 2608

```

```

<210> SEQ ID NO 68
<211> LENGTH: 1527
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1418671CB1

```

```

<400> SEQUENCE: 68

```

```

gcttctctggg cgccgtgggc gcgactgcg cgggctgccc gggtgccgag gagcgcgagg 60
cgcggggaag gcgcacctgg ggtggccctg gcgtgcccggc ggcgacatgg aggacggcgt 120
gctcaaggag ggcttctctg tcaagagggg ccacattgtc cacaactgga aggcgcgatg 180
gttcatcctt cggcagaaca cgctgggtgta ctacaagctt gagggggggtc ggagagtgc 240
ccctccaag ggccgatcc tcctggatgg ctgcaccatc acctgcccct gcctggagta 300
tgaaaaccga ccgctcctca ttaagctgaa gactcaaaca tccacggagt acttctctga 360
ggcctgttct cgagaggagc gggatgcctg ggcctttgag atcaccgggg ctattcatgc 420
agggcagccg gggaagggtcc agcagctgca cagcctgaga aactccttca agctgcccc 480
gcacatcagc ctgcatcgca ttgtggacaa gatgcacgat agcaacaccg gaatccgttc 540
aagccccaac atggagcagg gaagcaccta taaaagacc ttcctcggct cctccctggt 600
ggactggctc atctccaaca gcttccagcc cagccgtctg gagggcgtga ccttggcctc 660
catgctcatg gaggagaact tcctcaggcc tgtgggtgtc cgaagcatgg gagccattcg 720
ctctggggat ctggccgagc agttcctgga tgactccaca gccctgtaca cttttgctga 780
gagctacaaa aagaagataa gcccgaagga agaaattagc ctgagcactg tggagttaag 840
tggcacggtg gtgaaacaag gctacctggc caagcagggg cacaagagga aaaactggaa 900
gggtgcgtcgc tttgttctaa ggaaggatcc agctttcctg cactactatg acccttccaa 960
agaagagaac aggccagtgg gtgggttttc tcttcgtggt tcaactcgtg ctgctctgga 1020
agataatggc gttcccactg gggttaaagg gaatgtccag ggaaacctct tcaaagtgat 1080
tactaaggat gacacacact attacattca ggccagcagc aaggctgagc gagccgagtg 1140
gattgaagct atcaaaaagc taacatgaca aggacctgag ggaaccagga ttcctccctc 1200
ctaccagatg acacagacaa gagttcctgg agaatgggag tgtaagact tttgacttct 1260
ttgtaagttt tgtactgctt tggagagtga atgctgccc gagttcctca gattacaaac 1320
agcagtgggtg ccatttccct ccccatcttc atgttcaaaa cctggaaagg ctagaacagc 1380
cattagcgt cagcatcttg acttttcccc agcatcacia acagccattt cctcgggcac 1440
caaagtaggt tccctttgtt ggaacaatta cactggccat gccataatgt tgaataaaac 1500
tctcttctta tgaaaaaaaa aaaaaaa 1527

```

```

<210> SEQ ID NO 69
<211> LENGTH: 353

```

-continued

```

<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1418671CD1

<400> SEQUENCE: 69

Met Glu Asp Gly Val Leu Lys Glu Gly Phe Leu Val Lys Arg Gly
 1          5          10          15

His Ile Val His Asn Trp Lys Ala Arg Trp Phe Ile Leu Arg Gln
          20          25          30

Asn Thr Leu Val Tyr Tyr Lys Leu Glu Gly Gly Arg Arg Val Thr
          35          40          45

Pro Pro Lys Gly Arg Ile Leu Leu Asp Gly Cys Thr Ile Thr Cys
          50          55          60

Pro Cys Leu Glu Tyr Glu Asn Arg Pro Leu Leu Ile Lys Leu Lys
          65          70          75

Thr Gln Thr Ser Thr Glu Tyr Phe Leu Glu Ala Cys Ser Arg Glu
          80          85          90

Glu Arg Asp Ala Trp Ala Phe Glu Ile Thr Gly Ala Ile His Ala
          95          100          105

Gly Gln Pro Gly Lys Val Gln Gln Leu His Ser Leu Arg Asn Ser
          110          115          120

Phe Lys Leu Pro Pro His Ile Ser Leu His Arg Ile Val Asp Lys
          125          130          135

Met His Asp Ser Asn Thr Gly Ile Arg Ser Ser Pro Asn Met Glu
          140          145          150

Gln Gly Ser Thr Tyr Lys Lys Thr Phe Leu Gly Ser Ser Leu Val
          155          160          165

Asp Trp Leu Ile Ser Asn Ser Phe Thr Ala Ser Arg Leu Glu Ala
          170          175          180

Val Thr Leu Ala Ser Met Leu Met Glu Glu Asn Phe Leu Arg Pro
          185          190          195

Val Gly Val Arg Ser Met Gly Ala Ile Arg Ser Gly Asp Leu Ala
          200          205          210

Glu Gln Phe Leu Asp Asp Ser Thr Ala Leu Tyr Thr Phe Ala Glu
          215          220          225

Ser Tyr Lys Lys Lys Ile Ser Pro Lys Glu Glu Ile Ser Leu Ser
          230          235          240

Thr Val Glu Leu Ser Gly Thr Val Val Lys Gln Gly Tyr Leu Ala
          245          250          255

Lys Gln Gly His Lys Arg Lys Asn Trp Lys Val Arg Arg Phe Val
          260          265          270

Leu Arg Lys Asp Pro Ala Phe Leu His Tyr Tyr Asp Pro Ser Lys
          275          280          285

Glu Glu Asn Arg Pro Val Gly Gly Phe Ser Leu Arg Gly Ser Leu
          290          295          300

Val Ser Ala Leu Glu Asp Asn Gly Val Pro Thr Gly Val Lys Gly
          305          310          315

Asn Val Gln Gly Asn Leu Phe Lys Val Ile Thr Lys Asp Asp Thr
          320          325          330

His Tyr Tyr Ile Gln Ala Ser Ser Lys Ala Glu Arg Ala Glu Trp
          335          340          345

Ile Glu Ala Ile Lys Lys Leu Thr
          350

```


-continued

```

<210> SEQ ID NO 70
<211> LENGTH: 5648
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 464689.64

<400> SEQUENCE: 70

gggtgtgggtgt cggtgtcggc agcatccccg ggcacctgct gcggtcgccg cgagcctcgg      60
cctctgtctc ctccccctcc cgcccttacc tccacgcggg accgcccgcg ccagtcaact      120
cctcgcactt tgcccctgct tggcagcggg taaaaggggg ctgaggaaat accggacacg      180
gtcaccctgt gccagctcta gcctttaaata tcccggctcg gggacctcca cgcaccgcgg      240
ctagcgcgca caaccagcta gcgtgcaagg cgcgcgggct cagcgcgtac cggcgggctt      300
cgaaaccgca gtcctccggc gaccccgaa tccgctccgg agcctcagcc ccctggaaaag      360
tgatcccggc atcggagagc caagatgccg gccacttgc tgcaggacga tatctctagc      420
tcctatacca ccaccaccac cattacagcg cctccctcca ggggtcctgc agaatggagg      480
agataagttg gagacgatgc ccctctactt ggaagacgac attcgccttg atataaaaga      540
tgatatatat gacccacact acaaggataa ggaaggccca agccccaagg ttgaatatgt      600
ctggagaaac atcatcctta tgtctctgct acaacttggga gccctgtatg ggatcacttt      660
gattcctacc tgcaagttct acacctggct ttggggggta ttctactatt ttgtcagtgc      720
cctgggcata acagcaggag ctcatcgtct gtggagccac cgctcttaca aagctcggct      780
gcccctacgg ctctttctga tcattgcca cacaatggca ttccagaatg atgtctatga      840
atgggctcgt gaccaccgtg cccaccacaa gttttcagaa acacatgctg atcctcataa      900
ttcccagcgt ggctttttct tctctcactg ggggttggtg cttgtgcgca aacaccagc      960
tgtcaaagag aaggggagta cgctagactt gtctgacctg gaagctgaga aactggtgat     1020
gttccagagg aggtactaca aacctggctt gctgatgatg tgcttcatcc tgcccacgct     1080
tgtgccctgg tatttctggg gtgaaacttt tcaaaacagt gtgttcgctt ccactttctt     1140
gcgatatgct gtgggtgctta atgccacctg gctgggtgaac agtgctgccc acctcttcgg     1200
atatcgtcct tatgacaaga acattagccc cggggagaat atcctggttt cacttgagac     1260
tgtgggtgag ggcttccaca actaccacca ctcccttccc tatgactact ctgccagtga     1320
gtaccgctgg cacatcaact tcaccacatt cttcattgat tgcattggcc ccctcggctt     1380
ggcctatgac cggaagaaag tctccaaggc cgccatcttg gccaggatta aaagaaccgg     1440
agatggaaac tacaagagtg gctgagtttg gggtcctca ggttcctttt tcaaaaacca     1500
gccaggcaga ggttttaatg tctgtttatt aactactgaa taatgctacc aggatgctaa     1560
agatgatgat gtaaacccat tccagtacag tattctttta aaattcaaaa gtattgaaag     1620
ccaacaactc tgcctttatg atgctaagct gatattatct cttctcttat cctctctctc     1680
ttctaggccc attgtcctcc ttttcaacttt attgctatcg ccctcctttc ccttattgcc     1740
tcccaggcaa gcagctggtc agtctttgct cagtgtccag cttccaaagc ctgacaacc     1800
tttctgtagc ctaaaacgaa tggctctttgc tocagataac tctctttcct tgagctgctg     1860
tgagctttga agtaggtggc ttgagctaga gataaaacag aatcttctgg gtagtcccct     1920
gttgattatc ttcagcccag gcttttgcta gatggaatgg aaaagcaact tcatttgaca     1980
caaagcttct aaagcaggta aattgtcggg ggagagagtt agcatgtatg aatgtaagga     2040

```

-continued

tgaggaagc	gaagcaagag	gaacctctcg	ccatgatcag	acatacagct	gcctacctaa	2100
tgaggacttc	aagccccacc	acatagcatg	cttcctttct	ctcctggctc	ggggtaaaaa	2160
gtggctgcg	tgtttgcaa	tgctaattca	atgccgcaac	atatagttga	ggccgaggat	2220
aaagaaagac	attttaagtt	tgtagtaaaa	gtggtctctg	ctggggaagg	gtttcttttc	2280
tttttcttt	atcacaagga	gatttcttag	ttcatatatac	aagaagtctt	gaagttgggt	2340
gtttccagaa	ttggtaaaaa	cagcagctca	tggaattttg	agtattccat	gagctgctca	2400
ttacagttct	ttcctctttc	tgctctgcca	tcttcaggat	attggttctt	cccctcatag	2460
taataagatg	gctgtggcat	ttccaaacat	ccaaaaaag	ggaaggattt	aaggaggatga	2520
agtcgggtca	aaaataaaat	atatatacat	atatacattg	cttagaacgt	taaactatta	2580
gagtatttcc	cttccaaaga	gggatgtttg	gaaaaaactc	tgaaggagag	gaggaattag	2640
ttgggatgcc	aatttcctct	ccactgctgg	acatgagatg	gagaggctga	gggacaggat	2700
ctataggcag	cttctaagag	cgaacttcac	ataggaaggg	atctgagaac	acgttgccag	2760
gggcttgaga	aggttactga	gtgagttatt	gggagtctta	ataaaataaa	ctagatatta	2820
ggtccattca	ttaattagtt	ccagtttctc	cttgaaatga	gtaaaaacta	gaaggcttct	2880
ctccacagtg	ttgtgccct	tcactcattt	ttttttgagg	agaagggggg	ctctgttaac	2940
atctagccta	aagtatacaa	ctgcctgggg	ggcaggggta	ggaatctctt	cactaccctg	3000
attcttgatt	cctggctcta	ccctgtctgt	cccttttctt	tgaccagatc	tttctcttcc	3060
ctgaacgttt	tcttcttcc	ctggacaggc	agcctccttt	gtgtgtattc	agaggcagtg	3120
atgacttgct	gtccaggcag	ctccctcctg	cacacagaat	gctcagggtc	actgaaccac	3180
tgcttctctt	ttgaaagtag	agctagctgc	cactttcacg	tggcctccgc	agtgtctcca	3240
cctacacccc	tgtgctccc	tgccacactg	atggctcaag	acaaggctgg	caaaccctcc	3300
cagaaacatc	tctggcccag	aaagcctctc	tctccctccc	tctctcatga	ggcacagcca	3360
agccaagcgc	tcatgttgag	ccagtgggcc	agccacagag	caaaagaggg	tttattttca	3420
gtcccctctc	tctgggtcag	aaccagaggg	catgctgaat	gccccctgct	tacttggtga	3480
gggtgccccg	cctgagtcag	tgctctcagc	tggcagtgca	atgcttgtag	aagtaggagg	3540
aaacagttct	cactgggaag	aagcaagggc	aagaacccaa	gtgcctcacc	tcgaaaggag	3600
gccctgttcc	ctggagtcag	ggtgaactgc	aaagctttgg	ctgagacctg	ggatttgaga	3660
taccacaaac	cctgctgaac	acagtgtctg	ttcagcaaac	taaccagcat	tcctacagc	3720
ctagggcaga	caatagtata	gaagtctgga	aaaaaacaaa	aacagaattt	gagaaccttg	3780
gaccactcct	tgtccctgta	gctcagtcac	caaagcagaa	gtcctggctt	tgctctataa	3840
agaattggaa	atggtacact	acccaaacac	tcagttcact	tgttgagccc	cagtgccctg	3900
aaggaggaa	ggcctttctt	ctgtgttaat	tgccgtagag	gctacagggg	ttagccctgg	3960
actaaaggca	tccttgtctt	ttgagctatt	cacctcagta	gaaaaggatc	taagggaaga	4020
tcactgtagt	ttagttctgt	tgacctgtg	cacctacccc	ttggaaatgt	ctgctgggat	4080
ttctaattcc	acaggtcatc	agatgcctgc	ttgataatat	ataaacaata	aaaacaactt	4140
tcacttcttc	ctattgtaat	cgtgtgccat	ggatctgatc	tgtacatga	ccctacataa	4200
ggctggatgg	cacctcaggc	tgagggcccc	aatgtatgtg	tggctgtggg	tgtgggtggg	4260
agtgtgtctg	ctgagtaagg	aacacgattt	tcaagattct	aaagctcaat	tcaagtgaca	4320
cattaatgat	aaactcagat	ctgatcaaga	gtccggattt	ctaacagtcc	ttgctttggg	4380

-continued

```

gggggtgtgct gacaacttag ctcaggtgcc ttacatcttt tctaatacaca gtggtgcata 4440
tgagcctgcc ctcaactcct ctgcagaatc cctttgcacc tgagacccta ctgaagtggc 4500
tggtagaaaa aggggcctga gtggaggatt atcagtatca cgatttgag gattcccttc 4560
tgggcttcat tctggaaact tttgttaggg ctgcttttct taagtgccca catttgatgg 4620
agggtggaaa taatttgaat gtatttgatt tataagtttt tttttttttt ttgggttaaa 4680
agatggttgt agcatttaaa atggaaaatt ttctccttgg tttgctagta tcttgggtgt 4740
attctctgta agttagctc aaataggtca tcatgaaagg ttaaaaaagc gaggtggcca 4800
tgttatgctg gtggttaagg ccagggcctc tccaaccact gtgccactga cttgctgtgt 4860
gacctctggg caagtcactt aacgtataag gtgcctcagt tttccttctg ttaaaatggg 4920
gataataata ctgacctacc tcaaagggca gttttgaggg atgactaatg ctttttagaa 4980
agcatttttg gatccttcag cacaggaatt ctcaagacct gagtattttt tataatagga 5040
atgtccacca tgaacttgat acgtccgtgt gtcccagatg ctgtcattag tctatatggt 5100
tctccaagaa actgaatgaa tccattggag aagcgggtgga taactagcca gacaaaattt 5160
gagaatacat aaacaacgca ttgccacgga aacatacaga ggatgccttt tctgtgattg 5220
gggtgggattt ttttccttt ttatgtggga tatagtagtt acttgtgaca agaataattt 5280
tggataaatt tctattaata tcaactctga agctaattgt actaatctga gattgtggtg 5340
agcagtgcag atgaggagt gtccaggac agagacgtat atgtgactac ccatactccc 5400
agaaacgcca gggatgagg cgctacagg ctcaggccct caggtactgt cagttgtccc 5460
atctgcatgg actggatact cagaggtaag taaaccaagc tgtatcttcc aggcttctgg 5520
tttctaaact tcaactgaaag aattggatga gacaggatct tccccctcgg tgggattgga 5580
caccctact cacagtcag cctgggccct cacttattgc agatctgcct gtgaggggag 5640
aatgtgcc 5648

```

```

<210> SEQ ID NO 71
<211> LENGTH: 56
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 053959.1
<221> NAME/KEY: unsure
<222> LOCATION: 2, 13, 20, 32, 41, 47
<223> OTHER INFORMATION: a, t, c, g, or other

```

```

<400> SEQUENCE: 71

```

```

gngaggcaat gancctctn cccacctct tncctgcca natctgnctc ctagaa 56

```

```

<210> SEQ ID NO 72
<211> LENGTH: 580
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1384594.1

```

```

<400> SEQUENCE: 72

```

```

cttgggtgat ggggcacgga agagggttac aggcaaaggg accagcgttt ctaaactctt 60
ggagacacag tgaagaaggt tcatacctgg agtgccaagg ttactgtgtc tccagaaaca 120
catatggacc tcacaaagga cgagtgggga cttcttgatg aggctcagag actcctgtac 180
cttgaagtga tgctggagaa ctttgccctt gtagcctcac tgggttgtgg ccatggaaca 240

```

-continued

gaggatgaag agacaccttc tgaccagaat gtttactcta ggagtgtcac agtcaaaagg	300
caggttcatc caaaacagga gactccagtc ctgtggaaag tgtgtccaag tcctaaagat	360
aattttggat ctagctgaat ctccatagggc aggaaacata cttgggttcg ggagatgtac	420
aaacctggca caaggacaag aaggcttaac agtgcaaaga aaaaccttga taaggggcaa	480
tggacagagc ctcaaaaatg tggaagtga gaccctagca tgtaagtcga tggaagccct	540
ttcgggaatt gggagggttt ggaaagggac cctccagacc	580

<210> SEQ ID NO 73
 <211> LENGTH: 2572
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 021667CB1

<400> SEQUENCE: 73

gtgcgtaaca cacatcaaga cagaacctgt tgccattttc agccaccaga gtgaaacgac	60
tgcccctcct ccggccccga cccaggccct cctgagttc accagtatat tcagctcaca	120
ccagaccgca gctccagagg tgaacaatat tttcatcaaa caagaacttc ctacaccaga	180
tcttcatctt tctgtcccta cccagcaggg ccacctgtac cagctactga atacaccgga	240
tctagatatg cccagttcta caaatcagac agcagcaatg gacactctta atgtttctat	300
gtcagctgcc atggcagggc ttaacacaca cacctctgct gttccgcaga ctgcagtga	360
acaattccag ggcatgcccc cttgcacata cacaatgcca agtcagtttc ttccacaaca	420
ggccacttac tttccccgt caccaccaag ctcagagcct ggaagtccag atagacaagc	480
agagatgctc cagaatttaa cccacctcc atcctatgct gctacaattg cttctaaact	540
ggcaattcac aatccaaatt taccaccac cctgccagtt aactcacaaa acatccaacc	600
tgtcagatac aatagaagga gtaaccccga tttggagaaa cgacgcatcc actactgcga	660
ttaccctggt tgcacaaaag tttataccaa gtcttctcat ttaaagctc acctgaggac	720
tcacactggt gaaaagccat acaagtgtac ctgggaagggc tgcgactgga ggttcgctcg	780
atcgatgag ctgaccgcc actaccgga gcaacacaggc gccaaagccct tccagtgcgg	840
ggtgtgcaac cgcagcttct cgcgctctga ccacctggcc ctgcatatga agaggacca	900
gaactgagca ctgcccgtgt gaccggttcc aggtcccctg ggctccctca aatgacagac	960
ctaactattc ctgtgtaaaa acaacaaaaa caaacaaaag caagaaaacc acaactaaaa	1020
ctggaaatgt atattttgta tatttgagaa aacaggggat acattgtatt aatacctaaag	1080
tgtttggtca ttttaagaat ctggaatgct tgctgtaatg tatatggctt tactcaagca	1140
gatctcatct catgacaggc agccacgtct caacatgggt aaggggtggg ggtggagggg	1200
agtgtgtgca gcgtttttac ctaggcacca tcatttaatg tgacagtgtt cagtaaaca	1260
atcagttggc aggcaccaga agaagaatgg attgtatgtc aagattttac ttggcattga	1320
gtagtttttt tcaatagtag gtaattcctt agagatacag tatacctggc aattcacaaa	1380
tagccattga acaaatgtgt gggtttttaa aaattatata catatatgag ttgcctatat	1440
ttgctattca aaattttgta aatatgcaaa tcagctttat aggtttatta caagtttttt	1500
aggattcttt tggggaagag tcataattct tttgaaaata accatgaata cacttacagt	1560
taggatttgt ggtaaggtac ctctcaacat taccaaaatc atttcttttag agggaaggaa	1620
taatcattca aatgaacttt aaaaaagcaa atttcatgca ctgattaaaa taggattatt	1680

-continued

```

ttaaatacaa aaggcatttt atatgaatta taaactgaag agcttaaaga tagttacaaa 1740
atacaaaagt tcaacctctt acaataagct aaacgcaatg tcatttttaa aaagaaggac 1800
ttaggggtgtc gttttcacat atgacaatgt tgcatttatg atgcagtttc aagtacaaa 1860
acggtgaatt gatgatgcag ttttcatata tcgagatggt cgctcgtgca gtactgttgg 1920
ttaaatgaca atttatgtgg attttgcag taatacacag tgagacacag taattttatc 1980
taaattacag tgcagtttag ttaatctatt aatactgact cagtgtctgc ctttaaatat 2040
aaatgatatg ttgaaaactt aaggaagcaa atgctacata tatgcaatat aaaatagtaa 2100
tgtgatgctg atgctgttaa ccaaagggca gaataaataa gcaaaatgcc aaaaggggtc 2160
ttaatgaaa tgaaaattta attttgtttt taaaatattg tttatcttta tttattttgt 2220
ggtaatatag taagtttttt tagaagacaa ttttcataac ttgataaatt atagttttgt 2280
ttgtagaaa agttgctctt aaaagatgta aatagatgac aaacgatgta aataattttg 2340
taagaggctt caaatgttt atacgtggaa acacacctac atgaaaagca gaaatcggtt 2400
gctgttttgc ttcttttcc ctcttatttt tgtattgtgg tcatttccta tgcaaataat 2460
ggagcaaaca gctgtatagt tgtagaattt tttgagagaa tgagatgttt atatattaac 2520
gacaattttt tttttgaaa ataaaagtg cctaaaagac aaaaaaaaa aa 2572

```

```

<210> SEQ ID NO 74
<211> LENGTH: 219
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 021667CD1

```

```

<400> SEQUENCE: 74

```

```

Met Pro Ser Ser Thr Asn Gln Thr Ala Ala Met Asp Thr Leu Asn
 1                5                10                15
Val Ser Met Ser Ala Ala Met Ala Gly Leu Asn Thr His Thr Ser
                20                25                30
Ala Val Pro Gln Thr Ala Val Lys Gln Phe Gln Gly Met Pro Pro
                35                40                45
Cys Thr Tyr Thr Met Pro Ser Gln Phe Leu Pro Gln Gln Ala Thr
                50                55                60
Tyr Phe Pro Pro Ser Pro Pro Ser Ser Glu Pro Gly Ser Pro Asp
                65                70                75
Arg Gln Ala Glu Met Leu Gln Asn Leu Thr Pro Pro Pro Ser Tyr
                80                85                90
Ala Ala Thr Ile Ala Ser Lys Leu Ala Ile His Asn Pro Asn Leu
                95                100                105
Pro Thr Thr Leu Pro Val Asn Ser Gln Asn Ile Gln Pro Val Arg
                110                115                120
Tyr Asn Arg Arg Ser Asn Pro Asp Leu Glu Lys Arg Arg Ile His
                125                130                135
Tyr Cys Asp Tyr Pro Gly Cys Thr Lys Val Tyr Thr Lys Ser Ser
                140                145                150
His Leu Lys Ala His Leu Arg Thr His Thr Gly Glu Lys Pro Tyr
                155                160                165
Lys Cys Thr Trp Glu Gly Cys Asp Trp Arg Phe Ala Arg Ser Asp
                170                175                180
Glu Leu Thr Arg His Tyr Arg Lys His Thr Gly Ala Lys Pro Phe
                185                190                195

```

-continued

Gln Cys Gly Val Cys Asn Arg Ser Phe Ser Arg Ser Asp His Leu
 200 205 210

Ala Leu His Met Lys Arg His Gln Asn
 215

<210> SEQ ID NO 75
 <211> LENGTH: 5325
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 224855.4
 <221> NAME/KEY: unsure
 <222> LOCATION: 1500-1699
 <223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 75

```

acctcgact ctcagtttca ccgctcgatc ttgggaccca ccgctgccct cagctccgag      60
tccagggcga gtgcagagca gagcggggcgg aggaccccgg gcgcggggcgc ggacggcacg    120
cggggcatga acctggaggg cggcggccga ggcggagagt tcggcatgag cgcggtgagc     180
tgcggcaacg ggaagctccg ccagtggctg atcgaccaga tcgacagcgg caagtacccc     240
gggctggtgt gggagaacga ggagaagagc atcttccgca tcccctggaa gcacgcgggc     300
aagcaggact acaaccgcga ggaggacgcc gcgctcttca aggcttgggc actgtttaaa     360
ggaaagttcc gagaaggcat cgacaagccg gaccctccca cctggaagac gcgcctgcgg     420
tgcgctttga acaagagcaa tgactttgag gaactggttg agcggagcca gctggacatc     480
tcagaccggt acaaagtgtg caggattggt cctgagggag ccaaaaaagg agccaagcag     540
ctcacctggt aggaccgcga gatgtccatg agccaccctc acaccatgac aacgccttac     600
ccttcgctcc cagcccaggt tcacaactac atgatgccac ccctcgaccg aagctggagg     660
gactacgtcc cggatcagcc acaccggaa atcccgtacc aatgtcccat gacgtttgga     720
ccccgcggcc accactggca aggccagct tgtgaaaatg gttgccaggt gacaggaacc     780
ttttatgctt gtgccccacc tgagtcccag gctcccggag tccccacaga gccaagcata     840
aggtctgccc aagccttggc gttctcagac tgccggctgc acatctgcct gtactaccgg     900
gaaatcctcg tgaaggagct gaccacgtcc agccccgagg gctgccggat ctcccatgga     960
catacgtatg acgccagcaa cctggaccag gtccctgttc cctaccaga ggacaatggc    1020
cagaggaaaa acattgagaa gctgctgagc cacctggaga ggggcgtggt cctctggatg    1080
gccccgcagc ggctctatgc gaaaagactg tgccagagca ggatctactg ggacgggccc    1140
ctggcgctgt gcaacgaccg gcccaacaaa ctggagagag accagacctg caagctcttt    1200
gacacacagc agttcttgtc agagctgcaa gcgtttgctc accacggccg ctccctgcca    1260
agattccagg tgactctatg ctttggagag gagtttccag accctcagag gcaaagaaag    1320
ctcatcacag ctacgtaga acctctgcta gccagacaac tatattattt tgctcaacaa    1380
aacagtggac atttctgag gggctacgat ttaccagaac acatcagcaa tccagaagat    1440
taccacagat ctatccgcca ttcctctatt caagaatgaa aatgtcaag atgagtgggn    1500
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1560
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1620
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn    1680
nnnnnnnnnn nnnnnnnnnc attgtaaata tttgacttta gtgaaagcgt ccaattgact    1740
    
```


-continued

gcgcctctta	ctgttttgag	gaactcagaa	gtggagattt	cagttcagcg	gttgaggaga	1800
attgcggcga	gacaagcatg	gaaaatcagt	gacatctgat	tggcagatga	gcttatttca	1860
aaaggaagg	tggctttgca	ttttcttggt	ttctgtagac	tgccatcatt	gatgatcact	1920
gtgaaaattg	accaagtgat	gtgtttacat	ttactgaaat	gcgctcttta	atttgttgta	1980
gattaggtct	tgctggaaga	cagagaaaac	ttgcctttca	gtattgacac	tgactagagt	2040
gatgactgct	tgtaggtatg	tctgtgccat	ttctcagggg	agtaagatgt	aaattgaaga	2100
agcctcacac	gtaaaagaaa	tgtattaatg	tatgtaggag	ctgcagttct	tgtggaagac	2160
acttgctgag	tgaaggaaat	gaatctttga	ctgaagccgt	gcctgtagcc	ttggggaggc	2220
ccatcccca	cctgccagcg	gtttcctggt	gtgggtccct	ctgcccacc	ctccttcca	2280
ttggctttct	ctccttgcc	tttctggaa	gccagttagt	aaacttcta	ttttcttgag	2340
tcaaaaaaca	tgagcgctac	tcttgatgg	gacatTTTTg	tctgtcctac	aatctagtaa	2400
tgtctaagta	atggtaagt	tttctgttt	ctgcatcttt	ttgaccctca	ttctttagag	2460
atgctaaaat	tcttcgcata	aagaagaaga	aattaaggaa	cataaatctt	aatacttga	2520
ctgttgccct	tctgtccaag	tacttaacta	tctgttccct	tcctctgtgc	cacgctcctc	2580
tgtttgtttg	gctgtccagc	gatcagccat	ggcgacacta	aaggaggagg	agccggggac	2640
tcccaggctg	gagagcactg	ccaggaccca	ccactggaag	caggatggag	ctgactacgg	2700
aactgcacac	tcagtgggct	gtttctgctt	atttcatctg	ttctatgctt	cctcgtgcca	2760
attatagttt	gacagggcct	taaaattact	tggctTTTTc	caaatgcttc	tatttataga	2820
atcccaaaga	cctccacttg	cttaagtata	cctatcactt	acatttttgt	ggttttgaga	2880
aagtacagca	gtagactggg	gcgtcacctc	caggccggtt	ctcactactac	aggatattta	2940
ctattactcc	caggatcagc	agaagattgc	gtagctctca	aatgtgtggt	cctgcttttc	3000
taatggatat	tttaaattca	ttcaacaagc	acctagtaag	tgctgtctgt	atccctacat	3060
tacacagttc	agcctttatc	aagcttagtg	agcagtgagc	actgaaacat	tattttttaa	3120
tgtttaaaaa	gtttctaata	ttaaagtcag	aatattaata	caattaatat	taatattaac	3180
tacagaaaag	acaacagta	gagaacagca	aaaaataaaa	aaggatctcc	ttttttccca	3240
gcccnaattc	tcctctctaa	aagtgtccac	aagaaggggt	gtttattctt	ccaacacatt	3300
tcacttttct	gtaaatatac	ataaacttaa	aaagaaaacc	tcattggagtc	atcttgcaca	3360
cactttcatg	cagtgtctct	tgtagctaac	agtgaagatt	tacctcgttc	tgctcagagg	3420
ccttgctgtg	gagctccact	gccatgtacc	cagtaggggt	tgacatttca	ttagccatgc	3480
aacatggata	tgatttggc	agcagactgt	gtttcgtgaa	ctgcagtgat	gtatacatct	3540
tatagatgca	aagtattttg	gggtatatta	tcctaaggga	agataaagat	gatattaaga	3600
actgctgttt	cacggggccc	ttacctgtga	ccctctttgc	tgaagaatat	ttaacccac	3660
acagcacttt	caaagaagct	gtcttggaag	tctgtctcag	gagcaccctg	tcttcttaat	3720
tctccaagcg	gatgctccat	ttcaattgct	ttgtgacttc	ttcttctttg	tttttttaa	3780
tattatgctg	ctttaacagt	ggagctgaat	tttctggaaa	atgcttcttg	gctggggcca	3840
ctacctctt	tcctatcttt	acatctatgt	gtatgttgac	tttttaaaat	tctgagtgat	3900
ccagggtatg	acctagggaa	tgaactagct	atgaaatact	cagggttagg	aatcctagca	3960
cttgtctcag	gactctgaaa	aggaacggct	tcctcattcc	ttgtcttgat	aaagtggaat	4020
tggcaaaacta	gaatttagtt	tgtactcagt	ggacagtgct	gttgaagatt	tgaggacttg	4080
ttaaagagca	ctgggtcata	tggaaaaaat	gtatgtgtct	cccagggtgca	tttcttggtt	4140

-continued

tatgtcttgt	tcttgagatt	ttgtatat	ttt aggaaaac	ct caagcagtaa	ttaatatctc	4200
ctggaacact	atagagaacc	aagtgaccga	ctcatttaca	actgaaacct	aggaagcccc	4260
tgagtcctga	gcgaaaacag	gagagttagt	cgccctacag	gaaaccagc	tagactattg	4320
ggtatgaact	aaaaagagac	tgtgccatgg	tgagaaaaat	gtaaaatcct	acagtggaat	4380
gagcagccct	tacagtgttg	ttaccaccaa	gggcaggtag	gtattagtgt	ttgaaaagc	4440
tggtccttga	gcgagggcat	aaatacagct	agccccaggg	gtggaacaac	tctgggagtc	4500
ttgggtactc	gcacctcttg	gctttgttga	tgctccgcca	ggaaggccac	ttgtgtgtgc	4560
gtgtcagtta	cttttttagt	aacaattcag	atccagtgtg	aacttccggt	cattgctctc	4620
cagtcacatg	ccccacttc	cccacaggtg	aaagtttttc	tgaaagtgtt	gggattggtt	4680
aaggtcttta	tttgtattac	gtatctcccc	aagtcctctg	tggccagctg	cgtctgtctg	4740
aatggtgcgt	gaaggctctc	agaccttaca	caccattttg	taagttatgt	tttacctgcc	4800
ccgtttttga	gactgatctc	gatgcaggtg	gatctccttg	agatcctgat	agcctgttac	4860
aggaatgaag	taaaggtcag	ttttttttgt	attgattttc	acagctttga	ggaacatgca	4920
taagaaatgt	agctgaagta	gagggggcgt	gagagaaggg	ccaggccggc	aggccaaccc	4980
tcctccaatg	gaaattcccg	tgttgcttca	aactgagaca	gatgggactt	aacaggcaat	5040
ggggtccact	tccccctctt	cagcatcccc	cgtacccccac	tttctgctga	aagaactgcc	5100
agcaggtagg	accccagagg	ccccaaatg	aaagcttgaa	tttcccctac	tggctctgcg	5160
ttttgctgag	atctgtagga	aaggatgctt	cacaaactga	ggtagataat	gctatgctgt	5220
cgttggtata	catcatgaat	ttttatgtaa	attgctctgc	aaagcaaatt	gatatgtttg	5280
ataaatttat	gttttttagt	aaataaaaac	ttttaaaaag	ttggt		5325

<210> SEQ ID NO 76
 <211> LENGTH: 2278
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 1518310CB1

<400> SEQUENCE: 76

ggctcctctc	cccgactcgg	agcccctcgg	cggcgcccgg	cccaggacct	gcctaggagc	60
gcaggagccc	cagcgagag	accccaacgc	cgagaccccc	gccccggccc	cgccgcgctt	120
cctcccgcag	cagagcaaac	cgcccagagt	agaagatgga	ttggggcacg	ctgcagacga	180
tcctgggggg	tgtgaacaaa	cactccacca	gcattggaaa	gatctggctc	accgtcctct	240
tcattttctg	cattatgata	ctcgttgggg	ctgcaaagga	ggtgtgggga	gatgagcagg	300
ccgactttgt	ctgcaacacc	ctgcagccag	gctgcaagaa	cgtgtgctac	gatcactact	360
tccccatctc	ccacatccgg	ctatgggccc	tgagctgat	cttcgtgtcc	acgccagcgc	420
tcctagtggc	catgcacgtg	gcctaccgga	gacatgagaa	gaagaggaag	ttcatcaagg	480
gggagataaa	gagtgaattt	aaggacatcg	aggagatcaa	aaccagaag	gtccgcatcg	540
aaggctccct	gtgggtgacc	tacacaagca	gcattctctt	ccgggtcatc	ttcgaagccg	600
ccttcatgta	cgtcttctat	gtcatgtacg	acggcttctc	catgcagcgg	ctggtgaagt	660
gcaacgcctg	gccttgtccc	aacactgtgg	actgctttgt	gtccccggcc	acggagaaga	720
ctgtcttcac	agtgttcatg	attgcagtgt	ctggaatttg	catcctgctg	aatgtcactg	780
aattgtgtta	tttgctaatt	agatattggt	ctgggaagtc	aaaaaagcca	gtttaacgca	840

-continued

```

ttgcccagtt gttagattaa gaaatagaca gcatgagagg gatgaggcaa cccgtgctca 900
gctgtcaagg ctcagtcgct agcatttccc aacacaaaga ttctgacctt aaatgcaacc 960
at ttgaaacc cctgtaggcc tcagggtgaaa ctccagatgc cacaatggag ctctgctccc 1020
ctaaagcctc aaaacaaagg cctaattcta tgccctgtctt aattttcttt cacttaagtt 1080
agttccactg agaccccagg ctgttagggg ttattgggtg aaggtacttt catattttaa 1140
acagaggata tcggcatttg tttctttctc tgaggacaag agaaaaaagc caggttccac 1200
agaggacaca gagaaggttt ggggtgcctc ctggggttct ttttgccaac tttccccacg 1260
ttaaaggtga acattggttc tttcatttgc tttggaagtt ttaatctcta acagtggaca 1320
aagttaccag tgccttaaac tctgttacac tttttggaag tgaaaacttt gtagtatgat 1380
aggttat tttt gatgtaaaga tgttctggat accattatat gttccccctg tttcagaggc 1440
tcagattgta atatgtaaat ggtatgtcat tcgctactat gatttaattt gaaataggt 1500
cttttggtta tgaatacttt gcagcacagc tgagaggctg tctggtgtat tcattgtggt 1560
catagcacct aacaacattg tagcctcaat cgagtgagac agactagaag ttcttagtga 1620
tggcttatga tagcaaatgg cctcatgtca aatattttaga tgtaattttg tgtaagaaat 1680
acagactgga tgtaccacca actactacct gtaatgacag gcctgtccaa cacatctccc 1740
ttttccatga ctgtggtagc cagcatcgga aagaacgctg atttaaagag gtcgcttggg 1800
aattttattg acacagtacc atttaatggg gaggacaaaa tggggcaggg gagggagaag 1860
tttctgtcgt taaaaacaga tttgaaaga ctggactcta aattctggtg attaaagatg 1920
agctttgtct acttcaaaag tttgtttgct tacccttca gcctccaatt ttttaagtga 1980
aaatataact aataacatgt gaaaagaata gaagctaagg tttagataaa tattgagcag 2040
atctatagga agattgaacc tgaatattgc cattatgctt gacatggttt ccaaaaaatg 2100
gtactccaca tacttcagtg agggtaaagta ttttctgtt gtcaagaata gcattgtaa 2160
agcattttgt aataataaag aatagcttta atgatatgct tgtaactaaa ataattttgt 2220
aatgtatcaa atacatttaa aacattaaaa tataatctct atagtaacga acagaaaa 2278

```

<210> SEQ ID NO 77

<211> LENGTH: 226

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Incyte ID No: 1518310CD1

<400> SEQUENCE: 77

```

Met Asp Trp Gly Thr Leu Gln Thr Ile Leu Gly Gly Val Asn Lys
 1             5             10             15
His Ser Thr Ser Ile Gly Lys Ile Trp Leu Thr Val Leu Phe Ile
          20             25             30
Phe Arg Ile Met Ile Leu Val Val Ala Ala Lys Glu Val Trp Gly
          35             40             45
Asp Glu Gln Ala Asp Phe Val Cys Asn Thr Leu Gln Pro Gly Cys
          50             55             60
Lys Asn Val Cys Tyr Asp His Tyr Phe Pro Ile Ser His Ile Arg
          65             70             75
Leu Trp Ala Leu Gln Leu Ile Phe Val Ser Thr Pro Ala Leu Leu
          80             85             90
Val Ala Met His Val Ala Tyr Arg Arg His Glu Lys Lys Arg Lys

```

-continued

	95		100		105
Phe Ile Lys Gly	Glu Ile Lys Ser Glu	Phe Lys Asp Ile Glu	Glu		
	110		115		120
Ile Lys Thr Gln	Lys Val Arg Ile Glu	Gly Ser Leu Trp Trp	Thr		
	125		130		135
Tyr Thr Ser Ser	Ile Phe Phe Arg Val	Ile Phe Glu Ala Ala	Phe		
	140		145		150
Met Tyr Val Phe	Tyr Val Met Tyr Asp	Gly Phe Ser Met Gln	Arg		
	155		160		165
Leu Val Lys Cys	Asn Ala Trp Pro Cys	Pro Asn Thr Val Asp	Cys		
	170		175		180
Phe Val Ser Arg	Pro Thr Glu Lys Thr	Val Phe Thr Val Phe	Met		
	185		190		195
Ile Ala Val Ser	Gly Ile Cys Ile Leu	Leu Asn Val Thr Glu	Leu		
	200		205		210
Cys Tyr Leu Leu	Ile Arg Tyr Cys Ser	Gly Lys Ser Lys Lys	Pro		
	215		220		225

Val

<210> SEQ ID NO 78
 <211> LENGTH: 445
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 098533.1
 <221> NAME/KEY: unsure
 <222> LOCATION: 406, 413
 <223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 78

```

ggcaaggcca gtggctccgc cgctgggtcc gctgcccttt actttcagtc agcctggggc      60
ggtgtcctct cctacagaag tcctgagcgg ccttccacgt ggccggccct cgagtccgct      120
cgccccgacc cttcgtagtc ccgaaaccgc ccccctggct aaggtctctt tccccaggc      180
tgcttccttt ctcttgctt ttttcccacc ttttttgta ctgaccaagg tgaatccttt      240
ccttaacaaa tcggcttaaa gcaagctaac tcagttacaa tacagtagaa ctgtacttaa      300
aaaaaaaaa aacgtgaatc taaccgttac gtcagaaaaa aaaatcttaa attagacgaa      360
tttcaaacag tgcttaacac atcgcagagc atttgcagtt atttgnatca cgncttttga      420
aacaccttta tgctgtaaat agagc                                           445
  
```

<210> SEQ ID NO 79
 <211> LENGTH: 5227
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 410785.1
 <221> NAME/KEY: unsure
 <222> LOCATION: 4928, 4934, 4939, 4944, 4973, 4992
 <223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 79

```

cacaagacct ggaattgaca ggactcccaa ctagtacaat gacagaagat aaggtcactg      60
ggaccctggt tttcactgtc atcaactgctg tgctggggtc cttccagttt ggatatgaca      120
ttggtgtgat caatgcacct caacaggtaa taatatctca ctatagacat gttttgggtg      180
ttccactgga tgaccgaaaa gctatcaaca actatgttat caacagtaca gatgaactgc      240
  
```


-continued

ccacaatctc	atactcaatg	aacccaaaac	caaccocctg	ggctgaggaa	gagactgtgg	300
cagctgctca	actaatcacc	atgctctggg	cocctgtctgt	atccagcttt	gcagttgggtg	360
gaatgactgc	atcattcttt	ggtgggtggc	ttggggacac	acttgggaaga	atcaaagcca	420
tgtagtagc	aaacattctg	tcattagttg	gagctctctt	gatggggttt	tcaaaattgg	480
gaccatctca	tatacttata	attgctggaa	gaagcatatc	aggactatat	tgtgggctaa	540
tttcaggcct	ggttcctatg	tatatcgggtg	aaattgctcc	aaccgctctc	aggggagcac	600
ttggcacttt	tcacagctg	gccatcgtca	cgggcattct	tattagtcag	attattgggtc	660
ttgaatttat	cttgggcaat	tatgatctgt	ggcacatctt	gcttggcctg	tctgggtgtgc	720
gagccatcct	tcagtctctg	ctactctttt	tctgtccaga	aagccccaga	tacctttaca	780
tcaagttaga	tgaggaagtc	aaagcaaac	aaagcctgaa	aagactcaga	ggatatgatg	840
atgtcaccaa	agatattaat	gaaatgagaa	aagaaagaga	agaagcatcg	agtgagcaga	900
aagtctctat	aattcagctc	ttcaccaatt	ccagctaccg	acagcctatt	ctagtggcac	960
tgatgctgca	tgtggctcag	caattttccg	gaatcaatgg	cattttttac	tactcaacca	1020
gcatttttca	gacggctggt	atcagcaaac	ctgtttatgc	aaccattgga	gttggcgctg	1080
taaacatggg	tttcactgct	gtctctgtat	tccttgtgga	gaaggcaggg	cgacgttctc	1140
tctttcta	tggaatgagt	gggatgtttg	tttgtgccat	cttcatgtca	gtgggacttg	1200
tgctgctgaa	taagttctct	tggactgagt	tactgtgagc	atgatagcca	tcttctctt	1260
tgtcagcttc	tttgaattg	ggccaggccc	gatcccctgg	ttcatgggtg	ctgagttttt	1320
cagtcaagga	ccacgtcctg	ctgcttttagc	aatagctgca	ttcagcaatt	ggacctgcaa	1380
tttcattgta	gctctgtgtt	tccagtacat	tgccgacttc	tgtggacctt	atgtgttttt	1440
cctctttgct	ggagtgtctc	tggcctttac	cctgtttaca	ttttttaaag	ttccagaaac	1500
caaaggaaag	tcttttgagg	aaattgctgc	agaattccaa	aagaagagtg	gctcagccca	1560
caggccaaaa	gctgctgtag	aaatgaaatt	cctaggagct	acagagactg	tgtaaaaaaa	1620
aaaccctgct	ttttgacatg	aacagaaaca	ataagggaac	cgtctgtttt	taaatgatga	1680
ttccttgagc	attttatatc	cacatcttta	agtattgttt	tatttttatg	tgctctcatc	1740
agaaatgtca	tcaaatatta	ccaaaaaagt	atttttttaa	gtagagaat	atatttttga	1800
tggaagact	gtaattaagt	aaacaaaaa	ggctagttta	ttttgttaa	ctaaagggca	1860
ggtggttcta	atatttttag	ctctgttctt	tataacaagg	ttcttctaaa	attgaagaga	1920
tttcaacata	tcattttttt	aacacataac	tagaaacctg	aggatgcaac	aaatatttat	1980
atatttgaat	atcattaaat	tggaattttc	ttaccatata	atcttatggt	aaaggagata	2040
tggctagtgg	caataagttc	catgttaaaa	tagacaactc	ttcatttat	tgactcagc	2100
tttttcttg	agtactagaa	tttgtatttt	gcttaaaatt	ttacttttgt	tctgtatttt	2160
catgtggaat	ggattataga	gtatactaaa	aatgtctat	agagaaaaac	tttcattttt	2220
ggtaggctta	tcaaaatctt	tcagcactca	gaaaagaaaa	ccatttttagt	tcctttattt	2280
aatggccaaa	tggtttttgc	aagatttaac	actaaaaagg	tttcacctga	tcatatagcg	2340
tgggttatca	gttaacatta	acatctatta	taaaacctatg	ttgattccct	tctggtacaa	2400
tcctttgagt	tatagtttgc	tttgcttttt	aattgaggac	agcctggttt	tcacatacac	2460
tcaaacaatca	tgagttagac	atgtgtgata	ttacctcaat	tcctaataag	tttgatcaat	2520
ctaatgtaag	aaaatttgaa	gtaaaggatt	gatcactttg	ttaaaaatat	tttctgaatt	2580

-continued

attatgtctc	aaaataagtt	gaaaaggtag	ggtttgagga	ttcctgagtg	tgggcttctg	2640
aaacttcata	aatgttcagc	ttcagacttt	tatcaaaatc	cctatttaat	tttcctggaa	2700
agactgattg	ttttatggtg	tgttcctaac	ataaaataat	cgtctccttt	gacatttcct	2760
tctttgtctt	agctgtatac	agattctagc	caaactattc	tatggccatt	actaacacgc	2820
attgtacact	atctatctgc	ctttacctac	ataggcaaat	tggaaataca	cagatgatta	2880
aacagacttt	agcttacagt	caattttaca	attatggaaa	tatagttctg	atgggtccca	2940
aaagcttagc	agggtgctaa	cgtatctcta	ggctgttttc	tccaccaact	ggagcactga	3000
tcaatccttc	ttatgtttgc	tttaatgtgt	attgaagaaa	agcacttttt	aaaaagtact	3060
ctttaagagt	gaaataatta	aaaaccactg	aacatttgct	ttgttttcta	aagttgttca	3120
catatatgta	atthagcagt	ccaaagaaca	agaaattggt	tcttttcagt	gtgatttgtt	3180
tttcatttgg	gccaatggg	gataaactat	tttcacttgg	gatttcagga	tacagtcaaa	3240
ataagcttaa	ataactcagg	acatctttgt	gctaaactgt	gaactctgga	caaaaataga	3300
gagtctctga	atagggcagg	agcaggaaaa	tggctcctgg	gtggctcttg	tatgcttctt	3360
caggatgctg	atggcctttg	ggaagcccag	tgtaaacaat	gataaaggag	cttaacactt	3420
ttataggtga	tacatgtgat	ttaatcaaat	cactattcct	gatctcattt	actaacagaa	3480
taaagtggta	aatatttaaa	ttaaaaattc	caaagaccac	ttttaagtgc	ttcttacta	3540
ttttgactgg	cccacaaaca	ccagaaattc	agaccctgaa	gttttctgcc	tcagagaaat	3600
ttaagtacct	tatattgttc	cccttctaca	actttttcct	tgcagagata	catgtgagtt	3660
gacaagaaac	attaaagga	aataagaaga	agctgataaa	gctttatagg	aggaccaaag	3720
aactagctta	ctataataaa	aaaattttta	gtcttcaagg	gtatacatca	taataaaaaa	3780
taaaattgac	agtaattaat	taaatttaat	cccagggaaa	ttagatgtga	atltgaacac	3840
ctaactttcc	atgtactctc	tcatttttgt	ggaagtgttt	ctatactcta	atgcctttac	3900
aatgtgatt	tttctcttag	ctcgtttgaa	gtatgagaat	tagagttttt	ggtctcgcat	3960
tcacctgcta	catctaggat	tgcccactgt	catgactccc	agggaaaagg	tcctatctta	4020
gcttctcct	ccctactttc	ctctacatgg	tcagcactgt	aatgtagcta	agatatagta	4080
aggcattgct	ccctccccct	acaactcaag	gagttcacag	tctaattggg	agttcaggaa	4140
ggccagagta	ttaatatccc	catctgtgtc	ttttgccttc	catgaacctg	ggttttgagc	4200
cctctcttgt	aaaatgggca	cagtaatatt	acctacctca	gggagttgtg	aggattaaac	4260
atgaagtgct	aagcatagtg	cctggtacaa	agacagtact	caataagtgc	tacctaaaac	4320
tagtattcat	agcaatactg	ttaggataaa	gaattatcat	atatgagata	gttccaaatt	4380
tttgtttttt	taaaaaaaaa	agagttttat	aagttcaaga	taatattttc	ttacttcaaa	4440
gaaacaatct	cacaacgagg	gaatggtaag	aatcaggaga	gattactaac	ctggcagagg	4500
agctatcaca	atcaciaaag	tggtttttcc	agggcacggc	tcatccatta	cactccagat	4560
gtgctgacct	ctgccatttc	cccaaagtgt	ggaaacccaa	ctgcacagtt	tgtagtagtg	4620
ggtgactgtg	ttcatgctgc	cccctgaaaa	caacaacaac	aacaaagaat	cagaagagat	4680
actaggctat	ctaattccta	aatccaaacc	tgatatttct	aagtaagatt	ataagaattt	4740
ttattgcatt	ttctgaattt	gcttttgcac	aagttatggt	atlttttacag	ggtctatatt	4800
actattattt	cttagaataa	tactaattat	aaaacaaaat	tctgtatata	acatttaaat	4860
gtaatttaat	agaattataa	tcacaagaca	agaccaaact	ttgtgtgata	atcctcagta	4920
attgcanag	gggnatatnc	atgnaggcca	gcatacatgc	ataaactact	tcntattgct	4980

-continued

```

aggctaattg tnccatatgt agcaaatata gcagttcagc aatatcttgt gcttacaggg 5040
tcctaagcag aggtgatgag tcaagtgtaa atatatatat atattttttt atttttcatg 5100
gcaattgtat attagtaacc tggggagaaa aggtttattg acaaccactc tgatccatct 5160
gctgctatth ttactgctaa tttggtgcac attaaaaaga atgatcatga aaagatatta 5220
ctttgag 5227

```

```

<210> SEQ ID NO 80
<211> LENGTH: 1199
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1089210.1

```

```

<400> SEQUENCE: 80

```

```

aaggaaacag gatctgctta gtgaaagaag tggcaagcaa tggatcccaa atatcagcgt 60
gtagagctaa atgatggtca cttcatgccc gtattgggat ttggcaccta tgcacctcca 120
gaggttccga ggaacagagc tgtggaggtc accaaattag caatagaagc tggcttccgc 180
catattgatt ctgcttattt atacaataat gaggagcagg ttggactggc catccgaagc 240
aagattgcag atggcagtgt gaagagagaa gacatattct acacttcaaa gctttggtgc 300
actttctttc aaccacagat ggtccaacca gccttggaaa gctcactgaa aaaactttaa 360
ctggactatg ttgacctcta tcttcttcat ttcccaatgg ctctcaagcc aggtgagacg 420
ccactaccaa aagatgaaaa tggaaaagta atattcgaca cagtggatct ctctgccaca 480
tgaggaggta tggagaagt taaggatgca ggattggcca agtccatcgg ggtgtcaaac 540
ttcaactgca ggcagctgga gatgatcctc aacaagccag gactcaagta caagcctgtc 600
tgcaaccagg tagaatgtca tccttacctc aaccagagca aactgctgga tttctgcaag 660
tcaaaagaca ttgttctggt tgcccacagt gctctgggaa cccaacgaca taaactatgg 720
gtggacccaa actccccagt tcttttgag gaccagttc tttgtgcctt agcaaagaaa 780
caciaacgaa cccagccct gattgccctg cgctaccagc tgcagcgtgg ggtgtggtc 840
ctggccaaga gctacaatga gcagcggatc agagagaaca tccaggtttt tgaattccag 900
ttgacatcag agggatatga aagttctaga tggctctaac agaaattatc gatatgttgt 960
catggatttt cttatggacc atcctgatta tccattttca gatgaatatt agcatagagg 1020
gtgttgacag acatctagca gaaggccctg tgtgtggatg gtgatgcaga ggatgtctct 1080
atgctggtga ctggacacac ggcctctggt taaatccctc cctcctgct tggcaacttc 1140
agctagctag atatatccat ggtccagaaa gcaaacataa taaattttta tcttgaagt 1199

```

```

<210> SEQ ID NO 81
<211> LENGTH: 807
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 333453.6
<221> NAME/KEY: unsure
<222> LOCATION: 32, 35, 166
<223> OTHER INFORMATION: a, t, c, g, or other

```

```

<400> SEQUENCE: 81

```

```

gaacaagact ccgtaaaaa aaaaaaatt gnttngaac ctggttctgg aatcggcttg 60
aatcattcca gcctttcata cttatagctg tgtggccttg ggcaacttac ttaactttat 120

```


-continued

```

ctataaaatg gggacaatag cttctcttcc tcatagcatg gttgtnagga ttagatgaag 180
ttctcagtgg gcattcctgt aagctctagg gagatgtag ctgttactaa tgtttggcac 240
catgacaaat gattagatgg aactttggag caattaataa taaaaattaa aataagggga 300
caaagccagc caaggagaaa agtaaaagat ccaagaatag gggcatataa tggctttatt 360
tttcttgag tctagtgtga ttctaacacc tgagtccaac cattcattat gtaggtccgt 420
atcctctcct gttcttttcc tctcatcctg ggtaccagac agaaggaaaa actgaaacaa 480
atgatgagtc ggctcccttt ctttccttcc atggtggcta tttaggtggc tgatttatga 540
agaacctgga tttcaggggtg ttcctttcat cctggaacct ggtgaatacc ctgacttgtc 600
cttctgggat acagaagcag cgtacattgg atccatgcgg cctctgaaaa tggtaaaaaat 660
gaaatccaaa tgccttgtg gtgattcttt gtcagcttga cgtggaatt cacaggggtg 720
gactttgaag caataaagct gacttttaag acacaaatth gtagtagatt ggacctattg 780
ctcaatacaa atcatgaaa gcataac 807

```

```

<210> SEQ ID NO 82
<211> LENGTH: 764
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 365070.1

```

```

<400> SEQUENCE: 82

```

```

acgaagcagc tgactgtgca tcacgcagtc acaatattgt ttttaggggtg aggggtggagg 60
actgtgtgtc cgtggattac tcctcctgct ggtggattgc agatgcatta ttaggtcata 120
ctggctagaa tgcagctttt ctcccacat aacatgaaaa cagtgtaaga acataggggtg 180
ctttgtgcat agcccttctc tatgtaagca gccatggcag tcattaaaga gaaaggagta 240
gctttgacat taagctcccc agatccctgc tgctcact tctggcaagg ggttcccctc 300
tctcatgcat gaacaggggc atccaaaata agaagctctc cattctgtgg tgggaaagc 360
ggagagggga gtgggtgaag ctgggaaagt aaaggcagca cgttacagaa ggaagaaagg 420
aagccagtaa ctgagggccc actgcctgcc cggccctggg ccaggccctc aacagaagcc 480
atctcattta agccctgcaa ccaatgagat gcacgtcatc attggctctt acagacaaga 540
aaactagact cagaggggct gagtccacat ccagacagc tcaactgcaga cacaggtgga 600
gtggttccta caagacatcc agttttaaca acaaaagagt tattgaaatg catgggtaga 660
aattgaacca gaaaatcag taaagtgatt gtaaaaaaga aggactagct tgcctggaga 720
tgatgtttct tgcttttga aaaaaaaaaa aggtctctga aatt 764

```

```

<210> SEQ ID NO 83
<211> LENGTH: 1325
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 365070.3
<221> NAME/KEY: unsure
<222> LOCATION: 1242
<223> OTHER INFORMATION: a, t, c, g, or other

```

```

<400> SEQUENCE: 83

```

```

gcgctgctgg cggccccggc ggccgggctg gctgcctgca agatgtccgt gcgcccggc 60
cggcggccgg cgcggccggg gacccgcctc tctggctgc tgtgctgcag cgcctgctg 120

```

-continued

```

tccccggccg cgggctacgt gatcgtgagc tccgtgtctt gggccgtcac caacgaggtg 180
gacgaggagc tggacagcgc ctccactgag gaggctatgc ccgcgctgct agaggattcg 240
ggcagcatct ggcagcaaag cttccccgcc tctgcccaca aggaggacgc gcacctgcgg 300
ccccgggagg gcgcccggcg ggccaggccg cccccggcgc caccgggat gttctcctac 360
cggcgcgagg gcggccagac ggccagtgcg cccccgggcc ctagactgcg cgccgccacc 420
gcccgtccc tggcccatgc cagcgtctgg ggctgcctgg ccaccgtgtc caccacaag 480
aagatccaag gactgccatt tgggaactgc ctgcccgtca gtgatggccc cttcaacaat 540
agcactggga ttcctttctt ctacatgaca gccaaggacc ccgtggtggc tgatctgatg 600
aagaaccca tggcctcgt gatgctgcca gaatcagaag gggagtctg cagaaaaaac 660
atcgttgatc cggaagatcc ccgatgtgtc cagttaacgc tctactggcca gatgatcgca 720
gtgtctccag aagaagtaga atttgccaag caagccatgt tttcaaggca cccagggatg 780
aggaagtggc ctcgtcaata tgaatggttc tttatgaaga tgaggataga acatatctgg 840
cttcagaaat ggtatggagg cgcattccagt atttcaaggg aggaatattt caaagcagtt 900
cccagaaagg cctgatggag tgagaagaaa gtccttggtg tttgactta aataaaaacc 960
ttttcagtga tgcagccaga cagctattga ccactgtctc tttggtgaag gttcatagc 1020
agccctgcca tcctgcagc agaatgagag aggggaaca gggaaactta tgctagattt 1080
gagattaaag tggtcatttg cagatctcca actcacacag atacttcacg tagatagtct 1140
ttattccatt gtattcaatc cagactcatc gattcagaaa tcatataata gctggtggtc 1200
aaaatgacat gttgagatca ttgtgtttc attgtttaag gnaaaaaaaaa aatgcctgta 1260
cctacaatgt gattgctttg tattgtgaga gtatcttgtt gcttgctctg ccaaatgcag 1320
tcttg 1325

```

```

<210> SEQ ID NO 84
<211> LENGTH: 3663
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 413921.2

```

```

<400> SEQUENCE: 84
gtgcgctagg ctccgactc cgcggcgcag actggcacct cgcagtctcc ccaggctccg 60
ccagcagccg cgcttcagcc agaatactgg gatcttcagt ggcaggagga gtaatcagaa 120
gacggagatg aattttaaca ctatthttgga ggagattctt attaaaaggc cacagcagaa 180
aaagaagaca tcgcccttaa actacaaaga gagacttttt gtacttacia agtccatgct 240
aacctactat gagggtcgag cagagaagaa atacagaaag gggtttattg atgtttcaaa 300
aatcaagtgt gtggaatag tgaagaatga tgatggtgtc attccctgtc aaaataagta 360
tccatttcag gttgttcag atgctaacac actttacatt tttgcaccta gtccacaaag 420
cagggacctg tgggtgaaga agttaaaga agaaataaag aacaacaata atattatgat 480
taaatatcat cctaaattct ggacagatgg aagttatcag tgtttagac aaactgaaa 540
attagcaccg ggatgtgaaa aatacaatct ttttgagagc agtataagaa aagcactacc 600
tccagcacca gaaacaaaga agcgaaggcc tccccacca attccactag aagaagaaga 660
taatagtga gaaatcgtt tagccatgta tgatttcaa gcagcagaag gacatgatct 720
cagattagag agaggccaag agtatctcat tttagaaaag aatgatgtgc attggtggag 780

```

-continued

agcaagagat	aaatatggga	atgaaggata	tatcccaagt	aattacgtaa	cgggaaagaa	840
atcaacaac	ttagatcaat	atgaatggta	ttgcagaaat	atgaatagaa	gcaaggcaga	900
gcaactcctc	cgagtgaaag	ataaagaagg	tggttttatg	gtaagggatt	ccagtcaacc	960
aggcttgtag	acagctctcc	tttataccaa	gtttggagga	gaaggttcat	cgggttttag	1020
gcattatcat	ataaagaaa	caacaacatc	tccaaagaag	tattacctag	ctgaaaaaca	1080
tgcttttggc	tccattcctg	agattattga	atatcataag	cacaatgcag	caggacttgt	1140
caccaggctt	cggtagccag	ttagtggtga	agggagaagt	gcaccacca	ctgcaggatt	1200
cagctatgag	aatgggaga	ttaacccttc	agaactgacc	tttatgaggg	aattgggaag	1260
tggactgttt	ggagtgggta	ggcttggcaa	atggcgagcc	cagtacaaag	tcgcaatcaa	1320
agctattcgg	gaaggtgcaa	tgtgcgagga	ggactttata	gaagaagcta	aagtgatgat	1380
gaagctgaca	caccogaagt	tagtgcagct	ttatggtgtg	tgcaccagc	agaaaccaat	1440
atacattggt	actgagttca	tggaaagggg	ctgccttctg	aatttcctcc	gacagagaca	1500
aggtcatttc	agtagagacg	tactgctgag	catgtgtcag	gatgtgtgtg	aagggatgga	1560
gtatctggag	agaaacagct	tcatccacag	agatctggct	gccagaaatt	gtctagtaag	1620
tgaggcggga	gttgtaaaag	tatctgattt	tggaatggcc	aggatgttc	tggatgatca	1680
gtacacaagt	tcttctgggtg	ctaagtttcc	tgtgaagtgg	tgtccacctg	aagtgtttaa	1740
ttacagccgc	ttcagcagca	aatcagatgt	ctggtcattt	ggtgtttaa	tgtgggaagt	1800
attcacggaa	ggcagaatgc	cttttgaaaa	atacaccaat	tatgaagtgg	taaccatggt	1860
tactcgaggc	caccgactct	accagccgaa	gttggcgtcc	aactatgtgt	atgaggtgat	1920
gctgagatgt	tggcaggaga	aaccagaggg	aaggccttct	ttcgaagatc	tgctgcgcac	1980
aatagatgaa	ctagttgaat	gtgaagaaac	ttttggaaga	taagtgatgt	gtgaccagtg	2040
gctcccagat	tccaagcac	aaggaaggat	gggcattttg	tggcttttaa	tttattgagc	2100
acttgacat	gtagatcatt	ttacttatac	agtggaaaca	cataaataat	ttgcttctag	2160
accagcctct	gtctagactt	gcttctagac	agaatctccc	agagtgtgga	aatgttgctt	2220
tagaaatggt	gattaaaatc	actcatttct	attcattcct	caggcacttg	agtgacagtt	2280
gtttaccagg	cactgtgtgt	agccccaggg	tttggccatt	caggggtgca	cacatgggac	2340
catgttagct	gatgccagtt	gaaggccagg	gtatttggga	aggggaaggg	tattagagtc	2400
atgaccaagc	aacccttctt	tttccctttg	acttctacag	aaatctgggc	ctgagacatt	2460
gtctacaatt	gggttctaga	tacatcagga	accatcttg	gataaataaa	tacctatctt	2520
ttgttttgaa	aacatctcag	ttttcaagac	tgctcttagt	attacatgaa	caatatttgt	2580
atgctgtata	tattgtaaat	atatataata	tataaagtta	tatatttatg	agaaacacga	2640
attgtctttt	aattgaaact	tttaatcctg	tagtatagga	gttcaccttc	ttaggactag	2700
agactgtgcc	ttatagctgt	taattcattt	ccccctgaac	atcaaatatg	cctgaagaga	2760
agaaagtcta	gattcttcta	tgagtaacgc	ccccctccta	ctcaggtaaa	tgtgtctggg	2820
gatgcctgtc	cagcttaacc	acgtgcattt	ggcctatgta	atcctgcca	tgggtggccgc	2880
agctaatcag	aatcagatgg	aaaattaaac	cgggtaatct	acttctaagc	cttaagaata	2940
ttccctggga	cacagacact	ataattggaa	gtgctgagct	ctggggcaga	aggatcaggt	3000
gaccttcgca	acaaagtttg	ccccacctc	acataggacc	cggagcagc	ctgagctgtg	3060
gcggaggatc	caggaagcta	cggagagaag	cagccagcat	ggtgttccgt	gcctcccgga	3120

-continued

cgtttttcag gaggcctggt tggacttggg ttctctggatg gtgggattgt tgtacagcct	3180
ctcaggagac cctgctgtca agactgtgtg tgtggatttc tcacccttag aagctctact	3240
aagacatcaa cggaattagg gccttccttt ttgccttgtg agcgccaagg aaaagaaact	3300
atctcgggtca cgtgagcgcc agcgaaaaga aactgtatca gtcacccaga gaccgtttat	3360
tgcccaacac gttattcttg ctgttggtgg ggtaactagc cgaggaagac acagcgcctt	3420
cccttcagga gttgcgtctc ctctgcaggc cacgatggtc tgctctggag cattgggtga	3480
acacacaggc tggctgctct gggcagcgcc ttcactctga ccctggagaa ccatttcatt	3540
tcacctcggg cagtctagag tctgtgcacc aggcagtcca tccactgaag gctgtgttta	3600
ttcttttcct gtgcccctca taaatggaag aaagtaaact gcttatcccg agccttaaaa	3660
aaa	3663

<210> SEQ ID NO 85
 <211> LENGTH: 1344
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 336615.1

<400> SEQUENCE: 85

ggaggaggag gcagctacgg tgataaagaa gagcaatcaa aagggcaaag ccaaaggaaa	60
aggcaaaaag aaagcgaagg aggagagggc cccgtctccc cccgtggagg tggacgaacc	120
ccgggagttt gtgctccggc ctgcccccca gggccgcacg gtgcgctgcc ggctgaccgg	180
ggacaaaaag ggcatggatc gaggcattga tccctcctac ttctctcacc tggacacgga	240
gaagaaggtg ttctcttgg ctggcaggaa acgaaaacgg agcaagacag ccaattacct	300
catctccatc gaccctacca atctgtcccg aggagggggag aatttcatcg ggaagctgag	360
gtccaacctc ctggggaacc gcttcacggc ctttgacaac gggcagaacc cacagcgtgg	420
gtacagcact aatgtggcaa gccttcggca ggagctggca gctgtgatct atgaaaccaa	480
cgtgctgggc ttccgtggcc cccggcgcac gaccgtcatc attcctggca tgagtgcgga	540
gaacgagagg gtccccatcc ggccccgaaa tgctagtac ggcctgctgg tgcgctggca	600
gaacaagacg ctggagagcc tcatagaact gcacaacaag ccacctgtct ggaacgatga	660
cagtggctcc tacaccctca acttccaagg cggggtcacc caggcctcag tcaagaactt	720
ccagattgtc cacgctgatg accccgacta tatcgtgctg cagtccggcc gcgtggcgga	780
ggacgccttc accctagact accggtaccc gctgtgcgcc ctgcaggcct tcgcatcgc	840
cctctccagt ttcgacggga agctggcctg cgagtgacct cagcagcccc tcagcgcgcc	900
cagagcccgt cagcgtgggg gaaaggattc agtggaggct ggcagggctc ctccagcaaa	960
gctcccgcgg aaaactgctc ctgtgtcggg gctgacctct cactgcctct cggtgacctc	1020
cgtcctctcc ccagcctggc acaggccgag gcaggaggag cccggacggc gggtaggacg	1080
gagatgaaga acatctggag ttggagccgc acatctggtc tcggagctcg cctgcgccgc	1140
tgtgcccccc tcctccccgc gccccagtca cttcctgtcc gggagcagta gtcattgttg	1200
ttttaacctc ccctctcccc gggaccgcgc tagggctccg aggagctggg gcgggctagg	1260
aggagggggg aggtgatggg ggacgagggc caggcaccca catccccaat aaagccgcgt	1320
ccttgtgcaa aaaaaaaaaa aagg	1344

<210> SEQ ID NO 86

-continued

```

<211> LENGTH: 3156
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 2733282CB1

<400> SEQUENCE: 86

gttcaggaag aaaccatctg catccatatt gaaaacctga cacaatgtat gcagcaggct    60
cagtgtgagt gaactggagg cttctctaca acatgaccca aaggagcatt gcaggtccta    120
tttgcaacct gaagtttgtg actctcctgg ttgccttaag ttcagaactc ccattcctgg    180
gagctggagt acagcttcaa gacaatgggt ataatggatt gctcattgca attaatcctc    240
aggtacctga gaatcagaac ctcatctcaa acattaagga aatgataact gaagcttcat    300
tttacctatt taatgctacc aagagaagag tttttttcag aaatataaag attttaatac    360
ctgccacatg gaaagctaata aataacagca aaataaaaca agaatcatat gaaaaggcaa    420
atgtcatagt gactgactgg tatggggcac atggagatga tccatacacc ctacaataca    480
gaggggtgtg aaaagagggg aaatacattc atttcacacc taatttccta ctgaatgata    540
acttaacagc tggctacgga tcacgaggcc gagtgtttgt ccatgaatgg gcccacctcc    600
gttgggggtg gttcgatgag tataacaatg acaaaccttt ctacataaat gggcaaaatc    660
aaattaaagt gacaaggtgt tcatctgaca tcacaggcat ttttgtgtgt gaaaaaggtc    720
cttgcccca agaaaactgt attattagta agctttttta agaaggatgc acctttatct    780
acaatagcac ccaaaatgca actgcatcaa taatgttcat gcaaagttat ctctgtggtg    840
aaatttgtaa tgccagtacc cacaaccaag aagcaccaaa cctacagaac cagatgtgca    900
gcctcagaag tgcatgggat gtaatcacag actctgctga ctttcaccac agctttccca    960
tgaacgggac tgagcttcca cctcctccca cattctcgct tgtagaggct ggtgacaaag   1020
tggctctgtt agtgctggat gtgtccagca agatggcaga ggctgacaga ctcttcaac   1080
tacaacaagc cgcagaatth tatttgatgc agattgttga aattcatacc ttcgtgggca   1140
ttgccagttt cgacagcaaa ggagagatca gagcccagct acaccaaat aacagcaatg   1200
atgatcgaag gttgctggtt tcatatctgc ccaccactgt atcagctaaa acagacatca   1260
gcatttgttc agggcttaag aaaggatttg aggtggttga aaaactgaat ggaaaagctt   1320
atggctctgt gatgatatta gtgaccagcg gagatgataa gcttcttggc aattgcttac   1380
ccactgtgct cagcagtggt tcaacaattc actccattgc cctgggttca tctgcagccc   1440
caaatctgga ggaattatca cgtcttacag gaggtttaaa gttctttggt ccagatatat   1500
caaaactcaa tagcatgatt gatgctttca gtagaatttc ctctggaact ggagacattt   1560
tccagcaaca tattcagctt gaaagtacag gtgaaaatgt caaacctcac catcaattga   1620
aaaacacagt gactgtggat aatactgtgg gcaacgacac tatgtttcta gttacgtggc   1680
aggccagtgg tcctcctgag attatattat ttgatcctga tggacgaaaa tactacacaa   1740
ataatthttat caccaatcta acttttcgga cagctagtct ttggattcca ggaacagcta   1800
agcctgggca ctggacttac accctgaaca ataccatca ttctctgcaa gccctgaaag   1860
tgacagtgac ctctcgcgcc tccaactcag ctgtgcccc agccactgtg gaagcctttg   1920
tggaaagaga cagcctccat tttcctcatc ctgtgatgat ttatgccaat gtgaaacagg   1980
gattttatcc cattcttaat gccactgtca ctgccacagt tgagccagag actggagatc   2040
ctgttacgct gagactcctt gatgatggag caggtgctga tgttataaaa aatgatggaa   2100

```

-continued

```

tttactcgag gtattttttc tcctttgctg caaatggtag atatagcttg aaagtgcag 2160
tcaatcactc tcccagcata agcaccacag cccactctat tccagggagt catgctatgt 2220
atgtaccagg ttacacagca aacggtaata ttcagatgaa tgctccaagg aatcagtag 2280
gcagaaatga ggaggagcga aagtggggct ttagccgagt cagctcagga ggctcctttt 2340
cagtgtctggg agttccagct ggccccacc ctgatgtggt tccaccatgc aaaattattg 2400
acctggaagc tgtaaaagta gaagaggaat tgaccctatc ttggacagca cctggagaag 2460
actttgatca gggccaggct acaagctatg aaataagaat gagtaaaagt ctacagaata 2520
tccaagatga cttaacaat gctatttttag taaatacatc aaagcgaaat cctcagcaag 2580
ctggcatcag ggagatattt acgttctcac cccaaatttc cacgaatgga cctgaacatc 2640
agccaaatgg agaaacacat gaaagccaca gaatttatgt tgcaatacga gcaatggata 2700
ggaactcctt acagtctgct gtatctaaca ttgccaggc gcctctgttt attcccccca 2760
attctgatcc tgtacctgcc agagattatc ttatattgaa aggagtttta acagcaatgg 2820
gtttgatagg aatcatttgc cttattatag ttgtgacaca tcatacttta agcaggaaaa 2880
agagagcaga caagaaagag aatggaacaa aattattata aataaatatc caaagtgtct 2940
tccttcttag atataagacc catggccttc gactacaaaa acatactaac aaagtcaaat 3000
taacatcaaa actgtattaa aatgcattga gttttgtac aatacagata agatttttac 3060
atggtagatc aacaaattct ttttgggggt agattagaaa acccttacac tttggctatg 3120
aacaataat aaaaattatt ctttaaaaaa aaaaaa 3156

```

```

<210> SEQ ID NO 87
<211> LENGTH: 942
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 2733282CD1

```

<400> SEQUENCE: 87

```

Met Thr Gln Arg Ser Ile Ala Gly Pro Ile Cys Asn Leu Lys Phe
 1             5             10             15
Val Thr Leu Leu Val Ala Leu Ser Ser Glu Leu Pro Phe Leu Gly
          20             25             30
Ala Gly Val Gln Leu Gln Asp Asn Gly Tyr Asn Gly Leu Leu Ile
          35             40             45
Ala Ile Asn Pro Gln Val Pro Glu Asn Gln Asn Leu Ile Ser Asn
          50             55             60
Ile Lys Glu Met Ile Thr Glu Ala Ser Phe Tyr Leu Phe Asn Ala
          65             70             75
Thr Lys Arg Arg Val Phe Phe Arg Asn Ile Lys Ile Leu Ile Pro
          80             85             90
Ala Thr Trp Lys Ala Asn Asn Asn Ser Lys Ile Lys Gln Glu Ser
          95             100            105
Tyr Glu Lys Ala Asn Val Ile Val Thr Asp Trp Tyr Gly Ala His
          110            115            120
Gly Asp Asp Pro Tyr Thr Leu Gln Tyr Arg Gly Cys Gly Lys Glu
          125            130            135
Gly Lys Tyr Ile His Phe Thr Pro Asn Phe Leu Leu Asn Asp Asn
          140            145            150
Leu Thr Ala Gly Tyr Gly Ser Arg Gly Arg Val Phe Val His Glu
          155            160            165

```


-continued

Trp	Ala	His	Leu	Arg	Trp	Gly	Val	Phe	Asp	Glu	Tyr	Asn	Asn	Asp
				170					175					180
Lys	Pro	Phe	Tyr	Ile	Asn	Gly	Gln	Asn	Gln	Ile	Lys	Val	Thr	Arg
				185					190					195
Cys	Ser	Ser	Asp	Ile	Thr	Gly	Ile	Phe	Val	Cys	Glu	Lys	Gly	Pro
				200					205					210
Cys	Pro	Gln	Glu	Asn	Cys	Ile	Ile	Ser	Lys	Leu	Phe	Lys	Glu	Gly
				215					220					225
Cys	Thr	Phe	Ile	Tyr	Asn	Ser	Thr	Gln	Asn	Ala	Thr	Ala	Ser	Ile
				230					235					240
Met	Phe	Met	Gln	Ser	Tyr	Leu	Cys	Gly	Glu	Ile	Cys	Asn	Ala	Ser
				245					250					255
Thr	His	Asn	Gln	Glu	Ala	Pro	Asn	Leu	Gln	Asn	Gln	Met	Cys	Ser
				260					265					270
Leu	Arg	Ser	Ala	Trp	Asp	Val	Ile	Thr	Asp	Ser	Ala	Asp	Phe	His
				275					280					285
His	Ser	Phe	Pro	Met	Asn	Gly	Thr	Glu	Leu	Pro	Pro	Pro	Pro	Thr
				290					295					300
Phe	Ser	Leu	Val	Glu	Ala	Gly	Asp	Lys	Val	Val	Cys	Leu	Val	Leu
				305					310					315
Asp	Val	Ser	Ser	Lys	Met	Ala	Glu	Ala	Asp	Arg	Leu	Leu	Gln	Leu
				320					325					330
Gln	Gln	Ala	Ala	Glu	Phe	Tyr	Leu	Met	Gln	Ile	Val	Glu	Ile	His
				335					340					345
Thr	Phe	Val	Gly	Ile	Ala	Ser	Phe	Asp	Ser	Lys	Gly	Glu	Ile	Arg
				350					355					360
Ala	Gln	Leu	His	Gln	Ile	Asn	Ser	Asn	Asp	Asp	Arg	Lys	Leu	Leu
				365					370					375
Val	Ser	Tyr	Leu	Pro	Thr	Thr	Val	Ser	Ala	Lys	Thr	Asp	Ile	Ser
				380					385					390
Ile	Cys	Ser	Gly	Leu	Lys	Lys	Gly	Phe	Glu	Val	Val	Glu	Lys	Leu
				395					400					405
Asn	Gly	Lys	Ala	Tyr	Gly	Ser	Val	Met	Ile	Leu	Val	Thr	Ser	Gly
				410					415					420
Asp	Asp	Lys	Leu	Leu	Gly	Asn	Cys	Leu	Pro	Thr	Val	Leu	Ser	Ser
				425					430					435
Gly	Ser	Thr	Ile	His	Ser	Ile	Ala	Leu	Gly	Ser	Ser	Ala	Ala	Pro
				440					445					450
Asn	Leu	Glu	Glu	Leu	Ser	Arg	Leu	Thr	Gly	Gly	Leu	Lys	Phe	Phe
				455					460					465
Val	Pro	Asp	Ile	Ser	Asn	Ser	Asn	Ser	Met	Ile	Asp	Ala	Phe	Ser
				470					475					480
Arg	Ile	Ser	Ser	Gly	Thr	Gly	Asp	Ile	Phe	Gln	Gln	His	Ile	Gln
				485					490					495
Leu	Glu	Ser	Thr	Gly	Glu	Asn	Val	Lys	Pro	His	His	Gln	Leu	Lys
				500					505					510
Asn	Thr	Val	Thr	Val	Asp	Asn	Thr	Val	Gly	Asn	Asp	Thr	Met	Phe
				515					520					525
Leu	Val	Thr	Trp	Gln	Ala	Ser	Gly	Pro	Pro	Glu	Ile	Ile	Leu	Phe
				530					535					540
Asp	Pro	Asp	Gly	Arg	Lys	Tyr	Tyr	Thr	Asn	Asn	Phe	Ile	Thr	Asn
				545					550					555

-continued

Leu	Thr	Phe	Arg	Thr	Ala	Ser	Leu	Trp	Ile	Pro	Gly	Thr	Ala	Lys
				560					565					570
Pro	Gly	His	Trp	Thr	Tyr	Thr	Leu	Asn	Asn	Thr	His	His	Ser	Leu
				575					580					585
Gln	Ala	Leu	Lys	Val	Thr	Val	Thr	Ser	Arg	Ala	Ser	Asn	Ser	Ala
				590					595					600
Val	Pro	Pro	Ala	Thr	Val	Glu	Ala	Phe	Val	Glu	Arg	Asp	Ser	Leu
				605					610					615
His	Phe	Pro	His	Pro	Val	Met	Ile	Tyr	Ala	Asn	Val	Lys	Gln	Gly
				620					625					630
Phe	Tyr	Pro	Ile	Leu	Asn	Ala	Thr	Val	Thr	Ala	Thr	Val	Glu	Pro
				635					640					645
Glu	Thr	Gly	Asp	Pro	Val	Thr	Leu	Arg	Leu	Leu	Asp	Asp	Gly	Ala
				650					655					660
Gly	Ala	Asp	Val	Ile	Lys	Asn	Asp	Gly	Ile	Tyr	Ser	Arg	Tyr	Phe
				665					670					675
Phe	Ser	Phe	Ala	Ala	Asn	Gly	Arg	Tyr	Ser	Leu	Lys	Val	His	Val
				680					685					690
Asn	His	Ser	Pro	Ser	Ile	Ser	Thr	Pro	Ala	His	Ser	Ile	Pro	Gly
				695					700					705
Ser	His	Ala	Met	Tyr	Val	Pro	Gly	Tyr	Thr	Ala	Asn	Gly	Asn	Ile
				710					715					720
Gln	Met	Asn	Ala	Pro	Arg	Lys	Ser	Val	Gly	Arg	Asn	Glu	Glu	Glu
				725					730					735
Arg	Lys	Trp	Gly	Phe	Ser	Arg	Val	Ser	Ser	Gly	Gly	Ser	Phe	Ser
				740					745					750
Val	Leu	Gly	Val	Pro	Ala	Gly	Pro	His	Pro	Asp	Val	Phe	Pro	Pro
				755					760					765
Cys	Lys	Ile	Ile	Asp	Leu	Glu	Ala	Val	Lys	Val	Glu	Glu	Glu	Leu
				770					775					780
Thr	Leu	Ser	Trp	Thr	Ala	Pro	Gly	Glu	Asp	Phe	Asp	Gln	Gly	Gln
				785					790					795
Ala	Thr	Ser	Tyr	Glu	Ile	Arg	Met	Ser	Lys	Ser	Leu	Gln	Asn	Ile
				800					805					810
Gln	Asp	Asp	Phe	Asn	Asn	Ala	Ile	Leu	Val	Asn	Thr	Ser	Lys	Arg
				815					820					825
Asn	Pro	Gln	Gln	Ala	Gly	Ile	Arg	Glu	Ile	Phe	Thr	Phe	Ser	Pro
				830					835					840
Gln	Ile	Ser	Thr	Asn	Gly	Pro	Glu	His	Gln	Pro	Asn	Gly	Glu	Thr
				845					850					855
His	Glu	Ser	His	Arg	Ile	Tyr	Val	Ala	Ile	Arg	Ala	Met	Asp	Arg
				860					865					870
Asn	Ser	Leu	Gln	Ser	Ala	Val	Ser	Asn	Ile	Ala	Gln	Ala	Pro	Leu
				875					880					885
Phe	Ile	Pro	Pro	Asn	Ser	Asp	Pro	Val	Pro	Ala	Arg	Asp	Tyr	Leu
				890					895					900
Ile	Leu	Lys	Gly	Val	Leu	Thr	Ala	Met	Gly	Leu	Ile	Gly	Ile	Ile
				905					910					915
Cys	Leu	Ile	Ile	Val	Val	Thr	His	His	Thr	Leu	Ser	Arg	Lys	Lys
				920					925					930
Arg	Ala	Asp	Lys	Lys	Glu	Asn	Gly	Thr	Lys	Leu	Leu			
				935					940					

-continued

```

<210> SEQ ID NO 88
<211> LENGTH: 1121
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 399161.1
<221> NAME/KEY: unsure
<222> LOCATION: 1070
<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 88

caggcgggag caccgtgcct ggcccagatg gatttttaaa taccacctgt tcatattggt      60
taaaatagat acaactaaaa cagctttgag gcatacagga actctacaga taaggaggac      120
catttcataa tgataaaggc cttatctcac caagaaggca gtcacactta cgtttttatg      180
tatttggtga agagtcccaa tgtatttaaa gcaaaaataa gcaactacaa agagaaagat      240
acaaatccat gatcaaagtg aggaattttc acacacatcg tagtaactga tggaatgagt      300
caatgaaaaa ttagtgagga aatagaagat ttggacagca caacaaatgg cctaggagaa      360
catttagaat gttgccttcg atgcttaaga atacatattc ttttcaaaag aaaaccaga      420
acagcctggc aggagagata ccatcatcat gaagggtgatt ttcccagagc tgggcttatc      480
cattgcattc tggatgtgct gacgcctgtg gttttcccaa atgtgggaaa ctggactgca      540
taatttggtg tagtggggga ctatgttcgt gttctctcct ggtgttttaa attaaaaaaa      600
aaaaaacttt attaaaggca cagaacatta ataaaaattg acaataaact gggctattaa      660
gtaaattgca acaatttcca gaggtttgaa atgatacaga gtatgttttc tgaccacagt      720
acagttaaac taggaatata acaaaaagat aactagggat atgtgtggat attgcatacc      780
tctaagtaac ccttgggatg agaaagaaat tacaatggaa attagaaaat atcttgaata      840
atgaaaatac aatatatgta agctttagta attcagctta ttaaatgcat attttagaaa      900
gaaggaaagg ctgaaaatca gtgagcaaag ccttccatct caagaaatag aaaaagaata      960
tagaaggaag gaattaatat ttttaaagaa gcactaattt acaagaataa ttaaatagaa     1020
aagaagttgt cattaggaag gatcaataaa gctagaagct tgttatttgn aaagacttgt     1080
aaatgtggta aatcacaagt aacgtacgta gatgaaaagg g                               1121

```

```

<210> SEQ ID NO 89
<211> LENGTH: 721
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 339638.1
<221> NAME/KEY: unsure
<222> LOCATION: 266
<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 89

gtggcccaca gcgaactaga gaaacaaaag gagagtcttt taccctctgg agttatcgcc      60
atcagcaaac tgagagctgc ctctcttctc ctccctgccc tgtgtctgtc tccacctcct     120
tccctctcat ccttgctctt tcccttttct ctttatcccc cgcccccttt ctttctcttc     180
ctcctttctc ctcccaggga ccaaaggagag aaggagagagc cgagaaagtg gcctgcat      240
cccctactgg aataaccgcc gccgcngccc catcaactggt ggccacatcc cttctaattt     300
gtagtgggtg gtttctttcc ttgaagagca ggggtactttt aaacagatag aggtaatggg     360
aggattaata ttcataggtg agtccaaacg gaaaatgttt agcttcctta caccaaaggt     420

```


-continued

```

ctgctgtgtc tgagattaca ctaagttcaa gcaacatcat gtcagtgaag aagccattag 480
ctgcaggaac aactgagaa gtgaggagc ctgtctacca gaaggaaatg gagctaggat 540
ctttgcaaac tgctgagtag agaggagagg acgagtaaata gagacagacg gaaaagagct 600
ggaagagaga gactccttta tggcacattt ttatcctgag atttccaagc attttatata 660
tattgcatgg taaagaggaa ttgaaatagc caaaagaaat gaactaaaat gaaaaggag 720
g 721

```

```

<210> SEQ ID NO 90
<211> LENGTH: 538
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 697785CB1

```

```

<400> SEQUENCE: 90

```

```

cccacgcgtc cggtggagtc ttctgacagc tgggtgcgcct gcccggaac atcctcctgg 60
actcaatcat ggcttgtggt ctggtcgcca gaaacctgaa tctcaaact ggagagtgcc 120
ttcgagtgcg aggcgaggtg gctcctgacg ctaagagctt cgtgctgaac ctgggcaaag 180
acagcaaaa cctgtgcctg cacttcaacc ctgcttcaa cgcccacggc gacgccaaca 240
ccatcgtgtg caacagcaag gacggcgggg cctggggggc cgagcagcgg gaggctgtct 300
ttccttcca gcctggaagt gttgcagagg tgtgcatcac cttcgaccag gccaacctga 360
ccgtcaagct gccagatgga tacgaattca agttcccaa ccgcctcaac ctggaggcca 420
tcaactacat ggcagctgac ggtgacttca agatcaaatg tgtggccttt gactgaaatc 480
agccagccca tggcccccaa taaaggcagc tgctctgct ccctctgaaa aaaaaaaaa 538

```

```

<210> SEQ ID NO 91
<211> LENGTH: 135
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 697785CD1

```

```

<400> SEQUENCE: 91

```

```

Met Ala Cys Gly Leu Val Ala Ser Asn Leu Asn Leu Lys Pro Gly
 1          5          10          15
Glu Cys Leu Arg Val Arg Gly Glu Val Ala Pro Asp Ala Lys Ser
          20          25          30
Phe Val Leu Asn Leu Gly Lys Asp Ser Asn Asn Leu Cys Leu His
          35          40          45
Phe Asn Pro Arg Phe Asn Ala His Gly Asp Ala Asn Thr Ile Val
          50          55          60
Cys Asn Ser Lys Asp Gly Gly Ala Trp Gly Thr Glu Gln Arg Glu
          65          70          75
Ala Val Phe Pro Phe Gln Pro Gly Ser Val Ala Glu Val Cys Ile
          80          85          90
Thr Phe Asp Gln Ala Asn Leu Thr Val Lys Leu Pro Asp Gly Tyr
          95          100          105
Glu Phe Lys Phe Pro Asn Arg Leu Asn Leu Glu Ala Ile Asn Tyr
          110          115          120
Met Ala Ala Asp Gly Asp Phe Lys Ile Lys Cys Val Ala Phe Asp
          125          130          135

```

-continued

```

<210> SEQ ID NO 92
<211> LENGTH: 866
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 399785.1
<221> NAME/KEY: unsure
<222> LOCATION: 18
<223> OTHER INFORMATION: a, t, c, g, or other

<400> SEQUENCE: 92

acgagacgag caccctngg gggctggagc accccgcgcg ctcccctggc gagagggagg      60
gtcgtggctc ggcccctgct cagacaaagg ctgggaggcg ggagacatgc acttcccctt      120
ccttttcagc caggcgcgcg ctgataccag gccacgtca gctatTTTTg gagcctttta      180
cacgacagct ggaggagcgt cctttttaat tttccccttt tgtttggccg cccccacccc      240
cacccttcg ccttcacgc tgcacttgag gctccatcct ggggcctctc cttgacttga      300
cctgccttgg caggcacatg ccctccctgc ctggctcact cgccgcagag acctggcagc      360
ccgcgcaaaa tgtcactttg cggaatcgtt cccacggctt ctgggtaccc ttagttccct      420
gcttagggag ggaagacagt agtcgggtcg taataagcaa gacttagccc gagcctccgt      480
tgccaacgca ggctgccttg cttggcgtgt gggcatcggc ctgccccctc accctggcta      540
cccaacacag ctacaaaagg cagggaacaa tgtaggtccc ttggccctgc ctaatgcctg      600
ttgccatgga aaccctatc ctaatctggc caggagcccc ttgcagtgag ccaggagagt      660
gaggaagagg ggatggggcc cgctggcctg aacctggcca gaggaggtaa tggttaaccg      720
gattgtggga gcagctgact agagccgggg gggtagggag gcttggggcc cagtcctacc      780
ttccctgcca aggagaaagg ggcattgtctg cttttgtacc tctgggaatc tacctcaggg      840
atctgcccac caactcccag gttcca                                          866

```

```

<210> SEQ ID NO 93
<211> LENGTH: 1274
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 002455.1

<400> SEQUENCE: 93

gcggccgcca gcttgcaaag ccgaagtctg gccgcgctct tcgactcgtc gcgccacgtc      60
cccgggggtg ccgagccggc ggggggtgag tggctctgcg cgccggccgc gctaggaggt      120
gcgggcactt gggggcgcg ggaaggggaa cttggcagcc ccgcgggggc cacgggcgat      180
cccaggggccc aggaaggtcc cgctgcgggc acgcaatctg cctccgtcct tcttcacgga      240
gccgtcccgg gcaggcggcg gcgggtgtgg cccgtcgggg ccggacgtga gcttgggcga      300
cctggagaag ggcgcggag ccgtggagtt ctttgagctg ctggggcccg actacggcgc      360
cggcacggag gcggcagtct tgcttgccgc cgagcctctc gacgtgttcc ccgccggagc      420
ctccgtactg cggggacccc cggagctgga gcccgccctc tttgagccgc cgccggcagt      480
ggtgggaaac ctactgtacc ccgagccctg gagcgtcccg ggctgctccc cgacaaaaaa      540
gagccccctg actgcccccc gcggcggctt gacctgaac gagcccttga gccccctgta      600
ccccgccgct gcggattctc ccggcgggga ggacggggcg ggccatttgg cctctttcgc      660
ccccttcttt ccagactgcg ccctgcccc gacgcgcgcg ccccatcagg tgcctacga      720

```

-continued

```

ttacagcgcg ggctacagcc gcaccgccta ttccagcctt tggagatccg acggggtttg 780
ggaaggggag cccgggggag agggggcgca ccgggactga cttcgaggca cgcttccctt 840
cattagagac ggctgtggag agcgcgcgag ctccgtgggt ttctcctaaa tctgaagaac 900
gatgggaaaa tgcacgtgga gatgaaacca gattttttaa aattcaatta ataaaagcaa 960
ycttcagaaaa aagagatgaa gacgagttgg ggattgttta atcacaacct caagtgttaa 1020
aacaaaaaca aacaaacagc tttgtaggtt cttactggac cagaggagtc aagaaaccaa 1080
gatggtttgg ggtatggggt ggggacggca aaaggggtaa gagctggctt ctgtagccac 1140
ctgtcccttc tatttttcag cgaaggtcag tgtatttagt gtaattaccc cttctaaaca 1200
gtgtcctagt ccctcccttc cctctccttg agtgcatttt gaattaaagc ctatattgaa 1260
aaaaaaaaaa aagg 1274

```

```

<210> SEQ ID NO 94
<211> LENGTH: 924
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1382920.38

```

<400> SEQUENCE: 94

```

atctagaact accgagagtc gtcggggttt cctgcttcaa cagtgcttgg acggaacccg 60
gcgctcgctt cccaccccg cggccgccc atagccagcc ctccgtcacc tcttcaccgc 120
accctcggac tgccccaagg cccccgccgc cgctccagcg ccgcgagcc accgcccgcg 180
ccgcctcctt tccttagtgc ccgccatgac gaccgogtcc acctgcgag gtgcccag 240
aactaccacc aggactcaga ggccgccatc aaccgccaga tcaacctgga gctctacgcc 300
tcctacgttt acctgtccat gtcttactac tttgaccgag atgatgtggc tttgaagaac 360
tttgccaaat actttcttca ccaatctcat gaggagaggg aacatgctga gaaactgatg 420
aagctgcaga accaacgagg tggccgaatc ttcttcagg atatcaagaa accagactgt 480
gatgactggg agagcgggct gaatgcaatg gagtgtgcat tacatttggg aaaaaatgtg 540
aatcagtcac tactggaact gcacaaactg gccactgaca aaaatgacct ccatttgtgt 600
gacttcattg agacacatta cctgaatgag caggtgaaag ccatcaaaga attgggtgac 660
cacgtgacca acttgcgcaa gatgggagcg cccgaatctg gcttggcgga atatctcttt 720
gacaagcaca ccctgggaga cagtgataat gaaagctaag cctcgggcta atttccccat 780
agccgtgggg tgactttcct ggtcaccaag gcagtgcag catgttgggg tttcctttac 840
cttttctata agttgtacca aaacatccac ttaagttctt tgatttgtac cattccttca 900
aataaagaaa tttgtaccc aaaa 924

```

```

<210> SEQ ID NO 95
<211> LENGTH: 634
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 334749.1

```

<400> SEQUENCE: 95

```

gacgcccac aatgaacaaa caagattccc actgtcccat ctctatcca gtgaaacaca 60
gccaaactga taatttgtgc agggaaagac tctgttttagc ttataccttg aacctaggg 120
aaattaaatt gcacattttc tgttcctggc taatcttctg aataatgtac tgaacacagt 180

```


-continued

```

aggagttaag aattaanaat acctgtctgc agtttcagaa acaatcacac acaaaatatt 240
tgtttatttc cagactgatg aaagactgaa tttttgggtct catgtattta ctgtattggt 300
tcatatattt atctatatgc tttggctgta ttaacttggt gaaatagttt gtggttcttt 360
atatttagct tttataaata attgaaaatc taatgaatgc ttacttaata accaatctaa 420
actggggact tcaaacatag ggagtcaagt aatctgggtg tgtaataaat aagcaagttg 480
ttatctttca ggctgagggc atatcaacca agctaaaaga cgtgtgtgta ttaaaaaaaaa 540
aaaaaagtct accaaaccac catatgatat ccaaggttaa ctatatagga ggtctaataa 600
cattcagaag gtgctagatg aatataccaa aaac 634

```

```

<210> SEQ ID NO 96
<211> LENGTH: 579
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 041764.1

```

<400> SEQUENCE: 96

```

gaaaaacat ataatggagg aaggccttgc cccaaactgg accatgtcaa ccaggcacag 60
gtgtatgagg ttgtcccatg ccacagtgac tgcaaccagt acctatgggt cacagagccc 120
tggagcatct gcaaggtgac ctttgtgaat atgogggaga actgtggaga gggcgtgcaa 180
acccgaaaag tgagatgcat gcagaataca gcagatggcc cttctgaaca tgtagaggat 240
tacctctgtg acccagaaga gatgcccctg ggctctagag tgtgcaaatt accatgccct 300
gaggactgtg tgatatctga atgggggtcca tggaccaat gtgttttgcc ttgcaatcaa 360
agcagtttcc ggcaaagtc agctgatccc atcagacaac cagctgatga aggaagatct 420
tgccctaata ctgttgagaa agaaccctgt aacctgaaca aaaactgcta ccactatgat 480
tataatgtaa cagactggag tacatgtcag ctgagtgaga aggcagtttg tggaaatgga 540
ataaaaacaa ggatgttga ttgtgttcga agtcatggc 579

```

```

<210> SEQ ID NO 97
<211> LENGTH: 10432
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 2700132CB1

```

<400> SEQUENCE: 97

```

tggttcgaca agtggccttg cgggccggat cgtcccagtg gaagagttgt aaatttgctt 60
ctggccttcc cctacggatt atacctggcc ttcccctacg gattatactc aacttactgt 120
ttagaaaatg tggcccacga gacgcctggt tactatcaaa aggagcgggg tcgacggtcc 180
ccactttccc ctgagcctca gcacctgctt gtttgggaagg ggtattgaat gtgacatccg 240
tatccagctt cctgtttgtg caaaaacaaca ttgcaaaatt gaaatccatg agcaggaggc 300
aatattacat aatttcagtt ccacaaatcc aacacaagta aatgggtctg ttattgatga 360
gcctgtacgg ctaaaacatg gagatgtaat aactattatt gatcgttcct tcaggatga 420
aaatgaaagt cttcagagtg gaaggaagtc aactgaattt ccaagaaaaa tacgtgaaca 480
ggagccagca cgtcgtgtct caagatctag cttctcttct gaccctgatg agaaagctca 540
agattccaag gcctattcaa aatcactga aggaaaagtt tcaggaaatc ctgaggtaca 600

```

-continued

tatcaagaat	gtcaaagaag	acagtaccgc	agatgactca	aaagacagtg	ttgctcaggg	660
aacaactaat	gttcattcct	cagaacatgc	tggacgtaat	ggcagaaatg	cagctgatcc	720
catttctggg	gattttaaag	aaatttccag	cgtaaatta	gtgagccgtt	atggagaatt	780
gaagtctggt	cccactacac	aatgtcttga	caatagcaaa	aaaaatgaat	ctcccttttg	840
gaagctttat	gagtcagtga	agaaagagtt	ggatgtaaaa	tcacaaaaag	aaaatgtcct	900
acagtattgt	agaaaatctg	gattacaaac	tgattacgca	acagagaaag	aaagtgctga	960
ytggtttacag	ggggagacc	aactgttggg	ctcgcgtaag	tcaagaccaa	aatctggtgg	1020
gagcggccac	gctgtggcag	agcctgcttc	acctgaacaa	gagcttgacc	agaacaaggg	1080
gaaggaaga	gacgtggagt	ctgttcagac	tcccagcaag	gctgtgggcg	ccagctttcc	1140
tctctatgag	ccggctaaaa	tgaagacccc	tgtacaatat	tcacagcaac	aaaattctcc	1200
acaaaaacat	aagaacaaag	acctgtatac	tactggtaga	agagaatctg	tgaatctggg	1260
taaaagtga	ggcttcaagg	ctggtgataa	aactcttact	cccaggaagc	tttcaactag	1320
aatcgaaca	ccagctaaag	ttgaagatgc	agctgactct	gccactaagc	cagaaaatct	1380
ctcttccaaa	accagaggaa	gtattcctac	agatgtggaa	gttctgccta	cggaaactga	1440
aattcacaat	gagccatttt	taactctgtg	gctcactcaa	gttgagagga	agatccaaaa	1500
ggattccctc	agcaagcctg	agaaattggg	cactacagct	ggacagatgt	gctctgggtt	1560
acctggtctt	agttcagttg	atatcaacaa	ctttggtgat	tccattaatg	agagtgaggg	1620
aatacctttg	aaaagaaggc	gtgtgtcctt	tgggtggcac	ctaagacctg	aactatttga	1680
tgaaaacttg	cctcctaata	cgcctctcaa	aaggggagaa	gccccacca	aaagaaagtc	1740
tctggtaatg	cacactccac	ctgtcctgaa	gaaaatcatc	aaggaacagc	ctcaaccatc	1800
aggaaaacaa	gagtcaggtt	cagaaatcca	tgtggaagtg	aaggcacaaa	gcttggttat	1860
aagccctcca	gctcctagtc	ctaggaaaac	tccagttgcc	agtgatcaac	gccgtaggtc	1920
ctgcaaaaaca	gccctgctt	ccagcagcaa	atctcagaca	gaggttccta	agagaggagg	1980
agaaagagtg	gcaacctgcc	ttcaaaagag	agtgtctatc	agccgaagtc	aacatgatat	2040
tttacagatg	atatgttcca	aaagaagaag	tgggtgcttcg	gaagcaaadc	tgattgttgc	2100
aaaatcatgg	gcagatgtag	taaaacttgg	tgcaaaaaca	acacaaacta	aagtcataaa	2160
acatggtcct	caaaggtcaa	tgaacaaaag	gcaaagaaga	cctgctactc	caaagaagcc	2220
tgtgggcgaa	gttcacagtc	aatttagtac	aggccacgca	aactctcctt	gtaccataat	2280
aatagggaaa	gctcactactg	aaaaagtaca	tgtgcctgct	cgaccctaca	gagtgtctca	2340
caacttcatt	tccaaccaa	aatggactt	taaggaagat	ctttcaggaa	tagctgaaat	2400
gttcaagacc	ccagtgaagg	agcaaccgca	gttgacaagc	acatgtcaca	tcgctatttc	2460
aaattcagag	aatttgcttg	gaaaacagtt	tcaaggaact	gattcaggag	aagaacctct	2520
gctccccacc	tcagagagtt	ttggaggaaa	tgtgttcttc	agtgcacaga	atgcagcaaa	2580
acagccatct	gataaatgct	ctgcaagccc	tcccttaaga	cggcagtgta	ttagagaaaa	2640
tggaaacgta	gcaaaaacgc	ccaggaacac	ctacaaaatg	acttctctgg	agacaaaaac	2700
ttcagatact	gagacagagc	cttcaaaaac	agtatccact	gtaaacaggt	caggaaggtc	2760
tacagagttc	aggaatatac	agaagctacc	tgtggaaagt	aagagtgaag	aaacaaatac	2820
agaaattggt	gagtgcattc	taaaaagagg	tcagaaggca	acactactac	aacaagggag	2880
agaaggagag	atgaaggaaa	tagaaagacc	ttttgagaca	tataaggaaa	atattgaatt	2940
aaaagaaaac	gatgaaaaga	tgaaagcaat	gaagagatca	agaacttggg	ggcagaaatg	3000

-continued

tgcaccaatg	tctgacctga	cagacctcaa	gagcttgctt	gatacagaac	tcatgaaaga	3060
cacggcacgt	ggccagaatc	tcctccaaac	ccaagatcat	gccaaaggac	caaagagtga	3120
gaaaggcaaa	atcactaaaa	tgccctgcca	gtcattacaa	ccagaaccaa	taaacacccc	3180
aacacacaca	aaacaacagt	tgaaggcatc	cctggggaaa	gtaggtgtga	aagaagagct	3240
cctagcagtc	ggcaagttca	cacggacgtc	aggggagacc	acgcacacgc	acagagagcc	3300
agcaggagat	ggcaagagca	tcagaacggt	taaggagtct	ccaagcaga	tcctggacc	3360
agcagcccgt	gtaactggaa	tgaagaagtg	gccaaagaacg	cctaaggaag	aggcccagtc	3420
actagaagac	ctggctggct	tcaaagagct	cttcagaca	ccaggtccct	ctgaggaatc	3480
aatgactgat	gagaaaacta	ccaaaatagc	ctgcaaactc	ccaccaccag	aatcagtgga	3540
cactccaaca	agcaciaaagc	aatggcctaa	gagaagtctc	aggaaagcag	atgtagagga	3600
agaattctta	gcactcagga	aactaacacc	atcagcaggg	aaagccatgc	ttacgcccaa	3660
accagcagga	ggtgatgaga	aagacattaa	agcatttatg	ggaactccag	tgcaaaaact	3720
ggacctggca	ggaactttac	ctggcagcaa	aagacagcta	cagactccta	aggaaaaggc	3780
ccaggctcta	gaagacctgg	ctggctttaa	agagctcttc	cagactcctg	gtcacaccga	3840
ggaattagtg	gctgctggta	aaaccactaa	aataccctgc	gactctccac	agtcagacc	3900
agtggacacc	ccaacaagca	caaagcaacg	acccaagaga	agtatcagga	aagcagatgt	3960
agagggagaa	ctcttagcgt	gcaggaatct	aatgccatca	gcaggcaaag	ccatgcacac	4020
gcctaaacca	tcagtaggtg	aagagaaaga	catcatcata	tttgtgggaa	ctccagtgca	4080
gaaactggac	ctgacagaga	acttaaccgg	cagcaagaga	cggccacaaa	ctcctaagga	4140
agaggcccag	gctctggaag	acctgactgg	ctttaaagag	ctcttccaga	cccctggcca	4200
tactgaagaa	gcagtggtg	ctggcaaaac	tactaaaatg	ccctgcgaat	cttctccacc	4260
agaatcagca	gacaccccaa	caagcacaag	aaggcagccc	aagacacctt	tgagagaaaag	4320
ggacgtacag	aaggagctct	cagccctgaa	gaagctcaca	cagacatcag	gggaaaccac	4380
acacacagat	aaagtaccag	gaggtgagga	taaaagcatc	aacgcgttta	gggaaactgc	4440
aaaacagaaa	ctggacccag	cagcaagtgt	aactggtagc	aagaggcacc	caaaaactaa	4500
ggaaaaggcc	caacccttag	aagacctggc	tggctggaaa	gagctcttcc	agacaccagt	4560
atgcactgac	aagcccacga	ctcacgagaa	aactaccaa	atagcctgca	gatcacaacc	4620
agaccagtg	gacacaccaa	caagctccaa	gccacagtcc	aagagaagtc	tcaggaaagt	4680
ggacgtagaa	gaagaattct	tcgcactcag	gaaacgaaca	ccatcagcag	gcaaagccat	4740
gcacacaccc	aaaccagcag	taagtgggta	gaaaaacatc	tacgcattta	tggaactcc	4800
agtgcaaaaa	ctggacctga	cagagaactt	aactggcagc	aagagacggc	tacaaactcc	4860
taaggaaaag	gccaggtctc	tagaagacct	ggctggcttt	aaagagctct	tccagacacg	4920
aggtcacact	gaggaatcaa	tgactaacga	taaaactgcc	aaagtagcct	gcaaatcttc	4980
acaaccagac	ctagacaaaa	accagcaag	ctccaagcga	cggctcaaga	catccctggg	5040
gaaagtgggc	gtgaaagaag	agctcctagc	agttggcaag	ctcacacaga	catcaggaga	5100
gactacacac	acacacacag	agccaacagg	agatggtaag	agcatgaaag	catttatgga	5160
gtctccaaag	cagatcttag	actcagcagc	aagtctaact	ggcagcaaga	ggcagctgag	5220
aactcctaag	ggaaagtctg	aagtccctga	agacctggcc	ggcttcatcg	agctcttcca	5280
gacaccaagt	cacactaagg	aatcaatgac	taatgaaaa	actaccaag	tatcctacag	5340

-continued

agcttcacag	ccagacctag	tggacacccc	aacaagctcc	aagccacagc	ccaagagaag	5400
tctcaggaaa	gcagacactg	aagaagaatt	tttagcattt	aggaaacaaa	cgccatcagc	5460
aggcaaagcc	atgcacacac	caaaccagc	agtaggtgaa	gagaaagaca	tcaacacggt	5520
tttgggaact	ccagtgcaga	aactggacca	gccaggaaat	ttacctggca	gcaatagacg	5580
gctacaaact	cgtaaggaaa	aggcccagc	tctagaagaa	ctgactggct	tcagagagct	5640
tttccagaca	ccatgcactg	ataaccccac	gactgatgag	aaaactacca	aaaaaatact	5700
ctgcaaactt	ccgcaatcag	accagcgga	cacccaaca	aacacaaagc	aacggcccaa	5760
gagaagcctc	aagaaagcag	acgtagagga	agaattttta	gcattcagga	aactaacacc	5820
atcagcaggc	aaagccatgc	acacgcctaa	agcagcagta	ggtgaagaga	aagacatcaa	5880
cacatttgtg	gggactccag	tggagaaaact	ggacctgcta	ggaaatttac	ctggcagcaa	5940
gagacggcca	caaactccta	aagaaaaggc	caaggctcta	gaagatctgg	ctggcttcaa	6000
agagctcttc	cagacaccag	gtcacactga	ggaatcaatg	accgatgaca	aatcacaga	6060
agtatcctgc	aaatctccac	aaccagaccc	agtcaaaacc	ccaacaagct	ccaagcaacg	6120
actcaagata	tccttgggga	aagtaggtgt	gaaagaagag	gtcctaccag	tcggcaagct	6180
cacacagacg	tcagggaaga	ccacacagac	acacagagag	acagcaggag	atggaaagag	6240
catcaaagcg	tttaaggaat	ctgcaaagca	gatgctggac	ccagcaaact	atggaactgg	6300
gatggagagg	tggccaagaa	cacctaagga	agaggcccaa	tcactagaag	acctggccgg	6360
cttcaaagag	ctcttcaga	caccagacca	cactgaggaa	tcaacaactg	atgacaaaac	6420
tacaaaaata	gcctgcaaat	ctccaccacc	agaatcaatg	gacactcaa	caagcacaag	6480
gaggcggccc	aaaacacctt	tggggaaaag	ggatatagtg	gaagagctct	cagccctgaa	6540
gcagctcaca	cagaccacac	acacagacaa	agtaccagga	gatgaggata	aaggcatcaa	6600
cgtgttcagg	gaaactgcaa	aacagaaaact	ggaccagca	gcaagtgtaa	ctggtagcaa	6660
gaggcagcca	agaactccta	agggaaaagc	ccaacccta	gaagacttgg	ctggctttaa	6720
agagctcttc	cagacaccaa	tatgcactga	caagcccacg	actcatgaga	aaactaccaa	6780
aatagcctgc	agatctccac	aaccagaccc	agtgggtacc	ccaacaatct	tcaagccaca	6840
gtccaagaga	agtctcagga	aagcagacgt	agaggaagaa	tccttagcac	tcaggaaacg	6900
aacaccatca	gtagggaaag	ctatggacac	acccaaacca	gcaggaggtg	atgagaaaga	6960
catgaaagca	tttatgggaa	ctccagtgca	gaaattggac	ctgccaggaa	atttacctgg	7020
cagcaaaaga	tggccacaaa	ctcctaagga	aaaggcccag	gctctagaag	acctggctgg	7080
cttcaaagag	ctcttcaga	caccaggcac	tgacaagccc	acgactgatg	agaaaactac	7140
caaaatagcc	tgcaaatctc	cacaaccaga	cccagtggac	acccagcaa	gcacaaagca	7200
acggccaag	agaaacctca	ggaaagcaga	cgtagaggaa	gaatttttag	cactcaggaa	7260
acgaacacca	tcagcaggca	aagccatgga	cacacaaaa	ccagcagtaa	gtgatgagaa	7320
aaatatcaac	acatttgtgg	aaactccagt	gcagaaaactg	gacctgctag	gaaatttacc	7380
tggcagcaag	agacagccac	agactcctaa	ggaaaaggct	gaggctctag	aggacctggt	7440
tggcttcaaa	gaactcttcc	agacaccagg	tcacactgag	gaatcaatga	ctgatgacaa	7500
aatcacagaa	gtatcctgta	aatctccaca	gccagagtca	ttcaaacct	caagaagctc	7560
caagcaaagg	ctcaagatac	ccctggtgaa	agtggacatg	aaagaagagc	ccctagcagt	7620
cagcaagctc	acacggacat	caggggagac	tacgcaaaca	cacacagagc	caacaggaga	7680
tagtaagagc	atcaaagcgt	ttaaggagtc	tocaaagcag	atcctggacc	cagcagcaag	7740

-continued

tgtaactggt	agcaggaggc	agctgagaac	tcgtaaggaa	aaggcccgtg	ctctagaaga	7800
cctggttgac	ttcaaagagc	tcttctcagc	accaggtcac	actgaagagt	caatgactat	7860
tgacaaaaac	acaaaaattc	cctgcaaatc	tccccacca	gaactaacag	acactgccac	7920
gagcaciaag	agatgcccc	agacacgtct	caggaaagaa	gtaaaagagg	agctctcagc	7980
agttgagagg	ctcacgcaa	catcagggca	aagcacacac	acacaciaag	aaccagcaag	8040
cggatgatgag	ggcatcaaag	tattgaagca	acgtgcaaag	aagaaaccaa	accagtaga	8100
agaggaaccc	agcaggagaa	ggccaagagc	acctaaggaa	aaggcccaac	ccctggaaga	8160
cctggccggc	ttcacagagc	tctctgaaac	atcaggtcac	actcaggaat	cactgactgc	8220
tggcaaagcc	actaaaatac	cctgccaatc	tccccacta	gaagtggtag	acaccacagc	8280
aagcaciaag	aggcatctca	ggacacgtgt	gcagaaggta	caagtaaaag	aagagccttc	8340
agcagtcaag	ttcacacia	catcagggga	aaccacggat	gcagaciaag	aaccagcagg	8400
tgaagataaa	ggcatcaaag	cattgaagga	atctgcaaaa	cagacaccgg	ctccagcagc	8460
aagtgtact	ggcagcagga	gacggccaag	agcaccacag	gaaagtgcc	aagccataga	8520
agacctagct	ggcttcaaag	accagcagc	aggtcacact	gaagaatcaa	tgactgatga	8580
caaaaccact	aaaataccct	gcaaatcatc	accagaacta	gaagacaccg	caacaagctc	8640
aaagagacgg	cccaggacac	gtgccagaa	agtagaagtg	aaggaggagc	tgtagcagt	8700
tggcaagctc	acaciaaacct	caggggagac	cacgcacacc	gaciaagagc	cggtaggtga	8760
gggcaaaggc	acgaaagcat	ttaagcaacc	tgcaaagcgg	aagctggacg	cagaagatgt	8820
aattggcagc	aggagacagc	caagagcacc	taaggaaaag	gccaacccc	tggaagatct	8880
ggccagcttc	caagagctct	ctcaaacacc	aggccacact	gaggaactgg	caaatggtgc	8940
tgctgatagc	tttacaagcg	ctccaaagca	aacacctgac	agtggaaaac	ctctaaaaat	9000
atccagaaga	gttcttcggg	cccctaaagt	agaaccctg	ggagacgtgg	taagcaccag	9060
agaccctgta	aaatcacia	gcaaaagcaa	cacttcctg	ccccactgc	ccttcaagag	9120
gggaggtggc	aaagatgaa	gcgtcacggg	aaccaagagg	ctgcgctgca	tgccagcacc	9180
agaggaaatt	gtggaggagc	tgccagccag	caagaagcag	agggttgctc	ccagggcaag	9240
aggcaaatca	tccgaacccg	tggtcatcat	gaagagaagt	ttgaggactt	ctgcaaaaag	9300
aattgaacct	gcggaagagc	tgaacagcaa	cgacatgaaa	accaaciaag	aggaacacia	9360
attacaagac	tcagtccctg	aaaataaggg	aatatccctg	cgctccagac	gcaaaaataa	9420
gactgaggca	gaacagcaaa	taactgaggt	ctttgtatta	gcagaaagaa	tagaaataaa	9480
cagaaatgaa	aagaagccca	tgaagacctc	cccagagatg	gacattcaga	atccagatga	9540
tggagcccgg	aaaccatac	ctagagacia	agtcactgag	aaciaaagg	gcttgaggtc	9600
tgctagacag	aatgagagct	cccagcctaa	ggtggcagag	gagagcggag	ggcagaagag	9660
tgcaaggtt	ctcatgcaga	atcagaaagg	gaaaggagaa	gcaggaaatt	cagactccat	9720
gtgcctgaga	tcaagaaaga	caaaaagcca	gcctgcagca	agcactttgg	agagcaaatc	9780
tgtgcagaga	gtaacgcgga	gtgtcaagag	gtgtgcagaa	aatccaaaga	aggctgagga	9840
caatgtgtgt	gtcaagaaaa	taagaaccag	aagtcataag	gacagtgaag	atatttgaca	9900
gaaaaatcga	actgggaaaa	atataataaa	gttagttttg	tgataagttc	tagtgagtt	9960
tttgtcataa	attacaagtg	aattctgtaa	gtaaggctgt	cagtctgctt	aagggaagaa	10020
aactttgat	ttgctgggtc	tgaatcggct	tcataaactc	cactgggagc	actgctgggc	10080

-continued

```

tcctggactg agaatagttg aacaccgggg gctttgtgaa ggagtctggg ccaaggtttg 10140
ccctcagctt tgcagaatga agccttgagg tctgtcacca cccacagcca ccctacagca 10200
gccttaactg tgacacttgc cacactgtgt cgctggtttgt ttgcctatgt cctccagggc 10260
acgggtggcag gaacaactat cctcgtctgt cccaacactg agcaggcact cggtaaacac 10320
gaatgaatgg atgagcgcac ggatgaatgg agcttacaga tctgtctttc caatggccgg 10380
ggggatttgg tcccmaaatt aaggctattg gacatctgca caggacagtc ta 10432

```

```

<210> SEQ ID NO 98
<211> LENGTH: 3256
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 2700132CD1

```

```

<400> SEQUENCE: 98

```

```

Met Trp Pro Thr Arg Arg Leu Val Thr Ile Lys Arg Ser Gly Val
 1                5                10                15
Asp Gly Pro His Phe Pro Leu Ser Leu Ser Thr Cys Leu Phe Gly
                20                25                30
Arg Gly Ile Glu Cys Asp Ile Arg Ile Gln Leu Pro Val Val Ser
                35                40                45
Lys Gln His Cys Lys Ile Glu Ile His Glu Gln Glu Ala Ile Leu
                50                55                60
His Asn Phe Ser Ser Thr Asn Pro Thr Gln Val Asn Gly Ser Val
                65                70                75
Ile Asp Glu Pro Val Arg Leu Lys His Gly Asp Val Ile Thr Ile
                80                85                90
Ile Asp Arg Ser Phe Arg Tyr Glu Asn Glu Ser Leu Gln Ser Gly
                95                100               105
Arg Lys Ser Thr Glu Phe Pro Arg Lys Ile Arg Glu Gln Glu Pro
                110               115               120
Ala Arg Arg Val Ser Arg Ser Ser Phe Ser Ser Asp Pro Asp Glu
                125               130               135
Lys Ala Gln Asp Ser Lys Ala Tyr Ser Lys Ile Thr Glu Gly Lys
                140               145               150
Val Ser Gly Asn Pro Gln Val His Ile Lys Asn Val Lys Glu Asp
                155               160               165
Ser Thr Ala Asp Asp Ser Lys Asp Ser Val Ala Gln Gly Thr Thr
                170               175               180
Asn Val His Ser Ser Glu His Ala Gly Arg Asn Gly Arg Asn Ala
                185               190               195
Ala Asp Pro Ile Ser Gly Asp Phe Lys Glu Ile Ser Ser Val Lys
                200               205               210
Leu Val Ser Arg Tyr Gly Glu Leu Lys Ser Val Pro Thr Thr Gln
                215               220               225
Cys Leu Asp Asn Ser Lys Lys Asn Glu Ser Pro Phe Trp Lys Leu
                230               235               240
Tyr Glu Ser Val Lys Lys Glu Leu Asp Val Lys Ser Gln Lys Glu
                245               250               255
Asn Val Leu Gln Tyr Cys Arg Lys Ser Gly Leu Gln Thr Asp Tyr
                260               265               270
Ala Thr Glu Lys Glu Ser Ala Asp Gly Leu Gln Gly Glu Thr Gln
                275               280               285

```


-continued

Leu	Leu	Val	Ser	Arg	Lys	Ser	Arg	Pro	Lys	Ser	Gly	Gly	Ser	Gly	290	295	300
His	Ala	Val	Ala	Glu	Pro	Ala	Ser	Pro	Glu	Gln	Glu	Leu	Asp	Gln	305	310	315
Asn	Lys	Gly	Lys	Gly	Arg	Asp	Val	Glu	Ser	Val	Gln	Thr	Pro	Ser	320	325	330
Lys	Ala	Val	Gly	Ala	Ser	Phe	Pro	Leu	Tyr	Glu	Pro	Ala	Lys	Met	335	340	345
Lys	Thr	Pro	Val	Gln	Tyr	Ser	Gln	Gln	Gln	Asn	Ser	Pro	Gln	Lys	350	355	360
His	Lys	Asn	Lys	Asp	Leu	Tyr	Thr	Thr	Gly	Arg	Arg	Glu	Ser	Val	365	370	375
Asn	Leu	Gly	Lys	Ser	Glu	Gly	Phe	Lys	Ala	Gly	Asp	Lys	Thr	Leu	380	385	390
Thr	Pro	Arg	Lys	Leu	Ser	Thr	Arg	Asn	Arg	Thr	Pro	Ala	Lys	Val	395	400	405
Glu	Asp	Ala	Ala	Asp	Ser	Ala	Thr	Lys	Pro	Glu	Asn	Leu	Ser	Ser	410	415	420
Lys	Thr	Arg	Gly	Ser	Ile	Pro	Thr	Asp	Val	Glu	Val	Leu	Pro	Thr	425	430	435
Glu	Thr	Glu	Ile	His	Asn	Glu	Pro	Phe	Leu	Thr	Leu	Trp	Leu	Thr	440	445	450
Gln	Val	Glu	Arg	Lys	Ile	Gln	Lys	Asp	Ser	Leu	Ser	Lys	Pro	Glu	455	460	465
Lys	Leu	Gly	Thr	Thr	Ala	Gly	Gln	Met	Cys	Ser	Gly	Leu	Pro	Gly	470	475	480
Leu	Ser	Ser	Val	Asp	Ile	Asn	Asn	Phe	Gly	Asp	Ser	Ile	Asn	Glu	485	490	495
Ser	Glu	Gly	Ile	Pro	Leu	Lys	Arg	Arg	Arg	Val	Ser	Phe	Gly	Gly	500	505	510
His	Leu	Arg	Pro	Glu	Leu	Phe	Asp	Glu	Asn	Leu	Pro	Pro	Asn	Thr	515	520	525
Pro	Leu	Lys	Arg	Gly	Glu	Ala	Pro	Thr	Lys	Arg	Lys	Ser	Leu	Val	530	535	540
Met	His	Thr	Pro	Pro	Val	Leu	Lys	Lys	Ile	Ile	Lys	Glu	Gln	Pro	545	550	555
Gln	Pro	Ser	Gly	Lys	Gln	Glu	Ser	Gly	Ser	Glu	Ile	His	Val	Glu	560	565	570
Val	Lys	Ala	Gln	Ser	Leu	Val	Ile	Ser	Pro	Pro	Ala	Pro	Ser	Pro	575	580	585
Arg	Lys	Thr	Pro	Val	Ala	Ser	Asp	Gln	Arg	Arg	Arg	Ser	Cys	Lys	590	595	600
Thr	Ala	Pro	Ala	Ser	Ser	Ser	Lys	Ser	Gln	Thr	Glu	Val	Pro	Lys	605	610	615
Arg	Gly	Gly	Glu	Arg	Val	Ala	Thr	Cys	Leu	Gln	Lys	Arg	Val	Ser	620	625	630
Ile	Ser	Arg	Ser	Gln	His	Asp	Ile	Leu	Gln	Met	Ile	Cys	Ser	Lys	635	640	645
Arg	Arg	Ser	Gly	Ala	Ser	Glu	Ala	Asn	Leu	Ile	Val	Ala	Lys	Ser	650	655	660
Trp	Ala	Asp	Val	Val	Lys	Leu	Gly	Ala	Lys	Gln	Thr	Gln	Thr	Lys	665	670	675

-continued

Val	Ile	Lys	His	Gly	Pro	Gln	Arg	Ser	Met	Asn	Lys	Arg	Gln	Arg	680	685	690
Arg	Pro	Ala	Thr	Pro	Lys	Lys	Pro	Val	Gly	Glu	Val	His	Ser	Gln	695	700	705
Phe	Ser	Thr	Gly	His	Ala	Asn	Ser	Pro	Cys	Thr	Ile	Ile	Ile	Gly	710	715	720
Lys	Ala	His	Thr	Glu	Lys	Val	His	Val	Pro	Ala	Arg	Pro	Tyr	Arg	725	730	735
Val	Leu	Asn	Asn	Phe	Ile	Ser	Asn	Gln	Lys	Met	Asp	Phe	Lys	Glu	740	745	750
Asp	Leu	Ser	Gly	Ile	Ala	Glu	Met	Phe	Lys	Thr	Pro	Val	Lys	Glu	755	760	765
Gln	Pro	Gln	Leu	Thr	Ser	Thr	Cys	His	Ile	Ala	Ile	Ser	Asn	Ser	770	775	780
Glu	Asn	Leu	Leu	Gly	Lys	Gln	Phe	Gln	Gly	Thr	Asp	Ser	Gly	Glu	785	790	795
Glu	Pro	Leu	Leu	Pro	Thr	Ser	Glu	Ser	Phe	Gly	Gly	Asn	Val	Phe	800	805	810
Phe	Ser	Ala	Gln	Asn	Ala	Ala	Lys	Gln	Pro	Ser	Asp	Lys	Cys	Ser	815	820	825
Ala	Ser	Pro	Pro	Leu	Arg	Arg	Gln	Cys	Ile	Arg	Glu	Asn	Gly	Asn	830	835	840
Val	Ala	Lys	Thr	Pro	Arg	Asn	Thr	Tyr	Lys	Met	Thr	Ser	Leu	Glu	845	850	855
Thr	Lys	Thr	Ser	Asp	Thr	Glu	Thr	Glu	Pro	Ser	Lys	Thr	Val	Ser	860	865	870
Thr	Val	Asn	Arg	Ser	Gly	Arg	Ser	Thr	Glu	Phe	Arg	Asn	Ile	Gln	875	880	885
Lys	Leu	Pro	Val	Glu	Ser	Lys	Ser	Glu	Glu	Thr	Asn	Thr	Glu	Ile	890	895	900
Val	Glu	Cys	Ile	Leu	Lys	Arg	Gly	Gln	Lys	Ala	Thr	Leu	Leu	Gln	905	910	915
Gln	Arg	Arg	Glu	Gly	Glu	Met	Lys	Glu	Ile	Glu	Arg	Pro	Phe	Glu	920	925	930
Thr	Tyr	Lys	Glu	Asn	Ile	Glu	Leu	Lys	Glu	Asn	Asp	Glu	Lys	Met	935	940	945
Lys	Ala	Met	Lys	Arg	Ser	Arg	Thr	Trp	Gly	Gln	Lys	Cys	Ala	Pro	950	955	960
Met	Ser	Asp	Leu	Thr	Asp	Leu	Lys	Ser	Leu	Pro	Asp	Thr	Glu	Leu	965	970	975
Met	Lys	Asp	Thr	Ala	Arg	Gly	Gln	Asn	Leu	Leu	Gln	Thr	Gln	Asp	980	985	990
His	Ala	Lys	Ala	Pro	Lys	Ser	Glu	Lys	Gly	Lys	Ile	Thr	Lys	Met	995	1000	1005
Pro	Cys	Gln	Ser	Leu	Gln	Pro	Glu	Pro	Ile	Asn	Thr	Pro	Thr	His	1010	1015	1020
Thr	Lys	Gln	Gln	Leu	Lys	Ala	Ser	Leu	Gly	Lys	Val	Gly	Val	Lys	1025	1030	1035
Glu	Glu	Leu	Leu	Ala	Val	Gly	Lys	Phe	Thr	Arg	Thr	Ser	Gly	Glu	1040	1045	1050
Thr	Thr	His	Thr	His	Arg	Glu	Pro	Ala	Gly	Asp	Gly	Lys	Ser	Ile	1055	1060	1065
Arg	Thr	Phe	Lys	Glu	Ser	Pro	Lys	Gln	Ile	Leu	Asp	Pro	Ala	Ala			

-continued

	1070		1075		1080
Arg Val Thr Gly Met Lys Lys Trp Pro Arg Thr Pro Lys Glu Glu	1085		1090		1095
Ala Gln Ser Leu Glu Asp Leu Ala Gly Phe Lys Glu Leu Phe Gln	1100		1105		1110
Thr Pro Gly Pro Ser Glu Glu Ser Met Thr Asp Glu Lys Thr Thr	1115		1120		1125
Lys Ile Ala Cys Lys Ser Pro Pro Pro Glu Ser Val Asp Thr Pro	1130		1135		1140
Thr Ser Thr Lys Gln Trp Pro Lys Arg Ser Leu Arg Lys Ala Asp	1145		1150		1155
Val Glu Glu Glu Phe Leu Ala Leu Arg Lys Leu Thr Pro Ser Ala	1160		1165		1170
Gly Lys Ala Met Leu Thr Pro Lys Pro Ala Gly Gly Asp Glu Lys	1175		1180		1185
Asp Ile Lys Ala Phe Met Gly Thr Pro Val Gln Lys Leu Asp Leu	1190		1195		1200
Ala Gly Thr Leu Pro Gly Ser Lys Arg Gln Leu Gln Thr Pro Lys	1205		1210		1215
Glu Lys Ala Gln Ala Leu Glu Asp Leu Ala Gly Phe Lys Glu Leu	1220		1225		1230
Phe Gln Thr Pro Gly His Thr Glu Glu Leu Val Ala Ala Gly Lys	1235		1240		1245
Thr Thr Lys Ile Pro Cys Asp Ser Pro Gln Ser Asp Pro Val Asp	1250		1255		1260
Thr Pro Thr Ser Thr Lys Gln Arg Pro Lys Arg Ser Ile Arg Lys	1265		1270		1275
Ala Asp Val Glu Gly Glu Leu Leu Ala Cys Arg Asn Leu Met Pro	1280		1285		1290
Ser Ala Gly Lys Ala Met His Thr Pro Lys Pro Ser Val Gly Glu	1295		1300		1305
Glu Lys Asp Ile Ile Ile Phe Val Gly Thr Pro Val Gln Lys Leu	1310		1315		1320
Asp Leu Thr Glu Asn Leu Thr Gly Ser Lys Arg Arg Pro Gln Thr	1325		1330		1335
Pro Lys Glu Glu Ala Gln Ala Leu Glu Asp Leu Thr Gly Phe Lys	1340		1345		1350
Glu Leu Phe Gln Thr Pro Gly His Thr Glu Glu Ala Val Ala Ala	1355		1360		1365
Gly Lys Thr Thr Lys Met Pro Cys Glu Ser Ser Pro Pro Glu Ser	1370		1375		1380
Ala Asp Thr Pro Thr Ser Thr Arg Arg Gln Pro Lys Thr Pro Leu	1385		1390		1395
Glu Lys Arg Asp Val Gln Lys Glu Leu Ser Ala Leu Lys Lys Leu	1400		1405		1410
Thr Gln Thr Ser Gly Glu Thr Thr His Thr Asp Lys Val Pro Gly	1415		1420		1425
Gly Glu Asp Lys Ser Ile Asn Ala Phe Arg Glu Thr Ala Lys Gln	1430		1435		1440
Lys Leu Asp Pro Ala Ala Ser Val Thr Gly Ser Lys Arg His Pro	1445		1450		1455
Lys Thr Lys Glu Lys Ala Gln Pro Leu Glu Asp Leu Ala Gly Trp	1460		1465		1470

-continued

Lys	Glu	Leu	Phe	Gln	Thr	Pro	Val	Cys	Thr	Asp	Lys	Pro	Thr	Thr	1475	1480	1485
His	Glu	Lys	Thr	Thr	Lys	Ile	Ala	Cys	Arg	Ser	Gln	Pro	Asp	Pro	1490	1495	1500
Val	Asp	Thr	Pro	Thr	Ser	Ser	Lys	Pro	Gln	Ser	Lys	Arg	Ser	Leu	1505	1510	1515
Arg	Lys	Val	Asp	Val	Glu	Glu	Glu	Phe	Phe	Ala	Leu	Arg	Lys	Arg	1520	1525	1530
Thr	Pro	Ser	Ala	Gly	Lys	Ala	Met	His	Thr	Pro	Lys	Pro	Ala	Val	1535	1540	1545
Ser	Gly	Glu	Lys	Asn	Ile	Tyr	Ala	Phe	Met	Gly	Thr	Pro	Val	Gln	1550	1555	1560
Lys	Leu	Asp	Leu	Thr	Glu	Asn	Leu	Thr	Gly	Ser	Lys	Arg	Arg	Leu	1565	1570	1575
Gln	Thr	Pro	Lys	Glu	Lys	Ala	Gln	Ala	Leu	Glu	Asp	Leu	Ala	Gly	1580	1585	1590
Phe	Lys	Glu	Leu	Phe	Gln	Thr	Arg	Gly	His	Thr	Glu	Glu	Ser	Met	1595	1600	1605
Thr	Asn	Asp	Lys	Thr	Ala	Lys	Val	Ala	Cys	Lys	Ser	Ser	Gln	Pro	1610	1615	1620
Asp	Leu	Asp	Lys	Asn	Pro	Ala	Ser	Ser	Lys	Arg	Arg	Leu	Lys	Thr	1625	1630	1635
Ser	Leu	Gly	Lys	Val	Gly	Val	Lys	Glu	Glu	Leu	Leu	Ala	Val	Gly	1640	1645	1650
Lys	Leu	Thr	Gln	Thr	Ser	Gly	Glu	Thr	Thr	His	Thr	His	Thr	Glu	1655	1660	1665
Pro	Thr	Gly	Asp	Gly	Lys	Ser	Met	Lys	Ala	Phe	Met	Glu	Ser	Pro	1670	1675	1680
Lys	Gln	Ile	Leu	Asp	Ser	Ala	Ala	Ser	Leu	Thr	Gly	Ser	Lys	Arg	1685	1690	1695
Gln	Leu	Arg	Thr	Pro	Lys	Gly	Lys	Ser	Glu	Val	Pro	Glu	Asp	Leu	1700	1705	1710
Ala	Gly	Phe	Ile	Glu	Leu	Phe	Gln	Thr	Pro	Ser	His	Thr	Lys	Glu	1715	1720	1725
Ser	Met	Thr	Asn	Glu	Lys	Thr	Thr	Lys	Val	Ser	Tyr	Arg	Ala	Ser	1730	1735	1740
Gln	Pro	Asp	Leu	Val	Asp	Thr	Pro	Thr	Ser	Ser	Lys	Pro	Gln	Pro	1745	1750	1755
Lys	Arg	Ser	Leu	Arg	Lys	Ala	Asp	Thr	Glu	Glu	Glu	Phe	Leu	Ala	1760	1765	1770
Phe	Arg	Lys	Gln	Thr	Pro	Ser	Ala	Gly	Lys	Ala	Met	His	Thr	Pro	1775	1780	1785
Lys	Pro	Ala	Val	Gly	Glu	Glu	Lys	Asp	Ile	Asn	Thr	Phe	Leu	Gly	1790	1795	1800
Thr	Pro	Val	Gln	Lys	Leu	Asp	Gln	Pro	Gly	Asn	Leu	Pro	Gly	Ser	1805	1810	1815
Asn	Arg	Arg	Leu	Gln	Thr	Arg	Lys	Glu	Lys	Ala	Gln	Ala	Leu	Glu	1820	1825	1830
Glu	Leu	Thr	Gly	Phe	Arg	Glu	Leu	Phe	Gln	Thr	Pro	Cys	Thr	Asp	1835	1840	1845
Asn	Pro	Thr	Thr	Asp	Glu	Lys	Thr	Thr	Lys	Lys	Ile	Leu	Cys	Lys	1850	1855	1860

-continued

Ser	Pro	Gln	Ser	Asp	Pro	Ala	Asp	Thr	Pro	Thr	Asn	Thr	Lys	Gln
				1865					1870					1875
Arg	Pro	Lys	Arg	Ser	Leu	Lys	Lys	Ala	Asp	Val	Glu	Glu	Glu	Phe
				1880					1885					1890
Leu	Ala	Phe	Arg	Lys	Leu	Thr	Pro	Ser	Ala	Gly	Lys	Ala	Met	His
				1895					1900					1905
Thr	Pro	Lys	Ala	Ala	Val	Gly	Glu	Glu	Lys	Asp	Ile	Asn	Thr	Phe
				1910					1915					1920
Val	Gly	Thr	Pro	Val	Glu	Lys	Leu	Asp	Leu	Leu	Gly	Asn	Leu	Pro
				1925					1930					1935
Gly	Ser	Lys	Arg	Arg	Pro	Gln	Thr	Pro	Lys	Glu	Lys	Ala	Lys	Ala
				1940					1945					1950
Leu	Glu	Asp	Leu	Ala	Gly	Phe	Lys	Glu	Leu	Phe	Gln	Thr	Pro	Gly
				1955					1960					1965
His	Thr	Glu	Glu	Ser	Met	Thr	Asp	Asp	Lys	Ile	Thr	Glu	Val	Ser
				1970					1975					1980
Cys	Lys	Ser	Pro	Gln	Pro	Asp	Pro	Val	Lys	Thr	Pro	Thr	Ser	Ser
				1985					1990					1995
Lys	Gln	Arg	Leu	Lys	Ile	Ser	Leu	Gly	Lys	Val	Gly	Val	Lys	Glu
				2000					2005					2010
Glu	Val	Leu	Pro	Val	Gly	Lys	Leu	Thr	Gln	Thr	Ser	Gly	Lys	Thr
				2015					2020					2025
Thr	Gln	Thr	His	Arg	Glu	Thr	Ala	Gly	Asp	Gly	Lys	Ser	Ile	Lys
				2030					2035					2040
Ala	Phe	Lys	Glu	Ser	Ala	Lys	Gln	Met	Leu	Asp	Pro	Ala	Asn	Tyr
				2045					2050					2055
Gly	Thr	Gly	Met	Glu	Arg	Trp	Pro	Arg	Thr	Pro	Lys	Glu	Glu	Ala
				2060					2065					2070
Gln	Ser	Leu	Glu	Asp	Leu	Ala	Gly	Phe	Lys	Glu	Leu	Phe	Gln	Thr
				2075					2080					2085
Pro	Asp	His	Thr	Glu	Glu	Ser	Thr	Thr	Asp	Asp	Lys	Thr	Thr	Lys
				2090					2095					2100
Ile	Ala	Cys	Lys	Ser	Pro	Pro	Pro	Glu	Ser	Met	Asp	Thr	Pro	Thr
				2105					2110					2115
Ser	Thr	Arg	Arg	Arg	Pro	Lys	Thr	Pro	Leu	Gly	Lys	Arg	Asp	Ile
				2120					2125					2130
Val	Glu	Glu	Leu	Ser	Ala	Leu	Lys	Gln	Leu	Thr	Gln	Thr	Thr	His
				2135					2140					2145
Thr	Asp	Lys	Val	Pro	Gly	Asp	Glu	Asp	Lys	Gly	Ile	Asn	Val	Phe
				2150					2155					2160
Arg	Glu	Thr	Ala	Lys	Gln	Lys	Leu	Asp	Pro	Ala	Ala	Ser	Val	Thr
				2165					2170					2175
Gly	Ser	Lys	Arg	Gln	Pro	Arg	Thr	Pro	Lys	Gly	Lys	Ala	Gln	Pro
				2180					2185					2190
Leu	Glu	Asp	Leu	Ala	Gly	Leu	Lys	Glu	Leu	Phe	Gln	Thr	Pro	Ile
				2195					2200					2205
Cys	Thr	Asp	Lys	Pro	Thr	Thr	His	Glu	Lys	Thr	Thr	Lys	Ile	Ala
				2210					2215					2220
Cys	Arg	Ser	Pro	Gln	Pro	Asp	Pro	Val	Gly	Thr	Pro	Thr	Ile	Phe
				2225					2230					2235
Lys	Pro	Gln	Ser	Lys	Arg	Ser	Leu	Arg	Lys	Ala	Asp	Val	Glu	Glu
				2240					2245					2250
Glu	Ser	Leu	Ala	Leu	Arg	Lys	Arg	Thr	Pro	Ser	Val	Gly	Lys	Ala

-continued

2255	2260	2265
Met Asp Thr Pro Lys 2270	Pro Ala Gly Gly Asp 2275	Glu Lys Asp Met Lys 2280
Ala Phe Met Gly Thr 2285	Pro Val Gln Lys Leu 2290	Asp Leu Pro Gly Asn 2295
Leu Pro Gly Ser Lys 2300	Arg Trp Pro Gln Thr 2305	Pro Lys Glu Lys Ala 2310
Gln Ala Leu Glu Asp 2315	Leu Ala Gly Phe Lys 2320	Glu Leu Phe Gln Thr 2325
Pro Gly Thr Asp Lys 2330	Pro Thr Thr Asp Glu 2335	Lys Thr Thr Lys Ile 2340
Ala Cys Lys Ser Pro 2345	Gln Pro Asp Pro Val 2350	Asp Thr Pro Ala Ser 2355
Thr Lys Gln Arg Pro 2360	Lys Arg Asn Leu Arg 2365	Lys Ala Asp Val Glu 2370
Glu Glu Phe Leu Ala 2375	Leu Arg Lys Arg Thr 2380	Pro Ser Ala Gly Lys 2385
Ala Met Asp Thr Pro 2390	Lys Pro Ala Val Ser 2395	Asp Glu Lys Asn Ile 2400
Asn Thr Phe Val Glu 2405	Thr Pro Val Gln Lys 2410	Leu Asp Leu Leu Gly 2415
Asn Leu Pro Gly Ser 2420	Lys Arg Gln Pro Gln 2425	Thr Pro Lys Glu Lys 2430
Ala Glu Ala Leu Glu 2435	Asp Leu Val Gly Phe 2440	Lys Glu Leu Phe Gln 2445
Thr Pro Gly His Thr 2450	Glu Glu Ser Met Thr 2455	Asp Asp Lys Ile Thr 2460
Glu Val Ser Cys Lys 2465	Ser Pro Gln Pro Glu 2470	Ser Phe Lys Thr Ser 2475
Arg Ser Ser Lys Gln 2480	Arg Leu Lys Ile Pro 2485	Leu Val Lys Val Asp 2490
Met Lys Glu Glu Pro 2495	Leu Ala Val Ser Lys 2500	Leu Thr Arg Thr Ser 2505
Gly Glu Thr Thr Gln 2510	Thr His Thr Glu Pro 2515	Thr Gly Asp Ser Lys 2520
Ser Ile Lys Ala Phe 2525	Lys Glu Ser Pro Lys 2530	Gln Ile Leu Asp Pro 2535
Ala Ala Ser Val Thr 2540	Gly Ser Arg Arg Gln 2545	Leu Arg Thr Arg Lys 2550
Glu Lys Ala Arg Ala 2555	Leu Glu Asp Leu Val 2560	Asp Phe Lys Glu Leu 2565
Phe Ser Ala Pro Gly 2570	His Thr Glu Glu Ser 2575	Met Thr Ile Asp Lys 2580
Asn Thr Lys Ile Pro 2585	Cys Lys Ser Pro Pro 2590	Pro Glu Leu Thr Asp 2595
Thr Ala Thr Ser Thr 2600	Lys Arg Cys Pro Lys 2605	Thr Arg Leu Arg Lys 2610
Glu Val Lys Glu Glu 2615	Leu Ser Ala Val Glu 2620	Arg Leu Thr Gln Thr 2625
Ser Gly Gln Ser Thr 2630	His Thr His Lys Glu 2635	Pro Ala Ser Gly Asp 2640
Glu Gly Ile Lys Val 2645	Leu Lys Gln Arg Ala 2650	Lys Lys Lys Pro Asn 2655

-continued

Pro Val Glu Glu Glu	Pro Ser Arg Arg Arg	Pro Arg Ala Pro Lys
2660	2665	2670
Glu Lys Ala Gln Pro	Leu Glu Asp Leu Ala Gly Phe Thr Glu Leu	
2675	2680	2685
Ser Glu Thr Ser Gly	His Thr Gln Glu Ser Leu Thr Ala Gly Lys	
2690	2695	2700
Ala Thr Lys Ile Pro Cys Glu Ser Pro Pro	Leu Glu Val Val Asp	
2705	2710	2715
Thr Thr Ala Ser Thr	Lys Arg His Leu Arg Thr Arg Val Gln Lys	
2720	2725	2730
Val Gln Val Lys Glu Glu Pro Ser Ala Val	Lys Phe Thr Gln Thr	
2735	2740	2745
Ser Gly Glu Thr Thr	Asp Ala Asp Lys Glu Pro Ala Gly Glu Asp	
2750	2755	2760
Lys Gly Ile Lys Ala Leu Lys Glu Ser Ala	Lys Gln Thr Pro Ala	
2765	2770	2775
Pro Ala Ala Ser Val Thr Gly Ser Arg Arg	Arg Pro Arg Ala Pro	
2780	2785	2790
Arg Glu Ser Ala Gln Ala Ile Glu Asp Leu	Ala Gly Phe Lys Asp	
2795	2800	2805
Pro Ala Ala Gly His Thr Glu Glu Ser Met	Thr Asp Asp Lys Thr	
2810	2815	2820
Thr Lys Ile Pro Cys Lys Ser Ser Pro Glu	Leu Glu Asp Thr Ala	
2825	2830	2835
Thr Ser Ser Lys Arg Arg Pro Arg Thr Arg	Ala Gln Lys Val Glu	
2840	2845	2850
Val Lys Glu Glu Leu Leu Ala Val Gly Lys	Leu Thr Gln Thr Ser	
2855	2860	2865
Gly Glu Thr Thr His Thr Asp Lys Glu Pro	Val Gly Glu Gly Lys	
2870	2875	2880
Gly Thr Lys Ala Phe Lys Gln Pro Ala Lys	Arg Lys Leu Asp Ala	
2885	2890	2895
Glu Asp Val Ile Gly Ser Arg Arg Gln Pro	Arg Ala Pro Lys Glu	
2900	2905	2910
Lys Ala Gln Pro Leu Glu Asp Leu Ala Ser	Phe Gln Glu Leu Ser	
2915	2920	2925
Gln Thr Pro Gly His Thr Glu Glu Leu Ala	Asn Gly Ala Ala Asp	
2930	2935	2940
Ser Phe Thr Ser Ala Pro Lys Gln Thr Pro	Asp Ser Gly Lys Pro	
2945	2950	2955
Leu Lys Ile Ser Arg Arg Val Leu Arg Ala	Pro Lys Val Glu Pro	
2960	2965	2970
Val Gly Asp Val Val Ser Thr Arg Asp Pro	Val Lys Ser Gln Ser	
2975	2980	2985
Lys Ser Asn Thr Ser Leu Pro Pro Leu Pro	Phe Lys Arg Gly Gly	
2990	2995	3000
Gly Lys Asp Gly Ser Val Thr Gly Thr Lys	Arg Leu Arg Cys Met	
3005	3010	3015
Pro Ala Pro Glu Glu Ile Val Glu Glu Leu	Pro Ala Ser Lys Lys	
3020	3025	3030
Gln Arg Val Ala Pro Arg Ala Arg Gly Lys	Ser Ser Glu Pro Val	
3035	3040	3045

-continued

Val Ile Met Lys Arg Ser Leu Arg Thr Ser Ala Lys Arg Ile Glu
 3050 3055 3060
 Pro Ala Glu Glu Leu Asn Ser Asn Asp Met Lys Thr Asn Lys Glu
 3065 3070 3075
 Glu His Lys Leu Gln Asp Ser Val Pro Glu Asn Lys Gly Ile Ser
 3080 3085 3090
 Leu Arg Ser Arg Arg Gln Asn Lys Thr Glu Ala Glu Gln Gln Ile
 3095 3100 3105
 Thr Glu Val Phe Val Leu Ala Glu Arg Ile Glu Ile Asn Arg Asn
 3110 3115 3120
 Glu Lys Lys Pro Met Lys Thr Ser Pro Glu Met Asp Ile Gln Asn
 3125 3130 3135
 Pro Asp Asp Gly Ala Arg Lys Pro Ile Pro Arg Asp Lys Val Thr
 3140 3145 3150
 Glu Asn Lys Arg Cys Leu Arg Ser Ala Arg Gln Asn Glu Ser Ser
 3155 3160 3165
 Gln Pro Lys Val Ala Glu Glu Ser Gly Gly Gln Lys Ser Ala Lys
 3170 3175 3180
 Val Leu Met Gln Asn Gln Lys Gly Lys Gly Glu Ala Gly Asn Ser
 3185 3190 3195
 Asp Ser Met Cys Leu Arg Ser Arg Lys Thr Lys Ser Gln Pro Ala
 3200 3205 3210
 Ala Ser Thr Leu Glu Ser Lys Ser Val Gln Arg Val Thr Arg Ser
 3215 3220 3225
 Val Lys Arg Cys Ala Glu Asn Pro Lys Lys Ala Glu Asp Asn Val
 3230 3235 3240
 Cys Val Lys Lys Ile Arg Thr Arg Ser His Arg Asp Ser Glu Asp
 3245 3250 3255

Ile

<210> SEQ ID NO 99
 <211> LENGTH: 826
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Incyte ID No: 211881.1

<400> SEQUENCE: 99

cttaaacct gacatccttc atgtagta acctttataa tctctttgga ttagtagtaaat 60
 ttttagtatt ttttagattg aatttgatc atatttgcta gcaaattgag tataaagagt 120
 agcatatttt tactacagat gtattatttt aactaactaa ggcatattat acattttttt 180
 catatataaa ctttgaata ggattttaca gtaacttaag ttttttattt ctacccatgt 240
 gtcaaagttt tatgctaaat tctgaataga atagttgtaa ctcccactct gggattttta 300
 tttattttta acagttctag tattgtttcc tgtgaatttt ttccaggat tgctactttc 360
 tgcaactattc attagaccaa gagcatttca ccaataactt aaaacttaaa aatttttaaa 420
 cttttccaaa tttgattaaa aggataacat attctaaagg tattcaatat ttttacttat 480
 ctctgaaaaa ctaatacaca taaaagcata cattttacac atacagctct ctccatcttc 540
 cacaatagat taagacataa aacataacca gtatttttga aaagccccct taactggcat 600
 gcttcttact gaaattatca taaaaggttc gtatgagaaa ggattccaga atatccctta 660
 attgtgttgt agcttatgca tttctattta ttttatacat tatttaattc atgtgagtta 720

-continued

```

cttacctggc agggaagata tgatcaccaa ggtgcctttc acattcattg cactctggat 780
gtgctgaccc ctgcaatttc cccaaatggg ggaagctcaa ctgcat 826

```

```

<210> SEQ ID NO 100
<211> LENGTH: 1498
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 409895.2

```

```

<400> SEQUENCE: 100

```

```

agctaattgtg ttacattaga atcacctcgg ggaggccctg ggtgcccttc tcagccctcc 60
ctccggaggc tgctgaagcc cagcaaagcc ggagtcagag aacaatgtcc gcctgagggc 120
agggctgggc tgggctggcc ttctggccct atctgctccg tgcccaacct agcgcctccg 180
acagtccggag ctttgtaaat acgaggtgac tgtctgccta caaactttgt aaacatcact 240
tgaaatggcc gcagggtatt gcgacatggc catacacta tttgtttgct attgaatttg 300
tacttccttg cttactttt gctattgcaa accatgctgt cactaaggtc ttcattgaca 360
cagttgtgtc ttggtcagat gatatgtttc taccaatttt aattgtgttt ctttccacct 420
gggacacaca gctctctggg ccccagggtc gggtcacatcag cacaccctgc tgctgctgtt 480
cagatctgca tcctgggtccc gcttgggtccc acagtgagaa cgctttgcta tcacatgggc 540
aggctctgag agccctgccg gcctggcctt ctcaaagaag acctgagagc ttgggacca 600
agcagagagg aagaacaggc ctcagggtgc ttgctccatg ctcgctccac acctggggct 660
caaccctggc tttccccggc tccctgtgtg acttcagggc aggtcccttg ggccctctgg 720
gccttatcat cttcatctgt aacagggcga tgccctctgcc gtgtctggtg gtgttgagga 780
gttcctggtt gtgtaagcag ctagttcagt gccagcacga gatgggaggc ccatgaagt 840
agcagtgcac aaaaaataga gcaaagactg gatgcatctc ctgagaacaa ccatcactgt 900
aaagcacttt acaaatccaa agacaacccc cggcaaaaac tcaaatgaa actccctctc 960
gcagagcaca attccaattc gctctaaaaa cattacaagt tagttcatgt catgccagat 1020
agctgaaggc agctcacaag ttcttaaggc caggaatgcc atgtgtctgc tatgcacagc 1080
tggccctggc cctgagcctg aatgacagca aaggtgacgc agatgtgggt gccctgctcc 1140
tgcccagcag cagtgccttg tggaggctga ggccctgcac aggaccctc actgctgacc 1200
ttgagcctct ctctcctcta gagtggaaaa gacaaggatg ccgtggataa attgctcaag 1260
gacctggacg ccaatggaga tgcccagggtg gacttcagtg agttcatcgt gttcgtggct 1320
gcaatcacgt ctgcctgtca caagtacttt gagaaggcag gactcaaatg atgccctgga 1380
gatgtcacag attcctggca gagccatggg cccaggcttc ccaaaagtgt ttgttgcaa 1440
ttattcccct aggctgagcc tgctcatgta cctctgatta ataatgctt atgaaatg 1498

```

```

<210> SEQ ID NO 101
<211> LENGTH: 860
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1422432CB1
<221> NAME/KEY: unsure
<222> LOCATION: 205
<223> OTHER INFORMATION: a, t, c, g, or other

```

```

<400> SEQUENCE: 101

```


-continued

```

agagcaaaga ctggatgcat ttcctgagaa caaccatcac tgtaaagcac ttacaaatc 60
caaagacaac ccccggcaaa aactcaaat gaaactccct ctgcgagagc acaattccaa 120
ttcgctctaa aaacattaca agttagttca tgcatgcca gatagctgaa ggcagctcac 180
aagttcttaa ggccaggaat gccangtgtc tgctatgcac agctggccct ggccctgagc 240
ctgaatgaca gcaaaggtga cgcagatgtg ggtgccctgc tcctgcccag cagcagtgtc 300
tggtggaggc tgaggccctg cacaggcacc ctcaactgctg accttgagcc tctctctcct 360
ctcaagaggc tgccagtggg acatthttctc ggccctgcca gccccagga ggaaggtggg 420
tctgaatcta gcacatgac ggaactagag acagccatgg gcatgatcat agacgtcttt 480
tcccgatatt cgggcagcga gggcagcacg cagaccctga ccaaggggga gctcaaggtg 540
ctgatggaga aggagctacc aggcttcctg cagagtggaa aagacaagga tgccgtggat 600
aaattgctca aggacctgga cgccaatgga gatgcccagg tggacttcag tgagttcatc 660
gtgttcgtgg ctgcaatcac gtctgcctgt cacaagtact ttgagaaggc aggactcaaa 720
tgatgccctg gagatgtcac agattcctgg cagagccatg gtcccaggct tcccaaaagt 780
gtttgttggc aattattccc ctaggctgag cctgctcatg tacctctgat taataaatgc 840
ttatgaaatg aaaaaaaaaa 860

```

```

<210> SEQ ID NO 102
<211> LENGTH: 95
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Incyte ID No: 1422432CD1

```

```

<400> SEQUENCE: 102

```

```

Met Thr Glu Leu Glu Thr Ala Met Gly Met Ile Ile Asp Val Phe
 1                5                10                15
Ser Arg Tyr Ser Gly Ser Glu Gly Ser Thr Gln Thr Leu Thr Lys
                20                25                30
Gly Glu Leu Lys Val Leu Met Glu Lys Glu Leu Pro Gly Phe Leu
                35                40                45
Gln Ser Gly Lys Asp Lys Asp Ala Val Asp Lys Leu Leu Lys Asp
                50                55                60
Leu Asp Ala Asn Gly Asp Ala Gln Val Asp Phe Ser Glu Phe Ile
                65                70                75
Val Phe Val Ala Ala Ile Thr Ser Ala Cys His Lys Tyr Phe Glu
                80                85                90
Lys Ala Gly Leu Lys
                95

```

What is claimed is:

1. A combination comprising a plurality of cDNAs that are differentially expressed in prostate cancer, wherein the plurality of cDNAs consist of SEQ ID NOs:1-3, 5, 6, 8, 10-15, 17-19, 21, 23-28, 30, 32, 34-36, 38, 40, 42-45, 47-50, 52, 53, 55, 56, 58-65, 67, 68, 70-73, 75, 76, 78-86, 88-90, 92-97, 99-101 or a plurality of cDNAs consisting of the complements thereof.

2. The combination of claim 1, wherein each of the cDNAs is differentially regulated between non-metastatic and metastatic prostate cancer, consisting of SEQ ID NOs:1-3, 5, 6, 8, 10-15, 17-19, 21, 23-28, 30, 32, 34-36, 38, 40, 42-45, 47-50, 52, 53, 55, 56, 58-65, 67, 68, 70-73, 75.

3. The combination of claim 1, wherein each of the cDNAs is differentially regulated between prostate cancer and normal prostate, consisting of SEQ ID NOs:76, 78-86, 88-90, 92-97, 99-101.

4. The combination of claim 1, wherein the cDNAs are immobilized on a substrate.

5. A high throughput method for detecting differential expression of one or more cDNAs in a sample containing nucleic acids, the method comprising:

- (a) hybridizing the substrate of claim 4 with nucleic acids of the sample, thereby forming one or more hybridization complexes;
- (b) detecting the hybridization complexes; and

281

(c) comparing the hybridization complexes with those of a standard, wherein differences between the standard and sample hybridization complexes indicate differential expression of cDNAs in the sample.

6. The method of claim 5, wherein the nucleic acids of the sample are amplified prior to hybridization. 5

7. The method of claim 5, wherein the sample is from a subject with prostate cancer and comparison with a standard defines an early, mid, or late stage of that disease.

8. A high throughput method of screening a plurality of molecules or compounds to identify a ligand which specifically binds a cDNA, the method comprising: 10

282

(a) combining the composition of claim 1 with the plurality of molecules or compounds under conditions to allow specific binding; and

(b) detecting specific binding between each cDNA and at least one molecule or compound, thereby identifying a ligand that specifically binds to each cDNA.

9. The method of claim 8 wherein the plurality of molecules or compounds are selected from DNA molecules, RNA molecules, peptide nucleic acid molecules, mimetics, peptides, transcription factors, repressors, and regulatory proteins.

* * * * *