



US006802772B1

(12) **United States Patent**  
**Kunzle et al.**

(10) **Patent No.:** **US 6,802,772 B1**  
(45) **Date of Patent:** **Oct. 12, 2004**

(54) **SYSTEMS AND METHODS WHEREIN AT LEAST ONE SET OF POSSIBLE INPUT PARAMETERS TO A PHYSICS SIMULATION WILL PRODUCE A SUCCESSFUL GAME RESULT**

(75) Inventors: **Adrian E. Kunzle**, Wilmington, DE (US); **V. Maximillian Garcia**, New Haven, CT (US)

(73) Assignee: **Walker Digital, LLC**, Stamford, CT (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/686,638**

(22) Filed: **Oct. 11, 2000**

(51) **Int. Cl.**<sup>7</sup> ..... **A63F 13/00**

(52) **U.S. Cl.** ..... **463/2; 463/7; 463/30**

(58) **Field of Search** ..... **473/131, 134; 100/91; 463/1-4, 30, 36-39**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,146,557 A \* 9/1992 Yamrom et al. .... 345/723  
5,507,485 A \* 4/1996 Fisher ..... 473/407  
5,779,549 A \* 7/1998 Walker et al. .... 463/42  
6,500,065 B1 \* 12/2002 Sato ..... 463/4

**OTHER PUBLICATIONS**

Instruction Manual, "Links 386 CD Players Manual." Published by Access Software, Inc. 1995 pp. 1-87.\*

Ryan, Michael E., "Golf Software: Looking For A Great Golf Game? One of These Five Titles Should Fill The Bill; Buyers Guide", Feb. 9, 1999, PC Magazine, Section: ISSN: 0888-8507, at p. 278.

Author Unknown, "Microsoft's 'Links LS 2000' Hole-In-One Sweepstakes Gives Users A Chance To Win A Hawaiian Vacation", Nov. 22, 1999, (<http://www.microsoft.com/pre4ss/1999/nov1999/holeinonepr.asp>).

Author Unknown, "Jose Maria Olazabal Enters Into Exclusive Partnership with AboutGold.com" [www.AboutGolf.com](http://www.AboutGolf.com)—It's All About The Game, Aug., 25, 2000.

"Golfix Online Golf Games", (<http://mhtml:file://P:\User Home Directories\Ogur, Catherine\Public\Active-Cu... \Golfixgames.mh>), download date Oct. 10, 2000.

"Super Hole-In-One Traditional V1.2a", ([http://mhtml:file://P:\User Home Directories\Ogur, Cath... \Super Hole-In-One Traditional V1\\_2a.mh](http://mhtml:file://P:\User Home Directories\Ogur, Cath... \Super Hole-In-One Traditional V1_2a.mh)), download date Oct. 10, 2000.

"Shockwave Golf Game", (<http://mhtml:file://P:\User Home Directories\Ogur, Catherine\Public\A... \Shockwave Golf Game.mh>), download date Oct. 10, 2000.

"VGA2000—Virtual Golf Association", (<http://mhtml:file://P:\User Home Directories\Ogur, Catherine\Public\Active-Curr... \VGA2000.mh>), download date Oct. 10, 2000.

"Gamers.com>>Web>>Shockwave Golf (Shockwave)", ([http://mhtml:file://P:\User Home Directories\Gamers\\_com>>Web>>Shockwave Golf\(Shockwave\).mh](http://mhtml:file://P:\User Home Directories\Gamers_com>>Web>>Shockwave Golf(Shockwave).mh)) download date Oct. 10, 2000.

\* cited by examiner

*Primary Examiner*—Jessica Harrison


*Assistant Examiner*—Aaron Capron

(74) *Attorney, Agent, or Firm*—Magdalena M. Finchan

(57) **ABSTRACT**

Systems and methods are provided to conduct a game associated with a physics simulation, the physics simulation being adapted to generate a game result based on a set of input parameters. According to one embodiment, a game condition associated with a game to be played by a player is established. For example, a three-dimensional terrain associated with a golf putting green may be established. It is then determined that at least one set of possible input parameters to the physics simulation will produce a successful game result given the established game condition. For example, it may be determined that a player can use his or her mouse to provide a set of inputs parameters to the physics simulation such that a simulated golf ball will reach a simulated golf hole based on the three-dimensional golf putting green terrain.

**31 Claims, 16 Drawing Sheets**






FIG. 1A




FIG. 1B




FIG. 1C




FIG. 2




FIG. 3




FIG. 4

500



PLAYER IDENTIFIER 502	NAME 504	CONTACT INFORMATION 506	PAYMENT INFORMATION 508	ACCOUNT BALANCE 510
P1001	JENNIFER JAMES	32 GARDEN ROW BELLTOWN, USA	1234-1244-2345-3456 (CREDIT CARD)	+\$20
P1002	MICHAEL SMITH	TROLL@BRIDGE.COM	3458-0239-0283-0293 (DEBIT CARD)	-\$10
P1003	DAVID STONE	(333) 555-3333	BGG@PAY.COM	0
P1004	SUSAN PETERS	(478) 555-2890	0982-3245-7642-8933 (CREDIT CARD)	-\$0.10
P1005	KEVIN WRIGHT	SDI93K@AOL.COM	BANK ACCOUNT NUMBER	+\$1,000

FIG. 5



600

GAME IDENTIFIER 602	PLAYER IDENTIFIER 604	GAME TYPE 606	GAME CONDITION(S) 608	PLAYER INPUT PARAMETER(S) 610	GAME RESULT 612
G00-001	P1001	GOLF PUTTING	PUTTING_GREEN_TERRAIN HOLE_LOCATION	ANGLE; VELOCITY	3 FT FROM HOLE
G00-002	P1001	GOLF PUTTING	PUTTING_GREEN_TERRAIN HOLE_LOCATION	ANGLE; VELOCITY	HOLE-IN-ONE
G00-003	P1005	BASKETBALL	HOOP_HEIGHT HOOP_DISTANCE	LOCATION; VELOCITY	\$5
G00-004	P1002	GOLF DRIVING	FAIRWAY_LAYOUT WIND	ANGLE; VELOCITY; CLUB SELECTION	45 FT FROM HOLE
G00-005	P1001	BILLIARDS	BALL_POSITIONS	ANGLE; VELOCITY; SPIN	\$0

FIG. 6




FIG. 7




FIG. 8




FIG. 9A




FIG. 9B




FIG. 10




FIG. 11A




FIG. 11B






FIG. 11C

1

**SYSTEMS AND METHODS WHEREIN AT  
LEAST ONE SET OF POSSIBLE INPUT  
PARAMETERS TO A PHYSICS SIMULATION  
WILL PRODUCE A SUCCESSFUL GAME  
RESULT**

FIELD

The present invention relates to games. In particular, the present invention relates to systems and methods to ensure that at least one set of possible input parameters to a physics simulation will produce a successful game result.

BACKGROUND

Many players enjoy playing games that involve simulated physics. For example, many players enjoy playing computer-based golf games in which a physics simulation (e.g., a computer program) calculates a trajectory of a simulated golf ball in accordance with a set of player input parameters, such as a golf club type, a golf club velocity, and/or an angular measurement associated with a swing of a golf club. Typically, a player will use a keyboard and/or a computer mouse to generate these player input parameters. For example, a player may use a computer mouse to position a "pointer" on a display device. The location of the pointer is then used to determine an angular measurement associated with the swing of the golf club.

In addition to the player input parameters, the physics simulation calculates the trajectory of the simulated golf ball in accordance with one or more game conditions, such as a fairway layout, a three-dimensional putting green terrain, and/or a wind condition. For example, a simulated golf ball landing on a fairway may "bounce" differently as compared to one that does not land on the fairway. Similarly, a wind direction and a wind velocity may alter the flight of the simulated golf ball, and the three-dimensional putting green terrain may alter how the simulated golf ball "rolls."

Based on the calculated trajectory, the simulated golf ball will come to rest at a destination. For example, the simulated golf ball may come to rest on the putting green or in a sand trap. In the typical computer-based golf game, a successful game result is to have the simulated golf ball come to rest within a simulated golf hole (e.g., after one or more simulated golf strokes).

However, the way in which a player input parameter is generated can make it impossible for a player to produce a successful game result. Consider, for example, a golf game in which a player uses a computer mouse to position a pointer on a display device, and a player input parameter (e.g., an angular measurement associated with a swing of a golf club) is determined based the location of the pointer. A typical computer display may have a total of 1024 by 768 possible locations at which the pointer can be positioned. As a result of this granularity, there may be a first set of areas where the simulated golf ball can come to rest and a second set of areas where the simulated golf ball cannot come to rest. That is, given the initial location of the simulated golf ball and the game conditions, it may be impossible for the simulated golf ball to come to rest within the second set of areas no matter which of the 1024 by 768 possible locations are selected by the player.

Similar problems may exist with other ways of generating a player input parameter. For example, a player input parameter based on a time measurement (e.g., based on a period of time between two keystrokes) and a granularity associated with the time measurement (e.g., the time may be

2

measured in 0.01 second increments) may result in areas where the simulated golf ball cannot come to rest. Moreover, the use of different methods to determine different player input parameters (e.g., using both a pointer location and a time measurement) can have a similar effect.

A player may not be concerned if no set of possible input parameters can produce a successful game result. For example, a player will typically not even be aware that he or she cannot select input parameters that will produce a successful game result. Moreover, players typically view this type of game as entertainment and do not have an expectation that every play of the game (e.g., every simulated swing of a golf club) will have a chance of producing a successful game result.

Consider, however, a game in which players are promised that they have a chance to win a prize based on a game result. In this case, players may be very concerned if no set of possible input parameters can produce a successful game result. For example, players who are told that a free movie ticket will be awarded whenever a simulated golf swing produces in a "hole-in-one" may become upset if they learn that, for some games, no set of possible input parameters will produce a hole-in-one. That is, the players may feel that the game is being operated in an unfair manner. This will be especially true if the players provide a payment in exchange for the chance to win the prize.

SUMMARY OF THE INVENTION

To alleviate problems inherent in the prior art, the present invention introduces systems and methods wherein at least one set of possible input parameters to a physics simulation will produce a successful game result.

One embodiment of the present invention is directed to a method of conducting a game associated with a physics simulation, the physics simulation being adapted to generate a game result based on a set of input parameters. In this case, a game condition associated with a game to be played by a player is established. It is then determined that at least one set of possible input parameters to the physics simulation will produce a successful game result given the established game condition.

Another embodiment is directed to a computer-implemented method of conducting a golf game associated with a golf simulation. The golf simulation is adapted to generate a game result based on a set of input parameters. A golf game condition is established, and it is determined that at least one set of possible input parameters to the golf simulation will produce a successful game result given the established golf game condition. After arranging for the player to provide a payment in exchange for playing the golf game, a set of player input parameters is received from a remote player device via a communication network. A game result is then determined based on the received player input parameters, the golf game condition, and the golf simulation. For example, the golf game may be associated with hitting a simulated golf ball, and the game result may comprise the simulated golf ball reaching a destination. An indication associated with the game result is transmitted to the remote player device via the communication network. It is then arranged for the player to receive a payment if the destination of the simulated golf ball is within a predetermined distance of a simulated golf hole.

According to another embodiment of the present invention, a game condition associated with a game is established. It is then determined that at least one set of possible input parameters to a physics simulation will produce a successful game result given the established game condition.

According to still another embodiment, a player or player device arranges to provide a payment in exchange for playing a game. A set of player input parameters is transmitted to a game controller via a communication network. An indication associated with a game result is then received from the game controller via the communication network. In this case, the game controller may have determined that at least one set of possible input parameters to the physics simulation will produce a successful game result given an established game condition. The player or player device then arranges to receive a payment if the game result has a predetermined relationship to a successful game result.

According to still another embodiment, a possible set of input parameters is determined. An appropriate game condition is then generated such that the possible set of input parameters to a physics simulation will produce a successful game result in accordance with the appropriate game condition.

One embodiment of the present invention comprises: means for establishing a game condition associated with a game to be played by a player; and means for determining that at least one set of possible input parameters to a physics simulation will produce a successful game result given the established game condition.

Another embodiment comprises: means for establishing a golf game condition; means for determining that at least one set of possible input parameters to a golf simulation will produce a successful game result given the established golf game condition; means for arranging for a player to provide a payment in exchange for playing the golf game; means for receiving from a remote player device a set of player input parameters via a communication network; means for determining a game result based on the received player input parameters, the golf game condition, and the golf simulation, wherein the golf game is associated with hitting a simulated golf ball and the game result comprises the simulated golf ball reaching a destination; means for transmitting to the remote player device an indication associated with the game result via the communication network; and means for arranging for the player to receive a payment if the destination of the simulated golf ball is within a predetermined distance of a simulated golf hole.

With these and other advantages and features of the invention that will become hereinafter apparent, the nature of the invention may be more clearly understood by reference to the following detailed description of the invention, the appended claims, and the several drawings attached herein.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1A is a flow chart of a method for conducting a game according to an embodiment of the present invention.

FIG. 1B illustrates a game display according to an embodiment of the present invention.

FIG. 1C is a flow diagram associated with a physics simulation according to an embodiment of the present invention.

FIG. 2 is a block diagram overview of a game system according to an embodiment of the present invention.

FIG. 3 is a block diagram of a player device according to an embodiment of the present invention.

FIG. 4 is a block diagram of a game controller according to an embodiment of the present invention.

FIG. 5 is a tabular representation of a portion of a player database according to an embodiment of the present invention.

FIG. 6 is a tabular representation of a portion of a game database according to an embodiment of the present invention.

FIG. 7 is a flow chart of a method for determining an initial location and a predetermined destination according to an embodiment of the present invention.

FIG. 8 is a flow chart of a method for determining an initial location and a predetermined destination according to another embodiment of the present invention.

FIG. 9A is a flow chart of a method for determining appropriate predetermined destinations according to an embodiment of the present invention.

FIG. 9B illustrates appropriate predetermined destinations according to the embodiment of the present invention described with respect to FIG. 9A.

FIG. 10 is a flow chart of a method for conducting a golf game according to an embodiment of the present invention.

FIGS. 11A through 11C illustrate player devices displaying game information according to some embodiments of the present invention.

#### DETAILED DESCRIPTION

Turning now in detail to the drawings, FIG. 1A is a flow chart of a method for conducting a game according to an embodiment of the present invention. According to this embodiment, the game is associated with a physics simulation adapted to generate a game result based on a set of input parameters.

At **112**, at least one game condition associated with a game to be played by a player is established. As used herein, a "game condition" can be any parameter that (i) is associated with the play of a game and (ii) is used to determine (i.e., to at least partly determine) a game result.

For example, consider the computer-based golf game display **120** shown in FIG. 1B. In this case, the game condition may comprise the three-dimensional putting green terrain **122** that is used to determine how a simulated golf ball will roll. Other game conditions may include, for example, an initial location **124** of a simulated golf ball and/or a simulated golf hole **126**.

Note that the game condition may be established, for example, on a game-by-game basis (e.g., a new putting green terrain **122** may be generated for each game). According to another embodiment, the game condition is established and used for a plurality of different games.

FIG. 1B also illustrates a game pointer **128** that may be positioned by a player (e.g., using a computer mouse). The position of the game pointer **128** may be used to determine, for example, a player input parameter such as an angular measurement associated with a swing of a golf club.

Referring again to FIG. 1A, at **114** it is determined that at least one set of possible input parameters to a physics simulation will produce a successful game result given the established game condition. For example, it may be determined that at least one possible position of the game pointer **128** (e.g., out of all 1024 by 768 possible computer display locations) will result in the simulated golf ball being propelled from the initial location **124** such that it rolls across the putting green terrain **122** and finally comes to rest within the simulated golf hole **126**.

FIG. 1C is a flow diagram associated with a physics simulation **130** according to an embodiment of the present invention. In particular, the physics simulation **130** generates a game result based on (i.e., based at least in part on) one or more game conditions and one or more input param-

eters. For example, the physics simulation **130** (e.g., a computer program) may calculate a trajectory of a simulated golf ball in accordance with one or more game conditions (e.g., a fairway layout, a three-dimensional putting green terrain, and/or a wind direction and wind velocity) and a set of player input parameters (e.g., a golf club type, a golf club velocity, and an angular measurement associated with a swing of a golf club). Based on the calculated trajectory, the game result can then be determined (e.g., a final destination of a simulated golf ball and/or whether or not the simulated golf ball came to rest within a simulated golf hole **126**). Note that the physics simulation **130** may not be a “perfect” simulation of the real world. For example, one or more real-world parameters (e.g., wind resistance) may be ignored or approximated by the physics simulation **130**.

#### Game System

FIG. **2** is a block diagram overview of a game system **200** according to one embodiment of the present invention. The game system **200** includes a game controller **400** in communication with a number of player devices **300**. As used herein, devices (such as the player devices **300** and the game controller **400**) may communicate, for example, via a communication network, such as a Local Area Network (LAN), a Metropolitan Area Network (MAN), a Wide Area Network (WAN), a Public Switched Telephone Network (PSTN), a Wireless Application Protocol (WAP) network, or an Internet Protocol (IP) network such as the Internet, an intranet or an extranet. Moreover, as used herein, communications include those enabled by wired or wireless technology. Note that although a single game controller **400** is shown in FIG. **2**, any number of game controllers **400** may be included in the game system **200**. Similarly, any number of the other devices described herein may be included in the game system **200** according to embodiments of the present invention.

In one embodiment of the present invention, a player device **300** communicates with a remote, Web-based game controller **400** (e.g., a server) via the Internet. Although some embodiments of the present invention are described with respect to information exchanged using a Web site, according to other embodiments information can instead be exchanged, for example, via: a telephone, an Interactive Voice Response Unit (IVRU), electronic mail, a WEBTV® interface, a cable network interface, and/or a wireless communication system.

The player device **300** and the game controller **400** may be any device capable of performing various functions described herein. The player device **300** may be, for example: a Personal Computer (PC), a portable computing device such as a Personal Digital Assistant (PDA), a wired or wireless telephone, a one-way or two-way pager, a kiosk (e.g., a game kiosk located at an airport terminal), a game terminal (e.g., a SONY PLAY STATIONS ® video game terminal), or any other appropriate storage and/or communication device.

Note that the devices shown in FIG. **2** need not be in constant communication. For example, the player device **300** may only communicate with the game controller **400** via the Internet when appropriate (e.g., when attached to a “docking” station or “cradle” coupled to the player’s PC). The player device **300** may also communicate with the game controller **400** via an infrared device when near a game kiosk. Note also that a player device **300** and the game controller **400** may be incorporated in a single device (e.g., a game kiosk may act as both a player device **300** and the game controller **400**).

According to an embodiment of the present invention, a player uses a player device **300** to communicate with the

game controller **400**. For example, a player may use his or her PC to access a Web site associated with the game controller **400** in order to play a game.

The game played by the player is associated with a physics simulation. For example, the game may use a physics model associated with propelling a simulated object, and a successful game result may comprise the simulated object reaching a predetermined destination or goal location. One example of such a game is a computer-based golf game (e.g., a golf driving simulation or a golf putting simulation) in which a player attempts to propel a simulated golf ball such that it comes to rest within a simulated golf hole. Other types of games associated with propelling a simulated object include, for example, a baseball game, a basketball game, a football game, a soccer game, a hockey game, a bowling game, a billiards game, a throwing game (e.g., a dart throwing game), and a shooting game. Note that the game does not need to be a sports game. For example, a ring-toss game, a skee-ball game, a pinball game, an aircraft simulation, or a space-based game (e.g., in which a player maneuvers a spacecraft) can be associated with a physics simulation. A game in which a player attempts to “catch” a simulated object (e.g., by catching a baseball) can also be associated with a physics simulation.

As described with respect to FIG. **1C**, the physics simulation is adapted to generate one or more game results based on a set of input parameters. In the case of a golf game, the game result may indicate whether or not a simulated golf ball has come to rest within a simulated golf hole. In general, a “game result” may include any information associated with the play of a game, such as a determination of whether or not a player has won a game, whether or not a player has won a prize, and/or an amount of a prize won by a player.

According to an embodiment of the present invention, the game controller **400** establishes one or more game conditions. For example, the game controller **400** may establish a game condition associated with a particular game to be played by a player. According to another embodiment, the game controller **400** establishes a game condition that will be associated with a plurality of games (e.g., a plurality of games played by one or more players). In the case of a computer-based golf game, examples of game conditions include a terrain feature (e.g., a contour, a three-dimensional putting green terrain, or a fairway layout), a wind direction and a wind velocity, a friction parameter (e.g., a friction associated with an area in the “rough”), a golf ball location (e.g., an initial tee position), and/or a golf hole location.

The game controller **400** then determines that at least one set of possible input parameters to the physics simulation will produce a successful game result given the established game condition. In this way, the player can be assured that he or she does in fact have a chance of winning the game (e.g., assuming he or she provides the appropriate input parameters via the game system **200**).

The game controller **400** can make this determination in a number of ways. Consider a game associated with propelling a simulated object. In such a game, a successful game result may involve the simulated object reaching a predetermined destination. According to one embodiment of the present invention, the game controller **400** places the simulated object at a first location and propels the simulated object in accordance with a set of possible input parameters. The game controller **400** then determines a second location of the simulated object based on the physics simulation and the established game condition (e.g., after calculating a trajectory for the simulated object). The first location can then be used as an initial location for the simulated object

and the second location can be used as the predetermined destination. Note that depending on the physics simulation, the initial location may not need to be set exactly equal to the first location. That is, the initial location may instead be based on the first location (e.g., may be within a predetermined distance of the first location). Similarly, the predetermined destination may be based on the second location.

According to another embodiment, the second location is used to generate the initial location for the simulated object and the first location is used to generate the predetermined destination. Such an approach may be appropriate, for example, in a golf putting game where the putting green is flat.

For example, in a computer-based golf game, a successful result may involve having a simulated golf ball come to rest within a simulated golf hole (e.g., a player may win a prize if he shoots a hole-in-one). In this case, the game controller **400** may select an initial position for the simulated golf ball (e.g., a tee location). The game controller **400** may then select a possible location of a pointer on a display device (e.g., by selecting a location from a set of 1024 by 768 possible locations), and determine an input parameter (e.g., an angular measurement associated with a swing of a golf club) based the selected location. This input parameter is used to perform a "test" shot of the golf ball via the physics model to determine a destination where the simulated golf ball comes to rest (or when the simulated golf ball's velocity slows below a predetermined threshold). The golf hole can then be located at this destination, ensuring that if the player positions the pointer at the same location that was selected by the game controller **400**, he or she will produce a successful game result.

Another way for the game controller **400** to determine that at least one possible set of input parameters will produce a successful game result is to select a potential initial location and a potential predetermined destination. A test calculation may be performed to determine if a set of possible input parameters to the physics simulation will propel the simulated object from the potential initial location to the potential predetermined destination. If such a set of possible input parameters exists, the potential initial location and the potential predetermined destination can be used in the game. If no such set of possible input parameters exists, the potential initial location and/or the potential predetermined destination are adjusted or re-selected and another test calculation is performed.

According to another embodiment, the game controller **400** selects an initial location and performs a calculation to generate an appropriate destination for a game such that a set of possible input parameters to the physics simulation will propel the simulated object from the initial location to that destination. Similarly, the game controller **400** can instead first select the destination and then calculate an appropriate initial location.

According to still another embodiment, the game controller **400** selects an initial location and generates a list of appropriate predetermined destinations, such that for each appropriate predetermined destination a set of possible input parameters will propel the simulated object from the initial location to the predetermined destination. In this case, the game controller **400** then simply selects one of the appropriate predetermined destinations for use in a game. Similarly, the game controller **400** can select a predetermined destination and generate a list of appropriate initial locations. In another embodiment, the initial location and predetermined locations are selected, and the game controller **400** calculates a game condition (e.g., a wind direction

and a wind velocity) such that at least one set of possible input parameters to the physics simulation will produce a successful game result.

After determining that at least one set of possible input parameters to the physics simulation will produce a successful game result, the game controller **400** arranges for the player to play the game. For example, the player may use his or her player device **300** to generate and transmit a set of player input parameters to the game controller **400**. In the case of a computer-based golf game, the player input parameters may include, for example, a golf ball velocity, a golf ball angular measurement, a golf ball rotation, a golf ball location, a golf club velocity, a golf club angular measurement, a golf club location, a golf club type, an aiming direction, and/or an aiming location.

The game controller **400** then determines a game result based on the received player input parameters, the game condition, and the physics simulation. In the case of a computer-based golf game, the game result may comprise, for example, a distance between a golf ball and a golf hole, whether the golf ball comes to rest within the golf hole, and/or a number of strokes that were required to place the golf ball within the golf hole. The game controller **400** can then transmit an indication associated with the game result to the player device **300**.

According to one embodiment, the game controller **400** also arranges for the player to provide a payment in exchange for playing the game and/or arranges for the player to receive a payment if the determined game result has a predetermined relationship to the successful game result. For example, the game controller **400** may arrange for the player to receive \$1,000 if he or she shoots a hole-in-one in a computer-based golf game. Note that a payment device **210** may be used to arrange for the player to provide or receive payments. For example, the game controller **400** may arrange for a player to purchase one or more game plays via the payment device **210** (e.g., via a credit card account, a debit card account, a banking account, or an electronic payment protocol).

Player Device

FIG. 3 illustrates a player device **300** that is descriptive of the device shown in FIG. 2, according to an embodiment of the present invention. The player device **300** comprises a processor **310**, such as one or more INTEL® Pentium® processors, coupled to a communication device **320** configured to communicate via a communication network (not shown in FIG. 3). The communication device **320** may be used to communicate, for example, with the game controller **400**.

The processor **310** is also in communication with an input device **340**. The input device **340** may comprise, for example, a keyboard, a mouse or other pointing device, a microphone, a knob or a switch (including an electronic representation of a knob or a switch), an infrared port, a docking station, and/or a touch screen. Such an input device **340** may be used, for example, by a player to play a game involving a physics simulation (e.g., by manipulating a pointer associated with a computer-based golf game).

The processor **310** is also in communication with an output device **350**. The output device **340** may comprise, for example, a display (e.g., a computer monitor), a speaker, and/or a printer. The output device **350** may be used, for example, to display an indication associated with a game result to a player.

The processor **310** is also in communication with a storage device **330**. The storage device **330** may comprise any appropriate information storage device, including com-

binations of magnetic storage devices (e.g., magnetic tape and hard disk drives), optical storage devices, and/or semiconductor memory devices such as Random Access Memory (RAM) devices and Read Only Memory (ROM) devices.

The storage device **330** stores a program **315** for controlling the processor **310**. The processor **310** performs instructions of the program **315**, and thereby operates in accordance with the present invention. For example, the processor **310** may generate one or more player input parameters associated with a game.

The program **315** may be stored in a compressed, uncompiled and/or encrypted format. The program **315** may furthermore include other program elements, such as an operating system, a database management system, and/or "device drivers" used by the processor **310** to interface with peripheral devices. Such program elements are known to those skilled in the art.

As used herein, information may be "received" by or "transmitted" to, for example: (i) the player device **300** from the game controller **400**; or (ii) a software application or module within the player device **300** from another software application, module, or any other source.

FIG. 11A illustrates a PC **302** displaying game information according to an embodiment of the present invention. The PC **302** includes a keyboard **342A** and a mouse **342B** which can be used by a player to generate player input parameters. The PC **302** also includes a computer display **352A** and speakers **352B** which can be used to indicate a game result to the player.

FIG. 11B illustrates a PDA **304** displaying game information according to another embodiment of the present invention. The PDA **304** includes an input device **344** and an output device **354** (e.g., a display screen) that may be used by a player to play a game. Similarly, FIG. 11C illustrates a wireless telephone **306** including an input device **346** and an output device **356**.

#### Game Controller

FIG. 4 illustrates a game controller **400** that is descriptive of the device shown in FIG. 2, according to an embodiment of the present invention. The game controller **400** comprises a processor **410**, such as one or more INTEL® Pentium® processors, coupled to a communication device **420** configured to communicate via a communication network (not shown in FIG. 4). The communication device **420** may be used to communicate, for example, with the player device **300**.

The processor **410** is also in communication with a storage device **430**. The storage device **430** may comprise any appropriate information storage device, including combinations of magnetic storage devices (e.g., magnetic tape and hard disk drives), optical storage devices, and/or semiconductor memory devices such as RAM devices and ROM devices.

The storage device **430** stores a program **415** for controlling the processor **410**. The processor **410** performs instructions of the program **415**, and thereby operates in accordance with the present invention. For example, the processor **410** may establish a game condition and determine that at least one set of possible input parameters to the physics simulation will produce a successful game result given the established game condition.

According to another embodiment, the processor **410** establishes a golf game condition and determines that at least one set of possible input parameters to a golf simulation will produce a successful game result given the established golf game condition. The processor **410** may also arrange for a player to provide a payment in exchange for playing the

golf game and receive a set of player input parameters from a remote player device **300**. The processor **410** can then determine a game result based on the received player input parameters, the golf game condition, and the golf simulation. For example, the golf game may involve hitting a simulated golf ball and the game result may comprise the simulated golf ball reaching a destination. The processor **410** can also transmit an indication associated with the game result to the remote player device **300** and arrange for the player to receive a payment if the destination of the simulated golf ball is within a predetermined distance of a simulated golf hole.

The program **415** may be stored in a compressed, uncompiled and/or encrypted format. The program **415** may furthermore include other program elements, such as an operating system, a database management system, and/or device drivers used by the processor **410** to interface with peripheral devices.

As used herein, information may be "received" by or "transmitted" to, for example: (i) the game controller **400** from the player device **300**; or (ii) a software application or module within the game controller **400** from another software application, module, or any other source.

As shown in FIG. 4, the storage device **430** also stores a player database **500** (described with respect to FIG. 5) and a game database **600** (described with respect to FIG. 6).

Examples of databases that may be used in connection with the game system **200** will now be described in detail with respect to FIGS. 5 and 6. The illustrations and accompanying descriptions of the databases presented herein are exemplary, and any number of other database arrangements could be employed besides those suggested by the figures.

**Player Database**  
Referring to FIG. 5, a table represents the player database **500** that may be stored at the game controller **400**, according to an embodiment of the present invention. The table includes entries identifying players who may play games via the game system **200**. The table also defines fields **502**, **504**, **506**, **508**, **510** for each of the entries. The fields specify: a player identifier **502**, a name **504**, contact information **506**, payment information **508**, and an account balance **510**. The information in the player database **500** may be created and updated, for example, based on information received from player when he or she registers with the game controller **400**. The information in the player database **500** may also be based on, for example, information generated as the player plays games via the game system **200**.

The player identifier **502** may be, for example, an alphanumeric code associated with a player who has registered to use the game system **200**. The player identifier **502** may be generated by, for example, the game controller **400** or the player (e.g., when the player provides a user name and password). The player database **500** also stores the name **504** and contact information **506** (e.g., a postal address, an electronic mail address, an IP address, or a telephone number) associated with each player.

The payment information **508** may comprise, for example, a credit card, debit card or bank account number (e.g., a checking account number) or digital payment protocol information. The account balance **510** may represent an amount that a player owes to a game provider or an amount that the game provider owes to the player. The payment information **508** and account balance **510** may be used, for example, by the game controller **400** to arrange for the player to provide or receive a payment.

#### Game Database

Referring to FIG. 6, a table represents the game database **600** that may be stored at the game controller **400**, according

to an embodiment of the present invention. According to another embodiment, all or some of the information in the game database **600** may instead be stored at a player device **300**. The table includes entries identifying games that have been played via the game system **200**. The table also defines 5 fields **602, 604, 606, 608, 610, 612** for each of the entries. The fields specify: a game identifier **602**, a player identifier **604**, a game type **606**, one or more game conditions **608**, one or more player input parameters **610**, and a game result **612**. The information in the game database **600** may be created 10 and updated, for example, as players play games.

The game identifier **602** may be, for example, an alphanumeric code associated with a game that was played via the game system **200**. The player identifier **604** indicates the player who played the game, and may be based on, or 15 associated with, the player identifier **502** stored in the player database **500**. The game type **606** represents the type of game that was played by the player (e.g., a golf putting type of game or a basketball type of game).

The game conditions **608** represent one or more game 20 conditions generated by, or used by, the game controller **400**. The game conditions **608** may be associated with a particular game or may be used in a plurality of games. The player input parameters **610** represent one or more values based on information received from the player device. **300** during 25 play of the game. The game controller **400** then uses a physics simulation to generate the game result **612** based on the game conditions **608** and the player input parameters **610**. The game result **612** may indicate, for example, a position of a simulated object and/or an amount that has been won by the player during the game.

Methods that may be used in connection with the game system **200** according to some embodiments of the present invention will now be described in detail with respect to FIGS. **7** through **10**.

#### Game System Methods

FIG. **7** is a flow chart of a method for determining an initial location and a predetermined destination that may be performed by the game controller **400** according to an embodiment of the present invention. The flow chart in FIG. **7**, as well as the other flow charts discussed herein, does not imply a fixed order to the steps, and embodiments of the present invention can be practiced in any order that is practicable. Moreover, the methods may be performed by any device described herein, including a player device **300**. 45

The method associated with FIG. **7** is directed to a game in which a player propels a simulated object from an initial location, and a successful game result comprises the simulated object reacting a predetermined destination. One example of such a game is a computer-based golf game in which a player propels a simulated golf ball and attempts to have the simulated golf ball come to rest within a simulated golf hole.

At **702**, a simulated object is placed at a first location. For example, a tee location may be randomly determined for a simulated golf ball. At **704**, the simulated object is propelled based on a set of possible input parameters. For example, the game controller **400** may randomly select a set of possible input parameters (i.e., a set of input parameters capable of being generated by the player or a player device **300**) and use those parameters with a physics simulation to calculate a trajectory of a simulated golf ball.

At **706**, a second location of the simulated object is determined. For example, the game controller **400** may calculate where the simulated golf ball comes to rest. At **708**, 65 the first location is established as an initial location for a game (i.e., the initial location is based at least in part on first

location) and the second location is established as a predetermined destination (i.e., the predetermined destination is based at least in part on the second location). In the case of a computer-based golf game, the game controller **400** may, for example, place a simulated golf hole at the second location.

In this way, the game controller **400** can ensure that at least one set of possible input parameters to the physics simulation will produce a successful game result (e.g., will result in the simulated object reaching the predetermined destination).

FIG. **8** is a flow chart of a method for determining an initial location and a predetermined destination according to another embodiment of the present invention. At **802** a potential initial location and a potential predetermined destination are selected. For example, the game controller **400** may randomly generate the potential initial location and the potential predetermined destination.

At **804**, a calculation is performed to determine if any set of possible input parameters will produce a successful game result. For example, the game controller **400** may generate every possible set of input parameters, or may adjust a potential set of input parameters (e.g., based on a game result associated with a prior potential set of input parameters), and test those input parameters with the physics simulation to determine if any set of possible input parameters will produce a successful game result.

If a set of possible input parameters exists to produce a successful game result at **806**, the potential initial location is established as the initial location and the potential predetermined destination at **808**. For example, the game controller **400** may establish the potential initial location as a simulated golf tee and the potential predetermined destination as a simulated golf hole. If no set of possible input parameters exists to produce a successful game result at **806**, the potential initial location and/or the potential predetermined destination are adjusted at **810**. The calculation described with respect to **804** can then be performed again.

FIG. **9A** is a flow chart of a method for determining appropriate predetermined destinations according to an embodiment of the present invention. At **912**, an initial location is selected. For example, the game controller **400** may randomly select a location associated with a simulated golf tee. According to another embodiment, the game controller **400** “selects” the position of the simulated golf tee by retrieving a predetermined location (e.g., a location associated with a particular simulated fairway).

At **914**, a list of appropriate predetermined destinations are generated such that a set of possible input parameters exist for each appropriate predetermined destination to produce a successful game result. For example, the game controller **400** may use a physics simulation to generate the list of appropriate simulated golf hole locations based on a simulated golf tee location and wind conditions (e.g., a wind direction and a wind velocity).

FIG. **9B** illustrates appropriate predetermined destinations according to the embodiment of the present invention described with respect to FIG. **9A**. In particular, game information **920** includes a putting green **122** and a simulated golf hole **126**. Based on a simulated golf tee location (not shown in FIG. **9B**) and wind conditions, the game controller **400** generated a list of appropriate areas **922** in accordance with a physics simulation. That is, a set of possible player input parameters (e.g., a pointer location on a player’s PC) exist such that a simulated golf ball hit from the simulated golf tee may come to rest (or may slow below a predetermined threshold velocity) within the appropriate

areas **922**. As long as the simulated golf hole **126** is located within one of the appropriate areas **922**, it will be possible for a player to shoot a hole-in-one. If, however, the simulated golf hole **126** is not located within one of the appropriate areas **922**, it would be impossible for the player to shoot a hole-in-one given the simulated golf tee location and wind conditions.

Referring again to FIG. **9A**, one of the appropriate predetermined destinations can then be selected and used in a game. For example, the game controller **400** may select one of the appropriate predetermined destinations as a simulated golf hole location.

FIG. **10** is a flow chart of a method for conducting a golf game according to an embodiment of the present invention. At **1002**, the game controller **400** establishes a golf game condition, such as by generating a three-dimensional putting green terrain. The golf game condition may be stored, for example, in the game database **600**.

At **1004**, the game controller **400** determines that at least one set of possible input parameters to a physics simulation will produce a successful game result (e.g., a hole-in-one). This may be done, for example, in any of the ways described with respect to FIGS. **7**, **8**, and **9A**.

The game controller **400** arranges for the player to provide a payment at **1006**. For example, the game controller **400** may transmit payment information **508** stored in the player database **500** to the payment device **210** to arrange for the player to provide a \$5 payment in exchange for twenty game plays.

The game controller **400** then receives player input parameters from a remote player device **300** at **1008**. For example, the player may use a computer mouse to position a pointer on a display, and when the player clicks a button on the computer mouse a signal associated with the pointer location can be sent from the player device **300** to the game controller **400**.

At **1010**, a game result is determined based on the received player input parameters and the physics simulation. For example, the game controller **400** may calculate the trajectory of a simulated golf ball and determine whether or note the simulated golf ball comes to rest within a simulated golf hole.

The game controller **400** transmits an indication with the game result to the remote player device **300** at **1012** and arranges for the player to receive a payment (e.g., a prize) based on the game result at **1014**. Of course, if the player does not win the game no payment may be provided to the player at **1014**.

#### Additional Embodiments

The following illustrates various additional embodiments of the present invention. These do not constitute a definition of all possible embodiments, and those skilled in the art will understand that the present invention is applicable to many other embodiments. Further, although the following embodiments are briefly described for clarity, those skilled in the art will understand how to make any changes, if necessary, to the above-described apparatus and methods to accommodate these and other embodiments and applications.

Although most of the embodiments described herein are associated with a game controller **400** establishing a game condition and/or determining that at least one set of possible input parameters will produce a successful game result, either of these functions may instead be performed by a player device **300**.

Similarly, although most of the embodiments described herein are associated with a game played by a single player, the present invention can also be used with respect to a game

involving multiple players. For example, the first player to shoot a hole-in-one may receive payment of a prize amount. In addition, embodiments of the present invention may or may not involve players who provide payments in exchange for playing the game (e.g., a sweepstakes-type prize may be awarded to a player).

Many of the embodiments described herein are associated with a physics simulation in which a simulated object is propelled through space. According to other embodiments, the physics simulation may instead involve, for example, time or temperature. Similarly, other embodiments may be directed to other types of computer-based simulations (e.g., simulations of an urban environment or a financial market). Moreover, embodiments of the present invention may involve pure games of skill, pure games of chance, and/or games associated with both skill and chance.

The present invention has been described in terms of several embodiments solely for the purpose of illustration. Persons skilled in the art will recognize from this description that the invention is not limited to the embodiments described, but may be practiced with modifications and alterations limited only by the spirit and scope of the appended claims.

What is claimed is:

1. A method of providing game play comprising:

providing a game associated with a physics simulation. wherein the physics simulation is adapted to generate a game result, and

wherein the game result is a function of a set of game conditions and a single set of input parameters;

determining a first set of game conditions;

determining existence of a first single set of input parameters that would result in a successful game result given the first set of game conditions;

altering the first set of game conditions if said determining existence results in that a first single set of input parameters does not exist that would result in a successful game result given the altered first set of game conditions;

initiating game play once the existence of a first single set of input parameters that would result in a successful game result given the first set of game conditions has been determined;

receiving a second single set of input parameters from a player;

receiving an indication from the player that all input parameters of the single set of input parameters have been entered;

terminating game play; and

determining if the second single set of input parameters from the player results in a successful game result given the first set of game conditions.

2. The method of claim **1** wherein determining a first set of game conditions includes:

determining a third single set of input parameters; and determining the first set of game conditions based on the third single set of input parameters as being defined as resulting in a successful game result.

3. (Currently Amended) A method comprising:

determining a tee location, a wind speed, and a wind direction for a golf simulation game;

generating a first club value and a first swing direction;

determining a hole location based upon the tee location, the wind speed, the wind direction, the first club value, and the first swing direction; and



## 15

initiating game play by displaying a representation of the hole location; receiving a second club value and a second swing direction from a player;

determining a ball location based upon the tee location, the wind speed, the wind direction, the second club value, and the second swing direction; and

determining a game result based on the ball location and the hole location.

**4.** A method comprising:

generating a first game condition for a physics simulation game;

generating an first input parameter;

determining a second game condition based on the first game condition and the first input parameter;

receiving a second input parameter from a player;

determining a game result based upon the second input parameter, the first game condition, and the second game condition,

wherein the physics simulation game is associated with propelling a simulated object from an initial location, a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

selecting a potential initial location and a potential predetermined destination; and

performing a calculation to determine if a set of possible input parameters to the physics simulation will propel the simulated object from the potential initial location to the potential predetermined destination; and

if the calculation determines that no set of possible input parameters to the physics simulation will propel the simulated object from the potential initial location to the potential predetermined destination, adjusting at least one of the potential initial location and the potential predetermined destination.

**5.** The method of claim **4**, wherein the first game condition is generated in association with a particular game to be played by the player.

**6.** The method of claim **4**, further comprising:

arranging for the player to play the physics simulation game in accordance with the second game condition.

**7.** The method of claim **6**, wherein arranging comprises: receiving from a remote player device the second input parameter via a communication network.

**8.** The method of claim **7**, wherein arranging further comprises:

transmitting to the remote player device an indication associated with the game result via the communication network.

**9.** The method of claim **8**, wherein the player device comprises at least one of: (i) a personal computer, (ii) a portable computing device, (iii) a personal digital assistant, (iv) a wireless telephone, and (v) a game terminal.

**10.** The method of claim **9**, wherein the communication network comprises at least one of: (i) the Internet, (ii) a public network, (iii) a public switched telephone network, (iv) a proprietary network, and (v) a local area network.

**11.** The method of claim **4**, further comprising:

arranging for the player to provide a payment in exchange for playing the game.

**12.** The method of claim **4**, further comprising:

arranging for the player to receive a payment if the determined game result has a predetermined relationship to a successful game result.

## 16

**13.** The method of claim **4**, wherein the physics simulation game is associated with propelling a simulated object, and a successful game result comprises the simulated object reaching a predetermined destination.

**14.** The method of claim **4**, wherein the physics simulation game comprises a golf simulation, and the first and second input parameters include sets of parameters that include information associated with at least one of:

a golf ball velocity,

a golf ball angular measurement,

a golf ball rotation,

a golf ball location,

a golf club velocity,

a golf club angular measurement,

a golf club location,

a golf club type,

an aiming direction, and

an aiming location.

**15.** The method of claim **4**, wherein the physics simulation game comprises a golf simulation, and the first and second game conditions comprise information associated with at least one of:

a terrain feature,

a terrain contour,

a three-dimensional putting green terrain,

a fairway layout,

a fairway contour,

a wind direction,

a wind velocity,

a friction parameter,

a golf ball location, and

a golf hole location.

**16.** The method of claim **4**, wherein the physics simulation game comprises a golf simulation, and a successful game result comprises information associated with at least one of:

a distance between a golf ball and a golf hole,

whether the golf ball comes to rest within the golf hole, and

a number of strokes required to place the golf ball within the golf hole.

**17.** The method of claim **4**, wherein the physics simulation game comprises at least one of:

a golf simulation;

a golf putting simulation;

a golf driving simulation;

a baseball simulation;

a basketball simulation;

a football simulation;

a soccer simulation;

a hockey simulation;

a bowling simulation;

a billiards simulation;

a throwing simulation;

a ring-toss simulation;

a darts simulation;

a shooting simulation; and

a space simulation.

**18.** The method of claim **4**, wherein the physics simulation game is associated with propelling a simulated object,

17

a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

- placing the simulated object at a first location;
- propelling the simulated object in accordance with the first input parameter;
- determining a second location of the simulated object based on the physics simulation and the first game condition; and
- establishing the first location as an initial location for the simulated object and the second location as the predetermined destination.

**19.** The method of claim **4**, wherein the physics simulation game is associated with propelling a simulated object, a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

- placing the simulated object at a first location;
- propelling the simulated object in accordance with the first input parameter;
- determining a second location of the simulated object based on the physics simulation and the first game condition; and
- establishing the second location as an initial location for the simulated object and the first location as the predetermined destination.

**20.** The method of claim **4**, further comprising:

- if the calculation determines that a set of possible input parameters to the physics simulation will propel the simulated object from the simulated object's potential initial location to the potential predetermined destination, establishing the potential initial location as the initial location and the potential predetermined destination as the predetermined destination.

**21.** The method of claim **4**, wherein the physics simulation game is associated with propelling a simulated object from an initial location, a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

- selecting an initial location; and
- performing a calculation to generate the predetermined destination such that a set of possible input parameters to the physics simulation will propel the simulated object from the initial location to the potential predetermined destination.

**22.** The method of claim **4**, wherein the physics simulation game is associated with propelling a simulated object from an initial location, a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

- selecting the predetermined destination; and
- performing a calculation to generate a initial location such that a set of possible input parameters to the physics simulation will propel the simulated object from the initial location to the predetermined destination.

**23.** The method of claim **4**, wherein the physics simulation game is associated with propelling a simulated object from an initial location, a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

- selecting an initial location;
- generating a list of appropriate predetermined destinations, such that for each appropriate predetermined destination a set of possible input parameters

18

will propel the simulated object from the initial location to the predetermined destination; and

selecting one of the appropriate predetermined destinations.

**24.** The method of claim **4**, wherein the physics simulation game is associated with propelling a simulated object from an initial location, a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

- selecting the predetermined destination;
- generating a list of appropriate initial locations, such that for each appropriate initial location a set of possible input parameters to the physics simulation will propel the simulated object from the initial location to the predetermined destination; and
- selecting one of the appropriate initial locations.

**25.** An apparatus, comprising:

- a processor; and
- a storage device in communication with said processor and storing instructions adapted to be executed by said processor to:
  - generate a first game condition for a physics simulation game;
  - generate an first input parameter;
  - determine a second game condition based on the first game condition and the first input parameter;
  - receive a second input parameter from a player; and
  - determine a game result based upon the second input parameter, the first game condition, and the second game condition,

wherein the physics simulation game is associated with propelling a simulated object from an initial location, a successful game result comprises the simulated object reaching a predetermined destination, and determining a second game condition comprises:

- selecting a potential initial location and a potential predetermined destination, and
- performing a calculation to determine if a set of possible input parameters to the physics simulation will propel the simulated object from the potential initial location to the potential predetermined destination, and

if the calculation determines that no set of possible input parameters to the physics simulation will propel the simulated object from the potential initial location to the potential predetermined destination, adjust at least one of the potential initial location and the potential predetermined destination.

**26.** The apparatus of claim **25**, wherein said storage device further stores at least one of (i) a player database; and (ii) a game database.

**27.** The apparatus of claim **25**, further comprising:

- a communication device coupled to said processor and adapted to communicate with at least one of: (i) a player device, and (ii) a game controller.

**28.** A medium storing instructions adapted to be executed by a processor to perform a method of conducting a game associated with a physics simulation, the physics simulation being adapted to generate a game result, said method comprising:

- generating a first game condition for a physics simulation game;
- generating an first input parameter;
- determining a second game condition based on the first game condition and the first input parameter;

## 19

receiving a second input parameter from a player; and  
 determining a game result based upon the second input  
 parameter, the first game condition, and the second  
 game condition

wherein the physics simulation game is associated with  
 propelling a simulated object from an initial location, a  
 successful game result comprises the simulated object  
 reaching a predetermined destination, and determining  
 a second game condition comprises:

selecting a potential initial location and a potential  
 predetermined destination; and

performing a calculation to determine if a set of pos-  
 sible input parameters to the physics simulation will  
 propel the simulated object from the potential initial  
 location to the potential predetermined destination;  
 and

if the calculation determines that no set of possible input  
 parameters to the physics simulation will propel the  
 simulated object from the potential initial location to  
 the potential predetermined destination, adjusting at  
 least one of the potential initial location and the poten-  
 tial predetermined destination.

**29.** A computer-implemented method of conducting a golf  
 game associated with a golf simulation, the golf simulation  
 being adapted to generate a game result based on a set of  
 input parameters, comprising:

establishing a golf game condition;

determining that at least one single set of possible input  
 parameters to the golf simulation will produce a suc-  
 cessful game result given the established golf game  
 condition;

altering the golf game condition until at least one single  
 set of possible input parameters to the golf simulation  
 will produce a successful game result given the altered  
 golf game condition;

arranging for the player to provide a payment in exchange  
 for playing the golf game;

initiating play of the golf game;

receiving from a remote player device a set of player input  
 parameters via a communication network;

## 20

determining a game result based on the received player  
 input parameters, the golf game condition, and the golf  
 simulation, wherein the golf game is associated with  
 hitting a simulated golf ball and the game result com-  
 prises the simulated golf ball reaching a destination;

transmitting to the remote player device an indication  
 associated with the game result via the communication  
 network; and

arranging for the player to receive a payment if the  
 destination of the simulated golf ball is within a pre-  
 determined distance of a simulated golf hole.

**30.** A method comprising:

determining a set of game conditions and a single set of  
 input parameters for a physics simulation game that  
 includes a game result that is a function of the set of  
 game conditions and the single set of input parameters;

determining if, based on the physics simulation, the single  
 set of input parameters could result in a successful  
 game result given the set of game conditions; and

altering the set of game conditions until the single set of  
 input parameters could result in a successful game  
 result given the altered set of game conditions.

**31.** A method comprising:

determining an initial set of game conditions and a range  
 of input parameters for a physics simulation game that  
 includes a game result, wherein the game result is a  
 function of a set of game conditions and a single set of  
 input parameters; and

altering the initial set of game conditions until the range  
 of input parameters includes at least one single set of  
 input parameters that would result in a successful game  
 result given the altered set of game conditions, if, based  
 on the physics simulation, the range of input param-  
 eters does not include at least one single set of input  
 parameters that would result in a successful game result  
 given the initial set of game conditions.

\* \* \* \* \*