



US007008768B1

(12) **United States Patent**  
**Fornace, Jr. et al.**

(10) **Patent No.: US 7,008,768 B1**  
(45) **Date of Patent: Mar. 7, 2006**

(54) **METHOD FOR DETECTING RADIATION EXPOSURE**

(75) Inventors: **Albert J. Fornace, Jr.**, Bethesda, MD (US); **Sally A. Amundson**, New York, NY (US); **Jeffrey M. Trent**, Rockville, MD (US)

(73) Assignee: **The United States of America as represented by the Department of Health and Human Services**, Washington, DC (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/913,171**

(22) PCT Filed: **Feb. 25, 2000**

(86) PCT No.: **PCT/US00/04897**

§ 371 (c)(1),  
(2), (4) Date: **Aug. 8, 2001**

(87) PCT Pub. No.: **WO00/50643**

PCT Pub. Date: **Aug. 31, 2000**

**Related U.S. Application Data**

(60) Provisional application No. 60/121,756, filed on Feb. 26, 1999.

(51) **Int. Cl.**  
**CI2Q 1/68** (2006.01)  
**CI2P 19/34** (2006.01)  
**C07H 21/04** (2006.01)

(52) **U.S. Cl.** ..... **435/6**; 435/91.1; 435/91.2;  
536/23.1

(58) **Field of Classification Search** ..... 435/6,  
435/91.1, 91.2; 536/24.3, 24.33  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,563,060	A	10/1996	Hozier	
5,691,157	A	11/1997	Gong et al.	
5,707,807	A	1/1998	Kato	
5,744,305	A	4/1998	Fodor et al.	
5,770,722	A	6/1998	Lockhart et al.	
5,830,645	A	11/1998	Pinkel et al.	
5,843,655	A	12/1998	McGall	
5,866,330	A	2/1999	Kinzler et al.	
5,877,215	A *	3/1999	McClay et al.	514/573
5,910,309	A *	6/1999	Ullrich	424/198.1
5,965,352	A *	10/1999	Stoughton et al.	435/4
5,998,136	A *	12/1999	Kamb	435/6

**FOREIGN PATENT DOCUMENTS**

WO	WO 97/30179	8/1997
WO	WO 98/18961	5/1998
WO	WO 98/56954	12/1998
WO	WO 99/55913	11/1999

**OTHER PUBLICATIONS**

Amundson et al., "Identification of Gamma-Ray Responsive Genes by cDNA Array Hybridization," *Proceedings of the American Association for Cancer Research Annual Meeting* 39:454 (1998).

Amundson et al., "Induction of Stress Genes by Low Doses of Gamma Rays," *Radiat. Res.* 152:225-231 (1999).

Amundson et al., "Fluorescent cDNA Microarray Hybridization Reveals Complexity and Heterogeneity of Cellular Genotoxic Stress Responses," *Oncogene* 18:3666-3672 (1999).

Carulli et al., "High Throughput Analysis of Differential Gene Expression," *J. Cell. Biochem. Suppl.* 30/31:286-296 (1998).

Derisi et al., "Use of a cDNA Microarray to Analyse Gene Expression Patterns in Human Cancer," *Nature Genetics* 14:457-460 (1996).

Fiscella et al., "Wipl. A Novel Human Protein Phosphatase that is Induced in Response to Ionizing Radiation in a p53-Dependent Manner," *Proc. Natl. Acad. Sci. USA* 94:6048-6053 (1997).

Fornace et al., "The Complexity of Radiation Stress Responses: Analysis by Informatics and Functional Genomics Approaches," *Gene Expr.* 7:387-400 (1999).

Goltry et al., "Induction of Serum Amyloid A Inflammatory Response Genes in Irradiated Bone Marrow Cells," *Radiat. Res.* 149:570-578 (1998).

Higuchi et al., "Search for Genes Involved in UV-Resistance in Human Cells by mRNA Differential Display: Increased Transcriptional Expression of Nucleophosmin and T-Plastin Genes in Association with the Resistance," *Biochem. Biophys. Res. Comm.* 248:597-602 (1998).

(Continued)

*Primary Examiner*—Kenneth R. Horlick

*Assistant Examiner*—Young J. Kim

(74) *Attorney, Agent, or Firm*—Klarquist Sparkman LLP

(57) **ABSTRACT**

A method is disclosed for detecting exposure of organisms to biologically significant or hazardous amounts of ionizing radiation. The method uses nucleic acid microarray hybridization to evaluate biological effects, such as patterns of expression of genes after radiation exposure. Numerous genes are provided which have been found to be responsive to radiation exposure in a variety of cell lines. These genes are incorporated into probe sets, which are exposed to a labeled nucleic acid composition from a test cell, such as cDNA reverse transcribed from mRNA in the test cell, which specifically hybridizes to members of the probe set when the cell has been exposed to a biologically significant amount of ionizing radiation. Whether the nucleic acid composition hybridizes to the nucleic acid molecules representing genes that are differentially expressed is determined. The invention also includes methods for determining a dose response relationship between radiation exposure and differential expression of one or more genes, for example to determine a probable radiation dose in cells that have actually or potentially been exposed to the ionizing radiation. The invention also includes probe sets and microarrays used in this method.

**58 Claims, 11 Drawing Sheets**

OTHER PUBLICATIONS

Iordanov et al., "Ultraviolet Radiation Triggers the Ribotoxic Stress Response in Mammalian Cells," *J. Biol. Chem.* 273:15794-15803 (1998).

Monks et al., "Feasibility of High-Flux Anticancer Drug Screen Using a Diverse Panel of Cultured Human Tumor Cell Lines," *J. Natl. Cancer Inst.* 83:757-766 (1991).

Myers et al., "A Protein Expression Database for the Molecular Pharmacology of Cancer," *Electrophoresis* 18: 647-653 (1997).

Prasad et al., "Activation of Nuclear Factor kB in Human Lymphoblastoid Cells by Low Dose Ionizing Radiation," *Radiation Res.* 138:367-372 (1994).

Schena et al., "Quantitative Monitoring of Gene Expression Patterns with a Complementary DNA Microarray," *Science* 270:467-470 (1995).

Schena et al., "Parallel Human Genome Analysis: Microarray-Based Expression Monitoring of 1000 Genes," *Proc. Natl. Acad. Sci. USA* 93:10614-10619 (1996).

Weinstein et al., "An Information-Intensive Approach to the Molecular Pharmacology of Cancer," *Science* 275:343-349 (1997).

Zhang et al., "Differential Display of mRNA," *Mol. Biotech.* 10:155-165 (1998).

\* cited by examiner

FIG. 1




FIG. 2






FIG. 3A




FIG. 3B




FIG. 4






FIG. 5A






FIG. 5B




FIG. 6A




FIG. 6B






FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B






FIG. 9A




FIG. 9B




FIG. 10




FIG. 11






FIG. 12A




FIG. 12B




FIG. 12C





FIG. 12D



## METHOD FOR DETECTING RADIATION EXPOSURE

This application is a U.S. national stage § 371 application of PCT/US00/04897 filed Feb. 25, 2000, which was published in English under PCT Article 21(2), which claims the benefit of U.S. provisional application No. 60/121,756 filed Feb. 26, 1999.

### FIELD

The present invention concerns gene expression, and is related to the detection of differential gene expression following exposure of cells to ionizing radiation.

### BACKGROUND

Ionizing radiation has many medical, industrial and military uses. Although ionizing radiation can be used in the therapy of diseases such as cancer, exposure to biologically significant levels of such radiation can also cause genotoxic stress. Similarly, many industrial processes (such as the production of nuclear power) and military uses (such as nuclear weapons) can expose individuals to hazardous levels of ionizing radiation. Such radiation can elicit a variety of cellular responses, ranging from cell-cycle arrest to mutation, malignant transformation, or cell death. Many of the responses (such as genotoxicity) are often subtle, and exposed persons may be unaware or unsure if they have been exposed. Moreover, it may require years to evince an untoward effect (such as the development of a malignancy) caused by the exposure.

Many of the assumptions about low dose effects have been based on extrapolations from effects measured at high doses. Transcriptional responses to doses of ionizing radiation with relatively little effect on cell survival have not been as well investigated, although small variations in expression levels of several isolated genes have been detected. A dose of 50 cGy reportedly reduced expression of  $\beta$ - and  $\gamma$ -actin (Woloschak and Chang-Liu, *Int. J. Radial. Biol.* 59:1173-83, 1991) and induced RB-1 and H4 histone (Woloschak and Chang-Liu, *Cancer Lett.* 97:169-75, 1995) in Syrian Hamster Embryo cells, while a decrease in c-myc and increase in c-jun was detected in these cells following a dose as low as 6 cGy (Woloschak and Chang-Liu, *Cancer Lett.* 97:169-75, 1995). In a transformed human lymphoblast cell line, activation of NF- $\kappa$ B has been reported with as little as 10 cGy of radiation (Prasad et al., *Radial. Res.* 138:367-72, 1994), along with induction of c-FOS, c-JUN, c-MYC and c-HA-RAS in the 25-200 cGy range (Prasad et al., *Radial. Res.* 143:263-72, 1995). The induction by 25 cGy of PBP74, a member of the heat shock 70 gene family, has also been reported in two human cancer cell lines (Sadekova et al., *Int. J. Radial. Biol.* 72:653-60, 1997).

### SUMMARY

It would be advantageous to have a method for detecting exposure of organisms to biologically significant or hazardous amounts of ionizing radiation. Although small variations in expression levels of several isolated genes in cell lines have been detected at lower doses, none of these studies have demonstrated a dose-response relationship for gene induction at low radiation doses, and overall qualitative and/or quantitative patterns of differential expression have not been investigated. The present invention uses nucleic acid microarray hybridization to evaluate biological effects,

such as patterns of expression of genes after radiation exposure. Using these methods, numerous genes have been found which are responsive to radiation exposure in a variety of cell lines, and microarrays have been constructed which are capable of detecting biological responses (such as patterns of expression) to radiation exposure with great sensitivity and specificity.

The present invention includes a method of identifying cells that have been exposed to radiation induced biological stress. The method further includes providing a probe set that includes nucleic acid molecules representing genes that are differentially expressed in cells that have been exposed to a biologically significant amount of ionizing radiation. The probe set is exposed to a labeled nucleic acid composition from a test cell which specifically hybridizes to members of the probe set when the cell has been exposed to a biologically significant amount of ionizing radiation. Whether the nucleic acid composition hybridizes to the nucleic acid molecules representing genes that are differentially expressed is determined.

The probe set may be nucleic acid molecules (such as cDNAs or oligonucleotides) bound in an array to a surface, wherein the nucleotides specifically hybridize to sequences in the nucleic acid composition from the test cell. In one example, the nucleic acid composition includes cDNA reverse transcribed from mRNA in the test cell, and labeled with a fluorophore that detects hybridization of the cDNA to the probe set. In another example, the method also includes exposing the probe set to a labeled nucleic acid composition from a control cell which has not been exposed to a biologically significant amount of ionizing radiation. Genes which are expressed in the absence of radiation exposure will therefore produce mRNA from which labeled cDNA is made that specifically hybridizes to some members of the probe set. The nucleic acids from the test cell and control cell can be labeled with different signals (such as red and green colors) to indicate differential (either increased or decreased) expression of genes in the test cell as compared to the control cell.

The probe set may include probes that specifically hybridize to the labeled nucleic acid composition from specimens obtained more than four hours after exposure to the biologically significant amount of ionizing radiation, and/or less than 24 hours after exposure. In another embodiment of the invention, the probe set includes probes that specifically hybridize to the labeled nucleic acid composition from specimens obtained more than 24 or 48 hours after exposure to the biologically significant amount of ionizing radiation. Probes which detect such late effect exposures may be used to screen for radiation exposure when such screening is not done until one or two days following potential radiation exposure, when a subject is examined in a medical or laboratory facility.

In yet other embodiments of the invention, the probe set includes probes that specifically hybridize to the labeled nucleic acid composition from specimens which have been exposed to less than about 25 cGy of ionizing radiation. The probe set may also include genes that are differentially expressed by at least 1.5-fold or 2-fold following exposure to a biologically significant amount of ionizing radiation. The probe set may include at least 10%, 30% 40%, 50%, 75%, 80%, 90%, 95%, or 99% of the probes identified in Tables 9, 10, 11, 12, 13 or 14 or the entire probe set shown in any of those Tables. The probe set may also include at least 10 or 20 of the probes identified in Tables 9, 10, 11, 12, 13 or 14. Examples of probes that represent such late effects include those listed in Tables 9-12. In another embodiment,



the probe set includes nucleic acid sequences that are selected for having differential expression following exposure to a biologically significant amount of ionizing radiation. The probe set may be at least 50%, 75%, 80%, 90%, 95%, 99%, or consist essentially of nucleic acid sequences that are differentially expressed following exposure to a biologically significant amount of ionizing radiation. In yet another embodiment, the probe set includes nucleic acid sequences that are selected for having a differential expression of at least 1.5- or 2-fold following exposure to a biologically significant amount of ionizing radiation.

In yet other embodiments of the method, a plurality of nucleic acid probe elements are bound to a surface, for example in an array, wherein the nucleic acid represents a gene product (including a protein or a nucleic acid such as RNA) that is differentially expressed by a cell following radiation induced biological stress. The plurality of probe elements are contacted with a plurality of gene products from a test cell, under conditions that allow the gene products (such as the nucleic acid sequences) to specifically hybridize to one of more of the probe elements, and provide a signal which indicates differential expression of one or more genes in a test cell has been exposed to biologically significant levels of ionizing radiation, and detecting the presence or absence of the signal. The probe elements may be selected from a set of nucleic acids that specifically hybridize to nucleic acids obtained from cells exposed to ionizing radiation. For example, the target elements are nucleic acid sequences that are differentially expressed by a cell more than 4, 24 or even 48 hours after exposure to the ionizing radiation. The probe elements may also include, or be limited to, nucleic acid sequences that are differentially expressed by at least 1.5-fold or 2-fold following exposure to a biologically significant amount of ionizing radiation.

The target elements may be one or more of the clones listed in Tables 9, 10, 11, 12, 13, or 14, for example Image ID clones 39993, 47475, 109123, 120362, 136114, 195365, 202549, 209340, 221846, 232837, 241412, 244227, 251516, 260619, 280386, 297442, 308588, 549146, 753418, 841278, 51699, 417226 and 28116. The probe nucleic acids may be DNA, such as cDNA, and cDNA obtained from mRNA expressed by the test cell. When the probe is reverse transcribed from cellular RNA, it may average about 1000–2000 nucleotides in length, but may in some instances be as long as 10,000 nucleotides. The probe nucleic acids of the probe set may be about as short as 8 or 10 nucleotides in length, but may also be as long as about 1000 to 1,000,000 nucleotides in length.

The method can also include contacting the probe elements with a plurality of control nucleic acids obtained from mRNA (for example by reverse transcription) of a control cell that has not been exposed to biologically significant levels of ionizing radiation and determining whether the nucleic acids from mRNA of the control cells hybridize differentially to the probe elements than the nucleic acid composition from the test cell. The test nucleic acid sequences are labeled with a first label that detects hybridization of the test nucleic acid sequences to the probe sequences, and the control nucleic acid sequences are labeled with a second label that detects hybridization of the control nucleic acid sequences to the probe sequences. The first and second labels interact to indicate whether expression of a nucleic acid sequence in the test cell has increased or decreased, relative to a baseline level. The first and second labels may be fluorophores of different colors. The nucleic acids from the control cells may, for example, be labeled with a green fluorophore, and the nucleic acids from

the test cells may be labeled with a red fluorophore. Hence target elements for which differential gene expression does not occur will appear yellow, while underexpressed (decreased) gene expression will be indicated by green and overexpression (increased expression) by red.

The test cells may be animal cells, such as human cells, for example human peripheral blood cells, for example peripheral blood mononuclear cells, such as lymphocytes. In addition, the cells may be microbial or plant cells, such as microbes or cells from plants in the vicinity of a suspected environmental exposure to ionizing radiation.

In view of the set of stress response genes which have been identified, and may be identified using the present methods, the invention also includes methods of making microarrays for identifying cells that have actually or potentially been exposed to a biologically significant amount of ionizing radiation, by identifying genes that are differentially expressed by a cell following exposure to biologically significant amounts of ionizing radiation. A probe set is then provided, each element of the set including a nucleic acid sequence from a gene that is identified as differentially expressed by a cell following radiation induced biological stress. The target nucleic acid sequence is capable of hybridizing to a nucleic acid sequence which is differentially expressed by the cell following exposure to the biologically significant amount of ionizing radiation. In other embodiments, the genes that are differentially expressed by a cell are identified by exposing the cell to a biologically significant amount of ionizing radiation, obtaining mRNA expressed by the cell, reverse transcribing the mRNA into cDNA, labeling the cDNA, and hybridizing the labeled cDNA to a probe set that represents potential genes that may be differentially expressed and identifying members of the probe set that hybridize with the labeled cDNA. Any high throughput genomic analysis may be used to analyze the differential expression of the stress response genes, as may more standard molecular biology techniques such as dot-blot hybridization. The genes may include p53 regulated genes.

In another embodiment, the method further includes determining a dose response relationship between radiation exposure and differential expression of one or more genes, for example to determine a probable radiation dose in cells that have actually or potentially been exposed to the ionizing radiation. In yet another embodiment, identifying genes that are differentially expressed, for making a microarray, includes identifying genes that are differentially expressed in a cell type that is to be obtained from a subject for testing. The microarray may be used to measure a biological response to potential radiation exposure in the subject, for example in a cell type. The invention also includes microarrays which are made by this method.

The cell type may be peripheral blood cells, for example peripheral blood mononuclear cells, such as lymphocytes. In addition, the cell type may be any microbial or plant cell.

The invention also includes a method of diagnosing biologically significant radiation exposure in a subject, by obtaining a biological specimen from the subject, synthesizing cDNA from mRNA expressed in one or more cells of the biological specimen, and labeling the mRNA with a detectable label. The labeled mRNA is exposed to a probe set which represents genes that are differentially expressed in the biological specimen following exposure to the radiation. A determination is then made whether the labeled mRNA selectively hybridizes to one or more probes of the probe set that are associated with the radiation exposure, or hybridizes in a pattern that is associated with radiation exposure. Particular patterns of hybridization can also be



associated with specified exposure doses, or time periods following exposure. The probe set may be one or more of the probes listed in any of Tables 9, 10, 11, 12, 13 or 14, or a probe set that includes at least 10%, 30%, 40%, 50%, 75%, 80%, 90%, 95%, or 99% of the probes listed in any of Tables 9, 10, 11, 12, 13 or 14. In another embodiment, the method detects patterns of differential expression associated with biologically significant radiation exposure.

The invention also includes use of the microarrays of the present invention for measuring a biological response to in a subject, by obtaining a biological sample from the subject, synthesizing cDNA from mRNA expressed in one or more cells of the biological sample, labeling the mRNA with a detectable label, and exposing the labeled mRNA to a probe set which represents genes that are differentially expressed in the biological sample following radiation exposure, and determining if the labeled mRNA selectively hybridizes to one or more probes of the probe set that are associated with radiation exposure. The subject may be undergoing radiotherapy (or a candidate for radiotherapy) for the treatment of cancer, and the microarray can be used to monitor or predict the subject's biological response to the radiotherapy.

Also included in the invention are the probe sets that provide information about exposure to biologically significant doses of ionizing radiation, for example probe sets including the DNA probe sets shown in any of Tables 9, 10, 11, 12, 13 or 14, or subsets of the probe sets of Tables 13 or Table 14. Such subsets may include sets having at least 10%, 30%, 40%, 50%, 75%, 80%, 90%, 95%, or 99% of the probes sets shown in any of Tables 9, 10, 11, 12, 13 or 14.

#### BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 is a graph showing the clonal survival of ML-1 cells exposed to  $^{137}\text{Cs}$   $\gamma$ -rays. Points are the average of five independent experiments, and error bars are standard errors. Linear regression of the data was used to fit the curve shown.

FIG. 2 is a bar graph showing the percent of apoptotic cells one or two days after radiation treatment. Results are the average of 3–4 independent experiments in which at least 250 cells were scored for each point. Error bars are standard errors.

FIG. 3A is a graph showing the fraction of S-phase cells in the population at various times after irradiation of exponentially growing ML-1 cells with 2 cGy (■), 5 cGy (◇), 10 cGy (●), 25 cGy (Δ), or 250 cGy (▼) of  $^{137}\text{Cs}$   $\gamma$ -rays. Points are the mean of three independent experiments, and error bars are standard deviations. The points for the 12 and 24 hour timepoints have been offset slightly to make the error bars more distinguishable. The shaded area represents the range of S-phase fractions in untreated control populations and is the mean plus and minus the standard deviation of the control measurements at all timepoints.

FIG. 3B is a bar graph showing the cell cycle distribution at the time of maximum perturbation (12 hours) for the low dose treatments. For each dose, the percent of cells in G1 is represented by the open bar, cells in S by the grey bar, and cells in G2 by the black bar. The values shown are the mean of three independent experiments, and error bars are standard deviations. Where error bars are not visible the standard deviation was 0.76. An asterisk indicates a point not significantly different from the control at or below the  $p < 0.005$  level.

FIG. 4 is a schematic drawing of a quadrant of a microarray hybridized to RNA from untreated ML-1 cells (labeled with a green fluorophore, represented as circles containing horizontal lines) and ML-1 cells four hours after treatment

with 20 Gy  $^{137}\text{Cs}$  (labeled with a red fluorophore, represented as circles containing vertical lines). Targets appearing as yellow spots (represented as circles containing horizontal and vertical lines) have equal representation of both fluorophores and indicate no change in expression by the irradiation. Red spots (circles containing vertical lines) are targets associated with increased expression following irradiation, and green spots (circles containing horizontal lines) are associated with decreased expression. Blank circles represent areas where no hybridization occurred. A horizontal row of green dots (circles containing horizontal lines) at the top and bottom of the schematic microarray represent DNA labeled prior to printing on the array, and serve as orientation markers for a computerized scanner.

FIGS. 5A and 5B are schematic diagrams illustrating increased or decreased expression of transcripts identified on a microarray. The expression was measured in a panel of human cancer cell lines listed along the left margin, where the cell lines are shown divided into p53 wild type cells and p53 mutant cells. Numbers shown in the diagram measure relative induction for each gene over levels in untreated controls four hours after treatment with a 20 Gy dose of (A) ionizing radiation or (B) following treatment with 100  $\mu\text{g}/\text{ml}$  methyl methanesulfonate (MMS) or 14  $\text{J}/\text{m}^2$  ultraviolet (UV) radiation. A zero indicates no detectable expression in either control or treated cells. The results are coded: red (vertical lines) for >2-fold induction, green (horizontal lines) for >2-fold reduction, and yellow (horizontal and vertical lines) for <2-fold change from untreated control.

FIGS. 6A and 6B are graphical representations showing the time-course of induction of the (A) CIP1/WAF1 and (B) GADD45 genes following irradiation by 2 cGy (■), 5 cGy (◇), 10 cGy (●), 25 cGy (Δ), or 50 cGy (▼) of  $\gamma$ -rays. Data is shown from a representative experiment. The dashed line indicates the basal level in untreated controls.

FIGS. 7A and 7B are graphical representations showing the maximal induction of (A) CIP1/WAF1 (○), GADD45 (■) and (B) MDM2 (■), ATF3 (○), and BAX (◆) by low doses of  $\gamma$ -rays. Points are the average of 4 independent experiments, and error bars are standard errors. The dashed line indicates the basal level in untreated controls, solid lines were fit by linear regression through the data.

FIG. 8A is a graphical representation showing the dose response of maximal induction of CIP1/WAF1 across a broader range of doses. Data is shown from a representative experiment.

FIG. 8B is a bar graph showing the relative induction of CIP1/WAF1 and GADD45 which would be required per lethal event if the gene induction measured at low doses occurred only in lethally damaged cells. If only lethally damaged cells contributed to the observed gene induction, the induction per lethal event would be expected to be a constant for all doses. As this is not the case, it suggests surviving cells do contribute significantly to gene induction.

FIGS. 9A and 9B are bar graphs showing the induction of (A) ATF3 in p53 wild-type RKO cells (light bar), RKO/E6 cells (dark bar) and the thymus of p53 wild-type mouse (light bar), or p53 $^{-/-}$  (dark bar); and (B) FRA-1 in p53 wild-type MCF7 cells (light bar), or in MCF7/E6 cells (dark bar) and in the thymus of p53 wild-type mouse (light bar), or p53 $^{-/-}$  mouse (dark bar). The results shown for the RKO cell lines are the average of 4 independent experiments, and error bars are standard errors of the means. The results for the MCF7 cell lines are the average of 3 independent experiments.

FIG. 10 is a bar graphic representation of a section of a microarray hybridized to RNA from unirradiated (filled bars,



normalized to the levels in the first donor) and 2 Gy gamma-irradiated (open bars) human peripheral blood lymphocytes harvested 24 hours after irradiation. Results are from 4–8 independent donors. Error bars are standard deviations.

FIG. 11 is a graphical representation showing a time-course of marker levels following 2 Gy gamma-rays delivered ex vivo. Each point is the mean of relative induction above background in 3–4 independent donors for DDB2 (■), CIP1/WAF1 (◆), XP-C (●), PCNA (□) and IFN $\gamma$ p10 (○). RNA was harvested from lymphocytes following one, two, or three days of incubation. Error bars are standard errors of the mean. The dashed line shows the basal level of expression in untreated PBLs.

FIGS. 12A–D are graphical representations showing the dose-response relationship for the induction of DDB2 (■), CIP1/WAF1 (◆), and XP-C (●) in human PBL. PBL were irradiated ex vivo with graded doses of  $\gamma$ -rays and RNA was harvested after (A) 4 hours, (B) 24 hours or (C) 48 hours (D) 72 hours of incubation. Points are the mean of relative expression in three or more independent donors, and error bars are standard errors of the mean. The dashed lines indicate the level of expression in un-irradiated control cultures.

#### SEQUENCE LISTING

SEQ ID NO: 1 is the nucleic acid sequence of Image ID Number 39993.

SEQ ID NO: 2 is the nucleic acid sequence of Image ID Number 47475.

SEQ ID NO: 3 is the nucleic acid sequence of Image ID Number 260619.

SEQ ID NO: 4 is the nucleic acid sequence of Image ID Number 753418.

SEQ ID NO: 5 is the nucleic acid sequence of Image ID Number 51699.

SEQ ID NO: 6 is the nucleic acid sequence of Image ID Number 701112.

SEQ ID NO: 7 is the nucleic acid sequence of Image ID Number 753447.

SEQ ID NO: 8 is the nucleic acid sequence of Image ID Number 547058.

SEQ ID NO: 9 is the nucleic acid sequence of Image ID Number 203132.

SEQ ID NO: 10 is the nucleic acid sequence of Image ID Number 1493160.

SEQ ID NO: 11 is the nucleic acid sequence of Image ID Number 109123.

SEQ ID NO: 12 is the nucleic acid sequence of Image ID Number 120362.

SEQ ID NO: 13 is the nucleic acid sequence of Image ID Number 136114.

SEQ ID NO: 14 is the nucleic acid sequence of Image ID Number 195365.

SEQ ID NO: 15 is the nucleic acid sequence of Image ID Number 202549.

SEQ ID NO: 16 is the nucleic acid sequence of Image ID Number 209340.

SEQ ID NO: 17 is the nucleic acid sequence of Image ID Number 221846.

SEQ ID NO: 18 is the nucleic acid sequence of Image ID Number 232837.

SEQ ID NO: 19 is the nucleic acid sequence of Image ID Number 241412.

SEQ ID NO: 20 is the nucleic acid sequence of Image ID Number 244227.

SEQ ID NO: 21 is the nucleic acid sequence of Image ID Number 251516.

SEQ ID NO: 22 is the nucleic acid sequence of Image ID Number 280386.

5 SEQ ID NO: 23 is the nucleic acid sequence of Image ID Number 297442.

SEQ ID NO: 24 is the nucleic acid sequence of Image ID Number 308588.

10 SEQ ID NO: 25 is the nucleic acid sequence of Image ID Number 549146.

SEQ ID NO: 26 is the nucleic acid sequence of Image ID Number 841278.

SEQ ID NO: 27 is the nucleic acid sequence of Image ID Number 28116.

15 SEQ ID NO: 28 is the nucleic acid sequence of Image ID Number 50615.

#### DETAILED DESCRIPTION OF SEVERAL EMBODIMENTS

##### Abbreviations and Definitions

The following definitions and methods are provided to better define the present invention and to guide those of ordinary skill in the art in the practice of the present invention. It must be noted that as used herein and in the appended claims, the singular forms “a” or “an” or “the” include plural referents unless the context clearly dictates otherwise. Thus, for example, reference to “a protein” includes a plurality of such proteins and reference to “the array” includes reference to one or more arrays and equivalents thereof known to those skilled in the art, and so forth.

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood to one of ordinary skill in the art to which this invention belongs. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described below. The materials, methods, and examples are illustrative only and are not intended to be limiting.

MMS: methanesulfonate

RT: room temperature

Animal Cells: Cells obtained from multicellular vertebrate organisms, a category which includes, for example: mammals, primates, rodents, veterinary subjects, and birds. The cells can be obtained from any source, for example peripheral blood, urine, saliva, tissue biopsy, surgical specimen, amniocentesis samples and autopsy material. From these cells, genomic DNA, cDNA, mRNA, RNA, or protein can be isolated.

Biologically significant radiation exposure: An amount of radiation exposure sufficient to cause differential expression of stress genes in cells after they are exposed to the radiation.

55 Biological Specimen/Sample: One or more cells obtained from an animal or plant.

Cancer: malignant neoplasm that has undergone characteristic anaplasia with loss of differentiation, increased rate of growth, invasion of surrounding tissue, and is capable of metastasis.

cDNA (complementary DNA): A piece of DNA lacking internal, non-coding segments (introns) and regulatory sequences which determine transcription. cDNA may be synthesized in the laboratory by reverse transcription from messenger RNA extracted from cells.

65 Control Cells: Cells which have not been exposed to biologically significant levels of ionizing radiation.



DNA: Deoxyribonucleic acid. DNA is a long chain polymer which comprises the genetic material of most living organisms (some viruses have genes comprising ribonucleic acid, RNA). The repeating units in DNA polymers are four different nucleotides, each of which comprises one of the four bases, adenine, guanine, cytosine and thymine bound to a deoxyribose sugar to which a phosphate group is attached. Triplets of nucleotides, referred to as codons, in DNA molecules code for amino acid in a polypeptide. The term codon is also used for the corresponding (and complementary) sequences of three nucleotides in the mRNA into which the DNA sequence is transcribed.

DNA chip: A DNA array in which multiple DNA molecules (such as cDNAs) of known DNA sequences are arrayed on a substrate, usually in a microarray, so that the DNA molecules can hybridize with nucleic acids (such as cDNA or RNA) from a specimen of interest. DNA chips are further described in Ramsay (*Nature Biotech.* 16:40–44, 1998).

Differential expression of a gene: This refers to either an increased or decreased expression of a gene, or any other change from the normal expression of a gene.

EST (Expressed Sequence Tag): This refers to a partial DNA or cDNA sequence, typically of between 1000 and 2000 sequential nucleotides, obtained from a genomic or cDNA library, prepared from a selected cell, cell type, tissue or tissue type, organ or organism, which corresponds to an mRNA of a gene found in that library. An EST is generally a DNA molecule sequenced from and shorter than the cDNA from which it is obtained.

Fluorophore: A chemical compound, which when excited by exposure to a particular wavelength of light, emits light (i.e., fluoresces), for example at a different wavelength. Fluorophores can be described in terms of their emission profile, or “color.” Green fluorophores, for example Cy-3, FITC, and Oregon Green, are characterized by their emission at wavelengths generally in the range of 515–540  $\lambda$ . Red fluorophores, for example Texas Red, Cy-5 and tetramethylrhodamine, are characterized by their emission at wavelengths generally in the range of 590–690  $\lambda$ .

Examples of fluorophores that may be used in the present invention are provided in U.S. Pat. No. 5,866,366 to Nazarenko et al.: 4-acetamido-4'-isothiocyanatostilbene-2,2'-disulfonic acid, acridine and derivatives such as acridine and acridine isothiocyanate, 5-(2'-aminoethyl)aminonaphthalene-1-sulfonic acid (EDANS), 4-amino-N-[3-vinylsulfonyl]phenyl]naphthalimide-3,5 disulfonate (Lucifer Yellow VS), N-(4-anilino-1-naphthyl)maleimide, anthranilamide, Brilliant Yellow, coumarin and derivatives such as coumarin, 7-amino-4-methylcoumarin (AMC, Coumarin 120), 7-amino-4-trifluoromethylcoumarin (Coumarin 151); cyanosine; 4',6-diaminidino-2-phenylindole (DAPI); 5',5"-dibromopyrogallol-sulfonephthalein (Bromopyrogallol Red); 7-diethylamino-3-(4'-isothiocyanatophenyl)-4-methylcoumarin; diethylenetriamine pentaacetate; 4,4'-diisothiocyanatodihydro-stilbene-2,2'-disulfonic acid; 4,4'-diisothiocyanatostilbene-2,2'-disulfonic acid; 5-[dimethylamino]naphthalene-1-sulfonyl chloride (DNS, dansyl chloride); 4-(4'-dimethylaminophenylazo)benzoic acid (DABCYL); 4-dimethylaminophenylazophenyl-4'-isothiocyanate (DABITC); eosin and derivatives such as eosin and eosin isothiocyanate; erythrosin and derivatives such as erythrosin B and erythrosin isothiocyanate; ethidium; fluorescein and derivatives such as 5-carboxyfluorescein (FAM), 5-(4,6-dichlorotriazin-2-yl)aminofluorescein (DTAF), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein (JOE), fluorescein, fluorescein isothiocyanate (FITC), and QFITC

(XRITC); fluorescamine; IR144; IR1446; Malachite Green isothiocyanate; 4-methylumbelliferone; ortho cresolphthalein; nitrotyrosine; pararosaniline; Phenol Red; B-phycoerythrin; o-phthaldialdehyde; pyrene and derivatives such as pyrene, pyrene butyrate and succinimidyl 1-pyrene butyrate; Reactive Red 4 (Cibacron .RTM. Brilliant Red 3B-A); rhodamine and derivatives such as 6-carboxy-X-rhodamine (ROX), 6-carboxyrhodamine (R6G), lissamine rhodamine B sulfonyl chloride, rhodamine (Rhod), rhodamine B, rhodamine 123, rhodamine X isothiocyanate, sulforhodamine B, sulforhodamine 101 and sulfonyl chloride derivative of sulforhodamine 101 (Texas Red); N,N,N',N'-tetramethyl-6-carboxyrhodamine (TAMRA); tetramethyl rhodamine; tetramethyl rhodamine isothiocyanate (TRITC); riboflavin; rosolic acid and terbium chelate derivatives.

Other suitable fluorophores include GFP, Lissamine™, diethylaminocoumarin, fluorescein chlorotriazinyl, naphthofluorescein, 4,7-dichlororhodamine and xanthene and derivatives thereof. Other fluorophores known to those skilled in the art may also be used.

Gene expression microarrays: Microscopic arrays of cDNAs printed on a substrate, which serve as a high density hybridization target for mRNA probes, for example as described in Schena (*BioEssays* 18:427–431, 1996).

Genomic target sequence: A sequence of nucleotides located in a particular region in the human genome that corresponds to one or more specific loci.

High throughput genomics: This refers to application of genomic or genetic data or analysis techniques that use microarrays or other genomic technologies to rapidly identify large numbers of genes or proteins, or distinguish their structure, expression or function from normal or abnormal cells or tissues.

Human Cells: Cells obtained from *Homo sapiens*. The cells can be obtained from any source, for example peripheral blood, urine, saliva, tissue biopsy, surgical specimen, amniocentesis samples and autopsy material. From these cells, genomic DNA, cDNA, mRNA, RNA, or protein can be isolated.

Ionizing radiation (IR): An amount of radiation sufficient to separate orbiting electrons from an atomic nucleus. Ionizing radiation includes photons and accelerated particles. Photons (also called gamma rays) are given off in many types of nuclear decay. Ionizing rays (x-rays) occur when an electron is stopped in a dense material. Accelerated particles include protons from solar radiation, heavy nuclei in cosmic rays, and beta and alpha particles given up in nuclear decay.

Isolated: An “isolated” biological component (such as a nucleic acid, peptide, protein, or organelle) has been substantially separated, produced apart from, or purified away from other biological components in the cell of the organism in which the component naturally occurs, i.e., other chromosomal and extrachromosomal DNA and RNA, organelles, and proteins. Nucleic acids, peptides and proteins which have been “isolated” thus include nucleic acids and proteins purified by standard purification methods. The term also embraces nucleic acids, peptides and proteins prepared by recombinant expression in a host cell as well as chemically synthesized nucleic acids.

Label: Detectable marker or reporter molecules, which can be attached to nucleic acids, for example probes. Typical labels include fluorophores, radioactive isotopes, ligands, chemiluminescent agents, and enzymes. Methods for labeling and guidance in the choice of labels appropriate for various purposes are discussed, e.g., in Sambrook et al., in *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press (1989) and Ausubel et al., in



*Current Protocols in Molecular Biology*, Greene Publishing Associates and Wiley-Intersciences (1987).

Malignant: cells which have the properties of anaplasia, invasion and metastasis.

Messenger RNA (mRNA): RNA that is translated into protein. cDNA can be reverse transcribed from mRNA using standard molecular biology methods.

Microarray: An array that is miniaturized so as to require microscopic examination for visual evaluation.

Microbes: Any microorganism. Includes for example, viruses and members of the Monera, Protista or Fungi Kingdoms, for example bacteria and parasites.

Neoplasm: abnormal growth of cells

Normal cells: Non-tumor, non-malignant cells.

Nucleic acid array: An arrangement of nucleic acids (such as DNA or RNA) in assigned locations on a matrix, such as that found in cDNA or CGH arrays.

Nucleic acid: A deoxyribonucleotide or ribonucleotide polymer in either single or double stranded form, including known analogs of natural nucleotides.

Nucleic acid molecules representing genes: Any nucleic acid, for example DNA, cDNA or RNA, of any length suitable for use as a probe that is informative about the genes.

Oligonucleotide: A linear single-stranded polynucleotide sequence ranging in length from 2 to about 1,000,000 bases, for example a polynucleotide (such as DNA or RNA) which is at least 6 nucleotides, for example at least 15, 50, 100, 200, 1,000, 10,000 or even 1,000,000 nucleotides long. Oligonucleotides are often synthetic but can also be produced from naturally occurring polynucleotides.

Plant Cells: Cells obtained from any member of the Plantae Kingdom, a category which includes, for example, trees, flowering and non flowering plants, grasses, and *Arabidopsis*. The cells can be obtained from any part of the plant, for example roots, leaves, stems, or any flower part. From these cells, nucleic acid or protein can be isolated.

Probes and primers: A probe is an oligonucleotide or isolated nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing with hydrogen bond formation. Oligonucleotide probes are often 10–50 or 15–30 bases long, and can be as long as about 1,000,000 bases. An oligonucleotide probe may include natural (A, T, C, G) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in an oligonucleotide probe may be joined by a linkage other than a phosphodiester bond, so long as it does not interfere with hybridization. Thus, oligonucleotide probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages.

Detectable label or reporter molecules can be attached to probes. Typical labels include fluorophores, radioactive isotopes, ligands, chemiluminescent agents, and enzymes. Methods for labeling and guidance in the choice of labels appropriate for various purposes are discussed, e.g., in Sambrook et al., in *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press (1989) and Ausubel et al., in *Current Protocols in Molecular Biology*, Greene Publishing Associates and Wiley-Intersciences (1987).

Primers are short nucleic acids, such as DNA oligonucleotides 15 nucleotides or more in length. Primers may be annealed to a complementary target DNA strand by nucleic acid hybridization to form a hybrid between the primer and the target DNA strand, and then extended along the target DNA strand by a DNA polymerase enzyme. Primer pairs can

be used for amplification of a nucleic acid sequence, e.g., by the polymerase chain reaction (PCR) or other nucleic-acid amplification methods known in the art.

Methods for preparing and using probes and primers are described, for example, in Sambrook et al. (*Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, 1989), Ausubel et al., in *Current Protocols in Molecular Biology*, Greene Publishing Associates and Wiley-Intersciences (1987), and Innis et al., *PCR Protocols, A Guide to Methods and Applications*, 1990, Innis et al. (eds.), 21–27, Academic Press, Inc.; San Diego, Calif. PCR primer pairs can be derived from a known sequence, for example, by using computer programs intended for that purpose such as Primer (Version 0.5, © 1991, Whitehead Institute for Biomedical Research, Cambridge, Mass.). One of skill in the art will appreciate that the specificity of a particular probe or primer increases with its length. Thus, for example, a primer comprising 20 consecutive nucleotides of a cDNA or gene will anneal to a target sequence contained within a cDNA or genomic DNA library with a higher specificity than a corresponding primer of only 15 nucleotides. Thus, in order to obtain greater specificity, probes and primers may be selected that comprise 20, 25, 30, 35, 40, 50 or more consecutive nucleotides of a cDNA or gene sequence.

Thus isolated nucleic acid molecules that comprise specified lengths of a nucleic acid sequence can be used in the present invention. Such molecules may comprise at least 20, 40, 50, 100, 1000, 10,000, or even 1,000,000 or more consecutive nucleotides of a nucleic acid sequence and may be obtained from any region of a nucleic acid sequence.

Probe Element: A nucleic acid sequence from a gene which is represented in a probe set. For example, the gene may be differentially expressed by a cell following radiation induced biological stress. In addition, the gene may be unaffected in its expression following radiation induced biological stress, for example control genes.

Probe set: A population of two or more probes which represent genes that are differentially expressed in cells that have been exposed to a biologically significant amount of ionizing radiation. The probe set may be nucleic acids, for example RNA, cDNAs, and/or oligonucleotides that specifically hybridize to complementary sequences in a nucleic acid composition, for example from test cells which may have been exposed to ionizing radiation. For example, the probe set may contain any of the probes shown in Tables 4 or 5. In addition, the probe set can be bound in an array to a surface.

Purified: the term purified does not require absolute purity; rather, it is intended as a relative term. Thus, for example, a purified protein preparation is one in which the protein is more pure than the protein in its natural environment within a cell. In one embodiment, a preparation of a protein is purified such that the protein represents at least 50% of the total protein content of the preparation.

Radiation dose: Defined in terms of energy deposition. The basic unit is the gray (Gy), equal to 1 joule per kilogram.

Radiation induced biological stress: The induction of differential expression of stress genes in cells after they are exposed to radiation. Examples include, but are not limited to: CIP1/WAF1, GADD45, MDM2, BCL2, FOS, JUN, REL-B, ATF3, BAX.

Sequence identity: The similarity between two nucleic acid sequences, or two amino acid sequences, is expressed in terms of the similarity between the sequences, otherwise referred to as sequence identity. Sequence identity is frequently measured in terms of percentage identity (or simi-



larity or homology); the higher the percentage, the more similar the two sequences are. Homologs or orthologs of nucleic acid or amino acid sequences will possess a relatively high degree of sequence identity when aligned using standard methods. This homology will be more significant when the orthologous proteins or nucleic acids are derived from species which are more closely related (e.g., human and chimpanzee sequences), compared to species more distantly related (e.g., human and *C. elegans* sequences). Typically, orthologs are at least 50% identical at the nucleotide level and at least 50% identical at the amino acid level when comparing human orthologous sequences.

Methods of alignment of sequences for comparison are well known in the art. Various programs and alignment algorithms are described in: Smith & Waterman, *Adv. Appl. Math.* 2:482, 1981; Needleman & Wunsch, *J. Mol. Biol.* 48:443, 1970; Pearson & Lipman, *Proc. Natl. Acad. Sci. USA* 85:2444, 1988; Higgins & Sharp, *Gene*, 73:237-44, 1988; Higgins & Sharp, *CABIOS* 5:151-3, 1989; Corpet et al., *Nuc. Acids Res.* 16:10881-90, 1988; Huang et al. *Computer Appls. in the Biosciences* 8, 155-65, 1992; and Pearson et al., *Meth. Mol. Bio.* 24:307-31, 1994. Altschul et al., *J. Mol. Biol.* 215:403-10, 1990, presents a detailed consideration of sequence alignment methods and homology calculations.

The NCBI Basic Local Alignment Search Tool (BLAST) (Altschul et al. *J. Mol. Biol.* 215:403-10, 1990) is available from several sources, including the National Center for Biotechnology Information (NCBI, Bethesda, Md.) and on the Internet, for use in connection with the sequence analysis programs blastp, blastn, blastx, tblastn and tblastx. A description of how to determine sequence identity using this program is available at the NCBI website.

Homologs are typically characterized by possession of at least 60%, 70%, 75%, 80%, 90%, 95% or at least 98% sequence identity counted over the full length alignment with a sequence using the NCBI Blast 2.0, gapped blastp set to default parameters. Queries searched with the blastn program are filtered with DUST (Hancock, and Armstrong, 1994, *Comput. Appl. Biosci.* 10:67-70). Other programs use SEG.

One of ordinary skill in the art will appreciate that these sequence identity ranges are provided for guidance only; it is entirely possible that strongly significant homologs could be obtained that fall outside of the ranges provided. The present invention provides not only the peptide homologs described above, but also nucleic acid molecules that encode such homologs.

One indication that two nucleic acid sequences are substantially identical is that the polypeptide which the first nucleic acid encodes is immunologically cross reactive with the polypeptide encoded by the second nucleic acid.

Nucleic acid sequences that do not show a high degree of identity may nevertheless encode similar amino acid sequences, due to the degeneracy of the genetic code. It is understood that changes in nucleic acid sequence can be made using this degeneracy to produce multiple nucleic acid sequences that all encode substantially the same protein.

An alternative indication that two nucleic acid molecules are closely related is that the two molecules hybridize to each other under stringent conditions, as described under "specific hybridization."

Specific hybridization: Specific hybridization refers to the binding, duplexing, or hybridizing of a molecule only or substantially only to a particular nucleotide sequence when that sequence is present in a complex mixture (e.g. total

cellular DNA or RNA). Specific hybridization may also occur under conditions of varying stringency.

Hybridization conditions resulting in particular degrees of stringency will vary depending upon the nature of the hybridization method of choice and the composition and length of the hybridizing DNA used. Generally, the temperature of hybridization and the ionic strength (especially the Na<sup>+</sup> concentration) of the hybridization buffer will determine the stringency of hybridization. Calculations regarding hybridization conditions required for attaining particular degrees of stringency are discussed by Sambrook et al. (In: *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor, N.Y., 1989 ch. 9 and 11). By way of illustration only, a hybridization experiment may be performed by hybridization of a DNA molecule to a target DNA molecule which has been electrophoresed in an agarose gel and transferred to a nitrocellulose membrane by Southern blotting (Southern, *J. Mol. Biol.* 98:503, 1975), a technique well known in the art and described in Sambrook et al. (*Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor, N.Y., 1989).

Hybridization with a target probe labeled with [<sup>32</sup>P]-dCTP is generally carried out in a solution of high ionic strength such as 6×SSC at a temperature that is 20-25° C. below the melting temperature, T<sub>m</sub>, described below. For such Southern hybridization experiments where the target DNA molecule on the Southern blot contains 10 ng of DNA or more, hybridization is typically carried out for 6-8 hours using 1-2 ng/ml radiolabeled probe (of specific activity equal to 10<sup>9</sup> CPM/μg or greater). Following hybridization, the nitrocellulose filter is washed to remove background hybridization. The washing conditions should be as stringent as possible to remove background hybridization but to retain a specific hybridization signal.

The term T<sub>m</sub> represents the temperature (under defined ionic strength, pH and nucleic acid concentration) at which 50% of the probes complementary to the target sequence hybridize to the target sequence at equilibrium. Because the target sequences are generally present in excess, at T<sub>m</sub> 50% of the probes are occupied at equilibrium. The T<sub>m</sub> of such a hybrid molecule may be estimated from the following equation (Bolton and McCarthy, *Proc. Natl. Acad. Sci. USA* 48:1390, 1962): T<sub>m</sub>=81.5° C.-16.6(log<sub>10</sub>[Na<sup>+</sup>])+0.41(% G+C)-0.63(% formamide)-(600/l); where l=the length of the hybrid in base pairs.

This equation is valid for concentrations of Na<sup>+</sup> in the range of 0.01 M to 0.4 M, and it is less accurate for calculations of T<sub>m</sub> in solutions of higher [Na<sup>+</sup>]. The equation is also primarily valid for DNAs whose G+C content is in the range of 30% to 75%, and it applies to hybrids greater than 100 nucleotides in length (the behavior of oligonucleotide probes is described in detail in Ch. 11 of Sambrook et al. (*Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor, N.Y., 1989).

Thus, by way of example, for a 150 base pair DNA probe derived from a cDNA (with a hypothetical % GC=45%), a calculation of hybridization conditions required to give particular stringencies may be made as follows: For this example, it is assumed that the filter will be washed in 0.3×SSC solution following hybridization, thereby: [Na<sup>+</sup>]=0.045 M; % GC=45%; Formamide concentration=0; l=150 base pairs; T<sub>m</sub>=81.5-16.6(log<sub>10</sub>[Na<sup>+</sup>])+(0.41×45)-(600/150); and so T<sub>m</sub>=74.4° C.

The T<sub>m</sub> of double-stranded DNA decreases by 1-1.5° C. with every 1% decrease in homology (Bonner et al., *J. Mol. Biol.* 81:123, 1973). Therefore, for this given example, washing the filter in 0.3×SSC at 59.4-64.4° C. will produce



a stringency of hybridization equivalent to 90%; that is, DNA molecules with more than 10% sequence variation relative to the target cDNA will not hybridize. Alternatively, washing the hybridized filter in 0.3×SSC at a temperature of 65.4–68.4° C. will yield a hybridization stringency of 94%; that is, DNA molecules with more than 6% sequence variation relative to the target cDNA molecule will not hybridize. The above example is given entirely by way of theoretical illustration. One skilled in the art will appreciate that other hybridization techniques may be utilized and that variations in experimental conditions will necessitate alternative calculations for stringency.

In the present invention, stringent conditions may be defined as those under which DNA molecules with more than 25%, 15%, 10%, 6% or 2% sequence variation (also termed “mismatch”) will not hybridize. Stringent conditions are sequence dependent and are different in different circumstances. Longer sequences hybridize specifically at higher temperatures. Generally, stringent conditions are selected to be about 5° C. lower than the thermal melting point  $T_m$  for the specific sequence at a defined ionic strength and pH. An example of stringent conditions is a salt concentration of at least about 0.01 to 1.0 M Na ion concentration (or other salts) at pH 7.0 to 8.3 and a temperature of at least about 30° C. for short probes (e.g. 10 to 50 nucleotides). Stringent conditions can also be achieved with the addition of destabilizing agents such as formamide. For example, conditions of 5×SSPE (750 mM NaCl, 50 mM Na Phosphate, 5 mM EDTA, pH 7.4) and a temperature of 25–30° C. are suitable for allele-specific probe hybridizations.

A perfectly matched probe has a sequence perfectly complementary to a particular target sequence. The test probe is typically perfectly complementary to a portion (subsequence) of the target sequence. The term “mismatch probe” refers to probes whose sequence is deliberately selected not to be perfectly complementary to a particular target sequence.

Transcription levels can be quantitated absolutely or relatively. Absolute quantitation can be accomplished by inclusion of known concentrations of one or more target nucleic acids (for example control nucleic acids such as Bio B or with a known amount the target nucleic acids themselves) and referencing the hybridization intensity of unknowns with the known target nucleic acids (for example by generation of a standard curve).

Subject: Living multicellular vertebrate organisms, a category which includes, both human and veterinary subjects for example, mammals, birds and primates.

Test Cell: A cell which has been or may have been exposed to biologically significant levels of ionizing radiation. Using the method of the present invention, whether a test cell has been exposed to biologically significant levels of ionizing radiation can be determined. Test cells can be from any origin, including for example plant and animal cells. In particular examples, the test cells are peripheral blood cells.

Tumor: a neoplasm

Additional definitions of terms commonly used in molecular genetics can be found in Benjamin Lewin, *Genes V* published by Oxford University Press, 1994 (ISBN 0-19-854287-9); Kendrew et al (eds.), *The Encyclopedia of Molecular Biology*, published by Blackwell Science Ltd., 1994 (ISBN 0-632-02182-9); and Robert A. Meyers (ed.), *Molecular Biology and Biotechnology: a Comprehensive Desk Reference*, published by VCH Publishers, Inc., 1995 (ISBN 1-56081-569-8).

### Apoptosis of ML Cells after Irradiation

This example describes experiments in which the percent of cells undergoing apoptosis following different levels of irradiation was calculated.

ML-1 cells, a human myeloid leukemia cell line, were grown in RPMI 1640 medium supplemented with 10% heat-inactivated (56° C. for 45 minutes) fetal calf serum and 100 U/ml penicillin and 100 µg/ml streptomycin in a humidified, 5% CO<sub>2</sub> atmosphere in a 37° incubator. Cells were irradiated at approximately 5.1 cGy/minute to total doses between 2 and 2000 cGy using a Mark 1-68 <sup>137</sup>Cs source (J.L. Shepherd and Associates, Inc., San Fernando, Calif.) with lead attenuators in place. The dosimetry of the source was confirmed by exposing TLD monitors (Landauer Inc., Glenwood, Ill.) in the same configuration used for cellular irradiations to the range of doses used. Even at the lowest doses, the calculated absorbed dose (Landauer special dosimetry services) varied by less than 3% from the dose expected. Due to the nature of sparsely ionizing radiation such as γ-rays, it is highly unlikely that cells in the irradiated population will remain unexposed at even the lowest doses used.

To determine if cells underwent apoptosis following irradiation, the cells were irradiated and then incubated for 1, 2, or 3 days. The cells were subsequently fixed in methanol, and stained with DAPI solution (50 ng/ml final concentration). An Olympus fluorescent microscope was used to score nuclei exhibiting characteristic morphological features of apoptosis, and results were expressed as the number of apoptotic nuclei over the total number of nuclei counted. Flow cytometry was used to measure the effects of irradiation on the cell cycle. In this method, cells were fixed in 70% ethanol 0, 8, 10, 12 and 24 hours after irradiation, treated with RNase (100 µg/ml) at 37° C., then stained with propidium iodide. Samples were analyzed using a Becton-Dickenson FacScan and cell cycle distributions were fitted using the Cell Quest data analysis program.

ML-1 cells irradiated with <sup>137</sup>Cs γ-rays showed a survival response similar to that of other human cell lines of myeloid or lymphoid lineage (FIG. 1), which are typically more radiosensitive than cell lines derived from other tissue types. The survival curve had no apparent shoulder and predicted a D<sub>0</sub> of approximately 73 cGy. The changes in plating efficiency induced by doses of 2, 5, and 10 cGy were so low as not to be measurably different from fluctuations in the colony formation assay (p>0.1). In four independent experiments, the mean plating efficiency of untreated controls was 0.129±0.069 while the mean plating efficiency for all doses combined (2, 5 and 10 cGy) was 0.127±0.058.

Although previous studies demonstrated that high doses of ionizing radiation efficiently induce rapid apoptosis in ML-1 cells (Zhan et al. *Oncogene* 9:3743–51, 1994), at lower, relatively non-toxic doses (cells irradiated with 25 cGy or less), very little apoptosis was measurable. A more sensitive method for detecting apoptotic cells was achieved by scoring morphology of DAPI stained cells. As shown in FIG. 2, two days after irradiation, a trend of increasing apoptosis with increasing dose emerged between 2 and 25 cGy, although due to experimental fluctuations, this increase was only significant at the p<0.01 level (paired t-test) following the 25 cGy dose. In contrast, cultures treated with 250 cGy showed over 40% morphologically apoptotic cells two days after irradiation. No further increases in apoptotic



fraction were observed at times later than two days following treatment for any of the doses tested.

In contrast to their effect on apoptosis, doses below 25 cGy significantly and reproducibly perturbed cell cycle progression in a dose-dependent manner (FIGS. 3A and 3B). Even the lowest dose tested, 2 cGy, caused a transient reduction of the S-phase fraction. This effect was only significant at 12 hours after irradiation with 2 cGy, while increased doses resulted in larger and more rapid decreases in the S-phase fraction of the population (FIGS. 3A and 3B). By 24 hours post-irradiation, the populations treated with doses of 25 cGy or below had all recovered their normal cell cycle distributions, while cells treated with the higher dose of 250 cGy still showed a profoundly arrested profile with very few (6.6+/-1.9 percent) S-phase cells.

These results demonstrate that low-levels of non-toxic irradiation can be effectively administered, and that even at these low doses, progression of the cell cycle is perturbed.

### EXAMPLE 2

#### Construction of cDNA Microarrays

This example describes experiments conducted to identify genes which are differentially expressed in cells exposed to radiation, such as low level radiation, which were used to construct cDNA microarrays. Before a probe set can be constructed which identifies differential expression of genes in radiation exposed cells, probes are selected for the set. This selection can be achieved by using cDNA arrays having a general sampling of ESTs, for example from human, mouse, or plant genes. The array of ESTs can be exposed to nucleic acid compositions from test cells that have been exposed to a dose of ionizing radiation sufficient to induce differential expression of stress genes in the test cells. The nucleic acids can then be labeled (for example by reverse transcription from cellular mRNA to labeled cDNA), and exposed to the array. Specific hybridization to an EST in the array, or differential hybridization by a cDNA from a cell that has been irradiated, identifies a potential probe for the probe set. Subsequent confirmation of differential expression can be achieved by northern blot analysis, or other techniques.

The microarray used in this example included a general sampling of human genes (622 ESTs) plus another set of genes (616 ESTs) which were chosen on the basis of their roles in cancer or lymphoid biology. The genes represented in the 1.2K array are shown in Table 1. The sequences are identified in Table 1 by Image Consortium Clone number (hereinafter "Image No."). This number can be searched on the ATCC Image Consortium Clones database at the ATCC (Manassas, Va.) website, with links to the ATCC accession number of clones from which the sequences can be obtained, and links to Genbank sequence listings which correspond to the Image Number. The array was constructed with ESTs informative for the exposure of interest, namely radiation exposure. A panel of housekeeping genes and other internal controls was also included on the array. The selection of this panel has been described (DeRisi et al., *Nat. Genet.* 14:457-460, 1996).

TABLE 1

Image ID Numbers of Genes Present in the 1.2K array.
21420; 22036; 29054; 33941; 34327; 38805; 42894; 43110; 47359; 471252; 486375; 80549; 161023; 51363; 310406; 470470; 485963;

TABLE 1-continued

Image ID Numbers of Genes Present in the 1.2K array.
5 298371; 62186; 41959; 25081; 25725; 32198; 36593; 36844; 40765; 44527; 44710; 49888; 51528; 51740; 31116; 253773; 266486; 364278; 51825; 193913; 363805; 344482; 360201; 21477; 22040; 29204; 34011; 34357; 38829; 42906; 43129; 47384; 471494; 486233; 81221; 162584; 51439; 310490; 470685; 486161; 298371; 80549; 135118; 25154; 25764; 32304; 36676; 36904; 40831; 44537; 44721; 49897; 51540; 51785; 32790;
10 253869; 267246; 364982; 52193; 196543; 364110; 344769; 361401; 21468; 22230; 29234; 34005; 34349; 38840; 42910; 43194; 47386; 471715; 486086; 82991; 162772; 51746; 310390; 470730; 486074; 299626; 110589; 136769; 25169; 25880; 32319; 36681; 36916; 40874; 44563; 44722; 49898; 51555; 51814; 32983; 257766; 267682; 364752; 52564; 199381; 364975; 345527; 361815; 21531; 22260; 29435; 34141;
15 34355; 38859; 42927; 43229; 47463; 472067; 486785; 82850; 48398; 51854; 310428; 470691; 486716; 300051; 113941; 154763; 25400; 26052; 32409; 36700; 36922; 40886; 44584; 45188; 49926; 51621; 51940; 33368; 258589; 268652; 364716; 178169; 200209; 366539; 347573; 366981; 21652; 28573; 29438; 34217; 38567; 38876; 42993; 47229; 47475; 484993; 62186; 84730; 49164; 307741; 322000; 471217; 296021; 301363; 121147; 25485; 31852; 32407; 36717; 40493; 40911; 44605; 49751;
20 49967; 51666; 27944; 34005; 260052; 362009; 365147; 178508; 361692; 366509; 347685; 21656; 28595; 29627; 34247; 38573; 38966; 43021; 47306; 47493; 485690; 77577; 85906; 49950; 309615; 322604; 471620; 296642; 303109; 129268; 25495; 31855; 32438; 36775; 40562; 40959; 44666; 49777; 49980; 51685; 28573; 35326; 261518; 362332; 365647; 182633; 361692; 366942; 357357; 22012; 28776; 29629; 34255; 38647;
25 38983; 43060; 47343; 47499; 486012; 79742; 86017; 50576; 309477; 323162; 471822; 297589; 306170; 26503; 25517; 31988; 32427; 36796; 40670; 40991; 44689; 49788; 50038; 51687; 28774; 35516; 262575; 362926; 366420; 183661; 362702; 375620; 358677; 21810; 28985; 29640; 34304; 38770; 39086; 43092; 47333; 47631; 486335; 80239; 23464; 50503; 310141; 323001; 471918; 298187; 307471; 26599; 25584; 32141;
30 32531; 36790; 40764; 41094; 44699; 49849; 50032; 51699; 30781; 36074; 264606; 363799; 366576; 191007; 363539; 375635; 358538; 22285; 22589; 30543; 34396; 34671; 39173; 43231; 43563; 47833; 486560; 488373; 110589; 52489; 193736; 323776; 486510; 489217; 321246; 162479; 231292; 26082; 26483; 32649; 36927; 37230; 41439; 45222; 45643; 50232; 51961; 52587; 43129; 268727; 279482; 375922; 205905;
35 236420; 377275; 375635; 417127; 22293; 22611; 30573; 34537; 34761; 39195; 43338; 43601; 47874; 486844; 488801; 110503; 52162; 190711; 324698; 487130; 489194; 321308; 50576; 247869; 26087; 26531; 32644; 36950; 37231; 41452; 45233; 45658; 50234; 52019; 52629; 131828; 270148; 279954; 376362; 209655; 239287; 377181; 375724; 418320; 22379; 22798; 30578; 34555; 34860; 39205; 43241; 43622; 47884;
40 487417; 488989; 112035; 52681; 200378; 324655; 487097; 510130; 322148; 52681; 252185; 26129; 26541; 32658; 36983; 37234; 41511; 45291; 45794; 50271; 52222; 52650; 132420; 270980; 281029; 376285; 213502; 241489; 377441; 375843; 428248; 22445; 22790; 30588; 34606; 34945; 39270; 43409; 43631; 48077; 487264; 489419; 114116; 179711; 201797; 324815; 487777; 510258; 322452; 190107; 256323; 26128;
45 26572; 32682; 36975; 37269; 41559; 45376; 45851; 50308; 52342; 52652; 133122; 271478; 281778; 376737; 219735; 242134; 415206; 376294; 470792; 22493; 29799; 30592; 34637; 39093; 39285; 43504; 47648; 48085; 487386; 108284; 114648; 180447; 323028; 325182; 487965; 308392; 323181; 192694; 26147; 32609; 32684; 37040; 41208; 41773; 45421; 50117; 50322; 52338; 36215; 135381; 271416; 366647;
50 376649; 231089; 376110; 415060; 376218; 22545; 30012; 30622; 34647; 39148; 39380; 43541; 47679; 48097; 487878; 108837; 115277; 183950; 323390; 327396; 488891; 320514; 323648; 193901; 26184; 32615; 32717; 37118; 41199; 41796; 45564; 50106; 50359; 52415; 36844; 137531; 271662; 366824; 380403; 231292; 376303; 415636; 376507; 22568; 30149; 30619; 34662; 39159; 39391; 43549; 47727; 48234; 488103;
55 110022; 115408; 187987; 323555; 328692; 489042; 320903; 324700; 209310; 26286; 32626; 32707; 37145; 41356; 41792; 45568; 50171; 50363; 52489; 39920; 137575; 272110; 366904; 415102; 231497; 376781; 415679; 380738; 22589; 30272; 30664; 34660; 39169; 39542; 43550; 47838; 48406; 488596; 109957; 115336; 192694; 323500; 340644; 489327; 321242; 328330; 222502; 26366; 32636; 32750; 37196; 41392;
60 41813; 45604; 50203; 50503; 52530; 41565; 138460; 278409; 375724; 415731; 232714; 376725; 416184; 381219; 23014; 23731; 30885; 34974; 35609; 39827; 43711; 44105; 48677; 489395; 510245; 121849; 201673; 221690; 343166; 510467; 112500; 343465; 257458; 282065; 26585; 27473; 32898; 37347; 37508; 42059; 45840; 46329; 50603; 52681; 53084; 140358; 283116; 293274; 417403; 243143; 262691; 427923;
65 471218; 488658; 23019; 23804; 30970; 35110; 35623; 39861; 43719; 44159; 48717; 509710; 512458; 123586; 203132; 221619; 343871; 512391; 120466; 343311; 260288; 286197; 26593; 27511; 33008; 37366; 37513; 42088; 45941; 46339; 50666; 52753; 53107; 140827; 284031;



TABLE 1-continued

Image ID Numbers of Genes Present in the 1.2K array.
293934; 417592; 253545; 264576; 427943; 471631; 488904; 23073; 23831; 30966; 35284; 35615; 39876; 43826; 44173; 48713; 509731; 512472; 123953; 203017; 223176; 344109; 198205; 124086; 343646; 264200; 288650; 26659; 27549; 33045; 37380; 37622; 42096; 46019; 46354; 50816; 52773; 53128; 143751; 284459; 295208; 417689; 254428; 264554; 427943; 471889; 509710; 23132; 23866; 30981; 35297; 35665; 39884; 43858; 44180; 48762; 509820; 512385; 124554; 204301; 230976; 345600; 322029; 26992; 345645; 271416; 290117; 26789; 27624; 33183; 37435; 37679; 42130; 46042; 46419; 50888; 52896; 53155; 144944; 288797; 298314; 418111; 254187; 268412; 427750; 485192; 509682; 23185; 30691; 31061; 35313; 39686; 39903; 43885; 48452; 48803; 510101; 116906; 125187; 204681; 340734; 345928; 60298; 328467; 345722; 272110; 26801; 32774; 33176; 37433; 41857; 42214; 46171; 50555; 50941; 52931; 138604; 144693; 289606; 417226; 418138; 258747; 417136; 427686; 486199; 23332; 30730; 31116; 35320; 39728; 39965; 43960; 48458; 49161; 510151; 116713; 125676; 205633; 341130; 346534; 72869; 340947; 346587; 279727; 26922; 32790; 33267; 37451; 41918; 42284; 46213; 50561; 50999; 53024; 138917; 145503; 291057; 417124; 427857; 258790; 417218; 428404; 486410; 23346; 30802; 31131; 35483; 39781; 39993; 44014; 48503; 49243; 510405; 116781; 126379; 209310; 340922; 357309; 73515; 341763; 346396; 280465; 27230; 32822; 33274; 37477; 42020; 42295; 46302; 50576; 51018; 53068; 139073; 145932; 291503; 417322; 428248; 259241; 418105; 428231; 487982; 23692; 30852; 31143; 35559; 39796; 40008; 44050; 48629; 49255; 510595; 120157; 126542; 213597; 340878; 357239; 23173; 342256; 346305; 280735; 27052; 32875; 33415; 37485; 42058; 42349; 46303; 50609; 51209; 53071; 138998; 147075; 291736; 417357; 429142; 259291; 418436; 429135; 488092; 24110; 24652; 31210; 35850; 36232; 40151; 44178; 44367; 49403; 512276; 26503; 231302; 244355; 358467; 36809; 43504; 357374; 291943; 309924; 27681; 28116; 33632; 37721; 38397; 42576; 46427; 47038; 51318; 53164; 53322; 153355; 299198; 306013; 430027; 271198; 290493; 469543; 509588; 203184; 24145; 24886; 31238; 35865; 36291; 40205; 44193; 44414; 49509; 512294; 26474; 233194; 248032; 358168; 146307; 47559; 358848; 293032; 320538; 27715; 28245; 33643; 37760; 38393; 42615; 46449; 47110; 51332; 53173; 53358; 154015; 299539; 306134; 469256; 280376; 290871; 470602; 509882; 241412; 24269; 24899; 31242; 35933; 36393; 40276; 44218; 44477; 49584; 512244; 26167; 234198; 248613; 359171; 151767; 49576; 359119; 295093; 322000; 27794; 28309; 33690; 37796; 38471; 42648; 46548; 47125; 51373; 53184; 154472; 300973; 307293; 469724; 280768; 290724; 470493; 510381; 248258; 24392; 24927; 31355; 36007; 36560; 40304; 44255; 44495; 49608; 512429; 26871; 234357; 249348; 359051; 152762; 51686; 359077; 298314; 327111; 27815; 28410; 33692; 37797; 38500; 42677; 46574; 47202; 51418; 53185; 154441; 301723; 307342; 470185; 284546; 295389; 470635; 124927; 296476; 24588; 31155; 31454; 36060; 40026; 40360; 44266; 49277; 49665; 127089; 26811; 236338; 357435; 359412; 154420; 347032; 359466; 300071; 27818; 33438; 33794; 37892; 42352; 42700; 46711; 51219; 51432; 53238; 147744; 154536; 302394; 429057; 470196; 284669; 429539; 470610; 125555; 24609; 31154; 31456; 36109; 40117; 40450; 44302; 49318; 49666; 128100; 26599; 236422; 357442; 359769; 154420; 347751; 359465; 300960; 27848; 33477; 33803; 37904; 42363; 42777; 46777; 51241; 51454; 53227; 149910; 155717; 302157; 429368; 470251; 286249; 429861; 470817; 126519; 24638; 31169; 31687; 36191; 40110; 40440; 44307; 49322; 49691; 127821; 26599; 238577; 357909; 360531; 158970; 356890; 359793; 304947; 27927; 33525; 33831; 37962; 42380; 42844; 46920; 51302; 51461; 53292; 153025; 156103; 302490; 429926; 470062; 288733; 469272; 471096; 194384; 24642; 31164; 31863; 36202; 40111; 40442; 44311; 49383; 49725; 129632; 27899; 243159; 357807; 361381; 158970; 356964; 361728; 305455; 28089; 33620; 33943; 37964; 42532; 42888; 46936; 51293; 51504; 53316; 152844; 159833; 305455; 429976; 470621; 289428; 469731; 471174; 195889

The human myeloid leukemia cell line ML-1 is available from the National Cancer Institute's Anti-Neoplastic Drug Screen Panel (NCI-ADS). The members of this panel are listed in Table 2, and are described in many publications, including Monks et al. (*J. Nat. Cancer Institut.* 83:757-66, 1991), and on the NCI Web page. ML-1 was selected as the test cell in which radiation induced differential expression of genes would be measured. A characteristic of this cell that made it particularly useful for this purpose was that it contains endogenous wild-type p53, which is a cellular stress response mediator following exposure to ionizing

radiation. ML-1 contains physiologic levels of p53, rather than the unnatural and often highly overexpressed levels often seen in artificially engineered systems. Moreover, ML-1 is a myeloid cell line, which is prone to undergo rapid apoptosis following genotoxic stress. This characteristic results in the induction of genes specifically associated with rapid apoptosis, such as BAX, MCL1, GADD34 and BCL-X (Zhan et al., *Oncogene* 9:3743-51, 1994 and *Oncogene* 14:1031-9, 1997). In addition to ML-1 cells, other cells that can be used to assess the induction of differential expression of genes in radiation exposed cells include other lymphoid cell lines, such as those with wild-type levels of p53, such as Molt4, WMN, TK6 or SR, which may induce genes not found to be regulated in ML-1. Cell lines derived from blood cells (such as these lines) are selected to provide responses more characteristic of peripheral blood responses than would cell lines from other sites, such as colon or breast cell lines (for example RKO or MCF7, respectively). Gene induction can also be measured directly in ex vivo irradiated human peripheral blood cells, as a particularly relevant model system, for methods in which peripheral blood specimens are analyzed to clinically screen for biologically significant radiation exposure (see EXAMPLE 9).

TABLE 2

The National Cancer Institute's Anti-Neoplastic Drug Screen Panel*	
Tissue Origin	Cell Line Names
Breast Cancer	BT-549; HS 578T; MCF7; MDA-MB-231; MDA-MB435; MDA-N; NCI-ADR; T-47D; NCI/ADR-RES; MAXF 401; MDA-MB-468; SK-BR-3
CNS Cancer	SF-268; SF-295; SF-539; SNB-19; SNB-75; U251; SNB-78; TE671; XF 498
Colon Cancer	COLO205; HCC-2998; HCT116; HCT15; HT29; KM12; RKO; SW-620; DLD-1; KM20L2
Non Small Cell Lung Cancer	A549; EKVX; HOP-62; HOP-92; NCI-H226; NCI-H23; NCI-H322M; NCI-H460; NCI-H522; HOP-18; HOP-19; LXFL 529
Small Cell Lung Cancer	DMS 114; DMS 273; SHP-77
Leukemia	CCRF-CEM; HL60; K562; MOLT4; RPMI-8226; SR; P388 P388/ADR
Melanoma	LOX-IVMI; M14; MALME-3M; SK-MEL-2; SK-MEL-28; SK-MEL-5; UACC-257; UACC-62; RPMI-7951; M19-MEL
Ovarian Cancer	IGROV-1; OVCAR-3; OVCAR-4; OVCAR-5; OVCAR-8; SK-OV-3
Prostate Cancer	DU-145; PC-3
Renal Cancer	786-O; A498; ACHN; CAKI-1; RXF 393; SN12C; TK-10; UO-31; RXF-631; SN12K1

\*Cells are available either from ATCC (Manassas, VA) or from the Frederick cancer research facility in Frederick, MD.

ML-1 cells were grown and irradiated at approximately 3.1 Gy/minute to total doses of 0.25, 2 or 20 Gy using a Mark 1-68 <sup>137</sup>Cs source, as described in EXAMPLE 1. EST targets identified in Table 1 were prepared by PCR amplification and arrayed on poly-L-lysine coated glass slides by high speed robotic printing as previously described (DeRisi et al., *Nat. Genet.* 14:457-460, 1996).

A complex cDNA probe was prepared from whole-cell RNA by a single round of reverse transcription using SuperscriptII (Gibco-BRL, Grand Island, N.Y.) for two hours at 42° C. according to the manufacturer's instructions in the presence of fluorescent dNTP (Cy3 dUTP or Cy5 dUTP, Amersham Pharmacia Biotech, Piscataway, N.J.). Probes were hybridized to the slides for 16 hours in 3×SSC (8.77 g/L NaCl, 4.4 g sodium citrate at pH 7.4) at 65° C. in the presence of blockers (8 μg Poly d A; 4 μg yeast tRNA; and



10  $\mu$ g human Cot 1 per 10  $\mu$ l hybridization). Hybridized slides were washed at room temperature (RT) in 0.5 $\times$ SSC, 0.01% SDS, then in 0.06 $\times$ SSC. The two fluorescent intensities (Cy3 and Cy5) were scanned separately using a laser confocal microscope, and the DeArray program was then used to identify target sites by image segmentation, calibrate relative ratios, and to develop confidence intervals for testing the significance of the ratios obtained (Chen et al., *J. Biomed. Optics* 2:364–374, 1997).

Local background was calculated for each target location. A normalization factor was estimated from a set of 88 internal control targets (De Risi et al., *Nat. Genet.* 14:457–60, 1996) with a theoretical ratio of 1.0, and the confidence interval for the array was estimated from the variance of these 88 control ratios from the expected value of 1.0. The ratios for all the targets on the array were then calibrated using the normalization factor, and ratios outside the 99% confidence interval (less than 0.54 or greater than 2.37) were determined to be significantly changed by the radiation treatment.

In the hybridized microarray, induced transcripts hybridized with more of the probe from the IR-treated sample (labeled with a red fluorophore), resulting in red spots, such as that observed at the CIP1/WAF1 target. A transcript down-regulated by IR, such as c-MYC, instead produced a green spot. Intermediate induction ratios result in a gradation of color, such as MBP-1. A schematic drawing showing the hybridized microarray is shown in FIG. 4, in which red spots are shown with vertical lines, green spots are shown with horizontal lines; and yellow spots (which have an equal representation of read an green label) are represented with both horizontal and vertical lines. One skilled in the art will appreciate that the color of the labels used is not critical, so long as the emission wavelength of the different fluorophores used can be resolved, and can be used to measure differential expression. Other fluorophores or labels can be used to practice the method of the present invention.

Transcripts significantly changed by radiation treatment are shown in Table 3 which also gives the mean intensities of hybridization to the unirradiated control on the microarray. This measure correlates with transcript abundance (Schena et al., *Science* 270:467–70, 1995; Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614–9, 1996), and demonstrates identification of IR modulated genes over three orders of magnitude of basal expression. Many of the stress regulated transcripts identified in Table 3 are known to be expressed at very low levels in ML-1 cells, consistent with their relative hybridization intensities on the array. For example, GADD45 and CIP1/WAF1 represent approximately 1/10<sup>5</sup> transcripts in unirradiated cells.

TABLE 3

Stress gene responses in $\gamma$ -irradiated human myeloid cells			
Transcript	Image ID	Microarray <sup>a</sup>	Mean Green Intensity <sup>b</sup>
CIP1/WAF1	268652	42.0 <sup>c</sup>	1121
ATF3	428248	11.3 <sup>c</sup>	784
FAS	151767	9.5	1352
IAP-1	129632	9.3 <sup>d</sup>	132
RELB	52681	7.2 <sup>d</sup>	1027
cyclin I	512391	6.9	974
RAB	52530	6.4	1688
GADD45	310141	5.8 <sup>d</sup>	2230
FRA1	110503	4.8 <sup>c</sup>	672
IL-8	328692	4.8	5307
CSF-1	124554	4.7	356

TABLE 3-continued

Stress gene responses in $\gamma$ -irradiated human myeloid cells			
Transcript	Image ID	Microarray <sup>a</sup>	Mean Green Intensity <sup>b</sup>
BCL3	236422	4.6 <sup>c</sup>	584
MIP1 $\alpha$	153355	4.3	475
c-FOS	26474	4.2	1314
JUN-B	309477	4.2	1892
PC-1	52753	3.4 <sup>c</sup>	343
CDC5	280376	3.4	1259
MRC OX-2	51363	3.4 <sup>d</sup>	290
ERR1	470602	3.2	490
MDM2	147075	3.2 <sup>d</sup>	328
Immunoglobulin J chain	161023	3.1	331
OX40 ligand	35326	3.1	310
DNA ligase III	470062	3.0	636
cytochrome p450 4A	120466	3.0	218
MEK1	486074	2.9	1885
TPK receptor UFO	112500	2.8	285
Retinoic acid gamma-1	471252	2.8	288
HPTP alpha	487130	2.8	282
MBP-1	291503	2.8 <sup>c</sup>	206
SSAT	41452	2.7 <sup>c</sup>	4160
BAK <sup>e</sup>		2.7 <sup>c</sup>	341
MBP-2	23464	2.5	462
iL-TMP	243143	2.5 <sup>d</sup>	383
MIP1beta	205633	2.5	352
N-RAS	284031	2.5	341
nucleotide binding protein mRNA	21420	2.5	394
CAP-R	48677	2.4	577
BCL-XL <sup>e</sup>		2.3 <sup>c</sup>	313
ch-TOG	43060	0.53	9209
ERK	487417	0.51	9323
CDC2	346534	0.47	19501
SATB1	233194	0.46 <sup>c</sup>	30364
SPI-B	295093	0.45	3747
ERF-1	48085	0.44	6935
MADP2 homolog	26541	0.43	20543
neuron-specific protein gene	28089	0.38	8098
TOPO II	248032	0.34 <sup>c</sup>	37173
CDK RS2	359119	0.27	13935
RCH-1	28116	0.23 <sup>c</sup>	24932
c-MYC	51699	0.12 <sup>c</sup>	17913

- <sup>a</sup>Ratios of relative induction by  $\gamma$ -rays compared to basal levels in ML-1 cells. See also <http://rex.nci.nih.gov/RESEARCH/basic/lbc/fornace.htm>.  
<sup>b</sup>Fluorescence intensity of untreated control on the microarray.  
<sup>c</sup>Microarray measurement confirmed by quantitative dot blot hybridization where expression varied by less than 2-fold.  
<sup>d</sup>Quantitation varied by more than 2-fold.  
<sup>e</sup>Inserts for BAK (Chittenden et al., *Nature* 374:733–6, 1995) and BCL-XL (Boise et al., *Cell* 74:597–608, 1993) from clones other than Image Consortium ESTs.

- a. Ratios of relative induction by  $\gamma$ -rays compared to basal levels in ML-1 cells.  
b. Fluorescence intensity of untreated control on the microarray.  
c. Microarray measurement confirmed by quantitative dot blot hybridization where expression varied by less than 2-fold.  
d. Quantitation varied by more than 2-fold.  
e. Inserts for BAK (Chittenden et al., *Nature* 374:733–6, 1995) and BCL-XL (Boise et al., *Cell* 74:597–608, 1993) from clones other than Image Consortium ESTs.

A subset of the IR-responsive genes indicated by the microarray with a range of relative ratios were chosen for further study. This subset of probes included the following: Image ID clones 268652, 428248, 129632, 52681, 52530, 310141, 110503, 236422, 153355, 52753, 51363, 147075, 291503, 41452, 243143, 233194, 248032, 28116, 51699.



Probes were obtained from the same plasmids used as targets on the array, and  $\gamma$ -ray induction of these genes was confirmed in independent experiments by northern blot hybridization. Estimates of induction or repression as measured by the microarray were compared to quantitative hybridization with single labeled probes. As indicated in Table 3, estimated expression varied by less than 2-fold for many transcripts. However, all tested sequences that were identified on the microarray as induced showed an appreciable (>2-fold) induction by the quantitative hybridization approach, with the exception of MRC-OX, which showed only 1.5-fold induction. In the case of genes showing less than 2.4-fold induction by the microarray, useful data may still be obtainable. For example, MCL-1 showed 1.9-fold induction by the microarray and 2.5-fold induction by quantitative hybridization.

The time course of induction for nine of these genes was examined in ML-1 cells. The response over time of Rag cohort 1 (RCH1) (Cuomo et al., *Proc. Natl. Acad. Sci. USA* 91:6156–60, 1994), a newly recognized IR-down-regulated gene, was very similar to the response of TOPOII. Both repressed genes showed a similar rapid decrease of mRNA levels following irradiation, and remain maximally repressed 24 hours after treatment. The levels of most of the newly-identified IR-induced genes rose rapidly following treatment, peaked by four hours, and declined again to near the original levels by 24 hours after treatment, following the pattern of rapid response typical of many stress-induced immediate-early genes (Fornace, *Ann. Rev. Genet.* 26:507–26, 1992; Smith and Fornace, *Mutation Res.* 340: 109–24, 1996). By analogy, the genes described here appear to have roles in acute cellular responses to damage and may share some regulatory mechanisms with previously characterized IR-response genes.

Induction of nine of the newly-identified stress-response genes was next measured in a panel of human cancer cell lines to determine the scope of their IR-response, and to monitor for induction by exposure to two DNA-base-damaging agents, the alkylating agent methyl methanesulfonate (MMS) and ultraviolet (UV) radiation. The full list of cell lines from this panel is shown in Table 2.

The cell lines used in this comparison included six cell lines of myeloid-lymphoid lineage [ML-1 (myeloid), Molt4 (lymphoid), SR (lymphoid), CCRF-CEM (lymphoid), HL60 (myeloid) and K562 (myeloid)], two lung cancer lines (A549 and H1299), two breast carcinoma lines (MCF7 and T47D), and the colon cancer line RKO, along with its derivative transfected with E6 (RKO/E6) (Zhan et al., *Mol. Cell. Biol.* 13:4242–50, 1993). Relative induction of particular genes was measured four hours after treatment with a 20 Gy dose of ionizing radiation (FIG. 5A) or 100  $\mu$ g/ml MMS or 14 J/m<sup>2</sup> UV radiation (FIG. 5B) as measured by quantitative dot-blot hybridization (Hollander and Fornace, *Biotechniques* 9:174–9, 1990), using the same conditions as described above. Differential expression of genes in tumor cells following radiation exposure can be used as a measure of therapeutic radiosensitivity, or to help study expression patterns that can be the subject of other therapeutic (e.g. drug) interventions.

A summary of the results of these induction experiments is shown in FIGS. 5A and 5B, in which induced genes are indicated by vertical lines, reduced expression is indicated by horizontal lines, and a combination of horizontal and vertical lines indicate substantially unchanged expression. Induction levels of the three p53-regulated genes MDM2, CIP1/WAF1 and BAX were also measured for comparison.

CIP1/WAF1 is regulated by both p53-dependent and independent mechanisms, while BAX induction by IR appears to require p53 plus an “apoptosis-proficiency” factor frequently present in cells that undergo rapid apoptosis after IR.

5 These three genes were more responsive in the p53 wildtype (wt) lines, with little or no IR-responsiveness in the p53 deficient lines. As reported previously, strong BAX induction was only seen in myeloid-lymphoid lines with weaker induction in MCF-7 cells. In the case of the SR leukemia 10 line, constitutive BAX expression was approximately an order of magnitude greater than in the other lines, and appreciable induction was not seen. In contrast to these previously described genes, the ionizing radiation response of the newly characterized genes shows far more heterogeneity among different cell lines (FIG. 5A). Hence the present method can be used to select genes that are expressed in 15 certain cells types (such as myeloid or other blood cells) that will be sampled in subjects who have been or have potentially been exposed to ionizing radiation.

20 While all of the newly-identified genes respond to IR in at least one cell line in addition to ML-1, two of the cell lines, K562 and A549, did not show  $\gamma$ -ray regulation of any of the newly-defined IR-responsive genes, and only ATF3 was induced by any stress agent tested in these two lines 25 (FIG. 5B). Interestingly, K562 was the least responsive of any of the cell lines, and was the only line derived from a patient with chronic myelogenous leukemia. Of the nine genes screened, five: SSAT, c-Myc promoter binding protein (MBP-1, or PRDII-BF1), cellular inhibitor of apoptosis 1 (c-IAP1), RELB and BCL3 were primarily induced by IR in 30 the 12 cell lines examined. Fos-related antigen-1 (FRA-1), RCH1, and prohormone convertase1 (PC1) or neuroendocrine convertase1 (NEC1), all showed regulation by the base-damaging agents MMS or UV radiation in some cell lines (FIG. 5B). The most wide ranging response was seen 35 for activating transcription factor 3 (ATF3), which was induced by both MMS and UV radiation in all cell lines tested. With such a strong and pervasive response, ATF3 was selected as playing an important role in generalized genotoxic stress responses. Such a strong and pervasive response is a factor that can be used in selecting a probe for the arrays of the present invention.

This example illustrates that a single cell type may provide a less optimal model for cellular response to genotoxic stress, such as IR. However, using the techniques in this example, genes can be chosen which are often or usually induced in response to a genotoxic stress, such as radiation exposure. Such identified genes can be incorporated into a probe set of a microarray.

45 In addition, particular cells to be sampled (such as peripheral blood lymphocytes, see EXAMPLE 9) can be studied to determine the genes that are differentially expressed in those cells in response to irradiation. Those genes identified as being differentially expressed in response to irradiation can 50 be incorporated into a probe set of a microarray, which would be specific for the particular cell type to be tested. For example, a microarray can be developed which contains probes which are differentially expressed in a specific type of cell (for example peripheral blood mononuclear cells such 55 as lymphocytes) in response to irradiation. Such a microarray can then be used to determine/monitor radiation exposure in that cell type.

The large number of probes in the probe set also overcomes the problem of using induction in a single cell line as evidence of radiation exposure induction. Hence a review of the results shown in FIGS. 5A and 5B illustrates that MDM2 and CIP1/WAF1 are suitable for incorporation into a probe 65



set for detecting radiation induced stress in p53 wild type cells, because their expression is substantially induced in all or many of the cell lines tested. REL-B is also shown to be generally informative in both p53 mutants and wild type cells.

### EXAMPLE 3

#### Dose Response Curves

This example describes methods used to generate a dose response curve which can be used to determine the time period during which a gene is differentially expressed following exposure to ionizing radiation. Such information is useful in determining which probes to incorporate into the probe set, particularly if the probe set is prepared for analysis of potential biological damage at a given time period after a known or suspected exposure. The genes studied in this example, CIP1/WAF1, GADD45, MDM2, ATF3 and BAX, were chosen since they were shown in the previous example to be differentially regulated in response to irradiation.

ML-1 cells were grown and exposed to various doses of radiation at approximately 5.1 cGy/min, to total doses of 2–50 cGy using the Mark 1-68 <sup>137</sup>Cs source as described in EXAMPLE 1. Gene induction was measured by incubating the irradiated cells at 37° C. for a predetermined number of hours (such as 1–4, or 24–48 hours following irradiation) followed by RNA extraction using a modified guanidine thiocyanate method (as detailed in Chomczynski and Sacchi, *Anal. Biochem.* 162:156–9, 1987). Gene expression was measured by quantitative dot-blot hybridization. Serial dilutions of RNA were immobilized on nylon membranes, hybridized with cDNA probes at 55° C. in a buffer containing 50% formamide (Hybrisol I, Oncor, Intergen, Purchase, N.Y.), and washed under standard conditions. Hybridization is quantitated on a phosphorimager (Molecular Dynamics, Piscataway, N.J.), and relative signal levels, normalized to the polyA content of each sample, determined using the RNA-Think program. The values for relative RNA levels are directly proportional to RNA abundance, and differences of 1.5-fold or more can reliably be measured.

Following treatment with 20 Gy  $\gamma$ -rays, the CIP1/WAF1, GADD45, MDM2, ATF3 and BAX genes reached maximal induction four hours after irradiation, then declined rapidly until they reached basal levels by 24 hours. The induction of CIP1/WAF1 (FIG. 6A) and GADD45 (FIG. 6B) by lower doses of  $\gamma$ -rays was more rapid than the induction seen with supra-lethal doses, reaching maximum levels two to three hours post-irradiation, and in most cases beginning to decline after four hours.

Relative induction of expression can be correlated to dosage, as shown in FIGS. 7A, 7B and 8 for several different genes. The maximal induction of CIP1/WAF1 and GADD45 was approximately linear between 2 and 50 cGy, and showed no indication of a threshold for gene induction (FIG. 7A). Significant induction over basal control levels was observed for both genes at all doses. A more gradual dose-dependent response was observed for the other genes tested (FIG. 7B). MDM2, BAX, and ATF3 were induced between two and three hours following low doses of IR, but 50 cGy only resulted in a 2–3 fold increase in the expression of these genes over control levels (FIG. 7B). The lower inducibility of these genes by low doses of radiation was consistent with their induction by high doses, which was considerably less than that of CIP1/WAF1 and GADD45 (Table 3). The maximal induction appeared linear between 5

and 50 cGy for MDM2, and between 10 and 50 cGy for the other genes. Below these doses, induction fell off sharply, dropping below the limit of accurate quantitation by this technique, previously shown to be approximately 1.5-fold.

A broader dose range was next tested for the induction of CIP1/WAF1 to determine the point at which the induction response begins to saturate. Induction continued to increase in a dose-dependent manner up to approximately 250 cGy (FIG. 8A). Beyond this point, the dose-dependent increase in relative induction leveled off sharply, although a trend of increased induction appeared to continue up to 20 Gy, the highest dose tested.

The extrapolation of data gathered at high doses to predict effects at low doses can present difficulties. In particular, it cannot necessarily be assumed that the dose-response relationship observed at high doses applies to the entire dose spectrum. For example, very low doses of ionizing radiation may be more toxic per cGy than higher doses. Therefore, extrapolation from survival at high doses may not predict the low-dose hypersensitivity revealed by the more accurate methods. This response may reflect an induction of radio-resistance, perhaps through inducible DNA repair, which requires a certain threshold dose to be triggered in some cell lines. Understanding the mechanistic basis for such induced resistance could have broad implications in areas from risk assessment to cancer treatment.

Low-dose hypersensitivity and induced radio-resistance may be related to the adaptive response to ionizing radiation, another potentially important physiological effect of low dose exposures. Exposure to a “priming” or “adapting” dose, usually in the range of 1–25 cGy, reduces the effects of a subsequent higher “challenge” dose (Stecca and Gerber, *Biochem. Pharmacol.* 55:941–51, 1998).

The phenomena of low-dose hypersensitivity and radio-adaptation raise the question of the requirement for a minimum threshold dose to induce a transcriptional response. The threshold effect is a factor to be considered for modeling low dose effects from results gathered at high doses, as the existence of a threshold implies that a dose can be identified below which exposure carries no risk of response (at least for the endpoint under consideration). The experiments showing low dose hypersensitivity have been interpreted to indicate a threshold, usually in the neighborhood of 25–30 cGy, which is required to activate inducible repair. Doses below this threshold are proportionately more toxic than doses which trigger the putative repair system. Radio-adaptive protection against cytogenetic aberrations or cell killing, however, has been shown to occur following doses as low as 1–2 cGy, indicating a much lower or even absent threshold for induction of this effect, and perhaps a distinct mechanism of action for the two phenomena.

While the genes studied in this example have not been implicated in induced repair, changes in mRNA levels in response to radiation in the dose range relevant to these phenomena have been observed. The data reveal no indication of a threshold for the induction of the genes studied. CIP1/WAF1 and GADD45 were significantly induced by as little as 2 cGy with a linear dose-response through 50 cGy (FIG. 7A). For MDM2, ATF3 and BAX, however, the possibility of a threshold for induction could not be distinguished from the noise of the assay (FIG. 7B). An additional complication to the interpretation of this data is that it is currently unknown if a threshold exists for biological significance of relative gene expression levels. It is likely that no generalized answer to this question will apply to all genes in all cell lines or cell types.



Although no evidence of a minimum threshold for induction of CIP1/WAF1 was observed, there was an upper limit to the linear increase in induction, as the induction by 50 cGy was about half that previously observed by 20 Gy (FIG. 7A). In experiments covering a wider range of doses from 10 cGy to 20 Gy, a saturation of induction of approximately 250 cGy was observed (FIG. 8A). At this dose, less than 5% of the cells retain mitotic viability. The coincidence of saturation for gene induction with nearly complete cell killing raises the issue of whether surviving cells contribute to the transcriptional response following even low doses of ionizing radiation, or if gene induction occurs only in lethally damaged cells. To address this question, the relative induction per lethally damaged cell which would be required to produce the inductions observed in the treated population as a whole, if the measured gene induction were due entirely to the response of lethally damaged, reproductively dead cells was calculated (FIG. 8B). For the doses where surviving fractions could not be measured directly, they were predicted from the survival curve (FIG. 1). In this model, each cell responding to 2 cGy would have to produce a relative induction of CIP1/WAF1 greater than 100-fold over the basal level to result in the observed induction of approximately 3.5-fold across the whole population. This relative induction per responding cell would then have to decrease with increasing dose through 50 cGy. Furthermore, as the proportion of the population suffering lethal damage increased further, the induction per responding cell would level out, then begin to increase again at doses above 5 Gy. A similar relationship was also calculated for the dose-response of GADD45 induction (FIG. 8B). If the measured gene induction were due entirely to the response of lethally damaged cells, the relative induction per lethal event would be expected to remain constant with changing dose and surviving fraction, so the relative induction of cell killing in an irradiated population would not appear to account for the observed increases in mRNA levels.

The contribution of cells which survive the treatment to the gene inductions measured at low doses would also be consistent with the disturbances in cell cycle progression observed at all doses tested. Even with 2 cGy, there was a transient decrease of S-phase cells in the population. This decrease corresponded to a larger proportion of the population than the predicted non-surviving fraction. A transient G1 delay following a consistent trend in both dose-response and temporal kinetics was observed (FIG. 3B). While the lowest dose used, 2 cGy, resulted in a brief accumulation of cells in G1, accumulation of cells in G2 appeared to require a higher dose. CIP1/WAF1, the transcript most strongly induced by low doses of  $\gamma$ -rays, is a major mediator of G1 arrest (Di Leonardo et al. *Genes Dev.* 8:2540-51, 1994; Waldman et al. *Cancer Res.* 55:5187-90, 1995). Thus, the observed G1 delay is consistent with this CIP1/WAF1 induction. A complete understanding of low-dose effects should not come solely from high dose experiments, but instead may require further careful studies in the low dose range.

Measurable differential gene expression effects were observed at relatively low, biologically relevant doses, such as 2 cGy. In radiotherapy the standard daily dose is about 2 Gy. Therefore, the results of these experiments indicate that the expression of many genes is altered at this dose. The probe sets of the present invention is capable of measuring exposure to relatively low doses of ionizing radiation (for example less than 2 Gy or 1 Gy) that may be considered non-toxic because of the absence of acute effects, but which

may have short term effects that induce differential gene expression, and may have long term effects (such as carcinogenesis).

This example illustrates that probe sets that measure not only the fact of exposure to radiation, but also a probable dose of exposure to ionizing radiation, can be created by identifying genes that are differentially expressed at certain radiation doses. For example, probe sets can be designed which contain genes which are only differentially expressed at higher doses of irradiation (for example 20 Gy), or genes which are differentially expressed at lower doses of irradiation (for example 1-50 cGy). Furthermore, the methods for generating dose response curves described in this example can be used to select probes for the probe set, based on the probable time after radiation exposure occurred. Curves that show sustained or maximal expression 12, 24 or 48 hours after irradiation would identify probes that are useful for evaluation of genotoxic stress from exposure to ionizing radiation at times when clinical evaluations are likely to occur. In addition, patterns of probe set hybridization can also be associated with specified times following probable irradiation. After identifying the genes of interest, they can be incorporated into a probe set of a microarray.

#### EXAMPLE 4

##### p53-Associated Components of IR-Induction

This example demonstrates how to determine if the IR-induction of FRA-1 and ATF3 involve a p53 regulatory component. FRA-1 was induced by IR in some of the wt p53 lines, but was not induced in any of the p53 mutant lines studied (FIGS. 5A and 5B). In addition, the 5-fold IR-induction of ATF3 in RKO was attenuated in the RKO/E6 cell line, although some IR-induction was observed among the other p53 mutant cell lines. FIG. 9A shows the IR-induction of ATF3 in the p53 wild-type human carcinoma cell line RKO and in RKO/E6, in which p53 function has been abrogated by an E6 expression vector. RKO/E6 lacks appreciable functional p53. The disruption by E6 of ATF3 induction by IR supports a role for p53 in its induction.

To further examine the extent of dependence of ATF3 IR-induction on p53 status, *in vivo* induction was examined in wild-type and p53<sup>-/-</sup> (knockout) mice (Donehower et al., *Nature* 356:215-21, 1992) using 5 Gy whole-body  $\gamma$ -irradiation. While ATF3 was well induced by two hours after irradiation in the thymus of wild-type mice, there was no significant induction in the p53<sup>-/-</sup> mouse (FIG. 9A). ATF3 levels remained elevated at four and eight hours after irradiation in the thymus of wild-type mice, without any induction in the p53<sup>-/-</sup> mice. A similar trend was observed in the liver, where ATF3 was induced about 4-fold in the wild-type mouse, but showed no induction in the p53 knockout.

ATF3 is a member of the activating transcription factor/cAMP response element binding protein (ATF/CREB) family which homodimerizes to repress transcription from promoters with ATF sites. An alternatively spliced form of the ATF3 transcript, which lacks DNA binding activity, is also expressed in cells, but this form promotes transcription (Chen et al., *J. Biol. Chem.* 269:15819-26, 1994). The sizes of ATF3 transcripts hybridizing on the northern blot demonstrated that the smaller alternatively spliced form was the major transcript expressed in untreated ML-1 cells, whereas the IR-induced transcript was predominantly of the full length form.



The induction of ATF3 by the DNA-damaging agents MMS and UV radiation in all 12 cell lines examined (FIG. 5) extends the range of stress responses in which ATF3 is involved. Its wide-ranging responsiveness is similar to CIP1/WAF1 and GADD45, which are stress inducible by both p53-dependent and independent mechanisms, and highlights the complexity of ATF3 regulation.

Although FRA-1 was not IR-inducible in RKO cells, a similar comparison was possible using the MCF7 and MCF7/E6 cell lines. The human breast carcinoma cell line MCF7 has wild-type p53, while MCF7/E6 has lacked appreciable wild-type p53 function. The reduced IR-induction of FRA-1 in MCF7/E6 compared to MCF7 supports a role for p53 in the IR-induction of this gene (FIG. 9B). Furthermore, whole-body  $\gamma$ -irradiation of wild-type mice resulted in FRA-1 induction in the thymus, but no induction occurred in the thymus of the p53<sup>-/-</sup> (FIG. 9B). Such results can be used to select certain probes (for example FRA-1) for detection of whole-body radiation. FRA-1 is an immediate early gene induced by serum stimulation, the product of which shares several regions of amino acid homology with Fos. It is also down-regulated by UVB and upregulated by UVA. Because of its homology to Fos, and the involvement of p53 in its IR-induction, FRA-1 the use of the present assay can be taken to demonstrate a link between p53 and AP1 function and the MAPK pathway.

MBP-1 represented another potentially p53 regulated gene, showing a pattern similar to that seen for BAX or BCL-X, in that it was induced only in p53-wild-type cell lines of lymphoid or myeloid lineage. The induction of the murine homolog of MBP-1 in the tissues of wild-type and p53<sup>-/-</sup> mice was observed to have marginal to absent expression in liver and thymus, but strong expression in spleen. Treatment with ionizing radiation resulted in a 2-fold induction of this gene in the spleens of both p53 wild-type and p53<sup>-/-</sup> mice, suggesting that this gene does not require p53 function for its induction, but that its expression and induction are both limited to a subset of cell types. This would be consistent with a role for MBP-1 in tissue specific p53-independent stress responses.

The finding that only two of nine of these genes examined in this cell line panel showed a recognizable p53 component to their regulation belies the recent focus of stress-gene studies primarily on p53-regulated genes. In light of the loss of functional p53 in the majority of tumors, the non-p53-dependent stress response genes appears to also be an important consideration in cancer treatment.

An advantage of the present invention is its ability to examine both p53-regulated and non-p53 regulated genes, or other combinations of gene types (for example genes which are recognized oncogenes or genes which are not recognized oncogenes). Quantitative functional genomics approaches, such as cDNA microarray hybridization, can also be used in combination with the radiation sensor array to unravel the inter-relationships of the molecular response pathways involved. Although radioactive-probe hybridization to nylon filter arrays provides a useful method to screen for potential genes of interest which differ in expression levels between two samples, differential screening has its own limitations (Fargnoli et al., *Anal Biochem* 187:364-73, 1990) some of which are avoided by the use of probes labeled with different fluorochromes co-hybridized to the same microarray. Other methods for identification of differentially expressed mRNAs, such as differential display, subtractive library hybridization and serial analysis of gene expression (SAGE)

(Velculescu et al., *Science* 270:484-7, 1995), can be biased toward detection of highly-expressed and/or strongly-induced transcripts.

With the microarray approach of the present invention, quantitative results over a wide dynamic range were obtained for many genes. The application and further refinement of quantitative fluorescent cDNA microarray hybridization have the potential to advance our understanding of the fields of stress gene response and radiation biology, and to extend this technology beyond simple pair-wise comparisons to applications such as tumor typing, pharmacological screening, biomonitoring, and rapid carcinogen screening.

This example combined with the results from EXAMPLE 2 illustrate that probe sets that measure differential expression in response to a biologically significant amount of radiation for specific tumors can be generated. Such probe sets can be used to monitor a subject who is undergoing radiotherapy for the treatment of a tumor. For example, probe sets can be designed which contain genes from a specific type of tumor, which are differentially expressed in response to irradiation of the tumor cells. This probe set would then be used to monitor a subject's response to the radiotherapy. Further details are provided in EXAMPLE 10. As an extension of this probe set, the present method can be used in "tumor profiling," wherein gene expression profiles are used to predict the most effective treatment for each individual subject. In this method, cells would be isolated from the tumor in a subject, and the differential expression of the genes in that tumor in response to irradiation measured as described in the examples herein. A pattern of differential expression found to be associated with a particular therapeutic response to radiation therapy can then be used as a factor when considering whether to include radiation therapy in the treatment of the tumor. For example, a pattern of differential expression associated with a good response to radiation therapy could be used to indicate that radiation therapy should be instituted.

#### EXAMPLE 5

##### New Radiation Responsive Sequences

Using the ML-1 cancer cell line and the cDNA microarray hybridization technology described in this specification, 30 sequences from ML-1 were identified that were not previously known to be radiation-responsive. These sequences are Image ID Nos. 428248, 129632, 52681, 52530, 110503, 236422, 153355, 52753, 51363, 161023, 35326, 487130, 291503, 41452, 23464, 243143, 205633, 21420, 48677, 43060, 233194, 295093, 48085, 26541, 28089, 359119, 28116, 80549, 485963, 24927. Arrays can be made that incorporate these sequences, or probe fragments thereof, along with controls and/or other sequences that are already known to be informative about radiation exposure, and/or dosage of radiation exposure.

#### EXAMPLE 6

##### Late Induced Genes

This example describes detection of differential gene expression in irradiated ML-1 cells using different microarrays. Although the specific example discloses expression in ML-1 cells, this method can be used to detect differential gene expression in any cell type.

ML-1 cells were grown and irradiated as described in EXAMPLE 1. Labeled cDNA subsequently prepared from



the irradiated cells was exposed to various arrays as described in EXAMPLE 2. cDNA microarray hybridization studies were performed with the 1.2K chip described in EXAMPLE 2 which contained 1,200 probes in a probe set (Table 1), a 5K chip which contained 5,000 probes in a probe set, and a 7K chip which contained 7,000 probes in a probe set. The 5K and 7K chips contained representative verified expressed ESTs from the human genome, and were designed to permit as much as possible of the human genome to be screened using irradiated ML-1 cells. The arrays used represent the largest sequence verified clone sets available to print at the time of the experiments. As more clones become available, they are added to new prints to be screened. The 1.2K array was a smaller set of ESTs designed for the same purpose (EXAMPLE 2).

Table 4 shows the clones used to make the 1.2K array along with data showing the relative expression detected at each position of the array. The clones used to make the 5K array are identified in Table 5 and for the 7K array in Table 6. Although these particular arrays were used in these experiments, other arrays may be used. For example, as additional arrays become available that include even more ESTs, additional biomarkers of radiation exposure can be found and added to the probe sets disclosed in Tables 9-13. Moreover, the 1.2K, 5K, and 7K arrays can also be used with different cells (such as human peripheral lymphocytes) to screen for other markers that would be even more informative when testing those cells.

TABLE 4

<u>Results from the 1.2K microarray.</u>		
Image ID or clone name	array ratio*	
Waf1	42.02	35
268652	18.76	
428248	14.53	
428248	11.32	
151767	9.48	
129632	9.29	
52681	7.17	40
512391	6.92	
52530	6.37	
110503	4.83	
328692	4.82	
124554	4.73	
236422	4.64	45
153355	4.32	
26474	4.20	
309477	4.17	
52681	4.03	
52753	3.40	
280376	3.39	50
51363	3.38	
470602	3.23	
147075	3.17	
161023	3.13	
35326	3.12	
HIV F2	3.10	55
470062	3.03	
120466	3.02	
CoT1	3.01	
486074	2.93	
112500	2.83	
471252	2.81	
487130	2.77	60
291503	2.76	
Mdm2	2.72	
41452	2.65	
52681	2.64	
Bak	2.57	
23464	2.53	65
243143	2.51	

TABLE 4-continued

<u>Results from the 1.2K microarray.</u>		
Image ID or clone name	array ratio*	
205633	2.51	
284031	2.49	
21420	2.47	
48677	2.41	10
485963	2.34	
162772	2.32	
Hu placental	2.32	
51439	2.30	
126379	2.29	
253545	2.27	15
80549	2.26	
Bcl-xl	2.26	
156103	2.25	
489395	2.24	
24927	2.23	
27899	2.19	20
427923	2.17	
286249	2.15	
53164	2.14	
470685	2.10	
47679	2.09	
116906	2.08	
HIV F8	2.07	25
21531	2.04	
280768	2.04	
178508	2.03	
512472	2.03	
121849	2.02	
42906	2.01	30
52650	2.01	
145503	2.01	
110022	1.98	
343311	1.98	
149910	1.98	
137531	1.97	35
mouse c-kit	1.97	
231292	1.94	
mouse EDNRB	1.94	
290871	1.92	
52193	1.91	
26871	1.91	40
152844	1.91	
23173	1.90	
49164	1.89	
512385	1.89	
289606	1.89	
108837	1.88	
283116	1.86	45
361381	1.86	
51746	1.85	
187987	1.85	
132420	1.84	
299198	1.84	
154420	1.84	50
33941	1.83	
376218	1.83	
140358	1.83	
116781	1.83	
154420	1.83	
359769	1.82	55
471494	1.81	
486844	1.81	
486716	1.80	
308392	1.79	
empty	1.79	
HIV F4	1.79	60
47229	1.78	
39920	1.78	
486785	1.77	
203132	1.77	
200209	1.76	
123586	1.76	
60298	1.76	65
296642	1.75	



TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
146307	1.74	
429539	1.74	
260288	1.73	
73515	1.72	5
53173	1.72	
HIV F12	1.72	
322604	1.71	
125187	1.71	
417357	1.71	
77577	1.70	
279954	1.70	10
417403	1.70	
428231	1.69	
120157	1.69	
321242	1.68	
264576	1.68	
486199	1.68	15
158970	1.68	
153025	1.68	
41959	1.67	
72869	1.67	
empty	1.67	
HIV F5	1.66	20
53184	1.66	
327111	1.66	
307342	1.66	
155717	1.66	
Alk	1.65	
135118	1.65	25
183661	1.65	
34974	1.65	
52162	1.64	
22790	1.64	
mouse c-met	1.64	
154472	1.64	30
22036	1.63	
35516	1.63	
362702	1.63	
417592	1.63	
46427	1.63	
360531	1.63	35
359793	1.63	
298371	1.61	
486161	1.61	
310141	1.61	
22589	1.61	
418111	1.61	
139073	1.61	40
31687	1.61	
289428	1.61	
366539	1.60	
512276	1.60	
127821	1.60	
mouse EDN3	1.59	45
377275	1.59	
109957	1.59	
147744	1.59	
258589	1.58	
29627	1.58	
53358	1.58	50
306134	1.58	
295389	1.58	
21656	1.57	
127089	1.57	
30966	1.56	
mouse pmel17	1.56	
470730	1.55	55
471822	1.55	
43231	1.55	
HIV F9	1.54	
35665	1.54	
154015	1.54	
158970	1.54	60
363805	1.53	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
36676	1.53	
47306	1.53	
28774	1.53	
209655	1.53	5
488103	1.53	
50603	1.53	
469543	1.53	
143751	1.52	
284546	1.52	
51825	1.51	10
22012	1.51	
509731	1.51	
144693	1.51	
138917	1.51	
126542	1.51	
38573	1.50	15
36927	1.50	
236420	1.50	
488801	1.50	
137575	1.50	
86017	1.49	
31061	1.49	
303109	1.48	20
22589	1.48	
35865	1.48	
359466	1.48	
238577	1.48	
302490	1.48	
40442	1.48	25
36593	1.47	
344482	1.47	
471715	1.47	
288650	1.47	
470251	1.47	
364110	1.46	30
154763	1.46	
36809	1.46	
36904	1.45	
37797	1.45	
298371	1.44	
253869	1.44	
21468	1.44	35
50503	1.44	
270980	1.44	
345928	1.44	
35559	1.44	
mouse pdgfra	1.43	
366420	1.43	40
205905	1.43	
37347	1.43	
288797	1.43	
50941	1.43	
37513	1.42	
33415	1.42	45
221619	1.41	
429976	1.41	
136769	1.40	
44180	1.40	
254187	1.40	
362009	1.39	50
30981	1.39	
272110	1.39	
51332	1.39	
49725	1.39	
472067	1.38	
49967	1.38	55
36074	1.38	
34396	1.38	
418138	1.38	
49509	1.38	
154441	1.38	
357807	1.38	60
281029	1.37	
syn cDNA 33	1.37	65

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
48803	1.37	5
46171	1.37	
53155	1.36	
429142	1.36	10
26811	1.36	
syn cDNA 33	1.36	
32427	1.35	
47874	1.35	
270148	1.35	
489419	1.35	15
266486	1.34	
48398	1.34	
34247	1.34	
31855	1.34	
lambda	1.34	
162479	1.34	20
41439	1.34	
193901	1.34	
376303	1.34	
254428	1.34	
299539	1.34	
510381	1.34	25
25880	1.33	
364752	1.33	
178169	1.33	
25495	1.33	
510258	1.33	
39285	1.33	
204301	1.33	30
26992	1.33	
268412	1.33	
26801	1.33	
358168	1.33	
44495	1.33	
40117	1.33	35
182633	1.32	
mouse ece1	1.32	
264554	1.32	
31210	1.32	
49576	1.32	
300973	1.32	40
44307	1.32	
288733	1.32	
323001	1.31	
22379	1.31	
487264	1.31	
346396	1.31	45
44193	1.31	
51293	1.31	
82991	1.30	
34217	1.30	
27944	1.30	
40562	1.30	
363539	1.30	50
50503	1.30	
264200	1.30	
50816	1.30	
417689	1.30	
258790	1.30	
417218	1.30	55
124927	1.30	
lambda	1.29	
35284	1.29	
203017	1.29	
213597	1.29	
38393	1.29	
509882	1.29	60
154536	1.29	
128100	1.29	
296021	1.28	
52587	1.28	
35609	1.28	
359412	1.28	65
159833	1.28	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
33368	1.27	
376781	1.27	
512294	1.27	
234198	1.27	
empty	1.27	
49666	1.27	
162584	1.26	
365147	1.26	
268727	1.26	
183950	1.26	
489042	1.26	15
44722	1.25	
486510	1.25	
179711	1.25	
41208	1.25	
320903	1.25	20
23866	1.25	
53024	1.25	
47359	1.24	
191007	1.24	
48097	1.24	
344109	1.24	
198205	1.24	25
46019	1.24	
27624	1.24	
HIV F11	1.24	
236338	1.24	
32304	1.23	
322452	1.23	30
syn cDNA 10	1.23	
115277	1.23	
201673	1.23	
mouse aim1/2.2	1.23	
46354	1.23	
428404	1.23	35
471174	1.23	
43229	1.22	
306170	1.22	
39148	1.22	
249348	1.22	
51686	1.22	
253773	1.21	40
322000	1.21	
25485	1.21	
361692	1.21	
47343	1.21	
510130	1.21	
133122	1.21	45
37435	1.21	
340947	1.21	
syn cDNA 31	1.21	
209310	1.21	
234357	1.21	
298314	1.21	50
302394	1.21	
360201	1.20	
42927	1.20	
47499	1.20	
39086	1.20	
487097	1.20	55
219735	1.20	
488596	1.20	
37962	1.20	
49888	1.19	
31988	1.19	
51687	1.19	
34761	1.19	60
34860	1.19	
488989	1.19	
377441	1.19	
108284	1.19	
36844	1.19	
510467	1.19	65
290117	1.19	



TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
23185	1.19	5
241412	1.19	
290724	1.19	
40026	1.19	10
42363	1.19	
356890	1.19	
25081	1.18	
mouse tyrosinase	1.18	
HIV F13	1.18	
323162	1.18	15
363799	1.18	
193736	1.18	
48077	1.18	
323555	1.18	
37508	1.18	
50666	1.18	20
44477	1.18	
429926	1.18	
45794	1.17	
CoT1	1.17	
35110	1.17	
509820	1.17	
46042	1.17	25
509682	1.17	
512244	1.17	
42648	1.17	
40304	1.17	
359077	1.17	
469731	1.17	30
364975	1.16	
82850	1.16	
488373	1.16	
110589	1.16	
37231	1.16	
52629	1.16	35
231497	1.16	
286197	1.16	
144944	1.16	
298314	1.16	
48452	1.16	
510101	1.16	40
342256	1.16	
358467	1.16	
305455	1.16	
40831	1.15	
47493	1.15	
375922	1.15	
252185	1.15	45
39542	1.15	
37679	1.15	
33176	1.15	
36291	1.15	
469256	1.15	
mouse slug	1.15	50
27848	1.15	
195889	1.15	
80549	1.14	
42910	1.14	
365647	1.14	
32531	1.14	55
247869	1.14	
52019	1.14	
324700	1.14	
26585	1.14	
262691	1.14	
32774	1.14	60
33267	1.14	
51318	1.14	
36560	1.14	
125555	1.14	
37904	1.14	
32319	1.13	
36922	1.13	65
51666	1.13	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
260052	1.13	
361692	1.13	
36975	1.13	
180447	1.13	
30272	1.13	
23692	1.13	
44178	1.13	
42576	1.13	
36007	1.13	
empty	1.13	
44266	1.13	
syn cDNA 10	1.13	
49318	1.13	
34005	1.12	
40670	1.12	
324815	1.12	
272110	1.12	20
427750	1.12	
125676	1.12	
49584	1.12	
359171	1.12	
470493	1.12	
361728	1.12	25
42532	1.12	
44710	1.11	
51528	1.11	
307471	1.11	
mouse mart1	1.11	
241489	1.11	30
242134	1.11	
487965	1.11	
43858	1.11	
259241	1.11	
471096	1.11	
49777	1.10	35
231292	1.10	
43129	1.10	
23731	1.10	
53084	1.10	
53107	1.10	
271416	1.10	40
syn cDNA 10	1.10	
44218	1.10	
empty	1.10	
429368	1.10	
364278	1.09	
22260	1.09	
26052	1.09	45
84730	1.09	
25517	1.09	
50032	1.09	
52489	1.09	
30592	1.09	
50117	1.09	50
135381	1.09	
44105	1.09	
427686	1.09	
346587	1.09	
24110	1.09	
470185	1.09	55
49665	1.09	
33477	1.09	
40765	1.08	
29204	1.08	
47475	1.08	
40493	1.08	60
79742	1.08	
39195	1.08	
271416	1.08	
30885	1.08	
43711	1.08	
23073	1.08	
52773	1.08	65
syn cDNA 8	1.08	



TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
39796	1.08	5
36232	1.08	
44367	1.08	
231302	1.08	10
40205	1.08	
44414	1.08	
27715	1.08	
33643	1.08	
26599	1.08	
347751	1.08	15
26599	1.08	
33525	1.08	
29054	1.07	
31116	1.07	
36950	1.07	
320514	1.07	20
45564	1.07	
488658	1.07	
26593	1.07	
488904	1.07	
30730	1.07	
syn cDNA 30	1.07	25
418436	1.07	
51373	1.07	
syn cDNA 31	1.07	
470470	1.06	
36700	1.06	
38966	1.06	
syn cDNA 30	1.06	30
syn cDNA 33	1.06	
51961	1.06	
34637	1.06	
30622	1.06	
39380	1.06	
282065	1.06	35
46329	1.06	
486410	1.06	
syn cDNA 38	1.06	
40008	1.06	
37721	1.06	
47110	1.06	40
37892	1.06	
33831	1.06	
51940	1.05	
41094	1.05	
114116	1.05	
271478	1.05	
232714	1.05	45
43719	1.05	
343871	1.05	
26659	1.05	
24652	1.05	
306013	1.05	
42677	1.05	50
47202	1.05	
31852	1.04	
362926	1.04	
39173	1.04	
52222	1.04	
22545	1.04	55
26789	1.04	
258747	1.04	
53068	1.04	
418105	1.04	
30852	1.04	
35850	1.04	
33632	1.04	60
53238	1.04	
364982	1.03	
486086	1.03	
43338	1.03	
HIV F6	1.03	
HIV F10	1.03	65
45840	1.03	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
23804	1.03	
52896	1.03	
417136	1.03	
empty	1.03	
40111	1.03	
29629	1.02	
34647	1.02	
41565	1.02	
23831	1.02	
204681	1.02	
44014	1.02	
145932	1.02	
32875	1.02	
26503	1.02	
357374	1.02	
429057	1.02	20
32198	1.01	
22040	1.01	
36681	1.01	
47333	1.01	
50271	1.01	
375843	1.01	
376725	1.01	25
42059	1.01	
39861	1.01	
45941	1.01	
33274	1.01	
271198	1.01	
24886	1.01	30
33690	1.01	
33438	1.01	
24609	1.01	
470817	1.01	
49691	1.01	
110589	1.00	35
310428	1.00	
25400	1.00	
syn cDNA 8	1.00	
52338	1.00	
32717	1.00	
323500	1.00	40
27473	1.00	
295208	1.00	
syn cDNA 25	1.00	
lambda	1.00	
32822	1.00	
46303	1.00	
31242	1.00	45
42352	1.00	
194384	1.00	
36844	0.99	
44537	0.99	
347573	0.99	
485690	0.99	50
486335	0.99	
40764	0.99	
30573	0.99	
190711	0.99	
50576	0.99	
26087	0.99	55
41773	0.99	
syn cDNA 31	0.99	
43549	0.99	
50363	0.99	
52489	0.99	
39827	0.99	
427943	0.99	60
53128	0.99	
42130	0.99	
52931	0.99	
46302	0.99	
pUC18	0.99	
50609	0.99	65
27681	0.99	



TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
35933	0.99	5
empty	0.99	
53185	0.99	
301723	0.99	10
31155	0.99	
33803	0.99	
empty	0.99	
38829	0.98	
34005	0.98	
36916	0.98	15
44563	0.98	
42993	0.98	
syn cDNA 31	0.98	
36790	0.98	
366576	0.98	
418320	0.98	20
52342	0.98	
487878	0.98	
37196	0.98	
39781	0.98	
341763	0.98	
37796	0.98	25
470635	0.98	
31454	0.98	
51432	0.98	
36109	0.98	
46777	0.98	
syn cDNA 38	0.98	
305455	0.98	30
47384	0.97	
300051	0.97	
85906	0.97	
29640	0.97	
Bcl-2	0.97	
377181	0.97	35
aim2/IFI16	0.97	
209310	0.97	
380738	0.97	
415731	0.97	
345600	0.97	
40151	0.97	40
26167	0.97	
28309	0.97	
33692	0.97	
429861	0.97	
126519	0.97	
357909	0.97	45
33620	0.97	
25154	0.96	
51785	0.96	
51814	0.96	
484993	0.96	
25584	0.96	
486560	0.96	50
50322	0.96	
415679	0.96	
343166	0.96	
32898	0.96	
471631	0.96	
33183	0.96	55
31116	0.96	
25169	0.95	
366981	0.95	
38567	0.95	
44605	0.95	
44666	0.95	60
239287	0.95	
37234	0.95	
45421	0.95	
327396	0.95	
35623	0.95	
44159	0.95	
48713	0.95	65
427943	0.95	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
35297	0.95	
23332	0.95	
37451	0.95	
31131	0.95	
42058	0.95	
259291	0.95	
46574	0.95	
51241	0.95	
486233	0.94	
196543	0.94	
49898	0.94	
43601	0.94	
200378	0.94	
syn cDNA 25	0.94	
323648	0.94	
48717	0.94	
46339	0.94	
30691	0.94	
328467	0.94	
39965	0.94	
427857	0.94	
Gadd153	0.94	
51418	0.94	
syn cDNA 25	0.94	
361401	0.93	
38876	0.93	
49788	0.93	
32609	0.93	
32626	0.93	
33008	0.93	
39686	0.93	
50555	0.93	
23346	0.93	
30802	0.93	
47038	0.93	
44302	0.93	
syn cDNA 30	0.93	
36202	0.93	
34327	0.92	
267246	0.92	
34141	0.92	
307741	0.92	
301363	0.92	
26503	0.92	
32649	0.92	
37230	0.92	
45222	0.92	
324698	0.92	
37269	0.92	
376737	0.92	
29799	0.92	
488891	0.92	
41392	0.92	
41813	0.92	
23019	0.92	
140827	0.92	
37433	0.92	
HIV F7	0.92	
46213	0.92	
36393	0.92	
syn cDNA 8	0.92	
44311	0.92	
42888	0.92	
53316	0.92	
486375	0.91	
49926	0.91	
49950	0.91	
40959	0.91	
357357	0.91	
syn cDNA 38	0.91	
323776	0.91	
30588	0.91	
35313	0.91	
41857	0.91	



TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
53322	0.91	5
47125	0.91	
357442	0.91	
40440	0.91	10
38805	0.90	
49897	0.90	
51540	0.90	
TRP1	0.90	
syn cDNA 10	0.90	
28985	0.90	15
26599	0.90	
22293	0.90	
26147	0.90	
41199	0.90	
415636	0.90	
30664	0.90	20
46419	0.90	
485192	0.90	
39903	0.90	
42615	0.90	
512429	0.90	
347032	0.90	
359465	0.90	25
302157	0.90	
empty	0.90	
43110	0.89	
361815	0.89	
50576	0.89	
40991	0.89	30
44699	0.89	
321246	0.89	
34537	0.89	
43409	0.89	
325182	0.89	
36215	0.89	35
syn cDNA 30	0.89	
52415	0.89	
mouse mi/microphthalmia	0.89	
33045	0.89	
37380	0.89	
42096	0.89	
471889	0.89	40
322029	0.89	
42214	0.89	
26922	0.89	
35483	0.89	
37485	0.89	
138998	0.89	45
31238	0.89	
40276	0.89	
38471	0.89	
27815	0.89	
46711	0.89	
49322	0.89	50
51461	0.89	
53292	0.89	
469272	0.89	
33943	0.89	
44527	0.88	
34357	0.88	55
43129	0.88	
32141	0.88	
375724	0.88	
30578	0.88	
26572	0.88	
syn cDNA 8	0.88	
43504	0.88	60
323028	0.88	
340644	0.88	
512458	0.88	
39728	0.88	
41918	0.88	
42284	0.88	65
37477	0.88	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
empty	0.88	
24899	0.88	
EDNRB	0.88	
121147	0.87	
324655	0.87	
34945	0.87	
39270	0.87	
376507	0.87	
39159	0.87	
222502	0.87	
278409	0.87	
343465	0.87	
293934	0.87	
43826	0.87	
23132	0.87	
49161	0.87	
510405	0.87	20
syn cDNA 33	0.87	
340878	0.87	
152762	0.87	
296476	0.87	
51854	0.86	
endothelin1	0.86	25
32409	0.86	
syn cDNA 25	0.86	
43021	0.86	
51685	0.86	
489194	0.86	
321308	0.86	30
32644	0.86	
487777	0.86	
380403	0.86	
39169	0.86	
35615	0.86	
tyrosinase	0.86	35
43885	0.86	
32790	0.86	
27794	0.86	
24392	0.86	
31154	0.86	
37964	0.86	
44721	0.85	40
199381	0.85	
38859	0.85	
21652	0.85	
49751	0.85	
38647	0.85	
486012	0.85	45
47631	0.85	
34671	0.85	
26082	0.85	
22611	0.85	
114648	0.85	
50359	0.85	50
syn cDNA 38	0.85	
42088	0.85	
343646	0.85	
37622	0.85	
43960	0.85	
31143	0.85	55
42349	0.85	
24145	0.85	
293032	0.85	
40450	0.85	
51454	0.85	
49383	0.85	
36717	0.84	60
26483	0.84	
213502	0.84	
37040	0.84	
30012	0.84	
30619	0.84	
43504	0.84	65
203184	0.84	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
38500	0.84	
27818	0.84	
42844	0.84	
31863	0.84	10
81221	0.83	
22230	0.83	
50234	0.83	
376362	0.83	
43241	0.83	
256323	0.83	
323390	0.83	15
50203	0.83	
23014	0.83	
293274	0.83	
44173	0.83	
230976	0.83	
50888	0.83	20
340734	0.83	
HIV F3	0.83	
279727	0.83	
42020	0.83	
357435	0.83	
33794	0.83	25
470621	0.83	
25725	0.82	
267682	0.82	
empty	0.82	
489217	0.82	
mouse TRP2	0.82	30
mouse aim2/IFI16	0.82	
mouse TRP1	0.82	
34606	0.82	
487386	0.82	
30149	0.82	
pUC18	0.82	35
Gadd34	0.82	
48458	0.82	
291057	0.82	
CoT1	0.82	
487982	0.82	
42380	0.82	40
51302	0.82	
Hu placental	0.82	
pUC18	0.82	
empty	0.82	
empty	0.82	
51740	0.81	
32790	0.81	45
310390	0.81	
21810	0.81	
49849	0.81	
30781	0.81	
pUC18	0.81	
30543	0.81	50
279482	0.81	
52652	0.81	
223176	0.81	
345645	0.81	
341130	0.81	
50999	0.81	
48503	0.81	55
280735	0.81	
488092	0.81	
38397	0.81	
47559	0.81	
358848	0.81	
37760	0.81	60
36060	0.81	
51219	0.81	
470196	0.81	
300960	0.81	
310406	0.80	
25764	0.80	65
344769	0.80	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
38840	0.80	
47386	0.80	
40874	0.80	
28573	0.80	
309615	0.80	
362332	0.80	
50232	0.80	
39205	0.80	
43622	0.80	
470792	0.80	
47838	0.80	
26366	0.80	
30970	0.80	
510151	0.80	
280465	0.80	
50576	0.80	
509588	0.80	
34349	0.79	
113941	0.79	
471217	0.79	
36775	0.79	
28776	0.79	
36796	0.79	
38770	0.79	
22445	0.79	
45851	0.79	
47648	0.79	
41796	0.79	
26286	0.79	
45568	0.79	
375724	0.79	
49243	0.79	
417322	0.79	
291736	0.79	
31456	0.79	
42894	0.78	
29438	0.78	
32407	0.78	
28595	0.78	
45376	0.78	
271662	0.78	
47727	0.78	
50171	0.78	
ME491	0.78	
39884	0.78	
340922	0.78	
24269	0.78	
307293	0.78	
49608	0.78	
40360	0.78	
284669	0.78	
31164	0.78	
43194	0.77	
297589	0.77	
80239	0.77	
45643	0.77	
281778	0.77	
192694	0.77	
43541	0.77	
41356	0.77	
123953	0.77	
48629	0.77	
290493	0.77	
28245	0.77	
46548	0.77	
44255	0.77	
21477	0.76	
299626	0.76	
43563	0.76	
47833	0.76	
112035	0.76	
32682	0.76	
489327	0.76	
221690	0.76	



TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
257458	0.76	
39876	0.76	
39993	0.76	
42295	0.76	5
27052	0.76	
53071	0.76	
248258	0.76	
359051	0.76	
24638	0.76	
36191	0.76	
34255	0.75	10
26128	0.75	
26184	0.75	
509710	0.75	
27549	0.75	
116713	0.75	
44050	0.75	15
357239	0.75	
31355	0.75	
52564	0.74	
345527	0.74	
26129	0.74	
43631	0.74	20
323181	0.74	
32684	0.74	
415060	0.74	
32615	0.74	
39391	0.74	
45604	0.74	25
510245	0.74	
27230	0.74	
322000	0.74	
470610	0.74	
27927	0.74	
46920	0.74	30
46936	0.74	
44584	0.73	
471620	0.73	
129268	0.73	
49980	0.73	
261518	0.73	35
262575	0.73	
375635	0.73	
26531	0.73	
366904	0.73	
50561	0.73	
346305	0.73	
28410	0.73	40
24588	0.73	
29234	0.72	
366942	0.72	
50038	0.72	
375620	0.72	
43092	0.72	45
45658	0.72	
22798	0.72	
41559	0.72	
231089	0.72	
32707	0.72	
415102	0.72	50
32750	0.72	
416184	0.72	
284459	0.72	
49403	0.72	
50308	0.71	
366647	0.71	55
376649	0.71	
376110	0.71	
Hu placental	0.71	
37366	0.71	
35320	0.71	
417124	0.71	
31169	0.71	60
304947	0.71	

TABLE 4-continued

Results from the 1.2K microarray.		
Image ID or clone name	array ratio*	
24642	0.71	
34660	0.70	
48406	0.70	
192694	0.70	5
27511	0.70	
48762	0.70	
357309	0.70	
429135	0.70	
42700	0.70	
53227	0.70	10
40110	0.70	
51504	0.70	
34011	0.69	
32983	0.69	
257766	0.69	
34662	0.69	15
509710	0.69	
244355	0.69	
193913	0.68	
310490	0.68	
347685	0.68	
471918	0.68	20
375635	0.68	
358538	0.68	
322148	0.68	
36983	0.68	
41511	0.68	
39093	0.68	
138604	0.68	25
51018	0.68	
28573	0.67	
32658	0.67	
pdgfr	0.67	
201797	0.67	
50106	0.67	30
29435	0.66	
40886	0.66	
CoT1	0.66	
264606	0.66	
22285	0.66	
45291	0.66	35
190107	0.66	
49255	0.66	
38983	0.65	
298187	0.65	
376294	0.65	
48234	0.65	40
381219	0.65	
471218	0.65	
417127	0.64	
47884	0.64	
300071	0.64	45
356964	0.64	
470691	0.63	
51621	0.63	
45233	0.63	
131828	0.63	50
320538	0.63	
46449	0.63	
HGF	0.63	
243159	0.63	55
45188	0.62	
37118	0.62	
364716	0.61	
62186	0.61	
40911	0.61	60
366824	0.61	
115336	0.61	
138460	0.61	
124086	0.61	
291943	0.61	
62186	0.60	65
47463	0.60	
366509	0.60	

TABLE 4-continued

Results from the 1.2K microarray.		5
Image ID or clone name	array ratio*	
Hu placental	0.60	10
49277	0.60	
34555	0.59	
37145	0.59	
41792	0.59	15
43550	0.59	
510595	0.59	
51209	0.59	
44689	0.58	20
358677	0.58	
34304	0.58	
22493	0.58	
115408	0.58	25
430027	0.58	
51555	0.57	
34355	0.57	
328330	0.56	30
248613	0.56	
469724	0.56	
lambda	0.56	
32636	0.55	35
32438	0.54	
376285	0.54	

TABLE 4-continued

Results from the 1.2K microarray.	
Image ID or clone name	array ratio*
22568	0.54
345722	0.54
309924	0.54
43060	0.53
415206	0.53
42777	0.53
HIV F1	0.51
487417	0.51
346534	0.47
233194	0.46
295093	0.45
48085	0.44
26541	0.43
empty	0.41
28089	0.38
248032	0.34
359119	0.27
28116	0.23
empty	0.19
empty	0.18
empty	0.18
empty	0.15
417226	0.14
51699	0.12

\*relative expression levels

TABLE 5

Image ID Numbers Present in the 5K microarray.
20115; 21652; 21738; 22012; 22040; 22074; 22260; 22293; 22411; 22493; 22711; 22731; 22918; 23019; 23073; 23132; 23173; 23185; 23282; 23431; 23772; 23776; 23804; 23831; 23878; 23932; 24004; 24032; 24085; 24145; 24415; 24642; 24884; 25499; 25584; 25588; 25679; 25725; 25755; 26021; 26162; 26184; 26314; 26366; 26418; 26566; 26566; 26578; 26616; 26617; 26711; 26811; 26910; 26922; 27104; 27548; 27549; 27624; 27787; 27848; 28012; 28098; 28218; 28309; 28410; 28422; 28469; 28475; 28823; 28985; 29054; 29063; 30093; 30170; 30272; 30502; 30664; 30885; 31072; 31093; 31143; 31169; 31210; 31251; 31842; 31866; 31873; 32231; 32472; 32609; 32684; 32875; 32898; 32996; 33045; 33049; 33051; 33051; 33182; 33299; 33327; 33478; 33525; 33632; 33690; 33826; 33941; 33949; 34106; 34255; 34302; 34315; 34355; 34357; 34396; 34439; 34616; 34671; 34689; 34773; 34778; 34795; 34849; 34852; 34888; 34945; 35077; 35105; 35185; 35191; 35191; 35236; 35271; 35483; 35828; 36374; 36387; 36393; 36493; 36607; 36775; 36950; 37196; 37234; 37366; 37449; 37451; 37491; 37904; 38465; 38471; 38763; 38763; 39093; 39127; 39159; 39173; 39274; 39285; 39593; 39796; 39798; 39808; 39884; 39884; 39993; 40017; 40026; 40042; 40056; 40299; 40304; 40360; 40365; 40562; 40567; 40580; 40643; 40699; 40704; 40721; 40751; 40751; 40781; 40844; 40887; 40946; 41199; 41356; 41452; 41511; 41541; 41565; 41591; 41650; 41658; 41672; 41898; 41929; 42059; 42076; 42076; 42096; 42118; 42214; 42258; 42313; 42313; 42352; 42373; 42558; 42576; 42706; 42739; 42880; 42993; 43021; 43129; 43198; 43207; 43231; 43241; 43338; 43550; 43563; 43622; 43743; 43771; 43826; 43833; 43878; 43884; 43977; 44164; 44180; 44255; 44255; 44307; 44351; 44477; 44505; 44537; 44563; 44692; 44975; 45099; 45138; 45231; 45233; 45272; 45291; 45525; 45525; 45542; 45544; 45556; 45632; 45641; 45921; 45941; 46054; 46154; 46154; 46171; 46182; 46284; 46356; 46518; 46786; 46897; 46916; 46916; 47043; 47110; 47142; 47202; 47475; 47510; 47542; 47559; 47647; 47681; 47833; 47853; 47853; 47900; 47908; 48136; 48182; 48283; 48285; 48398; 48530; 48614; 48631; 48799; 48886; 48906; 49117; 49164; 49260; 49344; 49352; 49404; 49464; 49509; 49518; 49591; 49630; 49665; 49710; 49860; 49873; 49888; 49920; 49970; 50043; 50117; 50182; 50188; 50214; 50359; 50413; 50506; 50614; 50666; 50680; 50754; 50765; 50794; 50941; 50990; 51041; 51263; 51293; 51328; 51362; 51408; 51447; 51448; 51450; 51463; 51532; 51543; 51640; 51666; 51666; 51702; 51737; 51740; 51746;



TABLE 5-continued

Image ID Numbers Present in the 5K microarray.

51814; 51865; 51899; 51916; 51974; 51981; 52079; 52228; 52327; 52419; 52430; 52431; 52629; 52629; 52646; 52933; 53099; 53099; 53316; 53341; 62277; 66316; 66317; 66322; 66327; 66329; 66333; 66335; 66336; 66341; 66352; 66354; 66369; 66377; 66390; 66391; 66400; 66406; 66407; 66420; 66423; 66428; 66430; 66443; 66454; 66467; 66474; 66475; 66497; 66507; 66532; 66533; 66534; 66535; 66540; 66550; 66552; 66555; 66556; 66560; 66562; 66564; 66574; 66582; 66584; 66594; 66596; 66606; 66608; 66609; 66630; 66663; 66685; 66686; 66686; 66694; 66697; 66711; 66714; 66718; 66721; 66728; 66731; 66753; 66774; 66792; 66815; 66829; 66864; 66894; 66895; 66898; 66902; 66903; 66910; 66919; 66931; 66937; 66944; 66946; 66952; 66953; 66972; 66975; 66977; 66982; 67006; 67009; 67016; 67033; 67036; 67037; 67055; 67069; 67070; 67074; 67075; 67654; 68103; 68225; 68977; 69672; 70002; 70349; 70489; 70692; 70827; 71101; 71116; 71432; 71434; 71545; 71606; 71622; 71626; 71672; 71727; 72050; 72391; 72778; 72869; 73268; 73381; 73531; 73782; 74119; 74566; 74593; 75009; 75254; 75415; 75923; 76362; 77133; 77391; 77533; 77577; 77577; 77636; 77728; 77805; 77897; 77915; 78217; 78294; 78869; 79022; 79229; 79254; 79353; 79502; 79520; 79520; 79624; 79629; 79688; 79710; 79712; 79828; 79898; 80095; 80109; 80109; 80146; 80374; 80384; 80399; 80410; 80500; 80504; 80549; 80708; 80772; 80910; 80915; 80924; 80946; 80948; 81129; 81289; 81315; 81331; 81336; 81394; 81417; 81427; 81518; 81599; 82710; 82734; 82871; 82879; 82976; 82991; 83083; 83120; 83129; 83210; 83210; 83231; 83363; 83605; 84295; 84750; 84820; 84955; 85093; 85128; 85202; 85259; 85394; 85394; 85497; 85509; 85561; 85624; 85634; 85678; 85682; 85690; 85805; 85840; 85979; 86220; 108177; 108197; 108208; 108208; 108265; 108316; 108330; 108351; 108395; 108422; 108425; 108471; 108651; 108658; 108667; 108716; 108730; 108763; 108783; 108797; 108801; 108815; 108836; 109049; 109089; 109108; 109123; 109153; 109179; 109200; 109221; 109265; 109269; 109271; 109277; 109279; 109304; 109309; 109314; 109316; 109466; 109483; 109488; 109523; 109708; 109811; 109888; 110094; 110198; 110281; 110282; 110307; 110347; 110417; 110436; 110467; 110503; 110503; 110507; 110519; 110578; 110582; 110585; 110653; 110703; 110741; 110746; 110772; 110788; 110791; 110893; 110904; 110912; 110980; 110987; 110996; 111004; 111006; 111054; 111070; 111101; 111122; 111136; 111150; 111200; 111204; 111264; 111266; 111389; 111391; 111413; 111492; 111510; 111516; 111549; 111571; 111634; 111693; 111705; 111714; 111721; 111722; 111750; 111755; 111765; 111825; 111844; 111884; 111981; 112131; 112158; 112371; 112409; 112440; 112494; 112525; 112530; 112541; 112576; 112577; 112629; 112865; 112896; 112906; 113048; 113206; 113281; 113283; 113284; 113298; 113300; 113308; 113394; 113399; 113431; 113488; 113538; 115111; 115143; 115155; 115223; 115230; 115281; 115292; 115307; 115337; 115414; 115447; 119384; 119530; 119882; 119914; 119914; 120015; 120097; 120106; 120113; 120124; 120138; 120153; 120162; 120173; 120189; 120297; 120306; 120309; 120318; 120343; 120362; 120375; 120383; 120413; 120516; 120533; 120544; 120551; 120561; 120572; 120598; 120631; 120634; 120681; 120695; 120701; 120773; 120823; 120863; 120881; 120964; 120973; 121018; 121072; 121133; 121159; 121184; 121206; 121214; 121218; 121220; 121239; 121251; 121252; 121270; 121275; 121316; 121341; 121355; 121365; 121412; 121415; 121420; 121458; 121459; 121462; 121475; 121500; 121501; 121521; 121530; 121533; 121543; 121546; 121558; 121559; 121564; 121577; 121600; 121611; 121615; 121616; 121621; 121625; 121628; 121661; 121662; 121687; 121715; 121722; 121727; 121736; 121756; 121770; 121776; 121792; 121798; 121803; 121808; 121828; 121877; 121880; 121898; 121954; 121977; 121981; 121994; 121997; 122019; 122063; 122077; 122091; 122126; 122150; 122159; 122159; 122161; 122170; 122178; 122194; 122237; 122274; 122295; 122345; 122354; 122359; 122364; 122397; 122428; 122443; 122636; 122684; 122702; 122762; 122787; 122796; 122822; 122875; 122889; 122899; 122906; 122913; 122915; 122946; 122955; 122963; 122982; 123061; 123065; 123067; 123074; 123079; 123087; 123112; 123117; 123196; 123222; 123229; 123255; 123262; 123331; 123354; 123400; 123405; 123408; 123425; 123433; 123436; 123439; 123441; 123448; 123459; 123474; 123506; 123561; 123578; 123579; 123604; 123614; 123627; 123627; 123646; 123649; 123666; 123699; 123700; 123720; 123724; 123729; 123730; 123755; 123788; 123790; 123802; 123805; 123815; 123817; 123858; 123926; 123932; 123952; 123980; 124009; 124014; 124020; 124042; 124043; 124052; 124059; 124070; 124071; 124077; 124079; 124087; 124090; 124091; 124116; 124126; 124127; 124128; 124132; 124137; 124138; 124143; 124155; 124168; 124179; 124203; 124232; 124241; 124261; 124271; 124277; 124286; 124320; 124405; 124502; 124505; 124530; 124578; 124597; 124605; 124629; 124637; 124719; 124730; 124753; 124781; 124788; 124795; 124808; 124822; 124824; 124853; 124891; 124909; 124922; 124965; 125040; 125092; 125134; 125148; 125183; 125308; 125548; 125589; 125608; 125665; 125666; 125685; 125709; 125722; 125737; 125739; 125741; 125767; 125769; 125788; 125799; 125809; 125822; 125828; 126219; 126221; 126225; 126229; 126230; 126234; 126237; 126243; 126320; 126321; 126338; 126341; 126355; 126368; 126371; 126390; 126393; 126401; 126406; 126412; 126413; 126419; 126438; 126450; 126453; 126459; 126465; 126466; 126470; 126497; 126508; 126509; 126519; 126522; 126544; 126568; 126581; 126638; 126650; 126670; 126702; 126722; 126788; 126792; 126795; 126858; 126882; 126883; 126884; 126887; 126988; 127054; 127076; 127096; 127099; 127119; 127120; 127147; 127173; 127182; 127185; 127193; 127194; 127197; 127199; 127216; 127243; 127272; 127354; 127400; 127408; 127409; 127415; 127462; 127473; 127486; 127509; 127514; 127519; 127542; 127610; 127625; 127636; 127646; 127665; 127666; 127677; 127682; 127710; 127729; 127766; 127769; 127821; 127841; 127843; 127881; 127925; 127928; 127943; 127970; 127974; 127983; 128054; 128118; 128126; 128143; 128150; 128159; 128193; 128204; 128208; 128243; 128245; 128248; 128260; 128274; 128290; 128297; 128301; 128302; 128322; 128346; 128351; 128426; 128457; 128460; 128503; 128509; 128518; 128530; 128561; 128602; 128617; 128627; 128632; 128679; 128690; 128695; 128735; 128737; 128738; 128775; 128783; 128785; 128795; 128833; 128875; 128905; 128947; 128954; 128970; 128973; 128985; 128993; 129000; 129071; 129112; 129146; 129177; 129293; 129331; 129332; 129342; 129355; 129392; 129407; 129442; 129446; 129477; 129502; 129506; 129514; 129516; 129541; 129563; 129567; 129569; 129585; 129600; 129610; 129616; 129624; 129644; 129721; 129725; 129748; 129770; 129817; 129840; 129853; 129865; 129922; 129925; 130004; 130005; 130008; 130027; 130028; 130043; 130044; 130053; 130054; 130057; 130100; 130107; 130116; 130120; 130153; 130156; 130233;



TABLE 5-continued

Image ID Numbers Present in the 5K microarray.

130243; 130276; 130280; 130294; 130334; 130342; 130358; 130371; 130421; 130541; 130572;  
 130582; 130610; 130617; 130656; 130677; 130716; 130747; 130756; 130758; 130773; 130777;  
 130781; 130788; 130791; 130801; 130820; 130824; 130826; 130835; 130843; 130857; 130868;  
 130876; 130884; 130892; 130895; 130916; 130972; 130977; 131010; 131016; 131029; 131050;  
 131104; 131238; 131239; 131307; 131316; 131318; 131362; 131365; 131370; 131388; 131446;  
 131563; 131595; 131653; 131668; 131764; 131824; 131839; 131867; 131877; 131886; 131887;  
 132012; 132017; 132019; 132066; 132111; 132122; 132140; 132142; 132159; 132215; 132285;  
 132304; 132323; 132358; 132373; 132381; 132464; 132524; 132527; 132549; 132569; 132623;  
 132630; 132631; 132690; 132708; 132748; 132789; 132828; 132835; 132848; 132871; 132899;  
 132911; 133084; 133096; 133114; 133130; 133158; 133178; 133180; 133197; 133213; 133225;  
 133236; 133273; 133303; 133331; 133333; 133519; 133534; 133613; 133820; 133964; 133972;  
 134120; 134172; 134192; 134229; 134235; 134256; 134269; 134270; 134312; 134322; 134368;  
 134394; 134422; 134439; 134476; 134482; 134495; 134520; 134523; 134525; 134537; 134544;  
 134643; 134712; 134719; 134748; 134753; 134783; 134829; 134856; 134948; 135010; 135058;  
 135083; 135083; 135094; 135203; 135212; 135219; 135220; 135221; 135240; 135247; 135273;  
 135303; 135426; 135431; 135449; 135450; 135454; 135527; 135538; 135561; 135608; 135653;  
 135654; 135673; 135676; 135688; 135692; 135710; 135713; 135721; 135766; 135773; 135777;  
 135789; 135791; 135853; 135892; 135901; 135910; 135922; 135941; 135999; 136064; 136073;  
 136114; 136117; 136180; 136188; 136218; 136223; 136235; 136286; 136301; 136303; 136317;  
 136382; 136409; 136449; 136536; 136557; 136560; 136571; 136598; 136632; 136706; 136730;  
 136744; 136772; 136775; 136780; 136801; 136802; 136814; 136821; 136855; 136856; 136874;  
 136909; 136919; 136933; 136954; 136984; 137016; 137017; 137020; 137063; 137096; 137139;  
 137158; 137178; 137182; 137208; 137209; 137236; 137254; 137349; 137353; 137387; 137396;  
 137417; 137456; 137506; 137531; 137535; 137581; 137638; 137647; 137653; 137663; 137736;  
 137760; 137793; 137794; 137797; 137836; 137853; 137862; 137884; 137885; 137918; 137931;  
 137940; 137971; 137981; 137989; 138021; 138059; 138104; 138116; 138139; 138141; 138165;  
 138168; 138189; 138210; 138234; 138239; 138304; 138337; 138374; 138444; 138455; 138477;  
 138496; 138507; 138533; 138550; 138579; 138589; 138592; 138601; 138672; 138706; 138737;  
 138745; 138752; 138775; 138837; 138861; 138865; 138917; 138929; 138936; 138974; 138978;  
 138991; 138999; 139009; 139009; 139051; 139062; 139113; 139138; 139189; 139199; 139217;  
 139226; 139250; 139268; 139278; 139331; 139354; 139365; 139376; 139462; 139490; 139540;  
 139558; 139573; 139593; 139641; 139656; 139660; 139680; 139689; 139705; 139708; 139764;  
 139766; 139818; 139835; 139837; 139872; 139883; 139957; 139962; 140000; 140057; 140100;  
 140103; 140131; 140171; 140197; 140210; 140252; 140289; 140301; 140304; 140328; 140334;  
 140337; 140354; 140422; 140455; 140515; 140635; 140655; 140716; 140732; 140759; 140761;  
 140792; 140806; 140811; 140830; 140852; 140921; 140966; 141106; 141123; 141169; 141171;  
 141192; 141209; 141230; 141298; 141314; 141316; 141361; 141366; 141453; 141522; 141562;  
 141589; 141623; 141627; 141675; 141677; 141684; 141723; 141763; 141765; 141768; 141818;  
 141845; 141854; 141931; 141959; 141966; 142067; 142076; 142087; 142090; 142120; 142122;  
 142134; 142139; 142259; 142326; 142385; 142395; 142397; 142442; 142499; 142532; 142551;  
 142556; 142586; 142647; 142689; 142733; 142788; 142851; 142927; 142944; 142984; 143039;  
 143054; 143115; 143169; 143208; 143209; 143227; 143287; 143306; 143310; 143322; 143443;  
 143454; 143519; 143523; 143654; 143661; 143748; 143756; 143759; 143846; 143887; 143910;  
 143919; 143962; 143966; 143995; 144029; 144042; 144675; 144740; 144747; 144762; 144777;  
 144786; 144791; 144793; 144797; 144802; 144816; 144834; 144852; 144855; 144861; 144867;  
 144870; 144878; 144880; 144881; 144885; 144893; 144894; 144902; 144905; 144915; 144916;  
 144924; 144926; 144930; 144932; 144951; 144956; 144977; 145001; 145132; 145284; 145503;  
 145513; 146081; 146123; 146577; 146605; 146726; 147414; 147630; 148021; 148379; 148421;  
 148743; 149013; 149373; 149737; 149742; 149910; 150221; 150314; 150466; 150466; 150623;  
 150702; 151251; 151261; 151418; 151662; 151896; 153006; 153025; 153340; 153411; 153473;  
 153743; 153779; 154015; 154093; 154138; 154214; 154289; 154312; 154323; 154465; 154477;  
 154482; 154608; 154616; 154654; 154707; 154749; 154789; 154795; 154999; 155064; 155072;  
 155128; 155201; 155287; 155434; 155575; 155583; 155716; 156023; 156045; 156211; 156270;  
 156386; 156473; 156551; 156874; 157856; 159118; 159166; 159455; 159608; 159725; 159935;  
 160126; 160485; 160488; 160573; 160616; 160628; 160656; 160664; 160723; 160730; 160793;  
 160838; 161195; 161456; 161484; 161583; 161950; 161992; 161993; 162161; 162208; 162211;  
 162365; 162722; 162775; 162778; 163174; 163528; 163579; 165818; 165818; 165857; 165878;  
 165921; 166004; 166195; 166199; 166236; 166934; 167032; 167076; 167280; 171936; 172440;  
 172440; 172721; 172765; 172783; 173228; 173309; 173674; 173878; 175103; 175123; 175140;  
 175528; 175727; 176606; 177621; 177737; 178463; 178468; 178779; 178818; 179232; 179256;  
 179276; 179283; 179334; 179336; 179403; 179426; 179500; 179534; 179804; 179890; 180195;  
 180244; 180298; 180520; 180803; 180864; 180885; 180902; 181831; 182661; 182977; 183120;  
 183194; 183200; 183337; 183462; 183476; 184038; 184175; 184240; 184365; 186132; 186918;  
 187147; 187266; 187616; 188036; 188232; 188388; 188390; 190468; 190491; 190732; 190887;  
 191497; 191508; 191516; 191569; 191572; 191599; 191603; 191648; 191664; 191882; 191978;  
 192481; 192694; 193067; 193106; 193122; 193139; 193182; 193200; 193381; 193383; 193394;  
 193481; 193533; 193546; 193586; 193617; 193690; 193713; 193724; 193742; 193790; 193811;  
 193892; 193913; 193913; 193923; 193937; 193938; 193987; 193990; 194005; 194006; 194031;  
 194061; 194131; 194136; 194155; 194161; 194182; 194182; 194214; 194282; 194297; 194307;  
 194342; 194351; 194364; 194384; 194395; 194399; 194401; 194468; 194587; 194600; 194656;  
 194670; 194704; 194804; 194872; 194906; 194921; 194949; 194965; 194972; 194985; 194986;  
 195037; 195051; 195052; 195091; 195117; 195127; 195132; 195138; 195139; 195200; 195232;  
 195314; 195340; 195346; 195358; 195365; 195381; 195387; 195429; 195458; 195487; 195513;  
 195524; 195546; 195553; 195555; 195668; 195712; 195720; 195753; 195772; 195784; 195820;  
 195821; 195852; 195853; 195875; 195903; 195911; 195947; 195974; 195995; 196005; 196038;  
 196047; 196109; 196115; 196125; 196148; 196185; 196189; 196214; 196222; 196282; 196303;  
 196345; 196348; 196350; 196387; 196433; 196444; 196501; 196522; 196539; 196612; 196636;



TABLE 5-continued

Image ID Numbers Present in the 5K microarray.

196640; 196650; 196837; 196849; 196860; 196866; 196992; 197051; 197054; 197093; 197128;  
 197176; 197300; 197323; 197343; 197404; 197413; 197414; 197474; 197500; 197525; 197637;  
 197676; 197720; 197736; 197765; 197775; 197776; 197791; 197843; 197855; 197856; 197868;  
 197888; 197907; 197933; 197975; 198011; 198026; 198033; 198104; 198169; 198190; 198312;  
 198339; 198372; 198451; 198509; 198578; 198580; 198582; 198593; 198605; 198647; 198694;  
 198807; 198815; 198874; 198904; 198917; 198960; 198961; 199143; 199158; 199180; 199205;  
 199220; 199228; 199229; 199239; 199243; 199251; 199258; 199272; 199286; 199327; 199403;  
 199558; 199571; 199602; 199610; 199623; 199624; 199627; 199628; 199641; 199645; 199663;  
 199709; 199945; 199995; 200015; 200031; 200136; 200174; 200302; 200307; 200395; 200402;  
 200418; 200545; 200595; 200599; 200604; 200608; 200773; 200780; 200814; 200838; 200840;  
 200847; 200855; 200863; 200873; 200934; 200937; 200969; 201006; 201030; 201168; 201173;  
 201192; 201203; 201207; 201229; 201241; 201264; 201274; 201288; 201301; 201309; 201314;  
 201317; 201322; 201334; 201383; 201393; 201483; 201517; 201519; 201525; 201562; 201586;  
 201628; 201650; 201651; 201687; 201727; 201757; 201784; 201818; 201819; 201890; 201902;  
 201961; 201981; 201986; 202034; 202066; 202168; 202209; 202213; 202243; 202315; 202320;  
 202339; 202348; 202353; 202357; 202414; 202485; 202492; 202514; 202535; 202549; 202553;  
 202559; 202577; 202607; 202612; 202621; 202682; 202692; 202703; 202704; 202706; 202722;  
 202740; 202769; 202795; 202802; 202901; 202904; 202919; 202921; 202931; 202990; 203038;  
 203122; 203132; 203227; 203240; 203275; 203287; 203302; 203347; 203348; 203350; 203351;  
 203388; 203390; 203400; 203434; 203469; 203514; 203544; 203547; 203551; 203721; 203772;  
 203791; 203805; 203850; 203905; 203910; 203918; 203931; 203956; 204083; 204098; 204111;  
 204122; 204148; 204179; 204208; 204211; 204214; 204251; 204299; 204300; 204301; 204312;  
 204335; 204356; 204360; 204406; 204444; 204489; 204539; 204541; 204545; 204558; 204614;  
 204614; 204624; 204638; 204684; 204688; 204735; 204737; 204755; 204814; 204897; 205049;  
 205085; 205090; 205185; 205303; 205417; 205445; 205490; 205633; 205715; 205745; 205913;  
 205993; 206094; 206217; 206544; 206565; 206651; 206683; 206781; 206786; 206794; 206816;  
 206831; 206841; 206849; 206867; 206882; 206895; 206907; 206937; 206949; 206986; 206992;  
 206994; 207006; 207016; 207029; 207082; 207087; 207098; 207107; 207248; 207255; 207288;  
 207293; 207358; 207370; 207379; 207421; 207448; 207618; 207618; 207649; 207665; 207771;  
 207778; 207794; 207813; 207850; 207869; 207881; 207920; 207952; 207968; 207989; 207990;  
 208001; 208001; 208161; 208161; 208210; 208319; 208375; 208383; 208407; 208413; 208434;  
 208524; 208531; 208570; 208663; 208699; 208718; 208741; 208769; 208790; 208798; 208904;  
 208940; 208984; 208993; 209014; 209137; 209167; 209224; 209246; 209264; 209277; 209296;  
 209340; 209381; 209468; 209518; 209583; 209624; 209655; 209683; 209841; 210317; 210343;  
 210348; 210368; 210405; 210415; 210431; 210494; 210501; 210522; 210523; 210525; 210548;  
 210565; 210575; 210610; 210622; 210646; 210687; 210688; 210698; 210710; 210717; 210744;  
 210862; 210873; 210887; 210887; 210919; 210923; 211024; 211202; 211206; 211216; 211319;  
 211351; 211361; 211548; 211557; 211747; 211758; 211780; 211800; 211813; 211859; 211878;  
 211940; 211951; 212021; 212078; 212098; 212165; 212180; 212198; 212236; 212252; 212325;  
 212398; 212406; 212429; 212496; 212542; 212620; 212634; 212640; 212649; 212703; 212704;  
 212712; 212772; 212787; 212815; 213118; 213136; 213280; 213496; 213509; 213527; 213535;  
 213577; 213698; 213754; 213871; 213875; 213890; 213969; 214043; 214068; 214077; 214133;  
 214136; 214162; 214165; 214205; 214331; 214441; 214448; 214537; 214565; 214572; 214577;  
 214614; 214658; 214731; 214744; 214816; 214823; 214826; 214848; 214858; 214906; 214916;  
 214981; 214990; 219976; 220096; 221092; 221172; 221808; 221826; 221846; 222181; 223098;  
 223483; 223661; 229290; 229330; 229365; 229467; 229537; 229579; 229580; 229617; 229651;  
 229692; 229701; 229702; 229723; 229915; 229997; 230013; 230090; 230100; 230116; 230170;  
 230180; 230191; 230196; 230202; 230205; 230218; 230224; 230235; 230240; 230247; 230251;  
 230260; 230261; 230267; 230271; 230274; 230341; 230359; 230360; 230370; 230385; 230509;  
 230560; 230562; 230613; 230637; 231355; 231574; 231675; 232586; 232612; 232624; 232628;  
 232658; 232670; 232714; 232723; 232772; 232789; 232826; 232837; 232899; 232908; 232933;  
 232946; 232950; 232965; 232973; 233071; 233074; 233078; 233179; 233183; 233199; 233214;  
 233274; 233289; 233299; 233308; 233318; 233347; 233349; 233365; 233399; 233419; 233446;  
 233457; 233547; 233550; 233579; 233581; 233583; 233645; 233688; 233719; 233721; 233734;  
 233783; 233802; 233852; 233909; 233927; 233939; 234011; 234036; 234080; 234150; 234170;  
 234191; 234201; 234237; 234318; 234320; 234331; 234376; 234380; 234398; 234419; 234425;  
 234468; 234469; 234484; 234527; 234537; 234539; 234559; 234562; 234617; 234647; 234664;  
 234736; 234856; 234907; 234975; 235008; 235026; 235040; 235055; 235056; 235070; 235102;  
 235149; 235155; 235164; 235173; 235924; 235934; 236055; 236129; 236305; 236305; 236333;  
 236355; 239524; 239692; 239708; 239711; 239712; 239835; 239874; 239877; 239958; 240022;  
 240033; 240050; 240062; 240099; 240138; 240151; 240199; 240208; 240249; 240318; 240353;  
 240357; 240367; 240406; 240430; 240480; 240500; 240505; 240506; 240518; 240586; 240589;  
 240634; 240637; 240648; 240674; 240694; 240702; 240748; 240766; 240769; 240843; 240914;  
 240937; 240938; 240945; 240961; 240977; 240992; 241003; 241038; 241066; 241070; 241097;  
 241113; 241160; 241171; 241179; 241258; 241274; 241288; 241346; 241348; 241350; 241355;  
 241365; 241392; 241412; 241474; 241475; 241482; 241497; 241507; 241530; 241539; 241587;  
 241658; 241677; 241788; 241794; 241824; 241826; 241874; 241880; 241900; 241932; 241982;  
 241985; 241988; 242010; 242011; 242037; 242062; 242070; 242084; 242087; 242578; 242642;  
 242644; 242687; 242698; 242700; 242706; 242778; 242779; 242780; 242790; 242797; 242820;  
 242823; 242955; 242985; 243088; 243100; 243113; 243149; 243151; 243154; 243155; 243186;  
 243194; 243199; 243202; 243230; 243245; 243260; 243291; 243294; 243312; 243317; 243321;  
 243343; 243350; 243358; 243360; 243370; 243385; 243399; 243403; 243405; 243414; 243428;  
 243460; 243524; 243537; 243546; 243549; 243580; 243614; 243638; 243641; 243648; 243652;  
 243653; 243656; 243659; 243675; 243700; 243741; 243770; 243784; 243808; 243816; 243817;  
 243878; 243887; 243980; 243989; 244055; 244058; 244062; 244063; 244077; 244079; 244086;  
 244100; 244147; 244154; 244189; 244201; 244202; 244205; 244227; 244243; 244267; 244277;  
 244299; 244307; 244310; 244313; 244329; 244343; 244350; 244355; 244386; 244387; 244391;



TABLE 5-continued

Image ID Numbers Present in the 5K microarray.

244618; 244637; 244646; 244652; 244654; 244684; 244686; 244703; 244722; 244764; 244767;  
 244781; 244784; 244801; 244806; 244815; 244846; 244847; 244879; 244911; 244955; 244974;  
 245000; 245015; 245062; 245099; 245136; 245147; 245195; 245198; 245217; 245219; 245235;  
 245242; 245247; 245273; 245296; 245299; 245319; 245330; 245330; 245386; 245388; 245401;  
 245409; 245413; 245422; 245426; 245442; 245444; 245457; 245479; 245484; 245485; 245489;  
 245517; 245531; 245534; 245549; 245556; 245570; 245585; 245586; 245624; 245742; 245745;  
 245764; 245765; 245769; 245774; 245806; 245853; 245860; 245881; 245885; 245894; 245899;  
 245920; 245936; 245964; 245970; 245986; 246035; 246041; 246073; 246074; 246079; 246116;  
 246117; 246119; 246120; 246143; 246144; 246194; 246246; 246276; 246292; 246300; 246304;  
 246377; 246449; 246478; 246522; 246524; 246537; 246541; 246543; 246546; 246549; 246598;  
 246619; 246620; 246652; 246661; 246680; 246684; 246686; 246703; 246705; 246722; 246749;  
 246765; 246766; 246786; 246789; 246792; 246808; 246824; 246869; 247081; 247082; 247117;  
 247125; 247159; 247194; 247216; 247233; 247281; 247367; 247466; 247482; 247546; 247587;  
 247614; 247616; 247635; 247655; 247660; 247710; 247783; 247803; 247816; 247818; 247833;  
 247859; 247863; 247901; 247925; 247967; 247986; 248009; 248020; 248039; 248071; 248092;  
 248095; 248112; 248143; 248256; 248261; 248288; 248306; 248371; 248454; 248478; 248481;  
 248485; 248504; 248531; 248535; 248545; 248594; 248599; 248601; 248624; 248649; 248688;  
 248698; 248856; 249688; 249705; 249856; 250519; 250667; 250673; 251019; 251135; 251250;  
 251461; 251516; 251685; 251875; 252185; 254321; 254625; 256260; 256664; 257011; 258589;  
 258589; 258790; 260200; 260303; 260325; 260619; 261204; 261494; 261519; 261587; 261828;  
 261971; 262231; 262920; 262932; 262996; 263040; 263097; 263200; 264117; 265060; 265494;  
 265680; 265874; 266361; 267431; 267634; 267634; 268412; 269806; 271985; 273435; 274529;  
 274578; 274638; 274932; 274979; 275173; 275176; 275180; 275612; 275634; 275738; 275802;  
 275871; 275871; 275950; 276091; 276286; 276449; 276547; 277015; 277274; 277305; 278501;  
 278808; 278808; 279329; 280122; 280236; 280386; 280666; 280750; 280752; 280837; 280882;  
 280882; 281114; 281125; 281465; 281467; 281843; 281904; 281978; 282051; 282310; 282378;  
 282501; 282587; 282980; 283023; 283301; 283398; 283715; 283897; 283954; 284341; 284592;  
 284620; 284734; 284882; 285226; 287300; 288658; 288896; 289143; 289288; 289337; 289502;  
 289551; 289615; 289666; 289818; 289923; 289978; 290039; 290054; 290124; 290230; 290308;  
 290422; 292171; 292201; 292207; 292212; 292213; 292217; 292219; 292222; 292230; 292232;  
 292236; 292244; 292270; 292272; 292292; 292306; 292308; 292312; 292314; 292332; 292357;  
 292362; 292364; 292388; 292388; 292391; 292392; 292416; 292424; 292452; 292463; 292471;  
 292475; 292482; 292496; 292501; 292512; 292515; 292519; 292522; 292528; 292542; 292553;  
 292559; 292567; 292568; 292612; 292613; 292624; 292628; 292633; 292654; 292679; 292690;  
 292719; 292726; 292731; 292749; 292770; 292806; 292812; 292833; 292834; 292882; 292908;  
 292920; 292933; 292938; 292939; 292964; 292966; 292996; 293005; 293045; 293078; 293104;  
 293128; 293157; 293177; 293178; 293191; 293222; 293257; 293306; 293325; 293328; 293331;  
 293336; 293356; 293358; 293366; 293380; 293403; 293417; 293421; 293431; 293436; 293437;  
 293457; 293471; 293500; 293503; 293510; 293539; 293557; 293564; 293569; 293576; 293579;  
 293599; 293606; 293632; 293637; 293664; 293675; 293676; 293683; 293696; 293715; 293727;  
 293736; 293755; 293763; 293785; 293820; 293835; 293845; 293847; 293858; 293859; 293901;  
 293916; 293921; 293932; 293940; 293940; 293977; 293990; 294014; 294018; 294040; 294127;  
 294133; 294150; 294167; 294221; 294255; 294259; 294304; 294310; 294311; 294444; 294445;  
 294457; 294483; 294485; 294487; 294496; 294512; 294647; 294682; 294740; 294873; 294881;  
 294892; 294916; 294942; 294951; 294968; 294973; 294995; 295044; 295106; 295137; 295140;  
 295206; 295229; 295255; 295283; 295303; 295321; 295324; 295376; 295386; 295389; 295410;  
 295483; 295492; 295497; 295501; 295514; 295527; 295545; 295577; 295583; 295590; 295594;  
 295599; 295600; 295604; 295630; 295710; 295723; 295729; 295741; 295781; 295798; 295831;  
 295866; 295873; 295889; 295916; 295923; 295939; 295973; 295974; 295982; 295985; 295992;  
 295997; 296010; 296030; 296041; 296072; 296094; 296102; 296132; 296136; 296140; 296141;  
 296149; 296155; 296162; 296168; 296170; 296177; 296180; 296181; 296184; 296188; 296189;  
 296190; 296198; 296199; 296330; 296334; 296375; 296393; 296444; 296454; 296472; 296476;  
 296483; 296498; 296508; 296529; 296549; 296552; 296559; 296562; 296568; 296587; 296597;  
 296602; 296616; 296623; 296640; 296679; 296683; 296702; 296741; 296749; 296752; 296754;  
 296757; 296773; 296793; 296795; 296797; 296805; 296838; 296857; 296880; 296883; 296901;  
 296998; 297050; 297061; 297063; 297084; 297086; 297102; 297107; 297110; 297136; 297148;  
 297155; 297178; 297212; 297305; 297392; 297403; 297405; 297411; 297421; 297437; 297439;  
 297442; 297919; 298118; 298155; 298833; 298963; 299085; 299093; 299154; 299388; 299442;  
 299600; 299630; 299663; 299679; 299737; 299815; 300103; 300237; 300474; 300482; 300590;  
 300632; 300866; 300972; 301018; 301061; 301082; 301122; 301380; 301504; 301678; 301752;  
 301849; 301976; 302031; 302190; 302292; 302310; 302369; 302549; 302591; 303035; 303048;  
 303196; 305227; 305336; 305606; 305606; 306013; 306380; 306412; 306484; 306771; 306806;  
 306813; 306901; 307231; 307255; 307532; 307553; 307843; 307882; 308041; 308163; 308231;  
 308281; 308415; 308437; 308478; 308588; 308633; 308682; 308989; 309032; 309039; 309045;  
 309092; 309161; 309316; 309583; 309685; 309776; 309864; 309894; 309993; 310034; 310105;  
 310356; 310493; 310519; 320606; 320630; 320763; 320834; 320903; 321189; 321189; 321247;  
 321354; 321386; 321455; 321529; 321580; 321605; 321661; 321706; 321708; 321723; 322051;  
 322561; 322617; 322617; 322723; 322759; 322786; 322794; 323404; 323506; 323506; 324210;  
 324255; 324342; 324745; 324815; 324861; 324901; 325062; 325070; 325102; 325160; 325365;  
 325365; 325370; 325375; 327094; 327150; 327304; 327350; 327506; 327676; 328591; 328802;  
 340558; 340630; 340644; 340712; 340722; 340734; 340745; 340840; 341137; 341246; 341269;  
 341310; 341317; 341328; 341336; 341706; 341805; 341821; 341942; 342069; 342378; 342543;  
 342593; 342640; 342721; 342994; 343072; 343167; 343320; 343352; 343443; 343646; 343646;  
 343661; 343737; 344133; 344141; 344251; 344282; 344352; 344672; 344757; 344820; 345047;  
 345055; 345090; 345128; 345208; 345342; 345348; 345423; 345430; 345559; 345586; 345670;  
 345751; 345839; 345858; 346117; 346134; 346299; 346484; 346545; 346552; 346995; 347036;  
 347224; 347373; 347434; 347615; 347687; 347687; 356665; 356707; 356800; 356992; 357031;



TABLE 5-continued

Image ID Numbers Present in the 5K microarray.

357046; 357091; 357120; 357220; 357344; 357970; 358162; 358162; 358333; 358344; 358456;  
 358457; 358468; 358531; 358531; 358543; 358549; 358609; 358673; 358675; 358736; 358850;  
 358885; 358984; 359184; 359247; 359395; 359411; 359713; 359747; 359764; 359781; 359835;  
 359982; 360047; 360079; 360168; 360213; 360245; 360478; 360885; 361048; 361097; 361097;  
 361171; 361204; 361485; 361565; 361639; 361656; 361943; 361974; 362624; 362694; 362729;  
 362742; 362853; 363058; 363086; 363103; 363144; 363146; 363377; 363569; 363569; 363575;  
 363590; 363597; 364329; 364469; 364840; 364873; 364921; 365060; 365098; 365539; 365641;  
 365755; 365930; 365945; 366085; 366154; 366156; 366341; 366389; 366511; 366526; 366558;  
 366570; 366580; 366585; 366728; 366834; 366893; 366966; 376290; 376515; 376516; 376875;  
 377152; 377191; 377320; 380057; 380245; 380263; 380394; 380620; 380737; 380797; 380851;  
 381067; 381166; 381287; 381812; 381866; 381931; 382195; 382654; 382693; 382773; 382787;  
 383016; 383089; 413633; 415698; 416280; 416803; 416833; 416833; 416959; 417226; 417385;  
 417403; 417508; 417509; 418126; 418126; 418422; 427812; 428231; 429182; 429574; 430318;  
 448190; 469281; 469345; 469412; 469685; 469686; 469704; 469762; 469924; 469952; 469954;  
 469981; 470061; 470175; 470179; 470216; 470232; 470348; 470368; 470379; 470379; 470393;  
 470846; 470861; 470930; 471196; 471200; 471266; 471372; 471498; 484535; 484641; 485195;  
 485744; 485854; 485858; 485989; 486208; 486279; 486544; 487118; 488019; 488019; 488413;  
 489079; 490306; 490368; 491066; 491232; 501994; 502067; 502369; 502909; 503097; 503617;  
 504226; 504236; 504544; 504763; 504774; 504877; 505059; 509484; 509495; 509588; 509731;  
 509760; 509823; 510032; 510396; 510542; 510679; 510702; 510760; 511012; 511066; 511428;  
 511521; 511521; 511586; 511814; 511816; 511832; 512133; 525518; 525566; 526184; 526282;  
 526657; 529861; 530662; 530814; 530820; 530875; 531028; 531739; 544639; 544664; 545189;  
 546600; 547058; 547247; 548693; 548957; 549016; 549073; 549101; 549146; 549728; 550353;  
 550355; 562867; 562927; 562983; 563201; 563403; 563444; 563444; 563451; 563465; 563574;  
 563598; 563621; 563673; 563701; 564050; 564621; 564803; 564846; 564962; 565235; 565379;  
 565493; 566760; 566887; 566887; 567265; 567414; 586698; 587010; 587525; 587847; 588500;  
 589115; 589362; 589433; 589751; 591266; 591281; 591465; 591653; 591683; 591864; 591907;  
 592243; 592359; 592498; 592540; 592801; 594540; 594743; 595009; 609332; 609663; 610012;  
 611956; 612274; 612616; 613126; 625923; 626502; 627114; 627541; 627542; 627939; 628295;  
 628336; 628357; 628418; 628418; 628529; 628955; 630013; 632074; 632137; 665658; 665774;  
 666128; 666218; 666377; 666377; 666425; 666639; 666658; 666829; 666879; 667482; 667598;  
 667883; 668007; 668182; 668442; 668685; 668851; 669419; 669435; 669443; 669471; 681906;  
 681948; 682522; 682528; 682555; 684634; 684661; 684940; 684940; 685371; 685912; 686164;  
 686172; 687270; 687397; 687820; 687875; 687990; 700302; 700527; 700699; 700792; 701112;  
 701231; 701481; 701532; 701751; 703479; 703581; 703739; 703846; 703964; 704020; 704290;  
 704299; 704459; 704532; 704697; 704760; 704905; 704992; 705110; 705188; 705265; 705265;  
 705274; 711450; 711552; 711680; 711768; 711826; 711826; 711857; 711918; 711959; 711961;  
 712023; 712049; 712341; 712378; 712577; 712604; 712641; 712641; 712668; 712683; 712840;  
 712840; 712848; 713080; 713145; 713382; 713469; 713647; 713653; 713660; 713685; 713782;  
 713839; 713862; 713886; 713922; 714106; 714210; 714426; 714453; 723972; 723986; 724052;  
 724112; 724378; 724387; 724588; 724615; 724652; 724892; 725223; 725266; 725274; 725454;  
 725473; 725503; 725677; 725680; 726086; 726147; 726236; 726637; 726678; 726779; 727026;  
 727192; 727210; 727229; 727251; 727292; 727390; 727526; 727551; 727792; 729942; 730149;  
 730410; 730410; 738899; 739126; 739183; 739625; 739625; 739901; 739983; 739990; 739993;  
 740027; 740122; 740130; 740344; 740457; 740476; 740554; 740554; 740914; 740914; 740925;  
 741067; 741139; 741379; 741429; 741474; 741497; 741769; 741815; 741841; 741841; 742007;  
 742082; 742101; 742125; 742143; 745347; 746321; 752557; 752631; 752652; 752732; 753069;  
 753104; 753184; 753211; 753215; 753234; 753285; 753301; 753313; 753321; 753346; 753381;  
 753381; 753418; 753420; 753430; 753446; 753447; 753457; 753467; 753587; 753587; 753610;  
 753620; 753692; 753700; 753770; 753775; 753862; 753897; 753914; 753917; 753923; 753987;  
 754031; 754046; 754080; 754085; 754093; 754275; 754355; 754358; 754436; 754436; 754479;  
 754490; 754490; 754509; 754538; 754538; 754600; 754601; 754998; 755037; 755054; 755093;  
 755145; 755239; 755416; 755506; 755663; 755752; 755821; 755891; 755975; 756163; 756211;  
 756272; 756372; 756373; 756452; 756480; 756488; 756657; 756666; 756666; 756769; 756847;  
 756898; 756968; 757381; 757961; 758037; 758148; 758222; 758266; 758329; 758365; 758366;  
 758468; 758662; 759164; 759865; 759873; 759948; 760148; 760224; 760231; 760282; 760298;  
 760299; 760344; 767034; 767049; 767069; 767183; 767202; 767345; 767638; 767753; 767765;  
 767769; 767784; 767798; 767817; 767828; 767851; 767994; 768031; 768168; 768205; 768246;  
 768272; 768296; 768299; 768316; 768324; 768357; 768370; 768443; 768453; 768496; 768497;  
 768561; 768562; 768638; 768644; 769028; 769513; 769645; 769657; 769676; 769846; 769921;  
 770012; 770014; 770027; 770066; 770080; 770192; 770212; 770216; 770355; 770377; 770377;  
 770391; 770452; 770462; 770570; 770593; 770670; 770794; 770858; 770859; 770868; 770868;  
 770884; 770901; 770910; 770957; 770992; 771000; 771084; 771173; 771196; 771206; 771220;  
 771236; 771258; 771308; 771323; 772111; 772220; 772261; 772455; 772481; 772878; 772951;  
 773170; 773188; 773192; 773215; 773217; 773233; 773236; 773246; 773254; 773301; 773305;  
 773319; 773332; 773344; 773599; 773618; 773724; 773771; 773922; 774036; 774071; 774082;  
 774082; 774409; 774471; 774502; 774751; 774754; 780937; 781014; 781018; 781019; 781050;  
 781097; 781222; 781341; 781362; 781510; 781704; 781738; 781766; 782047; 782199; 782315;  
 782339; 782449; 782488; 782497; 782513; 782513; 782543; 782587; 782594; 782618; 782692;  
 782760; 782789; 782797; 782800; 782811; 783629; 783645; 783681; 783696; 783697; 783698;  
 783721; 783729; 783836; 783849; 784104; 784124; 784126; 784224; 784278; 784319; 784337;  
 784360; 784504; 784593; 784744; 784772; 784777; 784830; 784841; 784876; 784910; 784959;  
 785148; 785293; 785334; 785371; 785415; 785459; 785574; 785575; 785595; 785605; 785616;  
 785744; 785745; 785793; 785816; 785816; 785845; 785933; 785963; 785975; 786048; 786048;  
 786067; 786083; 786084; 786155; 786202; 786213; 786607; 786672; 786674; 786675; 787857;  
 787861; 787938; 788107; 788136; 788141; 788185; 788190; 788203; 788247; 788285; 788286;  
 788334; 788421; 788444; 788472; 788486; 788493; 788511; 788518; 788566; 788574; 788645;



TABLE 5-continued

---

Image ID Numbers Present in the 5K microarray.

---

788647; 788654; 788695; 788721; 788745; 788832; 789011; 789012; 789014; 789049; 789049;  
789069; 789069; 789091; 789147; 789152; 789182; 789204; 789232; 789253; 789318; 789357;  
789369; 789376; 789382; 795173; 795178; 795241; 795288; 795296; 795330; 795498; 795543;  
795738; 795771; 795805; 795827; 795830; 795840; 795847; 795888; 795936; 795965; 795989;  
796000; 796137; 796147; 796181; 796198; 796198; 796253; 796258; 796268; 796341; 796398;  
796542; 796646; 796680; 796757; 796904; 796984; 796994; 796996; 797016; 797059; 809353;  
809394; 809454; 809464; 809464; 809494; 809523; 809530; 809535; 809541; 809557; 809578;  
809588; 809598; 809598; 809627; 809639; 809648; 809696; 809776; 809779; 809784; 809838;  
809892; 809901; 809916; 809938; 809939; 809944; 809981; 809992; 810010; 810017; 810019;  
810039; 810040; 810053; 810057; 810063; 810092; 810117; 810124; 810131; 810156; 810213;  
810242; 810282; 810316; 810321; 810325; 810331; 810358; 810372; 810391; 810408; 810420;  
810444; 810445; 810452; 810485; 810504; 810506; 810512; 810521; 810551; 810552; 810600;  
810612; 810617; 810625; 810632; 810671; 810703; 810724; 810725; 810729; 810734; 810743;  
810761; 810787; 810791; 810802; 810813; 810854; 810859; 810873; 810891; 810899; 810934;  
810942; 810974; 810986; 811012; 811029; 811044; 811088; 811096; 811108; 811108; 811162;  
811600; 811740; 811771; 811792; 811827; 811842; 811843; 811870; 811890; 811899; 811900;  
811911; 811920; 811930; 811942; 811999; 812042; 812048; 812083; 812105; 812126; 812126;  
812144; 812155; 812167; 812196; 812227; 812246; 812251; 812266; 812266; 812276; 812965;  
812968; 812975; 813149; 813158; 813166; 813171; 813179; 813184; 813254; 813256; 813266;  
813279; 813280; 813387; 813402; 813410; 813410; 813419; 813426; 813444; 813459; 813460;  
813462; 813520; 813533; 813536; 813552; 813591; 813614; 813630; 813635; 813648; 813651;  
813673; 813675; 813678; 813707; 813711; 813712; 813714; 813742; 813751; 813757; 813818;  
813823; 813827; 813828; 813830; 813841; 813854; 814014; 814054; 814095; 814101; 814117;  
814119; 814119; 814214; 814246; 814260; 814270; 814270; 814306; 814319; 814357; 814378;  
814381; 814409; 814460; 814465; 814478; 814508; 814526; 814526; 814546; 814576; 814595;  
814615; 814636; 814640; 814696; 814701; 814731; 814765; 814776; 814792; 815235; 815239;  
815245; 815285; 815287; 815294; 815501; 815503; 815507; 815526; 815529; 815530; 815534;  
815539; 815542; 815555; 815564; 815774; 815781; 815816; 823562; 823590; 823590; 823598;  
823614; 823663; 823679; 823691; 823696; 823715; 823756; 823775; 823779; 823794; 823819;  
823851; 823851; 823859; 823864; 823871; 823876; 823886; 823900; 823901; 823928; 823930;  
823940; 823943; 824024; 824031; 824041; 824044; 824044; 824068; 824070; 824074; 824117;  
824340; 824352; 824382; 824393; 824426; 824511; 824527; 824531; 824547; 824568; 824591;  
824602; 824704; 824753; 824895; 824906; 824922; 825013; 825060; 825080; 825085; 825214;  
825224; 825265; 825271; 825293; 825295; 825296; 825323; 825335; 825369; 825399; 825433;  
825442; 825451; 825470; 825470; 825478; 825577; 825583; 825585; 825677; 825842; 826077;  
826135; 826137; 826138; 826166; 826173; 826204; 826211; 826217; 826254; 826350; 826405;  
826459; 826622; 826668; 827013; 827120; 827132; 827144; 827156; 837870; 837905; 838359;  
838373; 838389; 838568; 838676; 838716; 838802; 838856; 839094; 839101; 839516; 839552;  
839594; 839623; 839682; 839682; 839736; 839890; 839991; 840158; 840158; 840325; 840333;  
840364; 840384; 840404; 840404; 840486; 840493; 840511; 840517; 840524; 840567; 840600;  
840606; 840620; 840636; 840654; 840658; 840683; 840687; 840691; 840702; 840768; 840776;  
840788; 840818; 840821; 840865; 840878; 840882; 840889; 840894; 840940; 840942; 840944;  
840978; 840990; 841008; 841044; 841059; 841093; 841149; 841203; 841261; 841263; 841278;  
841282; 841292; 841308; 841331; 841332; 841334; 841340; 841352; 841357; 841370; 841384;  
841470; 841478; 841498; 841501; 841507; 841617; 841620; 841641; 841664; 841669; 841679;  
841689; 841691; 841691; 841695; 841698; 841703; 842784; 842785; 842802; 842806; 842818;  
842820; 842836; 842846; 842849; 842860; 842863; 842894; 842906; 842928; 842939; 842980;  
842980; 842989; 843016; 843028; 843049; 843067; 843069; 843070; 843076; 843094; 843110;  
843121; 843133; 843134; 843139; 843140; 843159; 843174; 843248; 843249; 843287; 843312;  
843319; 843321; 843352; 843426; 843426; 859359; 877613; 877644; 877651; 897497; 897531;  
897544; 897563; 897567; 897570; 897594; 897596; 897619; 897626; 897632; 897636; 897642;  
897646; 897652; 897655; 897667; 897669; 897670; 897673; 897690; 897751; 897770; 897774;  
897781; 897788; 897806; 897814; 897822; 897835; 897840; 897880; 897901; 897901; 897906;  
897910; 897952; 897956; 897963; 897971; 897982; 897983; 897987; 897997; 898032; 898035;  
898062; 898073; 898092; 898095; 898096; 898108; 898109; 898122; 898123; 898138; 898148;  
898198; 898218; 898219; 898221; 898237; 898242; 898253; 898258; 898262; 898265; 898281;  
898286; 898305; 898312; 898317; 898328; 949914; 949928; 949932; 949934; 949938; 949940;  
950092; 950096; 950356; 950367; 950369; 950430; 950445; 950445; 950482; 950489; 950574;  
950578; 950607; 950680; 950682; 950689; 950690; 950710; 951117; 951233; 1035182; 1046522

---

TABLE 6

---

Image ID Numbers Present in the 7K microarray.

---

502055; 809578; 171936; 897646; 810632; 530139; 377252; 731257; 49464; 120881; 755416;  
950574; 712341; 783697; 434833; 258606; 743804; 39313; 144924; 209014; 126401; 135450;  
243638; 244310; 245489; 126219; 111634; 309515; 340974; 1493527; 362624; 131839; 740554;  
214816; 855521; 971372; 195330; 44351; 232772; 134476; 123666; 826459; 214858; 85541;  
266318; 878468; 788109; 307255; 341706; 127473; 139217; 195381; 203227; 296754; 200402;  
293471; 243603; 809383; 322561; 292463; 725677; 839991; 428412; 796323; 399049; 289978;  
550355; 347373; 843067; 700792; 232826; 365973; 490778; 24918; 786677; 121252; 121239;  
126465; 135203; 193923; 234469; 247986; 232670; 22074; 782439; 782783; 1455566; 666218;  
46182; 108815; 366341; 869375; 300051; 214006; 795498; 810934; 809353; 950092; 787861;  
246869; 179753; 430218; 433162; 812955; 36607; 115307; 127542; 137208; 195553; 194307;

---



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

295723; 141171; 324861; 770887; 782503; 503841; 810617; 149737; 783696; 323474; 884655;  
 192569; 432194; 66686; 813166; 207794; 725274; 824068; 52096; 309591; 504791; 79592;  
 767475; 416833; 121355; 126453; 207098; 548693; 244391; 244806; 281843; 141768; 427692;  
 21652; 1472150; 713839; 727251; 79520; 877827; 549933; 285780; 240651; 769657; 46518;  
 525518; 759873; 625923; 137535; 756931; 266106; 767471; 66467; 127185; 127943; 136954;  
 242011; 292522; 292230; 141675; 343320; 321739; 39993; 280371; 249856; 246619; 703739;  
 66965; 810999; 811927; 436106; 141818; 365930; 360213; 841689; 897910; 824659; 45284;  
 345626; 415388; 813513; 293632; 121365; 126508; 199571; 199641; 234419; 245217; 292559;  
 35236; 1031045; 22260; 1492147; 40643; 208001; 826077; 491403; 310406; 1475659; 243181;  
 68977; 345586; 243741; 79624; 773724; 1031045; 773637; 278650; 609087; 813738; 246117;  
 120318; 127666; 136919; 295386; 207665; 295599; 211800; 358531; 269815; 40304; 430614;  
 147414; 194949; 712683; 809507; 256907; 42906; 436155; 50754; 48136; 127928; 825451;  
 815534; 415089; 344139; 82225; 767419; 139766; 121415; 241003; 139835; 194587; 195555;  
 244879; 132871; 149373; 323371; 22493; 1493160; 66982; 813552; 740476; 611532; 757440;  
 1475797; 154600; 197176; 768496; 547058; 767994; 823871; 269354; 611407; 854645; 345833;  
 665373; 207813; 126234; 130358; 136933; 195668; 208383; 294167; 212180; 413633; 365841;  
 41199; 489506; 292475; 823562; 840384; 323603; 489839; 785572; 450152; 181831; 756488;  
 177737; 773188; 796181; 310138; 194236; 770000; 81475; 768347; 230196; 121159; 292171;  
 142984; 200031; 246119; 244646; 247466; 42706; 501430; 23132; 1461664; 813841; 148021;  
 753620; 855749; 153505; 1476181; 156033; 210887; 769921; 84750; 80910; 711918; 109310;  
 430465; 120600; 625584; 66329; 244063; 127173; 142326; 137663; 295600; 208524; 297437;  
 247635; 417226; 502506; 41511; 857603; 771323; 214572; 814260; 269878; 486787; 28774;  
 448514; 811108; 810506; 810724; 825224; 773170; 324494; 289706; 203130; 23514; 138021;  
 108177; 121206; 151896; 138999; 292966; 213698; 296623; 248545; 160664; 343073; 25584;  
 859478; 813630; 770858; 427812; 884641; 770880; 1323539; 878564; 755054; 28098; 183337;  
 49630; 66718; 810059; 811024; 882484; 838434; 66352; 113399; 134525; 130716; 300632;  
 201519; 208790; 295324; 140422; 429574; 795809; 42096; 969568; 813823; 122159; 898281;  
 810753; 882548; 42864; 815861; 377320; 810092; 194182; 814409; 83129; 810264; 725335;  
 757489; 45645; 202901; 212236; 196214; 138374; 138837; 196837; 214823; 296773; 293564;  
 503737; 416305; 26184; 684626; 204897; 898262; 789369; 489519; 295843; 1456120; 878798;  
 810452; 293820; 261519; 841308; 85840; 119133; 740672; 882439; 298303; 66369; 297439;  
 122019; 130756; 140210; 200418; 229290; 239712; 140655; 504794; 487929; 42352; 971199;  
 292306; 36387; 784224; 884842; 123264; 488964; 824552; 767638; 26021; 41591; 77728; 784772;  
 429721; 487115; 971212; 855872; 66898; 233349; 123817; 138304; 248535; 196849; 213875;  
 296857; 197413; 298384; 502818; 815284; 742082; 271985; 843287; 756600; 415817; 1493383;  
 878681; 41658; 209137; 123926; 68225; 951233; 782578; 429349; 432042; 897865; 66390;  
 247710; 357970; 130791; 141106; 293128; 240050; 243460; 241113; 325155; 810083; 1409509;  
 359747; 307231; 840889; 502690; 428103; 1473304; 825418; 810600; 46897; 77897; 48631;  
 504774; 488645; 323500; 773568; 511909; 123255; 137182; 123858; 134192; 144956; 243652;  
 295140; 296141; 297919; 324225; 771197; 815110; 85509; 841149; 842894; 289447; 344997;  
 461516; 1055753; 144816; 196115; 211548; 785793; 781050; 590544; 377275; 773511; 66540;  
 111884; 122126; 130747; 141169; 201586; 292308; 293356; 144878; 296095; 112565; 213607;  
 214068; 166199; 788647; 247103; 455121; 1486082; 825606; 48614; 41356; 112629; 564803;  
 814526; 263836; 854668; 868332; 280740; 159166; 129177; 124730; 131877; 262920; 196636;  
 121727; 296170; 142927; 359933; 488707; 712460; 23831; 841703; 898092; 452374; 757873;  
 487297; 45636; 23772; 247281; 201628; 839516; 758365; 856354; 141852; 1031747; 270136;  
 66533; 121072; 123065; 134829; 140759; 206781; 240318; 144885; 825842; 795735; 810923;  
 725746; 221092; 124127; 297392; 858204; 854760; 123916; 825740; 172765; 293104; 827144;  
 841093; 814119; 878744; 757222; 255333; 324715; 151261; 123112; 244062; 132285; 244299;  
 201006; 300972; 296188; 130773; 809517; 299274; 815535; 809598; 843159; 85497; 769890;  
 855624; 471725; 1358393; 70002; 308588; 86220; 839094; 788421; 174627; 856174; 511459;  
 293191; 123788; 122237; 134368; 140966; 204098; 240586; 310034; 110347; 566474; 810096;  
 292996; 469412; 812083; 758222; 502832; 179603; 110226; 826352; 80146; 347434; 85678;  
 144777; 137638; 755751; 897107; 866882; 593183; 66475; 120309; 124788; 132358; 151418;  
 201030; 243808; 132464; 108330; 376767; 365177; 40704; 150702; 842846; 898122; 731648;  
 588829; 489553; 511814; 823851; 155583; 897670; 815235; 428231; 770444; 251936; 148225;  
 416643; 111492; 121133; 126221; 134856; 141230; 203791; 240674; 292633; 111054; 324313;  
 810229; 341328; 308437; 81417; 275180; 590727; 82131; 193087; 45556; 190468; 124781;  
 897952; 826350; 293403; 489664; 430928; 745214; 784109; 240977; 111136; 127462; 133130;  
 292496; 201902; 308231; 136855; 132066; 430153; 795277; 66731; 812246; 430318; 85634;  
 878835; 241489; 1404841; 753430; 229723; 43207; 897982; 795543; 448190; 205239; 471598;  
 586895; 784253; 277274; 121462; 126371; 138550; 194704; 203805; 241350; 195911; 111264;  
 487819; 795439; 24085; 681948; 809394; 66534; 460487; 949939; 162533; 207082; 213890;  
 27548; 258790; 796147; 356707; 382564; 745007; 755228; 788420; 142076; 110507; 127881;  
 137653; 195387; 202066; 243385; 292812; 135220; 488386; 429799; 49553; 159118; 44563;  
 701481; 83605; 166245; 49318; 1391682; 357031; 136744; 813714; 839552; 71101; 809694;  
 433567; 853809; 971382; 726791; 34302; 198647; 126650; 136301; 234380; 205490; 245484;  
 308163; 194155; 269354; 366848; 1412398; 810512; 34849; 897788; 360885; 145112; 287125;  
 183602; 813444; 823876; 137794; 51974; 897971; 143306; 244951; 239446; 49560; 796475;  
 66902; 161195; 128193; 132748; 211319; 202485; 309685; 299442; 230116; 810762; 324699;  
 32493; 30093; 36374; 840865; 773301; 33643; 825170; 450949; 768370; 160793; 139573; 824041;  
 786155; 488303; 431908; 383175; 271045; 233308; 121214; 126702; 135853; 206949; 205085;  
 245556; 139558; 80384; 291974; 811028; 1412412; 795178; 241474; 774502; 160664; 754406;  
 796287; 220851; 770452; 345858; 194214; 713469; 824393; 470061; 344243; 781047; 252663;  
 785707; 293177; 111006; 194136; 140337; 194972; 202348; 293005; 246546; 485195; 810741;  
 268152; 246748; 127841; 28475; 628336; 307138; 855586; 266312; 451098; 724588; 741067;  
 243580; 813266; 75254; 811168; 744917; 264646; 796759; 767236; 197676; 120297; 214744;



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

139051; 242010; 292628; 245765; 130892; 172440; 376802; 26922; 1412503; 770014; 668851; 772455; 853368; 755402; 85514; 221828; 299388; 130153; 365060; 949928; 897626; 66714; 263229; 198982; 869538; 767312; 232658; 234398; 128460; 193381; 195127; 210494; 292690; 232628; 586698; 249949; 42993; 430297; 756452; 240518; 260200; 302286; 469306; 25988; 450777; 754085; 293325; 130820; 613126; 78217; 809456; 161998; 855684; 796134; 244847; 247216; 126883; 137981; 195720; 232965; 245936; 135910; 180902; 66437; 27624; 1416782; 768296; 194384; 609663; 345553; 68049; 1325605; 362278; 725473; 119384; 234237; 504877; 897901; 810272; 415086; 51064; 869187; 768464; 248624; 233347; 128973; 470232; 195117; 210501; 293500; 130777; 755093; 811097; 43129; 884743; 160723; 202682; 685371; 301735; 878406; 503717; 451907; 305336; 261828; 340558; 842820; 783629; 344091; 447365; 1031552; 67759; 110893; 130276; 301752; 138507; 193200; 235026; 245986; 296041; 187616; 66373; 28309; 1473289; 47142; 132373; 382195; 884766; 435953; 1455976; 395708; 809776; 753069; 812251; 713782; 810942; 298231; 121551; 773381; 755581; 681917; 127970; 203469; 130826; 154312; 212815; 210525; 293664; 132549; 782594; 502496; 43338; 773367; 179500; 809639; 704290; 324437; 724932; 488956; 452780; 341942; 726637; 810986; 726236; 788107; 782853; 781139; 41345; 129516; 121501; 128617; 138579; 245413; 244784; 246537; 296162; 196282; 323623; 28985; 1474337; 140806; 153473; 758037; 280735; 68950; 811088; 110467; 204539; 781510; 784744; 417855; 739511; 1056200; 611075; 66582; 144902; 206544; 130857; 138141; 206849; 210343; 293675; 274578; 136780; 795442; 43550; 755474; 469345; 809901; 71672; 488276; 193736; 247483; 453107; 240367; 567265; 50506; 810703; 70489; 809526; 491565; 739109; 70245; 295376; 110094; 121803; 322786; 138672; 197093; 293990; 296199; 796198; 219976; 504300; 30272; 592592; 128143; 682528; 487118; 80186; 436062; 1472336; 757500; 771236; 549073; 125092; 897563; 842939; 795730; 490763; 882488; 302632; 66596; 128204; 296883; 130972; 138189; 359411; 210565; 120701; 753381; 155072; 809596; 43622; 267420; 810325; 810358; 843140; 782193; 740801; 82297; 897720; 234736; 240062; 144834; 786084; 826173; 320509; 262251; 67769; 280837; 110198; 123805; 128690; 138752; 197776; 214848; 296334; 121420; 259587; 810992; 31143; 263716; 754600; 842802; 897690; 525926; 868652; 1472698; 1472753; 146123; 754538; 810444; 789204; 785744; 810502; 343871; 773137; 838149; 66608; 247660; 122354; 130572; 140252; 201173; 234170; 132789; 293510; 327221; 343343; 44255; 322079; 823696; 298155; 725503; 745343; 797048; 432050; 897978; 725680; 131653; 323506; 52629; 760224; 770614; 510002; 306444; 842861; 292232; 125828; 124132; 207649; 139189; 197736; 230180; 295501; 172721; 810395; 470144; 183556; 72869; 758266; 236305; 868484; 756556; 1456937; 1474684; 362853; 727210; 701112; 713886; 594743; 490556; 756596; 1142132; 840766; 66630; 210923; 122359; 130582; 471372; 207016; 241475; 193937; 143756; 341588; 279399; 346009; 811044; 51448; 815555; 971276; 25517; 395711; 279378; 124138; 770192; 245920; 79022; 66564; 488157; 969854; 505491; 842918; 211813; 128503; 124143; 294483; 288658; 292568; 243405; 295206; 244055; 365665; 809488; 878652; 129506; 796000; 782811; 769716; 878280; 1048985; 34184; 841357; 782800; 825433; 146577; 756709; 252515; 129387; 843098; 66910; 111549; 122684; 130977; 138337; 201334; 241587; 230274; 120306; 366009; 291623; 379920; 811162; 628357; 784777; 461804; 756533; 769552; 756708; 471200; 123730; 134748; 739126; 40017; 471859; 49963; 135085; 810801; 234036; 110578; 123932; 132848; 293755; 198026; 243887; 295321; 123229; 810664; 810389; 741880; 327350; 148421; 796984; 83444; 491692; 1309620; 1032405; 345348; 813675; 784124; 788745; 632137; 257523; 770394; 362910; 299559; 66903; 295985; 122796; 135058; 137760; 206882; 240992; 366526; 128795; 280286; 66965; 448619; 809464; 127821; 244147; 431296; 869466; 263894; 814080; 26314; 299679; 80549; 815285; 898258; 435551; 23012; 625683; 66977; 200863; 233688; 132524; 470348; 194297; 485858; 297411; 811890; 810510; 491157; 502518; 296587; 71727; 795830; 756502; 896962; 1343468; 700721; 119530; 754355; 81599; 73381; 207358; 291448; 77539; 51826; 610097; 546600; 111714; 122397; 135777; 137862; 204638; 241258; 345342; 130610; 795499; 810989; 366893; 767851; 43826; 307532; 284001; 484874; 280252; 265102; 178463; 123980; 81518; 814465; 121776; 857661; 50519; 345957; 839888; 274529; 110912; 124126; 132623; 160616; 197500; 296180; 129600; 129514; 488359; 795529; 810802; 124824; 504763; 774754; 462953; 70332; 1343971; 144867; 811920; 135692; 843248; 47908; 429466; 155768; 740604; 855890; 753794; 209624; 111722; 126581; 136117; 137885; 204814; 241070; 296030; 149742; 810038; 282907; 823864; 236355; 773215; 51640; 781233; 235135; 271744; 151662; 246304; 37491; 788472; 712848; 130100; 290091; 562811; 745503; 505225; 208798; 140171; 127729; 133197; 162161; 295527; 197843; 244637; 213754; 810864; 505062; 204299; 753215; 839623; 795840; 433553; 823982; 1375309; 210687; 45542; 198917; 785933; 841679; 491121; 884438; 1031799; 450307; 627039; 294133; 111755; 126544; 135922; 194656; 204444; 241932; 128457; 208699; 323474; 795803; 240766; 665774; 703581; 548693; 260035; 269381; 257135; 345430; 246522; 752732; 810859; 740914; 299630; 854696; 725721; 530185; 812967; 309092; 203918; 128118; 133303; 209583; 202243; 243878; 109049; 130120; 195813; 343562; 853570; 126470; 361639; 48886; 713145; 279790; 67221; 868838; 143443; 360168; 309316; 815774; 628418; 782824; 293925; 784257; 192271; 295410; 248288; 125608; 136730; 193533; 204312; 247159; 297063; 233579; 109310; 66676; 1486260; 810873; 35828; 837870; 504452; 415145; 366945; 132144; 240634; 292933; 754046; 842836; 77533; 309092; 358643; 268188; 815303; 811848; 121521; 120153; 128954; 134120; 210622; 202612; 296181; 299093; 120516; 357626; 505289; 843398; 132911; 143523; 840942; 193913; 365515; 309288; 454333; 742143; 145001; 153411; 75415; 563574; 344039; 742798; 590615; 361239; 204545; 214165; 297442; 136632; 233289; 207248; 247859; 136560; 232714; 259462; 132248; 127709; 115143; 204541; 826211; 291255; 281145; 72663; 810959; 768316; 130280; 154749; 85202; 74566; 233547; 277906; 268736; 51950; 43733; 66552; 120631; 129442; 233547; 195513; 202769; 296752; 142134; 175528; 429555; 504783; 665674; 811012; 244387; 80109; 427750; 868380; 461327; 49591; 46356; 66317; 786083; 626502; 488435; 377692; 857652; 79782; 236129; 206565; 125822; 140057; 295866; 207293; 248092; 112371; 258589; 809490; 31210; 248631; 123579; 179890; 789253; 840708; 756490; 33294; 267725; 44255; 753587; 813158; 784126; 840606; 563621; 121406; 769901; 884822; 53039; 38465; 120162; 129407; 197054; 195524; 293178; 296901;



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

139278; 202921; 491559; 44537; 754649; 71622; 245853; 789069; 795309; 68557; 505881;  
471742; 45544; 44505; 669443; 824527; 796253; 284701; 78353; 852829; 246430; 247803;  
295492; 126988; 141298; 193713; 230560; 246824; 115414; 267431; 249895; 32898; 392622;  
813279; 246765; 361974; 295093; 343867; 1472743; 259579; 223483; 188036; 770216; 810729;  
591281; 306921; 306575; 755612; 82903; 786673; 115155; 120533; 129567; 154789; 195232;  
229702; 297136; 294127; 234664; 344648; 45941; 812033; 340644; 124605; 82734; 308746;  
845419; 857681; 486076; 180864; 293859; 898218; 75009; 782385; 854284; 69184; 742576;  
124891; 121687; 129840; 141366; 193790; 233734; 248688; 344352; 268412; 284479; 33632;  
280507; 36493; 242062; 841352; 856796; 279970; 1492104; 289677; 809784; 52933; 471266;  
52079; 773192; 782688; 588598; 450386; 1032004; 767277; 109108; 120823; 131316; 140852;  
195820; 211361; 294485; 203302; 295873; 811150; 47110; 796388; 343072; 283023; 825060;  
324383; 884867; 248295; 487761; 361171; 23173; 203721; 774036; 212165; 502333; 51817;  
295857; 627273; 109279; 121543; 358543; 139656; 198578; 240406; 248601; 358673; 273435;  
795151; 34357; 1342650; 365755; 769513; 41650; 364510; 432651; 1492304; 306358; 484641;  
33049; 612274; 784830; 814460; 267390; 33096; 179163; 769942; 66944; 128150; 120173;  
131388; 202514; 206937; 292424; 294942; 204208; 233927; 810411; 47833; 450745; 811740;  
127974; 666425; 377731; 298268; 858293; 489535; 346552; 292388; 753467; 684661; 687875;  
257422; 433481; 151449; 845363; 136223; 108730; 121898; 296177; 139689; 198582; 233719;  
130916; 134422; 278501; 782306; 34396; 307873; 738899; 666879; 504544; 139840; 264640;  
1326920; 814961; 682522; 24642; 841334; 758662; 62277; 283751; 586685; 148968; 366132;  
67016; 109277; 122443; 131370; 160628; 200855; 229915; 356800; 241179; 136814; 503335;  
50117; 453641; 811096; 222181; 51666; 297731; 724831; 293924; 855391; 28469; 138917;  
214990; 784910; 838568; 223274; 241481; 30175; 629896; 292528; 294973; 293380; 144791;  
139705; 198169; 294150; 122963; 563701; 260707; 795677; 35483; 42070; 154707; 950489;  
781341; 53092; 322148; 1461138; 825411; 293696; 548957; 726086; 841617; 841282; 377166;  
525799; 297895; 950709; 67006; 109309; 240199; 131050; 138455; 233852; 230013; 275950;  
211859; 782161; 795647; 50666; 486110; 813179; 23804; 842849; 138788; 360778; 741988;  
277537; 547247; 809494; 813757; 293940; 51814; 430471; 502161; 724893; 950568; 246598;  
126882; 124241; 341805; 188390; 199205; 230090; 123448; 130835; 366238; 811035; 782406;  
809557; 784337; 786213; 586839; 854338; 1468310; 502141; 198372; 46284; 724652; 825085;  
502369; 428338; 51320; 212115; 758343; 67009; 239692; 123405; 132159; 141453; 200840;  
242084; 292624; 235149; 782462; 144801; 487704; 180803; 289923; 838373; 725285; 183440;  
288796; 704690; 207920; 754479; 143519; 772261; 505059; 460114; 745138; 203003; 780977;  
132527; 110703; 127354; 198190; 162722; 199229; 123755; 128290; 125685; 290893; 809397;  
838366; 308041; 359781; 840600; 759163; 223350; 1393018; 685801; 770080; 813184; 80915;  
321386; 859359; 154720; 773617; 869233; 795254; 67069; 111844; 122906; 132019; 141765;  
200937; 230251; 251516; 144870; 220077; 503083; 506369; 156473; 788141; 753862; 415828;  
432210; 290378; 713129; 767049; 165878; 809939; 741841; 310519; 856135; 857640; 882483;  
796946; 203350; 110741; 124530; 134520; 209167; 199220; 293858; 132111; 133972; 415948;  
795256; 129988; 296757; 785574; 785975; 45600; 809720; 244146; 704254; 768562; 810974;  
840691; 687397; 589751; 145383; 726658; 1049330; 244194; 154999; 129293; 214577; 135901;  
142385; 201393; 242780; 486279; 194872; 179419; 771133; 878578; 124597; 841203; 278501;  
454822; 121454; 1405689; 825287; 210405; 47475; 949914; 814478; 271899; 773478; 884355;  
842973; 66474; 110996; 124277; 325375; 309039; 210710; 280386; 139818; 134712; 325150;  
770838; 71626; 248261; 74119; 897531; 784589; 856650; 896949; 713047; 261204; 35077;  
843076; 711959; 214162; 435434; 133637; 283436; 531862; 201981; 246143; 123222; 136286;  
142532; 294018; 242797; 200302; 160573; 259169; 809552; 126858; 49665; 49164; 324861;  
780947; 897485; 379771; 284799; 33949; 243358; 786067; 897814; 42258; 358433; 757404;  
768292; 594322; 138592; 110791; 124014; 143208; 191508; 202553; 243641; 126229; 139680;  
265350; 505199; 137531; 811792; 898242; 704459; 770454; 814353; 1393834; 771220; 155716;  
813707; 310105; 814378; 782462; 788256; 417424; 884539; 265645; 121577; 109811; 125548;  
136571; 155128; 248481; 243088; 360885; 205417; 811126; 810133; 128875; 26418; 843134;  
809603; 781506; 431397; 741497; 130884; 839594; 380737; 321723; 877782; 586725; 841179;  
509943; 293078; 112525; 128301; 134753; 191569; 202704; 243656; 206986; 141684; 415700;  
810483; 240099; 713922; 898219; 490368; 447509; 85643; 1161775; 592243; 810063; 293916;  
51746; 788190; 417251; 878413; 287749; 470261; 73609; 138059; 129563; 129721; 234150;  
193586; 204251; 243154; 133236; 233074; 67002; 809719; 320763; 22411; 363569; 251351;  
155717; 786194; 417783; 41565; 301504; 21738; 897567; 416833; 66711; 590640; 744047;  
487373; 788196; 53099; 111510; 200608; 133964; 195995; 202802; 243659; 203547; 243546;  
126284; 283375; 681997; 713685; 35185; 839594; 950710; 725321; 431803; 120108; 214133;  
363597; 108667; 897956; 814508; 344825; 344134; 770579; 454908; 143227; 242070; 127199;  
137096; 197343; 208319; 292244; 124578; 296797; 269930; 359539; 378565; 82871; 741769;  
773771; 272183; 162491; 884480; 1240116; 233583; 756373; 363144; 80708; 381067; 108330;  
270626; 202897; 773479; 796513; 247818; 120681; 130054; 134394; 244781; 203390; 294951;  
206992; 295916; 121731; 504575; 1411726; 31072; 771196; 774471; 773305; 781017; 730124;  
489631; 810521; 301122; 45272; 781362; 795936; 810762; 472095; 366105; 868400; 120561;  
121977; 143759; 136856; 207990; 213118; 292364; 125739; 279329; 263846; 809513; 1389018;  
186132; 755506; 843174; 323577; 795526; 627306; 344272; 120106; 470179; 809992; 897570;  
825577; 840683; 855864; 344432; 731308; 786078; 112577; 120695; 129332; 121546; 243360;  
203434; 295106; 202549; 135791; 359119; 418299; 1475595; 812048; 243202; 592540; 884790;  
796197; 295551; 502582; 280752; 307553; 179283; 785415; 704299; 491559; 221076; 857319;  
25922; 139138; 121558; 127766; 140000; 241171; 211351; 292654; 839682; 285226; 810403;  
36950; 1358229; 753184; 810625; 383089; 460398; 745116; 813654; 345787; 346117; 50413;  
184365; 841620; 811870; 273435; 772425; 739090; 897823; 1046484; 283897; 126355; 299737;  
193139; 196350; 212398; 296094; 233550; 138444; 244044; 51293; 1323328; 143287; 122091;  
714453; 755373; 742115; 611027; 506032; 230261; 128783; 234011; 782797; 785459; 309515;  
429448; 341978; 841070; 123408; 127625; 230224; 139883; 194965; 235040; 292964; 233071;



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

293715; 810861; 37366; 1292073; 754509; 201650; 842784; 282956; 502622; 1466844; 378955;  
126413; 204755; 302591; 796757; 788334; 491418; 882515; 178792; 52076; 785847; 109271;  
294881; 293683; 154138; 293431; 212252; 297050; 232789; 159725; 290753; 51740; 1323157;  
240151; 51865; 488019; 486623; 343987; 767495; 506658; 250667; 159455; 589433; 825323;  
530814; 855843; 450854; 856585; 80338; 108836; 121736; 296155; 139365; 195037; 239874;  
293257; 774082; 305606; 810059; 37904; 1344137; 200814; 753346; 788654; 878836; 40773;  
1412245; 379309; 753917; 183462; 241880; 712023; 813520; 487773; 725533; 34102; 509800;  
42123; 122889; 120863; 131668; 198451; 290054; 295497; 296568; 214981; 131239; 810878;  
1456160; 740925; 549728; 813830; 503338; 123971; 823574; 1292432; 324210; 752557; 811999;  
842806; 753700; 296032; 461759; 840474; 837904; 108425; 121770; 130116; 246292; 199272;  
240637; 293331; 115337; 309864; 282404; 39093; 1160732; 470393; 70827; 840990; 250654;  
415102; 1412344; 379708; 754093; 40946; 491066; 824117; 898253; 489805; 502682; 22883;  
884272; 66443; 121270; 120973; 131446; 366966; 200545; 245764; 296597; 233419; 154323;  
809850; 878689; 292219; 545189; 83231; 1020315; 714213; 35318; 1033708; 813419; 142395;  
138936; 843139; 843049; 855786; 487988; 270505; 950507; 246703; 108763; 139113; 364873;  
139268; 197868; 295992; 208904; 470846; 322617; 32444; 39173; 324901; 196612; 195903;  
700527; 377441; 377461; 1412502; 713236; 221808; 66946; 79502; 788832; 609332; 782725;  
433573; 796689; 770675; 31251; 109488; 244686; 136772; 140328; 241658; 244077; 129569;  
245534; 232826; 418394; 1161155; 810331; 77133; 782760; 769600; 786680; 1469234; 810550;  
280666; 292272; 33826; 814214; 795827; 153355; 80633; 471664; 276237; 203544; 275802;  
124071; 130294; 140103; 213969; 241507; 244343; 129071; 366933; 327250; 39796; 755145;  
178468; 610012; 51702; 853151; 845355; 1434948; 746232; 50614; 727792; 784593; 842863;  
42076; 346947; 770424; 755526; 843234; 154654; 243770; 128297; 143322; 142689; 201229;  
244267; 233802; 245774; 782203; 504516; 1384851; 665658; 815526; 795296; 586803; 853687;  
1470333; 815575; 289666; 770910; 809916; 827013; 840486; 884425; 502486; 51406; 897575;  
233183; 246116; 123646; 292939; 191648; 245299; 230509; 292471; 130421; 306216; 266531;  
34778; 82879; 711961; 72395; 377314; 1435003; 814086; 31873; 361048; 773599; 824426;  
782339; 809453; 140574; 249603; 60605; 173878; 120097; 122875; 136317; 241482; 201314;  
243230; 233274; 247616; 203474; 795572; 1460110; 756666; 897642; 950690; 454475; 82195;  
434768; 511850; 187147; 144932; 810039; 814306; 730410; 971399; 857874; 203732; 610113;  
324255; 240353; 245549; 131764; 242700; 199623; 244243; 201651; 247081; 758332; 770866;  
812965; 276449; 897667; 81289; 853906; 745402; 625011; 814240; 33327; 202535; 785148;  
950578; 38763; 853988; 135630; 293792; 277339; 196038; 229701; 122946; 233318; 157856;  
202353; 245401; 275173; 241794; 809489; 782719; 1474174; 23776; 714106; 839736; 502499;  
491727; 1390584; 774446; 47647; 248371; 179403; 897594; 242578; 809946; 769571; 731273;  
509570; 201483; 297107; 240357; 135273; 470368; 199624; 284341; 202414; 126225; 271378;  
809685; 810420; 768246; 773246; 258589; 345232; 80221; 969914; 814410; 753285; 33941;  
840940; 897806; 838359; 298417; 755385; 773290; 897641; 242706; 112494; 122955; 234617;  
160730; 246792; 243312; 200307; 243414; 771023; 33616; 1486109; 196992; 841292; 281476;  
897177; 814798; 450574; 37553; 812196; 246524; 488413; 897636; 897880; 460673; 854581;  
588822; 951022; 111721; 113281; 124795; 234376; 243294; 297084; 244722; 243428; 136180;  
272063; 810519; 78294; 741474; 32684; 267634; 868169; 286378; 1155071; 814773; 193067;  
811899; 712049; 119882; 289496; 235938; 725176; 782275; 29063; 112541; 123441; 142090;  
144905; 296132; 230260; 122787; 113300; 810609; 504207; 813614; 125722; 898138; 243603;  
361840; 595175; 452588; 768644; 810612; 770462; 71434; 809648; 194600; 250069; 295412;  
769911; 593251; 297102; 127272; 124909; 135654; 295229; 203038; 245062; 246686; 142067;  
126277; 503214; 753923; 127509; 840493; 785845; 855910; 108377; 1408710; 292613; 194364;  
49860; 796268; 627939; 249687; 287687; 432581; 364934; 774420; 120413; 245742; 127096;  
137016; 143995; 207968; 234320; 301082; 143661; 308497; 810402; 205633; 510679; 85979;  
415700; 289857; 838611; 454896; 811900; 823940; 470930; 898221; 785334; 310034; 146868;  
214985; 80659; 271670; 201264; 243614; 130044; 135676; 208570; 203122; 243700; 295389;  
144880; 415406; 322695; 134544; 681906; 814095; 109179; 471642; 490947; 810806; 39798;  
823663; 295729; 510396; 840517; 771089; 755578; 433307; 490805; 727147; 138929; 123724;  
127147; 143654; 242687; 198807; 362694; 121798; 240208; 297043; 66576; 49970; 753447;  
898123; 357626; 252259; 626206; 1390860; 42558; 343443; 341246; 843094; 814640; 301082;  
238821; 742767; 148469; 785886; 135561; 244618; 130004; 135094; 195852; 244086; 246766;  
197855; 135688; 366971; 306726; 503724; 51981; 363103; 192694; 284882; 122394; 772304;  
757165; 212021; 361565; 281978; 824531; 897632; 240961; 280970; 854576; 288695; 811813;  
132569; 121475; 126459; 135454; 197300; 203956; 247967; 485854; 201517; 771272; 770785;  
1325751; 209655; 197525; 509484; 788285; 429557; 628602; 195751; 34773; 122915; 40056;  
897646; 788286; 300474; 755299; 293950; 469369; 665356; 246041; 245000; 127514; 132708;  
195772; 194061; 294014; 223661; 229580; 344825; 293094; 504682; 365945; 196189; 796646;  
714426; 487071; 363055; 399456; 51328; 325062; 42118; 366728; 781019; 768344; 365973;  
897271; 49351; 53384; 295982; 294892; 126450; 135426; 295973; 204558; 248009; 309583;  
110503; 321163; 795832; 1471829; 212429; 810899; 704905; 566760; 502355; 757375; 239611;  
770027; 755975; 212078; 80399; 772951; 209224; 153694; 131988; 345063; 813611; 142944;  
207869; 293736; 234425; 195546; 109123; 296010; 299815; 342069; 195723; 320712; 23353;  
549101; 195712; 789357; 263846; 743077; 81604; 435219; 25499; 509588; 377152; 898109;  
782692; 810104; 855390; 365326; 624634; 768406; 296483; 121341; 126497; 358549; 242778;  
204624; 244815; 244277; 33051; 206632; 22012; 1472689; 756272; 771258; 824024; 852520;  
840460; 223176; 202958; 509495; 249705; 138116; 700302; 843319; 261494; 296123; 269292;  
266146; 34837; 66711; 293336; 127983; 340745; 195784; 292357; 292332; 814270; 343646;  
487087; 40026; 283034; 223098; 85561; 784278; 782835; 263014; 36491; 399532; 241530;  
241985; 78869; 838676; 773220; 471641; 739155; 52996; 813168; 209277; 121412; 126509;  
139764; 194600; 358984; 245219; 212620; 38763; 323577; 22293; 1492412; 121218; 125134;  
80374; 298062; 289606; 1475746; 247241; 142556; 24032; 810791; 416959; 814765; 323371;  
487429; 844725; 726768; 111516; 295583; 127710; 137349; 196047; 208375; 292501; 247783;



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

380620; 262053; 40360; 435597; 591864; 810321; 33045; 415084; 41195; 785930; 447167; 23282;  
723972; 813591; 842818; 814731; 272327; 744052; 530545; 50491; 754582; 127769; 207379;  
156023; 139490; 245517; 229997; 244350; 246194; 42076; 429323; 23019; 1493175; 810017;  
66322; 773332; 740620; 491763; 1476065; 179617; 810331; 229579; 199663; 138139; 842928;  
810558; 811046; 47665; 627251; 796448; 234318; 124853; 135766; 137647; 293637; 208407;  
293222; 139376; 416280; 782841; 41452; 878815; 687270; 126795; 773236; 502977; 878838;  
768377; 448386; 183194; 26910; 742101; 796680; 49260; 272690; 436135; 588559; 80162;  
785760; 125666; 121184; 179426; 138978; 294444; 213509; 245457; 248698; 48283; 280527;  
24145; 1467195; 244307; 243816; 79712; 868212; 759200; 1323448; 161172; 345559; 767798;  
73782; 713660; 877613; 284479; 436029; 268946; 151595; 66333; 113394; 246074; 130656;  
137506; 200773; 293847; 293358; 138865; 428231; 810868; 42059; 844816; 289615; 249688;  
376875; 258120; 730002; 786537; 449058; 51543; 50680; 511066; 81394; 796341; 323989;  
243159; 49311; 47037; 290308; 108197; 125769; 127486; 139062; 248020; 213535; 296741;  
292770; 77577; 490755; 25725; 1468820; 809981; 241365; 703964; 293032; 128493; 1456424;  
878545; 47681; 309032; 768357; 47510; 843121; 811150; 50888; 85313; 416316; 66341; 113431;  
121994; 130677; 293599; 200395; 208663; 233214; 141192; 448190; 809645; 42214; 970271;  
770012; 771308; 789012; 782545; 325182; 501939; 725340; 188232; 360047; 470175; 815539;  
703479; 346360; 503579; 153541; 796806; 66420; 193122; 123506; 196860; 138974; 245235;  
214136; 296838; 293835; 782718; 811066; 26366; 1032431; 51916; 208161; 214441; 454083;  
128753; 1435300; 878676; 141562; 563598; 265874; 490306; 951117; 503083; 49548; 435561;  
131626; 66377; 113538; 240937; 130758; 140792; 245386; 233783; 230341; 138234; 299197;  
279407; 42576; 1408407; 153025; 813711; 80410; 970590; 431655; 490244; 824728; 45138;  
243321; 770868; 814014; 795173; 505538; 853938; 530282; 122150; 108471; 211024; 321580;  
563621; 196222; 232624; 296136; 294740; 1030929; 810852; 83011; 550353; 24415; 712840;  
230882; 46166; 1493390; 896921; 242037; 823614; 770212; 774071; 797059; 282907; 884783;  
595604; 66555; 290230; 296444; 130801; 141123; 201525; 280750; 244386; 143910; 127860;  
795798; 120468; 126390; 247117; 80500; 624627; 789314; 1474149; 825604; 288896; 48182;  
755037; 781018; 789318; 358752; 450661; 1031076; 324122; 261587; 245745; 123578; 292236;  
143887; 296508; 260619; 296168; 840404; 321271; 309803; 686081; 245422; 486208; 949940;  
39920; 130242; 462113; 50887; 380797; 45231; 262231; 40299; 83363; 742064; 161373; 502753;  
838744; 66550; 128561; 122170; 130824; 140732; 243194; 469981; 297405; 244202; 504979;  
364555; 399318; 126368; 813280; 789147; 360854; 949971; 1474955; 825726; 810743; 26578;  
33690; 898317; 841698; 361899; 470279; 248463; 855620; 740554; 109523; 198874; 137918;  
154477; 159935; 282980; 296184; 143169; 810154; 310894; 713193; 293859; 81427; 418422;  
51373; 455128; 487348; 49389; 810551; 300482; 274638; 40562; 233581; 214982; 455115;  
435036; 278101; 66562; 198605; 123067; 134229; 140811; 206831; 240843; 126393; 129541;  
771215; 795382; 769542; 260325; 128243; 115281; 755689; 789383; 110168; 826256; 292212;  
124753; 773254; 704532; 796542; 590692; 230971; 251591; 951142; 67037; 121880; 244058;  
133331; 322759; 296498; 309045; 296189; 344133; 809995; 356835; 826984; 289337; 526657;  
83210; 884301; 854879; 1404396; 1470060; 302549; 813827; 758366; 840404; 239877; 856489;  
432072; 725501; 950473; 383016; 110436; 294255; 134439; 140921; 203910; 240648; 292222;  
112896; 771255; 810843; 190491; 133213; 243100; 66560; 487777; 594120; 211275; 788269;  
203240; 27787; 897619; 814117; 165921; 502669; 280356; 743041; 626531; 132215; 111101;  
124808; 138737; 197975; 296149; 292270; 132690; 131887; 810575; 771233; 149013; 897497;  
795330; 85624; 845415; 346604; 1350468; 51408; 813460; 361097; 814696; 789232; 429574;  
214884; 470122; 200018; 626716; 195051; 111200; 126237; 143919; 140304; 211557; 292834;  
230360; 109483; 271357; 282320; 723986; 669419; 841384; 208413; 361323; 564492; 248583;  
510032; 134269; 244703; 814246; 785745; 812144; 491486; 857002; 26568; 593023; 66406;  
111413; 142087; 133158; 274979; 247194; 366085; 128260; 121251; 809422; 277003; 283954;  
212649; 322051; 85128; 755750; 562813; 1367900; 810445; 40887; 209841; 843249; 839890;  
755093; 755301; 376785; 852913; 108801; 111705; 128322; 135212; 194395; 203850; 241355;  
130334; 126438; 357681; 191743; 530875; 146605; 827132; 280882; 1035889; 233479; 395440;  
770670; 298963; 234562; 79629; 841332; 283715; 346696; 856434; 769579; 26884; 51450;  
245885; 132835; 132323; 195358; 207778; 295997; 248143; 769846; 191826; 502405; 588911;  
770391; 195340; 815542; 841059; 49987; 897950; 1376827; 668007; 44975; 127193; 898265;  
429182; 344274; 1031203; 745433; 460106; 768329; 142139; 111825; 126670; 136382; 293328;  
234647; 245479; 357120; 156874; 502421; 811095; 1412238; 205185; 49509; 51041; 137158;  
469969; 745496; 190666; 162775; 823598; 49518; 842989; 796996; 246722; 769948; 278242;  
486113; 38642; 154616; 130243; 128346; 134482; 194921; 202315; 293436; 126341; 194031;  
323117; 811607; 148231; 245296; 220096; 824070; 950096; 362409; 384078; 450983; 136821;  
358457; 811842; 39593; 949932; 810395; 491544; 769712; 845663; 726846; 50214; 137793;  
126722; 136909; 294647; 204489; 245570; 325365; 163579; 810558; 810846; 1412481; 246300;  
756163; 759164; 269806; 377671; 626358; 172751; 308281; 292806; 823930; 704760; 824922;  
838856; 882506; 324891; 856535; 785967; 83210; 293569; 128737; 154214; 195052; 202357;  
293045; 121997; 491232; 795604; 795750; 309970; 340630; 42373; 68103; 811585; 586888;  
52741; 450711; 376290; 160838; 262996; 825013; 713080; 127860; 139681; 731339; 51083;  
306806; 121220; 126884; 137931; 297061; 207370; 245894; 212406; 175727; 1048810; 27549;  
1412504; 812276; 753301; 950445; 754034; 22895; 586990; 360392; 809627; 756769; 469686;  
814701; 843070; 194161; 472186; 303109; 811000; 842968; 40751; 121877; 142647; 154289;  
195091; 210431; 292908; 125308; 730410; 343744; 43021; 488873; 813742; 247816; 740457;  
327635; 288663; 25807; 451855; 813459; 296529; 203351; 824602; 739993; 321734; 178825;  
264895; 84713; 108265; 123439; 126887; 137989; 193481; 232723; 245964; 109200; 1035182;  
66491; 27848; 1435862; 810372; 768168; 897669; 1030769; 296448; 1325816; 141221; 627114;  
221846; 511428; 289818; 826135; 504207; 261580; 243882; 838612; 813499; 200969; 841691;  
128993; 138104; 195139; 210523; 293503; 292542; 770593; 256515; 43231; 725076; 32609;  
246246; 840687; 281003; 842825; 489485; 453005; 35105; 356665; 202904; 814546; 789011;  
809621; 470128; 199833; 108316; 121500; 138589; 143454; 193546; 235102; 246144; 297178;



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

193913; 66950; 28410; 1435029; 133273; 201727; 711826; 784179; 756405; 1455641; 236263;  
810242; 265680; 727292; 843321; 782488; 810567; 220655; 285544; 856961; 767188; 293417;  
296393; 137456; 138168; 195974; 210348; 293676; 193938; 783697; 322537; 43241; 897158;  
213280; 301061; 774409; 428756; 433253; 197657; 452963; 127677; 25588; 509760; 789091;  
711768; 782679; 859807; 884719; 86160; 108351; 121808; 128627; 141209; 197051; 293845;  
246684; 295514; 207618; 365423; 29054; 1486083; 594540; 753897; 826204; 844680; 624754;  
1456900; 725672; 166934; 510702; 767753; 877651; 825214; 279146; 152453; 770588; 884500;  
66584; 251461; 123720; 130876; 138165; 200780; 209340; 293727; 343737; 148743; 123546;  
43563; 269606; 50182; 134783; 840944; 365826; 770835; 783998; 453183; 43771; 562983;  
768299; 949934; 328802; 284160; 502151; 586854; 40608; 66919; 274932; 121828; 128679;  
138706; 230637; 214826; 296330; 301678; 230370; 345177; 30664; 108378; 134322; 295137;  
687397; 435330; 83549; 1472643; 1456118; 342378; 813426; 811942; 824511; 358531; 809390;  
486678; 1032796; 526945; 66606; 246680; 122295; 133180; 138210; 230191; 233939; 234468;  
199258; 144930; 257823; 44180; 284220; 244355; 140131; 950367; 342008; 344430; 282977;  
897767; 727192; 179804; 296998; 71545; 810787; 268876; 455025; 770337; 85320; 144894;  
110282; 124128; 128695; 138745; 197720; 232950; 296454; 323404; 810509; 277044; 31169;  
430314; 509823; 485744; 727390; 433474; 460470; 1472719; 1473788; 42739; 327150; 563673;  
814636; 627542; 491460; 342647; 755302; 509887; 66609; 234975; 122364; 130617; 140301;  
234484; 234201; 345751; 201383; 809456; 782766; 44307; 324492; 727551; 309993; 815564;  
383188; 41208; 436121; 771303; 198815; 752652; 71606; 825677; 767817; 795522; 252953;  
433666; 731051; 363146; 294221; 124137; 129624; 139250; 198593; 296795; 295545; 235008;  
201641; 810571; 813997; 813387; 712641; 416803; 773330; 713974; 1472735; 1049030; 197128;  
771206; 783729; 796258; 203132; 490995; 45578; 884692; 742977; 66685; 124020; 122702;  
144893; 138239; 201309; 241497; 209381; 193811; 135752; 809961; 378461; 754080; 26617;  
705274; 162199; 788764; 392390; 347560; 46786; 129865; 197888; 795738; 753862; 810697;  
177772; 757248; 123262; 296549; 124179; 129817; 295577; 198339; 243524; 295303; 344141;  
795229; 795399; 859858; 23185; 789376; 840158; 154790; 769959; 1321598; 684655; 754031;  
564962; 841340; 773344; 235155; 362718; 141815; 384081; 266085; 66895; 111571; 212634;  
144802; 137736; 296640; 240506; 343661; 124271; 249618; 133735; 436094; 752631; 366511;  
950680; 773567; 154472; 725649; 814251; 50188; 306771; 768443; 685912; 142788; 868368;  
487338; 869450; 510856; 240033; 110582; 123952; 132899; 175140; 198033; 243980; 297212;  
840683; 809603; 258454; 814780; 767828; 52327; 724615; 436554; 433155; 1320746; 687054;  
592359; 51737; 840567; 815245; 841695; 263727; 855745; 131091; 784065; 66931; 111693;  
123331; 135721; 137797; 206895; 240769; 359247; 129770; 195129; 39874; 450060; 360478;  
48799; 141314; 362926; 741977; 266720; 814123; 753914; 236333; 82991; 814101; 825335;  
236059; 345525; 724888; 773383; 245485; 110904; 123699; 132631; 160485; 242644; 130027;  
300866; 132304; 811168; 809969; 809421; 811827; 787857; 898286; 611255; 868304; 1343768;  
814989; 234559; 204214; 757961; 841261; 787938; 731029; 745019; 259842; 773579; 66400;  
144852; 124087; 136114; 137884; 292292; 241274; 197414; 131238; 321734; 770935; 755821;  
66728; 687820; 80095; 845477; 290234; 271102; 814316; 730149; 179534; 784876; 591907;  
144881; 432564; 769603; 854401; 545403; 66574; 139354; 124168; 133096; 248306; 235924;  
347036; 247614; 128632; 325380; 809815; 26616; 563444; 841669; 839101; 359661; 322914;  
1343980; 526282; 204148; 145503; 231355; 756968; 811006; 811015; 32565; 41648; 772938;  
247655; 111750; 126522; 136409; 137853; 204688; 241677; 230240; 136874; 810809; 67067;  
130788; 135449; 22731; 682555; 855800; 141972; 291756; 49920; 246120; 129146; 774751;  
843312; 308682; 51022; 725395; 307471; 837923; 126466; 110987; 198961; 133225; 197775;  
202990; 243350; 128985; 129748; 415215; 809504; 214537; 178779; 784959; 711552; 784296;  
756549; 1391644; 509731; 810282; 771084; 417508; 79688; 300137; 743188; 249606; 277186;  
771295; 52419; 247125; 126568; 135999; 214658; 209468; 246276; 248599; 140761; 782635;  
782335; 179334; 209296; 612616; 292222; 130201; 855523; 1435638; 194804; 810725; 132012;  
814615; 788247; 302310; 770837; 743038; 586706; 785778; 201301; 123079; 297403; 133333;  
194670; 202320; 243989; 111122; 131307; 415022; 201056; 882522; 321661; 381812; 824704;  
783836; 502367; 49410; 844768; 36393; 234191; 724112; 825080; 824591; 782217; 138369;  
248412; 179776; 244079; 124286; 125665; 136598; 211758; 206683; 247833; 130895; 229330;  
289638; 416042; 121659; 812227; 770957; 789182; 284619; 259591; 66315; 756401; 243549;  
813673; 810040; 898237; 39274; 126221; 141731; 382457; 66599; 768515; 51640; 120634;  
345670; 135240; 196522; 245247; 296683; 213496; 347224; 291097; 502062; 897768; 359184;  
229692; 71432; 343646; 855755; 41607; 460806; 823886; 143846; 256664; 712577; 811771;  
415264; 222025; 83279; 291478; 113048; 121459; 125799; 247082; 193617; 242790; 248071;  
111070; 244652; 281901; 244896; 245979; 190732; 813635; 838802; 416567; 448032; 27516;  
811161; 813256; 210522; 813751; 754436; 758329; 144905; 811145; 430968; 111460; 42313;  
120113; 294259; 207850; 203772; 202795; 296805; 143310; 196640; 279195; 758301; 753157;  
342543; 813254; 824547; 782427; 307660; 86160; 415978; 47542; 39127; 767183; 826217;  
786607; 356783; 590759; 742862; 49303; 196650; 121616; 125809; 139331; 193690; 204356;  
248112; 115223; 1046522; 809858; 32875; 1435339; 153006; 740130; 855395; 755881; 502706;  
291216; 544664; 233909; 299154; 381287; 773217; 262920; 884718; 461727; 135338; 767422;  
123604; 124320; 129477; 205715; 294968; 229651; 295483; 202559; 240480; 322961; 45233;  
768064; 167032; 564050; 842785; 809619; 530359; 744940; 486607; 161456; 810316; 212640;  
815239; 897987; 416099; 204257; 141495; 743230; 129000; 121662; 127054; 141316; 193742;  
233179; 292201; 143115; 267634; 795877; 33525; 278570; 300103; 809523; 67654; 729964;  
45464; 1472775; 259973; 340734; 179276; 251019; 843110; 782449; 502891; 770059; 418138;  
592802; 811956; 109089; 120773; 129922; 154795; 195314; 296140; 294445; 209683; 295604;  
323917; 46171; 823718; 342721; 363058; 725266; 321470; 39722; 868308; 486186; 756372;  
769028; 823901; 796137; 781014; 198093; 366100; 745360; 68605; 108651; 295594; 129853;  
141361; 193724; 233446; 248594; 235055; 269806; 488155; 34255; 1387760; 810671; 178818;  
511586; 362483; 156437; 1492230; 298612; 199403; 204335; 755239; 772220; 587525; 810167;  
32664; 1020212; 743278; 813698; 124965; 120598; 131318; 240938; 195821; 211940; 294512;



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

204360; 161583; 119133; 47202; 796613; 154015; 296198; 591683; 811166; 884894; 627533;  
487296; 110281; 131595; 52228; 713647; 40580; 429494; 742792; 278483; 624360; 108716;  
121564; 321706; 139660; 198580; 240500; 194282; 257011; 277305; 487444; 34355; 1388395;  
50043; 810117; 85690; 433350; 344759; 1473274; 324885; 41898; 376516; 788695; 843352;  
714210; 271662; 743229; 590500; 840803; 66937; 293606; 125767; 131010; 210919; 293932;  
229617; 294873; 322723; 240961; 809587; 49888; 454048; 770859; 727526; 630013; 810711;  
755923; 971367; 491001; 811843; 282310; 173228; 811600; 841470; 811023; 531957; 854899;  
770704; 321723; 200595; 121954; 125040; 139708; 275634; 294457; 112409; 131016; 278808;  
376058; 34945; 41074; 136188; 49352; 85259; 177967; 366541; 1461104; 824025; 52431; 667598;  
71116; 843028; 294487; 795191; 866694; 796297; 1049033; 66975; 109304; 130028; 131029;  
248504; 200873; 247863; 121615; 210744; 143054; 809788; 50359; 454339; 233721; 813712;  
365641; 745003; 342181; 809910; 586650; 120015; 245330; 230218; 785595; 840894; 725968;  
1031940; 26249; 725188; 200599; 127610; 124502; 346484; 139957; 234527; 296749; 125737;  
140635; 342522; 811582; 36775; 549139; 131362; 797016; 486175; 46367; 1468263; 826142;  
230385; 213136; 840788; 840524; 788185; 810496; 845453; 223128; 593114; 67036; 206651;  
124042; 143209; 138477; 200838; 211747; 204406; 128426; 811609; 810939; 50941; 489489;  
66428; 704992; 841478; 741960; 206795; 511303; 684879; 31866; 768497; 306901; 841691;  
789049; 215000; 246872; 295986; 377048; 203931; 124077; 245442; 137971; 162365; 199228;  
230170; 123729; 247367; 505344; 795216; 85171; 261971; 897822; 841008; 731054; 472008;  
1461737; 685808; 511832; 175123; 841507; 897652; 745347; 366859; 299360; 856427; 564756;  
67070; 109269; 200174; 132017; 141723; 200847; 242087; 135219; 235173; 811059; 343079;  
502177; 276091; 824074; 257162; 841221; 289645; 280934; 729942; 357344; 741429; 824382;  
77805; 257445; 302933; 741958; 626555; 241066; 110746; 124505; 294496; 162778; 199239;  
239708; 128248; 144029; 247582; 809729; 626967; 812126; 76362; 221826; 291880; 366067;  
878129; 701625; 328591; 37234; 282501; 81315; 48285; 611443; 884462; 131268; 488207; 66423;  
296472; 122913; 137178; 142397; 247482; 244100; 193182; 281467; 795371; 810613; 878178;  
823943; 815816; 842860; 325641; 50480; 1359579; 824081; 246549; 207288; 813678; 669435;  
897655; 21899; 471799; 611586; 595109; 357091; 111004; 124203; 133613; 202740; 199243;  
213871; 142120; 144855; 268960; 376652; 753234; 45632; 950482; 357046; 969748; 859586;  
1160723; 712401; 813149; 193990; 950607; 810854; 785293; 273546; 82738; 429368; 769926;  
66430; 111765; 123196; 140830; 142442; 203551; 242779; 591653; 172783; 251028; 809413;  
878259; 366834; 840511; 309864; 897233; 279172; 378502; 825648; 810124; 810391; 485989;  
162208; 42880; 435858; 109863; 40692; 252382; 282378; 128602; 124637; 134643; 201562;  
202492; 275176; 155201; 135247; 270997; 811010; 50794; 136235; 785616; 725454; 590264;  
825312; 1160558; 713230; 566887; 510542; 840702; 760299; 83083; 447568; 510381; 490819;  
345103; 144797; 121661; 195346; 136064; 155064; 207421; 242698; 110307; 198104; 490751;  
809569; 809535; 66532; 840768; 666169; 435470; 773392; 431376; 809998; 754601; 359395;  
49710; 810552; 122150; 744800; 277229; 28510; 897595; 345047; 245860; 124009; 134719;  
191497; 204122; 243648; 125709; 127400; 377587; 325090; 229365; 823928; 950430; 739183;  
854444; 740907; 1161013; 163174; 769645; 531028; 838389; 795771; 324618; 266094; 756687;  
328745; 206816; 111391; 341821; 136557; 240748; 207771; 243113; 469952; 232586; 129530;  
795582; 359835; 66507; 824568; 341588; 361122; 417920; 399604; 753457; 357220; 129644;  
897544; 897774; 244955; 725308; 531319; 809876; 594633; 144042; 206841; 128518; 133534;  
191599; 202703; 243653; 324342; 137158; 505573; 341654; 770901; 137940; 796994; 504226;  
810142; 236034; 868575; 382787; 248531; 138991; 47853; 788566; 268727; 857264; 855385;  
741885; 47481; 241988; 244154; 125589; 136706; 200015; 204300; 243199; 111150; 234539;  
67031; 66457; 205303; 753104; 382654; 323777; 362795; 300012; 433544; 196348; 176606;  
72050; 825295; 827120; 66574; 41406; 770074; 845519; 813384; 47853; 341336; 128905; 133519;  
199327; 202931; 195487; 295889; 308415; 345523; 428773; 1410444; 753211; 815501; 128302;  
47359; 840753; 878112; 263097; 241160; 668442; 898328; 898073; 415022; 51582; 770388;  
759173; 281114; 235070; 127216; 136801; 197323; 210548; 292312; 126230; 305227; 271952;  
341901; 384851; 149910; 276547; 897673; 357681; 725877; 75644; 148444; 810213; 184240;  
70349; 77391; 825478; 769846; 769537; 755952; 81203; 1046542; 243817; 196109; 130053;  
134495; 196125; 203400; 295044; 296562; 284592; 213660; 502762; 1475633; 235934; 109708;  
897781; 809828; 884546; 489677; 755663; 211216; 813854; 484535; 841331; 343744; 486591;  
773286; 856447; 244955; 121981; 243403; 138496; 197637; 208940; 292391; 128245; 280882;  
809758; 810463; 461425; 666829; 208718; 950682; 429323; 970591; 73527; 345077; 40781;  
123802; 166236; 825585; 898312; 135247; 50930; 345935; 840466; 42627; 292749; 120375;  
243291; 296552; 196303; 207448; 295590; 214331; 138533; 417694; 140267; 1476053; 245242;  
264117; 772878; 453147; 384015; 882510; 431501; 813402; 345208; 564621; 898062; 565235;  
417694; 878833; 745188; 859422; 204735; 121600; 210688; 139593; 194906; 208434; 293421;  
129616; 292726; 360075; 37196; 1358266; 770794; 240249; 788136; 343736; 264556; 788205;  
377468; 47900; 196501; 210317; 760298; 825296; 293715; 855438; 124575; 725630; 27544;  
245195; 207006; 129342; 292392; 196345; 211951; 296102; 214043; 144861; 343990; 51666;  
1323432; 130541; 241348; 489079; 562115; 361688; 738900; 506548; 47559; 811911; 813536;  
686164; 815287; 782439; 884673; 725877; 594517; 108783; 121715; 127409; 144793; 194985;  
240138; 294311; 134312; 302369; 809824; 37451; 1404995; 296880; 44164; 788518; 196543;  
290724; 1468461; 378488; 668685; 183476; 549146; 782315; 503617; 490232; 415870; 884993;  
839374; 30850; 132630; 120383; 203514; 138601; 243784; 212098; 296559; 214614; 246377;  
115443; 53316; 1323203; 275738; 84295; 236282; 271006; 813637; 745249; 292213; 768205;  
210862; 705110; 840821; 490772; 45376; 841287; 877835; 201241; 121756; 130057; 139962;  
195365; 137396; 293306; 136984; 309776; 771172; 38471; 1376853; 809938; 813651; 587847;  
236155; 361807; 1412300; 385003; 296476; 767034; 810813; 824352; 488888; 148028; 502565;  
813815; 109466; 120964; 131104; 167076; 280122; 234080; 296602; 230613; 135713; 365536;  
1456419; 39884; 511521; 40017; 486221; 291985; 823665; 878130; 823590; 741815; 241412;  
34439; 840776; 151501; 415554; 1031185; 511091; 200934; 121792; 130107; 140334; 197856;  
241097; 293785; 210610; 321189; 795453; 39159; 1161797; 22040; 823775; 82710; 562729;



TABLE 6-continued

Image ID Numbers Present in the 7K microarray.

858292; 1416502; 385017; 246786; 320606; 713382; 724387; 814381; 810960; 340657; 175536;  
 328207; 66497; 112530; 121018; 134235; 195429; 200604; 233399; 297110; 239711; 203348;  
 771016; 32257; 141966; 810408; 739901; 855061; 856454; 1469230; 878182; 809892; 31093;  
 184175; 785575; 840978; 454440; 435611; 460403; 741831; 66407; 129331; 343352; 139837;  
 139462; 197907; 239835; 191572; 293457; 324815; 44310; 39285; 210575; 589115; 154608;  
 841370; 756595; 345538; 1473131; 713263; 22918; 144675; 759948; 45099; 196387; 884436;  
 624429; 342349; 40721; 206794; 123074; 131563; 214205; 201192; 212712; 137139; 134537;  
 233645; 782578; 1374571; 810019; 417403; 949938; 250883; 454672; 1469292; 811013; 813533;  
 767765; 810053; 705188; 306013; 769686; 868630; 60565; 77244; 193987; 241539; 124091;  
 130342; 140455; 198011; 230359; 195132; 233299; 415178; 782537; 39884; 753418; 212496;  
 897906; 382693; 857243; 897164; 1434905; 813983; 206217; 127519; 773319; 897751; 127925;  
 428223; 32304; 743701; 530035; 214906; 111389; 209264; 131886; 142733; 201961; 212787;  
 240914; 127646; 307314; 428582; 1471841; 361943; 795847; 841641; 725284; 74537; 1470048;  
 214965; 34888; 380394; 810057; 785371; 305606; 377560; 287745; 435855; 30473; 294040;  
 292482; 124079; 135892; 191516; 232837; 244201; 246652; 281125; 205152; 144862; 782789;  
 667482; 773618; 28218; 855547; 854138; 1388373; 814124; 173674; 768272; 898148; 73531;  
 38763; 505005; 435076; 489823; 267865; 293901; 230247; 122899; 196185; 156270; 201317;  
 243186; 126321; 132140; 161988; 321330; 1473300; 77636; 81336; 701751; 272529; 795321;  
 448432; 774078; 321529; 823691; 301976; 711450; 85805; 969877; 241736; 487425; 877664;  
 136073; 111266; 128785; 130233; 204179; 199602; 245806; 201203; 161993; 214583; 771058;  
 260303; 753775; 840364; 783849; 293925; 744417; 858469; 814287; 190887; 812105; 712378;  
 72778; 33051; 586796; 291057; 39843; 626822; 111981; 112440; 127120; 131824; 141522;  
 201784; 243245; 109314; 241038; 417305; 782283; 1475730; 813648; 760344; 795965; 283315;  
 307069; 450375; 207274; 28823; 823679; 44692; 767345; 156386; 46938; 624617; 796278;  
 773203; 345090; 113284; 127415; 135303; 135789; 199709; 245899; 248478; 206867; 209182;  
 66656; 809454; 122636; 788511; 322617; 344589; 26295; 1422723; 814444; 769676; 756847;  
 898198; 781097; 77577; 755599; 795729; 882511; 321389; 340840; 123433; 123436; 682555;  
 183120; 201818; 243317; 194131; 234537; 269680; 810272; 151104; 810156; 826254; 491113;  
 489626; 856519; 451706; 154651; 726779; 243343; 726147; 668182; 154093; 855487; 80649;  
 378813; 611150; 139199; 113283; 124822; 134256; 188388; 245586; 244846; 294995; 141931;  
 268951; 241847; 124261; 471498; 166195; 760148; 854701; 277660; 1155191; 815794; 809588;  
 156045; 825442; 796904; 246035; 742132; 866874; 858153; 1031748; 66391; 199627; 123459;  
 136775; 143748; 207881; 242642; 124232; 208210; 195370; 810448; 486544; 45291; 950356;  
 269815; 322160; 610362; 453689; 302190; 31842; 137836; 80948; 781704; 297061; 866702;  
 741891; 51363; 839882; 234331; 113308; 160488; 135653; 194401; 204684; 244313; 139226;  
 142851; 195034; 810299; 469954; 51362; 80946; 191664; 362059; 611581; 187614; 182661;  
 341310; 810761; 814595; 109888; 307933; 588915; 415529; 877832; 82556; 125741; 202209;  
 127099; 137020; 143962; 207952; 244227; 121611; 813410; 132217; 810754; 768561; 128126;  
 70692; 505573; 882459; 814266; 462595; 51447; 230100; 128530; 75923; 824906; 139278;  
 285460; 416390; 781075; 839980; 133820; 110417; 130043; 135710; 295741; 203287; 246478;  
 194399; 212542; 115408; 501674; 529861; 823859; 767202; 897596; 884644; 856167; 271748;  
 135221; 289551; 740027; 759865; 789014; 487172; 415899; 755630; 34140; 768260; 366156;  
 115230; 127182; 144762; 202621; 208984; 245409; 296616; 142586; 415741; 346447; 754998;  
 26811; 503097; 429555; 309893; 298965; 462645; 810504; 810010; 254321; 795288; 840818;  
 233071; 204686; 32299; 841396; 754378; 144747; 128054; 130005; 135010; 195853; 203388;  
 245273; 206786; 240430; 272183; 503033

The disclosed microarrays can be constructed using the Image ID number provided in these tables, and other available information. In particular, the Image ID number can be searched on the ATCC website, with hypertext links available to ATCC deposit numbers for deposited clones corresponding to the Image ID numbers. Hypertext links are also available to Genbank entries, which disclose sequence information about the nucleic acid at each array site corresponding to Image ID numbers.

Tables 7 and 8 summarize the results for exposure of cells to ionizing radiation using the 1.2K, 5K and 7K microarrays. Table 7 shows the results of different radiation doses (2 and 20 Gy), and hypoxia (which triggers p53 induction) using the 1.2K and 5K microarrays. As shown in Table 7, a very large fraction of the genes tested showed altered expression. As shown in the last two rows of Table 7, a substantial number of genes responded both acutely (3 hours) and at a later time (24 hours) after irradiation. The genes which showed expression at 24 hours were considered particularly suitable for a clinical biodetector that would detect the effects of radiation exposure during a time period when laboratory investigations of potential radiation exposure are likely to occur. However the genes which respond acutely (at

three hours) could also be placed in an array to measure even more immediate exposures. Other arrays that include both acute (e.g. three hours) and later (e.g. 24 hours) response can be included in a single array. Differences between response of these two subsets can be used to help determine a probable time of radiation exposure. For example, if the three hour responders are positive but the 24 hours responders are not, then the time of exposure would have been at least three but less than 24 hours before the test. The results shown in Table 8 focus on lower doses and longer timepoints than the studies shown in Table 7.

TABLE 7

Summary of results for microarray analysis of stress responses<sup>1</sup>

Array <sup>2</sup>	Targets	Treatment	Induced <sup>3</sup>	Reduced <sup>4</sup>	99% Conf. <sup>5</sup>
1.2K Chip	1238	20 Gy + 4 hr	38	11	0.63–2.37
	1238	6 hr hypoxia	135	19	0.51–2.47
	1238	24 hr hypoxia	202	8	0.55–2.38



TABLE 7-continued

Summary of results for microarray analysis of stress responses <sup>1</sup>					
Array <sup>2</sup>	Targets	Treatment	Induced <sup>3</sup>	Reduced <sup>4</sup>	99% Conf. <sup>5</sup>
5K Chip	5408	2 Gy + 3 hr	67	21	0.68–2.31
	5408	2 Gy + 24 hr	161	26	0.69–1.89

<sup>1</sup>Results are summarized for microarray hybridizations conducted in ML-1 cells. Many of the results for row 1 and 3 have been verified by quantitative single-probe hybridization.

<sup>2</sup>Two different microarrays (chips) used contained only limited overlap in the genes represented.

<sup>3</sup>The number induced refers to cDNA clones showing significant induction ( $\geq 99\%$  confidence).

<sup>4</sup>For cDNA clones showing a significant reduction, values are shown for those having at least a 2-fold reduction in expression compared to untreated cells; all these values exceeded 99% confidence.

<sup>5</sup>Values represent range of relative expression of irradiated sample compared to untreated control; e.g. only targets showing an increase in the relative mRNA level of 2.37-fold or more were scored as induced in the first row.

TABLE 8

Summary of $\gamma$ -ray Experiments with 7K Microarrays						
Cell Line	Dose	Time	# Up <sup>a</sup>	# Down <sup>b</sup>	99% Conf.	C.V.
ML-1	10 Gy	4 hr	86	23	.38–3.00	.16
ML-1	2 Gy	4 hr	32	3	.51–4.38	.27
ML-1	2.5 Gy	24 hr	62	8	.93–7.08	.23
ML-1	2.5 Gy	48 hr	60	17	.60–4.85	.24

TABLE 8-continued

Summary of $\gamma$ -ray Experiments with 7K Microarrays						
Cell Line	Dose	Time	# Up <sup>a</sup>	# Down <sup>b</sup>	99% Conf.	C.V.
ML-1	0.2 Gy	3 hr	86	29	.74–2.43	.15
ML-1	0.2 Gy	24 hr	114	11	.83–3.42	.18
ML-1	0.02 Gy	3 hr	68	40	1.16–9.18	.24
ML-1	0.02 Gy	24 hr	55	6	.78–5.92	.23
HL60	0.25 Gy	3 hr	77	2	.63–4.95	.24

<sup>a</sup>Number of Image ID clones that were upregulated in response the irradiation.

<sup>b</sup>Number of Image ID clones that were downregulated in response the irradiation.

<sup>15</sup> Tables 9–12 lists the clones (by Image ID number) for which there was 99.9% confidence that the genes were differentially expressed in ML-1 cells with the 7K array at: 24 hours after 200 cGy of irradiation (Table 9); 24 hours after 20 cGy of irradiation (Table 10); 24 hours after 2 cGy of irradiation (Table 11) and; 48 hours after 200 cGy of irradiation (Table 12). Late responding genes were found by using RNA harvested at the timepoint of interest, for example 24 or 48 hours after exposure to ionizing radiation. A more detailed timecourse of expression (such as that disclosed in EXAMPLE 3) can be used to determine if expression peaks at the time of identification (24 or 48 hours), or if there is a sustained elevation of expression. To identify genes for other timepoints post-exposure, or for different exposures, the cells would be treated with the agent/dose of interest, and the RNA would be harvested at the appropriate time.

TABLE 9

Image ID numbers of genes differentially expressed after 200 cGy and 24 hours.

280386; 753418; 308588; 241412; 109123; 47475; 549146; 841278; 221846; 159455; 251516; 345839; 240249; 136114; 703846; 66972; 153025; 713145; 366558; 209340; 242780; 293325; 843312; 240843; 35828; 810391; 264117; 293940; 244227; 262231; 180520; 294487; 562927; 160793; 72391; 120362; 346995; 232837; 297442; 295939; 810372; 120572; 666658; 550355; 48398; 469954; 110653; 211548; 260619; 128290; 210522; 241788; 122091; 140921; 120881; 755416; 504226; 738899; 346552; 248256; 66728; 122159; 232612; 753447; 813591; 245585; 325375; 289551; 366341; 36950; 236355; 125092; 204814; 196387; 843287; 34773; 120695; 287300; 234376; 813179; 293557; 712840; 244703; 24415; 138579; 229723; 206816; 108658; 157856; 308041; 727026; 292217; 231675; 135240; 194965; 246661; 812196; 135538; 41452; 123474; 49710; 823928; 141818; 823940; 327094; 141854; 282051; 195720; 813675; 795543; 128530; 124071; 810156; 293727; 768638; 773332; 121159; 724892; 295710; 809588; 121251; 139835; 781341; 815534; 770355; 841703; 293306; 202549; 39993; 195365

TABLE 10

Image ID numbers of genes differentially expressed after 20 cGy and 24 hours.

854401; 854701; 131887; 112896; 296149; 725501; 41648; 66400; 132690; 415022; 770866; 292222; 323917; 83210; 772220; 288896; 110436; 248306; 743278; 826984; 760148; 322160; 234527; 969748; 291985; 795877; 430968; 487172; 198815; 343646; 204814; 562115; 491692; 274638; 244227; 111571; 242780; 279195; 509887; 343744; 769603; 264117; 771295; 322961; 825295; 141768; 753418; 686164; 383016; 109123; 80649; 841282; 450375; 66898; 111693; 210317; 627251; 24415; 740027; 685801; 448619; 773567; 768272; 854576; 510381; 66457; 298963; 611443; 243100; 771023; 884500; 221846; 200031; 843312; 839516; 120695; 195129; 266094; 234562; 127709; 704690; 768443; 796278; 242087; 47475; 195346; 123441; 140921; 214165; 34255; 549146; 626555; 713193; 142087; 811015; 815816; 126453; 123408; 46786; 359395; 269381; 122443; 1408710; 825442; 111765; 241412; 490763; 739183; 30272; 152453; 108801; 82556; 204148



TABLE 11

Image ID numbers of genes differentially expressed after 2 cGy and 24 hours.

703846; 84820; 745347; 274638; 24415; 841278; 66975; 221846; 712840; 308041; 562927;  
359184; 135538; 308588; 282051; 738899; 109123; Bcl-x; 359793; 246661; 204814; 755416;  
897781; 773332; 813591; 52681; 810142

TABLE 12

Image ID numbers of genes differentially expressed after 200 cGy and 48 hours.

264117; 240430; 811015; 262231; 308588; 159455; 549933; 323474; 840944; 432194; 109123;  
321739; 366945; 843287; 240249; 111765; 48182; 130541; 771295; 624627; 294487; 812126;  
345559; 382654; 755037; 203130; 739183; 193087; 843312; 214133; 811000; 308437; 431655;  
448619; 823940; 41356; 612616; 725746; 47475; 549146; 162775; 35828; 46284; 120881; 770935;  
208161; 745188; 843139; 377671; 838373; 809639; 686164; 206816; 770394; 179617; 809394;  
591281; 294496; 124795; 782760; 767828; 308041; 731308

Genes with sustained elevated expression (for example 24–48 hours following the exposure) may be suitable for inclusion in probe sets for clinical tests which would not be performed for several days after potential exposure to ionizing radiation. Using dose response information, different probe sets can be designed for different clinical situations, tailored to detection of exposure a certain number of hours following potential exposure.

Probe sets can also be designed that detect certain subsets of genes that are differentially expressed at a particular post-exposure time and level of expression. The levels of differential expression can be correlated to the dose of ionizing radiation to which the subject was exposed, such that the probe set can also be informative about the dose of exposure. This information can provide helpful prognostic information, such as the likelihood of carcinogenesis brought about by the exposure. Alternatively, levels of differential expression can be used to determine a subjects' response to radiation therapy for a tumor, as described in EXAMPLE 10.

#### EXAMPLE 7

##### Nucleic Acid Probe Sets

Nucleic acid hybridization technologies may be used to survey gene expression patterns in organisms or cells that have been exposed to ionizing radiation. Such technologies are not necessarily limited to nucleic acid arrays. By way of example, northern blot and/or dot blot techniques (see EXAMPLE 3) may also be used to determine the quantitative and qualitative expression patterns of some or all of the disclosed radiation responsive sequences.

While more conventional nucleic acid hybridization techniques (such as northern and dot blots) have been used for many years, nucleic acid array technology is now widely used for monitoring and analyzing gene expression patterns. This array technology may be used in a number of forms, including microarrays. Microarrays typically comprise a large number of nucleic acid probes spotted at high density onto a surface. Descriptions of nucleic acid array and microarray technology may be found in the scientific literature, including, for example, in Chee et al., *Science* 274: 610–4 (1996); Lockhart et al., *Nature Biotechnol.* 14:1675–80 (1996); Lipshutz et al. *Biotechniques* 19:4427 (1995); Southern et al., *Trends Genetics* 12:110–5 (1996); Soares et al., *Curr. Op. in Biotech.* 8:542–6 (1997); Ramsay

et al., *Nature Biotech.* 16:40–4 (1997); Schena et al., *Science* 270:467–70 (1995); Schena et al., *BioEssays* 18:427–31 (1996); DeRisi et al., *Science* 278:680 (1998), and Iyer et al., *Science* 283:83–7 (1999). Detailed technical descriptions of various forms of this technology can also be found in the patent literature, including in the following patent documents:

- U.S. Pat. No. 5,744,305 (“Arrays of materials attached to a substrate”);
- U.S. Pat. No. 5,807,522 (“Methods for fabricating microarrays of biological samples”);
- U.S. Pat. No. 5,545,531 (“Methods for making a device for concurrently processing multiple biological chip assays”);
- U.S. Pat. No. 5,593,839 (“Computer-aided engineering system for design of sequence arrays and lithographic masks”);
- U.S. Pat. No. 5,837,832 (“Arrays of nucleic acid probes on biological chips”);
- WIPO publication number WO 9710365 (“Expression monitoring by hybridization to high density oligonucleotide arrays”).

cDNA arrays can be formed on non-porous surfaces (such as glass) by in situ synthesis of oligodeoxynucleotides on a chemically sensitized glass surface (as in WO 92/10588 and WO 95/11995), or by robotic micropipetting of nanoliter quantities of DNA to predetermined positions on a non-porous glass surface (as in Schema et al., *Science* 270: 467–470, 1995, and WO 95/35505). DNA may be coupled to the solid support by electrostatic interactions with a coating film of a polycationic polymer such as poly-L-lysine (WO 95/35505), or covalently bound to the solid support.

Nucleic acid arrays employ conventional nucleic acid hybridization methods that have been used for decades to identify and quantify nucleic acids in biological samples (such conventional methods include southern and northern blots, colony hybridizations and dot blots). However, whereas such conventional techniques typically employ one or two hybridization probes to obtain information on the expression patterns of one or a few genes, array techniques typically employ very large probe sets (for example at least 100, 1000 or even 5000 or 10,000 probes) to obtain data on the expression of a vast number of genes simultaneously.

The basic principle underlying the array technology is the hybridization of a sample nucleic acid composition with a defined set of nucleic acid probes, followed by detection of specific hybridization of the sample to one of more of these



probes. The hybridization pattern obtained is then analyzed and compared to hybridization patterns obtained with control nucleic acid samples.

Most arrays comprise a defined set of nucleic acid probes immobilized on a fixed surface in an ordered and known sequence, forming an array of discrete spots of nucleic acid material. A number of substrates may be used to form the fixed surface, including silica-based chips, nylon membranes, microtiter plates and glass slides. Each probe within the set is typically produced by polymerase chain reaction amplification (alternative methods include purification from cloning vectors and, for oligonucleotide probes, chemical synthesis). Each amplification product (probe) is then typically spotted onto the fixed surface using a mechanized means (such as a robotic arm) to form the array. The sample nucleic acid composition (for example, labeled cDNA produced by RT-PCR from mRNA extracted from a tissue sample) is labeled with a detectable marker (e.g., a fluorescent label) prior to hybridization to the array to permit detection of specific hybridization of the sample to a particular probe. Following hybridization, the hybridization pattern is detected and an image of the array is produced for analysis of gene expression. The use of multiple different fluorescent labels to label the samples permits multiple different samples to be hybridized to a single array. Typically however, no more than two samples are hybridized to a single array.

Alternatively, the arrangement may be reversed. The fixed array may include a number of nucleic acid test samples and the probes may be hybridized to a number of duplicates of the array. In this situation, a large number of test sample nucleic acid compositions are attached to the surface to form the array. Subsets of the nucleic acid probe set are subsequently hybridized to duplicates of the array, and hybridization of the probes to individual spots of the array is detected. The use of multiple different fluorophores to label the probes permits multiple different probes from the probe set to be hybridized to a single array.

By way of illustration, a microarray may be produced and employed using the following techniques:

Each probe in the microarray probe set is produced by PCR amplification. This may be achieved by using primers that are specific for the sequence of the differentially expressed gene (as disclosed herein) in conjunction with genomic DNA or cDNA as a template. The amplified PCR products are purified to remove excess primer and template, for example by column chromatography, or by simple sodium acetate or ammonium acetate precipitation, followed by either isopropanol or ethanol washing, and drying. In certain instances, the probe may be used without purification. Following purification, the PCR-amplified probes are resuspended in 10  $\mu$ l of a salt solution (3 $\times$ SSC) and transferred into 96-well or 384-well microtiter plates (if they were not already in a microtiter plate from previous steps). The samples are mechanically spotted onto coated glass slides, using a robotic arm containing pins that transfer an amount of each probe from the microtiter plate onto the coated glass slide. Several hundred or several thousand probe spots are spotted onto the array such that each probe is represented by a discrete spot with a center to center distance between spots of about 250  $\mu$ m to about 500  $\mu$ m. The glass slides are then processed to cross-link the probe set onto the glass surface.

The nucleic acid sample to be hybridized to the array is typically cDNA obtained by RT-PCR of mRNA extracted from a biological sample (e.g., plant or animal cells) (see

EXAMPLE 2). The detectable label (e.g., the fluorophore) may be incorporated during the RT-PCR amplification step. Typical experiments involve either single-color fluorescence hybridization to measure the absolute levels of gene expression in a single sample, or two-color fluorescence hybridization to examine the relative expression of genes in two different samples.

For single-color fluorescence hybridization experiments, mRNA is isolated from a sample of interest and used as a template to produce cDNA. The cDNA is labeled, for example using a fluorescent dye such as Cy-3 or Cy-5 (Amersham Pharmacia Biotech, Piscataway, N.J.), or any other fluorophore or label. The label can be incorporated directly during the reverse transcription step. The sample is then hybridized to the array. Following washing to remove non-specifically bound sample, the array is scanned for fluorescent emission following laser excitation, and the intensity of each fluorescing spot is measured. The intensity of each spot is approximately proportional to the expression of the gene (corresponding to the probe) in the sample examined. This data provides an indication of the expression of a particular gene in the tissues from which the sample nucleic acid was prepared.

For two-color fluorescence hybridization experiments, RNA is isolated from two samples of interest and labeled as described above, except that each sample is labeled with a different fluorescent label, each of which fluoresces at a different wavelength (for example, one sample may be labeled with Cy-3 and the other with Cy-5). After the two sample preparations are labeled, they are mixed together and hybridized to a single microarray. After washing, the microarray slide is scanned in two fluorescence channels. Because the two fluorescent labels are selected such that their emission spectra do not overlap, the signal of each of the two fluors can be measured for each of the probes of the array. The absolute levels of intensity for each probe in an array is approximately proportional to the expression of the gene in the sample examined, and the ratio of the two fluor intensities indicates the relative expression of a gene in the two different samples.

Each probe includes at least one copy (and more typically many copies) of an isolated nucleic acid molecule. Typically, the nucleic acid molecule is in substantially pure form, i.e., while there may be small amounts of other nucleic acid molecules in the probe preparation (such as degradation products), the selected nucleic acid molecule will be the predominant nucleic acid molecule present. In addition, a probe is generally of known sequence. A "probe set" comprises a collection of two or more such probes (the individual probes within the probe set not being co-mingled). A probe set will include probes selected for a particular purpose (such as detection of acute or semi-acute exposure to ionizing radiation), but may also include controls or other probes for different purposes. In some examples, at least 10% of the probes in the probe set are selected for the particular purpose of determining an actual or potential biological response to an actual or potential radiation exposure. In other examples, at least 5, 10, 25, or 50 of the probes of an array are selected for this purpose.

A hybridization probe for use in an array produced according to the present invention may be referred to as a sequence "representing" a particular gene product. A sequence "representing" a particular gene product is one that will specifically hybridize to a nucleic acid molecule encoding that gene product, thereby permitting identification of that gene product. A sequence representing a particular gene product may comprise an entire cDNA sequence (or the



corresponding genomic gene sequence) or less than an entire cDNA sequence. For example, the probe may comprise an oligonucleotide comprising a minimum specified number of consecutive bases of a selected gene that is differentially expressed following irradiation. Oligonucleotides as short as 8–10 consecutive bases of a cDNA will be effective to produce meaningful gene expression data using microarray technology. For example, a nine base oligonucleotide can distinguish 262,144 transcripts (4<sup>9</sup>). However, for enhanced specificity of hybridization, longer oligonucleotides may be employed, such as at least 10, 15, 20, 25, 30, 50, 50 or more consecutive bases of a cDNA. Furthermore, a probe “representing” a particular gene product need not be a complete match. While probes that share 100% sequence identity over their entire length to the corresponding cDNA sequence will typically provide enhanced specificity of hybridization, probes that share less than 100% sequence identity may also be useful in such microarray applications. Typically, such

probes will share at least 70% sequence identity with the corresponding cDNA, but probes sharing at least 75%, 80%, 85%, 90%, 95%, 97%, 98%, and 99% sequence identity may be utilized to achieve enhanced specificity.

## EXAMPLE 8

## EXAMPLES OF ARRAYS FOR DETECTING GENOTOXIC STRESS

An examples of a probe sets that has been used to make a cDNA array that detects differential expression of genes following irradiation is shown in Tables 13. The clones on this chips include all the positive hits from studies with larger arrays (5K and 7K), in addition to probes for other genes that have been reported in the literature as being stress-induced.

TABLE 13

Image ID Numbers of Genes Differentially Expressed in Response to Irradiation.

21652; 23132; 753430; 78294; 127193; 155287; 825080; 703846; 121877; 128785; 549933; 781139; 811927; 884500; 381287; 700792; 196185; 133225; 739183; 502832; 40692; 626531; 840511; 39993; 41511; 812196; 346995; 123926; 240249; 504226; 510760; 160573; 324861; 81203; 85195; Bel-x; 784179; 66428; 125741; 134537; 795877; 46284; 134476; 377587; 141763; 22260; 25584; 753418; 141818; 129506; 547058; 814701; 686172; 121159; 297442; 289606; 78353; 34184; 785847; 760299; 788185; 134235; 143208; 323474; 433253; 950507; 754378; 126858; 40304; 42096; 727026; 229723; 262231; 51448; 191664; 203132; 769846; 240961; 49410; 80162; GADD153; 322160; 77636; 241539; 136984; 856961; 41356; 511066; 323577; 25588; 22493; 26184; 345839; 130788; 120572; 549146; 772220; 77728; 247216; 143209; 756405; 624617; 878676; 12637; 41074; 33051; 131886; 138496; 811166; 757873; 509887; 108801; 810372; 41199; 42352; 140716; 550355; 125092; 788141; 297392; 294487; 160664; 795893; 147050; 22428; GADD34; 293925; 80946; 201241; 770887; 22293; 740027; 840691; 770935; 26922; 28985; 36393; 214537; 50506; 562927; 72391; 843312; 135240; 138579; 45578; 243882; 504745; CR6; 297061; 257445; 137020; 234527; 431655; 366945; 120383; 138477; 772878; 42993; 43550; 160793; 221846; 714106; 841703; 859359; 841278; 272183; 504372; 28985; 291985; 279172; 206651; 111004; 31169; 50794; 773319; 686164; 245774; 27624; 30272; 813614; 359184; 308041; 66728; 774036; 826166; 136114; 140921; 266094; 882484; BAX; GADD45; 300137; 151501; 139462; 198011; 856519; 247483; 131010; 204179; 824352; 43129; 43622; 289551; 135538; 950356; 842802; 214162; 122822; 487819; 502977; 36950; 53164; 384015; 454672; 230247; 113284; 489506; 550353; 843249; 815245; 120306; 28309; 31143; 204299; 813841; 823928; 306901; 293940; 781019; 154214; 157856; 235938; 745116; c-Myc; MDM2; 490232; 769686; 197720; 230191; 756549; 487348; 133331; 296189; 66975; 43338; 44255; 666658; 261828; 24415; 841334; 292217; 245444; 119133; 41452; 110589; 223350; 1388373; 112530; 111693; 489489; 727551; 231355; 796904; 590544; 31210; 34357; 128143; 589115; 156473; 753104; 739625; 587847; 194965; 240843; 884719; 781017; RelB; 417694; 204686; 744047; 204122; 229617; 179617; 814123; 244386; 132304; 855521; 44537; 47833; 159455; 145503; 785574; 192694; 205049; 282051; 323185; 491403; 35516; 193901; 878182; Hskg21F11; 296393; 123436; 767828; 49509; 74566; 856489; 85195; 32898; 34396; 34773; 153025; 809939; 770957; 781341; 23073; 232837; 242780; 810999; 128493; V(D)J (RAG2); 270626; 340657; 1031185; 208940; 295497; 432194; 214133; 193182; 135713; 253009; 45941; 50117; 308588; 175123; 789182; 768638; 295939; 50765; 282978; 884425; 234357; 280507; 1049030; 754601; 207006; 124168; 45632; 810408; 235155; 21899; 85906; 33632; 35483; 738899; 327676; 232612; 753447; 48398; 231675; 204814; 260619; 251591; 436062; HbelW8; 44495; 148028; 435855; 233939; 230359; 713236; 240634; 132140; 321271; 949971; 47110; 50666; 813675; 202535; 70692; 786067; 245585; 66972; 280893; 590544; 773367; 774078; 234559; 121715; 124091; 308437; 49352; 429574; 50888; 44495; 36950; 39093; 813179; 725680; 741769; 42373; 760224; 841641; 280386; 139226; 724888; 360778; 510130; H36; 840466; 784065; 241097; 299815; 810331; 592359; 377587; CIP1/WAF1; 51293; 26578; 810391; 725266; 789369; 34689; 66430; 487777; 586839; 626358; 31093; 759948; 130053; 139837; 712641; 51041; 280356; 852829; 37366; 39173; 810485; 729942; 195712; 264117; 630013; 204301; 293727; 296030; 193736; 740907; 433551; 52753; 839374; 82556; 295303; 112371; 190887; 361097; 323577; GADD45; 51740; 244703; 128530; 592540; 287300; 246722; 546600; 780947; 145383; 269606; 35318; 812105; 825295; 128695; 137456; 166195; 796994; 866874; 85313; 37904; 39796; 810600; 42739; 249688; 122091; 842849; 841470; 345751; 172721; 755923; 378813; 52681; 51699; 252382; 27544; 246652; 121798; 28823; 51737; 770935; 145503; 129865; 207794; 772878; 712840; 295710; 108351; 462953; 855521; 73527; 489485; 40056; 484535; 130057; 130617; 809394; 842860; 857002; 854899; 22012; 24145; 755145; 124261; 293916; 823901; 898062; 84820; 120695; 125589; 310406; 377692; 220851; 951142; 795771; 305606; 131824; 134643; 307532; 845415; 743230; 785778; 36393; 40026; 42059; 823940; 244767; 211548; 122159; 713145; 358531; 121251; 417226; 125187; 85195; CIP1/WAF1; 236155; 233721; 66574; 295514; 428582; 35077; 241880; 161988; 325062; 22293; 25725; 812965; 666218; 124824; 752732; 843321; 815539; 123439; 130043; 491763; 345525; 825740; 124143; 814117; 196387; 131563; 134256; 810711; 271006; 416316; 242706; 214537; 40360; 42214; 141763; 120881; 274638; 701112;



TABLE 13-continued

Image ID Numbers of Genes Differentially Expressed in Response to Irradiation.

172440; 199180; 123229; 268727; 309288; 26997; GADD45; 755750; 141966; 292482; 262053; 121611; 129146; 770212; 310894; 159455; 23019; 26366; 180520; 205185; 669443; 177737; 824352; 613126; 124071; 325375; 487820; 845363; 488596; 549139; 194600; 132708; 137016; 361323; 858292; 811000; 125767; 223483; 41452; 42576; 110653; 325062; 811942; 840511; 85840; 745347; 232714; 269815; 83999; 50615; 429555; 854701; 28218; 200934; 427692; 30664; 234562; 898198; 810448; 70692; 27549; 29054; 126858; 245296; 323506; 197525; 71545; 416833; 234376; 139957; 133637; 745433; 814476; GADD153; 233071; 377560; 195429; 197907; 841221; 197657; 123067; 262920; 712840; 43021; 43563; 809588; 210522; 898138; 825470; 48285; 133114; 782712; 34005; 47359; 714213; 109271; 128602; 40360; 340630; 773254; 843139; 172721; 27848; 30664; 26616; 469954; 136235; 236355; 724892; 897690; 144762; 137853; 770424; 384081; Bcl-x; Killer/DR5; 487172; 454440; 195853; 200780; 322914; 1472735; 137918; 212712; 613126; 43231; 44180; 769921; 293325; 208161; 612274; 196387; 141627; 810059; 782545; 39993; 85906; 361688; 1473274; 109466; 113283; 450745; 810017; 757961; 73531; 769846; 28410; 31169; 203275; 810372; 137940; 241788; 795543; 815534; 139835; 195720; 266106; 253009; CIP1/WAF1; MyD118; 215000; 755599; 198593; 234484; 856167; 1320746; 139490; 300866; 345751; 43241; 44307; 292806; 25588; 841149; 726086; 366341; 108658; 809585; 489805; 26474; 26295; 1416502; 110582; 296472; 814780; 178779; 684661; 787861; 845477; 32875; 34355; 770670; 223483; 137017; 35828; 85259; 376875; 195365; 240648; 796278; 26568; V(D)J (RAG-1); 347586; 46938; 755630; 245586; 212098; 385003; 163174; 359247; 141931; 491763; 45233; 49888; 823614; 212198; 74119; 82991; 120362; 293557; 324494; 289428; 49950; 288650; 687054; 173674; 196109; 123459; 812126; 665774; 591281; 447568; 80162; 33525; 34945; 162775; 770355; 241412; 810156; 135083; 840944; 109123; 244227; 263014; 415817; Bak; 43021; 415870; 460403; 208984; 214826; 1472753; 753457; 194131; 809995; 251591; 46171; 50359; 727210; 248454; 361974; 796646; 141854; 248256; 342008; 364510; 486074; 768064; 824081; 230100; 121600; 124822; 35185; 51865; 122150; 435858; 878676; 34255; 36775; 22040; 122428; 22411; 26811; 39274; 950680; 209340; 293858; 39722; 491692; GADD34; 45794; 32304; 192271; 230013; 244201; 825726; 380797; 109483; 810154; 85195; 47202; 50941; 135692; 135527; 77915; 49710; 246661; 129585; 204569; 624627; 359793; 1467195; 1493160; 341310; 244686; 126568; 49509; 43826; 429494; 773637; Bcl-x; 37196; 39159; 240151; 346552; 292463; 771196; 666425; 839736; 293306; 202549; 949971; 66599; 503724; 133637; 297061; 773579; 239835; 194399; 511832; 767765; 161988; GADD153; 51666; 123474; 823691; 897781; 843287; 205993; 111981; 845477; 810142; 120468; 882510; 213136; 485989; 129332; 130342; 950430; 503097; 770394; 268946; 37451; 39285; 126243; 210887; 85561; 245388; 51666; 898286; 128290; 245774; 788764; 245990; 592485; 264937; 594633; 626822; 123729; 50188; 204214; 310894; GADD34; 53316; 131653; 755416; 810131; 897570; 327094; 206816; 756502; 1035889; 454339; 82297; 236333; 80948; 135892; 130876; 841384; 705274; 415529; 505491; 38471; 39884; 127677; 232772; 28475; 179403; 838373; 725454; 251516; 120306; 342181; 757350; B1; 280386; 771295; 136188; 297405; 296616; 31842; 51737; 810448; 47475; 813591; 773332; 366728; 66975; 110746; 359661; 586796; 75644; 858293; 810813; 759865; 130107; 131668; 612616; 724615; 376785; 856535

A microarray was assembled which contained each clone in Table 13 printed only once on the array. However the arrays can routinely include duplicates of each position as the stress-array, to provide an additional degree of certainty for positive "hits." In addition, internal controls of the type known in the art can be used on each array.

The probe set for a cDNA array can be made using a probe set comprising nucleic acid molecules representing a portion of the cDNAs disclosed in Tables 9–13. Alternatively, such probe sets may be used to analyze gene expression patterns using other hybridization techniques, such as northern and dot blots (see EXAMPLE 3). However, useful information may also be obtained using arrays or other techniques that employ probe sets representing less than all of the disclosed cDNAs in the array of Tables 9–13. For example, arrays that employ probe sets representing between 10% and 99% of the disclosed cDNA sequences may be employed. Thus, arrays employing probe sets representing at least 25%, 50%, 80% or 90% of the disclosed cDNAs depicted in any of Tables 9–13 may be employed. Alternatively the probe set may represent at least 5, 10, 25, or 50 of the disclosed cDNAs depicted in any of Tables 9–13. Each probe can "represent" the cDNA by having sufficient contiguous nucleotide (or variant thereof) that hybridizes to a target nucleic acid of interest. Alternatively, an array can be made using probes that detect differential expression of genes within a

certain time period. An example would be an array consisting of the probes of any of Tables 9–12 or combinations thereof.

The sets of disclosed probes may also be used in nucleic acid hybridization techniques. Such probe sets are particularly useful for assessing differential gene expression in cells that have been exposed to radiation. The probe sets comprise nucleic acid probes representing specified percentages of the differentially expressed cDNAs disclosed herein. These probe sets may be used with any nucleic acid hybridization technique that can be used to analyze patterns of gene expression, including but not limited to: northern blotting, dot blotting, arrays and microarrays.

In addition, the invention also provides methods for analyzing expression of multiple genes in a biological sample. A biological sample is provided which includes nucleic acids, and the biological sample is hybridized to a nucleic acid probe set arrayed on a surface. Typically, the nucleic acids of the biological sample are labeled with a detectable label such as a fluorescent label, to permit easy detection of hybridization between the sample and a probe. The nucleic acid probe set arrayed on the surface includes nucleic acid probes representing, for example at least 2%, 5%, 10%, 25%, 50% or more of the radiation induced cDNA sequences disclosed in any of Tables 9–13, such as subsets of probes for genes that have sustained expression at 24 or 48 hours, or expression at a level that corresponds to clinical exposure to a certain dose of ionizing radiation.



The present invention also includes providing a plurality of duplicate arrays of test sample nucleic acid compositions (such as samples taken from one or more subjects) immobilized on a fixed surface. These arrays are then hybridized with a nucleic acid probe set (typically labeled with a detectable label). Hybridization using the complete set of probes is typically achieved by hybridizing a small subset of the probes (typically 2–5 probes) to one of the array duplicates, and then repeating the procedure by hybridizing additional subsets of the probe set to additional duplicates of the array. To facilitate detection of hybridization, each of the probes within a particular subset is typically conjugated to a different detectable label. The probe set used in this method comprises nucleic acid probes representing at least 2%, 5%, 10%, 25%, 50% or more of the cDNA sequences disclosed in any of Tables 9–13, or the complete probe sets disclosed in those Tables, other subsets thereof (such as at least 5, 10, 25, or 50 of the disclosed sequences), or probe sets that are larger than any of these sets and include additional informative markers that have been or are discovered.

Arrays of polynucleotide DNA probes immobilized on solid supports have been used to study the composition of complex mixtures of DNA by hybridization techniques. For example, a complex mixture of labeled cDNA is hybridized to the DNA array under conditions of appropriate stringency, and unbound material is washed away. The array is then scanned using a detector, such as a scanning fluorescent microscope, capable of sensing the remaining bound labeled cDNA. The intensity of the detected signal at any given element is a measure of the concentration of the corresponding cDNA in the original complex mixture. See Schema et al., *Science* 270:467–470, 1995 and WO 96/17958.

#### EXAMPLE 9

##### Analysis of Biological Specimens

This example demonstrates that cDNA microarrays can be used to assess the effects on gene expression of irradiating isolated human peripheral blood lymphocytes or alternatively can detect altered gene expression to assess potential radiation exposure. Peripheral blood lymphocytes provide an easily accessible source of radiation sensitive tissue from a subject who has potentially been exposed to ionizing radiation. To determine whether the subject has experienced a biologically significant radiation exposure, approximately 30 ml may be obtained by conventional phlebotomy. This amount of blood provides sufficient mRNA for hybridization to a large array (such as a 5K array or 7K array), or several

smaller arrays (such as 1.2K arrays), during efforts to determine which genes are differentially expressed. However, much smaller probe sets can be used diagnostically, with corresponding smaller amounts of blood required.

Although this example describes methods which were used to analyze peripheral blood lymphocytes, one skilled in

the art will recognize that similar methods can be used to analyze any biological specimen. Biological specimens can be obtained from subjects who have potentially been, or are known to have been, exposed to ionizing radiation. A variety of biological specimens can be used in the present invention. Examples include, but are not limited to: peripheral blood, urine, saliva, tissue biopsy, surgical specimen, amniocentesis samples and autopsy material.

Blood may be drawn from potentially exposed individuals, RNA extracted immediately, and tested against an established baseline to determine relative levels of a number of genes, then compared to profiles for various qualities or quantities of radiation, or other environmental agents, to determine likelihood of exposure. Approximate dose and time since exposure can also be determined.

Human blood from normal healthy donors were obtained from the NIH blood bank (Department of Transfusion Medicine) and within 30–60 minutes of drawing, the components were separated by centrifugation on a Lymphoprep (Nycomed, Oslo, Norway) density gradient according to the manufacturer's instructions. The buffy coat layers were recovered, washed in phosphate buffered saline and resuspended at a density of  $0.5\text{--}1 \times 10^6$  cells per ml in RPMI 1640 medium supplemented with 10% heat-inactivated ( $56^\circ\text{C}$ . for 45 minutes) fetal calf serum and 100 U/ml penicillin and 100  $\mu\text{g/ml}$  streptomycin at  $37^\circ\text{C}$ . in a humidified, 5%  $\text{CO}_2$  atmosphere. Peripheral blood lymphocytes (PBLs) were allowed to equilibrate to culture conditions for 45–60 minutes, then irradiated at approximately 60 cGy/min. to total doses of 20–200 cGy using a Mark 1-68  $^{137}\text{Cs}$  source (J.L. Shepherd and Associates, Inc., San Fernando, Calif.) with lead attenuators in place.

RNA was harvested at 0, (unirradiated) 4, 24, 48 or 72 hours after irradiation using an acid guanidinium thiocyanate-phenol-chloroform mixture, as described by Chomczynski et al. (*Anal. Biochem.* 162:156–9, 1987). RNA harvested 24 hours after irradiation was hybridized to the 7K microarray (Table 6) and to the array shown in Table 13 and analyzed as described in EXAMPLE 2.

The results shown in Table 14 show the Image ID of PBL genes which were differentially expressed 24 hours following 2 Gy of irradiation. These results indicate that cDNA microarrays, such as the 7K microarray shown in Table 6, can be used to identify genes which are differentially expressed in response to irradiation. Such information can be used to identify genes to include in a probe set (such as those shown in Table 14) which will be useful for assessing potential radiation exposure in a cell from an animal or plant subject.

TABLE 14

Image ID Numbers of Differentially Expressed PBL Genes by 2 Gy.

244386; 1486083; 194395; 191826; 230100; 310406; 377314; 487172; 491763; 241097; 269815; 49389; 511091; 626716; 154472; 753104; 205633; 810711; 77577; 130826; 769603; 884425; 811015; 1475730; 826254; 80649; 82556; 825080; 213136; 898221; 273546; 701112; 843312; 128126; 415899; 146605; 823665; 745019; 1391644; 461759; 810017; 591653; 713193; 687054; 70692; 126466; 242790

60

The alteration in gene expression following  $\gamma$ -irradiation was examined in PBLs for five genes identified as being differentially expressed in response to irradiation (Table 14). As shown in FIG. 10, the expression of DDB2, CIP/WAF1, XPC, cyclin G1 and PCNA genes in response to irradiation was induced 3–6 fold over non-irradiated PBLs. These

65



results demonstrate that the present invention can be used to determine if a subject has been exposed to ionizing radiation by testing PBLs, which are sensitive to the effects of irradiation. Genes which are identified as being differentially expressed in response to irradiation (for example Table 14) are incorporated into a probe set, which is exposed to the labeled nucleic acid of a test cell (such as PBLs) using a microarray.

A timecourse of induction following 2 Gy  $\gamma$ -rays delivered *ex vivo* to PBLs was also examined as described in EXAMPLE 3. RNA was harvested from lymphocytes following one, two, or three days of incubation. Following irradiation, the DDB2, CIP1/WAF1, and XP-C genes reached maximal induction 24 hours after irradiation, then declined (FIG. 11). The induction of PCNA and IFN $\gamma$ p10 reached maximal levels 48 hours after induction (FIG. 11). These results demonstrate that the identification of which genes are differentially expressed in a biological specimen, can be correlated with the approximate time of irradiation. For example, a probe set which contains the DDB2, CIP1/WAF1, and XP-C genes would be useful for determining if a subject has been exposed within the past 24 hours, and a probe set which contains the PCNA and IFN $\gamma$ p10 gene would be useful for determining if a subject has been exposed within the past 48 hours.

The relative induction of expression was correlated to dosage, as shown in FIGS. 12A–12D for several genes. PBL were irradiated *ex vivo* with graded doses of  $\gamma$ -rays and RNA was harvested after four hours (FIG. 12A), 24 hours (FIG. 12B), 48 hours (FIG. 12C), or 72 hours (FIG. 12D) of incubation. These results demonstrate that the measured relative induction of expression of genes that are differentially expressed in response to irradiation, can be used to interpret the results. For example, by determining the relative induction of the radiosensitive genes DDB2 or WAF-1 in a particular cell type, that relative induction is correlated to the dosage of irradiation received by a subject, such as a plant, animal, or microbial subject.

In conclusion, this example demonstrates that biological specimens can be used to determine if a cell has been exposed to a biologically significant amount of ionizing radiation, and approximately how much time has elapsed since the cell was exposed. In addition, the relative induction of radiosensitive genes can be correlated to the dosage of irradiation received by the cell.

#### EXAMPLE 10

##### Analysis of In Vivo Irradiated Organisms

This example describes methods which can be used to analyze organisms which have been, or may have been, exposed to ionizing radiation.

##### Analysis of Irradiated Animals

The analysis of animals which have potentially been exposed to, or are known to have been exposed to, ionizing irradiation can be performed. As test subjects, rodents such as mice or rats are whole body irradiated, for example using a Mark 1-68 <sup>137</sup>Cs source (JL Shepherd and Associates, San Fernando, Calif.) to deliver total doses between 2 and 500 cGy as described in the above examples. Following irradiation, biological samples are harvested from the animals. Examples of biological samples include, but are not limited to, those listed above in EXAMPLE 9. Tissues are flash frozen in GTC (guanidine thiocyanate solution, used above), and the RNA is isolated and reverse transcribed incorporat-

ing a label, as described above. The labeled nucleic acids are then exposed to an array, for example using mouse equivalents of the genes shown in any of Tables 9–13. A test array can be generated, by selecting for probe sets as described herein, for example probe sets designed to detect radiation exposure in a specimen that is to be tested, such as peripheral blood cells for example leukocytes. Patterns or hybridization to the array can then be observed to determine the likelihood of exposure, and/or a dose of exposure in subsequent test subjects.

##### Analysis of Subjects Undergoing Radiation Therapy

The disclosed arrays can also be used to evaluate and/or select patients who are undergoing (or are candidates for) radiation therapy, for the treatment of cancer or a tumor. For example, subjects can be monitored during radiotherapy to detect gene expression induced by irradiation. Differential gene expression provides diagnostic or prognostic information, for example, it may indicate whether sufficient doses of radiation are being administered to cause regression of the cancer. An indication that a sufficient dose of radiation has been used may be a pattern of differential gene expression associated with a successful outcome of treatment of tumors of a particular type. In addition, subjects can be monitored to determine if the dose of radiation is causing harmful effects, for example iatrogenic carcinogenesis or suppression of the immune system by determining whether a pattern of differential expression has occurred that is associated with either of these outcomes.

The RNA from subjects is isolated, reverse-transcribed, and labeled as described above in EXAMPLE 2. The labeled nucleic acids are then exposed to an array, for example an array which contains a probe set which has been selected for genes which are differentially expressed at the radiation dose which the subject is being treated with. For example, the array may include genes which have been shown using the methods described in the above examples to be differentially expressed at 2 Gy, a typical daily dose which a subject might receive in radiotherapy. In addition, an array can be selected based on the tumor which is being treated. For example, the array can include or consist of genes which have been shown (using the methods described in the above examples) to be differentially expressed at the dose which the subject is receiving, in the type of tumor the subject suffers from. Such specific probe sets provide useful diagnostic information regarding the subject's progress in the radiotherapy.

##### Analysis of Irradiated Plants or Microbes

In addition to humans and other animals, plants or microbes which have been, or may have been, exposed to radiation can be analyzed using the present invention. In one example, following a nuclear accident, if there are no animals present to examine to determine the amount of exposure, the plant or microbial flora present in the area can be analyzed. Nucleic acids, for example RNA is isolated using standard methods. Nucleic acids are isolated from any part of the plant, for example roots, stems, leaves or flowers. The RNA is isolated, reverse-transcribed, and labeled as described above. The labeled plant nucleic acids can then be exposed to an array, for example using plant equivalents of the genes shown in Tables 9–13, or other plant genes that are found to be differentially expressed following radiation exposure.

Having illustrated and described the principles of assessing whether an organism has been exposed to biologically significant levels of ionizing radiation by detecting differential cellular expression of genes that are differentially expressed following such exposure, it should be apparent to



one skilled in the art that the invention can be modified in arrangement and detail without departing from such principles. In view of the many possible embodiments to which the principles of our invention may be applied, it should be recognized that the illustrated embodiments are only

examples of the invention and should not be taken as a limitation on the scope of the invention. Rather, the scope of the invention is in accord with the following claims. We therefore claim as our invention all that comes within the scope and spirit of these claims.

---

 SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 28

<210> SEQ ID NO 1

<211> LENGTH: 495

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 1

```

atggcgacga aggccgtgtg cgtgctgaag ggcgacggcc cagtgcaggg catcatcaat    60
ttcgagcaga aggaaagtaa tggaccagtg aagggtgtggg gaagcattaa aggactgact    120
gaaggcctgc atggattcca tgttcatgag tttggagata atacagcagg ctgtaccagt    180
gcaggctctc actttaatcc tctatccaga aaacacgggtg ggccaaagga tgaagagagg    240
catggttgag acttgggcaa tgtgactgct gacaaagatg gtgtggccga tgtgtctatt    300
gaagattctg tgatctcact ctcaggagac cattgcatca ttggccgcac actggtggtc    360
catgaaaaag cagatgactt gggcaaaggt ggaaatgaag aaagtacaaa gacaggaaac    420
gctggaagtc gtttggtctg tgggtgaatt gggatcgccc aataaacatt cccttggatg    480
tagtctgagg ccct

```

<210> SEQ ID NO 2

<211> LENGTH: 4035

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 2

```

tcccctggac ccgccgcaga gccagtgcag aatacagaaa ctgcagccat gaccacgcac    60
gtcaccctgg aagatgccct gtccaacgtg gacctgcttg aagagcttcc cctccccgac    120
cagcagccat gcatcgagcc tccaccttcc tccatcatgt accaggctaa ctttgacaca    180
aactttgagg acaggaatgc atttgtcacg ggcatgcaa ggtacattga gcaggctaca    240
gtccactcca gcatgaatga gatgctggag gaaggacatg agtatgcggt catgctgtac    300
acctggcgca gctgttcccg ggccattccc caggtgaaat gcaacgagca gccaaccga    360
gtagagatct atgagaagac agtagagggtg ctggagccgg aggtcaccaa gctcatgaag    420
ttcatgtatt tttagcgcaa ggccatcgag cggttctgca gcgaggtgaa gcggctgtgc    480
catgccgagc gcaggaagga ctttgtctct gaggcctacc tcctgaccct tggcaagttc    540
atcaacatgt ttgctgtcct ggatgagcta aagaacatga agtgcagcgt caagaatgac    600
cactctgcct acaagagggc agcacagttc ctgcggaaga tggcagatcc ccagtctatc    660
caggagtgcg agaacctttc catgttctctg gcccaaccaca acaggatcac ccagtgtctc    720
caccagcaac ttgaagtgat cccaggctat gaggagctgc tggctgacat tgtcaacatc    780
tgtgtggatt actacgagaa caagatgtac ctgactccca gtgagaaaca tatgctcctc    840
aaggatgatg gctttggcct ctacctaatg gatggaaatg tcagtaacat ttacaaactg    900
gatgccaaga agagaattaa tcttagcaaa attgataaat tctttaagca gctgcaggtg    960
gtgccccctt tcggcgacat gcagatagag ctggccagat acattaagac cagtgtctac    1020

```



-continued

tatgaagaga	acaagtccaa	gtggacgtgc	accagagca	gcatcagccc	ccagtacaat	1080
atctgcgagc	agatggttca	gatccgggat	gaccacatcc	gcttcatctc	cgagctcgct	1140
cgctacagca	acagtgaggt	ggtgacgggc	tcagggctgg	acagccagaa	gtcagacgag	1200
gagtatcgcg	agctcttcga	cctagccctg	cggggtctgc	agcttctatc	caagtggagc	1260
gcccacgtca	tggaggtgta	ctcttggaag	ctggttcata	ccacagacia	gttctgcaac	1320
aaggactgtc	ctggcaccgc	ggaggaatat	gagagagcca	cacgctacia	ttacaccagt	1380
gaggaaaaat	ttgccttcgt	tgaggtgatc	gcatgatca	aaggcctgca	ggtgctcatg	1440
ggcaggatgg	agagcgtctt	caaccaggcc	atcaggaaca	ccatctacgc	ggcattgcag	1500
gacttcgccc	aggtgacgct	gcgtgagccc	ctgcggcagg	cggtacggaa	gaagaagaat	1560
gtcctcatca	gcgtcctaca	ggcaattcga	aagaccatct	gtgactggga	gggagggcga	1620
gagcccccta	atgaccatg	cttgagaggg	gagaaggacc	caaaggtgg	atttgatata	1680
aaggtgcccc	ggcgtgctgt	ggggccatcc	agcacacagc	tgtacatggt	gcggaccatg	1740
cttgaatcac	tcattgcaga	caaagcggc	tccaagaaga	ccctgaggag	cagcctggat	1800
ggaccattg	tcctcgccat	agaggacttt	cacaaacagt	ccttcttctt	cacacatctg	1860
ctcaacatca	gtgaagccct	gcagcagtgt	tgtgacctct	cccagctctg	gttccgagaa	1920
ttcttcctgg	agttaaccat	gggccgacga	atccagtctc	ccatcgagat	gtccatgccc	1980
tggattctaa	cggaccatat	cctggaaacc	aaagaacctt	ccatgatgga	gtatgtcctc	2040
taccctctgg	atctgtacia	cgacagcgcc	tactatgctc	tgaccaagtt	taaaagcag	2100
ttcctgtacg	atgagataga	agctgaggtg	aacctgtggt	ttgatcagtt	tgtctaciaag	2160
ctggcagacc	agatctttgc	ttactaciaaa	gcatggctg	gcagtgtcct	gttggataaa	2220
cgttttcgag	ctgagtgtaa	gaattatggc	gtcatcattc	cgtatccacc	gtccaatcgc	2280
tatgaaacac	tgctgaagca	gagacacgtc	cagctgttgg	gtagatcaat	tgacttgaac	2340
agactcatta	cccagcgcat	ctctgccgcc	atgtataaat	ccttgacca	agctatcagc	2400
cgctttgaga	gtgaggacct	gacctcatt	gtggagctgg	agtggtgct	ggagattaac	2460
cggctcacgc	atcggctgct	ctgtaagcat	atgacgctgg	acagcttoga	tgccatgttc	2520
cgagaggcca	atcacaatgt	gtccgcccc	tatggccgta	tcacctgca	tgtcttctgg	2580
gaactgaact	ttgactttct	ccccactac	tgctaciaatg	ggtccactaa	ccgttttgtg	2640
cggactgcca	ttcctttcac	ccaagaacca	caacgagaca	aacctgcaa	cgtccagcct	2700
tattacctct	atgatccaa	gcctctcaac	attgcctaca	gccacatcta	cagctcctac	2760
aggaatttcg	tggggccacc	tcatttcaag	actatctgca	gactcctggg	ttatcagggc	2820
atcgtgtgg	tcattgagga	actgctaaag	attgtgaaga	gcttgctcca	aggaaccatt	2880
ctccagtatg	tgaaaacact	gatagaggtg	atgcccaga	tatgccgctt	gccccgacat	2940
gagtatggct	cccagggat	cctggagttc	ttccaccacc	agctgaagga	catcattgag	3000
tacgcagagc	tcaaacaga	cgtgttccag	agcctgaggg	aagtgggcaa	tgccatcctc	3060
ttctgcctcc	tcatagagca	agctctgtct	caggaggagg	tctgcgattt	gtccatgcc	3120
gcacccttcc	aaaacatctt	gcctagagtc	tacatcaaag	agggggagcg	cctggaggtc	3180
cggatgaaac	gtctggaagc	caagtatgcc	ccgtccacc	tggtccctct	gatcgagcgg	3240
ctggggacc	ctcagcaaat	cgccattgct	cgcgaggggtg	acctcctgac	caaggagcgg	3300
ctgtgctgtg	gcctgtccat	gttcgaggtc	atcctgacct	gcattcggag	ctacctgcag	3360
gacccatct	ggcggggccc	accgcccacc	aatggcgtca	tgcacgtoga	tgagtgtgtg	3420



-continued

---

```

gagttccacc ggctgtggag cgccatgcag ttcgtgtact gcatccctgt gggaaccaac 3480
gagttcacag ctgagcagtg tttcggcgat ggcttgaact gggctggttg ctccatcatt 3540
gtcctgctgg gccagcagcg tcgctttgac ctgttcgact tctgttacca cctgctaaaa 3600
gtgcagagggc aggacgggaa ggatgaaatc attaagaatg tgcccctgaa gaagatggcc 3660
gaccggatca ggaagtatca gatcttgaac aatgagggtt ttgccatcct gaacaaatac 3720
atgaagtccg tggagacaga cagttccact gtggagcatg tgcgctgctt ccagccaccc 3780
atccaccagt ccttggccac cacttgctaa gcagaagatc ctgcagacc ttatctggag 3840
gaggaagaga agcaggagag agaaagccac agccagcctg ccataggatc caactggaca 3900
acgtgtggga tggacctgga aacaagcacc tccccaaaca catcaccact ccctagggcg 3960
gggcctgtgc atgctctccc atgacatctc catgctggtt tctccatagc ataatgaaa 4020
aaaaaaaaa aaaaa 4035

```

```

<210> SEQ ID NO 3
<211> LENGTH: 2392
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 3

```

```

agcggggcag cggctgcgcc ctgcgccggg gcggagccgg gggcggggcc gcggccggca 60
ggcgggggct ggggcccag gcccggagtg cctgagcggc ggcggcgacg acggcagcgg 120
cggcccagcg ggctcgtggtg ttgggtccgc ggcggctcgg ggtccgcccg cgggctgcgg 180
tgcgagcggg cggcccggct cccctcctcc cccgcccggc gccgccgctg tgattgggtg 240
gaagatggcg ctggccgat ggaaatccta atgacagtct ccaaattcgc ctccatctgt 300
accatggcg ccaatgcttc ggcattagag aaagagattg gtccagaaca gtttccggtc 360
aatgagcact attttgatt agtcaatfff ggaataacct gctactgcaa ttcagttctt 420
caagcacttt atttttgctg tccatttcgg gaaaaagttc ttgctataa gagtcaacct 480
aggaaaaagg agagccttct tacatgctta gcagatctct tccatagcat agccactcag 540
aagaaaaagg ttggagtaat accccctaag aagttcatca caagattacg gaaagaaaat 600
gagctttttg acaactacat gcaacaagat gcccatgaat tcttaaatta cctactaaat 660
acaattgctg atattttaca agaagagaga aagcaggaaa aacaaaatgg tcgtttacct 720
aatggtaata ttgataatga aaataataac agcacaccag acccaacgtg ggttgatgag 780
atthttcagg gaacattaac taatgaaacc agatgtctta cttgtgaaac tataagcagc 840
aaagatgaag atthtttaga cthttctggt gacgtggaac aaaatacatc aattactcac 900
tgcttaaggg gtttcagcaa cacagaaact ctgtgcagtg aatacaagta ttactgtgaa 960
gagtgtcgca gcaaacagga agcacacaaa cggatgaaag ttaaaaaact gcccatgatt 1020
ctagctctac acctgaagag atthaaatat atggatcaac ttcactgata taaaaactc 1080
tcttaccggg tagthtttcc thtagaactt cgtctgttta aacttcagg tgatgccacc 1140
aatccagaca gaatgtacga ccttggtgct gttgtggttc actgtggaag tggccccaat 1200
cgaggccatt atattgcaat agttaagagt catgattttt ggttggtgtt tgatgacgac 1260
attgtagaaa aatagatgc acaagctatt gaagaattct acgggttgac atcagatata 1320
tcaaagaact ctgagtctgg ttacatcctt ttctatcagt ctgggactg agaggggaacc 1380
gtgatgaaga gacactttct gcctcatttc thctctggtt atthttgaaa ggatcaagca 1440

```



-continued

---

ctgatttttc aagaaaagag aaatgcagga agctcagggg gcagtagcac actttgcaca	1500
cgataaagca aagacgatgg attgacaagc ccttccgatc atggtagttg atttatttgc	1560
tcaggatatca tgctgtctgt acagttccat acaacaagga ggtgaaatca gagataccag	1620
ctcctctttt aaaacagcct tccagtcatt ggcacgcatt ttctctttat taattgcacc	1680
aataatgctt tgaattcctt ggggggtgcag tagaaagaat cggaatctgt gccgtattga	1740
taaggagatg atgttgaaca cactgcataa atttgcctgg ttcagtatgt atagaagcat	1800
atcagtggtt cttttcaaga gtaaaccaga aatacttttg ggcccaacac ttgcagttgc	1860
cttcctgatg taaaaactaa catgctagat aatccagtggt cgggaagaca aagatgtttt	1920
gcttctctga agaagcttat aataatatac agtatatgta tatgtaggga gcaattggtc	1980
aaaagtggct ttttgtttcc ccaaggggaa agactggcct tgtaattata attttttcc	2040
tatttatttt acttaaaact ggtagagtct aagtattata tgaagtgcc atgattctgt	2100
cagtaaattt gaacatattt ttattagtta atgtcagttt aagttgtcct tttgtttgtt	2160
tctattttta aggtgaattt taatttctat ctgaaatcag ttaagatacc ttgagaaaa	2220
ctgcagtgag aggagataaa tacccttttt caggaggaac tgatatctct ggctaaatat	2280
ttgtcctttt attatggttt ctaaatacag tattttcttc agctttaatt tcataaaatt	2340
aaaaaactat tttaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aa	2392

&lt;210&gt; SEQ ID NO 4

&lt;211&gt; LENGTH: 2207

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 4

ccccttctctg tggggttcat tggggcatcc cttttctgct gcaggaacct ctcatcagac	60
cgcttgaggg aagcggcgcc cggagacccg ccccggcccgt gccacattc tcccaggaa	120
gccggactct atggggcggg accctggggg agcctgagcc gagcccggag ccagccccga	180
accctgaac ctccagccag gggcgccccg ggagcagcca gccctgggc gagccgccc	240
cccgccgagc agccatgagc gagacggc tctgttccag ccgggccact gtgatgcttt	300
atgatgatgg caacaagcga tggctccctg ctggcacggg tcccaggcc ttcagccgcg	360
tccagatcta ccacaacccc acggccaatt ctttctcgt cgtgggcccg aagatgcagc	420
ccgaccagca ggtggtcatc aactgtgcca tcgtccgggg tgtcaagtat aaccaggcca	480
cccccaactt ccatcagtgg cgcgacgctc gccaggtctg gggcctcaac ttcggcagca	540
aggaggatgc ggcccagttt gccgcccggc tggccagtgc cctagaggcg ttggaaggag	600
gtgggcccc tccaccccc gacttccca cctggtcggg cccgaacggc ccctccccgg	660
aggaggtgga gcagcagaaa aggcagcagc ccggcccgtc ggagcacata gagcgccggg	720
tctccaatgc aggaggcca cctgctcccc ccgctggggg tccaccccc caaccaggac	780
ctccccctcc tccaggtccc cccccacccc caggtttgcc cccttcgggg gtcccagctg	840
cagcgcacgg agcaggggga ggaccacccc ctgcaccccc tctcccggca gcacagggcc	900
ctggtggtgg gggagctggg gccccaggcc tggccgcagc tattgctgga gccaaactca	960
ggaaagttag caagcaggag gaggcctcag gggggcccac agccccaaa gctgagagtg	1020
gtcgaagcgg aggtggggga ctcatggaag agatgaacgc catgctggcc cggagaagga	1080
aagccacgca agttggggag aaaaccccc aggatgaatc tgccaatcag gaggagccag	1140
aggccagagt cccggcccag agtgaatctg tgcggagacc ctgggagaag aacagcacia	1200



-continued

---

```

ccttgccaag gatgaagtcg ttttcttcg tgaccacttc cgagacccaa ccctgcacgc 1260
ccagctccag tgattactcg gacctacaga ggttgaaaca ggagcttctg gaagaggtga 1320
agaaggaatt gcagaaagtg aaagaggaaa tcattgaagc ctctgcccag gagctgagga 1380
agcgggggttc tccctgacca cagggaccca gaagaccgc ttctcctttc cgcacacccg 1440
gcctgtcacc ctgctttccc tgctctact tgacttgga ttggctgaag acacaggaat 1500
gcatcgttcc cactccccat cccacttgga aaactccaag ggggtgtggc ttccctgctc 1560
acaccacac tggctgctga ttggctggg aggccccgc cttttctcc ctttggtcct 1620
tcccctctgc catcccctg gggccggtcc ctctgctgg gatgcaccaa tgaacccac 1680
aggaaggggg aaggaaggag ggaattcac attccctgt tctagattca ctttaacgct 1740
taatgccttc aaagtttgg ttttttaag aaaaaaaaa atatatatat ttgggttttg 1800
gggaaaagg gaaatTTTT tttctcttg gttttgataa aatgggatgt gggagtTTTT 1860
aaatgctata gccctgggct tgccccattt gggcagcta ttaagggga ggggatgtct 1920
caccgggctg ggggtgagat atccccccac cccagggact ccccttcct ctggctcctt 1980
cccctttct atgaggaaat aagatgctgt aacttttgg aacctcagt ttttgatttt 2040
ttatttgggt aggttttgg gtccaggcca tttttttac cccttgagg aaataagatg 2100
agggagaaag gagaagggga ggaaacttct cccctccac cttcacctt agcttcttga 2160
aaatgggcc ctgcagaata aatctgccag tttttataaa aaaaaa 2207

```

&lt;210&gt; SEQ ID NO 5

&lt;211&gt; LENGTH: 2189

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 5

```

gcagagggag cgagcgggag gccggctagg gtggaagagc cgggcgagca gagctgcgct 60
gcggcgctcc tgggaaggga gatccggagc gaatagggg ctctgcctct ggcccagccc 120
tcccgtgat ccccagcca gcggtccgca acccttgccg catccacgaa actttgcca 180
tagcagcggg cgggcacttt gcactggaac ttacaacacc cgagcaagga cgcgactctc 240
ccgacgaggg gaggtattc tgcccattt gggacacttc cccgcccgtg ccaggacccg 300
cttctctgaa aggctctcct tgcaactgct tagacgctgg attttttctg ggtagtgaa 360
aaccagcagc ctcccgcgac gatgcccctc aacgttagct tcaccaacag gaactatgac 420
ctcgactacg actcggtgca gccgtatttc tactgcgacg aggaggagaa cttctaccag 480
cagcagcagc agagcagct gcagccccg gcgcccagcg aggatatctg gaagaaattc 540
gagctgctgc ccacccgccc cctgtcccct agccgcccgt cgggctctg ctgcccctcc 600
tacgttgagg tcacaccctt ctcccctcgg ggagacaacg acggcgggtg cgggagcttc 660
tccacggccg accagctgga gatggtgacc gagctgctgg gaggagacat ggtgaaccag 720
agtttcatct gcgaccgga cgacgagacc ttcatcaaaa acatcatcat ccaggactgt 780
atgtggagcg gcttctcggc cgcgcgaag ctctctcag agaagctggc ctctaccag 840
gtgcccgcga aagacagcg cagcccgaac cccgcccgcg gccacagcgt ctgctccacc 900
tccagcttgt acctgcagga tctgagcgc gccgctcag agtgcacga cccctcgggtg 960
gtcttcccct accctctcaa cgacagcagc tcgcccaggt cctgcccctc gcaagactcc 1020
agcgccttct ctccgtcctc ggattctctg ctctcctcga cggagtctc cccgagggc 1080

```



-continued

---

```

agccccgagc ccctggtgct ccatgaggag acaccgcccc ccaccagcag cgactctgag 1140
gaggaacaag aagatgagga agaaatcgat gttgtttctg tggaaaagag gcaggctcct 1200
ggcaaaaggt cagagtctgg atcaccttct gctggaggcc acagcaaacc tcctcacagc 1260
ccactggtcc tcaagaggtg ccacgtctcc acacatcagc acaactacgc agcgcctccc 1320
tccactcgga aggactatcc tgctgccaag agggcaagt tggacagtgt cagagtcctg 1380
agacagatca gcaacaaccg aaaatgcacc agccccaggt cctcggacac cgaggagaat 1440
gtcaagaggc gaacacacaa cgtcttgag cgccagagga ggaacgagct aaaacggagc 1500
ttttttgccc tgcgtgacca gatcccggag ttgaaaaaca atgaaaaggc cccaaggta 1560
gttatcctta aaaaagccac agcatacatc ctgtccgtcc aagcagagga gcaaaagctc 1620
atctctgaag aggacttggt gcggaaacga cgagaacagt tgaaacacaa acttgaacag 1680
ctacggaact cttgtgcgta aggaaaagta aggaaaacga ttccttctaa cagaaatgtc 1740
ctgagcaatc acctatgaac ttgtttcaaa tgcatgatca aatgcaacct cacaaccttg 1800
gctgagtctt gagactgaaa gatttagcca taatgtaaac tgcctcaaat tggactttgg 1860
gcataaaga acttttttat gcttaccatc tttttttttt ctttaacaga tttgtattta 1920
agaattgttt ttaaaaaatt ttaagattta cacaatgttt ctctgtaaat attgccatta 1980
aatgtaaata actttaataa aacgtttata gcagttacac agaatttcaa tcctagtata 2040
tagtacctag tattataggt actataaacc ctaatttttt ttatttaagt acattttgct 2100
ttttaaagtt gatttttttc tattgttttt agaaaaata aaataactgg caaatatctc 2160
attgagccaa aaaaaaaaaa aaaaaaaaaa 2189

```

&lt;210&gt; SEQ ID NO 6

&lt;211&gt; LENGTH: 3658

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 6

```

gcccagaaa gcaacatggc tcggaaacgc gcggccggcg gggagccgcg gggacgcgaa 60
ctgcccagcc agaaatccaa ggccaagagc aaggcccggc gtgaggagga ggaggaggat 120
gcctttgaag atgagaaacc cccaaagaag agccttctct ccaagtttc acaaggaaag 180
aggaaaagag gctgcagtca tcctgggggt tcagcagatg gtccagcaaa aaagaaagtg 240
gccaagtgta ctgttaaatc tgaaaacctc aaggttataa aggatgaagc cctcagcgat 300
ggggatgacc tcagggactt tccaagtgac ctcaagaagg cacaccatct gaagagaggg 360
gctaccatga atgaagacag caatgaagaa gaggaagaaa gtgaaaatga ttgggaagag 420
gttgaagaac ttagtgagcc tgtgctgggt gacgtgagag aaagtacagc cttctctcga 480
tctcttctgc ctgtgaagcc agtggagata gagattgaaa cgccagagca ggcgaagaca 540
agagaaagaa gtgaaaagat aaaactggag tttgagacat atcttcggag ggcgatgaaa 600
cgtttcaata aaggggtcca tgaggacaca cacaaggttc accttctctg cctgctagca 660
aatggcttct atcgaataaa catctgcagc cagccagatc tgcatgctat tggcctgtcc 720
atcatcccag cccgctttac cagagtgtct cctcgagatg tggacaccta ctacctctca 780
aacctggtga agtggttcat tggaacattt acagttaatg cagaactttc agccagtgaa 840
caagataacc tgcagactac attggaaagg agatttgcta tttactctgc tcgagatgat 900
gaggaattgg tccatatatt ctactgatt ctccgggctc tgcagctctt gaccggctg 960
gtattgtctc tacagccaat tcctctgaag tcagcaacag caaagggaaa gaaaccttcc 1020

```



-continued

---

aaggaaagat	tgactgcgga	tccaggaggc	tcctcagaaa	cttccagcca	agttctagaa	1080
aaccacacca	aaccaaagac	cagcaaagga	accaaacaag	aggaaacctt	tgctaagggc	1140
acctgcaggc	caagtgccaa	agggaagagg	aacaagggag	gcagaaagaa	acggagcaag	1200
ccctcctcca	gcgaggaaga	tgagggccca	ggagacaagc	aggagaaggc	aaccagcga	1260
cgcccgcatg	gccgggagcg	gcggggtggc	tccagggtgt	cttataaaga	ggagagtggg	1320
agtgatgagg	ctggcagcgg	ctctgatttt	gagctctcca	gtggagaagc	ctctgatccc	1380
tctgatgagg	attccgaacc	tggccctcca	aagcagagga	aagccccgc	tcctcagagg	1440
acaaaggctg	ggtccaagag	tgccctcagg	acccatcgtg	ggagccatcg	taaggacca	1500
agcttgccag	cggcatcctc	aagctcttca	agcagtaaaa	gaggcaagaa	aatgtgcagc	1560
gatggtgaga	aggcagaaaa	aagaagcata	gctggtatag	accagtggct	agaggtgttc	1620
tgtgagcagg	aggaaaagtg	ggtatgtgta	gactgtgtgc	acgggtgtgt	gggccagcct	1680
ctgacctgtt	acaagtacgc	caccaagccc	atgacctatg	tggtgggcat	tgacagtgac	1740
ggctgggtcc	gagatgtcac	acagaggtac	gaccagctct	ggatgacagt	gaccgcgaag	1800
tgccgggttg	atgctgagtg	gtgggcccag	accttgagac	cataccagag	cccatttatg	1860
gacagggaga	agaaagaaga	cttgaggttt	caggcaaac	acatggacca	gcctttgccc	1920
actgccattg	gcttatataa	gaaccaccct	ctgtatgccc	tgaagcggca	tctcctgaaa	1980
tatgaggcca	tctatcccga	gacagctgcc	atccttgggt	attgtcgtgg	agaagcggtc	2040
tactccaggg	attgtgtgca	caactctgat	tccagagaca	cgtggctgaa	gaaagcaaga	2100
gtggtgaggc	ttggagaagt	accctacaag	atggtgaaag	gcttttctaa	ccgtgctcgg	2160
aaagcccagc	ttgctgagcc	ccagctgcgg	gaagaaaatg	acctgggcct	gtttggctac	2220
tggcagacag	aggagtatca	gccccagtg	gccgtggacg	ggaaggtgcc	ccggaacgag	2280
tttgggaatg	tgtacctctt	cctgcccagc	atgatgccta	ttggctgtgt	ccagctgaac	2340
ctgcccgaatc	tacaccgct	ggcccgaag	ctggacatcg	actgtgtcca	ggccatcact	2400
ggctttgatt	tccatggcgg	ctactcccat	cccgtgactg	atggatacat	cgtctgcgag	2460
gaattcaaag	acgtgctcct	gactgcctgg	gaaaatgagc	aggcagtcac	tgaaaggaag	2520
gagaaggaga	aaaaggagaa	gcgggctcta	gggaactgga	agttgctggc	caaaggtctg	2580
ctcatcaggg	agaggctgaa	gcgtcgctac	ggcccaaga	gtgaggcagc	agctccccac	2640
acagatgcag	gaggtggact	ctcttctgat	gaagaggagg	ggaccagctc	tcaagcagaa	2700
gcggccagga	tactggctgc	ctcctggcct	caaaaccgag	aagatgaaga	aaagcagaag	2760
ctgaaggggtg	ggccaagaa	gaccaaagg	gaaaagaaag	cagcagcttc	ccacctgttc	2820
ccatttgaga	agctgtgagc	tgagcgccca	ctagaggggc	accaccagt	tgctgctgcc	2880
ccactacagg	ccccacacct	gccctgggca	tgcccagccc	ctgggtgtgg	ggccttctct	2940
gctgagaagg	caactgagg	cagcatgcac	ggagcgggg	tcaggggaga	cgaggccaag	3000
ctgaggaggt	gctgcaggtc	ccgtctggct	ccagcccttg	tcagattcac	ccaggtgaa	3060
gccttcaaag	ctttttgcta	ccaaagccca	ctcacccttt	gagctacaga	acactttgct	3120
aggagatact	cttctgcctc	ctagacctgt	tctttccatc	tttagaaaca	tcagtttttg	3180
tatggaagcc	accgggagat	ttctggatgg	tggtgcatcc	gtgaatgcgc	tgatcgtttc	3240
ttccagttag	agtcttcac	tgtccgacaa	gttcaactgc	ctcggttgcg	gacctaggac	3300
catttctctg	caggccactt	accttcccct	gagtcaggct	tactaatgct	gccctcactg	3360



-continued

---

```

cctctttgca gtaggggaga gagcagagaa gtacagggtca tctgctggga tctagttttc 3420
caagtaacat tttgtggtga cagaagccta aaaaaagcta aaatcaggaa agaaaaggaa 3480
aaatacgaat tgaaaattaa ggaaatgta gtaaaataga tcagtgttaa actagattgt 3540
attcattact agataaaatg tataaagctc tctgtactaa ggagaaatga cttttataac 3600
atthtgagaa aataataaag catttatcta aaaaaaaaa aaaaaaaaa aaaaaaa 3658

```

```

<210> SEQ ID NO 7
<211> LENGTH: 1704
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 7

```

```

ggcacgaggt accccttcac acggaggacg cgatggctcc caagaaacgc ccagaaaccc 60
agaagacctc cgagattgta ttacgccccca ggaacaagag gagcaggagt cccctggagc 120
tggagcccga ggccaagaag ctctgtgcga agggctccgg tcctagcaga agatgtgact 180
cagactgcct ctgggtgggg ctggctggcc cacagatcct gccaccatgc cgcagcatcg 240
tcaggaccct ccaccagcat aagctgggca gagcttctcg gccatctgtc cagcaggggc 300
tccagcagtc ctttttgcac actctggatt cttaccggat attacaaaag gctgccccct 360
ttgacaggag ggctacatcc ttggcgtggc acccaactca ccccagcacc gtggctgtgg 420
gttccaaagg gggagatata atgctctgga attttggcat caaggacaaa cccaccttca 480
tcaaagggat tggagctgga gggagcatca ctgggctgaa gtttaaccct ctcaatacca 540
accagtttta cgcctcctca atggagggaa caactaggct gcaagacttt aaaggcaaca 600
ttctacgagt ttttgccagc tcagacacca tcaacatctg gttttgtagc ctggatgtgt 660
ctgctagtag ccgaatggtg gtcacaggag acaacgtggg gaacgtgatc ctgctgaaca 720
tggacggcaa agagctttgg aatctcagaa tgcacaaaaa gaaagtgacg catgtggccc 780
tgaacccatg ctgtgattgg ttcttgccca cagcctccgt agatcaaaca gtgaaaattt 840
gggacctgag ccaggttaga gggaaagcca gcttctctca ctgctgccc cacaggcatc 900
ctgtcaacgc agcttgtttc agtcccgatg gagcccggct cctgaccacg gaccagaaga 960
gcgagatccg agtttactct gcttcccagt gggactgccc cctgggcctg atcccgcacc 1020
ctcaccgtca cttccagcac ctcacaccta tcaaggcagc ctggcatcct cgctacaacc 1080
tcattgttgt gggccgatac ccagatccta atttcaaaag ttgtaccctt tatgaattga 1140
ggacgatcga cgtgttcgat ggaaactcag ggaagatgat gtgtcagctc tatgaccag 1200
aatcttctgg catcagttcg cttaatgaat tcaatcccat gggggacacg ctggcctctg 1260
caatgggtta ccacattctc atctggagcc aggaggaagc caggacacgc aagtgagaga 1320
cactaaagaa ggtgtgggac agacaaggcc ttggagccca cacatgggat caagtcctgc 1380
aagcagaggt ggcgatttgt taaagggcca aaagtatcca aggttagggt tggagcaggg 1440
gtgctgggac ctggggcact gtgggactgg gacactttta tgttaatgct ctggacttgc 1500
ctccagagac tgctccagag ttggtgacac agctgtccca agggcccctc tgtatctagc 1560
ctggaaccaa ggttatcttg gaactaaatg acttttctcc tctcagtggt tggtagcaga 1620
gggatcaagc agttatttga tttgtgctca cttttgatat ggccaataaa accataccga 1680
ctgaaaaaaaa aaaaaaaaaa aaaa 1704

```

```

<210> SEQ ID NO 8
<211> LENGTH: 1578

```



-continued

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 8

gatcagggcc gagttgtctc ggccggcgctg ccgaggcctc caccaggac agtccccctc 60  
cccgggctc tctcctcttg cctacgagtc ccctctctc gtaggcctct cggatctgat 120  
atcgtggggg gaggtgagca ggcccgggga ggttggttac cgctgaggag ctgcagtctc 180  
tgtcaagatg atagaggtac tgacaacaac tgactctcag aaactgctac accagctgaa 240  
tgccctggtg gaacaggagt ctagatgtca gccaaaggtc tgtggtttga gactaattga 300  
gtctgcacac gataatggcc tcagaatgac tgcaagacta agggactttg aagtaaaaga 360  
tcttcttagt ctaactcagt tctttggctt tgacacagag acattttctc tagctgtgaa 420  
tttactggac agattcctgt ctaaaatgaa ggtacagccc aagcaccttg ggtgtgttgg 480  
actgagctgc ttttatttgg ctgtaaaatc aatagaagag gaaaggaatg tcccattggc 540  
aactgacttg atccgaataa gtcaatatag gtttacgggt tcagacttga tgagaatgga 600  
aaagattgta ttggagaagg tgtgttgga agtcaaagct actactgcct ttcaatttct 660  
gcaactgtat tattcactcc ttcaagagaa ctggccactt gaaaggagaa atagcattaa 720  
tttgaaaga ctagaagctc aactgaaggc atgtcattgc aggatcatat tttctaaagc 780  
aaagccttct gtgttgcat tgtctatcat tgcattagag atccaagcac agaagtgtgt 840  
agagttaaca gaaggaatag aatgtcttca gaaacattcc aagataaatg gcagagatct 900  
gaccttctgg caagagcttg tatccaatg ttaactgaa tattcatcaa ataagtgttc 960  
caaaccaa atgtcagaagt tgaaatggat tgtttctggg cgtactgcac ggcaattgaa 1020  
gcatagctac tacagaataa ctcaccttcc aacaattcct gaaatgggcc cttactgga 1080  
ttattacagc accaaaaaac ttctctgaag ctttctcca caacctgtt ctatggattc 1140  
cataatgtta caatggattt aagctatgaa gcctcaaac atcacgagat aagcatgatg 1200  
gtctcagact tgggaaaact gcctaattt atgtctgagt ggaattatgt ttatgatttg 1260  
aattcatctg tgaaggcatt caaatcaaag ctaaaagcct aatgtgaaa tgctaatgac 1320  
aagcctgaga aggtaaacta tgaatcttca tttctatcat tgatctaact ttagatattg 1380  
gatcaatata tttaggtggt attgaaaatg ctattggagg agtcacacta atactatcaa 1440  
ctatcagtct tcccacagct tcaatcactg tcattattct aatcctactc ctacttaaat 1500  
tttaagttat gaggtttatg tcgaaagcaa catttcacaa atgtactttt aaggcataat 1560  
aagggttaac attctagg 1578

&lt;210&gt; SEQ ID NO 9

&lt;211&gt; LENGTH: 1776

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 9

tttcatttcc tactgacta taaaagaata gagaaggaag ggcttcagt accggctgcc 60  
tggtgactt acagcagtc gactctgaca ggatcatggc tatgatggag gtccaggggg 120  
gaccagcct gggacagacc tgcgtgctga tcgtgatctt cacagtgtc ctgcagtctc 180  
tctgtgtggc tgtaacttac gtgtacttta ccaacgagct gaagcagatg caggacaagt 240  
actccaaaag tggcattgct tgtttcttaa aagaagatga cagttattgg gacccaatg 300  
acgaagagag tatgaacagc ccctgctggc aagtcaagtg gcaactccgt cagctcgtta 360



-continued

gaaagatgat tttgagaacc tctgaggaaa ccatttctac agttcaagaa aagcaacaaa	420
atatttctcc cctagtgaga gaaagaggtc ctcaagagag agcagctcac ataactggga	480
ccagaggaag aagcaacaca ttgtcttctc caaactccaa gaatgaaaag gctctggggc	540
gcaaaataaa ctctctgggaa tcatcaagga gtgggcattc attcctgagc aacttgact	600
tgaggaatgg tgaactggc atccatgaaa aagggtttta ctacatctat tcccaaacat	660
actttcgatt tcaggaggaa ataaaagaaa acacaaagaa cgacaaacaa atgggtccat	720
atatttacia atacacaagt taccctgacc ctatattggt gatgaaaagt gctagaaata	780
gttgttggtc taaagatgca gaatatggac tctattccat ctatcaagg ggaatatttg	840
agcttaagga aatgacaga atttttgttt ctgtaacaaa tgagcacttg atagacatgg	900
accatgaagc cagttttttc ggggcctttt tagttggcta actgacctg aaagaaaaag	960
caataacctc aaagtgacta ttcagttttc aggatgatac actatgaaga tgtttcaaaa	1020
aatctgacca aaacaaacaa acagaaaaca gaaaacaaaa aaacctctat gcaatctgag	1080
tagagcagcc acaacaaaa aattctacia cacacactgt tctgaaagt actcacttat	1140
cccaagagaa tgaattgct gaaagatctt tcaggactct acctcatatc agtttgctag	1200
cagaaatcta gaagactgtc agcttccaaa cattaatgca atggttaaca tcttctgtct	1260
ttataatcta ctcttgtaa agactgtaga agaaagagca acaatccatc tctcaagtag	1320
tgtatcacag tagtagctc caggtttcct taagggacaa catccttaag tcaaaagaga	1380
gaagaggcac cactaaaaga tcgcagtttg cctggtgcag tggctcacac ctgtaatccc	1440
aacattttgg gaacccaag tgggtagatc acgagatcaa gagatcaaga ccatagtgac	1500
caacatagtg aaaccccatc tctactgaaa gtacaaaaat tagctgggtg tgttggcaca	1560
tgctgtagt cccagctact tgagaggctg aggcaagaga attgttgaa cccgggaggc	1620
agaggttgca gtgtggtgag atcatgccac tacactccag cctggcgaca gagcgagact	1680
tggtttcaaa aaaaaaaaa aaaaaaactt cagtaagtac gtgttatttt tttcaataaa	1740
attctattac agtatgtcaa aaaaaaaaa aaaaaa	1776

&lt;210&gt; SEQ ID NO 10

&lt;211&gt; LENGTH: 1172

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 10

gagacattcc tcaattgctt agacatattc tgagcctaca gcagaggaac ctccagtctc	60
agcaccatga atcaactgc gattctgatt tgctgcctta tctttctgac tctaagtggc	120
attcaaggag tacctctctc tagaacgta cgctgtacct gcatcagcat tagtaatcaa	180
cctgttaatc caaggtcttt agaaaaactt gaaattattc ctgcaagcca attttgtcca	240
cggttgtaga tcattgctac aatgaaaaag aagggtgaga agagatgtct gaatccagaa	300
tcgaaggcca tcaagaattt actgaaagca gttagcaagg aatgtctaa aagatctcct	360
taaaaccaga ggggagcaaa atcgatgcag tgcttccaag gatggaccac acagaggctg	420
cctctcccat cacttcccta catggagtat atgtcaagcc ataattgttc ttagtttgca	480
gttactactaa aaggtgacca atgatggtca ccaaatcagc tgctactact cctgtaggaa	540
ggttaatggt catcatccta agctattcag taataactct accctggcac tataatgtaa	600
gctctactga ggtgctatgt tcttagtgga tgttctgacc ctgcttcaaa tatttcctc	660
acctttccca tcttccaagg gtactaagga atctttctgc tttggggttt atcagaattc	720



-continued

---

tcagaatctc aaataactaa aaggatgca atcaaatctg ctttttaaag aatgctcttt	780
acttcatgga cttccactgc catcctccca aggggcccac attctttcag tggctaccta	840
catacaattc caaacacata caggaaggta gaaatatctg aaaatgtatg tgtaagtatt	900
cttatttaat gaaagactgt acaaagtata agtcttagat gtatatattt cctatatattgt	960
tttcagtgta catggaataa catgtaatta agtactatgt atcaatgagt aacaggaaaa	1020
ttttaaaaat acagatagat atatgctctg catgttacat aagataaatg tgctgaatgg	1080
ttttcaaata aaaatgaggt actctcctgg aaatattaag aaagactatc taaatgttga	1140
aagatcaaaa ggttaataaa gtaattataa ct	1172

&lt;210&gt; SEQ ID NO 11

&lt;211&gt; LENGTH: 3302

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 11

ttgtttgatt actgtggctt ttctttacct acaacccaag cctgacgtcc ctggtttta	60
aatagcaggg agaggggaat caatgtttga ttcaggtggt tcgaagacca cgccacaggc	120
gatgagcaga actcttcatg ttgaaacggg tctgctacag tactagattg ctctcagggc	180
atgtggggtt gatacaggca agccgggtgca aaactggaat actggatag aagtgaaatg	240
tataaaagac ataaatgtca caaaatagtt tgatcacaag tgttgatttt cctgggtgagt	300
tggggctgcg tgtttccatg ttttctgaag gttcacataa acatgcagcc tgccaattct	360
ctgtacattt ttttttttca atgagtggtt tttcggtttt cacgtttagt tgtaagacag	420
aaattggaga cttatatgta gctggagtgg atgacttctt tcttttgggg gaagaatgag	480
agatgcacat ttcgttagta aattgtgaac aacttgaac aaacccaat ccaattttga	540
atthaagaag tagagttaa atgaaaggta gccattcaa tactatgcct tgctgccttc	600
acttattaag ttagattttt cttcctttta gccctttagg gatacagtag tttaaaagag	660
cagtagccac atatgaaagg atcagattta gcttagaggg aattccttag accagccctg	720
ctgttaagac ttgacattca atattgtttg atcacattcc aaaatatagc ttagctaattg	780
gcaacatttg taaacatata aattgcaaaa gaagctttct tgtgtacata cttttttaa	840
agcttgaaat tgatgtgaac ttttaaaaac acgtaggatc tgtattacat tctacatctc	900
aaaacaaatt taattaaagt gaatatcatt ccagtatata caatatgcct aagaccaga	960
atggcacat tgatttacta gttgaaaata taacagtatt caccaaactt caatgtatac	1020
tttttgagga gaatgaaatt acagtatttc ttaatttact gtaatgtcat ctttgtaatt	1080
atgaactaac aattcaatga gaggagactt ggctgattaa attaatgctg gtcctacaca	1140
ttatatctaa aggatcttcg tatatgacta ctatcctctt ggattatttt aacagttaa	1200
atatacaaag tggccatta aaaacagagt tgacttttca ccattgctgt ttttctgggtg	1260
agacatgtgg aaaggaagga caggtggact tttcaactaa ctagctctct gatthttaat	1320
aagatacctc agttcttttg gcctcagttt acttatctgt acaagggtg agtcatatgc	1380
ttaatcacta agatctgtta gatactgcag ttaagattct ttatcagcaa attactgaac	1440
tctagtgtta acatagctag aggtggaaaa gggagcaaga ccaggtgttg ggatgaataa	1500
ttaactaatc gagataacat cagttttcac cataggaaca agtaccatgg ttgctcttaa	1560
agtaagagat gtttcctatt ttatgtaatt ttactaaggg atagtgtttt cttttgtcac	1620



-continued

tgacttaaat	gtacctggat	gtttctcagc	catttggtta	agatcgaaca	caagtaatac	1680
ctgggccttt	tatatcta	ctaatgtaga	ccagcctggt	aaaagagaaa	gacaattggt	1740
taaactgctg	atgtgttgct	ttgtcttctc	aaaagcttgt	tctataatac	aatatgtaaa	1800
aagttgttac	agtgtagtaa	ccgtagataa	tccctttatg	atttgtacct	aatggcgaag	1860
accttttatt	ttctgaaaat	aacgtgtttg	ttttcattac	cgacattaga	agccaatatt	1920
tattaatcta	tttctcatcc	tgacatttca	gtcagactct	taaaataatc	ttgctgtggt	1980
ttgattta	at	acttataata	ttgaattaat	gttaatagtg	tcatttttagg	2040
tgaactagac	ttcattgaag	gaggtgggag	ccttatggag	agagagtata	tgattatctc	2100
tatttgtatt	taattaccat	ttcatctaac	cattcagaac	atatttcaag	aataatttta	2160
attcaagttg	tagataaaaac	ttactatacc	attttcattt	tgacgctttc	caagaatgag	2220
atacacggta	ttttaagac	aaagattgat	cttacatggt	actattaata	aaaacacgat	2280
aattttgttc	tacatttata	cttttaattt	ttctgtggat	aataagaaat	gccaagagtc	2340
gattgtgtcc	atgctggcaa	gtggccta	aaattgtcct	tttatttggg	ggtcctcaga	2400
gtggcagtta	acatcttgct	attctgcctt	gtggacttga	ggtggaaag	ttcatggaat	2460
tatatccttg	cttttgatg	tgcaactga	ggctcagaga	gtttaagaca	catagtcact	2520
ttaccaatt	aatgatgaa	gctgccatgt	aaacgtat	catcacactc	ccgagacctt	2580
cttctccagt	agtgttttca	agctttttga	gcatgcagac	actaccatca	aaaaattatg	2640
tagagacata	cttgagagtt	acagtttaaa	gaaaaaaca	ggtgtaatta	tttggttatt	2700
agtagcattt	acatagctt	gaaaacttct	gctatatata	cagtaagatt	aatttattct	2760
aacaatgatc	ttgataatcc	ccctgattcc	cagactcctt	ggaatagctc	cacagctatc	2820
agtggttctg	ccacaggttc	agagccttcc	cagtactgcc	ttcttatttg	agaggtgtgc	2880
taagagctat	aaagcagagg	cttcaattgt	acacagtttg	gaagtttagg	caaagtcac	2940
ttcttcccta	tattttgtca	tgcttatctc	ctgtctcttt	ctgttttaca	gattagcaat	3000
aaactcctta	aaacccaaag	gtttgggctt	ctgttccttt	cacttgca	gagacatgga	3060
gtagtggtta	gaagaaacag	aaggggtaac	ctgcatggtg	acagctactg	aggggatgga	3120
taggaaagca	ggctgagtcc	ccggggccag	tggttaccaa	agccaaggag	agagcaaggg	3180
gagcccagtg	ggcctggcca	tggactgctc	tggaattccg	agtgtgaact	ttcagccaag	3240
aaggtagtgt	gaaaatatta	ctgtgagggt	ttaaaagtac	acaataaca	attgtttttt	3300
gt						3302

&lt;210&gt; SEQ ID NO 12

&lt;211&gt; LENGTH: 2943

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 12

tgagagaccg	tgttgcaatg	ttccgttcag	cttgggtgca	atggcctgtg	tccacctggc	60
ttccaagata	gaagaggccc	caagacgcat	acgggacgtc	atcaatgtgt	ttcaccgcct	120
tcgacagctg	agagacaaaa	agaagcccgt	gcctctacta	ctggatcaag	attatgtaa	180
tttaaagaac	caaattataa	aggcggaaag	acgagttctc	aaagagttgg	gtttctgcgt	240
ccatgtgaag	catcctcata	agataatcgt	tatgtacctt	caggtgtag	agtgtgagcg	300
taaccaacac	ctggtccaga	cctcatgggt	agcctctgag	ggtaagtgac	taagacttct	360
cctctgctgt	ccaagcgtt	tgggtgcagg	acagcggcat	cttcagccaa	tccagtgcag	420



-continued

---

gctctccacc	gaaggtggc	tctagactgg	ttggcagcgg	ctctgatgag	cccgagaaga	480
ggcctgactc	cttgggtgcg	gagtctccct	ccgcacgatg	ctcccacgcg	tccaacttgc	540
acccaagcgg	gctttggtcc	ctcttccaag	tggactcctt	caaggaagct	gcagctcggg	600
cagcagagaa	ggggcctgcc	gccagcgcgc	tggaggaaga	ggaagaggaa	cccagagga	660
tggcttgtct	cccagcagcc	acaccggctt	tgtgctcagc	cagttcattt	gagtttgc	720
gtttctctgc	actatggatt	ttgagcattt	agatttcttt	aatcaaaagc	gttttagtga	780
ctccagtaga	cattttcttt	ctgaggcatc	gtgctttgca	tgagagcagg	ccaaggttga	840
ggggaaaagt	aaagttaaag	tcggttctct	ttcatagcaa	cacgtattgt	ctgacattca	900
gccagctttt	tttttttct	aataatttct	gtgcctttct	gtcctgtatt	tactgtattt	960
agaaaaagca	gctagaatat	ttctccatta	actcttgaga	ttcacaggac	tgtctagctc	1020
tgagtcttag	caatagactc	cttagaggag	tagtacgttt	atctagattt	tctctagata	1080
atgcaggcgg	aagacctggg	ttcccgggtg	ggcattgca	gttcttctg	tgtttggtt	1140
ccaggaatta	catgaacgac	agccttcgca	ccgacgtctt	cgtgcggttc	cagccagaga	1200
gcatcgctg	tgctgcatt	tatcttgctg	cccggacgct	ggagatccct	ttgcccaatc	1260
gtccccattg	gtttctttt	tttgagcaa	ctgaagaaga	aattcaggaa	atctgcttaa	1320
agatcttgca	gctttatgct	cggaaaaagg	ttgatctcac	acacctggag	ggtgaagtgg	1380
aaaaaagaaa	gcacgctatc	gaagagcaag	gcccaagccc	ggggcctggt	gcctgggggc	1440
acacagggtc	tggatggtac	ctcgggggtc	tcccatgtca	gtggtctcaa	tgtattgact	1500
ttgtgatcgc	cctcctcggc	gctatctggg	atcactgcaa	gctccgccta	ccagattctg	1560
gtgattcttg	tgctcagcc	tccaagtag	ctgggattgc	aggcgcacc	caccacgctc	1620
agagtctcgc	tgtgttgcca	gtggaatccc	caaagaagg	taaagggagc	aagccttccc	1680
cactgtctgt	gaagaacacc	aagaggaggc	tggagggcgc	caagaaagcc	aaggcggaca	1740
gccccgtgaa	cggcttgcca	aaggggcgag	agagtcggag	tcggagccgg	agccgtgagc	1800
agagctactc	gaggtcccca	tcccgatcag	cgtctcctaa	gaggaggaaa	agtgacagcg	1860
gtccacatc	tgggtgggtc	aagtcgcaga	gccgctccc	gagcaggagt	gactccccac	1920
cgagacaggc	ccccgcagc	gctccctaca	aaggctctga	gattcggggc	tcccgggaagt	1980
ccaaggactg	caagtacccc	cagaagccac	acaagtctcg	gagccggagt	tcttcccgtt	2040
ctcgaagcag	gtcacgggag	cggggcgata	atccgggaaa	atacaagaag	aaaagtcatt	2100
actacagaga	tcagcgacga	gagcgcctca	ggtcgtatga	acgcacaggc	cgctcgctatg	2160
agcgggacca	ccctgggcac	agcaggcatc	ggaggtgagg	cggggttgca	gtgactggtg	2220
gccgcaagcc	cttccctggg	gagtacctga	tggctgcctt	ttgaccccc	gtggctgccc	2280
tttgaccccc	gggtgtgctc	tcagcgcaag	tggctcctaga	acaggattct	ttttggaaat	2340
gtctgtcgac	tggaccttgg	tggatttggg	aatggaactg	agggaccggt	gacacgtgct	2400
tcagaccggt	ctggggtgcg	gcgcacacct	ggcccctg	agggctcagc	tcggcagcag	2460
ctctgagggc	agctcaatga	aaaagtgaat	gcacacgccc	ttgttggcgt	ggcctggcat	2520
ggcctggtgc	tatcggcagc	cgctctccac	tccccgactg	atactcaatt	acgtgaagcc	2580
aagaaagatg	atTTTTtagaa	cctttgccta	tattaggttg	tacttatgta	catatTTTgc	2640
agtgtttcac	aggagaaagt	ggccttaact	gccccttatt	ctctctccac	gttgtaaata	2700
aacatgtggt	taatacaagt	taaagctatg	tatgaaaact	cagaacttga	atcccgtcag	2760



-continued

---

```

cttaaaactt gtgtagggaa tcctgacttt taaaatgtga gggatatttg atctgtgttg 2820
aaagtcgtat atttttatct gtgcgggtgct gaggcagcc caccagctcc taaatagagg 2880
ttccctatat gcgcgtatga catggtgaat aaacacaact ctctccacca aaaaaaaaaa 2940
aaa 2943

```

```

<210> SEQ ID NO 13
<211> LENGTH: 397
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(397)
<223> OTHER INFORMATION: n is a, c, t, or g.

```

&lt;400&gt; SEQUENCE: 13

```

aattaatata nnnntgaaac aatttggtta tgacagactgg gacaatgtca ctatacccac 60
tgaggtaact gagacatgag agctttccaa cccaagggtca gaaatcactg aaacagctta 120
tgaaaccctc actatttttag tgttttaaat tcagaatgct gtatttttct cttgggcaac 180
agataacctt catttttgac gtaaatgata atggtggctt cacatggccc agggcaaact 240
tcaaaacaaa actgtaggga ccacattttt ctaacctgga aaataagtca tataaggggt 300
ccaataagg gtaaaatttg ggaatttaat tattcctggg gggaaaatat tgtgggggta 360
tccctggtat cctngggccc ggtaatcccg ggtttta 397

```

```

<210> SEQ ID NO 14
<211> LENGTH: 323
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(323)
<223> OTHER INFORMATION: n is a, c, t, or g.

```

&lt;400&gt; SEQUENCE: 14

```

gagttaata ggccagacag aagggagaag gcagaaggaa gaagctcccc cgtacagaga 60
cagagggagg gaggctcaa agccaagaga agggatcccc aagtgcggtg gacaccagcc 120
aggtatatat gcagaggctg gagaagggtg tnttcgattt gcatagggct ccggggattg 180
ggtgactag gcgcatcatt cacatagctc atgaaaagc tggctcttcc accctgggnc 240
ttttaatatg caatacatg ggcgcatga tgttctacgc tcgtcgggat tccnggggac 300
atgtaggggc aagggaaga agg 323

```

```

<210> SEQ ID NO 15
<211> LENGTH: 497
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (1)..(497)
<223> OTHER INFORMATION: n is a, c, t, or g.

```

&lt;400&gt; SEQUENCE: 15

```

gtgggcagaa gaaagtcata atttctgaag ataacaaatg cagcacagaa gtggaatagg 60
gccatgaata cctgaaaaca ctaacgttct tttttcctgt ggatttatgc atggagggct 120
tcgtataatg acttggtact accactgcta ttaggaacca ttggaattct gtgataattt 180
tggattgctt ttaattcac caagactact gtggatgatg tcagccacat tatgggtgta 240
gccctaaatt taaggtcaat atcatgtgct accttcatat ctggtgatac tagtattacc 300

```

-continued

---

```

tcaaatggtc tgagtacaaa tcccccttcc cactctgctc tttgtataa tgtgtcctag 360
cctaactacc ctttaaatca agaggactaa gcagagttncc cggtttatta tttatttgta 420
ggcaagtttn gaatttcatt nctacacaca gaggttattht caaacaagcc gttacagctg 480
ggtgtgggtg tcgcaca 497

```

```

<210> SEQ ID NO 16
<211> LENGTH: 317
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 16
ttaataggaa agtaaagagc actttcccca aacagcaaga acaaaatcgc tttctcttaa 60
cacattgatt tatttcattt gctaagcaca ggaacatga aatgcttcat cccattagca 120
cattaaatat gtgcagaagt aaaattacag ctgaacagca ccttgtactt tgtactcatg 180
gtgtgtacat ttcagtaggc taggaggaaa aaacgaactg tagaaagata attttatggg 240
aattaaatta cctgttttgt attgctctga agctgtgcat gtaggctgtg ggatttcaga 300
gggacttgaa ctgttgc 317

```

```

<210> SEQ ID NO 17
<211> LENGTH: 2596
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 17
ggcacgaggc cgggctcggc gcgcccggcc cgcgcgtcct tagcggggcc accgagcgat 60
gcccgcgggg cgcccgcgaa agtttgctcg ctctctgctga agggcagcgg cgcccccgca 120
ccccctgccc ccgctccggc caggagcctt cacgtaaag ggtccagtca tgccctccag 180
taagaagcca gaaagctcag gaattagtgt ctccagtgga ctgagtcagt gttacggggg 240
cagcggtttc tccaaggccc ttcaggaaga cgatgacctc gacttttctc tgccctgacat 300
ccgattagaa gagggggcca tggaagatga agagctgacc aacctgaact ggctgcacga 360
gagcaagaac ttgctgaaga gctttgggga gtcggctctc aggagtgtca gccccgtcca 420
ggacctggac gatgacaccc ccccatcccc tgcccactct gacatgccct acgatgccag 480
gcagaacccc aactgcaaac ccccctactc cttcagctgc ctcatattta tggccatcga 540
ggactctcca accaagcggc tgccagtga ggatatctac aactggatct tggaacattt 600
tccgtatttt gcaaagcac ctactgggtg gaaaaactca gtgagacaca atttatcatt 660
gaataagtgt ttaagaaag tggacaaaga gaggagttag agtattggga aagggtcgtt 720
gtggtgcata gaccagagt atagacaaaa tctaattcag gctttgaaa agacacctta 780
tcaccacac ccacacgtgt tcaatacacc tcccacctgt cctcaggcat atcaaagcac 840
atcagggtcca cccatctggc cgggcagtag cttcttcaag agaatggag cccttctcca 900
agttcctcca ggagtgatcc aaaatggagc gcgggtcctg agccgagggc tgtttctctg 960
cgtgcggccg ctgccaatca ctcccattgg ggtgacagcg gccatgagga atggcatcac 1020
cagctgccgg atgaggactg agagttagcc atcttctggc tcccagtggt tcagcggaga 1080
ccccaggag gatcacaact acagcagtgcc caagtcctcc aacgcccgga gcacctcgcc 1140
caccagcgac tccatctcct cctcctcctc ctccagccgac gaccactatg agtttgccac 1200
caaggggagc caggagggca gcgagggcag cgaggggagc ttccggagcc acgagagccc 1260

```



-continued

---

```

cagcgacacg gaagaggacg acaggaagca cagccagaag gagcccaag attctctggg 1320
ggacagcggg tacgcatccc agcacaagaa gcgccagcac ttcgccaagg ccaggaaggt 1380
ccccagcgac aactgcccc tcaaaaagag acgcaccgaa aagcccccg agagcgatga 1440
tgaggagatg aaagaagcgg cagggtcctt cctgcactta gcagggatcc ggtcctgttt 1500
gaataacatc accaatcggg cggcaaaggg gcagaaagag caaaaggaaa ccacaaaaaa 1560
ttaaaaaaaa gtcactgatt tgttttgaac ttacgacat ttggtttcag catgtcagga 1620
gatttctaata gatttgtggc aatatcagca attttttttc ttttttcttg tttttggttt 1680
ggttttcttt cttttctttt ctttttattt tgttttaatt tgccccctct tctttgtttt 1740
ggacccttaa gaattttatt tttaaaggag attgaagcca tagaactcat attgacactc 1800
agctgtttta caaaagcttt tcattatctg aagacaaaac cgaaaaagcc aaaattacca 1860
ttgcttcctc cagcttgtca gaaacctgtg gctgaatccg cagggatgtc aacgtcaata 1920
tcacaggaac acacattcgg cacctagaag gcacgtgggc aaagtaatca tcgttcaggc 1980
ccaaccctta ggttttaaaaa gtcaggttgt ccatcccatt gggttcactg agtgaaggca 2040
cataaagcaa ttgaggagga ggaggaaccc ctctgcccc taggagcaga cccaagcttg 2100
tggcaccagg catctgatgg tgccaggaaa gccactggaa ttgtcacacg gcgagcacag 2160
agggccggcc accagtcctc gatgcttctg aacctgaag cccgatgaca tcttacgagg 2220
tggacgttgg actgttcatg cgcacgggt gtcagtact catggagaag aaatggggta 2280
aatTTTTtagt gatgttgcta atcattgaat tctgttctct attaaattaa gaaaatgttc 2340
caaaagccat aagcctgaag attggccctg tgcacgcacg cacacacaca cacacacaca 2400
cacacacaca cacacacaca cgaaggagag agagagaaaa ctgatgggga aaacaagctg 2460
tgtcttctta actgccaag tgaaaagcaa ccaagtccag gaaattaca tagctgttaa 2520
ggaaaggaaa taatgttaca gatctttttc tgtctatcaa aactatttga tccaagtgaa 2580
aaaaaaaaaa aaaaaa 2596

```

&lt;210&gt; SEQ ID NO 18

&lt;211&gt; LENGTH: 2919

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 18

```

catccttggg tgatgaagga gatactcaaa acatagattc atggtttgag gagaaggcca 60
atTTggagaa taagttactg ggaagaatg gaactggagg gctttttcag ggcaaaactc 120
ctttgagaaa ggctaactct cagcaagcta ttgtcacacc tttgaaacca gttgacaaca 180
cttactacaa agaggcagaa aaagaaaatc ttgtggaaca atccattccg tcaaatgctt 240
gttcttccct ggaagttgag gcagccatat caagaaaaac tccagcccag cctcagagaa 300
gatctcttag gctttctgct cagaaggatt tggaacagaa agaaaagcat catgtaaaaa 360
tgaaagccaa gagatgtgcc actcctgtaa tcatcgatga aattctacc tctaagaaaa 420
tgaaagtttc taacaacaaa aagaagccag aggaagaagg cagtgtcat caagatactg 480
ctgaaaagaa tgcatcttcc ccagagaaag ccaagggtag acatactgtg ccttgtatgc 540
cacctgcaaa gcagaagttt ctaaaaagta ctgaggagca agagctggag aagagtatga 600
aaatgcagca agagtggtg gagatgcgga aaaagaatga agaattcaag aaacttgctc 660
tggctggaat agggcaacct gtgaagaaat cagtgaagca ggtcaccaaa tcagttgact 720
tccacttccg cacagatgag cgaatcaaac aacatcctaa gaaccaggag gaatataagg 780

```

-continued

---

```

aagtgaactt tacatctgaa ctacgaaagc atccttcato tcctgcccga gtgactaagg 840
gatgtaccat tgttaagcct ttcaacctgt cccaaggaaa gaaaagaaca tttgatgaaa 900
cagtttctac atatgtgcc cttgcacagc aagtgaaga cttccataaa cgaacccta 960
acagatatca tttgaggagc aagaaggatg atattaacct gttaccctcc aaatcttctg 1020
tgaccaagat ttgcagagac ccacagactc ctgtactgca aaccaaacac cgtgcacggg 1080
ctgtgacctg caaaagtaca gcagagctgg aggtgagga gctcgagaaa ttgcaacaat 1140
acaaattcaa agcacgtgaa cttgatccca gaatacttga aggtgggcc atcttgccca 1200
agaaaccacc tgtgaaacca cccaccgagc ctattggctt tgatttgaa attgagaaaa 1260
gaatccagga gcgagaatca aagaagaaa cagaggatga acactttgaa tttcattcca 1320
gaccttgccc tactaagatt ttggaagatg ttgtgggtgt tcctgaaaag aaggtacttc 1380
caatcaccgt cccaagtca ccagcctttg cattgaagaa cagaattcga atgcccacca 1440
aagaagatga ggaagaggac gaaccggtag tgataaaagc tcaacctgtg ccacattatg 1500
gggtgccttt taagcccaa atcccagagg caagaactgt ggaaatatgc cctttctcct 1560
ttgattctcg agacaaagaa cgtcagttac agaaggagaa gaaaataaaa gaactgcaga 1620
aaggggaggt gcccaagttc aaggcacttc ccttgccca ttttgacacc attaacctgc 1680
cagagaagaa ggtaaagaat gtgaccaga ttgaaccttt ctgcttgag actgacagga 1740
gaggtgctct gaaggcacag acttggaagc accagctgga agaagaactg agacagcaga 1800
aagaagcagc ttgtttcaag gctcgtccaa acaccgtcat ctctcaggag ccctttgttc 1860
ccaagaaaga gaagaaatca gttgctgagg gcctttctgg ttctctagtt caggaacctt 1920
ttcagctggc tactgagaag agagccaaag agcggcagga gctggagaag agaatggctg 1980
aggtagaagc ccagaaagcc cagcagttgg aggaggccag actacaggag gaagagcaga 2040
aaaaagagga gctggccagc ctacggagag aactggtgca taaggcaaat ccaatacgc 2100
agtaccagg tctggagata aagtcaagt accagcctct gactgtgcct gtatctccca 2160
aattctccac tcgattccac tgctaaactc agctgtgagc tgcggatacc gcccggaat 2220
gggacctgct cttaacctca aacctaggac cgtcttgctt tgcattggg catggagaga 2280
accatttct ccagactttt acctaccctg gcctgagaaa gcatacttga caactgtgga 2340
ctccagtttt gttgagaatt gttttcttac attactaagg ctaataatga gatgtaactc 2400
atgaatgtct cgattagact ccatgtagtt acttccttta aaccatcagc cggcctttta 2460
tatgggtctt cactctgact agaatttagt ctctgtgtca gcacagtga atctctattg 2520
ctattgcccc ttacgactct caccctctcc ccactttttt taaaatttt aaccagaaaa 2580
taaagatagt taaatcctaa gatagagatt aagtcatggt ttaaatgagg aacaatcagt 2640
aatcagatt ctgtctctt ctctgcatac cgtgaattta tagttaagga tccctttgct 2700
gtgagggtag aaaacctcac caactgcacc agtgaggaag aagactgctg ggattcatgg 2760
ggagcctcac agcagccagc cagcaggctc tgggtggggc tgccgttaag gcacgttctt 2820
tccttactgg tgctgataac aacaggaac cgtgcagtgt gcattttaag acctggcctg 2880
gaataaatac gttttgtctt tccctcaaaa aaaaaaaaa 2919

```

&lt;210&gt; SEQ ID NO 19

&lt;211&gt; LENGTH: 3526

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens



-continued

&lt;400&gt; SEQUENCE: 19

ccacgcgtcc	ggacaggctt	aagcatggcc	aagaagcttg	agagaagaaa	aatttcagaa	60
aaattgtctc	aatttgacta	gaatatcaat	gaaccaggaa	aactgaagca	ccttccttaa	120
agaaaacttg	ggtatacaat	tactccacag	acagagctga	gggtttttta	cccaaactcag	180
tcactggatt	ttgctgcctg	atacgtgaat	cttcttgga	tttttctcat	gtggatctaa	240
ggggaatgct	ttattatggc	tgctggtgct	caacagaacg	acctagtatt	tgaatttgct	300
agtaacgtca	tggaggatga	acgacagctt	ggtgatccag	ctatTTTTCC	tgccgtaatt	360
gtggaacatg	ttcctggctc	tgatattctc	aatagttatg	ccggtctagc	ctgtgtggaa	420
gagcccaatg	acatgattac	tgagagttca	ctggatggtg	ctgaagaaga	aatcatagac	480
gatgatgatg	atgacatcac	ccttacagtt	gaagcttctt	gtcatgacgg	ggatgaaaca	540
attgaaacta	ttgaggctgc	tgaggcactc	ctcaatatgg	attcccctgg	ccctatgctg	600
gatgaaaaac	gaataaataa	taatataatt	agttcacctg	aagatgacat	ggttggtgcc	660
ccagtcaccc	atgtgtccgt	cacattagat	gggattcctg	aagtgatgga	aacacagcag	720
gtgcaagaaa	aatatgcaga	ctcaccggga	gcctcatcac	cagaacagcc	taagaggaaa	780
aaaggaagaa	aaactaaacc	accacgacca	gattccccag	ccactacgcc	aaatataatc	840
gtgaagaaga	aaaacaaaga	tggaaaggga	aacacaattt	atctttggga	gtttttactg	900
gcactgctcc	aggacaaggc	tacttgtcct	aaatacatca	agtggacca	gcgagagaaa	960
ggcattttta	aattggtgga	ttctaaagca	gtgtccaggt	tgtgggggaa	gcacaaaaac	1020
aaacctgata	tgaattatga	gacctggga	agagcactca	ggtactatta	ccaaaggggt	1080
attctggcaa	aagtggaagg	tcagcgcttg	gtgtatcagt	ttaaagaaat	gccaaaagat	1140
cttatatata	taaatgatga	ggatccaagt	tccagcatag	agtcttcaga	tccatcacta	1200
tcttcatcag	ccacttcaaa	taggaatcaa	accagccggg	cgagagtatc	ttcaagtcca	1260
ggggtaaaag	gaggagccac	tacagttcta	aaaccaggga	attctaaagc	tgcaaaaccc	1320
aaagatcctg	tggaagttgc	acaaccatca	gaagttttga	ggacagtgca	gccacgcag	1380
tctccatata	ctaccagct	cttccggact	gttcatgtag	tacagccagt	acaggctgtc	1440
ccagagggag	aagcagctag	aaccagtacc	atgcaggatg	aaacattaaa	ttcttccggt	1500
cagagtatta	ggactataca	ggctccaacc	caagttccag	tggttgtgtc	tcctaggaat	1560
cagcagttgc	atacagtaac	actccaaaca	gtgccactca	caacagttat	agccagcaca	1620
gatccatcag	caggtactgg	atctcagaag	tttatTTTAC	aagccattcc	atcatcacag	1680
cccatgacag	tactgaaaga	aatgtcatg	ctgcagtcac	aaaaggcggg	ctctcctcct	1740
tcaattgtct	tgggccctgc	ccaggttcag	caggtcctta	ctagcaatgt	tcagaccatt	1800
tgcaatggaa	ccgtcagtgt	ggcttcctct	ccatccttca	gtgctactgc	acctgtggtg	1860
accttttctc	ctcgcagttc	acagctgggt	gtcaccac	ctggcactgt	aatcacttca	1920
gttatcaaaa	ctcaagaaac	aaaaactctt	acacaggaag	tagagaaaaa	ggaatctgaa	1980
gatcatttga	aagagaacac	tgagaaaacg	gagcagcagc	cacagcctta	tgtgatggta	2040
gtgtccagtt	ccaatggatt	tacttctcag	gtagctatga	aacaaaacga	actgctggaa	2100
cccaactctt	tttagttaat	ataccaaagc	ttatgaataa	ttgtttgtta	attgaacatt	2160
ttcaattata	tgagactga	ctgattctaa	gataaattct	aaggaggttt	ctaattttgt	2220
aattgttaaa	aatagagtta	atTTTgactt	tgtagatga	gggaggaaaa	ctcaactggt	2280
tctctttggt	atctaaatgt	ttcagaattc	aatcgtgaag	gaacaggcat	tttactat	2340

-continued

---

```

gaagacattc ttttgagatt tttatttcag ttgctatata ataagcattt ttaaagtttc 2400
ttttctaatt ttacattgta ttagattttc tgattctttt gtaaatacag aacttaaata 2460
gaaggcaaca ggaaatttat ataggaacta ttttcattcc acttgtgtaa gttaagtctt 2520
gactctttca aatgcaaaaa acctatttta tgctttgtta aaattatggt gtcacttaga 2580
ttgacttttag ttgactgcac tatataatat agaactatga atatgtagaa taacatgaaa 2640
aattggagggt gctgggtgga tggctgaccc tgtttcagaa gcaggatagt ataaaagcat 2700
cagcctaaga atggcactcc cactaactag ctatgtaatc ttgacctctt tgggcttttag 2760
ttcctctcat aaaaggaaga gatgtattgg attagactag attatcacca ctttctcttc 2820
tagttctaatt ttttttaatt ctaataccta tattttcaag ttatgtcaat taaatcatta 2880
tcaggttatt tcctaagtga agaatagcta aaatgttga gagaaataag tgaccaaca 2940
aaatttattc atctgttatg ggtaagatct gccataaatt cttcctaaat aatttgttta 3000
ctaactcttt aggccactgt gctttgcggg ccattagtaa acttgtgttg ctaagtgcta 3060
aacagaatac tgctattttg agagagtcaa gactctttct taagggccaa gaaagcaact 3120
tgagccttgg gctaactctg ctgagtagtc agttataaaa gcataattgc tttatatttt 3180
ggatcatttt ttactggggg cggacttggg gggggttga tacaagata acatataat 3240
ccaactttct gaaatgaaat gtttttagat tactttttca actgtaaata atgtacattt 3300
aatgtcacia gaaaaaatg tcttctgcaa attttctagt ataacagaaa tttttgtaga 3360
tgaaaaaat cattatgttt agaggctcaa tgctatgttt tcatattaca gagtgaattt 3420
gtatttaaac aaaaatttaa attttggaaat cctctaaca tttttgtatc ttttaattggt 3480
ttattattaa ataatcata taaaattct caaaaaaaaa aaaaaa 3526

```

&lt;210&gt; SEQ ID NO 20

&lt;211&gt; LENGTH: 5441

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 20

```

ccacgcgtcc gcgacgcgt gggccgggag accctgacat atgccaggc ccagcggatt 60
gtcgaggtag acattgatgg acgcctgcat cgtatcagca tctatgacct actcaaaatc 120
attactgaag atgagctaac tgcccaggat atcaccgaat gcaatagtaa caaggaaaac 180
agtgaacagc ctcaattccc tggcaagtcc aagaaacct catccaaggg caaaaagaag 240
gaatcctgct ccaagcatgc atctgggtact tccttccacc tcccacagcc cagcttccgt 300
atggtggact caggcatcca gccagaagca cccccgctgc ctgctgccta ctaccgctac 360
atgagaagc cacctgaaga cctggatgca gaggtagagt atgacatgga tgaggaggac 420
cttgcttggc tggacatggt gaatgaaaaa cggcgagtag atgggcacag tttggtgtct 480
gcagatacct ttgagctgct ggtagaccgg cttgagaaag agtcatactt ggagagtcgc 540
agcagtgggg cccaacagtc actcatcgat gaagacgctt tctgctgtgt gtgcctggat 600
gatgaatgct acaatagcaa tgttattctc ttctgtgaca tctgcaacct ggctgtacac 660
caggagtgct atggcgtccc atacatccct gagggccagt ggctatgccg ctgctgcctg 720
cagtctccct cccggcctgt ggattgcatc ctttgcccca ataagggtgg cgccttcaaa 780
cagaccagtg atgggcactg ggcccatgtg gtgtgtgcca tctggatccc tgaagtctgc 840
tttgctaaca ccgtgttctt ggaacctatt gagggcattg acaatatccc gcctgcccgc 900

```



-continued

tgaaactaa	cctgctatat	ctgcaagcag	aaagggctag	gtgcagccat	ccagtgccat	960
aaggtgaact	gctacacagc	attccatgtg	acatgtgcac	agcgggctgg	gctcttcatg	1020
aagattgagc	ccatgcgcga	aaccagcctc	aatggcacca	tctttacagt	gcgcaagact	1080
gcctactgtg	aggcccactc	gccaccaggt	gcggccactg	ctaggaggaa	ggcgcactcc	1140
cctagaagca	tcagtgagac	tggcgatgag	gaagggctga	aggagggtga	tggagaggag	1200
gaagaagagg	aagaggtgga	ggaagaagag	caggaagctc	aaggcggggg	gagtggctcc	1260
ctcaagggag	tgccaagaa	aagcaagatg	agtttgaagc	agaagatcaa	gaaggagcca	1320
gaggaagcag	gccaagacac	accctccact	ctccccatgc	ttgctgtccc	acagataccc	1380
tcttacaggt	tgaacaagat	ctgtagtggg	ctctcctttc	agaggaaaaa	ccagtttatg	1440
cagcggcttc	acaattattg	gctggtgaa	cgccagggc	ggaatggtgt	ccctcttatc	1500
cgccgcttgc	actcccactc	gcagtcccaa	agaaacgctg	agcagcgaga	gcaggatgag	1560
aagacaagtg	cagtgaagga	ggagctgaag	tattggcaga	agctccggca	tgacttgag	1620
cgccgcccgc	tgctgattga	gctgattcgg	aagagagaga	agctcaaacg	agagcaggtc	1680
aaagtccagc	aggctgccat	ggagctggag	ctgatgccat	tcaatgttct	gttgaggaca	1740
acactggacc	tgctgcagga	gaaggatcct	gcacacatct	tcgcagaacc	agtcaacttg	1800
agtgagggtt	tatatgttta	ggttccagat	tacctggaat	tcatatcaa	gccaatggat	1860
tttttacta	tgaggcggaa	gctggagtcc	cacctgtacc	gcaccttga	ggagtttgag	1920
gaggacttta	accttatagt	taccaactgc	atgaagtata	atgctaaaga	cacaattttc	1980
caccgagcag	ctgtccgcct	gcgggacctg	ggaggggcca	tcctacggca	cgccccggcg	2040
caggcagaga	acatcggcta	tgaccccgag	aggggactc	acctgcccga	gtcaccctaa	2100
ttggaagact	tttaccgctt	ctcctgggaa	gacgtggaca	acatcctcat	cccagagaac	2160
cgcccccatt	tgtcccaga	ggtgcagctg	aaggagctgc	tggagaaact	ggacctggtg	2220
agcgcctatg	ggtccagtgg	ggcccgcacc	cgctgtgtcc	gcctgctacg	ccgggagatc	2280
aatgcccttc	ggcagaagct	ggcacagcca	ccaccaccac	agccaccatc	actcaacaag	2340
acagtatcca	atggggagct	gccagcaggg	ccccaggggg	atgcagctgt	gctggagcag	2400
gccttgacag	aggagccaga	agacgatggg	gacagagatg	actccaaact	gcctcctccg	2460
ccaaccctgg	agcccactgg	gcctgcacct	tccttgtctg	agcaagaatc	ccccccggag	2520
ccccctactc	tgaaacccat	taatgatagc	aaacctcaa	gcaggttctc	aaagcccaga	2580
aaggtggaag	aagatgagct	cttggaaaaa	tcaccactgc	agctagggaa	tgagcctttg	2640
caacgcttgc	tcagtgacaa	tggcatcaac	agactatccc	tcatggcccc	tgacaccccc	2700
gccggtaccc	cacttagtgg	tgtgggtcgc	cgcacatcag	tcctcttcaa	gaaggccaag	2760
aatgggggta	agctacagag	aagcccagac	aggtcctggg	agaatggcga	ggacctgggt	2820
gtggcaggct	ctcctgcctc	tccagccagc	atcgaggaag	agcgcactc	ccggaagcgg	2880
ccaaggagca	ggagctgtag	tgagagcgaa	ggggagagg	ccccccagca	ggaggaagag	2940
acaggcatga	ccaacggctt	tggaaaacac	accgaaagcg	ggtctgactc	tgaatgtagt	3000
ttgggtctca	gtgggtgact	ggcatttgaa	gcttgacggc	agtggcttcc	aagggacaaa	3060
gtcctgccct	tgggtgtgga	agacaccgtg	gacaagctca	agatgctgga	aggccgcaag	3120
accagcatcc	gcaagtcaat	gcaggtggcc	tatgaccgtg	cgatgatcca	cctgagcaga	3180
gtccgggggc	cccactcctt	cgtcacttcc	agctacctgt	aagggcaggg	ctgggcctgc	3240
atccgcttgc	cctgcctcca	tcccgcaggg	cacagagaag	cctcttctgc	ccctgccaga	3300

-continued

---

```

tgtatggccg gcagcttccc cctctcatgg taggccaggg actgggcttt ctcccacta 3360
agggcaaggc cccagttttg accaatcgca tggttctcct ggcaggcctg ctctgtgcca 3420
aaaactccca cccaagggtc ctcaggggat atttactga agaaccagtt agaagtagaa 3480
acagctgtgg ggcttgggcc cagcttagga gattgccag atggcaagag gtccctgggct 3540
ccttcttgag gggctgcctg gcccgctcca tcctactccc actaactaca cctcagggcg 3600
ggtgaggttc cgacactgat cccagagatg ccgtggatac gccaggggtcc cagggggaat 3660
ctccccaagc tcacactctc tcccgttat cgcctattct cacacctctt ctoggtccca 3720
tcttctgcac ccattgcccc gtcttgcttt ctctttccca tattcctttt ctttttctct 3780
tgtgccaaac tgacagaaac cgtcaccaca ctggtctttt tctttaatgt ctcaattcccc 3840
ttgaggccag ctgctatgcc aggtgggtgc tctgccaggc tcctcagggc cagacagagg 3900
ccagcccaca acctatgacc cccctcccca ggacaccacc tcccaccac agaccttccc 3960
tttagctggt gacacaactt cccagctctg caagtgtgcc ccctggatca aggcgggtcc 4020
cctcttgttt ttttcttgc tgccacgagg tggccaagc cttcagggtg ggctcctatc 4080
aggctgggtg tgcgagtgc catctgtcca catggatgtc gagggtggtt tgtgtggagc 4140
tgtgctcgtc agctgggtct gccctcttcc cccttttctc cttcttctct cctcatggac 4200
tttttctgca attgcagtct taagcttcac tctccaccac ctggatggca tggcgcctgc 4260
caccaacat cttcctggcc tgcgctctgc cctgccctgc ctagcctctg ctactccac 4320
ttcccaactc cagggaatgc attactttta tttcaaacc tctgcctcct tccttctttc 4380
tcttcaacc cctccccacc ttcaccttct caaaaatgga aggaaaaaaa aactgtgaat 4440
ggggaatgct gactgacaaa ccaacacaac tttcagaggc ttcagtgtct gttctctgga 4500
catttctttt cacctcctga gcaccaaagt cgcagggcca gttgcaggcc gctgattgcc 4560
atgttgattt ttaacctgat attcttttta attgttttaa atttttcata ggggagtttt 4620
ggacaaaaca gtcactggg agatcactgc ctttttaca cacttgactt tttaaaaata 4680
caaccaacca accaccaca cttcttatac atttgggaca tgagccagag tttaaaaggg 4740
aaccaacaaa aactataac ttaaaaggat ggggttttgg attttgtata ataataaaaa 4800
caatacagca tatggctagg gaaggacatg gtgtatataa ttgtaaaata ctgttctaaa 4860
ttattcaggc ctatagtttc cttactgga gtcctccatt gtgtggccac acagtgtcgt 4920
tgatttaag gagccagtgc ttcccctctc cccaggtagt tggtcagctg tggactctgt 4980
gaccttctc taaacctgtg ttgtaagatc ttgggacttc ctctcttct atgtctatct 5040
cttcccccca acactttctc ttcttagtct ctctctttat ttttcaatct ctgaatattt 5100
tagtctctct ctgagtctca ttttttaaaa tgctctttta gaacgggaaa cggctcagat 5160
cctgctgtgg cacggggcct atgtgtctct gtcgcgtctg ctgtgaagca catgatgctc 5220
tatttattgt agagagtgc tttatttgct ttctagaatt gtttataaca gatggtataa 5280
gagaggtaat aaacagagaa aaatctatgc ttgtaaagaa taaaaagtt aattttacct 5340
actataatat gactgtctga aacttatttt ctctctgaga aataaatgtt ctaatgggca 5400
gtaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa a 5441

```

&lt;210&gt; SEQ ID NO 21

&lt;211&gt; LENGTH: 1868

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens



-continued

&lt;400&gt; SEQUENCE: 21

```

ccatttaaag aagatgctcg gccttaaagg aaatggcggg gcggttctgt ccatggccct    60
tccttttcag ccagagcaga gagattcaga ggatttattg aagaatttta attcagagtg    120
tgatacacac tgtggccttg atactgcacg acaagaatat ttgggtaact cattaagaca    180
ggaatcagac ttgaaaaaat ccacctcgtc agataattca agctctcatc atggtgaaaa    240
taaacaaaat ctgactgttg atccctgtga ctttttgggt ggagttgata atcagcaaag    300
actgctacac attgtctggc ctcacagggt ggagcatgat aaagatccag aaagcttttt    360
taaggattaa atgcatctta aagacttagg actcaatttc cacgtgtctg tacttggaga    420
aaccttcaca gatgtcccag atattttttc agaggccaaa aaggcattgg gatccttctgt    480
cttacctggg ggctacttac ccagcaaaga tgactacttc caagtactgt gcatggctga    540
tgttgatcgc tcaacagcta agcatgaatt ctttgagggt gcaatgttgg aagctgtgta    600
ctgtgggtgt taccactttt gtccctaaaga tttggtttat cccgaaatat ttccagctga    660
atatctgtat tctacacctg aacagctttc aaaaaggctc cagaatttct gcaagagacc    720
agatattata agaaaacatc tctataaggg tgaatcgtc ccgttttctt gggcagccct    780
acatggtaaa ttcaggtctc tgcttacaac agagcctagg gaagatttgt gacagatggg    840
gctaagtcac aaacttgacg cctaaggcag aatctgaaga actttccaga gtgtgcccat    900
atctacctga tcagagagaa aagaaaatct gcagaggaag ctgagcctgg ctgcttgtca    960
tagctgacac agagccatct gccacaaacc tgtggcggct tcagatctcc aatccctgcc   1020
accaccccaa ctcaaattaa atacagattc ctgagagcgt tatgatggtt acacatgtcc   1080
tcggcatcac atgtaggaga ctgttcaaaa aaaaatgtg gcctgttcta taaccgact    1140
catgtatccc atatgtggtg ccacattgaa tttccgggtg aatccgtttt taccctttgt   1200
actggatgac atgggtgcctg aattctttct tttcggcagc acgatggcag ccaaactgca   1260
gcttcaaacg ctcacacttg gctgggtttc tacctagggt gccaggttat catcggagcc   1320
ttcttgtgtc ctcaaagggc cacgaggcct gaaaggagga tcagaatgct ttgggattaa   1380
ttgggcagcc atcgcagaat tgtttgtggg caaaggcgtg ctttagcact tttcttttag   1440
caaattaatg actctcaggc acaggggggt ttaagtgaag gtattaataa gaggtctggc   1500
aggtattccc atgattcaca gagttacatt tgcatttaat taatcttaaa gttgcaagat   1560
aaacagctgt aattcggaca aacatgacaa acacagtga gccaactatc ccataaaatg   1620
aacactgaca tacttgtttt aatttttttc ccagcgtaaa aatagaaaaa tcaaaatact   1680
cctaacaaaa ccagtgattt tgatagaaat atttctccaa tatacttgca tccacctaca   1740
aatataacct tttcaagata aatcgcttat gatttcaata gtcaaactgc tgtgtttggt   1800
gatgtaaaga tgttttgaat ggctagatgg taaaataaat tcttaataaa gtaccactg   1860
caattttt

```

&lt;210&gt; SEQ ID NO 22

&lt;211&gt; LENGTH: 1322

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 22

```

taaaaatatc ctatcagtc tttctaagaa gcctgaattg accaaaaaac atccccacca    60
ccactttata aagttgattc tgctttatcc tgagatttgg tttagccatc ttctgctctt   120
ggtaagggtg acatagtata tgtcaattta aaaaataaaa gtctgctttg taaatagtaa   180

```

-continued

---

```

ttttaccag tggatcatgt ttgagcaaac aaaaatgatg atttaagcac actacttatt 240
gcatcaaata tgtaccacag taagtatagt ttgcaagctt tcaacaggta atatgatgta 300
attggttcca ttatagtttg aagctgtcac tgctgcatgt ttatcttgcc tatgctgctg 360
tatcttattc cttccactgt tcagaagtct aatatgggaa gccatatatc agtggtaaag 420
tgaagcaaat tgttctacca agacctcatt cttcatgtca ttaagcaata ggttgacgca 480
aacaaggaag agcttcttgc tttttattct tccaacctta attgaacact caatgatgaa 540
aagcccgact gtacaaacat gttgcaagct gcttaaactt gtttaaaata tatggttaga 600
gttttctaag aaaatataaa tactgtaaaa agttcatttt attttatttt tcagcctttt 660
gtacgtaaaa tgagaaatta aaagtatctt caggtggatg tcacagtcac tattgttagt 720
ttctgttctt agcactttta aattgaagca cttcacaata taagaagcaa ggactaggat 780
gcagtgtagg tttctgcttt tttattagta ctgtaaactt gcacacattt caatgtgaaa 840
caaatctcaa actgagttca atgtttattt gctttcaata gtaatgcctt atcattgaaa 900
gaggcttaaa gaaaaaaaa atcagctgat actcttggca ttgcttgaat ccaatgtttc 960
cacctagtct ttttattcag taatcatcag tcttttccaa tgtttgttta cacagataga 1020
tcttattgac ccatatggca ctagaactgt atcagatata atatgggatc ccagcttttt 1080
ttcctctccc acaaaaccag gtagtgaagt tatattacca gttacagcaa aatactttgt 1140
gtttcacaag caacaataaa tgtagattct ttatactgaa gctattgact tgtagtgtgt 1200
tggtgaaatg catgcaggaa aatgctgtta ccataaagaa cggtaaacca cattacaatc 1260
aagccaaaag aataaagggt tcgcttttgt ttttgtattt aagaaaaaaaa aaaaaaaaaa 1320
aa 1322

```

&lt;210&gt; SEQ ID NO 23

&lt;211&gt; LENGTH: 2608

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 23

```

ccgatgacct ttctctgtc ccgcatccc agctgagctt ggctgaaagc ctgtggactt 60
ccaaaccacc acctctcttc catgaaggag caccttatcc tcccccttg tttatcaggg 120
acacataata ccaatcaata cctcagccac ctctcggaa aattaagcga cccaaacgaa 180
aaatgtacag ggaagaacc acttcaataa tgaatgctat taaactacga ccaggcaag 240
ttctgtgtga taaatgtaa aacagtgttg ttgctgaaa aaaggaaatt agaaaaggta 300
gtagtgcaac tgactcttct aaatatgaag ataaaaaacg gagaaatgaa agtgtaacta 360
ctgtgaacaa aaaactgaaa actgaccata aagtggatgg gaaaaaccaa aatgaaagcc 420
agaaaagaaa tgctgtggtt aaggtttcaa atattgctca cagcagaggc agagtagtaa 480
aagtttctgc tcaggcaa atacataaag ctcatgtaag tactaaaaaa gttctccaga 540
gtaagaacat ggatcatgcy aaagctcggg aagtgttaaa aattgcaaaa gaaaaggcac 600
aaaagaagca aatgaaacc tctacttcca aaaatgcaca ttcaaaagtc catttcacac 660
gtcgatatca gaatcctagc tcaggttccc ttccacccc gggtcgttta aaaccacaga 720
ggtacaggaa tgaagaaaat gactcttctc tgaagacagg acttgagaaa atgaggagt 780
gcaagatggc acccaagccc cagtctcgtc gcacctctac ccgctcagca ggtgaggccc 840
cttcagaaaa tcagagtccc tcaaaaggcc ctgaagaggc cagcagtgag gttcaggaca 900

```



-continued

---

```

caaatgaagt gcatgtgcct ggtgatcagg atgaaccaca gacattgggc aaaaagggca 960
gcaaaaacaa tatctctggt tatatgaccc taaatcaaaa gaaatctgac tcttccagtg 1020
cttcagtgtg tagcattgat agcacagatg atttgaaatc ttccaactct gagtgtagtt 1080
cttctgaaag ctttgatttt cctccaggca gtatgcatgc accttccacc tcctccactt 1140
cctcctcttc aaaggaagag aaaaagctca gtaattcctt gaaaatgaaa gtcttttcca 1200
aaaacgtctc taaatgcgtc acaccagatg gcaggaccat atgtgtaggg gacattgttt 1260
gggccaagat atatggcttc ccttgggtggc cagcccgtat tcttactata actgtgagcc 1320
ggaaagataa cggcctttta gtccgacagg aggcccgtat ttcattggtt gggctctcaa 1380
caacatcttt ccttgctctt tcacaactct cccctttttt agaaaacttc cagtcacgct 1440
ttaataagaa gagaaagggc ctgtatcgca aggctatcac agaggcagct aaggctgcca 1500
agcagctgac ccccgaagtg cgggctttgt tgacacagtt tgaaacgtga acatgggagc 1560
taaggtaggc aagaccattg gaagtcacca cagattttct agtctagtta ggaataatth 1620
ctacaaaata gcgtggccag attggagaga gaagttgcac tcagttggct ggctttttta 1680
tacttacctt atagccattt ttagactgag agcttaaact gaacatataa tcaaattttg 1740
tgttaaggaa gtgagattht agcagtattht ttcagttttg aagttcgaaa ccatcccaag 1800
gcataggagc catagcctca actgaaattg aatthttgta gggactgtta attgccatth 1860
gtaccttaata ctgtatata acatataat acgtgtgtgt gtatataat atataatata 1920
atataatata atataatcgt gtatgtatata atacacacat atataatgata atatacacat 1980
atataatata gaaatacagc ctgtcactgt gtgacacaga ttgcatatth gggattgcaa 2040
taagggtctg gtgagctggg ggaatagtggt atatthaatg actactgtt tthtaataa 2100
tgaacactta gcctthctat gcgcataatg gtgtaaaagt tagatgtt ggtgtthgac 2160
aaacagatgg ttgcaattca gttacagact ggggaaatag cccagtgtth gggattaaaa 2220
ctgtcaagac tggataggtg ttagtcatca ctgtctthctg tccagtgggg atthtaataa 2280
tactthcaag cthctggtht gggagthtag atagthtga thttggatth gtaaatagtg 2340
atgctaaat ttggtcagat thctcctgac tggctgttcc taaattctta ggatagttcc 2400
cagtaaaatt atactthgtg aatthattgt catatgtgta atgttgcat thtggatgta 2460
cctaattgta taatthaac aaataatth cctthtaagg tatctgtht caggtcagaa 2520
aatgagaaaa tgtaattgtg taatgctctg aatgtaaaa aaaaaaaaa aaaccaaaaa 2580
aaagctgtaa ataaatcaa ctaaatcc 2608

```

&lt;210&gt; SEQ ID NO 24

&lt;211&gt; LENGTH: 1567

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 24

```

gggtgaggag gaagaggag aggaagagga ggaagaggat gacctgagt agctgccacc 60
gctggaggac atgggacaac ccccgccgga ggaggctgag cagcctgggg ccctggcccg 120
agagttcctt gctgccatgg agcccagacc cggcccagcc ccggcccag aagagtggct 180
ggacattctg gggaacgggc tgttgaggaa gaagacgtg gtcccagggc cgccaggttc 240
gagccgcccg gtcaagggcc aggtgggtcac cgtacatctg cagacgtcgc tggagaatgg 300
cacacgggtg caggaggagc cggagctggt gttcactctg ggtgactgtg acgtcatcca 360
ggccctggat ctgagtgtcc cactcatgga cgtgggggag acggccatgg tcaactgctga 420

```

-continued

---

```

ctccaagtac tgctacggcc cccaaggcag caggagccca tacatecccc cgcacgggc 480
cctgtgcctg gaggtgacct tgaagacggc tgtggacggg cctgacctgg agatgctcac 540
ggggcaggag cgcgtggccc tggccaaccg gaagcgggag tgcggcaacg cccactacca 600
gcgggcgagc ttcgtcctgg ccgccaactc ctacgacctc gccatcaagg ctatcacctc 660
cagcgccaaa gtggacatga cgttcgagga ggaggcacag ctctgcagt tgaagggtgaa 720
gtgtctgaac aacctggcgg cctcgcagct gaagctcgac cactaccgcg cagccctgcg 780
ctctgcagc cttgtgctgg agcaccagcc agacaacatc aaggctctct tccgcaaggg 840
caaggtgctg gcccagcagg gggagtacag tgaggccatc cccatcctga gggcagccct 900
gaagctggaa cttccaaca agacgatcca cgcagagctc tcaaagctgg tgaagaagca 960
tgccgcgagc cggagcacgg agaccgctt gtaccggaaa atgctgggca accccagccg 1020
gctgcctgct aagtgcctg gcaaggggtgc ctggtccatc ccatggaagt ggctgtttgg 1080
ggcgactgct gttgccttgg ggggtgtggc actctctgtg gtcategctg ccaggaactg 1140
accacctagg tggctgccac cccctctgca caccatggac cctgcctg cgtccccaac 1200
tccccaggc tccctgtcca ctgccctccc tggctctggc ccctcctccg ggtagggga 1260
gcaaggattg ggggtcgtgc agcccagcca gcaggaggga ctgaggccct ctaggaggaa 1320
agcccagagg gagggggccc tcattccttc agaccagtt tccccacc ctcttacc 1380
cgctgggcta ggtctccgcc agggctggcc tcagtttctc ctcaacaggc ctgggggag 1440
cccttccct gcctagtccc cgctgagtg ccagcccccc accccgctg ccgccccctg 1500
tccaggttcc ctccccgcca cagtgaata aagcatccca ccctgcaaaa aaaaaaaaa 1560
aaaaaaa 1567

```

&lt;210&gt; SEQ ID NO 25

&lt;211&gt; LENGTH: 2815

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 25

```

gaattcggca cgagctcttc tcccctgatt caagactcct ctgctttgga ctgaagcact 60
gcaggagttt gtgaccaaga acttcaagag tcaagacaga aggaagccaa gggagcagtg 120
caatggattt ctcagtaaag gtagacatag agaaggaggt gacctgcccc atctgcctgg 180
agctcctgac agaacctctg agcctagatt gtggccacag cttctgcca gctgcatca 240
ctgcaaagat caaggagtca gtgatcatct caagagggga aagcagctgt cctgtgtgtc 300
agaccagatt ccagcctggg aacctccgac ctaatcggca tctggccaac atagttgaga 360
gagtcaaaga ggtcaagatg agcccacagg aggggcagaa gagagatgtc tgtgagcacc 420
atggaaaaaa actccagatc ttctgtaagg aggatggaaa agtcatttgc tgggtttgtg 480
aactgtctca ggaacaccaa ggtcaccaa cattccgat aaacgaggtg gtcaaggaat 540
gtcaggaaaa gctgcaggta gccctgcaga ggctgataaa ggaggatcaa gaggctgaga 600
agctggaaga tgacatcaga caagagagaa ccgcctggaa gatcgagaga cagaagattc 660
tgaaagggtt caatgaaatg agagtcatct tggacaatga ggagcagaga gagctgcaaa 720
agctggagga aggtgaggtg aatgtgctgg acaacctggc agcagctaca gaccagctgg 780
tccagcagag gcaggatgcc agcacgctca tctcagatct ccagcggagg ttgacgggat 840
cgtcagtaga gatgctgag gatgtgattg acgtcatgaa aaggagtgaa agctggacat 900

```



-continued

---

tgaagaagcc	aaaatctggt	tccaagaaac	taaagagtgt	attccgagta	ccagatctga	960
gtgggatgct	gcaagttctt	aaagagctga	cagatgtcca	gtactactgg	gtggacgtga	1020
tgctgaatcc	aggcagtgcc	acttcgaatg	ttgctatctt	tgtggatcag	agacaagtga	1080
aaactgtacg	cacctgcaca	tttaagaatt	caaatccatg	tgatctttct	gcttttggtg	1140
tcttcggctg	ccaatatttc	tcttcgggga	aatattactg	ggaagtagat	gtgtctggaa	1200
agattgcctg	gacctctggc	gtacacagta	aaataagtag	tctgaataaa	aggaagagct	1260
ctgggtttgc	ttttgatcca	agtgtaaatt	attcaaaagt	ttactccaga	tatagacctc	1320
aatatggcta	ctgggttata	ggattacaga	atacatgtga	atataatgct	tttgaggact	1380
cctcctcttc	tgatcccaag	gttttgactc	tctttatggc	tgtgctccct	gtcgtattgg	1440
ggttttctta	gactatgagg	caggcattgt	ctcatttttc	aatgtcacia	accacggagc	1500
actcatctac	aagttctctg	gatgtcgtct	ttctcgacct	gcttatccgt	atctcaatcc	1560
ttggaactgc	ctagtcccca	tgactgtgtg	cccaccgagc	tcctgagtgt	tctcattcct	1620
ttaccactt	ctgcatagta	gcccttgtgc	tgagactcag	attctgcacc	tgagttcatc	1680
tctactgaga	ccatctcttc	ctttctttcc	ccttctttta	cttagaatgt	ctttgtattc	1740
atctgctagg	gcttccatag	caaagcatca	tagattgtct	atctaaactg	taattgtatt	1800
gccgtactgt	gggctggaaa	tcccaaatct	agattccagc	agagttggtt	ctttctgagg	1860
tctgcaagga	agggtctctg	tccatgcctc	tctccttggc	ttgtagaagg	catcttgtcc	1920
ctatgactct	tcacattgtc	tttatgtaca	tctctgtgcc	caagttttcc	ctttttatta	1980
agacaccagt	catactggct	cagggcccac	cgctaatgcc	ttaatgaaat	cattttaaca	2040
ttatattctc	tacaaagacc	ttatttccaa	ataagataat	atctggaggt	attgggaata	2100
aaatttgagg	aaggcacgat	ttcactcata	acaatcttac	cctttcttgc	aagagatgct	2160
tgtacattat	tttcctaata	ccttgggttt	actagtagta	aacattatta	ttttttttat	2220
atctgcaaag	gaaacatata	taatccttcc	tatagaaaga	acagtattgc	tgtaattcct	2280
ttctctttct	tcctcatttc	ctctgcccct	taaaagattg	aagaaagaga	aacttgtcaa	2340
ctcatatcca	cgttatctag	caaaagtcac	aagaatctat	cactaagtaa	tgtatccttc	2400
agaatgtggt	ggtttaccag	tgacacccca	tattcatcac	aaaattaaag	caagaagtcc	2460
atagtaatct	atctgctaata	agtggatctt	taatgctcag	agtttctgag	gtcaaatttt	2520
atctttttcac	ttacaagctc	tatgatctta	aataatttac	ttaatgtatt	ttgggtgatt	2580
ttcctcaaat	taatattggt	gttcaagact	atatctaatt	cctctgatca	ctttgagaaa	2640
caaaccttta	ttaaatgtaa	ggcacttttc	tatgaatttt	aaatataaaa	ataaatattg	2700
ttctgattat	tactgaaaag	atgtcagcca	tttcaatgtc	ttgggaaaca	atcttttggt	2760
ttgtttctgt	tttctttttg	cttcaataaa	acaatagctg	gctctaaaaa	aaaaa	2815

&lt;210&gt; SEQ ID NO 26

&lt;211&gt; LENGTH: 1699

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 26

ggcacgaggg	gcccaccgc	ggaggacagg	ggcagctggc	gggcagcggg	tgaggggggtg	60
gcggggacgc	gagtgccggc	cgcgggggcc	cggacaaggg	tccgcagagc	tgacgccttc	120
gagggccagc	cctctccgag	tccggggctg	gtcccacca	gtgacaaggc	ggcagccccg	180
cgcacaccaa	agagaaggcg	gctgtggcgg	cagcggcagc	cccagccatg	ctgtgttatg	240

-continued

---

tgacgaggcc	ggacgcggtg	ctgatggagg	tggaggtgga	ggcgaagcc	aacggcgagg	300
actgcctcaa	ccaggtgtgc	aggcgactgg	gaatcataga	agttgactat	tttggactgc	360
agtttacggg	tagcaaaggt	gaaagtttat	ggctaaacct	gagaaaccgg	atctcccagc	420
agatggatgg	gctagcccct	tacaggctta	aacttagagt	caagttcttc	gtggagcctc	480
atctcatctt	acaggagcag	actaggcata	tctttttctt	gcacatcaag	gaggccctct	540
tggcaggcca	cctcttgtgt	tccccagagc	aggcagtgga	actcagtgcc	ctcctggccc	600
agaccaagtt	tggagactac	aaccagaaca	ctgccaagta	taactatgag	gagctctgtg	660
ccaaggagct	ctcctctgcc	accttgaaca	gcattgttgc	aaaacataag	gagttggagg	720
ggaccagcca	ggcttcagct	gaataccaag	ttttgcagat	tgtgtcggca	atggaaaact	780
atggcataga	atggcattct	gtgcgggata	gcgaaggcca	gaaactgctc	attgggggtg	840
gacctgaagg	aatctcaatt	tgtaaagatg	actttagccc	aattaatagg	atagcttatc	900
ctgtggtgca	gatggccacc	cagtcaggaa	agaatgtata	tttgacggtc	accaaggaat	960
ctgggaacag	catcgtgctc	ttgtttaaaa	tgatcagcac	cagggcggcc	agcgggctct	1020
accgagcgat	aacagagacg	cacgcattct	acaggtgtga	cacagtgacc	agcgcctga	1080
tgatgcagta	tagccgtgac	ttgaagggcc	acttggcatc	tctgtttctg	aatgaaaaca	1140
ttaaccttgg	caagaaatat	gtctttgata	ttaaaagaac	atcaaaggag	gtgtatgacc	1200
atgccaggag	ggctctgtac	aatgctggcg	ttgtggacct	cgtttcaaga	aacaaccaga	1260
gcccttcaca	ctcgcctctg	aagtcctcag	aaagcagcat	gaactgcagc	agctgcgagg	1320
gcctcagctg	ccagcagacc	cgggtgctgc	aggagaagct	acgcaagctg	aaggaagcca	1380
tgctgtgcat	ggtgtgctgc	gaggaggaga	tcaactccac	cttctgtccc	tgtggccaca	1440
ctgtgtgctg	tgagagctgc	gccgcccagc	tacagtcatg	tcccgtctgc	aggtcgcgtg	1500
tggagcatgt	ccagcacgtc	tatctgccaa	cgcacaccag	tcttctcaat	ctgactgtaa	1560
tctaactctgt	tgtgcttttg	ttggacttgg	catgtttcca	tgaactgcac	tattataaac	1620
tattaaaatg	atagattgtg	gagaaagtaa	ttattccaac	acccatctgc	catgcatgtg	1680
taaaaaaaaa	aaaaaaaaa					1699

&lt;210&gt; SEQ ID NO 27

&lt;211&gt; LENGTH: 1976

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 27

gccacacggt	ctttgagctg	agtcgaggtg	gaccctttga	acgcagtcgc	cctacagccg	60
ctgattcccc	ccgcatcgcc	tcccgtggaa	gccagggccc	gcttcgcagc	tttctccctt	120
tgtctcataa	ccatgtccac	caacgagaat	gctaatacac	cagctgcccg	tcttcacaga	180
ttcaagaaca	agggaaaaga	cagtacagaa	atgagggcgtc	gcagaataga	ggtcaatgtg	240
gagctgagga	aagctaagaa	ggatgaccag	atgctgaaga	ggagaaatgt	aagctcattt	300
cctgatgatg	ctacttctcc	gctgcaggaa	aaccgcaaca	accagggcac	tgtaaattgg	360
tctgttgatg	acattgtcaa	aggcataaat	agcagcaatg	tggaaaatca	gctccaagct	420
actcaagctg	ccaggaaact	actttccaga	gaaaaacagc	cccccataga	caacataatc	480
cgggctgggt	tgattccgaa	atgtgtgtcc	ttcttgggca	gaactgattg	tagtcccatt	540
cagtttgaat	ctgcttgggc	actcactaac	attgcttctg	ggacatcaga	acaaccaag	600



-continued

---

```

gctgtggtag atggaggtgc catcccagca ttcatctctc tgttggcatc tccccatgct 660
cacatcagtg aacaagctgt ctgggctcta ggaaacattg caggtgatgg ctcagtgttc 720
cgagacttgg ttattaagta cgggtgcagtt gaccactgtg tggctctcct tgcagttcct 780
gatatgtcat ctttagcatg tggctactta cgtaatctta cctggacact ttctaactctt 840
tgccgcaaca agaatcctgc acccccgata gatgctgttg agcagattct tcctacctta 900
gttcggctcc tgcacatga tgatccagaa gtgttagcag atacctgctg ggctatttcc 960
taccttactg atggtccaaa tgaacgaatt ggcatgggtg tgaaaacagg agttgtgccc 1020
caacttgtga agcttctagg agcttctgaa ttgccaattg tgactcctgc cctaagagcc 1080
ataggaata ttgtcactgg tacagatgaa cagactcagg ttgtgattga tgcaggagca 1140
ctcgccgtct tccccagcct gctcaccaac cccaaaacta acattcagaa ggaagctacg 1200
tggaacaatgt caaacatcac agccggccgc caggaccaga tacagcaagt tgtgaatcat 1260
ggattagtcc cattccttgt cagtgttctc tctaaggcag attttaagac acaaaaggaa 1320
gctgtgtggg ccgtgaccaa ctataccagt ggtggaacag ttgaacagat tgtgtacctt 1380
gttactgtg gcataataga accgttgatg aacctcttaa ctgcaaaaga taccaagatt 1440
attctggtta tcctggatgc catttcaa atctttcagg ctgctgagaa actaggtgaa 1500
actgagaaac ttagtataat gattgaagaa tgtggaggct tagacaaaat tgaagctcta 1560
caaaaccatg aaaatgagtc tgtgtataag gcttcgtaa gcttaattga gaagtatttc 1620
tctgtagagg aagaggaaga tcaaacggtt gtaccagaaa ctacctctga aggctacact 1680
ttccaagttc aggatggggc tcctgggacc tttaaacttt agatcatgta gctgagacat 1740
aaatttgttg tgtactacgt ttggtatttt gtcttattgt ttcttacta agaactcttt 1800
ctaaatgtg gtttgttact gtagcacttt ttacactgaa actatacttg aacagttcca 1860
actgtacata catactgtat gaagcttgtc ctctgactag gtttctaatt tctatgtgga 1920
atctcctatc ttgcagcatc ctgtaaataa acattcaagt ccacccttaa aaaaaa 1976

```

&lt;210&gt; SEQ ID NO 28

&lt;211&gt; LENGTH: 2371

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 28

```

gacggggtgg ggggtggggg gaccccgtt gtgcagttg atattgaggg agccccacc 60
tactcgtgg ggctgcgtaa tctgtacgct tccaaactga agcgaaggcg tcgggagact 120
aggcctcaga gaaccatggc tactgccaa ggaatcgcca taggcatcga cctgggcacc 180
acctactcct gtgtgggggt gttccagcac ggcaagggtg agatcatcgc caacgaccag 240
ggcaaccgca ccacccccag ctacgtggcc ttcacagaca ccgagcggct cattggggat 300
gcgccaaga accaggtagc aatgaatccc cagaacactg tttttgatgc taaacgtctg 360
atcggcagga aatttaatga tcctgttgta caagcagata tgaaactttg gccttttcaa 420
gtgattaatg aaggaggcaa gcccaaagtc cttgtgtcct acaaggggga gaataaagct 480
ttctaccctg aggaaatctc ttcgatggta ttgactaagt tgaaggagac tgctgaggcc 540
tttttgggcc accctgtcac caatgcagtg attacctgct cagcctatct caatgactct 600
caacgtcagg ctactaagga tgcaggtgtg attgctggac ttaatgtgct aagaatcatc 660
aatgagccca cggctgctgc cattgcctat ggttagata aaggaggcca aggagaacga 720
catgtcctga tttttgatct ggggtggaggc acatttgatg tgtcaattct gaccatagat 780

```

-continued

---

gatgggattt ttgaggtaaa ggccactgct ggggacactc acctgggtgg ggaggacttt	840
gacaacaggc ttgtgagcca cttcgtggag gaggttcaaga ggaacacaaa aaaggacatc	900
agccagaaca agcgagccgt gaggcggctg cgcaccgcct gcgagagggc caagaggacc	960
ctgtcgtcca gcaccaggc caacctagaa attgattcac tttatgaagg cattgacttc	1020
tatacatcca tcaccagagc togatttgaa gaggttgtgt cagacctgtt taggggtacc	1080
ctggagcctg tagaaaaagc gcttcgggat gccaaagatgg ataaggctaa aatccatgac	1140
attgttttag tagggggctc caccgcgcatc cccaagggtgc agcggctgct tcaggactac	1200
ttcaatggac gtgatctcaa caagagcatc aaccctgatg aggccgtagc atatggggct	1260
gcggtacaag cagccatcct gatgggggac aagtctgaga aggtacagga cctgctgctg	1320
ctggacgtgg ctcccctgtc cctggggctg gagacggctg ggggcgtgat gactgccctg	1380
ataaagcgca actccaccat cccaccaag cagacacaga tttcaccac ctactctgac	1440
aaccaaccg ggggtctgat ccagggtgat gagggcgaga gggccatgac aaaggacaac	1500
aacctgctgg ggcggttga cctgactgga atccctccag caccagggg agttcctcag	1560
atcgaggaga cgtttgacat tgatgccaat ggtattctca atgtcacagc catggacaag	1620
agcaccggca aggtgaacaa gatcaccatc accaatgaca agggccgcct gagcaaggag	1680
gagattgagc gcatggttct ggatgctgag aaatataaag ctgaagatga ggtccagagg	1740
gagaaaattg ctgcaaagaa tgccttagaa tcctatgctt ttaacatgaa gagggttgtg	1800
agtgatgaag gtttgaagg caagattagt gagtctgata aaaataaaat attggataaa	1860
tgcaacgagc tcctttcgtg gctggaggtc aatcaactgg cagagaaaga tgagtttgat	1920
cataagagaa aggaattgga gcagatgtgt aaccctatca tcacaaaact ctaccaagga	1980
ggatgcactg ggctgcctg cggaacaggg tatatgcctg gaaggcctgc cacaggcccc	2040
acaattgaag aagtagatta attcttttta gaactgaagc atcctaggat gcctctacat	2100
gtatttcatt cccctcatct tcaaacatca ttattattct tgaccagacc tgaatctaag	2160
ttaccatccc ttgaaattc tggagaagga gtctcatgca ccacctatca cactccctca	2220
catcctgttt ctgactttgg aatggactca ggaaaactag gccctcttt aaaccgtgtg	2280
atgtatttga atgtctgta tttccagcca ccctaacatt cttcttcctg tgtggatgct	2340
tatttgtcaa tcagtaaatt tgttcgtaaa g	2371

---

We claim:

1. A method of identifying cells that have been exposed to radiation induced biological stress, comprising:

exposing a probe set comprising nucleic acid molecules representing genes that are differentially expressed in cells that have been exposed to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell to a labeled nucleic acid composition from a test cell which specifically hybridizes to members of the probe set when the cell has been exposed to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell, wherein at least one nucleic acid molecule of the probe set comprises SEQ ID NO: 1; and

determining whether the probe set hybridizes to the nucleic acid composition.

2. The method of claim 1, wherein the probe set is bound in an array to a surface.

3. The method of claim 2, wherein the probe set comprises oligonucleotides that specifically hybridize to sequences in the nucleic acid composition.

4. The method of claim 3, wherein the nucleic acid composition comprises cDNA reverse transcribed from mRNA in the test cell.

5. The method of claim 1, wherein the labeled nucleic acid is labeled with a fluorophore.

6. The method of claim 1, further comprising exposing the probe set to a labeled nucleic acid composition from a control cell, such that the labeled nucleic acid composition from the control cell specifically hybridizes to members of the probe set.

7. The method of claim 1, further comprising determining a probable time of radiation exposure, wherein the probe set comprises probes that specifically hybridize to the labeled nucleic acid composition, when the nucleic acid composition has been obtained more than four hours after exposure



to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell, and wherein hybridization to the probe set indicates that the cells have been exposed to the amount of ionizing radiation sufficient to cause differential expression of genes in the cell at least four hours previously.

**8.** The method of claim **1**, further comprising determining a probable time of radiation exposure, wherein the probe set comprises probes that specifically hybridize to the labeled nucleic acid composition, when the nucleic acid composition has been obtained more than 24 hours after exposure to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell, and wherein hybridization to the probe set indicates that the cells have been exposed to the amount of ionizing radiation sufficient to cause differential expression of genes in the cell at least 24 hours previously.

**9.** The method of claim **1**, further comprising determining a probable time of radiation exposure, wherein the probe set comprises probes that specifically hybridize to the labeled nucleic acid composition, when the nucleic acid composition has been obtained more than 48 hours after exposure to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell, and wherein hybridization to the probe set indicates that the cells have been exposed to the amount of ionizing radiation sufficient to cause differential expression of genes in the cell at least 48 hours previously.

**10.** The method of claim **1**, wherein the probe set comprises probes that specifically hybridize to the labeled nucleic acid composition, when the nucleic acid composition has been exposed to less than about 25 cGy of ionizing radiation.

**11.** The method of claim **1**, wherein the probe set comprises genes that are differentially expressed by at least 1.5 fold following exposure to the amount of ionizing radiation sufficient to cause differential expression of genes in the cell.

**12.** The method of claim **11**, wherein the genes are differentially expressed by at least 2-fold following exposure to the amount of ionizing radiation sufficient to cause differential expression of genes in the cell.

**13.** The method of claim **1**, wherein the probe nucleic acids are DNA.

**14.** The method of claim **13**, wherein the probe nucleic acids are cDNA.

**15.** The method of claim **14**, wherein the test nucleic acids are cDNA obtained from mRNA expressed by the test cell.

**16.** The method of claim **1**, wherein the probe nucleic acids are about 10 to about 1,000,000 nucleotides in length.

**17.** The method of claim **1**, further comprising contacting the probe set with a plurality of control nucleic acids obtained from mRNA of a control cell that has not been exposed to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell; and

determining whether the nucleic acids from mRNA of the control cells hybridize differentially to the probe set than the nucleic acid composition from the test cell.

**18.** The method of claim **1**, wherein the probe set comprises the probes identified in Table 9.

**19.** The method of claim **1**, wherein the probe set comprises the probes identified in Table 13.

**20.** The method of claim **1**, wherein the probe set comprises at least 10% of the probes identified in Table 9, wherein the at least 10% of the probes includes SEQ ID NO: 1.

**21.** The method of claim **1**, wherein the probe set comprises at least 10% of the probes identified in Table 13, wherein the at least 10% of the probes includes SEQ ID NO: 1.

**22.** The method of claim **1**, wherein the probe set comprises at least 10 of the probes identified in Table 9, wherein at least one of the 10 probes comprises SEQ ID NO: 1.

**23.** The method of claim **1**, wherein the probe set comprises at least 10 of the probes identified in Table 13, wherein at least one of the 10 probes comprises SEQ ID NO: 1.

**24.** The method of claim **1**, wherein the probe set comprises at least 50% of the probes identified in Table 9, wherein at least one of the probes comprises SEQ ID NO: 1.

**25.** A method of identifying cells that have been exposed to radiation induced biological stress, the method comprising:

providing a plurality of probe elements bound to a surface, each probe element comprising a nucleic acid that is differentially expressed by a cell following ionizing radiation induced biological stress, wherein at least one probe element comprises SEQ ID NO: 1;

contacting the plurality of probe elements with a plurality of test nucleic acid sequences obtained from a test cell, under conditions that allow the test nucleic acid sequences to specifically hybridize to one or more of the probe elements, and provide a signal which indicates differential expression of one or more genes if the cell has been exposed to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell; and

detecting the presence or absence of the signal.

**26.** The method of claim **25**, wherein the plurality of probe elements is a selected set of nucleic acids from a set of nucleic acids that hybridize to nucleic acids obtained from cells exposed to ionizing radiation.

**27.** The method of claim **25**, wherein the probe elements are nucleic acid sequences that are differentially expressed by a cell more than four hours after exposure to the ionizing radiation.

**28.** The method of claim **27**, wherein the probe elements are nucleic acid sequences that are differentially expressed at a time at least 24 hours after exposure to the ionizing radiation.

**29.** The method of claim **27**, wherein the probe elements are nucleic acid sequences that are differentially expressed more than 48 hours after exposure to the ionizing radiation.

**30.** The method of claim **27**, wherein the probe elements comprise nucleic acid sequences that are differentially expressed by at least 1.5-fold following exposure to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell.

**31.** The method of claim **30**, wherein the nucleic acid sequences are differentially expressed by at least 2-fold following exposure to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell.

**32.** The method of claim **25**, wherein the test nucleic acid sequences are labeled with a fluorophore that detects hybridization of the test nucleic acid sequences to the one or more of the probe elements.

**33.** The method of claim **32**, wherein the test nucleic acid sequences are labeled with a first label that detects hybridization of the test nucleic acids to the probe elements, and a plurality of control nucleic acids are labeled with a second label that detects hybridization of the plurality of control nucleic acids to the probe sequences, and the first and second labels interact to indicate whether expression of a nucleic



## 153

acid in the test cell has increased or decreased, relative to expression of the plurality of control nucleic acids.

34. The method of claim 33, wherein the first and second labels are fluorophores of different colors.

35. The method of claim 24, wherein the different colors are red and green.

36. The method of claim 25, wherein the cells are animal cells.

37. The method of claim 36 wherein the animal cells are human cells.

38. The method of claim 36, wherein the animal cells are peripheral blood cells.

39. The method of claim 38, wherein the peripheral blood cells are peripheral blood mononuclear cells.

40. The method of claim 39, wherein the peripheral blood mononuclear cells are lymphocytes.

41. The method of claim 25, wherein the cells are microbial or plant cells.

42. A method of making a microarray for identifying cells that have actually or potentially been exposed to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell, comprising:

identifying genes that are differentially expressed by a cell following exposure to the amount of ionizing radiation sufficient to cause differential expression of genes in the cell; and

providing a plurality of probe elements bound to a substrate surface, the probe elements comprising probe nucleic acids from genes that are identified as differentially expressed by a cell following ionizing radiation induced biological stress, wherein at least one probe element comprises SEQ ID NO: 1, and wherein the probe nucleic acid is capable of hybridizing to a nucleic acid differentially expressed by the cell following exposure of the cell to the ionizing radiation.

43. The method of claim 42, wherein identifying genes that are differentially expressed by a cell following exposure to the amount of ionizing radiation sufficient to cause differential expression of genes in the cell comprises exposing the cell to a biologically significant amount of ionizing radiation, obtaining mRNA expressed by the cell, reverse transcribing the mRNA into cDNA, labeling the cDNA, and hybridizing the labeled cDNA to a probe set and identifying members of the probe set that hybridize with the labeled cDNA.

44. The method of claim 43, where in the genes comprise p53 regulated genes.

45. The method of claim 42, further comprising determining a dose response relationship between radiation exposure and differential expression of one or more genes.

46. The method of claim 42, wherein identifying genes that are differentially expressed comprises identifying genes that are differentially expressed in a cell type that is to be obtained from a subject for testing.

47. The method of claim 46, wherein the cell type is peripheral blood cells.

48. The method of claim 47, wherein the peripheral blood cells are peripheral blood mononuclear cells.

49. The method of claim 48, wherein the peripheral blood mononuclear cells are lymphocytes.

50. A method of diagnosing ionizing radiation exposure in a subject, comprising:

obtaining a biological sample from the subject; synthesizing cDNA from mRNA expressed in one or more cells of the biological sample, and labeling the cDNA with a detectable label;

## 154

exposing the labeled cDNA to a probe set which represents genes that are differentially expressed in the biological sample following exposure to ionizing radiation, and determining if the labeled cDNA selectively hybridizes to one or more probes of the probe set that are associated with the radiation exposure, wherein the probe set comprises SEQ ID NO: 1.

51. The method of claim 50, further comprising detecting patterns of differential expression associated with an amount of ionizing radiation sufficient to cause differential expression of genes in the cell.

52. A method for measuring a biological response in a subject comprising:

obtaining a biological sample from the subject; synthesizing cDNA from mRNA expressed in one or more cells of the biological sample;

labeling the cDNA with a detectable label;

exposing the labeled cDNA to a probe set comprising nucleic acid molecules representing genes that are differentially expressed in cells that have been exposed to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell, wherein at least one nucleic acid molecule of the probe set comprises SEQ ID NO: 1; and

determining if the labeled cDNA selectively hybridizes to one or more probes of the probe set differentially expressed following exposure to ionizing radiation.

53. The method of claim 52 wherein the subject is undergoing radiotherapy for the treatment of cancer and the probe set is used to monitor the subject's biological response to the radiotherapy.

54. The method of claim 52 wherein the biological response is a biological response to potential radiation exposure in the subject.

55. The method of claim 54, wherein the biological response is measured in a cell type.

56. The method of claim 55, wherein the cell type is a peripheral blood cell obtained from the subject.

57. The method of claim 52, further comprising determining a relationship between radiation exposure and differential expression of one or more genes to determine a probable radiation dose in cells that have actually or potentially been exposed to the ionizing radiation.

58. A method of identifying cells that have been exposed to radiation induced biological stress, the method comprising:

contacting a plurality of probe elements with a plurality of test nucleic acid sequences obtained from a test cell, under conditions that allow the test nucleic acid sequences to specifically hybridize to one or more of said plurality of probe elements, and provide a signal which indicates differential expression of one or more genes if the cell has been exposed to an amount of ionizing radiation sufficient to cause differential expression of genes in the cell, wherein the plurality of probe elements comprise nucleic acid sequences that are differentially expressed by a cell following ionization radiation induced biological stress, wherein at least one probe element of said plurality of probe elements comprises SEQ ID NO: 1; and

detecting the presence or absence of the signal.



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,008,768 B1  
APPLICATION NO. : 09/913171  
DATED : March 7, 2006  
INVENTOR(S) : Fornace, Jr. et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover Page:

In the first column on the cover page, item (86), the § 371(c)(1), (2), (4) Date "Aug. 8, 2001" should be --Aug. 9, 2001--.

In the second column on the cover page under the heading "Other Publications," the fourth-listed publication should read --Carulli et al., "High Throughput Analysis of Differential Gene Expression," *J. Cell. Biochem. Suppl.* 30/31:286-296 (1998).--

In the Specification:

Column 1, line 40, "Woloschakand" should be --Woloschak and--.

Column 4, lines 50-51, "microar-rays" should be --micro-arrays--.

Column 6, line 31, "C1P1/WAF1" should be --CIP1/WAF1--.

Column 7, lines 19-20, "or (C) 48 hours (D) 72 hours" should be --, (C) 48 hours or (D) 72 hours--.

Column 9, lines 43-44, "2,2' dis-ulfonic" should be --2,2'-disulfonic--.

Column 9, lines 46-47, "4-amino-N-[3-vinylsulfonyl)phenyl]naphthalimide-3,5 disulfonate (Lucifer Yellow VS)" should be --4-amino-N-[3-(vinylsulfonyl)phenyl]naphthalimide-3,6 disulfonate (Lucifer Yellow VS)--.

Column 14, line 54, "1989)." should be --1989)).--.

Column 15, line 58, "neoplasm" should be --neoplasm.--.

Column 16, line 12, "37°" should be --37°C--.

Column 17, line 42, "northen" should be --Northern--.

Column 22, line 41, "See also <http://rex.nci.nih.gov/RESEARCH/basic/lbc/fornace.htm>" should be deleted.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,008,768 B1  
APPLICATION NO. : 09/913171  
DATED : March 7, 2006  
INVENTOR(S) : Fornace, Jr. et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22, line 45, "Nature" should be --*Nature*--.

Column 22, line 46, "Cell" should be --*Cell*--.

Column 22, lines 48-60, the lettered list beginning with item "a." and ending with item "e." is duplicative and should be deleted.

Column 26, line 21, "by the more" should be --by more--.

Column 28, line 63, "northern" should be --Northern--.

Column 29, line 50, "o" should be --of--.

Column 80, line 18, "of" should be --of--.

Column 81, line 35, "prognosite" should be --prognostic--.

Column 81, line 50, "northern" should be --Northern--.

Column 81, line 55, "northern" should be --Northern--.

Column 82, line 40, "WO 9710365" should be --WO 97/10365--.

Column 82, line 56, "southern and northern" should be --Southern and Northern--.

Column 85, line 11, "50, 50 or more" should be --50, or 50 or more--.

Column 86, line 15, "this" should be --these--.

Column 87, line 51, "northern" should be --Northern--.

Column 88, line 51, "northern" should be --Northern--.

Column 90, line 30, "Mark 1-68" should be --Mark I-68--.



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,008,768 B1  
APPLICATION NO. : 09/913171  
DATED : March 7, 2006  
INVENTOR(S) : Fornace, Jr. et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 90, line 64, "CIP/WAF1" should be --CIP1/WAF1--.

Column 91, line 60, "Mark 1-68" should be --Mark I-68--.

Signed and Sealed this

Thirtieth Day of January, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

*Director of the United States Patent and Trademark Office*