

(12)

United States Patent

Sweeney

(10) Patent No.:

US 7,322,314 B1

(45) Date of Patent:

Jan. 29, 2008

(54) INSULATED ANIMAL ENCLOSURE

(76)

Inventor:

Linda J. Sweeney, 2268 Shore Dr.,  
Saint Augustine, FL (US) 32086

(\*)

Notice:

Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 232 days.

(21) Appl. No.: 11/122,607

(22) Filed: May 5, 2005

Related U.S. Application Data

(60)

Provisional application No. 60/568,553, filed on May  
6, 2004.

(51)

Int. Cl.

A01K 1/03 (2006.01)

(52)

U.S. Cl.

119/483; 119/484; 119/475

(58)

Field of Classification Search

119/483,  
119/482, 484, 496, 497, 475, 479, 498; 62/457.1,  
62/457.3, 457.4; 220/592.01

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,748,349	A *	2/1930	Ijams	119/432
3,566,842	A *	3/1971	Oldaker	119/430
3,861,356	A *	1/1975	Kulka	119/482
3,958,535	A *	5/1976	Salvia	119/72.5
4,022,159	A *	5/1977	Salvia	119/496
4,287,854	A *	9/1981	Hansen et al.	119/455
4,827,872	A *	5/1989	Sommers	119/482
4,869,206	A *	9/1989	Spina	119/417
4,899,693	A *	2/1990	Arnold	119/28.5
4,962,729	A *	10/1990	Barreto et al.	119/482
5,136,980	A *	8/1992	Schoeber et al.	119/448
5,216,977	A *	6/1993	Allen, Jr.	119/500
5,349,924	A *	9/1994	Hooper, Jr.	119/496
5,448,965	A *	9/1995	McClure	119/482

5,615,640	A *	4/1997	Luiz	119/482
5,727,501	A *	3/1998	York	119/482
5,746,271	A *	5/1998	DeCosta	165/53
5,755,183	A *	5/1998	Udelle et al.	119/622
5,761,992	A *	6/1998	Gallo	99/468
5,842,571	A *	12/1998	Rausch	206/549
5,881,678	A *	3/1999	Morley	119/496
5,887,436	A *	3/1999	Duddleston	62/3.62
5,924,303	A *	7/1999	Hodosh	62/457.4
5,950,568	A *	9/1999	Axelrod et al.	119/499
5,964,190	A *	10/1999	Willinger et al.	119/500
6,003,329	A *	12/1999	Stanton, Jr.	62/372
6,047,662	A *	4/2000	Fekete	119/416
6,067,816	A *	5/2000	Hodosh	62/457.4
6,131,534	A *	10/2000	Axelrod	119/499
6,234,116	B1 *	5/2001	Havener	119/482
6,439,165	B1 *	8/2002	Guard	119/496
6,446,577	B1 *	9/2002	Salahor	119/497
6,490,995	B2 *	12/2002	Greene, Jr.	119/496
6,609,392	B1 *	8/2003	Brown	62/457.1
6,629,430	B2 *	10/2003	Mills et al.	62/457.2

(Continued)


Primary Examiner—Yvonne R. Abbott

(74) Attorney, Agent, or Firm—Gold & Rizvi, P.A.; H. John  
Rizvi; Glenn E. Gold

(57) ABSTRACT


An insulated animal enclosure configured to be conveniently maintained at a cool and comfortable interior temperature. The insulated animal enclosure includes an inner habitat and an outer housing. The outer housing includes an opening configured to receive the inner habitat therein and substantially surrounds the inner habitat at a spaced-apart distance thereof. Cooling means are placed within the spaced-apart distance between the outer housing and the inner habitat to assist in maintaining a controlled temperature environment. The inner habitat additionally includes an opening therein to allow an animal to enter and exit the structure at will.


3 Claims, 3 Drawing Sheets





U.S. PATENT DOCUMENTS

6,647,924	B1 *	11/2003	Zwicker et al. ....	119/452	7,134,404	B2 *	11/2006	Slone .....	119/501
6,868,803	B1 *	3/2005	Little .....	119/498	7,140,507	B2 *	11/2006	Maldonado et al. ....	220/592.2
6,923,144	B2 *	8/2005	Little .....	119/482	2002/0148410	A1 *	10/2002	Thomas .....	119/452
7,013,671	B1 *	3/2006	Bolda .....	62/457.7	2004/0112300	A1 *	6/2004	Heygen .....	119/416
7,025,019	B2 *	4/2006	Axelrod et al. ....	119/499	2005/0056232	A1 *	3/2005	O’Niell .....	119/500
7,051,679	B2 *	5/2006	Bello .....	119/482	2006/0054102	A1 *	3/2006	Hailey .....	119/482
					* cited by examiner				









**INSULATED ANIMAL ENCLOSURE****CROSS REFERENCE TO RELATED APPLICATION**

This application claims the benefit of co-pending U.S. provisional patent application Ser. No. 60/568,553, filed on May 6, 2004, the entire specification of which is incorporated herein by reference.

**BACKGROUND OF THE INVENTION****1. Field of the Invention**

The present invention relates generally to enclosures for animals, and more particularly, to an insulated animal enclosure configured to be conveniently maintained at a cool and comfortable interior temperature.

**2. Description of the Prior Art**

A wide variety of animals require carefully maintained environments while in captivity in order to survive. Many domesticated animals have been transported to geographic locations unsuited for their survival and depend heavily upon owner care for comfort and survival.

Animal caretakers have resorted to a number of solutions in their effort to lessen the discomfort and potential dangers posed by excessively hot or cold environments.

Such solutions have ranged from simplistic measures, such as placing an ice bottle inside the animal's cage, to complex electrically powered cooling mechanisms.

Although a variety of different approaches have been attempted in the past, existing solutions have consisted basically of familiar, expected, and obvious structural configurations that have proven to be inadequate or impractical in application.

In this respect, there is a need in the art for a temperature controlled insulated animal enclosure that substantially departs from the prior art, and in so doing, provides a simple, convenient, and practical solution that reduces animal suffering as well as health complications including heatstroke, frostbite, and even death.

**SUMMARY OF THE INVENTION**

The present invention is directed to an insulated animal enclosure configured to be conveniently maintained at a cool and comfortable interior temperature.

An object of the present invention is to provide an insulated animal enclosure that is lightweight and portable so that it can be easily and conveniently moved as desired.

A further object of the present invention is to provide an insulated animal enclosure configured to provide a temperature-controlled water supply as desired.

Another object of the present invention is to provide an insulated animal enclosure having conveniently located handles to assist in transport.

An additional object of the present invention is to provide an insulated animal enclosure having an opening therein to permit an animal to easily enter and exit the structure at will.

A further object of the present invention is to provide an insulated animal enclosure configured with draining means therein to permit the evacuation of liquid from inside the structure, such as, for example, from condensation.

Yet another object of the present invention is to provide an insulated animal enclosure that is not reliant on electrical or battery power.

It is also an object of the present invention to provide an insulated animal enclosure that is free from noise and/or vibrations.

Another object of the present invention is to provide an insulated animal enclosure that permits a pet owner to leave their animal unattended for extended periods of time without having to worry about the pet suffering from discomfort due to excessive heat or cold possibly leading to heatstroke, frostbite, and in extreme cases, even death.

In accordance with a first aspect of the invention, an insulated animal enclosure is configured to be conveniently maintained at a cool and comfortable interior temperature. The insulated animal enclosure includes an inner habitat and an outer housing. The outer housing includes an opening configured to receive the inner habitat therein and substantially surrounds the inner habitat at a spaced-apart distance thereof. Cooling means are placed within the spaced-apart distance between the outer housing and the inner habitat to assist in maintaining a controlled temperature environment. The inner habitat additionally includes an opening therein to allow an animal to enter and exit the structure at will.

These and other objects, features, and advantages of the present invention will become more readily apparent from the attached drawings and the detailed description of the preferred embodiments, which follow.

**BRIEF DESCRIPTION OF THE DRAWINGS**

The preferred embodiments of the invention will hereinafter be described in conjunction with the appended drawings provided to illustrate and not to limit the invention, where like designations denote like elements, and in which:

FIG. 1 is a perspective view of the insulated animal enclosure showing the inner habitat, cooling means, and water bottle before assembly in the outer housing in accordance with a preferred embodiment of the present invention;

FIG. 2 is a perspective view of the insulated animal enclosure with the cover portion of the outer housing removed showing the inner habitat, cooling means, and water bottle after assembly in the outer housing in accordance with a preferred embodiment of the present invention;

FIG. 3 is a perspective view of the insulated animal enclosure completely assembled in accordance with a preferred embodiment of the present invention; and

FIG. 4 is a front view showing the insulated animal enclosure completely assembled and in use by an animal in accordance with a preferred embodiment of the present invention.

Like reference numerals refer to like parts throughout the several views of the drawings.

**DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

Shown throughout the figures, the present invention is generally directed to an insulated animal enclosure configured to be conveniently maintained at a cool and comfortable interior temperature.

The insulated animal enclosure 10 includes an inner habitat 30 and an outer housing 20. The outer housing 30 may be configured in any of a variety of different ways



3

without departing from the present invention. In a most preferred embodiment, the outer housing 20 will be configured as an injection molded container formed from polyethylene, polypropylene, plastic by injection molding, or any of a variety of other similar materials. Although a number of different shapes may be utilized for the outer housing 20, it will preferably be formed with a bottom portion 28 having a plurality of upstanding side walls 24, and a cover portion 22 as shown throughout the figures. The bottom portion 28, plurality of upstanding side walls 24, and cover portion 22 of the outer housing will preferably be filled with an insulative material. It will be appreciated by those skilled in the art that any of a wide variety of known materials having insulative properties may be utilized for this purpose including polystyrene foam, Styrofoam, and the like.

As best illustrated in FIG. 1, the outer housing 20 will include an opening 25 therein to permit insertion of the inner habitat 30 therein. FIG. 1 shows the inner habitat 30 before insertion into the outer housing 20 of the insulated animal enclosure 10 of the present invention. A perspective view of the insulated animal enclosure is shown in FIG. 2 with the cover portion 22 of the outer housing 20 removed showing the inner habitat 30, and other components that will be described later, after assembly in the outer housing 20 in accordance with a preferred embodiment of the present invention. If desired, handles 40 may be provided as shown to enable convenient transport of the insulated animal enclosure 10 of the present invention. In one specific embodiment of the invention, a commercially available cooler may be utilized after having an opening 25 cut therein and other modifications performed as described in more detail herein.

The inner habitat 30 of the insulated animal enclosure of the present invention is configured to be positioned within the outer housing 20 in a spaced-apart manner as illustrated throughout the figures. In a preferred embodiment, the inner habitat 30 will include a bottom portion 32 and a top portion 34. In the preferred embodiment, the inner habitat 30 will include a relatively flat bottom portion 32 with a top portion 34 extending upwards therefrom to form a hollow habitable interior therein. The top portion 34 may be configured in any of a wide variety of known shapes without departing from the present invention. Preferably, the top portion 34 will include a plurality of upstanding sidewalls supporting a roof thereupon. The sidewalls and roof may be formed as a one-piece unitary structure, if desired, and shaped in a generally mailbox-like structure as shown throughout the figures. In one specific embodiment of the present invention, the inner habitat 30 may indeed be comprised of a standard U.S. mail box with the door removed, if desired, to permit easy ingress and egress for an animal.

As shown in FIGS. 1-3, the inner habitat 30 of the insulated animal enclosure 10 will preferably include a plurality of drain apertures 35 therein to permit the evacuation of water that collects within the inner habitat 30 due to condensation, rain, or a variety of other factors. The bottom portion 32 of the inner habitat 30 may be sloped towards these drain apertures 35, if desired, to aid drainage of excess water. Additionally, as shown in FIGS. 1-3, a drain aperture 27 may be formed in the outer housing 20 as well so that any excess water collected within the structure is evacuated outside the insulated animal enclosure. In the preferred embodiment, the drain aperture 27 will be a capped drain aperture, not a continuous draining hole. It will be appreciated

4

by those skilled in the art that the drain aperture 27 of the outer housing 20 may be formed in any of a wide variety of differing configurations without departing from the present invention. If desired, the inner surface of the bottom portion 28 may be sloped towards the drain aperture 27 to aid drainage of excess water.

Additionally, as shown in the figures, the outer housing 20 will include an opening 26 for a water bottle nozzle 52 so that a water bottle 50 may be placed within the outer housing 20 with the water bottle nozzle 52 extending therethru as best illustrated in FIG. 2.

The inner habitat 30 of the insulated animal enclosure 10 will be configured for placement in a relatively spaced-apart manner from the side walls 24 and cover portion 22 of the outer housing 20 as illustrated throughout the figures. As such, in a preferred embodiment of the present invention, cooling means 60 may be placed inside the outer housing 20 as shown so as to cool the inner habitat 30 as desired. Any of a wide variety of cooling means 60 may be utilized without departing from the present invention. For example, the cooling means 60 may include ice, ice packs, cooling gel packs, and the like. In a preferred embodiment, the cooling means 60 will include reusable gel packs as illustrated in FIGS. 1-2.

Since many modifications, variations, and changes in detail can be made to the described preferred embodiments of the invention, it is intended that all matters in the foregoing description and shown in the accompanying drawings be interpreted as illustrative and not in a limiting sense. Thus, the scope of the invention should be determined by the appended claims and their legal equivalence.

What is claimed is:

1. An insulated animal enclosure, comprising:

a substantially enclosed inner habitat having an opening therein for animal ingress and egress, said inner habitat having a bottom portion and a top portion extending upwardly therefrom so as to form a hollow habitable interior,

an outer housing configured to substantially surround said inner habitat at a spaced-apart distance thereof and comprising a bottom portion, a plurality of upstanding sidewalls extending upwardly from said bottom portion, and a removable cover portion, said outer housing configured to enclose a water bottle and containing an opening to extend a nozzle of said water bottle therethrough;

at least one of said upstanding sidewalls having an opening therein corresponding to said opening of said inner habitat so as to permit animal ingress and egress to said inner habitat, and

cooling means placed within said spaced-apart distance between said outer housing and said inner habitat.

2. An insulated animal enclosure comprising:

a substantially enclosed inner habitat having an opening therein for animal ingress and egress, said inner habitat having a bottom portion and a top portion extending upwardly therefrom so as to form a hollow habitable interior,

an insulated outer housing configured to substantially surround said inner habitat at a spaced-apart distance thereof and comprising a bottom portion, a plurality of upstanding sidewalls extending upwardly from said bottom portion, and a removable cover portion, said outer housing configured to enclose a

5

water bottle and containing an opening to extend a  
nozzle of said water bottle therethrough;  
at least one of said upstanding sidewalls having an  
opening therein corresponding to said opening of said  
inner habitat so as to permit animal ingress and egress 5  
to said inner habitat, and  
cooling means placed within said spaced-apart distance  
between said outer housing and said inner habitat.  
3. An insulated animal enclosure comprising:  
an inner habitat formed from a mailbox having a hollow 10  
habitable interior with a bottom portion, a top portion  
extending upwardly therefrom, and an opening for  
animal ingress and egress,  
an outer housing formed from an insulated cooler and 15  
configured to substantially surround said inner habitat  
at a spaced-apart distance thereof,

6

said insulated cooler comprising a bottom portion, a  
plurality of upstanding sidewalls extending upwardly  
from said bottom portion, and a removable cover  
portion,  
at least one upstanding sidewall of said insulated cooler  
having an opening therein to correspond to said open-  
ing of said inner habitat;  
cooling means placed within said spaced-apart distance,  
between said mailbox and said insulated cooler; and  
a water bottle contained within said insulated cooler, the  
water bottle having a nozzle configured to extend  
through a side wall of said insulated cooler.

\* \* \* \* \*