



US007617295B1

(12) **United States Patent**
Farber et al.

(10) **Patent No.:** **US 7,617,295 B1**
(45) **Date of Patent:** **Nov. 10, 2009**

(54) **SYSTEMS AND METHODS FOR PROVIDING
A BROADCAST ENTERTAINMENT SERVICE
AND AN ON-DEMAND ENTERTAINMENT
SERVICE**

(58) **Field of Classification Search** 725/37–40,
725/46–49, 86–105, 138–153, 114, 135;
709/201–203, 224, 226, 217
See application file for complete search history.

(75) Inventors: **Stuart H. Farber**, Horsham, PA (US);
Ronald M. Yurman, Short Hills, NJ
(US); **Jeremy C. Rosenberg**, Havre de
Grace, MD (US); **Robert M. Steinberg**,
Horsham, PA (US); **John Feras**, North
Wales, PA (US); **Daniel L. McGonigal**,
Lexington, PA (US); **Donna M. O'Neill**,
Ambler, PA (US); **Christina B.**
Tancredi, Ambler, PA (US); **David J.**
Delbeccaro, Jenkintown, PA (US)

(56) **References Cited**
U.S. PATENT DOCUMENTS

4,127,796	A	11/1978	Henderson
RE29,997	E	5/1979	den Toonder
4,336,478	A	6/1982	Quilty et al.
4,338,623	A	7/1982	Asmus et al.

(Continued)

(73) Assignee: **Music Choice**, Horsham, PA (US)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 763 days.

EP	1 022 900	A1	7/2000
WO	WO 01/36064		5/2001

(21) Appl. No.: **11/002,205**

OTHER PUBLICATIONS

(22) Filed: **Dec. 3, 2004**

Loeb, S., "Architecting Personalized Delivery of Multimedia Infor-
mation", Communications of the ACM, Dec. 1992, vol. 35, No. 12,
pp. 39-48.

Related U.S. Application Data

(63) Continuation-in-part of application No. 10/339,425,
filed on Jan. 9, 2003, now Pat. No. 7,325,043, and a
continuation-in-part of application No. 10/098,620,
filed on Mar. 18, 2002.

(Continued)

(60) Provisional application No. 60/612,618, filed on Sep.
24, 2004, provisional application No. 60/395,360,
filed on Jul. 12, 2002, provisional application No.
60/390,312, filed on Jun. 21, 2002.

Primary Examiner—Nathan J Flynn
Assistant Examiner—Mohammad A Siddiqi
(74) *Attorney, Agent, or Firm*—Rothwell, Figg, Ernst &
Manbeck, PC


(57) **ABSTRACT**

(51) **Int. Cl.**
G06F 15/16 (2006.01)

The present invention provides systems and methods for, in
some cases, supplementing a broadcast media service with an
on-demand and personalized media service.

(52) **U.S. Cl.** **709/217; 709/203; 725/37;**
725/46; 725/47; 725/86; 725/87; 725/105;
725/143

40 Claims, 22 Drawing Sheets



US 7,617,295 B1

Page 2

U.S. PATENT DOCUMENTS					
4,360,805	A	11/1982	Andrews et al.	5,969,283	A 10/1999 Looney et al.
4,677,430	A	6/1987	Falkman et al.	5,970,474	A 10/1999 LeRoy et al.
4,722,005	A	1/1988	Ledenbach	5,973,722	A 10/1999 Wakai et al.
4,760,455	A	7/1988	Nagashima	5,980,261	A 11/1999 Mino et al.
4,799,156	A	1/1989	Shavit et al.	5,986,692	A 11/1999 Logan et al.
4,823,386	A	4/1989	Dumbauld	5,991,374	A 11/1999 Hazenfield
5,130,615	A	7/1992	George	5,991,737	A 11/1999 Chen
5,193,006	A	3/1993	Yamazaki	6,011,761	A 1/2000 Inoue
5,341,350	A	8/1994	Frank et al.	6,011,854	A 1/2000 Van Ryzin
5,355,302	A	10/1994	Martin et al.	6,020,883	A 2/2000 Herz et al.
5,365,381	A	11/1994	Scheffler	6,021,432	A 2/2000 Sizer et al.
5,371,551	A	12/1994	Logan et al.	6,025,868	A 2/2000 Russo
5,418,654	A	5/1995	Scheffler	6,038,591	A 3/2000 Wolfe et al.
5,481,296	A	1/1996	Cragun et al.	6,055,314	A 4/2000 Spies et al.
5,534,911	A	7/1996	Levitan	6,055,566	A 4/2000 Kikinis
5,550,863	A	8/1996	Yurt et al.	6,085,235	A 7/2000 Clarke et al.
5,557,541	A	9/1996	Schulhof et al.	6,088,455	A 7/2000 Logan et al.
5,572,442	A	11/1996	Schulhof et al.	6,088,722	A 7/2000 Herz et al.
5,585,866	A	12/1996	Miller et al.	6,105,060	A 8/2000 Rothblatt
5,590,282	A	12/1996	Clynes	6,135,646	A 10/2000 Kahn et al.
5,592,511	A	1/1997	Schoen et al.	6,151,634	A 11/2000 Glaser et al.
5,616,876	A	4/1997	Cluts	6,154,772	A 11/2000 Dunn et al.
5,617,565	A	4/1997	Augenbraun et al.	6,161,142	A 12/2000 Wolfe et al.
5,629,867	A	5/1997	Goldman	6,192,340	B1 2/2001 Abecassis
5,635,989	A	6/1997	Rothmuller	6,223,292	B1 4/2001 Dean et al.
5,636,276	A	6/1997	Brugger	6,226,030	B1 5/2001 Harvey et al.
5,646,992	A	7/1997	Subler	6,226,618	B1 5/2001 Downs et al.
5,675,734	A	10/1997	Hair	6,229,895	B1 5/2001 Son et al.
5,708,780	A	1/1998	Levergood et al.	6,232,539	B1 5/2001 Looney et al.
5,721,815	A	2/1998	Ottesen et al.	6,233,682	B1 5/2001 Fritsch
5,726,909	A	3/1998	Krikorian	6,240,553	B1 5/2001 Son et al.
5,734,719	A	3/1998	Tsevdos et al.	6,243,725	B1 6/2001 Hempleman et al.
5,734,961	A	3/1998	Castille	6,246,672	B1 6/2001 Lumelsky
5,751,282	A	5/1998	Girard et al.	6,248,946	B1 6/2001 Dwek
5,751,806	A	5/1998	Ryan	6,249,810	B1 6/2001 Kiraly
5,753,844	A	5/1998	Matsumoto	6,253,235	B1 6/2001 Estes
5,754,939	A	5/1998	Herz et al.	6,253,237	B1 6/2001 Story et al.
5,761,606	A	6/1998	Wolzien	6,262,772	B1 7/2001 Shen et al.
5,761,607	A	6/1998	Gudesen	6,279,040	B1 8/2001 Ma et al.
5,761,662	A	6/1998	Dasan	6,286,139	B1 9/2001 Decinque
5,771,435	A	6/1998	Brown	6,305,020	B1 10/2001 Hoarty et al.
5,781,889	A	7/1998	Martin et al.	6,324,217	B1 11/2001 Gordon
5,784,095	A	7/1998	Robbins et al.	6,330,595	B1 12/2001 Ullman et al.
5,790,935	A	8/1998	Payton	6,330,609	B1 12/2001 Garofalakis et al.
5,793,980	A	8/1998	Glaser et al.	6,338,044	B1 * 1/2002 Cook et al. 705/14
5,809,144	A	9/1998	Sirbu et al.	6,369,851	B1 4/2002 Marflak et al.
5,809,246	A	9/1998	Goldman	6,389,467	B1 5/2002 Eyal
5,819,049	A	10/1998	Reietmann	6,418,421	B1 7/2002 Hurtado et al.
5,819,160	A	10/1998	Foladare et al.	6,434,747	B1 8/2002 Khoo et al.
5,835,487	A	11/1998	Campanella	6,445,306	B1 * 9/2002 Trovato et al. 340/825.24
5,841,979	A	11/1998	Schulhof et al.	6,446,130	B1 9/2002 Grapes
5,848,398	A	12/1998	Martin et al.	6,490,728	B1 12/2002 Kitazato et al.
5,861,906	A	1/1999	Dunn et al.	6,505,240	B1 1/2003 Blumenau
5,878,141	A	3/1999	Daly et al.	6,526,411	B1 2/2003 Ward
5,890,137	A	3/1999	Koreeda	6,550,011	B1 4/2003 Sims, III
5,890,139	A	3/1999	Suzuki et al.	6,587,127	B1 7/2003 Leeke et al.
5,899,699	A	5/1999	Kamiya	6,587,837	B1 7/2003 Spagna et al.
5,899,980	A	5/1999	Wilf et al.	6,748,427	B2 6/2004 Drosset et al.
5,900,830	A	5/1999	Scheffler	6,766,357	B1 7/2004 Fandozzi
5,913,204	A	6/1999	Kelly	6,782,550	B1 * 8/2004 Cao 725/39
5,918,213	A	6/1999	Bernard et al.	6,789,106	B2 9/2004 Eyer
5,926,624	A	7/1999	Katz et al.	6,842,604	B1 1/2005 Cooke
5,930,765	A	7/1999	Martin et al.	6,865,550	B1 3/2005 Cok
5,930,768	A	7/1999	Hooban	6,898,800	B2 5/2005 Son et al.
5,931,901	A	8/1999	Wolfe et al.	6,925,489	B1 8/2005 Curtin
5,933,500	A	8/1999	Blatter et al.	6,933,433	B1 8/2005 Porteus et al.
5,943,422	A	8/1999	Van Wie et al.	7,020,888	B2 3/2006 Reynolds et al.
5,944,608	A	8/1999	Reed et al.	7,028,082	B1 4/2006 Rosenberg et al.
5,959,945	A	9/1999	Kleiman	7,065,287	B1 6/2006 Heredia et al.
5,960,411	A	9/1999	Hartman et al.	7,076,561	B1 7/2006 Rosenberg et al.
5,968,120	A	10/1999	Guedalia	7,133,924	B1 11/2006 Rosenberg et al.
				7,149,471	B1 12/2006 Arisawa et al.
				7,155,674	B2 12/2006 Breen et al.

7,321,923	B1	1/2008	Rosenberg et al.
7,325,043	B1	1/2008	Rosenberg et al.
2001/0032312	A1	10/2001	Runje et al.
2001/0042107	A1	11/2001	Palm
2001/0049826	A1	12/2001	Wilf
2002/0021708	A1	2/2002	Ishiai
2002/0023164	A1	2/2002	Lahr
2002/0023166	A1	2/2002	Bar-Noy et al.
2002/0032728	A1	3/2002	Sako et al.
2002/0038359	A1	3/2002	Ihara et al.
2002/0046084	A1	4/2002	Steele et al.
2002/0056117	A1	5/2002	Hasegawa et al.
2002/0056118	A1	5/2002	Hunter et al.
2002/0059621	A1	5/2002	Thomas et al.
2002/0062261	A1	5/2002	Mukai
2002/0083148	A1	6/2002	Shaw et al.
2002/0138630	A1	9/2002	Solomon et al.
2002/0152278	A1	10/2002	Pontenzone et al.
2002/0194260	A1	12/2002	Headley et al.
2002/1494619		12/2002	Chang et al.
2003/0023975	A1	1/2003	Schrader et al.
2003/0050058	A1	3/2003	Walsh et al.
2003/0097338	A1	5/2003	Mankovich et al.
2003/0126595	A1 *	7/2003	Sie et al. 725/29
2003/0135464	A1	7/2003	Mourad et al.
2003/0182184	A1	9/2003	Strasnick et al.
2006/0173974	A1	8/2006	Tang

OTHER PUBLICATIONS

Notice of Allowability from U.S. Appl. No. 11/002,181.
Office Action issued on Mar. 16, 2005 in U.S. Appl. No. 09/800,956, 20 pp.
Office Action issued on May 24, 2005 in U.S. Appl. No. 10/098,482, 10 pp.

Office Action issued on Feb. 15, 2006 in U.S. Appl. No. 10/098,482, 12 pp.
Office Action issued on Apr. 18, 2006 in U.S. Appl. No. 10/098,482, 3 pp.
Office Action issued on Nov. 21, 2006 in U.S. Appl. No. 10/098,482, 11 pp.
Office Action issued on Aug. 30, 2005 in U.S. Appl. No. 10/098,473, 8 pp.
Office Action issued on Aug. 30, 2005 in U.S. Appl. No. 10/098,450, 8 pp.
Office Action issued on Mar. 13, 2007 in U.S. Appl. No. 10/339,425, 13 pp.
Office Action issued on Aug. 29, 2006 in U.S. Appl. No. 10/339,425, 19 pp.
Office Action issued on Dec. 6, 2006 in U.S. Appl. No. 11/002,181, 10 pp.
Office Action issued on Jun. 8, 2007 in U.S. Appl. No. 11/002,181, 13 pp.
Office Action issued on Aug. 23, 2005 in U.S. Appl. No. 10/098,620, 15 pp.
Office Action issued on Jun. 15, 2006 in U.S. Appl. No. 10/098,620, 14 pp.
Office Action issued on Apr. 4, 2007 in U.S. Appl. No. 10/098,620, 12 pp.
AudioRequest, MP3 Home Stereo Jukebox, ReQuest, Inc.-Company Info., and NSI-WHOIS Search Results. Pages from the web site for www.request.com owned by ReQuest, Inc. Jun. 22, 2004.
Six pages from the web site for www.sonicnet.com. Jun. 22, 2004.
ntl: Digital Radio. <http://www.ntl.com/locales/gb/en/guides/dummies/produce.asp> Aug. 13, 2002.
Deutsche Telekom AG: Digital Radio. http://www.telekom.de/dtag/ip11/cda/level3__a/0,3680,10077,00.html Aug. 18, 2000.
The Eureka 147 Consortium. "Digital Audio Broadcasting" http://www.eureadab.org/eureka_147_consortium.htm Aug. 14, 2000.

* cited by examiner






FIG. 1

200**FIG. 2**

**FIG. 3**




FIG. 4







FIG. 5


600**FIG. 6**


**FIG. 7**



○ = Script

FIG. 8

600**FIG. 9**

600**FIG. 10**




FIG. 11

1200





FIG. 12

1300**FIG. 13**

1400




FIG. 14

1500




FIG. 15

1600




FIG. 16




FIG. 17

1800




FIG. 18

1901**Playlist #1**

Segment 1 of the program
media asset A
media asset B
Segment 2 of the program
media asset C
Segement 3 of the program

1902**Playlist #2**

Media asset X
Segment 1 of the program
media asset Y
Segment 2 of the program
media asset Z
Segement 3 of the program

FIG. 19

2000




FIG. 20





FIG. 21

**FIG. 22**

SYSTEMS AND METHODS FOR PROVIDING A BROADCAST ENTERTAINMENT SERVICE AND AN ON-DEMAND ENTERTAINMENT SERVICE

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of U.S. patent application Ser. No. 10/339,425, filed on Jan. 9, 2003 (now U.S. Pat. No. 7,325,043), which claims the benefit of U.S. Provisional Patent Application No. 60/390,312, filed Jun. 21, 2002 and U.S. Provisional Patent Application No. 60/395,360, filed Jul. 12, 2002 and which is a continuation-in-part of U.S. patent application Ser. No. 10/098,620, filed Mar. 18, 2002; this application also claims the benefit of U.S. Provisional Patent application No. 60/612,618, filed Sep. 24, 2004. All of the above referenced patents and applications are incorporated herein by this reference.

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention is related to entertainment and information system, and, more specifically, to broadcast, on-demand and/or personalized entertainment and information systems.

2. Discussion of the Background

Broadcasters, such as music broadcasters (e.g., conventional radio stations and other broadcasters of music, video or multimedia works) must accommodate the tastes of a mass audience, and, as we all know, it is not possible to please all of the people all of the time; we each have our own unique likes and dislikes. Consequently, a broadcaster at times may broadcast content that one or more members of the audience may not prefer to consume.

One solution to this problem is to increase the number of radio stations and/or the number of cable stations that carry music, and thereby increase the likelihood that a listener will find a station that is playing a "good" song. However, this is not a practical solution because there is only a finite amount of bandwidth available to broadcast music, and this bandwidth is already at or near capacity. Further, it is prohibitively expensive to create additional broadcast bandwidth.

SUMMARY OF THE INVENTION

The present invention provides, among other things, systems and methods for supplementing a broadcast media service with an on-demand and personalized media service. An on-demand media service is a service that enables a user to select the precise content (e.g., music, video or other content) and/or type of content (e.g., genre and sub-genre) that is transmitted by the service provider to the user, when a user desires such content. A personalized media service is a service that allows a user to have at least some degree of control over the content that is transmitted by the service provider to the user.

In one aspect, the present invention provides a system for providing an on-demand, personalized and a broadcast service to a plurality of users. In one embodiment, the system includes: a broadcast media source for broadcasting a signal including plurality of broadcast media channels, wherein each broadcast channel is associated with a format; a distribution center including: a signal receiver system that receives the broadcast signal, an on-demand system, and a transmission system that (a) combines an output from the on-demand system with an output from the signal receiver system to

create a combined signal that includes the plurality of broadcast media channels and (b) transmits the combined signal to a plurality of client systems via a distribution network.

Preferably, the client systems are operable to (1) isolate at least one of the channels within the combined signal, (2) provide audio data included in the isolated channel to an audio system that reproduces the audio for a user of the client system to hear, (3) provide video data included in the isolated channel to a video system that displays the video data on a display device for the user to see, (4) provide graphical data included in the isolated channel to a video system that displays the graphical data on a display device for the user to see, (5) display a user selectable button on the display device so that the user selectable button is displayed on the display device together with the video data, and (6) in response to the user of the client system selecting the selectable button, communicate with the on-demand system to initiate an on-demand session.

In some embodiments, in response to the user of the client system selecting the selectable button, the client system transmits information to the on-demand system, and, in response thereto, the on-demand system transmits a list of music videos to the client system.

The client system preferably displays the list of music videos on the display device so that the user is able to select one or more of the listed videos. In response to the user selecting one or more of the listed videos, the client system transmits to the on-demand system information identifying the music videos selected by the user. After receiving the information identifying the music videos selected by the user, the on-demand system creates a playlist of media assets. After creating the playlist, the on-demand system transmits to the client system, one at a time, the media assets included in the playlist. Preferably, for each video selected by the user there is a corresponding media asset in the playlist. Additionally, zero or more of the media assets included in the playlist may include commercial elements, promotional messages, etc.

In other embodiments, in response to the user of the client system selecting the selectable button, the client system transmits to the on-demand system information identifying the user and/or the client system, and, in response thereto, the on-demand system determines whether there is included in a set of channel profiles one or more channel profiles associated with the user and/or the client system.

If there is included in the set of channel profiles one or more channel profiles associated with the user and/or the client system, then the on-demand system may transmit to the client system a list of the one or more channel profiles. The client system may display the list to the user and the user is able to select one of the listed channel profiles. In response to the user selecting a channel profile, the client system may transmit to the on-demand system information identifying the channel profile selected by the user.

After receiving the information identifying the channel profile selected by the user, the on-demand system may select one or more media assets that match the selected channel profile, establish an on-demand session with the client system, and, after establishing the on-demand session, transmit to the client system the selected media asset(s). In some embodiments, the process of selecting additional media assets and then transmitting those assets to the client system may continue for a predetermined or indefinite period of time. In this way, the system may provide a personalized entertainment system.

Advantageously, in some embodiments, one or more of the selected media assets include commercial elements, promo-

tional message, etc. For example, a selected media asset may be a short (e.g., 30 second) video advertisement.

In another aspect, the present invention provides a method for providing an on-demand service to a user of a client system having a display. In one embodiment, the method includes the steps of: displaying to the user on the display a user interface comprising a button associated with an on-demand service; in response to the user activating the button, transmitting information to an on-demand system, wherein the information includes information associated with the activated button; receiving at the on-demand system the transmitted information; creating a playlist of media assets after receiving the transmitted information, wherein the playlist includes a first media asset and a second media asset; establishing an on-demand session with the client system after receiving the transmitted information; transmitting from the on-demand system to the client system the first media asset; reproducing the first media asset at the client system; transmitting from the on-demand system to the client system the second media asset after transmitting the first media asset; reproducing the second media asset at the client system; and terminating an on-demand session established with the client system after transmitting the second media asset.

The above and other features and advantages of the present invention, as well as the structure and operation of preferred embodiments of the present invention, are described in detail below with reference to the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated herein and form part of the specification, illustrate various embodiments of the present invention and, together with the description, further serve to explain the principles of the invention and to enable a person skilled in the pertinent art to make and use the invention.

FIG. 1 is a block diagram of a system for providing both an on-demand, personalized media service and a broadcast service to a plurality of users.

FIG. 2 is a flow chart illustrating a process.

FIG. 3 illustrates content that may be displayed to a user when the user's client system is tuned to a broadcast music channel.

FIG. 4 illustrates a functional block diagram of one embodiment of on-demand system 192.

FIG. 5 is a flow chart illustrating a process according to an embodiment of the invention.

FIG. 6 illustrates an example user interface.

FIG. 7 illustrates a process for creating the playlist according to an embodiment of the invention.

FIG. 8 illustrates three sets of scripts.

FIG. 9 illustrates an example user interface.

FIG. 10 illustrates an example user interface.

FIG. 11 is a flow chart illustrating a process according to an embodiment of the invention.

FIGS. 12-16 and 22 illustrate example user interfaces.

FIG. 17 is a flow chart illustrating a process according to an embodiment of the invention.

FIG. 18 illustrates an example user interface.

FIG. 19 illustrates example playlists.

FIG. 20 is a flow chart illustrating a process according to an embodiment of the invention.

FIG. 21 is a block diagram of a system for providing both an on-demand, personalized media service and a broadcast service to a plurality of users.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

FIG. 1 is a block diagram of a system 100 for providing both an on-demand, personalized media service and a broadcast service to users 101a-n. System 100 includes one or more broadcast media sources 102 and one or more signal distribution centers 104. Each distribution center 104 is coupled to a plurality of client systems 110 through a distribution network 108.

Broadcast media source 102 may broadcast a signal 112 to one or more distribution centers 104. As shown in FIG. 1, media source 102 may use a communications satellite 113 to transmit signal 112 to distribution center 104, but other communication methods may also be used.

Preferably, signal 112 contains several (e.g., about 40) broadcast media channels, with each channel being associated with one or more formats or categories of media. For example if signal 112 contains 40 broadcast music channels, one of the broadcast channels may be associated with the Jazz format while another may be associated with the Alternative Rock genre. A channel includes audio and/or video data. A channel may also include application data, which may include, for example, meta-data, instructions and/or other application data. For example, a broadcast music channel may include an audio data stream corresponding to an audio work (e.g., a song) and associated video data. The video data may include images associated with the song (e.g., an image of the artist who recorded the song). A channel may also include application data.

Distribution center 104 may be, for example, a cable head-end. Distribution center 104 may include one or more broadcast signal receiving systems 120 for receiving signals transmitted from broadcast media source 102 as well as other signal sources. Distribution center may also include a transmission system 122 for combining an output of signal receiving systems 120 and on-demand channels outputted by on-demand system 192 to generate a combined signal 125, which is transmitted to client systems 110 via distribution network 108. Accordingly, combined signal 125 may contain several broadcast channels as well as several on-demand channels. In other embodiments, transmission system 122 does not combine the output of signal receiving systems 120 and on-demand channels outputted by on-demand system 192 to generate a combined signal 125, but rather takes the outputs and transmits them to the client systems through the network.

Additionally, distribution center 104 may include a local ad insertion (LADI) system 177 coupled between a signal receiving system 120 and transmission system 122. The LADI system is described in provisional patent application No. 60/623,246, filed on Nov. 1, 2004, the contents of which is incorporated herein by this reference.

Distribution network 108 may include, for example, various amplifiers, bridges, routers, taps, drop cables, and/or other communications equipment. Additionally, distribution network 108 may include one or more forms of a wireless network.

Client systems 110 are operable to isolate at least one of the channels within combined signal 125 and then provide the audio and video data contained in the channel to an audio/video system 111, which reproduces the audio/video for a user 101 to hear and/or view. A/V system 111 preferably includes a display device (e.g., a TV or other display device) for displaying the video portion of the channel. Additionally, systems 110 include a client software application that is operable to display user 101 selectable buttons on the same display system that displays the video data. Although A/V sys-

5

tem **111** is illustrated separately from client system **110**, it is contemplated that A/V system **111** may be part of client system **110**.

The client systems **110** may include, for example, a conventional unidirectional or bi-directional set-top box or a computer equipped with, at the least, an interface (e.g., tuner and demodulator) for receiving information sent through distribution network **108**. In another embodiment, the client system **110** may include a computer or similar device which is equipped with an interface (network card or similar) for receiving data packets (e.g., IP packets or other packets) sent through network **108**.

Although FIG. **1** shows that all of the components of media-on-demand system **102** are included within distribution center **104**, this need not be the case as some or all of the components of media-on-demand system **102** may be located remotely from distribution center **104**.

In one embodiment, for at least one broadcast channel, media source **102** performs the process **200** shown in FIG. **2**. Process **200** includes a number of steps. In step **202**, media source **102** accesses a playlist associated with the broadcast channel. In step **204**, media source **102** retrieves from a media library a media asset (e.g., a song or music video) included in the playlist. In step **206**, media source **102** transmits the media asset to the distribution centers **104** (i.e., media asset is included in signal **112**). In step **208**, media source **102** also includes in the signal application data associated with the broadcast channel.

In one embodiment, the media asset retrieved and transmitted by media source **102** contains only audio data, no video data. In this embodiment, media source **102** may create video data to complement the audio data and transmit the video data with the audio data to the distribution centers (systems and methods for creating a visual complement of an audio work are described in co-pending U.S. patent application Ser. No. 10/066,793, filed Feb. 6, 2002 (now U.S. Pat. No. 7,275,256), which is incorporated herein by this reference). Thus, in one embodiment, for a given broadcast channel, media source **102** transmits to the distribution centers **104** audio data corresponding to a song, video data to complement the audio data, and client application data.

Each distribution center **104** may retransmit some or all of this data to a plurality of client systems **110**. The client systems **110** that are tuned to the given broadcast channel provide the audio and video data to A/V system **111**, which reproduces the audio and displays the video on a display device. Additionally, the client application data may instruct the client systems **110** tuned to the given broadcast channel to display user **101** selectable buttons on top of the video output. That is, the client application data may control at least part of the user interface displayed to the user **101**. This feature is illustrated in FIG. **3**.

FIG. **3** illustrates video content and buttons that may be displayed on an A/V system **111** display device when the corresponding client system **110** is tuned to the given broadcast music channel. As shown in FIG. **3**, the video content may include still images **302**, **304** and text **306**, **308**, all of which may be related to the current audio content of the broadcast channel. For example, still image **302** may be an image of the artist who recorded the audio content and text **306** may provide information about the audio content, such as the name of the song, album and artist. As used herein, the term artist is used broadly to mean an individual or a group of individuals (e.g., a rock band or jazz band).

As also shown in FIG. **3**, buttons **311**, **312**, **313** and **314** may be displayed to the user **101**. Button **311** is labeled "videos", button **312** is labeled "my music", and button **313** is

6

labeled "concerts, interviews, etc." A user **101** who wishes to watch one or more specific videos can do so by activating button **311**, a user **101** who wishes to listen to a personalized audio channel can do so by activating button **311**, and a user **101** who wishes to view/listen to other content (e.g., pre-recorded concerts, interviews, and other content) can do so by activating button **312**. Although, four buttons are shown in FIG. **3**, it is contemplated that more or fewer buttons may be displayed.

As used herein, the term button includes, without limitation, any selectable display element or well-defined area within an interface that is activated (e.g., "clicked") to select a command, such as, a hyperlink or menu-option, wherein, when the element is activated by the user **101**, the client system **110** may perform some action in response.

In some embodiments, a user **101** can "activate" a button **311-314** using a remote control (not shown) that communicates with client system **110** or using a client system **110** control panel (not shown). For example, the user **101** can press buttons on the remote control or control panel to highlight a button and then after the button is highlighted press a button labeled "ok" to thereby activate the button.

Additionally, in some embodiments, client system **110** may include a remote control having buttons corresponding to user interface buttons **311-314**, such that activating one of the corresponding buttons on the remote control has the same effect as activating the corresponding button **311-314**. For example, the remote control may have a button labeled "videos," and pressing the "videos" button on the remote may have the same effect as activating button **311**.

In response to a user **101** activating button **311**, client system **110** communicates with on-demand system **192** to initiate an on-demand session. For example, client system **110** may transmit to on-demand system **192** information identifying the button activated by the user **101**, information identifying the broadcast channel to which the user **101** device was tuned when the user **101** activated the button, and information identifying the artist of the song that was playing when the user **101** activated the button.

Referring now to FIG. **4**, FIG. **4** illustrates a functional block diagram of one embodiment of on-demand system **192**. As shown in FIG. **4**, on-demand system **192** may include a media server **402**, a media asset selector **404**, a profile management system **405**, a media pump **408**, and a storage system **410** for storing user **101** created profiles **411**, a collection of media assets **412**, meta-data **414**, which may be stored in a database, a collection of scripts **416**, and user **101** data **418**, which also may be stored in a database. Some or all of the media assets **412** may be linked with meta-data **414**. For example, where a given media asset is a music video or song, the given media asset may be linked with meta-data, wherein the meta-data includes information about the music video, such as, the title, artist, genre, director, length, etc.

One or more computer and storage systems may be used to implement on-demand system **192**. For example, one or more computer systems may be used to implement media server **402** while one or more other computer systems may be used to implement media asset selector **404**. The computer systems may be co-located or located in several different facilities. Accordingly, media asset selector **404** and media server **402** may be implemented in software and/or hardware.

In some embodiments, media server **402** is capable of outputting digital data streams at a constant rate to numerous client systems **110** simultaneously. Media server may be implemented using a conventional video-on-demand ("VOD") or VOD-like server. In some embodiments, client

system **110** can buffer data so that media server **402** does not have to transmit at constant rates.

Storage system **410** may include one or more storage devices, such as hard disk drives, CD/DVD drives, and/or other storage devices. The storage devices that make up storage system **410** may or may not be co-located, and each storage device may or may store only one type of information. For example, a first set of one or more storage devices may store media assets **412** and a second set of one or more storage devices may store scripts **416**.

User **101** data **418** may include information about users **101**. That is each user **101** may have associated user **101** data. For example, for each user **101**, the database of user **101** data may include: demographic information about the user **101** (e.g., age, sex, location, income), a list of the most recent (e.g., within the last 4 months) assets requested by the user **101**, a list of the most recent advertisements transmitted to the user **101**, information indicating whether the user **101** selected a predetermined asset a predetermined number of times within a predetermined period, etc.

Referring now to FIG. 5, FIG. 5 is a flow chart illustrating a process **500**, according to some embodiments, performed after the user **101** activates “videos” button **311**. As mentioned above, a user **101** may activate button **311** if the user **101** wishes to view one or more music videos. Process **500** may begin in step **502**. In step **502**, client system **110** transmits information to on-demand system **192**. The information may include: (a) information identifying the channel to which client system **110** was tuned when the user **101** activated button **110**, (b) information indicating that the user **101** activated button **311**, and (c) information identifying the artist of the song that was playing when the user **101** activated the button.

In step **504**, on-demand system **192** transmits to client system **110** a list of the artist’s music videos that are included in the media asset collection **412**. For example, the user **101** may have selected button **311** at a point in time when the user **101** was tuned to a broadcast music channel that was playing a song by the artist U2, in which case, on-demand system **192** would transmit to client system **110** a list of zero or more of U2’s music videos. Preferably, on-demand system **192** does not include in the list the titles of any videos that are not included in media asset collection **412**.

In step **506**, client system **110** receives the list and displays the list in a display area of a user interface displayed to the user **101**. The user interface includes selectable buttons. FIG. 6 illustrates an exemplary user interface **600** that may be displayed in step **506**.

Referring now to FIG. 6, user interface **600** includes a display area **620** for displaying the list of music video titles **621** received from on-demand system **192**. User interface **600** also includes buttons **601-608**.

In step **508**, client system **110** waits for the user **101** to take some action. For example, the user **101** may select to view one or more of the listed videos. To do this, the user **101** may highlight one or more of the listed video titles and then activate a button on the remote control (not shown) that communicates with client system **110**. If the user **101** selects to view one or more of the listed videos then control may pass to step **510**. In some embodiments, to select more than one video, the user **101** may first have to activate “create playlist” button **607**. In these embodiments, selecting button **607** enables the user **101** to select up to X videos, where X is greater than or equal to 2. In one example, selecting button **607** enables the user **101** to select up to 10 videos. Additionally, in these embodiments, control may not pass to step **510** until the user **101** has indicated that he/she is done selecting videos. A

selectable button may be displayed to the user **101** for this purpose. Such a button may be labeled “start playlist” or “done selecting.”

In step **510**, client system **110** transmits to on-demand system **192** information identifying the video(s) selected by the user **101**. In step **512**, system **192** creates a playlist of media assets (FIG. 7 illustrates a process for creating the playlist). That is, system **192** determines the media assets that it will transmit to client system **110** in response to receiving from client system **110** the information identifying the video(s) selected by the user **101**. Preferably, the playlist includes the video(s) selected by the user **101** and zero or more other media assets. For example, the playlist may include one or more short advertisements in addition to the video(s) selected by the user **101**.

In step **516**, media server **402** transmits (e.g., by streaming) one at a time the media assets included in the playlist. Preferably, the media assets are transmitted in playlist order. In this way, when a user **101** selects to watch a video, the user **101** may first see a short advertisement, then one of the selected videos, then another short advertisement, etc.

In some embodiments, a user **101** can “link” from a playing asset to another asset. For example, in one embodiment, a user **101** may activate a particular button (on the remote control or displayed on the display screen) while listening to/watching the asset that is being transmitted in step **516**. Activating the particular button may cause client system **110** to transmit to on-demand system **192** a command associated with the activated button. In response to receiving the command, on-demand system **192** may cease transmitting whichever asset is currently being transmitted (“the current asset”) and transmit another asset. As a specific example, the particular button may be a “skip” or “next” button, in which case, in response to receiving the command, on-demand system **192** ceases transmitting the current asset and transmits an asset included in the playlist that has not already been transmitted. If the playlist is an ordered list of assets, then on-demand system **192** transmits the asset that follows the asset that was playing when the user **101** activated the button.

Additionally, in some embodiments, activating a particular button may cause client system **110** to transmit to on-demand system **192** an asset identifier associated with an asset. In response to receiving the asset identifier, on-demand system **192** may cease the current asset and transmit the asset identified by the identifier. In this way, the user **101** can link from one asset that is in the playlist to another asset that may not be in the playlist. For example, the current asset may be a promotion for a newly added video and the asset identifier is an identifier that identifies the new added video. Thus, while the user **101** is watching the promotion, the user **101** can simply just activate a button to see the newly added video that is the subject of the promotion.

Preferably, after the identified asset has been fully transmitted to the client system **110**, on-demand systems resumes playing the playlist. That is, after the identified asset has been fully transmitted, on-demand system **192** transmits an asset included in the playlist that has not already been transmitted. If the playlist is an ordered list of assets, then on-demand system **192** transmits the asset that follows the asset that was playing when the user **101** activated the button.

Referring now to FIG. 7, FIG. 7 is a flow chart illustrating a process **700** performed by media asset selector **404**, according to one embodiment, for creating a playlist in response to a user **101** selecting one or more videos. Process **500** may begin in step **702**, where media asset selector **404** receives data indicating the selection(s) made by the user **101** and/or data identifying the user **101** and/or client system **110** (e.g.,

user **101-id** associated with the user **101** or a device id associated with the client system **110**). Thus, for example, if the user **101** selected one music video, then media asset selector **404** may receive in step **702** data identifying the selected music video. The data may include the name of the music video or a unique code associated with the music video or channel.

In step **704**, media asset selector **404** selects one of the scripts **416**. Scripts **416** instruct media asset selector **404** as to which media assets should be included in the media asset package. On-demand system **192** may include a set of scripts or multiple sets of scripts. Accordingly, in some embodiments, each script has a priority assigned to it. This feature is illustrated in FIG. **8**. FIG. **8** shows three sets of scripts, sets **801**, **802** and **803**. FIG. **8** also shows that each script in each set may be assigned a priority value. For example, scripts **810** and **811** of set **801**, scripts **820** and **821** of set **802**, and script **830** of set **803** are each assigned a priority value of “1” and scripts **812** and **813** of set **801** and scripts **822** and **823** of set **802** are each assigned a priority value of “2”. In this example, the lower the priority value, the “higher” the priority. So, scripts **810**, **811**, **820**, **821** and **830** have the “highest” priority.

In some embodiments, in step **704**, media asset selector **404** selects the script having the highest priority (if two or more scripts have the same priority, then the selector may randomly select one of the high priority scripts).

In step **706**, media asset selector **404** interprets the selected script. That is, media asset selector **404** performs actions as instructed by the script. Accordingly, the script includes instructions that instruct media asset selector **404** to take certain actions, such as, for example: performing logical operations, comparing values, retrieving data from a database, writing data to a file, selecting another script to interpret, and selecting certain media assets to include in a playlist. Because a script may instruct media asset selector **404** to include one or more assets in a playlist, a playlist may be partially or fully specified as a result of interpreting the script.

In some embodiments, each script **416** is written in a language similar to Javascript or other well-known scripting languages. Thus, the scripts provide, among other things, looping and decision making control structures (e.g., IF/WHILE statements), thereby enabling a script author to implement detailed and/or complex logic flow in asset selection.

After step **706**, the process may end or may proceed to step **708**. The process may end if, after interpreting the script, a complete playlist is specified. In step **708**, media asset selector **404** selects another script. The script selected in step **708** may be the next highest priority script or a script identified by the first script. That is, the first script may include an instruction instructing media asset selector **404** to next select and interpret a specific script. After step **708**, the process returns to step **706**.

Because the media assets to be included in a playlist are selected based on one or more scripts, the selector system **404** is highly flexible and easy to maintain.

Referring back to FIG. **6**, buttons **601-608** enable a user **101** to find the video(s) the user **101** would like to watch. For example, if the user **101** is interested in selecting a newly added video, the user **101** may select button **602**. In response to user **101** selecting button **602**, client system **110** transmits to on-demand system **192** information indicating that the user **101** activated button **602** (step **520**). In response, on-demand system **192** determines the newly added videos for the currently selected format (step **522**). This information may be stored in a database within system **192**.

In the situations where the user **101** activated videos button **311** when client system **110** was tuned to a particular broadcast music channel, then, initially, the currently selected format is format of that particular broadcast channel. So, for example, if the user **101** had client system **110** tuned to the “R&B and Hip-Hop” broadcast music channel when the user **101** activated button **311**, then, until changed by the user **101**, the currently selected format is “R&B and Hip-Hop.” The user **101** can change the selected format by activating the “change format button” **608** and selecting a new format. Additionally, the user **101** can select button **606** to select all formats. By selecting “all formats” button **606**, the user **101** is given the option to select videos across all formats of music. In step **526**, on-demand system **192** transmits to client system **110** a list of the newly added videos determined in step **522**. After step **526**, control passes back to step **506**.

If the user **101** is interested in selecting a popular video, the user **101** may select button **603**. In response to user **101** selecting button **603**, client system **110** transmits to on-demand system **192** information indicating that the user **101** activated button **603** (step **528**). In response, on-demand system **192** determines the local top **10** videos for the currently selected format (step **530**). This information may be determined from information stored in a database. Accordingly, on-demand system **192** may record all user **101** video selections so that the popular videos can be determined. In step **531**, on-demand system **192** transmits to client system **110** a list of the videos determined in step **530**. After step **531**, control passes back to step **506**.

If the user **101** is interested in selecting a video from a particular sub-category of the currently selected format, the user **101** may activate button **604**. In response to user **101** selecting button **604**, client system **110** transmits to on-demand system **192** information indicating that the user **101** activated button **604** (step **532**). In response, on-demand system **192** transmits to client system **110** a list of the sub-categories of the current format (step **534**). Client system **110** displays the list of sub-categories to the user **101** so that the user **101** can select a sub-category (step **536**) (see FIG. **9**). In response to a user **101** selecting a sub-category, client system **110** transmits to on-demand system **192** information indicating the sub-category selected by the user **101** (step **538**). In response, on-demand system **192** transmits to client system **110** a list of videos associated with the selected sub-category (step **540**). After step **540**, control passes back to step **506**.

If the user **101** is interested in selecting a video from a particular artist associated with the currently selected format, the user **101** may activate button **605**. In response to user **101** selecting button **605**, client system **110** transmits to on-demand system **192** information indicating that the user **101** activated button **605** (step **542**). In response, on-demand system **192** transmits to client system **110** a list of the artists associated with the current format (step **544**) (if the user **101** had selected button **606**—all formats—followed by button **605**, then the list will include artists associated with all formats). Client system **110** displays the list of artists to the user **101** so that the user **101** can select an artist (step **546**) (see FIG. **10**). In response to a user **101** selecting an artist, client system **110** transmits to on-demand system **192** information indicating the artist selected by the user **101** (step **548**). In response, on-demand system **192** transmits to client system **110** a list of videos associated with the artist (step **550**). After step **550**, control passes back to step **506**.

Referring back to FIG. **3**, a user **101** who wishes to initiate a personalized on-demand session (i.e., a “personalized channel”) can do so by activating button **312**. A “personalized channel” may be an audio channel, a video channel or in some embodiments, a combination of audio and video channels.

11

Referring now to FIG. 11, FIG. 11 is a flow chart illustrating a process 1100, according to some embodiments, performed in response to a user 101 activating button 312, which is displayed on a display device of or connected to client system 110.

Process 1100 may begin in step 1102, where a determination is made as to whether on-demand system 192 has any personalized channel profiles 411 associated the user 101's client system 110 or with the user 101. If on-demand system 192 does not have any such personalized channel profiles 411, control may pass to step 1132, otherwise control may pass to step 1104.

In step 1104, on-demand system 192 determines the names of the personalized channel profiles associated with the user 101 or the user 101's client system 110. In step 1106, on-demand system 192 transmits to client system 110 the list of determined names. In step 1107, client system 110 displays the names of the personalized channels in a user interface that is displayed on the display device.

FIG. 12 illustrates an exemplary user interface 1200 that may be displayed in step 1108. As shown in FIG. 12, the names of several personalized video channel profiles are listed in one display area 1202 and the names of several personalized audio channel profiles are listed in another display area 1204. Also displayed to the user 101 are menu-options 1211-1214.

In step 1108, client system 110 waits for the user 101 to take some action. At this point, the user 101 has several options. The user 101 may elect to play, create, modify and delete one of the channel profiles (or simply "channel" for short). To play, modify or delete one of the channels, the user 101 may highlight the name of the channel the user 101 wants to play, modify or delete, and then activate the appropriate button 1211-1214 by using a remote control interfaced with client system 110, as is well known in the art.

If the user 101 elects to play one of the listed channels then control may pass to step 1110. In step 1110, client system 110 transmits to on-demand system 192 information identifying the channel selected by the user 101 and information indicating that the user 101 desires "play" the channel profile. For example, the information may include the name of the channel or an identifier uniquely associated with the channel and a "play" command.

In step 1112, system 192 retrieves the identified channel profile, and, in step 1113; creates a playlist of one or more media assets based, at least in part, on the contents of the selected channel profile. That is, on-demand system selects one or more media assets based, at least in part, on the channel profile. As discussed above, on-demand system may interpret one or more scripts to create the playlist. Accordingly, in some embodiments, on-demand system 192 may include a script for creating playlists based on channel profiles. Preferably, the playlist created in step 1113 includes a work or works that match the profile selected by the user 101. In this way, the playlist will likely include works that the user 101 will enjoy. Additionally, the playlist may include or consist of one or more short advertisements (e.g., a promotional message).

In step 1116, media server 402 transmits (e.g., by streaming) one at a time the media assets included in the playlist. Preferably, the media assets are transmitted in playlist order. In step 1118, on-demand system adds additional media assets to the play list if necessary. Additional media assets may need to be added to the playlist if the end of the play list is approaching. On-demand system 192 may approach the end of the playlist if, within a certain amount of time from initi-

12

ating the personalized session, the user 101 does not indicate to client system 110 that the user 101 wishes to terminate the personalized session. This amount of time, of course, depends on the length of the playlist.

5 If the user 101 elects to delete one of the listed channel profiles, then control may pass to step 1122. In step 1122, client system 110 transmits to on-demand system 192 information identifying the channel profile selected by the user 101 and information indicating that the user 101 desires to delete the channel profile. In step 1124, on-demand system deletes the profile.

If the user 101 elects to modify one of the listed channel profiles, then control may pass to step 1126. In step 1126, client system 110 transmits to on-demand system 192 information identifying the channel profile selected by the user 101 and information indicating that the user 101 desires to modify the channel profile. In step 1128, on-demand system enables the user 101 to modify the profile by, for example, adding formats to the profile or removing formats from the profile.

20 If the user 101 elects to create a new personalized channel, then control may pass to step 1130. In step 1130, client system 110 transmits to on-demand system 192 information indicating that the user 101 desires to create a new channel profile. In step 1132, on-demand system 192 transmits to client system 110 a list of music formats. In step 1134, client system 110 receives the list and displays the list in a display area of a user interface displayed to the user 101.

FIG. 13 illustrates an exemplary user interface 1300 that may be displayed in step 1134. As shown in FIG. 13, the names of several music formats are listed in a display area 1302.

In step 1136, the user 101 elects whether he/she wants to create a video channel profile or an audio channel profile. To select a video channel profile, the user 101 would, of course, activate videos button 1311, and to select an audio channel profile, the user 101 would activate audio button 1312.

In step 1138, the user 101 selects the format(s) that he/she would like to include in the profile and then selects the "continue" button 1313. For example, the user 101 may wish to create a channel profile that includes the "Classic R&B", "Gospel" and "R&B" Hip Hop" formats. In response to the user 101 selecting a format(s) and activating button 1313, client system 110 may transmit to on-demand system 192 information indicating the format(s) selected by the user 101 (step 1140). In step 1142, on-demand system 192 may transmit to client system 110 a list of sub-categories for each format selected by the user 101 and client system displays the list(s) to the user 101. FIG. 14 illustrates a user interface 1400 that may be displayed in step 1142. User interface 1400 enables the user 101 to select one or more sub-categories for each category of music selected in step 1138. When the user 101 is finished selecting the sub-categories the user 101 may activate continue button 1413.

55 In step 1144, client system 110 displays to the user 101 a user interface that enables the user 101 to set the mix for the channel. That is, it enables the user 101 give a weight to each format selected in step 1138. FIG. 15 illustrates a user interface 1500 that may be displayed in step 1144. When the user 101 is finished setting the mix for the channel, the user 101 may activate continue button 1513.

In step 1146, client system 110 displays to the user 101 a user interface that enables the user 101 to set a name for the channel. FIG. 16 illustrates a user interface 1600 that may be displayed in step 1148. As shown in FIG. 16, the user interface includes a keypad 1602. The user 101 may name a channel by selecting characters (letters, numbers, etc) from

13

keypad 1602 using the remote control. When the user 101 is finished setting the name for the channel, the user 101 may activate continue button 1613. After step 1146, control may pass back to step 1107 or to step 1113.

Referring back to FIG. 3, a user 101 who wishes to watch a previously recorded program can do so by activating button 313. Referring now to FIG. 17, FIG. 17 is a flow chart illustrating a process 1700, according to some embodiments, performed in response to a user 101 activating button 313. Process 1700 may begin in step 1702. In step 1702, client system 110 transmits information to on-demand system 192. The information may include information indicating that the user 101 activated button 313.

In step 1704, on-demand system 192 transmits to client system 110 a list of pre-recorded programs that are included in the media asset collection 412. The pre-recorded programs may include pre-recorded concerts, interviews, other music related programs, etc. Along with the set of program titles, on-demand system 192 may also transmit to client system 110 information regarding each program, such as a short description of the program.

In step 1706, client system 110 receives the set of program titles and displays them in a display area of a user interface displayed to the user 101. FIG. 18 illustrates an exemplary user interface 1800 that may be displayed in step 1706. Referring now to FIG. 18, user interface 1800 includes a display area 1820 for displaying the list of program titles received from on-demand system 192.

In step 1708, client system 110 waits for the user 101 to take some action. For example, the user 101 may select to view one or more of the listed programs. To do this, the user 101 may highlight one or more of the listed program titles and then activate a button on a remote control (not shown) that communicates with client system 110. In response to the user 101 highlighting one of the displayed program titles, client system 110 may display in a display area 1821 of user interface 1800 information pertaining to the selected program, such as a short description of the program. If the user 101 selects to view one or more of the listed programs then control may pass to step 1710.

In step 1710, client system 110 transmits to on-demand system 192 information identifying the program(s) selected by the user 101. In step 1712, system 192 creates a playlist of media assets (FIG. 7 illustrates a process for creating the playlist). That is, system 192 determines the media assets that it will transmit to client system 110 in response to receiving from client system 110 the information identifying the program(s) selected by the user 101. Preferably, the playlist includes the program(s) selected by the user 101 and one or more other media assets. For example, the playlist may include one or more short advertisements in addition to the program(s) selected by the user 101.

In some embodiments, a program may be divided into two or more segments. Each segment may be a media asset. In these embodiments, on-demand system 192 may create a playlist wherein an advertisement(s) or other media asset(s) is/are positioned between two segments of the program. The advertisement or other media asset may be selected based on one or more criteria. As an example, advertisements can be selected based on the broadcast channel to which the user 101's client system was last tuned. Additionally, information about the user 101 can influence the selection of an advertisement. Such information about the user 101, which may be stored, in user 101 data 418, includes the user 101's age, sex, location, listening/viewing history and advertisements the user 101 has already seen.

14

Thus, in many embodiments, if two different users select the same program, at the same time or at different times, on-demand system 192 may create one playlist for the first user 101 and a different playlist for the second user 101, where the first playlist is tailored to the first user 101 and the second playlist is tailored to the second user 101. So, even if two users select the same program, the users may have a different viewing experience. As a specific example, if the first user 101 is under the age of 20 and the second user 101 is over the age of 30, then the advertisements, if any, included in the playlist for the first user 101 may be different than the advertisements, if any, included in the playlist for the second user 101. This feature is illustrated in FIG. 19, which shows two exemplary playlists 1901 and 1902, one for a first user 101 and one for a second user 101, where both users selected the same program, which program, in this example, was divided into three segments.

In step 1716, media server 402 transmits (e.g., by streaming) one at a time the media assets included in the playlist. Preferably, the media assets are transmitted in playlist order. In this way, when a user 101 selects to watch a program, the user 101 may first see a short advertisement, then a segment of the selected program, then another short advertisement, etc.

Referring back to FIG. 3, a user 101 who wishes to hot link from a broadcast audio channel to video-on-demand video can do so by activating button 314. Although button 314 is shown as a distinct button, in some embodiments, button 314 may simply be a hotspot over display element 302 or 304, for example.

Referring now to FIG. 20, FIG. 20 is a flow chart illustrating a process 2000, according to some embodiments, performed in response to a user 101 activating button 314.

Process 2000 may begin in step 2002. In step 2002, client system 110 transmits information to on-demand system 192. The information may include information indicating that the user 101 activated button 314. Preferably, the information also includes a video identifier that identifies a video. Preferably, the identified video is related to the content of the broadcast channel to which client system 110 was tuned when the user 101 activated the button 314. For example, if the content on the broadcast channel is from Artist X, then the identified video may be a music video from Artist X.

In step 2004, system 192 creates a playlist of media assets. That is, system 192 determines the media assets that it will transmit to client system 110 in response to receiving from client system 110 the music video identifier. Preferably, the playlist includes the identified video and zero or more other media assets. For example, the playlist may include one or more short advertisements in addition to the identified video.

In step 2008, media server 402 transmits (e.g., by streaming) one at a time the media assets included in the playlist. Preferably, the media assets are transmitted in playlist order. In step 2012, the client system 110 returns (i.e., tunes) to the broadcast channel to which it was tuned when the user 101 activated button 314.

In some embodiments, it is not necessary for a user 101 to first configure client system 110 to "tune" to a broadcast media channel before user 101 can enjoy the services of on-demand system 192. For example, in some embodiments, user 101 can cause client system 110 to communicate with on-demand system 192 at any time by, for example, activating a pre-defined button on the remote control or control panel.

For example, the user 101 may at any time cause client system 110 to send a message to on-demand system 192 indicating that the user 101 would like to see a menu of on-demand services. In response, on-demand system 192 may respond by

15

transmitting to client system **110** information regarding the available on-demand services.

Client system **110** may then display a user interface **2200** (see FIG. **22**) that enables user **101** to select one of the available on-demand services. User interface may include buttons that when activated cause the same or substantially the same effect as activating buttons **311-314**. For example, user interface **2200** may include a button **2201**, which is labeled “videos”, a button **2202**, which is labeled “MyMusic,” and a button **2203**, which is labeled “concerts, interviews, etc.”

After a user activates the “videos” button **2201**, client system **110** may display to user **101** user interface **600**, wherein a list of music formats (e.g., rock, alternative, jazz, etc.) is displayed in display area **620**. Client system **110** enables user to select one of the listed formats. After the user **101** selects a format, client system **110** may communicate the selection to on-demand system **192** and subsequently receive from on-demand system **192** a list of artists associated with the format (see step **544** of process **500**). That is, process **500** may be performed at this point beginning with step **544**. After the user activates the “MyMusic” button **2202**, process **1100** may be performed. Similarly, after the user activates button **2203** process **1700** may be performed.

Referring now to FIG. **21**, FIG. **21** illustrates another embodiment of the present invention. FIG. **21** is a block diagram of a system **2100** for providing both an on-demand, personalized media service and a broadcast service to users **101**. System **2100** includes many of the same components as system **100**. In system **2100**, user **101** interacts with a set-top-box (STB) **2120** coupled to a conventional television (TV). STB **2120** has the functionality of client system **110** described above.

User **101** also interacts with a personal computer (PC) **2126**, which is coupled to a modem **2124**, which may be a conventional cable modem. As used herein, the term “personal computer” should be construed broadly to include any computing system capable of executing application software, such as a web browser or a media player or other applications. Preferably modem **2124** and STB **2120** share a cable **2125** to connect to network **2108**, which may be a cable-tv (CATV) network. In this embodiment, user **101** can have personalized channels transmitted to either of STB **2120** and PC **2126**.

PC **2126** preferably includes a web browser program and media player. The web browser and media player may communicate with a web server **2102**. For example, in response to a user **101** action, the web browser or media player may send a request to web server **2102**. In response, web server **2102** may determine the personalized channel profiles **411** that are associated with the user **101** and transmit the names of the personalized channels to PC **2126**, which then displays the names on a display device of the PC. The user **101** can then select one the personalized channels. In response, PC **2126** transmits the selection to web server **2102**. On-demand system **192** will then start streaming to PC **2126** media based on the channel selected by the user **101**. Accordingly, the same channel profile **411** can be used to stream personalized media to STB **2120** or PC **2126**.

While various embodiments/variations of the present invention have been described above, it should be understood that they have been presented by way of example only, and not limitation. Thus, the breadth and scope of the present invention should not be limited by any of the above-described exemplary embodiments, but should be defined only in accordance with the following claims and their equivalents.

Additionally, while the processes-described above and illustrated in the drawings are shown as a sequence of steps, this was done solely for the sake of illustration. Accordingly,

16

unless indicated otherwise, the steps need not be performed in the order shown. Further, it is contemplated that some steps may be added and other steps omitted.

What is claimed is:

1. A system for providing an on-demand, personalized media service and a broadcast service to a plurality of users, comprising:

a plurality of client systems;

a distribution network;

a broadcast media source for broadcasting a signal, said signal including plurality of broadcast media channels, wherein each broadcast media channel is associated with a music format; and

a distribution center including:

a signal receiver system that receives the broadcast signal, an on-demand system, and

a transmission system that takes output from the on-demand system and output from the signal receiver system and transmits the outputs to the plurality of client systems via the distribution network, wherein

the output from the signal receiving system includes the plurality of broadcast media channels,

the client systems are operable to:

(1) isolate at least one of the broadcast media channels,

(2) provide audio data included in the isolated channel to an audio system that reproduces the audio for a user of the client system to hear,

(3) provide video and/or graphical data included in the isolated channel to a video system that displays the video and/or graphical data on a display device for the user to see,

(4) display a first user selectable button on the display device so that the first user selectable button is displayed on the display device together with the video and/or graphical data obtained from the isolated channel, and

(5) in response to the user of the client system selecting the selectable button, transmit a message to the on-demand system to initiate an on-demand session, wherein the content of the message is dependent on the broadcast media channel that is isolated by the client system, wherein

the on-demand system is configured to transmit a list of music videos to the client system in response to receiving the message,

the client system is configured to display the list of music videos on the display device,

the client system is configured to display together with the list of videos a second selectable button, and

the client system is configured such that in response to the user selecting the second button, the client system transmits to the on-demand system information, and, the on-demand system is configured such that, after receiving the information, the on-demand system transmits to the client system information identifying a set of artists, wherein each identified artist is associated with the format associated with the broadcast channel to which the client system was tuned when the user selected the first button.

2. The system of claim 1, wherein the content of the message includes information identifying the broadcast media channel that is isolated by the client system.

3. The system of claim 1, wherein the audio data is associated with an artist and music format, and the content of the message is dependent upon the artist and/or music format.

4. The system of claim 1, wherein, in response to the user selecting one or more of the listed videos, the client system

17

transmits to the on-demand system information identifying the music videos selected by the user.

5. The system of claim 4, wherein, after receiving the information identifying the music videos selected by the user, the on-demand system creates a playlist of media assets and establishes an on-demand session with the client system.

6. The system of claim 5, wherein, after establishing the on-demand session, the on-demand system transmits, one at a time, to the client system the media assets included in the playlist.

7. The system of claim 5, wherein the on-demand system creates the playlist by interpreting one or more scripts.

8. The system of claim 5, wherein at least one of the media assets in the playlist includes an advertisement targeted to the user.

9. The system of claim 1, wherein the client system displays together with the list of videos a third selectable button.

10. The system of claim 9, wherein, in response to the user selecting the third button, the client system transmits to the on-demand system information, and, after receiving the information, the on-demand system transmits to the client system information identifying a set of newly added music videos.

11. The system of claim 10, wherein each of said newly added music videos is associated with the format associated with the broadcast channel to which the client system was tuned when the user selected the first button.

12. The system of claim 9, wherein, in response to the user selecting the third button, the client system transmits to the on-demand system information, and, after receiving the information, the on-demand system transmits to the client system information identifying a set of popular music videos within an area in which the user is located.

13. The system of claim 9, wherein, in response to the user selecting the third button, the client system transmits to the on-demand system information, and, after receiving the information, the on-demand system transmits to the client system information identifying a set of sub-categories associated with the format associated with the broadcast channel to which the client system was tuned when the user selected the first button.

14. The system of claim 1, wherein in response to the user of the client system selecting the selectable button, the client system transmits to the on-demand system information identifying the user and/or the client system, and, in response thereto, the on-demand system determines whether there is included in a set of channel profiles one or more channel profiles associated with the user and/or the client system.

15. The system of claim 14, wherein if there is included in the set of channel profiles one or more channel profiles associated with the user and/or the client system, then on-demand system transmits to the client system a list of the one or more channel profiles and the client system displays the list to the user.

16. The system of claim 15, wherein the user is able to select one of the listed channel profiles, and, in response to the user selecting a channel profile, the client system transmits to the on-demand system information identifying the channel profile selected by the user.

17. The system of claim 16, wherein, after receiving the information identifying the channel profile selected by the user, the on-demand system selects a media asset that matches the selected channel profile and establishes an on-demand session with the client system, and, after establishing the on-demand session, transmits to the client system the selected media asset.

18. A method for providing an on-demand, personalized media service and a broadcast service to a user, comprising:

18

receiving a broadcast signal at a distribution center, the broadcast signal including plurality of broadcast media channels;

transmitting from the distribution center to a client system via a distribution network the plurality of broadcast media channels, wherein the client system is configured to isolate one of the broadcast media channels and provide audio data included in the isolated channel to an audio system that reproduces the audio data for a user of the client system to hear;

transmitting from the distribution center to the client system information that causes the client system to:

display a first user selectable button and a second selectable button on a display device while providing the audio data to the audio system so that the user can see the selectable buttons while listening to the audio data included in the isolated channel;

transmit a message to an on-demand system to initiate an on-demand session in response to the user of the client system selecting the first selectable button; wherein the content of the message is dependent on the broadcast media channel that is isolated by the client system;

transmit to the on-demand system information indicating that the second button was selected in response to the user selecting the second button; and

transmitting, from the on-demand system to the client system, information identifying a set of artists after the on-demand system receives the information indicating that the second button was selected, wherein each identified artist is associated with a format associated with the broadcast media channel isolated by the client system when the user selected the second button.

19. The method of claim 18, wherein the information transmitted from the distribution center to the client system causes the client system to transmit information from the client system to the on-demand system in response to the user of the client system selecting the first selectable button, and the method further comprises the step of transmitting from the on-demand system to the client system a list of music videos after the on-demand system receives the information from the client system.

20. The method of claim 19, wherein the information transmitted from the client system to the on-demand system includes information identifying the broadcast media channel isolated by the client system when the user selected the button.

21. The method of claim 20, wherein the audio data is associated with an artist and each music video in the list is also associated with the artist.

22. The method of claim 19, further comprising causing the client system to (a) display the list of music videos on the display device and (b) enable the user to be able to select one or more of the listed videos.

23. The method of claim 22, further comprising transmitting to the on-demand system information identifying the music videos selected by the user.

24. The method of claim 22, further comprising: creating a playlist of media assets after receiving information identifying the music videos selected by the user; and

establishing an on-demand session with the client system.

25. The method of claim 24, further comprising transmitting, one at a time, to the client system the media assets included in the playlist after establishing the on-demand session.

26. The method of claim 24, wherein the step of creating the playlist includes interpreting one or more scripts.

19

27. The method of claim 24, wherein at least one of the media assets in the playlist includes an advertisement targeted to the user.

28. The method of claim 22, further comprising causing the client system to display a third selectable button. 5

29. The method of claim 28, further comprising:

providing information to the client system that causes the client system to transmit to the on-demand system information indicating that the third button was selected in response to the user selecting the third button; and 10

after the on-demand system receives the information indicating that the third button was selected, transmitting from the on-demand system to the client system information identifying a set of newly added music videos. 15

30. The method of claim 29, wherein each of said newly added music videos is associated with a format associated with the broadcast media channel isolated by the client system when the user selected the third button.

31. The method of claim 28, further comprising:

providing information to the client system that causes the client system to transmit to the on-demand system information indicating that the third button was selected in response to the user selecting the third button; and 20

after the on-demand system receives the information indicating that the third button was selected, transmitting from the on-demand system to the client system information identifying a set of popular music videos within an area in which the user is located. 25

32. The method of claim 28, further comprising:

providing information to the client system that causes the client system to transmit to the on-demand system information indicating that the third button was selected in response to the user selecting the third button; and 30

after the on-demand system receives the information indicating that the third button was selected, transmitting from the on-demand system to the client system information identifying a set of sub-categories associated with a format associated with the broadcast media channel isolated by the client system when the user selected the third button. 35 40

33. The method of claim 18, further comprising the steps of:

providing information to the client system that causes the client system to transmit to the on-demand system information identifying the user and/or the client system in response to the user selecting the selectable button; and 45

after receiving the information identifying the user and/or the client system, determining whether there is included in a set of channel profiles one or more channel profiles associated with the user and/or the client system. 50

34. The method of claim 33, further comprising:

transmitting to the client system a list of the channel profiles associated with the user and/or the client system; and 55

displaying the list to the user.

35. The method of claim 34, wherein the user is able to select one of the listed channel profiles, and, the client system is configured such that, in response to the user selecting a channel profile, the client system transmits to the on-demand system information identifying the channel profile selected by the user. 60

20

36. The method of claim 35, further comprising:

selecting a media asset that matches the selected channel profile after receiving the information identifying the channel profile selected by the user;

establishing an on-demand session with the client system; and

after establishing the on-demand session, transmitting from the on-demand system to the client system the selected media asset.

37. A method, comprising:

tuning a client system to a particular broadcast channel so that the client system receives and plays music broadcast from a broadcast media source, the broadcast channel being associated with a music format;

in response to a user indicating that the user desires to select one or more music videos while the client system is tuned to the broadcast channel, transmitting from the client system to an on-demand system information that identifies, or can be used to identify, the music format and/or an artist associated with the music; 25

in response to transmitting the information, receiving from the on-demand system information identifying a set of music videos associated with the music format and/or artist, wherein each video has a title;

displaying the title of at least two or more of the music videos on a display device so that a user of the client system can see the two or more titles;

displaying a first button and a second button on the display device together with the two or more titles;

in response to the user selecting the first button, transmitting from the client system to the on-demand system a request;

after the on-demand system receives the request, receiving from the on-demand system information identifying a set of artists, wherein each identified artist is associated with the format associated with the broadcast channel to which the client system was tuned when the user provided the indication that the user desires to select one or more music videos; and

after receiving the information identifying the set of artists, displaying information identifying at least two of the artists included in the set.

38. The method of claim 37, further comprising:

in response to the user selecting the second button, transmitting from the client system to the on-demand system a second request;

after the on-demand system receives the second request, receiving from the on-demand system information identifying a set of popular music videos within an area in which the user is located.

39. The method of claim 37, further comprising:

in response to the user selecting the second button, transmitting from the client system to the on-demand system a second request;

after the on-demand system receives the second request, receiving from the on-demand system information identifying a set of sub-categories associated with the music format.

40. The method of claim 39, further comprising enabling the user to select one of the sub-categories.